
Claims


1. A compound of formula (I)



(I)

a *N*-oxide or a stereochemically isomeric form thereof.

2. A compound according to claim 1 wherein the compound is



(E) (I-a)

3. A compound according to claim 1 or 2 for use as a medicine.

4. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and as active ingredient a therapeutically effective amount of a compound as claimed in claim 1 or 2.

5. A pharmaceutical composition according to claim 4 wherein the composition is suitable for oral administration.

6. A pharmaceutical composition according to claim 4 or 5 wherein the composition is a solid composition.

7. A pharmaceutical composition according to any one of claims 4 to 6 further comprising a wetting agent.

8. A pharmaceutical composition according to claim 7 wherein the wetting agent is Tween.

9. A pharmaceutical composition according to any one of claims 4 to 8 wherein the composition is in the form of a tablet.

10. A pharmaceutical composition according to claim 9 which is film-coated.

11. A pharmaceutical composition according to any one of claims 4 to 10 having the following composition
(a) from 5 to 50% of active ingredient;
(b) from 0.01 to 5 % of a wetting agent;
(c) from 40 to 92% of a diluent;
(d) from 0 to 10 % of a polymer;
(e) from 2 to 10 % of a disintegrant;
(f) from 0.1 to 5% of a glidant;
(g) from 0.1 to 1.5 % of a lubricant.


12. Use of a compound as claimed in claim 1 or 2 for the manufacture of a medicament for the treatment or the prevention of HIV infection.

13. Process for the preparation of a compound of formula (I) or (I-a) as claimed in claim 1 or 2 characterized by reacting the corresponding free base with fumaric acid in the presence of a suitable acid.

14. Process according to claim 13 wherein the suitable acid is acetic acid.


Claims:

1. A solid pharmaceutical composition for oral administration comprising a pharmaceutically acceptable carrier and as active ingredient a therapeutically effective amount of a compound of formula (I)



a *N*-oxide or a stereochemically isomeric form thereof, and further comprising a wetting agent.

2. A pharmaceutical composition according to claim 1 wherein the compound of formula (I) is a compound of formula (I-a)



3. A pharmaceutical composition according to claim 1 or 2 wherein the wetting agent is Tween.

4. A pharmaceutical composition according to any one of claims 1 to 3 comprising by weight based on the total weight of the composition :
   (a) from 5 to 50% of active ingredient;
   (b) from 0.01 to 5 % of a wetting agent;
   (c) from 40 to 92% of a diluent;
   (d) from 0.1 to 5% of a glidant.

5. A pharmaceutical composition according to any one of the preceding claims wherein the composition is in the form of a tablet.

6. A pharmaceutical composition according to claim 5 which is film-coated.

7. A pharmaceutical composition according to claim 5 having the following composition by weight based on the total weight of the tablet core
(a) from 5 to 50% of active ingredient;
(b) from 0.01 to 5 % of a wetting agent;
(c) from 40 to 92% of a diluent;
(d) from 0 to 10 % of a polymer;
(e) from 2 to 10 % of a disintegrant;
(f) from 0.1 to 5% of a glidant;
(g) from 0.1 to 1.5 % of a lubricant.

8. Use of a pharmaceutical composition as claimed in any one of the preceding claims for the manufacture of a medicament for the treatment or the prevention of HIV infection.