




[도1]



[도2]




[도3]




[도4]

2 L scale


10 L scale




[도5]




[도6]




[도7]



[E8]




[도9]




Sample	$t_{50\%}$
DDV(200) ₁₀	57.4 h
DDV(500) ₁₀	37.5 h
DDV(1000) ₁₀	30.0 h

[도10]




Samples	$t_{50\%}$
MSN(200) ₂	17.9 h
DDV(200) ₁₀	57.4 h
DDV(200) ₁₇	53.6 h

[도11]




[圖12]




$$t_{50\%} = \text{약 } 2.5 \text{ days}$$


[圖13]




[도14]




[도15]




[도16]




[도17]




[圖18]




[도19]




[도20]




[도21]




[圖22]




[圖23]




[圖24]




[025]




[도26]




[圖27]




[도28]




[도29]




[도30]




[도31]




[도32]




[도33]




[도34]




[도35]




[도36]




[도37]




[도38]




[도39]




[도40]




[도41]




[도42]




[도43]




[도44]




[도45]




[도46]




[도47]




[도48]




[도49]




[도50]



[도51]




[52]




Scale bar: 50 μm


[圖53]




[圖54]




[도55]




[도56]




[도57]




[도58]



[도59]




[도60]




[도61]


B16F10 cells (3×10^5) i.v injection (Day -1)




[도62]




[도63]




[도64]




[도65]




[도66]




[도67]




[도68]




[도 69]




[圖70]




[圖71]




[圖72]



[圖73]




[도74]




정정용지 (규칙 제91조) ISA/KR


[도75]




[도76]



[도77]




[도78]




[도79]


RCC orthotopic tumor model




[도80]




[도81]




[도82]




[도83]




[도84]




[도85]




[도86]



[도87]




[도88]




[도89]


**Tumor (B16F10 cells) bearing mouse
(tumor volume around 100 mm²)**



[도90]



[도91]



[도92]

