Figure 1



gi|363616906|Subdoligranulum sp. 4 3 54A2FAA
gi|322413080|Phascolarctobacterium succinatutens YIT 12067
gi|524248369|Anaerotruncus sp. CAG:528
gi|547968723|Firmicutes bacterium CAG:882
gi|257204402|Roseburia intestinalis L1-82
gi|508146862|Eubacterium sp. 14-2
gi|403121786|Alicyclobacillus hesperidum URH17-3-68 41%
gi|524490378|Clostridium sp. CAG:508
gi|169297883|Clostridium perfringens C str. JGS1495
gi|310780384|Ilyobacter polytropus DSM 2926
gi|655941673|Thermithiobacillus tepidarius
gi|327465960|Neisseria bacilliformis ATCC BAA-1200
gi|218767588|Neisseria meningitidis Z2491
gi|15602992|Pasteurella multocida subsp. multocida str. Pm70
gi|575441860|Mannheimia varigena USDA-ARS-USMARC-1261
gi|589590184|Mannheimia haemolytica serotype A1/A6 str. PKL10
gi|152978060|Actinobacillus succinogenes 130Z
gi|672591797|Actinobacillus suis ATCC 33415
gi|306865102|Actinobacillus pleuropneumoniae serovar 10 str. D13039
gi|220000810|Clostridium cellulolyticum H10
gi|648594402|Salsuginibacillus kocurii DSM 18087
gi|498318573|Sporolactobacillus vineae
gi|372456728|Brevibacillus laterosporus GI-9
gi|447193836|Bacillus cereus BAG5X12-1
gi|324323745|Bacillus thuringiensis serovar finitimus YBT-020
gi|363627067|Bacillus smithii 7 3 47FAA 76%
Geobacillus thermodenitrificans T12
gi|516850529|Alicyclobacillus pohliae 85%
gi|530456135|Geobacillus sp. JF8 86%
gi|679863966|Geobacillus sp. G1w1 86%
gi|559465142|Geobacillus sp. MAS1 87%
gi|696477360|Geobacillus stearothermophilus 87%
gi|385811609|Ignavibacterium album JCM 16511 18%
gi|341590650|Megasphaera sp. UPII 135-E 19%
gi|13622193|Streptococcus pyogenes SF370 (M1 GAS)
gi|116628213|Streptococcus thermophilus LMD-9
gi|319957206|Nitratifractor salsuginis DSM 16511 22%
gi|677990610|Actinomyces naeslundii str. Howell 279
gi|117929158|Acidothermus cellulolyticus 11B 20%
0.1

Figure 2



gi|672591797|Actinobacillus suis ATCC 33415
gi|306865102|Actinobacillus pleuropneumoniae serovar 10 str. D13039
gi|152978060|Actinobacillus succinogenes 130Z
gi|575441860|Mannheimia varigena USDA-ARS-USMARC-1261
gi|15602992|Pasteurella multocida subsp. multocida str. Pm70
gi|218767588|Neisseria meningitidis Z2491
gi|655941673|Thermithiobacillus tepidarius
gi|403121786|Alicyclobacillus hesperidum URH17-3-68
gi|547968723|Firmicutes bacterium CAG:882
gi|498318573|Sporolactobacillus vineae
gi|447193836|Bacillus cereus BAG5X12-1
gi|363627067|Bacillus smithii 7 3 47FAA
Geobacillus thermodenitrificans T12
gi|559465142|Geobacillus sp. MAS1
gi|516850529|Alicyclobacillus pohliae
gi|220000810|Clostridium cellulolyticum H10
gi|169297883|Clostridium perfringens C str. JGS1495
gi|310780384|Ilyobacter polytropus DSM 2926
gi|385811609|Ignavibacterium album JCM 16511
gi|341590650|Megasphaera sp. UPII 135-E
gi|13622193|Streptococcus pyogenes SF370 (M1 GAS)
gi|116628213|Streptococcus thermophilus LMD-9
gi|319957206|Nitratifractor salsuginis DSM 16511
gi|399901513|Actinomyces naeslundii str. Howell 279
gi|117929158|Acidothermus cellulolyticus 11B
gi|327465960|Neisseria bacilliformis ATCC BAA-1200
gi|589590184|Mannheimia haemolytica serotype A1/A6 str. PKL10
gi|363616906|Subdoligranulum sp. 4 3 54A2FAA
gi|322413080|Phascolarctobacterium succinatutens YIT 12067
gi|257204402|Roseburia intestinalis L1-82
gi|508146862|Eubacterium sp. 14-2
gi|524248369|Anaerotruncus sp. CAG:528
gi|648594402|Salsuginibacillus kocurii DSM 18087
gi|524490378|Clostridium sp. CAG:508
gi|372456728|Brevibacillus laterosporus GI-9
gi|324323745|Bacillus thuringiensis serovar finitimus YBT-020
gi|530456135|Geobacillus sp. JF8
gi|696477360|Geobacillus stearothermophilus
gi|679863966|Geobacillus sp. G1w1
0.05

Figure 3




Figure 3 (continued)






Figure 4


NUCLEASE DOMAIN LOBE
α-HELICAL LOBE
RuvC-I
Arg
RuvC-II
HNH
RuvC-III
Topo
CTD
1
62
78
718
765
925
1102
1200
1368

5

Figure 5


Type I (Cascade)
5′
seed
crRNA
PAM
Type II (Cas9)
5′
crRNA
tracrRNA
5′
crRNA
seed
tracrRNA
(optional)
synthetic
loop
PAM

5

Figure 6



tracrRNA t12
repeat gb
tracrRNA t12
repeat gb
tracrRNA t12
repeat gb
tracrRNA t12
repeat gb
tracrRNA t12
repeat gb
1 attgtttcccctcccatgcacaatagtttatagtaaaaaagaccttgacgttttccgccaaggtcttc
71 gttcgcctaagagtgggggaatgcccgaagaaagcgggcgataggcgatccccaacgccacgggtcagtcct
141 gcctataggcagaaagccccttatcatagtaaccctgagatcattgctgtggtataaaccctattactataa
1 ----------gtcatagttcccctgagattatcgctgtggtataat----------
211 taatgtttatatttgggaaaatcaagtccctttttctatatttttatacttttcattttcttgcattat
281 gatgatgtgagggaggataagatttctgacaggaggttccacatcg

Figure 7

1. Match to: **DQ453159 DQ453159 Geobacillus virus E2, complete genome**(DQ453159) position: 39980-39951, with: **spacer4** CRISPR No.4 Spacer No.1 (spacer4_4_1) position: 1-30, Strand: +

```
 5' --------UUGGCGGUGCGAAUUCUAACCGUCCCGGAA-------- 3'     <- CRISPR
spacer                                                      RNA
            ||||||||||||||||||||||||||||||||
 3' TAGCGTACAACCGCCACGCTTAAGATTGGCAGGGCCTTCGTGGTGT 5'     <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
 5' ATCGCATGTTGGCGGTGCGAATTCTAACCGTCCCGGAAGCACCACA 3'     <-
[Entrez Nucleotide]
```

Score: 30

2. Match to: **Bacillus alveayuensis strain 24KAM51 LG50_053, whole genome shotgun sequence**(NZ_JYCE01000053) position: 110918-110889, with: **spacer9** CRISPR No.9 Spacer No.1 (spacer9_9_1) position: 1-30, Strand: +

```
 5' --------UUCUACCUCUACUCUCGAUUCACGAAUCGG-------- 3'     <- CRISPR
spacer                                                      RNA
            ||||||||||||||||||||||||||||||||
 3' CGACGAGAAAGATGGAGATGAGAGCTAAGTGCTTAGCCAAAAGGTT 5'     <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
 5' GCTGCTCTTTCTACCTCTACTCTCGATTCACGAATCGGTTTTCCAA 3'     <-
[Entrez Nucleotide]
```

Score: 30

3. Match to: **Anoxybacillus flavithermus WK1, complete genome**(CP000922) position: 701422-701450, with: **spacer5** CRISPR No.5 Spacer No.1 (spacer5_5_1) position: 1-29, Strand: -

```
 5' --------UCACGGAGCUUUACACAAAUAAAGCCGGA-------- 3'     <-  CRISPR
spacer                                                      RNA
            |||||||||||||||||||||||||||||
 3' GATGTTCTAGTGCCTCGAAATGTGTTTATTTCGGCCTCGCTGCTT 5'     <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
 5' CTACAAGATCACGGAGCTTTACACAAATAAAGCCGGAGCGACGAA 3'     <- [Entrez
Nucleotide]
```

Score: 29

4. Match to: **Geobacillus kaustophilus strain Et23 LG51_086, whole genome shotgun sequence**(NZ_JYCF01000086) position: 15565-15537, with: **spacer5** CRISPR No.5 Spacer No.1 (spacer5_5_1) position: 1-29, Strand: +

```
 5' --------UCACGGAGCUUUACACAAAUAAAGCCGGA-------- 3'     <-  CRISPR
spacer                                                      RNA
            |||||||||||||||||||||||||||||
 3' CATGTTCTAGTGCCTCGAAATGTGTTTATTTCGGCCTCGTTGCTT 5'     <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
```

Figure 7 (continued)

```
 5' GTACAAGATCACGGAGCTTTACACAAATAAAGCCGGAGCAACGAA 3'    <- [Entrez
Nucleotide]
```

Score: 29

5. Match to: **DQ453159 DQ453159 Geobacillus virus E2, complete genome**(DQ453159) position: 6492-6463, with: **spacer6** CRISPR No.6 Spacer No.1 (spacer6_6_1) position: 1-30, Strand: +

```
 5' --------CAACACCUUCCGCGCUGUCUCGUCUACUUU-------- 3'    <- CRISPR
spacer                                                      RNA
           ||||||||||||||||||||||||||||||
 3' CGAAGAAAGTTGTGGAAGGCACGACAGAGTAGATGAAAAAATGCTT 5'    <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
 5' GCTTCTTTCAACACCTTCCGTGCTGTCTCATCTACTTTTTTACGAA 3'    <-
[Entrez Nucleotide]
```

Score: 26

6. Match to: **Pasteurella bettyae CCUG 2042 contig00003, whole genome shotgun sequence**(NZ_AJSX01000041) position: 137780-137808, with: **spacer7** CRISPR No.7 Spacer No.1 (spacer7_7_1) position: 1-30, Strand: -

```
 5' --------UUGAUUAGCAAUUUGACUUGGGAAUUUAGC-------- 3'    <- CRISPR
spacer                                                      RNA
           ||||||||||||||||||||||||||||||
 3' TAATTGTAAACTAATCGTTAAACTGACGCCTTAAATCATTACGGTT 5'    <-
Protospacer                                                 Sequence
    ||||||||                                    ||||||||
 5' ATTAACATTTGATTAGCAATTTGACTGCGGAATTTAGTAATGCCAA 3'    <-
[Entrez Nucleotide]
```

5

Figure 8




Figure 9



T12Cas9 (150nM)
sgRNA
PAM library
+ + + + + + + -
CNCCCCAC
CCCCCCAG
CCCCCCAA
CCCCCCAT
CCCCCCAC
NNNNTNN
CNCCCCAC
CNCCCCA
M
Open circular
Linear
Super coiled

Figure 10



Open circular
Linear
Super coiled
sgRNA
-Protein conc. (nM)
M
50
100
150
200
250
25
5
1/10
CFE
M
3
T12Cas9

Figure 11




Open circular
Linear
Super coiled
T12Cas9 (150nM)
sgRNA + + + + + + + + + + + + -
Temp (°C) M 38 40.1 43.1 46.9 51.1 55.7 60.3 64.9 69.1 72.9 75.9 78 M 60.3 64.9

Figure 12



Colonies are indicated with arrows.

Figure 13





3kb
2kb
1.5kb
ΔpyrF control
Wild type control
3kb
2kb
1.5kb
3kb
2kb
1.5kb

Figure 14


3kb
2kb
1.5kb
3kb
2kb
1.5kb
the clean
ΔpyrF colony

5


ΔpyrF control
Wild type control
3kb
2kb
1.5kb