
Average Letter Change from Baseline
0
1
2
3
4
5
6
7
Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
Pilocarpine Dose

FIG. 1.


Averge Letter Change from Baseline
0
2
4
6
8
10
12
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10

FIG. 2.


Average Later Change from Baseline
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
Pilocarpine Dose (%)
1.25%

FIG. 3.



FIG. 4.


Average Letter Change from Baseline
Pilocarpine Dose (%)
1.08%
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5

FIG. 5.


Screening
(Day -7 to -1)
Dose QD
(3 consecutive days in office dosing)
Washout period
(5 ±2 days)
Dose BID
(3 consecutive days in office dosing)
(1 day)
Visit 2
Visit 4
Visit 6
Screening
Baseline/Visit 1
Visit 3
Visit 5
Visit 7
Exit/Visit 8

FIG. 6.


Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
% of subjects
35
30
25
20
15
10
5
0
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10
* p-value <0.05, statistically significant difference versus vehicle (pilo 0%)

FIG. 8.


Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
% of subjects
0
10
20
30
40
50
60
70
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10
* p-value <0.05, statistically significant difference versus vehicle (pilo 0%)

FIG. 9.


Average Letter Change from Baseline
0
1
2
3
4
5
6
7
Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
Pilocarpine Dose

FIG. 1.


Avergae Letter Change from Baseline
0
2
4
6
8
10
12
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10

FIG. 2.


Average Letter Change from Baseline
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
Pilocarpine Dose (%)
1.25%

FIG. 3.


Average Letter Change from Baseline
0.86
0.90
1.95
0.62
Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
Pilocarpine Dose

FIG. 4.


Average Letter Change from Baseline
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
Pilocarpine Dose (%)
1.08%

FIG. 5.


Screening
(Day -7 to -1)
Dose QD
(3 consecutive days in office dosing)
Washout period
(5 ±2 days)
Dose BID
(3 consecutive days in office dosing)
(1 day)
Visit 2
Visit 4
Visit 6
Screening
Baseline/Visit 1
Visit 3
Visit 5
Visit 7
Exit/Visit 8

FIG. 6.


Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
% of subjects
35
30
25
20
15
10
5
0
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10
* p-value <0.05, statistically significant difference versus vehicle (pilo 0%)

FIG. 8.


Pilo 0%
Pilo 0.5%
Pilo 1%
Pilo 1.5%
% of subjects
70
60
50
40
30
20
10
0
Day 1 Hour 1
Day 1 Hour 3
Day 1 Hour 6
Day 1 Hour 8
Day 1 Hour 10
Day 2 Hour 0
Day 2 Hour 1
Day 2 Hour 3
Day 2 Hour 6
Day 2 Hour 8
Day 2 Hour 10
* p-value <0.05, statistically significant difference versus vehicle (pilo 0%)

FIG. 9.