




6. Compound as defined in any of Claims 1 to 4 for use in the treatment and/or prophylaxis of diseases.
7. Compound as defined in any of Claims 1 to 4 for use in the treatment and/or prophylaxis of heart failure, pulmonary hypertension, chronic obstructive pulmonary disease, asthma, kidney failure, nephropathy, fibrotic disorders of the internal organs and dermatological fibroses.
8. Medicament comprising a compound as defined in any of Claims 1 to 4 in combination with one or more inert nontoxic pharmaceutically suitable excipients.
9. Medicament comprising a compound as defined in any of Claims 1 to 4 in combination with one or more further active ingredients selected from the group consisting of calcium antagonists, angiotensin AII antagonists, ACE inhibitors, vasopectidase inhibitors, endothelin antagonists, renin inhibitors, alpha-receptor blockers, beta-receptor blockers, mineralocorticoid receptor antagonists, rho-kinase inhibitors, diuretics, kinase inhibitors, matrix metalloprotease inhibitors, stimulators and activators of soluble guanylate cyclase and phosphodiesterase inhibitors.
10. Medicament according to Claim 7 or 8 for use in the treatment and/or prophylaxis of heart failure, pulmonary hypertension, chronic obstructive pulmonary disease, asthma, kidney failure, nephropathy, fibrotic disorders of the internal organs and dermatological fibroses.
11. Compound of the formula (I) according to Claim 1, which is 1-(1,3-dimethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula




12. Compound of the formula (I) according to Claim 1, which is 1-(6-fluoro-1,3-dimethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula




13. Compound of the formula (I) according to Claim 1, which is 1-(3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-6-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula




14. Compound of the formula (I) according to Claim 1, which is 2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1-(1,3,3-trimethyl-2-oxo-2,3-dihydro-1H-indol-5-yl)-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula



15. Compound of the formula (I) according to Claim 1, which is 1-(1'-methyl-2'-oxo-1',2'-dihydrospiro[cyclopropane-1,3'-indole]-5'-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula



16. Compound of the formula (I) according to Claim 1, which is 1-(3-methyl-2-oxo-2,3-dihydro-1,3-benzothiazol-6-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid (R enantiomer) of the formula



17. Compound of the formula (I) according to Claim 1, which is ethyl 1-(3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-6-yl)-2,4-dioxo-3-[(1R)-4-(trifluoromethyl)-2,3-dihydro-1H-inden-1-yl]-1,2,3,4-tetrahydropyrimidine-5-carboxylate (R enantiomer) of the formula

