



(43) International Publication Date
20 September 2012 (20.09.2012)

- (51) International Patent Classification:
G06F 3/02 (2006.01)
- (21) International Application Number:
PCT/IB2012/051202
- (22) International Filing Date:
14 March 2012 (14.03.2012)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
61/452,222 14 March 2011 (14.03.2011) US
- (71) Applicant (for all designated States except US): **SUPER DERIVATIVES, INC.** [US/US]; 545 Madison Avenue, 17th Floor, New York, New York 10022 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **MIRON, Amihi** [IL/IL]; Itzhak Sade 7, 55299 Kiriat Ono (IL).
- (74) Agents: **SHICHRUR & CO.** et al.; Derech Menachem Ben-
gin 132, 67011 Tel Aviv-Yaffo (IL).
- (81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD,
SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU,
TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU,
LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,
SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished
upon receipt of that report (Rule 48.2(g))

(54) Title: CONTEXT-BASED KEYBOARD




Fig. 1

(57) **Abstract:** Some demonstrative embodiments, include devices, systems and/or methods of context-based keyboards. For example, a virtual context-based keyboard may be customized based on an input context to be provided from a user to at least one application. The input context may include a predefined combination of a plurality of context components including input elements selected from a respective plurality of predefined sets of input elements, such that a context component has an input element selected from a set of input elements corresponding to the context component. The virtual keyboard may include a plurality of keyboard elements representing input elements of the plurality of sets of input elements, each keyboard element representing a different input element.