FIG. 1 (GM-CSF)



GM-CSF (pg/mL)
8
6
4
2
0
*
**
**
Controls
10 µg/mL LPS
LPS + 0.0001 mg/mL moxifloxacin
LPS + 0.001 mg/mL moxifloxacin
LPS + 0.010 mg/mL moxifloxacin
LPS + 0.03 mg/mL moxifloxacin
LPS + 0.0001 mg/mL besifloxacin
LPS + 0.001 mg/mL besifloxacin
LPS + 0.01 mg/mL besifloxacin
LPS + 0.03 mg/mL besifloxacin

FIG. 1 (IL-1ß) (continued)




FIG. 1 (IL-8) (continued)




FIG. 1 (IP-10) (continued)




FIG. 1 (MCP-1) (continued)




FIG. 1 (MIP-1α) (continued)




FIG. 2 (G-CSF)



G-CSF (pg/mL)
160
140
120
100
80
60
40
20
0
*
**
**
**
**
Controls
10 µg/mL LPS
LPS + 0.0001 mg/mL moxifloxacin
LPS + 0.001 mg/mL moxifloxacin
LPS + 0.010 mg/mL moxifloxacin
LPS + 0.03 mg/mL moxifloxacin
LPS + 0.0001 mg/mL besifloxacin
LPS + 0.001 mg/mL besifloxacin
LPS + 0.01 mg/mL besifloxacin
LPS + 0.03 mg/mL besifloxacin

FIG. 2 (IL-1α) (continued)




FIG. 2 (IL-1ra) (continued)




FIG. 2 (IL-6) (continued)




FIG. 2 (VEGF) (continued)




FIG. 3 (IL-12p40)

