

A
Tumor area [mm² ± SD]
175
150
125
100
75
50
25
0
Group 1
Group 2
2
5
8
11
14
17
Days after inoculation of the tumor
B
Tumor weight [mg ± SD]
1000
750
500
250
0
T/C
0.07
*
Group 1
Group 2
*statistically significant relative to Group 1

Fig.1



A
Group 1
Group 2
Tumor area [mm² ± SD]
175
150
125
100
75
50
25
0
2
5
8
11
14
17
Days after inoculation of the tumor
B
Tumor weight [mg ± SD]
800
600
400
200
0
T/C
0.39
*
Group 1
Group 2
* statistically significant relative to Group 1

Fig.2



A
Group 1
Group 2
Group 3
Group 4
Tumor area [mm² ± SD]
0
50
100
150
200
2
5
8
11
14
17
20
Days after inoculation of the tumor
B
Tumor weight [mg ± SD]
0
300
600
900
1200
1500
T/C
0.47
0.18
0.08
*
*
Group 1
Group 2
Group 3
Group 4
* statistically significant relative to Group 1

Fig.3



A
Group 1
Group 2
Group 3
Group 4
T Tumor area [mm² ± SD]
200
150
100
50
0
2 5 8 11 14 17 20 23 26 29
Days after inoculation of the tumor
B
T/C
0.94 0.66 0.51
Tumor weight [mg ± SD]
1200
1000
800
600
400
200
0
Group 1 Group 2 Group 3 Group 4

Fig.4



A
Tumor area [mm² ± SD]
200
150
100
50
0
Group 1
Group 2
Group 3
Group 4
3
6
9
12
15
18
21
Days after inoculation of the tumor
B
Tumor weight [g ± SD]
1000
750
500
250
0
T/C
0.41
0.46
0.18
*
*
Group 1
Group 2
Group 3
Group 4
* statistically significant relative to Group 1

Fig.5



A
Tumor area [mm² ± SD]
200
150
100
50
0
Group 1
Group 2
Group 3
Group 4
3
6
9
12
15
18
21
Days after inoculation of the tumor
B
Tumor weight [g ± SD]
1000
750
500
250
0
T/C
0.47
0.48
0.23
*
Group 1
Group 2
Group 3
Group 4
* statistically significant relative to Group 1

Fig.6



A
Tumor area [mm² ± SD]
200
150
100
50
0
Group 1
Group 2
Group 3
Group 4
3
6
9
12
15
18
21
Days after inoculation of the tumor
B
Tumor weight [g ± SD]
1000
750
500
250
0
T/C
0.44
0.30
0.19
*
*
Group 1
Group 2
Group 3
Group 4
* statistically significant relative to Group 1

Fig.7



A
Tumor area [mm² ± SD]
200
150
100
50
0
Group 1
Group 2
Group 3
Group 4
3
6
9
12
15
18
21
Days after inoculation of the tumor
B
Tumor weight [g ± SD]
1000
750
500
250
0
T/C
0.47
0.70
0.44
Group 1
Group 2
Group 3
Group 4

Fig.8