



Figure 1 is a schematic diagram of a multi-room facility. The facility includes a central hall (12) and several rooms (11, 13, 14). Rooms 11 and 13 contain people (31, 33). Room 14 contains people (34, 35, 36). A person (32) is in the hall. A person (51) is on a cart (41) near the entrance (10). Other people (26, 27, 28, 42, 43, 44, 45, 52, 53, 54, 55, 56, 61, 62, 63, 64, 65, 66, 67, 68, 69) are shown in various positions throughout the facility.


[図2]




[図3]



[図4]



[図5]



[図6]

601 CHIP ID	602 IN/OUT	603 FROM	604 TO	605 TIME	
24825	OUT	MAIN BANK			H61
24825	IN	MAIN BANK	F/C BANK		H62

[図7]

601 CHIP ID	602 IN/OUT	603 FROM	604 TO	605 TIME	
24825	OUT	TABLE-4	F/C BANK		H71
24825	IN		F/C BANK		H72

[図8]

601 CHIP ID	602 IN/OUT	603 LOCATION	604 TIME	
24825	OUT	VAULT		H81
24825	IN	MAIN BANK		H82

[図9]

601 CHIP ID	603 LOCATION	604 TIME	
24825	VAULT		H91
24825	MAIN BANK		H92

[図10]

601 }	602 }	603 }	604 }	
CHIP ID	IN/OUT	LOCATION	TIME	
24825	OUT	CASHER-2		~ H101
24825	IN	PLAYER-5		~ H102
24825	OUT	PLAYER-5		~ H103
24825	IN	CASHER-3		~ H104