


(VI)

to form the 1-benzyl-3-hydroxymethyl-1H-indazole represented by the abovementioned formula (I).


2. The process of preparation according to Claim 1, in which the said 1-benzyl-3-hydroxymethyl-1H-indazole represented by formula (I) are caused to form salts with the carboxyl group -COOR12 by treatment with a pharmaceutically acceptable organic or inorganic base.

3. The process of preparation according to Claim 1 wherein R1 and R2, which may be the same or different, are represented by a hydrogen atom, or an alkyl group having 1 to 3 carbon atoms.

4. The process of preparation according to Claim 1 wherein R3, R4 and R8, which may be the same or different, may be hydrogen, a methyl group, an ethyl group, a methoxy group, an ethoxy group, a chlorine atom and a fluorine ~~atom,~~

5. The process of preparation according to Claim 1 wherein R5 may be hydrogen, a methyl group, an ethyl group, a methoxy group, an ethoxy group, a chlorine atom and a fluorine atom, or together with R6 and R7 may form a ring having 6 carbon ~~atoms, and~~

6. The process of preparation according to Claim 1 wherein R6 and R7, which may be the same or different, may be hydrogen, a methyl group, an ethyl group, or one of R6 and R7 together with R5 may form a ring having 6 carbon atoms.



(VI)

to form the 1-benzyl-3-hydroxymethyl-1H-indazole represented by the abovementioned formula (I).

2. The process of preparation according to Claim 1, in which the said 1-benzyl-3-hydroxymethyl-1H-indazole represented by formula (I) are caused to form salts with the carboxyl group -COOR12 by treatment with a pharmaceutically acceptable organic or inorganic base.

3. The process of preparation according to Claim 1 wherein R1 and R2, which may be the same or different, are represented by a hydrogen atom, or an alkyl group having 1 to 3 carbon atoms.

4. The process of preparation according to Claim 1 wherein R3, R4 and R8, which may be the same or different, may be hydrogen, a methyl group, an ethyl group, a methoxy group, an ethoxy group, a chlorine atom and a fluorine atom.

5. The process of preparation according to Claim 1 wherein R5 may be hydrogen, a methyl group, an ethyl group, a methoxy group, an ethoxy group, a chlorine atom and a fluorine atom, or together with R6 and R7 may form a ring having 6 carbon atoms.

6. The process of preparation according to Claim 1 wherein R6 and R7, which may be the same or different, may be hydrogen, a methyl group, an ethyl group, or one of R6 and R7 together with R5 may form a ring having 6 carbon atoms.