






1
FIG. 1











FIG. 1F


200
FIG. 2A


200
FIG. 2B


300
FIG. 3

APS User Device
60a





400
FIG. 4A


400
FIG. 4B



400
FIG. 4C


500
FIG. 5

600
FIG. 6




700a (Device 60a)

FIG. 7A




700b (Device 60a)

FIG. 7B




700c (Device 60a)

FIG. 7C




700f (Device 60a)

FIG. 7F




700e (Device 60a)

FIG. 7E




700d (Device 60a)

FIG. 7D




700i (Device 60a)

FIG. 7I



700h (Device 60a)

FIG. 7H



700g (Device 60a)

FIG. 7G

A screenshot of a mobile application interface for 'B'Gock Service'. At the top, there is a header box containing the text 'B'Gock Service'. Below this, the text 'SIGN IN' is centered. There are two input fields: the first contains the text 'demo' and a placeholder '<user name>'; the second contains a series of asterisks '*****' and a placeholder '<password>' followed by an '@' icon. Below the password field is a checkbox labeled 'Remember my username'. At the bottom, there is a large button labeled 'LOG IN'.

700j (Device 60c)

FIG. 7J

A screenshot of a mobile application interface for 'B'Gock Service'. At the top, there is a header box containing the text 'B'Gock Service'. Below this, the text 'APSP AUTHENTICATOR (PUSH) REGISTRATION' is centered. There are three buttons stacked vertically: the top button is labeled 'REGISTER SERVICE USING ENABLED DEVICE', the middle button is labeled 'GET THE APP', and the bottom button is labeled 'SKIP THIS STEP'.


700k (Device 60c)

FIG. 7K

B'Gock Service

REGISTER A DEVICE

Scan the barcode image below with the APS
Authenticator app to register your device with your login.




ON A MOBILE DEVICE?

○ Waiting for response...


700l (Device 60c)

FIG. 7L




700o (Device 60a)

FIG. 7O



700n (Device 60a)

FIG. 7N



700m (Device 60a)

FIG. 7M

A screenshot of a mobile device screen showing a registration success message. At the top, there is a box containing the text "B'Gock Service (Registered)". Below this, the text "DEVICE REGISTRATION SUCCESSFUL" is centered. Underneath, a message reads "Your device has been successfully registered." At the bottom, there is a single button labeled "OK".

700p (Device 60c)

FIG. 7P

A screenshot of a mobile device screen showing a sign-in interface. At the top, there is a box containing the text "B'Gock Service (Registered)". Below this, the text "SIGN IN" is centered. Underneath, there is a text input field containing the text "demo". Below the input field, there is a button labeled "<no password needed>". Below the button, there is a checkbox followed by the text "Remember my username". At the bottom, there is a button labeled "LOG IN".

700q (Device 60c)

FIG. 7Q

B'Gock Service
(Registered)

Awaiting Authentication
Approval


demo

<no password needed>

☐ Remember my username


700r (Device 60c)

FIG. 7R




700s (Device 60a)

FIG. 7S



700t (Device 60a)

FIG. 7T




700u (Device 60a)

FIG. 7U



700w (Device 60a)

FIG. 7W



700v (Device 60c)

FIG. 7V

