[Claims]

[Claim 1]

A method for improving feel of use of a cosmetic composition, which comprises adding an additive composition methyl trimethicone or a combination of dimethicone and methyl trimethicone, to the cosmetic composition in an effective amount,

wherein the cosmetic composition comprises vitamin C in an amount of 15% by weight or more based on total weight of the cosmetic composition,

wherein the improvement in feel of use comprises one or more of a decrease in stickiness of the cosmetic composition or a decrease in irritating feel of the cosmetic composition, and wherein the stickiness and irritating feel of the cosmetic composition are caused by vitamin C of an amount of 15% by weight or more based on total weight of the cosmetic composition.

[Claim 2]

The method according to claim 1, wherein the improvement in feel of use further comprises enhancement of moisturizing feel.

[Claim 3]

The method according to claim 1, wherein the additive composition further comprises squalane and a fat-soluble antioxidant substance.

[Claim 4]

The method according to claim 3, wherein the fat-soluble antioxidant substance comprises one or more selected from the group consisting of tocopherol, lycopene, and retinol.

[Claim 5]

The method according to claim 1, wherein the oil is comprised as a double layer formed of a first oil layer and a

second oil layer, wherein

the first oil layer comprises the methyl trimethicone or the combination of dimethicone and methyl trimethicone, and

the second oil layer comprises a second oil and covers a surface of the first oil layer, wherein the second oil comprises a vegetable oil.

[Claim 6]

The method according to claim 5, wherein the vegetable oil in the second oil layer comprises one or more selected from the group consisting of meadowfoam seed oil, helianthus annuus (sunflower) seed oil), camellia japonica seed oil, olive oil, grapeseed oil, and limnanthes alba seed oil.

[Claim 7]

The method according to claim 1, wherein a content of vitamin C in the cosmetic composition is 15% to 35% by weight with respect to a total weight of the cosmetic composition.

[Claim 8]

The method according to claim 1, wherein the additive composition is added at 3% to 12% by weight based on a total weight of the cosmetic composition.

[Claim 9]

The method according to claim 5, wherein a weight ratio of the first oil layer:the second oil layer is 30:1 to 1:30.

[Claim 10]

A method for improving feel of use of a cosmetic composition, said method comprising adding an effective amount of an additive composition to the cosmetic composition,

wherein the cosmetic composition comprises vitamin C at 15% by weight or more based on total weight of the cosmetic composition, and

wherein the additive composition comprises methyl trimethicone or a combination of dimethicone and methyl trimethicone, and additionally one or more selected from the group consisting of hydrogenated C_{6-14} olefin polymer, diphenylsiloxy phenyl trimethicone, C_{18-21} alkane, and a natural oil,

wherein the improvement in feel of use comprises one or more of a decrease in stickiness of the cosmetic composition or a decrease in irritating feel of the cosmetic composition, and

wherein the stickiness and irritating feel of the cosmetic composition are caused by vitamin C of an amount of 15% by weight or more based on total weight of the cosmetic composition.

[Claim 11]

The method according to claim 10, wherein the natural oil comprises one or more selected from the group consisting of meadowfoam seed oil, *Helianthus annuus* (sunflower) seed oil, *Camellia japonica* seed oil, olive oil, grapeseed oil, and *Limnanthes alba* seed oil.