


FIG. 1




FIG. 2



Amino Acid Profile
Oakbio Consortia
M extorquens
fishmeal
C. necator
(g/100g dry weight)
10.00
9.00
8.
7.
6.
5.
4.
3.00
2.00
1.00
-
Arginine
Histidine
Isoleucine
Leucine
Lysine
Methionine
Phenylalanine
Threonine
Tryptophan
Valine
Alanine
Aspartic acid
Cystine
Glutamic acid
Glycine
Proline
Serine
Tyrosine

FIG. 3



10.00
9.00
8.00
7.00
6.00
5.00
4.00
3.00
2.00
1.00
-
gms per 100 gms product
Arginine
Histidine
Isoleucine
Leucine
Lysine
Methionine
Phenylalanine
Threonine
Tryptophan
Valine
Alanine
Aspartic acid
Cystine
Glutamic acid
Glycine
Proline
Serine
Tyrosine
Amino Acids
Oakbio Consortia
B. subtilis H

FIG.4



Fish Weight Gain Per Period
Weight Gain gms
30
25
20
15
10
5
0
2
2.5
3
3.5
4
4.5
5
5.5
6
Week
Control Diet
Oakbio SCP

FIG. 5



Total Fish Weight
gms weight
45
40
35
30
25
20
15
10
5
0
0
1
2
3
4
5
6
7
Weeks
Control
Oakbio SCP

FIG. 6