

JRSI062SeqList_ST25
SEQUENCE LISTING

<110> J.R. Simplot Company
Ye, Jingsong
Habig, Jeffrey W.
Layne, Janet
Hein, Jeffrey W.
Pence, Matthew G.
Hudon, Stephanie

<120> EVENT-SPECIFIC DETECTION METHODS

<130> JRSI-062/02US 317577-2415

<150> US 62/118,320

<151> 2015-02-19

<150> US 62/062,324

<151> 2014-10-10

<160> 90

<170> PatentIn version 3.5

<210> 1

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> pSIM1278 construct junction LB Synthetic-LB Potato

<400> 1

tggcaggata tataccggtg taaacgaagt gtgtgtggtt

40

<210> 2

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> pSIM1278 construct junction RB Synthetic-RB Potato

<400> 2

gtttacagta ccatatatcc tgtcagaggt atagaggcat

40

JRSI062SeqList_ST25

<210> 3
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction LB-AGP

 <400> 3
 ttgtggagga gtaagggtac caagtgtctg agacaa 36

 <210> 4
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction AGP-ASN

 <400> 4
 aacaagcttg ttaacgaact ctttatccag 30

 <210> 5
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction ASN-PP0

 <400> 5
 tggtagagccc tcgagataat tgtaactgat 30

 <210> 6
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction PP0-Spacer1

 <400> 6
 attcaataga gactatctag agtgtatggg tgatcc 36

JRSI062SeqList_ST25

<210> 7
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction Spacer1-PP0

 <400> 7
 ttatggagga atcagtagtc tctattgaat 30

 <210> 8
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction PPO-ASN

 <400> 8
 atcagttaca attattctcg agggctcacc 30

 <210> 9
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction ASN-GBSS

 <400> 9
 ctggataaag agttcgaatt cgtgatgtgt ggtcta 36

 <210> 10
 <211> 46
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction GBSS-AGP

 <400> 10
 tgagatgcat gggtcactag tgattgggtac caagtgtctg agacaa 46

JRSI062SeqList_ST25

<210> 11
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction AGP-PHL

 <400> 11
 aacaagcttg ttaacgtgct ctctatgcaa 30

 <210> 12
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction PHL-R1

 <400> 12
 ttttgctaaa acatcggaca cgtatatattt 30

 <210> 13
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction R1-Spacer2

 <400> 13
 atatttatta tataactgca gcgttgtttt gatgaa 36

 <210> 14
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction Spacer2-R1

 <400> 14
 ttttgatgaa aaagcttata taataaatat 30

JRSI062SeqList_ST25

<210> 15
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction PHL-GBSS

 <400> 15
 ttgcatagag agcaccgtga tgtgtggtct 30

 <210> 16
 <211> 39
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 construct junction GBSS-RB

 <400> 16
 aaatcataat atctggagct catcggtatg ctataaatt 39

 <210> 17
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> E12 specific junction LJ-plant-insert

 <400> 17
 tattggtgag aataataaac gaagtgtgtg 30

 <210> 18
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> E12 specific junction RJ insert-plant

 <400> 18
 acggtcagtc actttgtact agtaaagatc 30

JRSI062SeqList_ST25

<210> 19
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> F10 specific junction LJ-plant-insert

 <400> 19
 cagcagccat caactgggtcc agcaggatat ataccg 36

 <210> 20
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> F10 specific junction RJ insert-plant

 <400> 20
 gtgggcatca atttagtcca ccagccaaaa 30

 <210> 21
 <211> 35
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> J3 specific junction LJ-plant-insert

 <400> 21
 aacaggacaa ccacaagcta ggaaactcac atgct 35

 <210> 22
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> J3 specific junction RJ insert-plant

 <400> 22
 aaaaagccct agaattaatt ttttttggaa 30

JRSI062SeqList_ST25

<210>	23	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	J3 specific junction internal	
<400>	23	
	gaactgaaac cgatatacaa aatgggtataa	30
<210>	24	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	J3 specific junction internal	
<400>	24	
	cctctataacc tctgacagag gtatagaggc	30
<210>	25	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	J55 specific junction LJ-plant-insert	
<400>	25	
	aaatcaacaa gcaattgaag aactacctat	30
<210>	26	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	J55 specific junction RJ insert-plant	
<400>	26	
	cataagtgag actatgcgtg aaactttcag	30

JRSI062SeqList_ST25

<210> 27
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> J55 specific junction internal

 <400> 27
 cctctataacc tctgataaat taaactgact 30

 <210> 28
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> J55 specific junction internal

 <400> 28
 actaaaaaatc tcagctaaaa caataaaaat 30

 <210> 29
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> V11 specific junction LJ plant-insert

 <400> 29
 tcattttca ttccggtgta aacgaagtgt 30

 <210> 30
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> V11 specific junction RJ insert-plant

 <400> 30
 atgcctctat acctctgata ataaagaact 30

JRSI062SeqList_ST25

<210> 31
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction LJ plant-pSIM1678 insert

 <400> 31
 caacaattaa aaaaagccta attttcatgg 30

 <210> 32
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction RJ pSIM1678 insert-plant

 <400> 32
 acggtcagtc actttcaagc cctaggagcc 30

 <210> 33
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction LJ plant-pSIM1278 insert

 <400> 33
 agccctacaa aaggcccaaa ctctaagtca 30

 <210> 34
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction RJ plant-pSIM1278 insert

 <400> 34
 agtcctagaa ctacgaaaat tatattcggt 30

JRSI062SeqList_ST25

<210> 35
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction internal

 <400> 35
 atgcctctat acctcagagg tatagaggca 30

 <210> 36
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> W8 specific junction internal

 <400> 36
 tgcctctata cctctgacgc aacacaacac 30

 <210> 37
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> X17 specific junction LJ plant-insert

 <400> 37
 gtattcgctg caggatatat accggtgtaa 30

 <210> 38
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> X17 specific junction RJ insert-plant

 <400> 38
 gcctctatac ctctgactgg aaaattgacg 30

JRSI062SeqList_ST25

<210> 39
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Y9 specific junction LJ plant-insert

 <400> 39
 caaaatgtgc accaatgatg tctcacgacc 30

 <210> 40
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Y9 specific junction RJ insert-plant

 <400> 40
 ctcaacaacc agtcaccgga agtcccttaa 30

 <210> 41
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Y9 specific junction internal

 <400> 41
 atgcctctat acctctgaaa gtgactgacc 30

 <210> 42
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction LB-pVnt1

 <400> 42
 ttgtggagga gtaagggtac cagttataca ccctac 36

JRSI062SeqList_ST25

<210> 43
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction pVNT1-Vnt1

 <400> 43
 accagctaac aaaagatgaa ttattgtgtt 30

 <210> 44
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction Vnt1-tVnt1

 <400> 44
 tcacaggtac tataaataat tatttacgtt 30

 <210> 45
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction tVnt1-pAGP

 <400> 45
 agcctctttt caaaggggcc ccaagtgtct gagaca 36

 <210> 46
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction pAGP-Inv

 <400> 46
 aacaagcttg ttaacggatc cacattcctc ccggat 36

JRSI062SeqList_ST25

<210> 47
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction Inv-Inv

 <400> 47
 tcaaggactt tagaggaatt cagcggaccc agtcca 36

 <210> 48
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 construct junction Inv-pGbss

 <400> 48
 gaggaatgtg taatgactag tcgtgatgtg tggctc 36

 <210> 49
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adenine Phosphoribosyl Transferase APRT forward primer

 <400> 49
 gaaccggagc aggtgaagaa 20

 <210> 50
 <211> 20
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Adenine Phosphoribosyl Transferase APRT reverse primer

 <400> 50
 gaagcaatcc cagcgatcgc 20

JRSI062SeqList_ST25

```

<210> 51
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Adenine Phosphoribosyl Transferase APRT probe

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 51
cgctcatga tccgatt

```

17

```

<210> 52
<211> 18
<212> DNA
<213> Artificial Sequence

```

JRSI062SeqList_ST25

<220>
 <223> E12 forward primer

<400> 52
 gggagtaggc ttataacc 18

<210> 53
 <211> 24
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> E12 reverse primer

<400> 53
 ccttgaatga ttgatataa gaag 24

<210> 54
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> E12 probe

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> May be a locked nucleotide

JRSI062SeqList_ST25

```

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 54
tcagtcactt tgtactag                                     18

<210> 55
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> F10 forward primer

<400> 55
aaggcaatct ttcataagc                                     19

<210> 56
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> F10 reverse primer

<400> 56
cacacacttc gtttacac                                     18

<210> 57
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> F10 probe

<220>

```

JRSI062SeqList_ST25

<221> MISC_FEATURE
 <222> (1)..(1)
 <223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 57
 tatatcctgc tggacca 17

<210> 58
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> J3 forward primer

<400> 58
 ccggtactca aatttgcaa 19

<210> 59
 <211> 23
 <212> DNA

<213> Artificial Sequence

<220>

<223> J3 reverse primer

<400> 59

ggtgttccta atatcgagtg ttc

23

<210> 60

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> J3 probe

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (19)..(19)

<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 60
ccacaagcta ggaaactca 19

<210> 61
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> J55 forward primer

<400> 61
catggaatta tttagaaaca aaa 23

<210> 62
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> J55 reverse primer

<400> 62
gacgatcaag aatctcaata 20

<210> 63
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> J55 probe

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> May be a locked nucleotide

<220>

JRSI062SeqList_ST25

<221> MISC_FEATURE
 <222> (7)..(7)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (19)..(19)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 63
 tcatagtcaa acagtcagc 19

<210> 64
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> V11 forward primer

<400> 64
 gtgggcatca atttagtg 18

<210> 65
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> V11 reverse primer

<400> 65
 ggagagtaat agccttagta 20

<210> 66

JRSI062SeqList_ST25

<211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> V11 probe

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (19)..(19)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 66
 cctctataacc tctgataat

19

<210> 67
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>

<223> V11 forward primer

<400> 67

tagccaagca tgacttac

18

<210> 68

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> V11 reverse primer

<400> 68

cacacacttc gtttacac

18

<210> 69

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> V11 probe

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> May be a locked nucleotide

<220>

JRSI062SeqList_ST25

```

<221> MISC_FEATURE
<222> (13)..(13)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (18)..(18)
<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 69
atgtatgaat ggcagaag 18

<210> 70
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> W8 forward primer

<400> 70
aggctttata ccgagttg 18

<210> 71
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> W8 reverse primer

<400> 71
tcagcttaat cgaataagaa ac 22

<210> 72
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> W8 probe

<220>
<221> MISC_FEATURE

```

JRSI062SeqList_ST25

<222> (1)..(1)
 <223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> May be a locked nucleotide

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 72
 actacgtca gtcactt 17

<210> 73
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> X17 forward primer

<400> 73
 gtccgaaggt tgagaaaa 18

<210> 74
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>

<223> X17 reverse primer

<400> 74

cgtgagacat catcataatg

20

<210> 75

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> X17 probe

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 75

cgcttcagtt acggctt

17

<210> 76

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Y9 forward primer

<400> 76

gacagctatc aatatacttt agtaa

25

<210> 77

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Y9 reverse primer

<400> 77

ttgccatact catacagag

19

<210> 78

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Y9 probe

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

JRSI062SeqList_ST25

<222> (7)..(7)
 <223> May be a locked nucleotide

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> May be a locked nucleotide

 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> May be a locked nucleotide

 <220>
 <221> MISC_FEATURE
 <222> (19)..(19)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

 <400> 78
 aatgatgtct cacgaccaa 19

 <210> 79
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 forward primer

 <400> 79
 tcaccagtat gactgttta 19

 <210> 80
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1278 reverse primer

 <400> 80
 ctaccacaca ctctctag 18

 <210> 81
 <211> 19

JRSI062SeqList_ST25

<212> DNA
<213> Artificial Sequence

<220>
<223> pSIM1278 probe

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (19)..(19)
<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 81
aagcttggtta acgaactct

19

<210> 82
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> pSIM1278 forward primer

<400> 82
gcatcatcca tcaaagtg 18

<210> 83
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> pSIM1278 reverse primer

<400> 83
gtcggataa taagagaagg a 21

<210> 84
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> pSIM1278 probe

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> May be a locked nucleotide

<220>
<221> MISC_FEATURE

JRSI062SeqList_ST25

<222> (13)..(13)
 <223> May be a locked nucleotide

 <220>
 <221> MISC_FEATURE
 <222> (19)..(19)
 <223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

 <400> 84
 tagagactat ctagagtgt 19

 <210> 85
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 forward primer

 <400> 85
 gaacggaggg agtatgaa 18

 <210> 86
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 reverse primer

 <400> 86
 ccactttcag ttttggttg 19

 <210> 87
 <211> 17
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> pSIM1678 probe

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)

JRSI062SeqList_ST25

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 87

tcttttcaaa ggggccc

17

<210> 88

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> pSIM1678 forward primer

<400> 88

gaagcctctt ttcaaagg

18

<210> 89

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> pSIM1678 reverse primer

<400> 89

acgggttaat cgataacc

18

<210> 90

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> pSIM1678 probe

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> May be labeled with a 6-FAM 6-carboxyfluorescein moiety

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> May be a locked nucleotide

<220>

<221> MISC_FEATURE

<222> (16)..(16)

<223> May be labeled with a a BHQ1 Black Hole Quenchers 1 moiety

<400> 90

ccccaagtgt ctgaga

16

JRSI062SeqList_ST25