demonstrated by biopsy samples obtained from different progressing metastases within each patient (Wardelmann, E., et al. *Lancet Oncol.* **2005**, *6*, pg. 249-251; Fletcher, J.A. and Rubin, B.P., *Curr. Opin in Genetics & Develop.*, **2007**, *17*, pg. 3-7). This complex c-KIT mutational heterogeneity within individual patients underscores an unmet medical need to identify inhibitors of c-KIT kinase that are effective across a broad spectrum of c-KIT primary and secondary mutations. Such a broad spectrum c-KIT inhibitor would be of high therapeutic value in the treatment of refractory GIST patients.

Summary ~~of the Invention~~

[0005] The present disclosure discloses the unexpected utility of compounds that inhibit c-KIT kinase across a broad range of c-KIT mutations, including complex occurrences of primary mutations (*KIT* exon 9 or 11) and secondary *KIT* mutations (exons 13, 14, 17 and 18) that may arise in individual, refractory GIST patients. Also unexpected is the utility of compounds of the present disclosure to inhibit the problematic exon 17 D816V c-KIT mutation, for which there is currently no effective therapy. D816 mutations in c-KIT have been demonstrated to cause mastocytosis, mast cell leukemia, seminomas, dysgerminomas, lymphomas, and intracranial teratomas (Ning, A.Q, Li, J., and Arceci, R.J. *Leuk Lymphoma*, **2001**, *41*, pg. 513-522; Beghini, A., et al. *Blood*, **2000**, *95*, pg. 726-727; Tian, Q., et al. *Am J. Pathol.* **1999**, *154*, pg. 1643-1647; Nagata, H., et al. *Proc. Natl. Acad. Sci. USA*, **1995**, *92*, 10560-10564; Longley, B.J., et al. *Nat. Genet.*, **1996**, *12*, pg. 312-314). The present disclosure also discloses new compounds for the treatment of diseases caused by c-KIT mutation, including new compounds for the treatment of refractory GIST, mast cell leukemia, or mastocytosis. The present invention refers to subject matter as defined in the attached set of claims.

[0006] Disclosed is a method of treating a disease caused by the kinase activity of c-KIT, oncogenic forms thereof, aberrant fusion proteins thereof or polymorphs thereof, comprising the administration of a compound of formula Ia

each R10 is independently and individually selected from the group consisting of CO_2H, CO_2C1-C6alkyl, CO-N(R4)$_2$, OH, C1-C6alkoxy, C1-C6alkyl, and -N(R4)$_2$;

each R17 is taken from the group comprising phenyl, naphthyl, pyrrolyl, furyl, thienyl, oxazolyl, thiazolyl, isoxazolyl, imidazolyl, pyrazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, pyrazinyl, pyridazinyl, triazinyl, oxetanyl, azetadinyl, tetrahydrofuranyl, oxazolinyl, oxazolidinyl, pyranyl, thiopyranyl, tetrahydropyranyl, dioxalinyl, pyrrolidinyl, and piperidinyl;

wherein R17 can be further substituted with one or more Z2 or Z3 moieties;

wherein two R3 or R4 moieties are independently and individually taken from the group consisting of C1-C6alkyl and branched C3-C6alkyl, hydroxyalkyl, and alkoxyalkyl and are attached to the same nitrogen atom, said moieties may cyclize to form a C3-C7 heterocyclyl ring; and k is 1 or 2; n is 0-6; p is 1-4; q is 2-6; r is 0 or 1; t is 1-3.

[0007] In one example, the present disclosure provides a method of treating a disease caused by the kinase activity of c-KIT, oncogenic forms thereof, aberrant fusion proteins thereof or polymorphs thereof, wherein c-KIT contains a missense mutatation, insertion mutation, or a deletion mutation encoded by exons comprising Exon 9, Exon 11, Exon 13, Exon 14, Exon 17, or Exon 18, presenting either individually or in combination, comprising the administration of a compound of formula Ia or a pharmaceutically acceptable salt thereof.

[0008] Also disclosed is a method of treating a disease selected from gastrointestinal stromal tumors, ovarian cancer, pancreatic cancer, prostate cancer, lung cancers, breast cancers, melanoma, renal cancers, hepatic cancers, cervical carcinomas, metastasis of primary tumor sites, papillary thyroid carcinoma, non-small cell lung cancer, mesothelioma, hypereosinophilic syndrome, colonic cancers, acute myeloid leukemia, germ cell tumors of the seminoma or dysgerminoma, teratomas, mastocytosis, or mast cell leukemia, said method comprising administering a therapeutically effective amount of a compound of Formula Ia, or a pharmaceutically acceptable salt thereof, to a patient.

In one ~~aspect~~example, there is ~~provided~~ disclosed a pharmaceutical composition comprising a compound as described herein or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

methylphenyl)-3-(naphthalen-1-yl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,3-difluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, or 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(2,3-difluorophenyl)urea.

In one ~~aspect~~example, there is ~~provided~~ disclosed use of a compound of Formula Ia or a pharmaceutically acceptable salt thereof, for the manufacture of a medicament for the treatment of a disease caused by the kinase activity of c-KIT, oncogenic forms thereof, or polymorphs thereof.

[0010] Also disclosed is use of a compound of Formula Ia or a pharmaceutically acceptable salt thereof, for the manufacture of a medicament for the treatment of a disease selected from gastrointestinal stromal tumors, ovarian cancer, pancreatic cancer, prostate cancer, lung cancers, breast cancers, melanoma, renal cancers, hepatic cancers, cervical carcinomas, metastasis of primary tumor sites, papillary thyroid carcinoma, non-small cell lung cancer, mesothelioma, hypereosinophilic syndrome, colonic cancers, acute myeloid leukemia, germ cell tumors of the seminoma or dysgerminoma, teratomas, mastocytosis, or mast cell leukemia.

[0011] Also disclosed is a compound of formula Ia

yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-iodophenyl)-3-phenylurea, and 1-(5-(1-ethyl-7-((1-methyl-1H-pyrazol-4-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea; or a pharmaceutically acceptable salt thereof.


In another ~~aspect~~example, there is ~~provided~~ disclosed a compound selected from the group consisting of

1-(4-chloro-3-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2-fluoro-4-methyl-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2,4-difluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(3-chlorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(2-fluoro-phenyl)-urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea,

1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(7-(2-(dimethylamino)ethylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(7-(3-(dimethylamino)propylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-

Claims

1. Use of a compound of formula Ia



Ia

or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disease caused by the kinase activity of c-KIT, oncogenic forms thereof, or polymorphs thereof wherein the disease is selected from the group consisting of gastrointestinal stromal tumors, ovarian cancer, pancreatic cancer, prostate cancer, lung cancers, breast cancers, melanoma, renal cancers, hepatic cancers, cervical carcinomas, metastasis of primary tumor sites, papillary thyroid carcinoma, non-small cell lung cancer, mesothelioma, hypereosinophilic syndrome, colonic cancers, acute myeloid leukemia, germ cell tumors of the seminoma or dysgerminoma, teratomas, mastocytosis, and mast cell leukemia,

wherein:

A is selected from the group consisting of phenyl, naphthyl, and benzothienyl;

G1 is a heteroaryl taken from the group consisting of pyrrolyl, furyl, thienyl, oxazolyl, thiazolyl, isoxazolyl, isothiazolyl, imidazolyl, pyrazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, pyrazinyl, pyridazinyl, triazinyl, pyridinyl, and pyrimidinyl;

G4 is a heterocyclyl taken from the group consisting of oxetanyl, azetadinyl, tetrahydrofuranyl, pyrrolidinyl, oxazolinyl, oxazolidinyl, imidazolonyl, pyranyl, tetrahydropyranyl, dioxalinyl, piperidinyl, and morpholinyl;

when A has one or more substitutable sp2-hybridized carbon atom, each respective sp2 hybridized carbon atom may be optionally substituted with a Z3 substituent;

Z1 is selected from the group consisting of -NH(R4), and -NHCOR8;

in the event that Z1 contains an alkyl or alkylene moiety, such moieties may be further substituted with one or more C1-C6alkyls;

each Z2 is independently and individually selected from the group consisting of hydrogen, C1-C6alkyl, C3-C8carbocyclyl, C1-C6 alkoxy, hydroxyl, hydroxyC1-C6alkyl-, cyano, $(R3)_2N$-, and $-(CH_2)_nR5$;

in the event that Z2 contains an alkyl or alkylene moiety, such moieties may be further substituted with one or more C1-C6alkyls;

each Z3 is independently and individually selected from the group consisting of H, methyl, ethyl, isopropyl, C3-C4 carbocyclyl, halogen, cyano, $-(CH_2)_k-N(R3)_2$, and $-(CH_2)_k-R5$;


R1 is selected from the group consisting of C1-C4alkyl, branched C3-C5alkyl, and C3-C5carbocyclyl;

each R2 is independently and individually selected from the group consisting of hydrogen, methyl, ethyl, halogen, fluoroalkyl wherein the alkyl moiety can be partially or fully fluorinated, cyano, and C2-C3alkynyl;

each R3 is independently and individually selected from the group consisting of H, C1-C6alkyl, branched C3-C7alkyl, and C3-C8carbocyclyl;

each R4 is independently and individually selected from the group consisting of H, C1-C6alkyl, hydroxyC2-C6alkyl, C1-C6alkoxyC2-C6alkyl, branched C3-C7alkyl, branched hydroxyC2-C6alkyl, branched C1-C6alkoxyC2-C6alkyl, $-(CH_2)_q-N(R7)_2$, $-(CH_2)_q-R5$, $-(CH_2)_nC(O)R5$, C3-C8carbocyclyl, hydroxyl substituted C3-C8carbocyclyl, alkoxy substituted C3-C8carbocyclyl, and $-(CH_2)_n-R17$;

each R5 is independently and individually selected from the group consisting of



and wherein the symbol (##) is the point of attachment of the R5 moiety;

each R5 may be optionally substituted with one or two R10 substituents;

each R7 is independently and individually selected from the group consisting of H, C1-C6alkyl, hydroxyC2-C6alkyl, C1-C6alkoxyC2-C6alkyl, branched C3-C7alkyl, branched hydroxyC2-C6 alkyl, branched C1-C6alkoxyC2-C6alkyl, $-(CH_2)_q-R5$, $-(CH_2)_n-C(O)R5$, $-(CH_2)_n-C(O)OR3$, C3-C8carbocyclyl, hydroxyl substituted C3-C8carbocyclyl, alkoxy substituted C3-C8carbocyclyl, and $-(CH_2)_n-R17$;

each R8 is independently and individually selected from the group consisting of hydrogen, C1-C6alkyl, branched C3-C7alkyl, fluoroalkyl wherein the alkyl moiety is partially or fully fluorinated, C3-C8carbocyclyl, Z3-substituted phenyl, Z3-substituted G1, Z3-substituted G1-C1-C6alkyl, Z2-substituted G4, Z2-substituted G4-C1-C6alkyl, C1-C6alkoxy, C1-C6alkoxyC1-C6alkyl, cyanoC1-C6alkyl, -$N(R4)_2$, and R5;

each R10 is independently and individually selected from the group consisting of CO_2H, CO_2C1-C6alkyl, CO-$N(R4)_2$, OH, C1-C6alkoxy, C1-C6alkyl, and -$N(R4)_2$;


each R17 is taken from the group comprising phenyl, naphthyl, pyrrolyl, furyl, thienyl, oxazolyl, thiazolyl, isoxazolyl, imidazolyl, pyrazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, pyrazinyl, pyridazinyl, triazinyl, oxetanyl, azetadinyl, tetrahydrofuranyl, oxazolinyl, oxazolidinyl, pyranyl, thiopyranyl, tetrahydropyranyl, dioxalinyl, pyrrolidinyl, and piperidinyl;

wherein R17 can be further substituted with one or more Z2 or Z3 moieties;

wherein two R3 or R4 moieties are independently and individually taken from the group consisting of C1-C6alkyl and branched C3-C6alkyl, hydroxyalkyl, and alkoxyalkyl and are attached to the same nitrogen atom, said moieties may cyclize to form a C3-C7 heterocyclyl ring;

and k is 1 or 2; n is 0-6; q is 2-6; t is 1-3; with the proviso that the compound is not 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(naphthalen-1-yl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,3-difluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, or 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(2,3-difluorophenyl)urea.

2. The use of claim 1 wherein the compound of Formula Ia is a compound of Formula Ib



Ib

or a pharmaceutically acceptable salt thereof,

wherein:

A is phenyl, R1 is linear or branched C1-C4alkyl, R2 is methyl or halogen, Z1 is -NH(R4) or -NHCOR8.

3. The use of claim 1, wherein the disease is selected from gastrointestinal stromal tumors, ovarian cancer, melanoma, cervical carcinomas, acute myeloid leukemia, germ cell tumors of the seminoma or dysgerminoma, teratomas, mastocytosis, or mast cell leukemia.

4. The use of claim 1 wherein the compound is selected from the group consisting of 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(2,3-difluorophenyl)urea, 1-(4-chloro-3-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2-fluoro-4-methyl-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2,4-difluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(3-chlorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(2-fluoro-phenyl)-urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-

methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(7-(2-(dimethylamino)ethylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(7-(3-(dimethylamino)propylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(2-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(3-methoxypropylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(2,4-difluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, (S)-1-(4-chloro-5-(1-ethyl-7-(1-methoxypropan-2-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-(cyclopropylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpiperidin-4-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(THF-3-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpyrrolidin-3-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-

(3,5-difluorophenyl)urea, 1-(4-bromo-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, N-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, N-(3-(2-chloro-5-(3-(3,5-difluorophenyl)ureido)-4-fluorophenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,5-difluorophenyl)urea, 1-(3-chloro-5-fluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea,

1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-chloro-5-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-methylphenyl)urea,

methyl (3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)carbamate, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-methoxyacetamide, 2-cyano-N-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-cyano-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide,

1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-hydroxyazetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, (R)-N-(3-(2-chloro-4-fluoro-

5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)pyrrolidine-2-carboxamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-((3-morpholinopropyl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((dimethylamino)methyl)-4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(morpholinomethyl)phenyl)urea, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(pyrrolidin-1-ylmethyl)phenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-5-(3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)azetidine-1-carboxamide, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(5-(3-(benzo[b]thiophen-3-yl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(4-fluoro-3-(morpholinomethyl)phenyl)ureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(3-(5-(3-(3,5-difluorophenyl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(4-fluoro-2-methyl-5-

(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-((6-methylpyridin-3-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 3-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(dimethylamino)-N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-iodophenyl)-3-phenylurea, and 1-(5-(1-ethyl-7-((1-methyl-1H-pyrazol-4-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

5. The use of claim 4 wherein the compound is selected from the group consisting of

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea,

1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, and 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea.

6. The use of claim 4 wherein the compound is 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea.

7. The use of claim 4 wherein the compound is 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

8. The use of claim 4 wherein the compound is 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea.

9. The use of claim 4 wherein the compound is 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea.

10. The use of claim 4 wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea.

11. The use of claim 4 wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea.

12. A compound selected from the group consisting of

1-(4-chloro-3-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2-fluoro-4-methyl-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2,4-difluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(3-chlorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(2-fluoro-phenyl)-urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(7-(2-(dimethylamino)ethylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(7-(3-(dimethylamino)propylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-

oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(2-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(3-methoxypropylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(2,4-difluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, (S)-1-(4-chloro-5-(1-ethyl-7-(1-methoxypropan-2-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-(cyclopropylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpiperidin-4-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(THF-3-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpyrrolidin-3-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3,5-difluorophenyl)urea, 1-(4-bromo-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, N-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, N-(3-(2-chloro-5-(3-(3,5-difluorophenyl)ureido)-4-fluorophenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,5-difluorophenyl)urea, 1-(3-chloro-5-fluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea,

1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-chloro-5-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-methylphenyl)urea,

methyl (3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)carbamate, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-methoxyacetamide, 2-cyano-N-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-cyano-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide,

1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-hydroxyazetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, (R)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)pyrrolidine-2-carboxamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-((4-methylpiperazin-1-yl)methyl)phenyl)urea,

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-

7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-((3-morpholinopropyl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((dimethylamino)methyl)-4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(morpholinomethyl)phenyl)urea, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(pyrrolidin-1-ylmethyl)phenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-5-(3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)azetidine-1-carboxamide, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(5-(3-(benzo[b]thiophen-3-yl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(4-fluoro-3-(morpholinomethyl)phenyl)ureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(3-(5-(3-(3,5-difluorophenyl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-((6-methylpyridin-3-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 3-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(dimethylamino)-N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-iodophenyl)-3-phenylurea, and 1-(5-(1-ethyl-7-((1-methyl-1H-pyrazol-4-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

13. A compound of claim 12 selected from the group consisting of

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, and 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea.

14. A pharmaceutical composition comprising a compound of claim 12 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

15. The compound 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea.

16. A pharmaceutical composition comprising the compound of claim 15 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

17. The compound 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

18. A pharmaceutical composition comprising the compound of claim 17 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

19. The compound 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea.

20. A pharmaceutical composition comprising the compound of claim 19 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

21. The compound 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea.

22. A pharmaceutical composition comprising the compound of claim 21 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

23. The compound 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea.

24. A pharmaceutical composition comprising the compound of claim 23 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

25. The compound 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea.

26. A pharmaceutical composition comprising the compound of claim 25 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

27. The use of claim 1 wherein the disease is gastrointestinal stromal tumors.

28. The use of claim 1 wherein the disease is ovarian cancer.

29. The use of claim 1 wherein the disease is melanoma.

30 The use of claim 1 wherein the disease is acute myeloid leukemia.


31. The use of claim 1 wherein the disease is germ cell tumors of the seminoma or dysgerminoma.

32. The use of claim 1 wherein the disease is mastocytosis.

33. The use of claim 1 wherein the disease is mast cell leukemia.

Claims

1. Use of a compound of formula Ia



Ia

or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disease caused by the kinase activity of c-KIT, oncogenic forms thereof, or polymorphs thereof wherein:

A is selected from the group consisting of phenyl, naphthyl, and benzothienyl;

G1 is a heteroaryl taken from the group consisting of pyrrolyl, furyl, thienyl, oxazolyl, thiazolyl, isoxazolyl, isothiazolyl, imidazolyl, pyrazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, pyrazinyl, pyridazinyl, triazinyl, pyridinyl, and pyrimidinyl;

G4 is a heterocyclyl taken from the group consisting of oxetanyl, azetadinyl, tetrahydrofuranyl, pyrrolidinyl, oxazolinyl, oxazolidinyl, imidazolonyl, pyranyl, tetrahydropyranyl, dioxalinyl, piperidinyl, and morpholinyl;

when A has one or more substitutable sp2-hybridized carbon atom, each respective sp2 hybridized carbon atom may be optionally substituted with a Z3 substituent;

Z1 is selected from the group consisting of -NH(R4), and -NHCOR8;

in the event that Z1 contains an alkyl or alkylene moiety, such moieties may be further substituted with one or more C1-C6alkyls;

each Z2 is independently and individually selected from the group consisting of hydrogen, C1-C6alkyl, C3-C8carbocyclyl, C1-C6 alkoxy, hydroxyl, hydroxyC1-C6alkyl-, cyano, $(R3)_2N$-, and $-(CH_2)_nR5$;

in the event that Z2 contains an alkyl or alkylene moiety, such moieties may be further substituted with one or more C1-C6alkyls;

each Z3 is independently and individually selected from the group consisting of H, methyl, ethyl, isopropyl, C3-C4 carbocyclyl, halogen, cyano, $-(CH_2)_k-N(R3)_2$, and $-(CH_2)_k-R5$;


R1 is selected from the group consisting of C1-C4alkyl, branched C3-C5alkyl, and C3-C5carbocyclyl;

each R2 is independently and individually selected from the group consisting of hydrogen, methyl, ethyl, halogen, fluoroalkyl wherein the alkyl moiety can be partially or fully fluorinated, cyano, and C2-C3alkynyl;

each R3 is independently and individually selected from the group consisting of H, C1-C6alkyl, branched C3-C7alkyl, and C3-C8carbocyclyl;

each R4 is independently and individually selected from the group consisting of H, C1-C6alkyl, hydroxyC2-C6alkyl, C1-C6alkoxyC2-C6alkyl, branched C3-C7alkyl, branched hydroxyC2-C6alkyl, branched C1-C6alkoxyC2-C6alkyl, $-(CH_2)_q-N(R7)_2$, $-(CH_2)_q-R5$, $-(CH_2)_nC(O)R5$, C3-C8carbocyclyl, hydroxyl substituted C3-C8carbocyclyl, alkoxy substituted C3-C8carbocyclyl, and $-(CH_2)_n$-R17;

each R5 is independently and individually selected from the group consisting of



and wherein the symbol (##) is the point of attachment of the R5 moiety;

each R5 may be optionally substituted with one or two R10 substituents;

each R7 is independently and individually selected from the group consisting of H, C1-C6alkyl, hydroxyC2-C6alkyl, C1-C6alkoxyC2-C6alkyl, branched C3-C7alkyl, branched hydroxyC2-C6 alkyl, branched C1-C6alkoxyC2-C6alkyl, $-(CH_2)_q-R5$, $-(CH_2)_n-C(O)R5$, $-(CH_2)_n-C(O)OR3$, C3-C8carbocyclyl, hydroxyl substituted C3-C8carbocyclyl, alkoxy substituted C3-C8carbocyclyl, and $-(CH_2)_n$-R17;

each R8 is independently and individually selected from the group consisting of hydrogen, C1-C6alkyl, branched C3-C7alkyl, fluoroalkyl wherein the alkyl moiety is partially or fully fluorinated, C3-C8carbocyclyl, Z3-substituted phenyl, Z3-substituted G1, Z3-substituted G1-C1-C6alkyl, Z2-substituted G4, Z2-substituted G4-C1-C6alkyl, C1-C6alkoxy, C1-C6alkoxyC1-C6alkyl, cyanoC1-C6alkyl, $-N(R4)_2$, and R5;

each R10 is independently and individually selected from the group consisting of CO_2H, CO_2C1-C6alkyl, CO-$N(R4)_2$, OH, C1-C6alkoxy, C1-C6alkyl, and $-N(R4)_2$;


each R17 is taken from the group comprising phenyl, naphthyl, pyrrolyl, furyl, thienyl, oxazolyl, thiazolyl, isoxazolyl, imidazolyl, pyrazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, pyrazinyl, pyridazinyl, triazinyl, oxetanyl, azetadinyl, tetrahydrofuranyl, oxazolinyl, oxazolidinyl, pyranyl, thiopyranyl, tetrahydropyranyl, dioxalinyl, pyrrolidinyl, and piperidinyl;

wherein R17 can be further substituted with one or more Z2 or Z3 moieties;

wherein two R3 or R4 moieties are independently and individually taken from the group consisting of C1-C6alkyl and branched C3-C6alkyl, hydroxyalkyl, and alkoxyalkyl and are attached to the same nitrogen atom, said moieties may cyclize to form a C3-C7 heterocyclyl ring;

and k is 1 or 2; n is 0-6; p is 1-4; q is 2-6; r is 0 or 1; t is 1-3.

2. The use of claim 1 wherein the compound of Formula Ia is a compound of Formula Ib



Ib

or a pharmaceutically acceptable salt thereof,

wherein:

A is phenyl, R1 is linear or branched C1-C4alkyl, R2 is methyl or halogen, Z1 is -NH(R4) or -NHCOR8.

3. The use of claim 1 wherein the the kinase activity of c-KIT, oncogenic forms thereof, or polymorphs thereof, wherein c-KIT contains a missense mutatation, insertion mutation, or a deletion mutation encoded by exons comprising Exon 9, Exon 11, Exon 13, Exon 14, Exon 17, or Exon 18, presenting either individually or in combination, comprising the administration of a compound of formula Ia or a pharmaceutically acceptable salt thereof.

4. The use of claim 1 wherein the disease is selected from gastrointestinal stromal tumors, ovarian cancer, melanoma, cervical carcinomas, acute myeloid leukemia, germ cell tumors of the seminoma or dysgerminoma, teratomas, mastocytosis, or mast cell leukemia.

5. The use of claim 1 wherein the compound is selected from the group consisting of 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(naphthalen-1-yl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,3-difluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(2,3-difluorophenyl)urea, 1-(4-chloro-3-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2-fluoro-4-methyl-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2,4-difluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(3-

fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(3-chlorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-[4-chloro-5-(1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(2-fluoro-phenyl)-urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea,

1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(7-(2-(dimethylamino)ethylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(7-(3-(dimethylamino)propylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(2-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(3-methoxypropylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-

phenylurea, 1-(2,4-difluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, (S)-1-(4-chloro-5-(1-ethyl-7-(1-methoxypropan-2-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-(cyclopropylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpiperidin-4-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(THF-3-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpyrrolidin-3-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea,

1-(4-bromo-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3,5-difluorophenyl)urea, 1-(4-bromo-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-

2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, N-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, N-(3-(2-chloro-5-(3-(3,5-difluorophenyl)ureido)-4-fluorophenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,5-difluorophenyl)urea, 1-(3-chloro-5-fluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-chloro-5-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-methylphenyl)urea, methyl (3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)carbamate, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-methoxyacetamide, 2-cyano-N-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-cyano-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-hydroxyazetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, (R)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)pyrrolidine-2-carboxamide, N-(3-(2-chloro-4-fluoro-5-(3-

phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-((3-morpholinopropyl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((dimethylamino)methyl)-4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(morpholinomethyl)phenyl)urea, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(pyrrolidin-1-ylmethyl)phenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-5-(3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)azetidine-1-carboxamide, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(5-(3-(benzo[b]thiophen-3-yl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-

dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(4-fluoro-3-(morpholinomethyl)phenyl)ureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(3-(5-(3-(3,5-difluorophenyl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-((6-methylpyridin-3-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 3-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(dimethylamino)-N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide,

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-iodophenyl)-3-phenylurea, and 1-(5-(1-ethyl-7-((1-methyl-1H-pyrazol-4-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

6. The use of claim 5 wherein the compound is selected from the group consisting of

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(naphthalen-1-yl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,3-difluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea,

1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-

2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, and 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea.

7. The use of claim 5 wherein the compound is 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(naphthalen-1-yl)urea.

8. The use of claim 5 wherein the compound is 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,3-difluorophenyl)urea.

9. The use of claim 5 wherein the compound is 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea.

10. The use of claim 5 wherein the compound is 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

11. The use of claim 5 wherein the compound is 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea.

12. The use of claim 5 wherein the compound is 1-[4-chloro-5-(1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea.

13. The use of claim 5 wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea.

14. The use of claim 5 wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea.

15. The use of claim 5 wherein the compound is 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea.

16. A compound selected from the group consisting of

1-(4-chloro-3-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-cyanophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2-fluoro-4-methyl-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(2,4-difluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(3-chlorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(3-cyanophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea,

1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(2-fluoro-phenyl)-urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(7-(2-(dimethylamino)ethylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(7-(3-(dimethylamino)propylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-

(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(4-chloro-3-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(2-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(3-methoxypropylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(2,4-difluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, 1-(2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(tetrahydro-2H-pyran-4-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, (S)-1-(4-chloro-5-(1-ethyl-7-(1-methoxypropan-2-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-(cyclopropylamino)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpiperidin-4-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-2-oxo-7-(THF-3-ylamino)-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(1-methylpyrrolidin-3-ylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(2-methoxyethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-bromo-5-(1-ethyl-7-(2-(methylsulfonyl)ethylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-

3-yl)-2-fluorophenyl)-3-(3,5-difluorophenyl)urea, 1-(4-bromo-2-fluoro-5-(1-methyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(3,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(2,5-difluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, N-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-cyanoacetamide, 1-(5-(7-acetamido-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, N-(3-(2-chloro-5-(3-(3,5-difluorophenyl)ureido)-4-fluorophenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(2,5-difluorophenyl)urea, 1-(3-chloro-5-fluorophenyl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-chloro-5-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-methylphenyl)urea, methyl (3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)carbamate, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-2-methoxyacetamide, 2-cyano-N-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-cyano-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(4-chloro-2-fluoro-5-(1-isopropyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)phenyl)-3-(3-fluorophenyl)urea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-

3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-hydroxyazetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, (R)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)pyrrolidine-2-carboxamide, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-fluoro-5-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-cyanophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-((3-morpholinopropyl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(3-((dimethylamino)methyl)-4-fluorophenyl)urea, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(morpholinomethyl)phenyl)urea, (S)-N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)pyrrolidine-1-carboxamide, 1-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-(4-fluoro-3-(pyrrolidin-1-ylmethyl)phenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(3-fluorophenyl)ureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-

yl)acetamide, N-(1-ethyl-3-(4-fluoro-5-(3-(4-fluoro-3-((4-methylpiperazin-1-yl)methyl)phenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-3-(dimethylamino)azetidine-1-carboxamide, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(5-(3-(benzo[b]thiophen-3-yl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(3-(2-bromo-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(2-chloro-4-fluoro-5-(3-(4-fluoro-3-(morpholinomethyl)phenyl)ureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)formamide, 3-(3-(5-(3-(3,5-difluorophenyl)ureido)-4-fluoro-2-methylphenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-1-isopropyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-((6-methylpyridin-3-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 3-(3-(2,4-difluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, 3-(dimethylamino)-N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)azetidine-1-carboxamide, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-iodophenyl)-3-phenylurea, and 1-(5-(1-ethyl-7-((1-methyl-1H-pyrazol-4-yl)amino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

17. A compound of claim 16 selected from the group consisting of

1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2,4-difluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea, 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea, 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(4-chloro-5-(1-ethyl-7-(methylamino)-2-oxo-1,2,4a,8a-tetrahydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)urea, 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-

fluoro-4-methylphenyl)-3-(3-fluorophenyl)urea, 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea, 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea, 3-(3-(2-chloro-4-fluoro-5-(3-phenylureido)phenyl)-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea, N-(1-ethyl-3-(4-fluoro-5-(3-(3-fluorophenyl)ureido)-2-methylphenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, N-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)acetamide, and 3-(1-ethyl-3-(4-fluoro-2-methyl-5-(3-phenylureido)phenyl)-2-oxo-1,2-dihydro-1,6-naphthyridin-7-yl)-1,1-dimethylurea.

18. A pharmaceutical composition comprising a compound of claim 16 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

19. The compound 1-(4-bromo-5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluorophenyl)-3-phenylurea.

20. A pharmaceutical composition comprising the compound of claim 19 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

21. The compound 1-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)-3-phenylurea.

22. A pharmaceutical composition comprising the compound of claim 21 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

23. The compound of claim 17 wherein the compound is 1-(benzo[b]thiophen-3-yl)-3-(5-(1-ethyl-7-(methylamino)-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-2-fluoro-4-methylphenyl)urea.

24. A pharmaceutical composition comprising the compound of claim 23 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

25. The compound of claim 17 wherein the compound is 1-[4-chloro-5- (1-ethyl-7-methylamino-2-oxo-1,2-dihydro-[1,6]naphthyridin-3-yl)-2-fluoro-phenyl]-3-(3-fluoro-phenyl)-urea.

26. A pharmaceutical composition comprising the compound of claim 25 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

27. The compound of claim 17, wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-bromo-2-fluorophenyl)-3-phenylurea.

28. A pharmaceutical composition comprising the compound of claim 27 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.

29. The compound of claim 17 wherein the compound is 1-(5-(7-amino-1-ethyl-2-oxo-1,2-dihydro-1,6-naphthyridin-3-yl)-4-chloro-2-fluorophenyl)-3-phenylurea.

30. A pharmaceutical composition comprising the compound of claim 29 or a salt thereof, together with a pharmaceutically acceptable carrier, said carrier including an additive selected from the group including adjuvants, excipients, diluents, and stablilizers.