

Infusion 1 predictor at week 12 / over weeks 1–12	PROMISE-1			PROMISE-2		
	Odds ratio	Parameter estimate	p-value	Odds ratio	Parameter estimate	p-value
Percent change in MMDs	0.966	−0.0349	0.0001	0.940	−0.0614	<.0001
Change in HIT-6 total score	N/A	N/A	N/A	0.923	−0.0802	0.0269
PGIC	N/A	N/A	N/A	1.502	0.4067	0.1700
Change in SF-36 bodily pain	1.042	0.0410	0.1131	0.996	−0.0044	0.8589
Change in SF-36 mental health	0.993	−0.0075	0.7964	0.986	−0.0142	0.6248
Change in SF-36 role-emotional	0.957	−0.0436	0.1148	0.997	−0.0033	0.8824
Change in SF-36 role-physical	1.009	0.0090	0.7722	0.983	−0.0174	0.5442
Change in SF-36 social functioning	0.999	−0.0013	0.9578	0.998	−0.0018	0.9497
Change in SF-36 vitality	1.041	0.0401	0.1882	0.987	−0.0127	0.6861
Change in EQ-5D VAS	0.998	−0.0022	0.8884	1.010	0.0095	0.4267
Change in percent of headaches with severe pain	1.017	0.0171	0.0312	0.985	−0.0149	0.0981

HIT-6, 6-item Headache Impact Test; MMD, monthly migraine days; N/A, not applicable (i.e., instrument not captured in PROMISE-1); PI-MBS, patient-identified most bothersome symptom; SF-36, 36-item Short-Form Health Survey (v2.0); VAS, visual analog scale.

Figure 1

Infusion 1 predictor at week 12 / over weeks 1–12	PROMISE-1			PROMISE-2		
	Odds ratio	Parameter estimate	p-value	Odds ratio	Parameter estimate	p-value
Percent change in MMDs	0.967	−0.0339	<.0001	0.937	−0.0654	<.0001
Change in HIT-6 total score	N/A	N/A	N/A	0.924	−0.0794	0.0072

HIT-6, 6-item Headache Impact Test; MMD, monthly migraine days; N/A, not applicable (i.e., instrument not captured in PROMISE-1).

Figure 2

Infusion 1 Predictor	Infusion 2 Response Probability	
Percent change in MMDs	Probability of ≥50% MMD response	95% confidence interval
0%	21.7%	14.1%, 32.0%
-5%	24.8%	17.2%, 34.3%
-15%	31.6%	24.4%, 39.7%
-25%	39.3%	32.2%, 46.9%
-35%	47.6%	39.1%, 56.2%
-45%	56.0%	44.9%, 66.6%

Figure 3

Infusion 1 Predictor		Infusion 2 Response Probability	
Percent change in MMDs	Change in HIT-6 total score	Probability of $\geq 50\%$ MMD response	95% confidence interval
0%	0	5.9%	3.0%, 11.3%
0%	-6	9.1%	4.8%, 16.8%
0%	-10	12.1%	5.9%, 23.1%
-5%	0	8.0%	4.4%, 13.9%
-5%	-6	12.2%	7.1%, 20.3%
-5%	-10	16.1%	8.7%, 27.7%
-15%	0	14.3%	9.3%, 21.2%
-15%	-6	21.1%	14.7%, 29.5%
-15%	-10	26.9%	17.5%, 39.0%
-25%	0	24.2%	17.6%, 32.4%
-25%	-6	34.0%	26.9%, 41.9%
-25%	-10	41.4%	30.8%, 52.9%
-35%	0	38.1%	28.7%, 48.4%
-35%	-6	49.7%	41.3%, 58.2%
-35%	-10	57.6%	46.3%, 68.2%
-45%	0	54.2%	41.1%, 66.7%
-45%	-6	65.6%	54.8%, 75.0%
-45%	-10	72.3%	60.4%, 81.7%

Figure 4




Figure 5