What is claimed is:

1. A biologically active composition of matter comprising a first D-biotin conjugated to a lysine ~~located at the C-terminus of a~~-terminated, water-soluble, cell-permeable, mitochondria-targeted peptide sequence to form a biotinylated polypeptide, wherein the mitochondria-targeted peptide sequence:

   comprises a minimum of four amino acids and a maximum of six amino acids; and

   has a general alternating aromatic-cationic motif.

2. The composition of claim 1, wherein the mitochondria-targeted peptide sequence is selected from ~~a~~the polypeptide group consisting of:

   ~~D-Arg-L-(2'6'-dimethylTyr)-L-Lys-L-Phe-NH_2 ;~~
   D-Arg-L-Tyr-D-Arg-L-Phe-L-Lys-NH_2 ;

   D-Trp-D-Arg-D-Trp-D-Lys-OH ;

   L-Trp-L-Arg-L-Trp-L-Lys-NH_2 ~~;~~(SEQ ID NO:1);

   D-Trp-D-Arg-D-Trp-D-Lys-NH_2 ; and

   L-Trp-L-Arg-L-Trp-L-Lys-OH ~~.~~(SEQ ID NO:2).

3. The composition of claim 1, wherein a second D-biotin is conjugated to an N-terminus α-amine of the mitochondria-targeted peptide sequence.

4. The composition of claim 1, wherein the ~~composition comprises one or more of~~mitochondria-targeted peptide sequence is :

   ~~D-Biotin-D-Arg-L-(2'6'-dimethylTyr)-L-Lys-L-Phe-NH_2 ; and~~
   D-Biotin-D-Trp-D-Arg-D-Trp-D-Lys-OH.

5. The composition of claim 1**,** wherein the first D-biotin is conjugated to an ε-amine of the lysine at a C-terminus of the mitochondria-targeted peptide sequence.

6. The composition of claim 1, wherein the ~~composition comprises one or more~~biotinylated polypeptide is selected from the group consisting of:

D-Trp-D-Arg-D-Trp-D-Lys(biotinyl)-OH ;

L-Trp-L-Arg-L-Trp-L-Lys(biotinyl)-NH_2 ; and

D-Arg-L-Tyr-D-Arg-L-Phe-L-Lys(biotinyl)-NH_2 .

7. The composition of claim 1, wherein the first D-biotin is conjugated to an ε-amine of the lysine at the C-terminus of the mitochondria-targeted peptide sequence, and a second D-biotin is conjugated to an N-terminus α-amine.

8. The composition of claim 1, wherein the ~~composition comprises one or more~~biotinylated polypeptide is selected from the group consisting of:

D-Biotin-L-Trp-L-Arg-L-Trp-L-Lys(biotinyl)-NH_2 ; and

D-Biotin-D-Arg-L-Tyr-D-Arg-L-Phe-L-Lys(biotinyl)-NH_2 .

9. A biologically active composition of matter comprising a first D-biotin conjugated to a lysine located at the ~~C-terminus or the~~ N-terminus of a water-soluble, cell-permeable, mitochondria-targeted peptide sequence, wherein the mitochondria-targeted peptide sequence:

comprises a minimum of four amino acids and a maximum of six amino acids; and

has a general alternating aromatic-cationic motif.

10. A composition of matter, comprising:

a therapeutically effective formulation comprising:

one or more biologically active, water-soluble, cell-permeable, mitochondria-targeted compounds selected from a biotinylated polypeptide group; and

a pharmaceutically acceptable carrier for each of the one or more biologically active, water-soluble, cell-permeable, mitochondria-targeted compounds;

wherein each biologically active, water-soluble, cell-permeable, mitochondria-targeted compound in the biotinylated polypeptide group is defined by:

a plurality of amino acids arranged with a general alternating aromatic-

cationic motif;

a minimum of four amino acids and a maximum of six amino acids; ~~and~~

a first D-biotin conjugated to a lysine located at the C-terminus or the N-terminus of that biotinylated polypeptide, wherein the biotinylated polypeptide is optionally amidated at the C-terminus.

11. The composition of claim 10, wherein:

the biotinylated polypeptide group consists of:

~~D-Biotin-D-Arg-L-(2'6'-dimethylTyr)-L-Lys-L-Phe-NH_2 ;~~
~~D-Biotin-D-Trp-D-Arg-D-Trp-D-Lys-OH ;~~
D-Trp-D-Arg-D-Trp-D-Lys(biotinyl)-OH ;

L-Trp-L-Arg-L-Trp-L-Lys(biotinyl)-NH_2 ;

D-Arg-L-Tyr-D-Arg-L-Phe-L-Lys(biotinyl)-NH_2 ;

D-Biotin-L-Trp-L-Arg-L-Trp-L-Lys(biotinyl)-NH_2 ; and

D-Biotin-D-Arg-L-Tyr-D-Arg-L-Phe-L-Lys(biotinyl)-NH_2 .

12. The composition of claim 10, further comprising:

one or more vitamins selected from ~~a~~the vitamin group consisting of:

vitamin B1 (thiamine);

vitamin B2 (riboflavin);

vitamin B3 (niacin, niacinamide);

vitamin B5 (pantothenic acid);

vitamin B6 (pyridoxine);

vitamin B7 (biotin);

vitamin B9 (folate);

vitamin B12 (cyanocobalamine); and

vitamin C (ascorbic acid).

13. The composition of claim 10, further comprising:

one or more metabolic supplements selected from ~~a~~the metabolic supplement group consisting of:

pyruvate;

carnitine;

acetylcarnitine;

creatine;

~~a~~α-ketoglutarate;

~~a~~α-lipoic acid;

coenzyme Q;

nicotinamide riboside; and

nicotinamide mononucleotide.

14. The composition of claim 10, further comprising:

one or more amino acids selected from ~~an~~the amino acid group consisting of:

leucine;

isoleucine;

valine;

glutamine;

serine;

arginine;

methionine;

tryptophan;

glycine;

trimethylglycine;

~~b-hydroxy-b-methylbutyrate;~~ and

Taurine.