
CLAIMS

~~What is claimed is:~~

1. A compound of formula (I), or a salt, solvate, prodrug, stereoisomer, tautomer, or isotopically labelled derivative thereof, or any mixtures thereof:



(I),


wherein:

X, Y , and the bond between X and Y are such that:


X is NR^8, Y is C(=O), and the bond between X and Y is a single bond, or

X is N, Y is CR^{11}, and the bond between X and Y is a double bond;


ring *A* is selected from the group consisting of:




,




,




,




,




,




,




,




,




,




,




,




,




,




,



,




, and























;

R^1 is selected from the group consisting of $R^2C(=O)$-, $R^2S(=O)_2$-, and aminoacyl;

R^2 is selected from the group consisting of:









,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

, and

;

one of the following applies:

(i) X^1 is N, X^2 is C(R^{4f}), and X^3 is C(R^{4g});

(ii) X^2 is N, X^1 is C(R^{4f}), and X^3 is C(R^{4g});

(iii) X^3 is N, X^1 is C(R^{4f}), and X^2 is C(R^{4g});

(v) X^1 is C(R^{4f}), X^2 is C(R^{4g}), and X^3 is C(R^{4h});

one of the following applies:

(i) X^4 is N and X^5 is C(R^{4e}); or

(ii) X^5 is N and X^4 is C(R^{4e});

each occurrence of X^{6a} is independently N or C(R^{4f});

each occurrence of X^{6b} is independently N or C(R^{4g});

each occurrence of X^{6c} is independently N or C(R^{4h});

each occurrence of X^7 is independently S, O, or NR^{3a};

each occurrence of R^{3a} is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, and optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^{3b} is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, and optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^{4a}, R^{4b}, R^{4c}, R^{4d}, R^{4e}, R^{4f}, R^{4g}, R^{4h}, R^{4i}, R^{4j} and R^{4k} is independently selected from the group consisting of H, halogen, -CN, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_8 cycloalkoxy, optionally substituted phenyl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -S(optionally substituted C_1-C_6 alkyl), -SO(optionally substituted C_1-C_6 alkyl), -SO_2(optionally substituted C_1-C_6 alkoxy), -C(=O)OH, -C(=O)O(optionally substituted C_1-C_6 alkyl), -C(=O)O(optionally substituted C_3-C_8 cycloalkyl), -O(optionally substituted C_1-C_6 alkyl), -O(optionally substituted C_3-C_8 cycloalkyl), -NH_2, -NH(optionally substituted C_1-C_6 alkyl), -NH(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl), -C(=O)NH_2, -C(=O)NH(optionally substituted C_1-C_6 alkyl), -C(=O)NH(optionally substituted C_3-C_8 cycloalkyl), -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -C(=O)N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), and -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^5 is independently selected from the group consisting of H, C_1-C_6 alkyl, and C_3-C_8 cycloalkyl, wherein the alkyl or cycloalkyl is optionally substituted with at least one selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, halogen, cyano,

-OH, C_1-C_6 alkoxy, C_3-C_8 cycloalkoxy, C_1-C_6 haloalkoxy, C_3-C_8 halocycloalkoxy, optionally substituted phenyl, optionally substituted heteroaryl, optionally substituted heterocyclyl, -$C(=O)OR^{10}$, -$OC(=O)R^{10}$, -SR^{10}, -$S(=O)R^{10}$, -$S(=O)_2R^{10}$, -$S(=O)_2NR^{10}R^{10}$, -$N(R^{10})S(=O)_2R^{10}$, -$N(R^{10})C(=O)R^{10}$, -$C(=O)NR^{10}R^{10}$, and -$NR^{10}R^{10}$;

each occurrence of R^6 is independently selected from the group consisting of H and optionally substituted C_1-C_6 alkyl;

R^7 is–$(CH_2)_p$-Q-$(CH_2)_q$-, wherein p and q are independently 0, 1, or 2, and Q is a bond (absent), -O-, -S-, -S(O)-, -$S(O)_2$-, -NR^{12}, -CH(OH)-, -C(=O)-, -C(=O)O-, or -OC(=O)-,

wherein $2 \leq (p+q) \leq 4$ if Q is a bond,

wherein $1 \leq (p+q) \leq 3$ if Q is -O-, S-, -S(O)-, -$S(O)_2$-, -NR^{12}, -CH(OH)-, or -C(=O)-,

wherein $0 \leq (p+q) \leq 2$ if Q is -C(=O)O- or -OC(=O)-, and

wherein each CH_2 in R^7 is optionally substituted with at least one substituent selected from the group consisting of methyl, OR^{13}, or halogen;

each occurrence of R^8 is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, and optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^{9a}, R^{9b}, R^{9c}, R^{9d}, R^{9e}, R^{9f}, R^{9g}, and R^{9h} is independently selected from the group consisting of H, halogen, -CN, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_8 cycloalkoxy, optionally substituted phenyl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -S(optionally substituted C_1-C_6 alkyl), -SO(optionally substituted C_1-C_6 alkyl), -SO_2(optionally substituted C_1-C_6 alkoxy), -C(=O)OH, -C(=O)O(optionally substituted C_1-C_6 alkyl), -C(=O)O(optionally substituted C_3-C_8 cycloalkyl), -O(optionally substituted C_1-C_6 alkyl), -O(optionally substituted C_3-C_8 cycloalkyl), -NH_2, -NH(optionally substituted C_1-C_6 alkyl), -NH(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl), -$C(=O)NH_2$, -C(=O)NH(optionally substituted C_1-C_6 alkyl), -C(=O)NH(optionally substituted C_3-C_8 cycloalkyl), -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -C(=O)N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), and -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl;

each occurrence of R^{10} is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted phenyl, and optionally substituted hetereoaryl;


each occurrence of R^{11} is independently selected from the group consisting of H, halogen, -CN, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_8 cycloalkoxy, optionally substituted phenyl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -S(optionally substituted C_1-C_6 alkyl), -SO(optionally substituted C_1-C_6 alkyl), -SO_2(optionally substituted C_1-C_6 alkyl), -C(=O)OH, -C(=O)O(optionally substituted C_1-C_6 alkyl), -C(=O)O(optionally substituted C_3-C_8 cycloalkyl), -O(optionally substituted C_1-C_6 alkyl), -O(optionally substituted C_3-C_8 cycloalkyl), -NH_2, -NH(optionally substituted C_1-C_6 alkyl), -NH(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), -N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl), -C(=O)NH_2, -C(=O)NH(optionally substituted C_1-C_6 alkyl), -C(=O)NH(optionally substituted C_3-C_8 cycloalkyl), -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_1-C_6 alkyl), -C(=O)N(optionally substituted C_3-C_8 cycloalkyl)(optionally substituted C_3-C_8 cycloalkyl), and -C(=O)N(optionally substituted C_1-C_6 alkyl)(optionally substituted C_3-C_8 cycloalkyl;


each occurrence of R^{12} is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 hydroxyalkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted phenyl, optionally substituted heteroaryl, and optionally substituted C_1-C_6 acyl;


each occurrence of R^{13} is independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, and -C(=O)C_1-C_6 alkyl.









































2. The compound of claim 1, wherein each occurrence of aryl or heteroaryl is independently optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, phenyl, C_1-C_6 hydroxyalkyl, (C_1-C_6 alkoxy)-C_1-C_6 alkyl, C_1-C_6 haloalkyl, C_1-C_6 haloalkoxy, halogen, -CN, -OR^b, -$N(R^b)(R^b)$, -NO_2, -$C(=O)N(R^b)(R^b)$, -$C(=O)OR^b$, -$OC(=O)R^b$, -SR^b, -$S(=O)R^b$, -$S(=O)_2R^b$, $N(R^b)S(=O)_2R^b$, -$S(=O)_2N(R^b)(R^b)$, acyl, and C_1-C_6 alkoxycarbonyl, wherein each occurrence of R^b is independently H, C_1-C_6 alkyl, or C_3-C_8 cycloalkyl, wherein in R^b the alkyl or cycloalkyl is optionally substituted with at least one selected from the group consisting of halogen, -OH, C_1-C_6 alkoxy, and heteroaryl; or substituents on two adjacent carbon atoms combine to form -$O(CH_2)_{1-3}O$-.


3. The compound of any of claims 1-2, wherein each occurrence of alkyl, alkenyl, alkynyl, or cycloalkyl is independently optionally substituted with at least one substituent selected from the group consisting of C_1-C_6 alkyl, C_3-C_8 cycloalkyl, halo, cyano (-CN), -OR^a, optionally substituted phenyl, optionally substituted heteroaryl, optionally substituted heterocyclyl, -$C(=O)OR^a$, -$OC(=O)R^a$, -SR^a, -$S(=O)R^a$, -$S(=O)_2R^a$, -$S(=O)_2NR^aR^a$, -$N(R^a)S(=O)_2R^a$, -$N(R^a)C(=O)R^a$, -$C(=O)NR^aR^a$, and -$N(R^a)(R^a)$, wherein each occurrence of R^a is independently H, optionally substituted C_1-C_6 alkyl, optionally substituted C_3-C_8 cycloalkyl, optionally substituted aryl, or optionally substituted heteroaryl, or two R^a groups combine with the N to which they are bound to form a heterocycle.

4. The compound of any of claims 1-3, wherein R^2 is selected from the group consisting of 









5. The compound of any of claims 1-4, wherein each of R^{3a} and R^{3b} is independently H or methyl.

6. The compound of any of claims 1-5, wherein R^5 is selected from the group consisting of H, methyl, ethyl, isopropyl, *n*-propyl, cyclopropyl, *n*-butyl, isobutyl, sec-butyl, tert-butyl, cyclobutyl, isopropylmethyl, $-(CH_2)_{2\text{-}6}OH$, $-(CH_2)_{2\text{-}6}O(C_1\text{-}C_6$ alkyl), $^{13}CD_3$, optionally substituted benzyl, and optionally substituted phenyl.

7. The compound of any of claims 1-6, wherein R^6 is selected from the group consisting of H, D, and CH_3.


8. The compound of any of claims 1-7, which is selected from the group consisting of:




(Ia-1) or



(Ib-1).


9. The compound of any of claims 1-8, which is selected from the group consisting of:



(Ia-2),



(Ia-3),




(Ib-2), and



(Ib-3).


10. The compound of any of claims 1-9, which is selected from the group consisting of:



(Ia-4),



(Ia-5),




(Ib-4) and



(Ib-5).


11. The compound of any of claims 1-10, which is selected from the group consisting of:




(Ia-6),



(Ia-7),




(Ia-8),



(Ia-9),









(Ia-10),


(Ia-11),



(Ia-12),


(Ib-6),


(Ib-7),

(Ib-8),

(Ib-9),

(Ib-10),

(Ib-11), and

(Ib-12).

12. The compound of any of claims 1-11, which is at least one selected from the group consisting of:

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindoline-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methylindoline-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methylindoline-2-carboxamide;

8-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methylindolizine-2-carboxamide;

4-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

7-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

4,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

4,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,5-difluoro-N-methyl-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

5,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methylimidazo[1,2-a]pyridine-2-carboxamide;

6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-2-carboxamide;

6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-ethylimidazo[1,2-a]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,3,3-trimethylindoline-2-carboxamide;

N-(8-fluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrazolo[1,5-a]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrrolo[1,2-b]pyridazine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-7-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-6-carboxamide;

N-(3-Acetyl-8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-3-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoxaline-6-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-

fluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4,5-trifluoro-N-methylbenzamide;

N-(8-Fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8-Fluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(3-Acetyl-8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methylnicotinamide;

5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylnicotinamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-fluoro-N-methylisonicotinamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-3-phenylpropanamide;

N-(8,9-Difluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4-difluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2-phenylpropanamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2-phenylacetamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5,6-trifluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethyl)benzamide;

4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methylbenzamide;

4-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-4-fluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3-fluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-N-methylbenzamide;

3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

6-Chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-

(trifluoromethyl)-1H-pyrazole-5-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methyl-1H-pyrazole-5-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

4-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

3-Fluoro-N-methyl-N-(6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(trifluoromethyl)benzamide;

3-Fluoro-N-methyl-N-(4-oxo-4,5,8,9-tetrahydro-6H-pyrano[3,4-b]thieno[3,4-d]pyridin-9-yl)-4-(trifluoromethyl)benzamide;

N-(8-Cyano-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethoxy)benzamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N,4-dimethylbenzamide;

2-(3-Chlorophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methylacetamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methyl-4-(trifluoromethyl)benzamide;

5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methylbenzenesulfonamide;

3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzenesulfonamide;

3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-3-fluoro-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)indolizine-2-carboxamide;

N-(8,9-difluoro-3-oxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-3,3-dioxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethoxy)-3-fluoro-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(2-hydroxypropan-2-yl)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(2-hydroxypropan-2-yl)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-4-(trifluoromethyl)benzamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluorobenzamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-

yl)-N-methylbenzamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-pyrazole-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-phenylacrylamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-3-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

1-(tert-butyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrazole-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrole-2-carboxamide;

2-amino-2-(4-chlorophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

2-amino-2-(3-chlorophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-N-methyl-1H-indole-2-carboxamide;

4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-hydroxy-N-methylcyclohexane-1-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-

methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)-1H-imidazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,2-diphenylacetamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-

methyl-2,3-dihydro-1H-indene-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(4-fluorophenyl)-N-methyl-1H-pyrazole-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methylisoxazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(3-fluorophenoxy)-N-methylbenzamide;

4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-5-methyl-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-methoxy-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5,6,7,8-tetrahydroindolizine-2-carboxamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3-difluoro-N-methylbenzamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,5-difluoro-N-methylbenzamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,6-difluoro-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(4-fluorophenoxy)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

2-(3-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methylacetamide;

2-(4-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-

yl)-2,2-difluoro-N-methylacetamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-1-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,4'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(4-fluorophenyl)-N-methylisoxazole-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,2-dimethylindolizine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-

methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

N-(6-(2-aminoethoxy)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(thiophen-3-yl)azetidine-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

1-(4-bromothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3',5'-trifluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,1'-biphenyl]-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5-difluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-phenoxybenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenoxy)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6H-thieno[2,3-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(methylsulfonyl)benzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-

(methylsulfonamido)benzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(methylsulfonyl)benzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,5-a]pyridine-6-carboxamide;

1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-5-phenoxybenzamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)indolizine-6-carboxamide;

4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methylisonicotinamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-5-(2-hydroxyethyl)-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(5-(2-aminoethyl)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-

yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-(2-hydroxyethoxy)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

N-(8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(3-fluorophenoxy)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-methoxy-N-methyl-1H-indole-2-carboxamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,5-dimethyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-ethyl-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-methoxy-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-6-(methylamino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-((2-hydroxyethyl)amino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3-(3-

fluorophenoxy)-N-methylbenzamide;

4-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

5-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

6-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(6-((2-aminoethyl)amino)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(hydroxymethyl)-N-methyl-1H-indole-2-carboxamide;

7-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylfuro[3,2-c]pyridine-2-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-6-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-6-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-

(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-5-carboxamide;

3,4-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-4-(methylsulfonamido)-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethoxy)-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-methoxy-N-methyl-1H-indole-2-carboxamide;

5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-methoxy-N-methyl-1H-indazole-5-carboxamide;

1-(5-chlorothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

7-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

di-tert-butyl ((2-((8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-

yl)(methyl)carbamoyl)-5,6-difluoro-1H-indol-1-yl)methyl) phosphate;

5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

5-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

4-cyano-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

4-bromo-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-6-carboxamide;

4-ethyl-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

5-cyano-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

4-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

5-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-

dihydro-1H-indene-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-6-carboxamide;

4,6-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

5,6-difluoro-N-methyl-N-(4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-indazole-5-carboxamide;

3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-ethyl-N-methyl-1H-indazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N,3-dimethyl-1H-indazole-5-carboxamide;

5-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

4-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-

(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N,1-dimethyl-1H-indazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

4-chloro-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-benzo[d]imidazole-6-carboxamide;

2-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

2-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N,4-

dimethyl-1H-indole-2-carboxamide;

4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

2-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

2-chloro-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-

carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

1-((4-bromo-3-fluorobenzyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

2-chloro-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

5,6-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

1-(((5,6-difluoro-1H-indol-2-yl)methyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

2-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-2-fluoro-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-

methylindolizine-2-carboxamide;

8-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methyl-2-phenylacetamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-5,6-difluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide;

N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-6-(difluoromethyl)-5-fluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide; and

2-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-N-(methyl-13C-d3)-4H-thieno[3,2-b]pyrrole-5-carboxamide;

or a salt, solvate, prodrug, isotopically labelled derivative, stereoisomer, or tautomer thereof, or any mixtures thereof.

13. The compound of any of claims 1-12, which is at least one selected from the group consisting of:

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(2S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindoline-2-carboxamide;

(2S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-N-methylindoline-2-carboxamide;

(2S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-N-methylindoline-2-carboxamide;

(2R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindoline-2-carboxamide;

(2R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-N-methylindoline-2-carboxamide;

(2R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-N-methylindoline-2-carboxamide;

(N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-5-fluoro-N-methylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-5-fluoro-N-methylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-5-fluoro-N-methylindoline-(2S)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-5-fluoro-N-methylindoline-(2S)-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-4,6-difluoro-N-methylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-4,6-difluoro-N-methylindoline-(2S)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-4,6-difluoro-N-methylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-4,6-difluoro-N-methylindoline-(2S)-carboxamide;

(S)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methylindoline-2-carboxamide;

(S)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methylindoline-2-carboxamide;

(R)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methylindoline-2-carboxamide;

(S)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methylindoline-2-carboxamide;

(R)-8-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-8-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

(R)-4-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-7-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-7-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,5-difluoro-N-methyl-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,5-difluoro-N-methyl-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

(R)-5,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-5,6-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-2-carboxamide;

(S)-6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-2-carboxamide;

(R)-6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-2-carboxamide;

(S)-6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-2-carboxamide;

(R)-6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-ethylimidazo[1,2-a]pyridine-2-carboxamide;

(S)-6-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-ethylimidazo[1,2-a]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-N,3,3-trimethylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1R)-yl)-N,3,3-trimethylindoline-(2S)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-N,3,3-trimethylindoline-(2R)-carboxamide;

N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-(1S)-yl)-N,3,3-trimethylindoline-(2S)-carboxamide;

(R)-N-(8-fluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-fluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-3-methyl-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrazolo[1,5-a]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrazolo[1,5-a]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrrolo[1,2-b]pyridazine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylpyrrolo[1,2-b]pyridazine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-7-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-7-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-6-carboxamide;

(R)-N-(3-Acetyl-8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(3-Acetyl-8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-3-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoline-3-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoxaline-6-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylquinoxaline-6-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

(R)-4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(S)-4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4,5-trifluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4,5-trifluoro-N-methylbenzamide;

(R)-N-(8-Fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-Fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8-Fluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-Fluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(3-Acetyl-8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(3-Acetyl-8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methylnicotinamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methylnicotinamide;

(R)-5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylnicotinamide;

(S)-5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylnicotinamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-fluoro-N-methylisonicotinamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-fluoro-N-methylisonicotinamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N-methylbenzamide;

N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methyl-3-phenylpropanamide;

N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methyl-3-phenylpropanamide;

(R)-N-(8,9-Difluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-3-(2-hydroxyethyl)-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4-difluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,4-difluoro-N-methylbenzamide;

N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methyl-2-phenylpropanamide;

N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methyl-2-phenylpropanamide;

N-((R)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methyl-2-phenylpropanamide;

N-((R)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methyl-2-phenylpropanamide;N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methyl-2-phenylacetamide;

N-((S)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methyl-2-phenylacetamide;

N-((R)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methyl-2-phenylacetamide;

N-((R)-8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methyl-2-phenylacetamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5,6-trifluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,5,6-trifluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethyl)benzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethyl)benzamide;

(R)-4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-4-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-4-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(S)-4-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-4-fluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-4-fluoro-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3-fluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3-fluoro-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-N-methylbenzamide;

(R)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

(S)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4,5-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-6-Chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-6-Chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(trifluoromethyl)-1H-pyrazole-5-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(trifluoromethyl)-1H-pyrazole-5-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methyl-1H-pyrazole-5-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methyl-1H-pyrazole-5-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methylbenzamide;

(R)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

(S)-3-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzamide;

(R)-4-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-4-Bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-3-Fluoro-N-methyl-N-(6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(trifluoromethyl)benzamide;

(S)-3-Fluoro-N-methyl-N-(6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(trifluoromethyl)benzamide;

(R)-3-Fluoro-N-methyl-N-(4-oxo-4,5,8,9-tetrahydro-6H-pyrano[3,4-b]thieno[3,4-d]pyridin-9-yl)-4-(trifluoromethyl)benzamide;

(S)-3-Fluoro-N-methyl-N-(4-oxo-4,5,8,9-tetrahydro-6H-pyrano[3,4-b]thieno[3,4-d]pyridin-9-yl)-4-(trifluoromethyl)benzamide;

(R)-N-(8-Cyano-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

(S)-N-(8-Cyano-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethyl)benzamide;

(R)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethoxy)benzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-4-(trifluoromethoxy)benzamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N,4-dimethylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N,4-dimethylbenzamide;

2-(3-Chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2R)-hydroxy-N-methylacetamide;

2-(3-Chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(2S)-hydroxy-N-methylacetamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methyl-4-(trifluoromethyl)benzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methyl-4-(trifluoromethyl)benzamide;

(R)-5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

(S)-5-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

(2R)-Amino-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3R)-hydroxy-N-methylbutanamide;

(2R)-Amino-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3S)-hydroxy-N-methylbutanamide;

(2S)-Amino-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3R)-hydroxy-N-methylbutanamide;

(2S)-Amino-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3S)-hydroxy-N-methylbutanamide;

(2R)-Amino-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3R)-hydroxy-N-methylbutanamide;

(2R)-Amino-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3S)-hydroxy-N-methylbutanamide;

(2S)-Amino-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3R)-hydroxy-N-methylbutanamide;

(2S)-Amino-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-(3S)-hydroxy-N-methylbutanamide;

(R)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

(S)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

(R)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzenesulfonamide;

(S)-3-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzenesulfonamide;

(R)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzenesulfonamide;

(S)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzenesulfonamide;

(R)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

(S)-3-Cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbenzenesulfonamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-3-fluoro-N-methylbenzamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-3-fluoro-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)indolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)indolizine-2-carboxamide;

(R,R)-N-(8,9-difluoro-3-oxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(R,S)-N-(8,9-difluoro-3-oxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S,R)-N-(8,9-difluoro-3-oxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S,S)-N-(8,9-difluoro-3-oxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-3,3-dioxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-3,3-dioxido-6-oxo-1,4,5,6-tetrahydro-2H-thiopyrano[3,4-c]isoquinolin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethoxy)-3-fluoro-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethoxy)-3-fluoro-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(2-hydroxypropan-2-yl)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(2-hydroxypropan-2-yl)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(2-hydroxypropan-2-yl)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(2-hydroxypropan-2-yl)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4,6-difluoro-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-4-(trifluoromethyl)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-4-(trifluoromethyl)benzamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluorobenzamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluorobenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

(S)-4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3,5-difluoro-N-methylbenzamide;

(S)-4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

(R)-4-bromo-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3,5-difluoro-N-methylbenzamide;

(S)-4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

(R)-4-chloro-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

(S)-4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

(S)-4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-3,5-difluoro-N-methylbenzamide;

(S)-4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

(R)-4-(difluoromethyl)-3,5-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzamide;

N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S,4R)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S,4S)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R,4R)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R,4S)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-pyrazole-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-pyrazole-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-phenylacrylamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-phenylacrylamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-3-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylthiophene-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(S)-1-(tert-butyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrazole-4-carboxamide;

(R)-1-(tert-butyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrazole-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrole-2-carboxamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrole-2-carboxamide;

(S)-2-amino-2-(4-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(R)-2-amino-2-(4-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(S)-2-amino-2-(4-chlorophenyl)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(R)-2-amino-2-(4-chlorophenyl)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

2-amino-2-(4-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

2-amino-2-(4-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

(S)-2-amino-2-(3-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(R)-2-amino-2-(3-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(S)-2-amino-2-(3-chlorophenyl)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(R)-2-amino-2-(3-chlorophenyl)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

2-amino-2-(3-chlorophenyl)-N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

2-amino-2-(3-chlorophenyl)-N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylacetamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-hydroxy-N-methylcyclohexane-1-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-hydroxy-N-methylcyclohexane-1-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridine-2-carboxamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-1,6-dihydropyridine-2-carboxamide;

(S)-6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)-1H-imidazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)-1H-imidazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-oxo-1,6-dihydropyridine-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,2-diphenylacetamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,2-diphenylacetamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-fluoro-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(4-fluorophenyl)-N-methyl-1H-pyrazole-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(4-fluorophenyl)-N-methyl-1H-pyrazole-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methylisoxazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenyl)-N-methylisoxazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(3-fluorophenoxy)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(3-fluorophenoxy)-N-methylbenzamide;

(S)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-5-methyl-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-5-methyl-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-methoxy-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-methoxy-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5,6,7,8-tetrahydroindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5,6,7,8-tetrahydroindolizine-2-carboxamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3-difluoro-N-methylbenzamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3-difluoro-N-methylbenzamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,5-difluoro-N-methylbenzamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,5-difluoro-N-methylbenzamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,6-difluoro-N-methylbenzamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,6-difluoro-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-oxo-5-(trifluoromethyl)-1,6-dihydropyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(4-fluorophenoxy)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(4-fluorophenoxy)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethyl)-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-2-(3-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methylacetamide;

(R)-2-(3-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methylacetamide;

(S)-2-(4-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methylacetamide;

(R)-2-(4-bromophenyl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methylacetamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-1-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-1-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,4'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,4'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(4-fluorophenyl)-N-methylisoxazole-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(4-fluorophenyl)-N-methylisoxazole-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-b]pyridine-2-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

(S)-4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-2-hydroxy-N-methyl-2,3-dihydro-1H-indene-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,2-dimethylindolizine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,2-dimethylindolizine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-fluoro-N-methylbicyclo[4.2.0]octa-1(6),2,4-triene-7-carboxamide;

(S)-N-(6-(2-aminoethoxy)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(6-(2-aminoethoxy)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(thiophen-3-yl)azetidine-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1-(thiophen-3-yl)azetidine-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-1-(4-bromothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

(R)-1-(4-bromothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5'-difluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3',5'-trifluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,3',5'-trifluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5-difluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3',5-difluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-phenoxybenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-phenoxybenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenoxy)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(4-fluorophenoxy)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6H-thieno[2,3-b]pyrrole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6H-thieno[2,3-b]pyrrole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(methylsulfonyl)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(methylsulfonyl)benzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(methylsulfonamido)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(methylsulfonamido)benzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(methylsulfonyl)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-3-(methylsulfonyl)benzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,5-a]pyridine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,5-a]pyridine-6-carboxamide;

(1S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(1S,4S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(1S,4R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(1R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(1R,4R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(1R,4S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl isobutyrate;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-4-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-5-phenoxybenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-fluoro-N-methyl-5-phenoxybenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3'-fluoro-N-methyl-[1,1'-biphenyl]-3-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylimidazo[1,2-a]pyridine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(S)-6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(R)-6-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)indolizine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2-(trifluoromethyl)indolizine-6-carboxamide;

(S)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-4-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methylisonicotinamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methylisonicotinamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

(S)-N-(8,9-difluoro-5-(2-hydroxyethyl)-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-5-(2-hydroxyethyl)-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(5-(2-aminoethyl)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(5-(2-aminoethyl)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-(2-hydroxyethoxy)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-(2-hydroxyethoxy)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-3-(N-methylsulfamoyl)benzamide;

N-((1S)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S,4R)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S,4S)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R,4R)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R,4S)-8,9-difluoro-4-methoxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(3-fluorophenoxy)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(3-fluorophenoxy)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-methoxy-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-methoxy-N-methyl-1H-indole-2-carboxamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,5-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,5-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-ethyl-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-ethyl-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-methoxy-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-methoxy-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(1S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(1S,4S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(1S,4R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(1R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(1R,4S)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(1R,4R)-1-(5,6-difluoro-N-methyl-1H-indole-2-carboxamido)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-4-yl 2-ethylbutanoate;

(S)-2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

(R)-2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-furo[3,2-b]pyrrole-5-carboxamide;

(S)-N-(8,9-difluoro-6-(methylamino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-(methylamino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-((2-hydroxyethyl)amino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-((2-hydroxyethyl)amino)-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3-(3-fluorophenoxy)-N-methylbenzamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-3-(3-fluorophenoxy)-N-methylbenzamide;

(S)-4-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-4-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-5-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-5-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-6-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

(R)-6-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-2-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-N-(6-((2-aminoethyl)amino)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(6-((2-aminoethyl)amino)-8,9-difluoro-1,4-dihydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-((S)-1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-((R)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-((S)-1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-((R)-1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

N-((S)-8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-((S)-1-hydroxyethyl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(hydroxymethyl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-4-(hydroxymethyl)-N-methyl-1H-indole-2-carboxamide;

(S)-7-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylfuro[3,2-c]pyridine-2-carboxamide;

(R)-7-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylfuro[3,2-c]pyridine-2-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-6-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-6-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-6-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-6-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-5-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-N-methyl-2H-indazole-5-carboxamide;

(S)-3,4-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(R)-3,4-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-4-(methylsulfonamido)-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-fluoro-N-methyl-4-(methylsulfonamido)-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethoxy)-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4-(trifluoromethoxy)-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-methoxy-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-methoxy-N-methyl-1H-indole-2-carboxamide;

(S)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-5-bromo-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2-(difluoromethyl)-3-methoxy-N-methyl-2H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-methoxy-N-methyl-1H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-methoxy-N-methyl-1H-indazole-5-carboxamide;

(S)-1-(5-chlorothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

(R)-1-(5-chlorothiophen-3-yl)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylazetidine-3-carboxamide;

(S)-7-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-7-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-7-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-di-tert-butyl ((2-((8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)(methyl)carbamoyl)-5,6-difluoro-1H-indol-1-yl)methyl) phosphate;

(R)-di-tert-butyl ((2-((8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)(methyl)carbamoyl)-5,6-difluoro-1H-indol-1-yl)methyl) phosphate;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-5-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-5-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-4-cyano-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-cyano-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-bromo-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(R)-4-bromo-5-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[2,3-c]pyridine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-7-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylindolizine-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-6-carboxamide;

(S)-4-ethyl-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-ethyl-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-5-cyano-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-5-cyano-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-4-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-4-ethyl-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-5-(methylsulfonyl)-1H-indole-2-carboxamide;

(S)-5-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-5-cyano-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-8-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-6-carboxamide;

(S)-4,6-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

(R)-4,6-dichloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-pyrrolo[3,2-c]pyridine-2-carboxamide;

5,6-difluoro-N-methyl-N-((1S)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

5,6-difluoro-N-methyl-N-((1S,4S)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

5,6-difluoro-N-methyl-N-((1S,4R)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

5,6-difluoro-N-methyl-N-((1R)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

5,6-difluoro-N-methyl-N-((1R,4S)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

5,6-difluoro-N-methyl-N-((1R,4R)-4,8,9-trifluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-5-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-indazole-5-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,1-dimethyl-1H-indazole-5-carboxamide;

(S)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-ethyl-N-methyl-1H-indazole-5-carboxamide;

(R)-3-chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-ethyl-N-methyl-1H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N,3-dimethyl-1H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N,3-dimethyl-1H-indazole-5-carboxamide;

(S)-5-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-5-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-4-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]oxazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-8-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-(difluoromethyl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-5-fluoro-N-methyl-6-(trifluoromethyl)nicotinamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N,1-dimethyl-1H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-3-(difluoromethyl)-N,1-dimethyl-1H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-1-(difluoromethyl)-N-methyl-1H-indazole-5-carboxamide;

(S)-4-chloro-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-chloro-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-benzo[d]imidazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-benzo[d]imidazole-6-carboxamide;

(R)-2-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-2-chloro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-2-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-2-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-6-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-4-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylbenzo[d]thiazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-2-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-2-cyano-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-2,3-dihydro-1H-indene-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-5-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-2-chloro-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-2-chloro-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-4,6-dioxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-6-(difluoromethyl)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-4-(difluoromethyl)-6-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-6-fluoro-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-1-((4-bromo-3-fluorobenzyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

(R)-1-((4-bromo-3-fluorobenzyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

2-chloro-N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S,R)-2-chloro-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S,S)-2-chloro-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

2-chloro-N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R,R)-2-chloro-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R,S)-2-chloro-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-6-(difluoromethyl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-5-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-5,6-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-5,6-difluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(S)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N,4-dimethyl-1H-indole-2-carboxamide;

(R)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-4-(difluoromethyl)-6-fluoro-N-(8-fluoro-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S)-1-(((5,6-difluoro-1H-indol-2-yl)methyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

(R)-1-(((5,6-difluoro-1H-indol-2-yl)methyl)(methyl)amino)-8,9-difluoro-1,5-dihydro-2H-pyrano[3,4-c]isoquinolin-6(4H)-one;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methyl-1H-indazole-6-carboxamide;

(S)-2-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-2-fluoro-N-(8-fluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-2-fluoro-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-2-fluoro-N-methyl-4H-thieno[3,2-b]pyrrole-5-carboxamide;

N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(S,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

(R,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5-fluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(R,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

(S,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-5,6-difluoro-N-methyl-1H-indole-2-carboxamide;

N-((1R)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

N-((1S)-8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R,R)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(S,S)-N-(8,9-difluoro-4-hydroxy-6-oxo-1,2,3,4,5,6-hexahydrophenanthridin-1-yl)-N-methyl-1H-indole-2-carboxamide;

(R)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(R)-8-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-8-chloro-N-(8,9-difluoro-6-oxo-1,2,3,4,5,6-hexahydrobenzo[c][1,7]naphthyridin-1-yl)-N-methylindolizine-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methyl-2-phenylacetamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl)-2,2-difluoro-N-methyl-2-phenylacetamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-5,6-difluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-5,6-difluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide;

(S)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-6-(difluoromethyl)-5-fluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide;

(R)-N-(8,9-Difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-6-(difluoromethyl)-5-fluoro-N-(methyl-13C-d3)-1H-indole-2-carboxamide;

(S)-2-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-N-(methyl-13C-d3)-4H-thieno[3,2-b]pyrrole-5-carboxamide; and

(R)-2-Chloro-N-(8,9-difluoro-6-oxo-1,4,5,6-tetrahydro-2H-pyrano[3,4-c]isoquinolin-1-yl-1-d)-N-(methyl-13C-d3)-4H-thieno[3,2-b]pyrrole-5-carboxamide;

or a salt, solvate, prodrug, isotopically labelled derivative, stereoisomer, or tautomer thereof, or any mixtures thereof.

14. A pharmaceutical composition comprising at least one compound of any of claims 1-13 and a pharmaceutically acceptable carrier.

15. The pharmaceutical composition of claim 14, further comprising at least one additional agent useful for treating, ameliorating, and/or preventing hepatitis B virus infection.

16. The pharmaceutical composition of claim 15, wherein the at least one additional agent comprises at least one selected from the group consisting of reverse transcriptase inhibitor; capsid inhibitor; cccDNA formation inhibitor; RNA destabilizer; oligomeric nucleotide targeted against the HBV genome; immunostimulator; GalNAc-siRNA conjugate targeted

against an HBV gene transcript; and therapeutic vaccine.

17. Use of the compound of any of claims 1-13 and/or the pharmaceutical composition of any of claims 14-16 in the manufacture of a medicament for the treatment, amelioration and/or prevention of ~~A method of treating, ameliorating, and/or preventing~~ hepatitis B virus (HBV) infection in a subject, wherein a therapeutically effective amount of at least one of the compound of any of claims 1-13 and/or least one of the pharmaceutical composition of any of claims 14-16 is to be administered to the subject in need thereof.~~the method comprising administering to the subject in need thereof a therapeutically effective amount of at least one compound of any of claims 1-13 and/or at least one pharmaceutical composition of any of claims 14-16.~~

18. The ~~method~~ use of claim 17, wherein the subject is further infected with hepatitis D virus (HDV).

19. The ~~method~~ use of any of claims 17-18, wherein the at least one compound and/or composition is to be administered to the subject in a pharmaceutically acceptable composition.

20. The ~~method~~ use of any of claims 17-19, wherein the subject is to be further administered at least one additional agent useful for treating, ameliorating, and/or preventing the hepatitis B virus infection.

21. The ~~method~~ use of claim 20, wherein the at least one additional agent comprises at least one selected from the group consisting of reverse transcriptase inhibitor; capsid inhibitor; cccDNA formation inhibitor; RNA destabilizer; oligomeric nucleotide targeted against the HBV genome; immunostimulator; GalNAc-siRNA conjugate targeted against an HBV gene transcript; and therapeutic vaccine.

22. The ~~method~~ use of claim 21, wherein the immunostimulator is a checkpoint inhibitor.

23. The ~~method~~ use of claim 22, wherein the checkpoint inhibitor is a PD-L1 inhibitor.

24. The ~~method~~ use of any of claims 20-23, wherein the subject is to be co-administered

the at least one compound and/or composition and the at least one additional agent.

25. The ~~method~~ use of any of claims 20-24, wherein the at least one compound and/or composition and the at least one additional agent are coformulated.

26. Use of the compound of any of claims 1-13 and/or the pharmaceutical composition of any of claims 14-16 in the manufacture of a medicament for inhibition of ~~A method of inhibiting~~ expression and/or function of a viral capsid protein directly or indirectly in a hepatitis B virus-infected subject, wherein a therapeutically effective amount of at least one of the compound of any of claims 1-13 and/or at least one of the pharmaceutical composition of any of claims 14-16 is to be administered to the subject in need thereof.~~the method comprising administering to the subject in need thereof a therapeutically effective amount of at least one compound of any of claims 1-13 and/or at least one pharmaceutical composition of any of claims 14-16~~.

27. The ~~method~~ use of claim 26, wherein the subject is further infected with hepatitis D virus (HDV).

28. The ~~method~~ use of any of claims 26-27, wherein the at least one compound and/or composition is to be administered to the subject in a pharmaceutically acceptable composition.

29. The ~~method~~ use of any of claims 26-28, wherein the subject is to be further administered at least one additional agent useful for treating, ameliorating, and/or preventing the hepatitis B viral infection.

30. The ~~method~~ use of claim 29, wherein the at least one additional agent comprises at least one selected from the group consisting of reverse transcriptase inhibitor; capsid inhibitor; cccDNA formation inhibitor; RNA destabilizer; oligomeric nucleotide targeted against the HBV genome; immunostimulator; GalNAc-siRNA conjugate targeted against an HBV gene transcript; and therapeutic vaccine.

31. The ~~method~~ use of claim 30, wherein the immunostimulator is a checkpoint inhibitor.

32. The ~~method~~ use of claim 31, wherein the checkpoint inhibitor is a PD-L1 inhibitor.

33. The ~~method~~ use of any of claims 29-32, wherein the subject is to be co-administered the at least one compound and/or composition and the at least one additional agent.

34. The ~~method~~ use of any of claims 29-33, wherein the at least one compound and/or composition and the at least one additional agent are coformulated.

35. The ~~method~~ use of any of claims 17-34, wherein the subject is a mammal.

36. The ~~method~~ use of claim 35, wherein the mammal is a human.

~~36.~~37. The compound of any of claims 1-13 and/or the pharmaceutical composition of any of claims 14-16 for use in therapy.