



[図1]




【図2】


(腫瘍)



(肝臓)





[図3]




[図4]




[図5]



【図6】




【図7】



[図8]


## 肝毒性 (ALT)

(縦軸: U/L)




## 腎毒性 (血漿中クレアチニン)


(縦軸: mg/dL)




[図9]





[図10]





[図11]




[図12]

肝毒性 (ALT)  
(U/L)腎毒性 (血漿中クレアチニン)  
(mg/dL)


[図13]

白血球数  
( $\times 10^9$ cells/L)血小板数  
( $\times 10^9$ cells/L)

[図14]




[図15]




[図16]

ALT (単位:U/L)





AST (単位:U/L)



◆ : 平均値, エラーバー:標準偏差  
 ● : 各個体の結果のプロット



[図17]

血漿中クレアチニン (単位:mg/dL) BUN (単位:mg/dL)





◆ : 平均値, エラーバー:標準偏差  
 ● : 各個体の結果のプロット

[図18]

投与後1週間 ( $\times 10^9$  cells/L)投与後4週間 ( $\times 10^9$  cells/L)


◆ : 平均値, エラーバー標準偏差  
● : 各個体の結果のプロット

[図19]


投与後1週間 ( $\times 10^9$  cells/L)投与後4週間 ( $\times 10^9$  cells/L)

◆ : 平均値, エラーバー標準偏差  
● : 各個体の結果のプロット



[図20]





[図21]



[図22A]



[図22B]




[図23]




[図24]


$^{225}\text{Ac}$ 標識抗MUC5ACヒト化抗体(DBCO-DOTAGA)




[図25]





[図26]





[図27]





[図28A]




[図28B]




[図28C]



[図28D]




[図29]




[図30]


(A)




(B)




[図31]




[図32]




[図33]



[図34]



[図35]



【図36】

