



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : D02G 3/00, C08G 63/66	A1	(11) International Publication Number: WO 99/54533 (43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/US99/07011 (22) International Filing Date: 22 April 1999 (22.04.99) (30) Priority Data: 09/086,064 23 April 1998 (23.04.98) US (71) Applicant (for all designated States except US): HNA HOLDINGS, INC. [US/US]; 30 Independence Boulevard, Warren, NJ 07059 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): CHARBONNEAU, Larry, F. [US/US]; 64 Mountainside Road, Mendham, NJ 07945 (US). JOHNSON, Robert, E. [US/US]; 808 Willow Avenue #2R, Hoboken, NJ 07030 (US). (74) Agents: DUFFETT, Benton, S., Jr. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(54) Title: POLYESTER CONTAINER AND METHOD FOR MAKING SAME		
(57) Abstract A polyester container made from a polymer having ethylene glycol moieties, isosorbide moieties and terephthaloyl moieties, and the method of making the container is described. The polyester container is suitable for holding liquids and solids, and may be hot-filled or cold-filled. In particular, wide-mouth jars and narrow-necked bottles may be formed. The polyester has an inherent viscosity of at least 0.35 dL/g when measured as a 1 % (weight/volume) solution of the polyester in o-chlorophenol at a temperature of 25 °C.		



162162



G00002