

100
104c
102
120b
Measurement
Request
PCP
104d
104b
Measurement
Request
122b
120a
122a
Measurement
Request
Measurement
Request
104a

FIG. 1




FIG. 2



300
302
First Device Sends Measurement Request to Second Device
304
Second Device Receives Measurement Request
306
Second Device Performs One or More Measurements in Accordance With the Request
308
Second Device Sends Measurement Report to First Device
310
First Device Receives Measurement Report
312
First Device Makes Resource Allocation Based on Measurement Report

FIG. 3



400
402
Regulatory Class (1 octet)
404
Channel Number (1 octet)
406
STAID (1 octet)
408
Beam ID (1 octet)
410
Measurement Method (1 octet)
412
Meas. Start Time (8 octets)
414
Meas. Duration (2 octets)
416
Number of Time Blocks (1 octet)
418
Optional Sub-elements (variable size)

FIG. 4



500
502
Regulatory Class (1 octet)
504
Channel Number (1 octet)
506
STAID (1 octet)
508
Beam ID (1 octet)
510
Measurement Method (1 octet)
512
Meas. Start Time (8 octet)
514
Meas. Duration (2 octets)
516
Number of Time Blocks (1 octet)
518 1
Meas. 1
• • •
518 N
Meas. N
520
Optional Sub-elements (variable size)

FIG. 5



600
602a
602b
602c
606
Host Module
604
Transceiver Module
610
Transmitter Portion
612
Receiver Portion
608
Resource Allocation Module
607
Measurement Module

FIG. 6