

40
File system
15
Flash abstraction layer
30
50
System registry
20
Flash media driver
10
Flash component

FIG. 1



Flash media driver retrieves low-level properties from a flash component
200
Flash media driver retrieves low-level properties from driver configuration via system registry
210
Flash media driver provides retrieved low-level properties to flash abstraction layer
220
Flash abstraction layer retrieves high-level properties from driver configuration via system registry
230
The properties, both low-level and high-level, are provided to the file system
240

FIG. 2



File system layout 300
File allocation table 325
File and directory data 345
0
1
2
...
N
N+1
N+2
N+3
...
M
Region 320
Region 340

FIG. 3



Computing Environment 100
110
Monitor 191
Printer 196
Speakers 197
Local Area Network 171
REMOTE COMPUTER 180
181
Wide Area Network 173
Network Interface 170
Modem 172
REMOTE APPLICATION PROGRAMS 185
Output Peripheral Interface 195
User Input Interface 160
Keyboard 162
Mouse 161
Video Interface 190
Removable Non-Volatile Memory Interface 150
155
156
152
151
Processing Unit 120
System Bus 121
Non-Removable Non-Volatile Memory Interface 140
141
130
System Memory
(ROM) 131
BIOS 133
(RAM) 132
Operating System 134
Application Programs 135
Other Program Modules 136
Program Data 137
OPERATING SYSTEM 144
APPLICATION PROGRAMS 145
OTHER PROGRAM MODS. 146
PROGRAM DATA 147

FIG. 4