
WHAT IS CLAIMED IS:


1. A compound of formula (I):




(I)

or a pharmaceutically acceptable salt or prodrug thereof, wherein


A is selected from the group consisting of


(i)


,


(ii)

,


(iii)

and


(iv)

;

R^1, R^3, R^4, and R^5 are independently selected from the group consisting of hydrogen, alkenyl, alkyl, haloalkyl, G^1, G^2, $-(CR^{4a}R^{5a})_m-G^1$, and $-(CR^{4a}R^{5a})_m-G^2$;

R^{4a} and R^{5a}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

G^1, at each occurrence, is independently aryl or heteroaryl, wherein each G^1 is independently unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, $-NO_2$, $-OR^{1b}$, $-OC(O)R^{1b}$, $-OC(O)N(R^b)(R^{3b})$, $-SR^{1b}$, $-S(O)R^{2b}$, $-S(O)_2R^{2b}$, $-S(O)_2N(R^b)(R^{3b})$, $-C(O)R^{1b}$, $-C(O)OR^{1b}$, $-C(O)N(R^b)(R^{3b})$, $-N(R^b)(R^{3b})$, $-N(R^a)C(O)R^{1b}$, $-N(R^a)C(O)O(R^{1b})$, $-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-NO_2$, $-N(R^b)S(O)_2(R^{2b})$, $-(CR^{4b}R^{5b})_m-OR^{1b}$, $-C(OH)[(CR^{4b}R^{5b})_m-R^{4b}]_2$, $-(CR^{4b}R^{5b})_m-OC(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-SR^{1b}$, $-(CR^{4b}R^{5b})_m-S(O)R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-C(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-C(O)OR^{1b}$, $-(CR^{4b}R^{5b})_m-C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)O(R^{1b})$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

G^2 is cycloalkyl, cycloalkenyl, or heterocycle unsubstituted or substituted with 1, 2, 3, 4, or 5 substituents selected from the group consisting of alkyl, alkenyl, alkynyl, halogen, cyano, oxo, $-SR^{1b}$, $-S(O)R^{2b}$, $-S(O)_2R^{2b}$, $-S(O)_2N(R^b)(R^{3b})$, $-C(O)R^{1b}$, $-C(O)OR^{1b}$, $-C(O)N(R^b)(R^{3b})$, $-N(R^b)(R^{3b})$, $-N(R^a)C(O)R^{1b}$, $-N(R^a)C(O)O(R^{1b})$, $-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-NO_2$, $-N(R^b)S(O)_2(R^{2b})$, $-(CR^{4b}R^{5b})_m-OR^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-OC(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-SR^{1b}$, $-(CR^{4b}R^{5b})_m-S(O)R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2R^{2b}$, $-(CR^{4b}R^{5b})_m-S(O)_2N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-C(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-C(O)OR^{1b}$, $-(CR^{4b}R^{5b})_m-C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)R^{1b}$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)O(R^{1b})$, $-(CR^{4b}R^{5b})_m-N(R^a)C(O)N(R^b)(R^{3b})$, $-(CR^{4b}R^{5b})_m-N(R^b)S(O)_2(R^{2b})$, cyanoalkyl, and haloalkyl;

R^a and R^b, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{1b} and R^{3b}, at each occurrence, are each independently hydrogen, alkyl, or haloalkyl;

R^{2b}, at each occurrence, is independently alkyl or haloalkyl;

R^{4b} and R^{5b}, at each occurrence, are each independently hydrogen, halogen, alkyl, or haloalkyl;

m, at each occurrence, is independently 1, 2, 3, 4, or 5;

R^2 is selected from the group consisting of hydrogen, alkoxyalkyl, alkyl, alkylcarbonyl, haloalkyl, $-(CR^{4a}R^{5a})_m-G^1$, $-(CR^{4a}R^{5a})_p-O-G^1$, $-C(O)-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-(CR^{4a}R^{5a})_p-O-G^2$, $-C(O)-G^2$, $-S(O)_2R^6$, and $-C(O)NR^7R^8$;

p, at each occurrence, is independently 2, 3, 4, or 5;

R^6 and R^7 are independently selected from the group consisting of alkyl, haloalkyl, G^1, $-(CR^{4a}R^{5a})_m-G^1$, G^2 and $-(CR^{4a}R^{5a})_m-G^2$;

R^8 is selected from the group consisting of hydrogen, alkyl, and haloalkyl; or

R^7 and R^8 taken together with the nitrogen to which they are attached form a heterocycle;

X^1 is N or CR^9;

X^2 is N or CR^{10};


X^3 is N or CR^{11};

X^4 is N or CR^{12};


provided that only one or two of X^1, X^2, X^3, or X^4 can be N;

R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}, R^{15} and R^{16} are each independently hydrogen, alkyl, alkenyl, alkynyl, halogen, cyano, $-G^1$, $-G^2$, $-NO_2$, $-OR^{1a}$, $-OC(O)R^{1a}$, $-OC(O)N(R^b)(R^{3a})$,


$-SR^{1a}$, $-S(O)R^{2a}$, $-S(O)_2R^{2a}$, $-S(O)_2N(R^b)(R^{3a})$, $-C(O)R^{1a}$, $-C(O)G^3$, $-C(O)OR^{1a}$, $-C(O)N(R^b)(R^{3a})$, $-N(R^b)(R^{3a})$, $-N(R^a)C(O)R^{1a}$, $-N(R^a)C(O)O(R^{1a})$, $-N(R^a)C(O)N(R^b)(R^{3a})$, $-N(R^a)S(O)_2(R^{2a})$, $-(CR^{4a}R^{5a})_m-NO_2$, $-(CR^{4a}R^{5a})_m-OR^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-OC(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-SR^{1a}$, $-(CR^{4a}R^{5a})_m-S(O)R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2R^{2a}$, $-(CR^{4a}R^{5a})_m-S(O)_2N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)OR^{1a}$, $-(CR^{4a}R^{5a})_m-C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)R^{1a}$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)O(R^{1a})$, $-(CR^{4a}R^{5a})_m-N(R^a)C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-G^1$, $-CR^{4a}=CR^{5a}-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-CR^{4a}=CR^{5a}-G^2$, $-CR^{6a}=C(R^{7a})_2$, cyanoalkyl, haloalkyl, (v), (vi), (vii) or (viii); wherein




(v)



(vi)



(vii)



(viii)

R^{1a} and R^{3a}, at each occurrence, are each independently hydrogen, alkyl, haloalkyl, G^1, $-(CR^{4a}R^{5a})_m-G^1$, G^2, or $-(CR^{4a}R^{5a})_m-G^2$;

R^{2a}, at each occurrence, is independently alkyl, haloalkyl, G^1, or $-(CR^{4a}R^{5a})_m-G^1$;

R^{6a} is alkyl or haloalkyl;

R^{7a}, at each occurrence, is independently hydrogen, alkyl, or haloalkyl;

G^3 is a heterocyclic ring attached to the adjacent carbonyl moiety through a nitrogen atom contained within the heterocycle;

q is 1 or 2; or

R^9 and R^{10}, R^{10} and R^{11}, R^{11} and R^{12}, or R^{13} and R^{14} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl, cycloalkyl, heterocycle, or heteroaryl ring;

Y^1 is NR^{17}, $CR^{18}R^{19}$, C(O), $S(O)_n$, or O;

Y^2 is NR^{20}, $CR^{18}R^{19}$, C(O), or $S(O)_n$;

Y^3 is NR^{17}, $CR^{18}R^{19}$, C(O), or $S(O)_n$; or

Y^1 and Y^2 together are $CR^{18}=CR^{19}$, provided Y^3 is other than NR^{17}; or

Y^2 and Y^3 together are $CR^{18}=CR^{19}$, provided Y^1 is other than NR^{17} or O;

n is 1 or 2;


provided that only one of Y^1 and Y^3 can be NR^{17}; or Y^1 and Y^3 are other than NR^{17} when Y^2 is NR^{20}; or only one of Y^1, Y^2, or Y^3 can be C(O) or $S(O)_n$; or Y^2 is other than NR^{20} or $S(O)_n$ when Y^1 is O; or Y^3 is other than NR^{17} when Y^1 is O;

R^{17} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, and -$(CR^{4a}R^{5a})_m$-G^2;

R^{18} and R^{19} are independently selected from the group consisting of hydrogen, alkyl, and haloalkyl; and


R^{20} is selected from the group consisting of hydrogen, alkyl, alkylcarbonyl, haloalkyl, -C(O)-G^1, -C(O)NR^a-G^1, -$S(O)_n$-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, -C(O)NR^a-G^2, -$S(O)_n$-G^2, and -$(CR^{4a}R^{5a})_m$-G^2.

2. The compound of claim 1, wherein A is (i).




(i)


3. The compound of claim 1, wherein A is (ii), (iii), or (iv).



(ii)



(iii)



(iv)

4. The compound of claim 1, wherein Y^1 is C(O) or $S(O)_n$, Y^2 is NR^{20}, and Y^3 is $CR^{18}R^{19}$; or wherein Y^1 is C(O), Y^2 and Y^3 are each $CR^{18}R^{19}$.

5. The compound of claim 1, wherein Y^1 is $CR^{18}R^{19}$, Y^2 is NR^{20}, and Y^3 is C(O), or wherein Y^1 is $CR^{18}R^{19}$, Y^2 is C(O), and Y^3 is NR^{20}.

6. The compound of claim 1, wherein Y^1 is $CR^{18}R^{19}$, Y^2 is NR^{20}, and Y^3 is $CR^{18}R^{19}$.

7. The compound of claim 6 wherein R^{20} is alkylcarbonyl, -C(O)-G^1, -C(O)NR^a-G^1, or -$S(O)_n$-G^1.

8. The compound of claim 1, wherein Y^1 is O, and Y^2 and Y^3 are independently $CR^{18}R^{19}$.


9. The compound of claim 1, wherein Y^1 is NR^{17}, wherein R^{17} is hydrogen, alkyl, alkylcarbonyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, and -$(CR^{4a}R^{5a})_m$-G^2, and Y^2 and Y^3 are independently $CR^{18}R^{19}$.

10. The compound of claim 1, wherein Y^1 is NR^{17}, wherein R^{17} is hydrogen, alkyl, alkylcarbonyl, -C(O)-G^1, -$(CR^{4a}R^{5a})_m$-G^1, -C(O)-G^2, or -$(CR^{4a}R^{5a})_m$-G^2, Y^2 is C(O) and Y^3 is $CR^{18}R^{19}$.

11. The compound of claim 1, wherein Y^1 and Y^2 together are CR^{18}=CR^{19} and Y^3 is $CR^{18}R^{19}$.

12. The compound of claim 1, wherein R^2 is selected from the group consisting of hydrogen, alkyl, haloalkyl, -$(CR^{4a}R^{5a})_m$-G^1, and -$S(O)_2R^6$.

13. The compound of claim 2, wherein R^9, R^{10}, R^{11}, and R^{12} are each hydrogen, or wherein R^{10} and R^{11} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl or cycloalkyl ring, or wherein one or two of R^9, R^{10}, R^{11}, and R^{12} are each independently alkyl, alkenyl, alkynyl, halogen, cyano, -G^1, -G^2, -NO_2, -OR^{1a}, -$OC(O)R^{1a}$, -$OC(O)N(R^b)(R^{3a})$, -SR^{1a}, -$S(O)R^{2a}$, -$S(O)_2R^{2a}$, -$S(O)_2N(R^b)(R^{3a})$, -$C(O)R^{1a}$, -$C(O)G^3$, -$C(O)OR^{1a}$, -$C(O)N(R^b)(R^{3a})$, -$N(R^b)(R^{3a})$, -$N(R^a)C(O)R^{1a}$, -$N(R^a)C(O)O(R^{1a})$, -$N(R^a)C(O)N(R^b)(R^{3a})$, -$N(R^a)S(O)_2(R^{2a})$, -$(CR^{4a}R^{5a})_m$-NO_2, -$(CR^{4a}R^{5a})_m$-OR^{1a}, -$(CR^{4a}R^{5a})_m$-$OC(O)R^{1a}$, -$(CR^{4a}R^{5a})_m$-$OC(O)N(R^b)(R^{3a})$, -$(CR^{4a}R^{5a})_m$-SR^{1a}, -$(CR^{4a}R^{5a})_m$-$S(O)R^{2a}$, -$(CR^{4a}R^{5a})_m$-$S(O)_2R^{2a}$, -$(CR^{4a}R^{5a})_m$-$S(O)_2N(R^b)(R^{3a})$, -$(CR^{4a}R^{5a})_m$-$C(O)R^{1a}$, -$(CR^{4a}R^{5a})_m$-$C(O)OR^{1a}$, -$(CR^{4a}R^{5a})_m$-$C(O)N(R^b)(R^{3a})$, -$(CR^{4a}R^{5a})_m$-$N(R^b)(R^{3a})$, -$(CR^{4a}R^{5a})_m$-$N(R^a)C(O)R^{1a}$, -$(CR^{4a}R^{5a})_m$-$N(R^a)C(O)O(R^{1a})$, -$(CR^{4a}R^{5a})_m$-$N(R^a)C(O)N(R^b)(R^{3a})$, -$(CR^{4a}R^{5a})_m$-G^1, -CR^{4a}=CR^{5a}-G^1, -$(CR^{4a}R^{5a})_m$-G^2, -CR^{4a}=CR^{5a}-G^2, cyanoalkyl, haloalkyl, (v), (vi), (vii) or (viii), and the others of R^9, R^{10}, R^{11}, and R^{12} are hydrogen.



(v) (vi) (vii) (viii)

14. The compound of claim 3, wherein R^{13}, R^{14}, R^{15} and R^{16} are each independently hydrogen, alkyl, halogen, cyano, $-G^1$, $-G^2$, $-NO_2$, $-OR^{1a}$, $-S(O)_2R^{2a}$, $-S(O)_2N(R^b)(R^{3a})$, $-C(O)R^{1a}$, $-C(O)OR^{1a}$, $-C(O)N(R^b)(R^{3a})$, $-(CR^{4a}R^{5a})_m-G^1$, $-CR^{4a}=CR^{5a}-G^1$, $-(CR^{4a}R^{5a})_m-G^2$, $-CR^{4a}=CR^{5a}-G^2$, or haloalkyl, or R^{13} and R^{14} taken together with the carbon atoms to which they are attached form a substituted or unsubstituted phenyl or heteroaryl ring.

15. The compound of claim 1, wherein the compound is selected from the group consisting of:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-*c*hloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-*c*hlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-*c*yanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-chloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[d]pyrrolo[3,4-b]azepin-5(6*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

(3a*R*,10b*S*)-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-9-methoxy-2,3,3a,4,5,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrol-6(1*H*)-one;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-9-methoxy-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-methoxy-1,2,3,3a,4,10b-hexahydrobenzo[3,4]cyclohepta[1,2-*c*]pyrrole;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;

cis-2-methyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[3,4]cyclohepta[1,2-c]pyrrole;

(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7,9-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-9-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(3,5-dimethyl-1,2-oxazol-4-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{3-[(1*S*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{3-[(1*R*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

cis-7-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(5-acetyl-2-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(isobutylamino)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-methyl-8-(piperidin-1-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(5-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(5-isopropyl-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-methoxy-4-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,4-dimethoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxy-2-methylpropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-[(*E*)-2-cyclopropylvinyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-oxo-2,3-dihydro-1*H*-inden-5-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[4-fluoro-3-(1-hydroxyethyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*R*,10b*S*)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*R*)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(3-hydroxy-2,3-dihydro-1*H*-inden-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxypropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxy-3-methylbutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxybutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-methoxy-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-methoxy-3,5-dimethylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(6-methoxypyridin-3-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(3-chloro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-3-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,3-dihydro-1-benzofuran-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-methyl-8-(3,4,5-trifluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-fluoro-5-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,3-dihydro-1-benzofuran-6-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(2-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

1-[*trans*-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][1]benzazepin-6(1*H*)-yl]ethanone;

trans-6-benzyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-8-(2,4-difluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

cis-7-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

1-[*trans*-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][1]benzazepin-6(1*H*)-yl]-2-methylpropan-1-one;

trans-6-[(3,4-dichlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(difluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(phenylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(5-chloro-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-chloro-2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2,5-dimethoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-*tert*-butylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[3-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-7-[3-(methylsulfonyl)phenyl]-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

1-{3-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]phenyl}ethanone;

(3a*S*,10b*S*)-8-{4-fluoro-3-[(1*S*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{4-fluoro-3-[(1*R*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-6-[(2-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

2-[*trans*-7,7a,8,9,10,10a-hexahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepin-6(5*H*)-ylsulfonyl]benzonitrile;

trans-6-[(4-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(2-thienylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(5-bromo-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(mesitylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[2-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[2-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[3-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

1-{3-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]phenyl}ethanol;

trans-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(pyridin-4-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-methyl-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

4-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]-*N*-methylbenzamide;

trans-7-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-10-ol;

trans-7-chloro-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-7-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-(3-isopropylphenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-isopropylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-(2-fluoroethyl)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

N-methyl-3-[*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][2]benzazepin-8-yl]benzamide;

N-methyl-3-[*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][2]benzazepin-8-yl]benzamide;

trans-7-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-(2-fluoroethyl)-8-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-chloro-3-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-chloro-1*H*-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one and *trans*-8-(5-chloro-1*H*-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-chloro-3-thienyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(pyridin-2-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-2-methyl-8-(4-oxo-3,4-dihydro-2*H*-chromen-6-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-9-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-7-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

cis-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-chloro-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-9-bromo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-7-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-[(4-fluorobenzyl)oxy]-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(4-fluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;


trans-7-(4-fluorophenyl)-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

and

methyl *trans*-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine-7-carboxylate;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

16. The compound according to claim 1 of formula (Ia):



(Ia)

or a pharmaceutically acceptable salt or prodrug thereof, wherein

R^{20} is hydrogen or alkyl.

17. The compound according to claim 16, wherein

R^1 and R^3 are hydrogen; and

R^2 is hydrogen, alkyl, haloalkyl, $-(CR^{4a}R^{5a})_m-G^1$ or $-(CR^{4a}R^{5a})_m-G^2$.

18. The compound according to claim 16, wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,4-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,3-dimethylbenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-methoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-((*trans*-6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-2(3*H*)-yl)methyl)benzonitrile;

trans-2-(2,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(3,5-dimethoxybenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3,5-dichlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

cis-2-(3-chlorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(3-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-(naphthalen-1-ylmethyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one ;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3aR,10bS)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-chloro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,9-dichloro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-2-benzyl-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-9-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

cis-2-benzyl-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-10-fluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-methyl-3-((6-oxo-1,3a,4,5,6,10b-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-2(3*H*)-yl)methyl)benzoate;

trans-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-(5-chloro-2-fluorobenzyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,4-difluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(naphthalen-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*m*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-*p*-tolyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-styryl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-phenethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-methyl 2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

trans-10-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7-fluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8,10-dimethoxy-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-benzyl-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8,10-difluoro-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-7-(trifluoromethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-7-phenyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-fluorophenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-hydroxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -2-benzyl-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(piperidine-1-carbonyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-phenethoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorophenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-*N*,2-dimethyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenethyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-(3-(trifluoromethyl)phenethyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-2-methyl-6-oxo-*N*-phenyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxamide;

trans-methyl 2-benzyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepine-8-carboxylate;

cis-2-benzyl-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-isobutoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-methoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(1,3,4-oxadiazol-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-isopropylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-ethylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(4-(trifluoromethoxy)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-2-benzyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(pyridin-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-amino-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-(trifluoromethyl)benzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-9-benzyl-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,4-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-7,7a,8,9,10,10a-hexahydropyrido[2,3-*e*]pyrrolo[3,4-*c*]azepin-5(6*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*S*)-1-phenylethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-1,2,3,3a,4,5-hexahydropyrido[3,2-*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(4-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-8-(3-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8,10-difluoro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-*sec*-butoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(isopentyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isobutoxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4-methoxyphenethoxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(cyclohexylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(pyridin-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxypyrimidin-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(2-fluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-((*R*)-1-phenylpropan-2-yloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2-methoxyphenethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(thiophen-3-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-(1,1,1-trifluoro-2-hydroxypropan-2-yl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-methoxy-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxypropan-2-yl)phenyl)-2,5-dimethyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzo[*c*][1,2,5]oxadiazol-5-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-isopropyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-methylprop-1-enyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-3-(2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-8-yl)benzaldehyde;

(3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentenyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3,3,3-trifluoroprop-1-en-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(5-methylfuran-2-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclohexyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-cyclopentyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,5-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

3a*S*,10b*S*)-8-(2,6-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3,4-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(4-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2,3-difluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(2,3,6-trifluorobenzyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-fluorobenzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans -8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-(4-fluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*S*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*R*)-8-fluoro-5-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*R*,10b*R*)-2-methyl-8-(3-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

N,*N*-dimethyl-3-(*trans* -6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzamide;

trans -8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(2-(methylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-acetylphenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one hydrochloride;

trans-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

3-(*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

3-(*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-8-yl)benzonitrile;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(4-fluorophenoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-isobutyl-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethylisoxazol-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(4,4-dimethylcyclohexyloxy)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*S*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-((*R*)-1-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(2-hydroxyethyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3-(ethylsulfonyl)phenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-benzyl-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5-hexahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-1,2,3,3a,4,5,8,9,10,11-decahydronaphtho[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(12b*H*)-one;

trans-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-2-methyl-8-(tetrahydro-2*H*-pyran-4-yl)-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(2-methoxyphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

trans-8-(2,6-difluorophenyl)-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(cyclopropylmethoxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(3a*S*,10b*S*)-8-(3-acetylphenyl)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

cis-8-fluoro-9-methyl-1,2,3,3a,4,5-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-6(10b*H*)-one;

trans-8-(3,5-dimethyl-1,2-oxazol-4-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{3-[(1*S*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{3-[(1*R*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(5-acetyl-2-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(isobutylamino)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-methyl-8-(piperidin-1-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(5-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(5-isopropyl-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-methoxy-4-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,4-dimethoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxy-2-methylpropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-[(*E*)-2-cyclopropylvinyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(3-oxo-2,3-dihydro-1*H*-inden-5-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[4-fluoro-3-(1-hydroxyethyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*R*,10b*S*)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*R*)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(3-hydroxy-2,3-dihydro-1*H*-inden-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxypropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxy-3-methylbutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-[3-(1-hydroxybutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-methoxy-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-methoxy-3,5-dimethylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(6-methoxypyridin-3-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(3-chloro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(4-fluoro-3-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,3-dihydro-1-benzofuran-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-methyl-8-(3,4,5-trifluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-fluoro-5-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,3-dihydro-1-benzofuran-6-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(2-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2,4-difluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{4-fluoro-3-[(1*S*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-8-{4-fluoro-3-[(1*R*)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-isopropylphenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-isopropylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-2-(2-fluoroethyl)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

N-methyl-3-[*trans*-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][2]benzazepin-8-yl]benzamide;

N-methyl-3-[*trans*-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][2]benzazepin-8-yl]benzamide;

trans-2-(2-fluoroethyl)-8-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(2-chloro-3-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

trans-8-(3-chloro-1*H*-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one and *trans*-8-(5-chloro-1*H*-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;


trans-8-(2-chloro-3-thienyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

(3a*S*,10b*S*)-2-methyl-8-(pyridin-2-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one; or

trans-2-methyl-8-(4-oxo-3,4-dihydro-2*H*-chromen-6-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][2]benzazepin-6(1*H*)-one;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

19. The compound according to claim 1 of formula (Ib):



(Ib)

or a pharmaceutically acceptable salt or prodrug thereof, wherein

R^{20} is hydrogen or alkyl.

20. The compound according to claim 19, wherein

R^1 and R^3 are hydrogen; and

R^2 is hydrogen, alkyl, haloalkyl, $-(CR^{4a}R^{5a})_m-G^1$ or $-(CR^{4a}R^{5a})_m-G^2$.

21. The compound according to claim 19 wherein the compound is:


trans-2-benzyl-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

trans-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one; or

trans-2-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,5,6-hexahydrobenzo[*c*]pyrrolo[3,4-*e*]azepin-4(10b*H*)-one;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

22. The compound according to claim 1 of formula (Ic):



(Ic)

or a pharmaceutically acceptable salt or prodrug thereof, wherein

Y^1 is $CR^{18}R^{19}$ or $S(O)_2$.

23. The compound according to claim 22 wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,3-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-bromophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(naphthalen-1-ylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-chloro-4-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2,5-dimethoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(3-(trifluoromethyl)phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2,5-dimethylphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-methoxyphenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-2-benzyl-5-(2-dichlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(3-chlorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-benzyl-5-(2-cyanophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine ;

trans-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahyrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

cis-2-methyl-5-(phenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-5-(3-fluorophenylsulfonyl)-2-(4-methoxybenzyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2-(4-fluorobenzyl)-5-(3-fluorophenylsulfonyl)-1,2,3,3a,4,5,6,10b-octahydrobenzo[*c*]pyrrolo[3,4-*e*]azepine;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3,4-*d*][1,2]benzothiazepine 6,6-dioxide;

trans-6-[(3,4-dichlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(difluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(phenylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(5-chloro-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-chloro-2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2,5-dimethoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-*tert*-butylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[3-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[4-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

2-[*trans*-7,7a,8,9,10,10a-hexahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepin-6(5*H*)-ylsulfonyl]benzonitrile;

trans-6-[(4-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(4-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(2-thienylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(3-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(5-bromo-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-[(2-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-(mesitylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;


trans-6-{[2-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

trans-6-{[2-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine; or

trans-6-{[3-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-*c*]pyrrolo[3,4-*e*]azepine;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

24. The compound according to claim 1 of formula (Id):



(Id)

or a pharmaceutically acceptable salt or prodrug thereof.

25. The compound according to claim 24 wherein
R^1, R^3, R^{18} and R^{19} are hydrogen; and
R^2 is hydrogen, alkyl, haloalkyl, $-(CR^{4a}R^{5a})_m-G^1$ or $-(CR^{4a}R^{5a})_m-G^2$.

26. The compound according to claim 25 wherein
R^2 is hydrogen or methyl.

27. The compound according to claim 24 wherein the compound is:
trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
cis-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-2-benzyl-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-8-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-8-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-9-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
trans-9-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
(3a*R*,10b*S*)-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
(3a*R*,10b*S*)-9-chloro-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
(3a*R*,10b*S*)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;
2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-benzyl-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-pyrrolo[3',4':4,5]oxepino[2,3-*b*]pyridine;

trans-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-pyrrolo[3',4':4,5]oxepino[2,3-b]pyridine;

(3a*R*,10b*S*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

(3a*S*,10b*R*)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole; or

trans-10-methoxy-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7,9-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-9-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-fluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-9-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-7-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-7-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-[3-(methylsulfonyl)phenyl]-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

1-{3-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]phenyl}ethanone;

1-{3-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]phenyl}ethanol;

trans-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(pyridin-4-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2-methyl-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

4-[*trans*-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-7-yl]-*N*-methylbenzamide;

trans-7-methoxy-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-8-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrol-10-ol;

trans-7-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-10-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-bromo-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

cis-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-[(4-fluorobenzyl)oxy]-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(4-fluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-phenyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;


trans-7-[(4-fluorobenzyl)oxy]-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

trans-7-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole; or

trans-7-(4-fluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydro-1*H*-[1]benzoxepino[4,5-*c*]pyrrole;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

28. The compound according to claim 1 of formula (Ih):



(Ih)

or a pharmaceutically acceptable salt or prodrug thereof.

29. The compound according to claim 28 wherein the compound is:

trans-2-benzyl-1,2,3,3a,4,5,6,10b-octahydrobenzo[b]pyrrolo[3,4-d]azepine;

trans-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

1-[*trans*-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][1]benzazepin-6(1*H*)-yl]ethanone;

trans-6-benzyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

1-[*trans*-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-*d*][1]benzazepin-6(1*H*)-yl]-2-methylpropan-1-one;

trans-7-chloro-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-9-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-7-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-9-chloro-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

trans-9-bromo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;


trans-7-(4-fluorophenyl)-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine;

or

methyl *trans*-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-*d*][1]benzazepine-7-carboxylate;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

30. The compound according to claim 1 of formula (Ii):



(Ii)


or a pharmaceutically acceptable salt or prodrug thereof.

31. The compound according to claim 30 wherein the compound is:

trans -2-benzyl-1,2,3,3a,4,10b-hexahydrobenzo[b]pyrrolo[3,4-d]azepin-5(6*H*)-one;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

32. The compound according to claim 1 of formula (Ie):



(Ie)

or a pharmaceutically acceptable salt or prodrug thereof.

33. The compound according to claim 32 wherein the compound is:


trans-8-benzyl-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

or

trans-6,6a,7,8,9,9a-hexahydropyrrolo[3,4-*e*]thieno[3,2-*c*]azepin-4(5*H*)-one;

or a pharmaceutically acceptable salt, amide or prodrug thereof.

34. The compound according to claim 1 of formula (If):



(If)

or a pharmaceutically acceptable salt or prodrug thereof.

35. The compound according to claim 34 wherein the compound is:

trans-2-benzyl-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one; or

trans-2,3,3a,4,5,11c-hexahydro[1]benzothieno[2,3-*c*]pyrrolo[3,4-*e*]azepin-6(1*H*)-one; or a pharmaceutically acceptable salt, amide or prodrug thereof.

36. A method for treating or preventing conditions, disorders or deficits modulated by a 5–HT_{2C} receptor, a 5–HT_6 receptor or both 5–HT_{2C} and 5–HT_6 receptors wherein the condition, disorder or deficit is selected from the group consisting of a cognitive dysfunction, attention deficit/hyperactivity syndrome, personality disorders, affective disorders, motion or motor disorders, migraine, sleep disorders, feeding disorders, gastrointestinal disorders, diseases associated with neurodegeneration, addiction diseases, obesity, diabetes, psoriasis, or ocular hypertension comprising administration of a therapeutically effective amount of the compound of claim 15, or a pharmaceutically acceptable salt, amide or prodrug thereof.

37. A method for treating a disorder or condition modulated by the 5-HT_{2c} receptor selected from the group consisting of bipolar disorder, depression, anxiety, schizophrenia, cognitive deficits of schizophrenia, obsessive compulsive disorder, migraine, epilepsy, substance abuse, eating disorders, obesity, diabetes, sexual dysfunction/erectile dysfunction, sleep disorders, psoriasis, Parkinson's disease, pain and spinal cord injury, pain, bladder dysfunction/urinary incontinence, smoking cessation, ocular hypertension and Alzheimer's disease, said method comprising the step of administering to a subject in need thereof the compound of claim 15, or a pharmaceutically acceptable salt, amide or prodrug thereof.

38. The method according to claim 37 wherein the disorder modulated by the 5-HT_{2c} receptor is schizophrenia or cognitive deficits of schizophrenia, said method comprising the step of administering to a subject in need thereof the compound of claim 15, or a pharmaceutically acceptable salt, amide or prodrug thereof.

39. A method for treating a disorder modulated by the 5-HT_6 receptor selected form the group consisting of deficits in memory and cognition and learning, Alzheimer's disease, age-related cognitive decline, mild cognitive impairment, attention deficit/hyperactivity syndrome, schizophrenia, cognitive deficits of schizophrenia, depression, anxiety, obsessive compulsive disorders, Parkinson's disease, epilepsy, migraine, sleep disorders, anorexia, bulimia, irritable bowel syndrome, stroke, spinal or head trauma and head injuries, drug addition, and obesity, said method comprising the step of administering to a subject in need thereof the compound of claim 15, or a pharmaceutically acceptable salt, amide or prodrug thereof.

40. A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 15, or a pharmaceutically acceptable salt, amide or prodrug thereof, in combination with one or more pharmaceutically acceptable carriers.

41. A process for making (3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one dibenzyoyl-D-tartrate comprising:

(a) combining dibenzoyl-D-tartaric acid (1.05 equivalents) and methanol;

(b) adding a solution of *trans*-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one (0.10-0.15 equivalents) in methanol;

(c) seeding the solution with (3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one which are obtained in smaller batches of the same sequence iteratively increasing the enantiomeric excess in successive passage;

(d) slowly adding additional *trans*-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one (0.85-0.90 equivalents) dissolved in methanol; and

(e) stirring the resultant mixture for a period of time resulting in crystallization and isolating the crystalline (3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one dibenzyoyl-D-tartrate.

42. A process for making (3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one comprising:

(a) combining palladium(II) acetate (0.04 equivalents), 2-di-*tert*-butylphosphino-3,4,5,6-tetramethyl-2',4',6'-triisopropyl-1,1'-biphenyl (0.05 equivalents), cesium carbonate (1.5 equivalents) and (3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one (1 equivalent);

(b) adding a solution of benzyl alcohol (20 equivalents) in toluene to the mixture of palladium(II) acetate, 2-di-*tert*-butylphosphino-3,4,5,6-tetramethyl-2',4',6'-triisopropyl-1,1'-biphenyl, cesium carbonate and (3a*S*,10b*S*)-8-chloro-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(c) isolating the (3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one;

(d) combining (3a*S*,10b*S*)-8-(benzyloxy)-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one with catalyst JM UK#3 (10 weight percent dry basis, catalyst in 50.9% water) and methanol and hydrogenating the mixture for 5 minutes to 24 hours; and

(e) isolating the (3a*S*,10b*S*)-8-hydroxy-2-methyl-1,2,3,3a,4,5-hexahydrobenzo[*e*]pyrrolo[3,4-*c*]azepin-6(10b*H*)-one.

CLAIMS

1. A compound selected from the group consisting of:

trans-8-methoxy-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-fluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-9-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7,9-difluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

cis-9-fluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-(trifluoromethoxy)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-9-fluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-10-fluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

cis-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7,10-difluoro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-9-methyl-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-methyl-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-8-(3,5-dimethyl-1,2-oxazol-4-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-{3-[(1S)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-{3-[(1R)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

cis-7-chloro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-8-(5-acetyl-2-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(isobutylamino)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-2-methyl-8-(piperidin-1-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(5-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(5-isopropyl-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2-methoxy-4-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2,4-dimethoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-[3-(1-hydroxy-2-methylpropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-[(E)-2-cyclopropylvinyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-2-methyl-8-(3-oxo-2,3-dihydro-1H-inden-5-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-[4-fluoro-3-(1-hydroxyethyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aR,10bS)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bR)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-(3-hydroxy-2,3-dihydro-1H-inden-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-[3-(1-hydroxypropyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-[3-(1-hydroxy-3-methylbutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-[3-(1-hydroxybutyl)phenyl]-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(4-fluoro-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(4-methoxy-3-methylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(3-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(4-methoxy-3,5-dimethylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-(6-methoxypyridin-3-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-(3-chloro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(4-fluoro-3-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2,3-dihydro-1-benzofuran-5-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-2-methyl-8-(3,4,5-trifluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2-fluoro-5-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2,3-dihydro-1-benzofuran-6-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-(2-fluoro-4-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-(4-fluoro-2-methoxyphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

1-[trans-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][1]benzazepin-6(1H)-yl]ethanone;

trans-6-benzyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-8-(2,4-difluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

cis-7-bromo-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

1-[trans-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][1]benzazepin-6(1H)-yl]-2-methylpropan-1-one;

trans-6-[(3,4-dichlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[4-(difluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(3-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(3-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-(phenylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(5-chloro-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(4-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(3-chloro-2-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(2,5-dimethoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(4-tert-butylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[3-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(4-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[4-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(3-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[4-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-7-[3-(methylsulfonyl)phenyl]-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

1-{3-[trans-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrol-7-yl]phenyl}ethanone;

(3aS,10bS)-8-{4-fluoro-3-[(1S)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-8-{4-fluoro-3-[(1R)-1-hydroxyethyl]phenyl}-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-6-[(2-methoxyphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

2-[trans-7,7a,8,9,10,10a-hexahydropyrido[3,2-c]pyrrolo[3,4-e]azepin-6(5H)-ylsulfonyl]benzonitrile;

trans-6-[(4-methylphenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(4-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-(2-thienylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(3-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(5-bromo-2-thienyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(2-fluorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-[(2-chlorophenyl)sulfonyl]-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-(mesitylsulfonyl)-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[2-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[2-(trifluoromethyl)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

trans-6-{[3-(trifluoromethoxy)phenyl]sulfonyl}-5,6,7,7a,8,9,10,10a-octahydropyrido[3,2-c]pyrrolo[3,4-e]azepine;

1-{3-[trans-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrol-7-yl]phenyl}ethanol;

trans-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-(pyridin-4-yl)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-2-methyl-7-(pyridin-3-yl)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

4-[trans-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrol-7-yl]-N-methylbenzamide;

trans-7-methoxy-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-8-methyl-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrol-10-ol;

trans-7-chloro-6-methyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-7-chloro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-10-bromo-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-8-(3-isopropylphenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(3-isopropylphenyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-2-(2-fluoroethyl)-8-isobutoxy-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

N-methyl-3-[trans-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][2]benzazepin-8-yl]benzamide;

N-methyl-3-[trans-2-methyl-6-oxo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][2]benzazepin-8-yl]benzamide;

trans-7-bromo-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-2-(2-fluoroethyl)-8-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2-chloro-3-thienyl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(3-chloro-1H-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(5-chloro-1H-pyrrol-2-yl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-8-(2-chloro-3-thienyl)-2-methyl-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

(3aS,10bS)-2-methyl-8-(pyridin-2-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-2-methyl-8-(4-oxo-3,4-dihydro-2H-chromen-6-yl)-2,3,3a,4,5,10b-hexahydropyrrolo[3,4-d][2]benzazepin-6(1H)-one;

trans-9-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-7-chloro-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

cis-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-bromo-9-chloro-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-9-chloro-2,6-dimethyl-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-9-bromo-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine;

trans-7-phenyl-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-[(4-fluorobenzyl)oxy]-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-(4-fluorophenyl)-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-(4-fluorophenyl)-2-methyl-2,3,3a,4,5,10b-hexahydro-1H-[1]benzoxepino[4,5-c]pyrrole;

trans-7-(4-fluorophenyl)-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine; and methyl trans-1,2,3,3a,4,5,6,10b-octahydropyrrolo[3,4-d][1]benzazepine-7-carboxylate;

or a pharmaceutically acceptable salt or amide thereof.

2. Use of a compound of claim 1, or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating or preventing conditions, disorders or deficits modulated by a 5-HT_{2c} receptor, a 5-HT_6 receptor or both 5-HT_{2c} and 5-HT_6 receptors wherein the condition, disorder or deficit is selected from the group consisting of a cognitive dysfunction, attention deficit/hyperactivity syndrome, personality disorders, affective disorders, motion or motor disorders, migraine, sleep disorders, feeding disorders, gastrointestinal disorders, diseases associated with neurodegeneration, addiction diseases, obesity, diabetes, psoriasis, and ocular hypertension.

3. Use of a compound of claim 1, or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating a disorder or condition modulated by the 5-HT_{2c} receptor selected from the group consisting of bipolar disorder, depression, anxiety, schizophrenia, cognitive deficits of schizophrenia, obsessive compulsive disorder, epilepsy, substance abuse, eating disorders, sexual

dysfunction/erectile dysfunction, Parkinson's disease, spinal cord injury, pain, bladder dysfunction/urinary incontinence, smoking cessation, and Alzheimer's disease.

4. The use according to claim 3 wherein the disorder modulated by the 5-HT_{2C} receptor is schizophrenia or cognitive deficits of schizophrenia.

5. Use of the compound of claim 1 or a pharmaceutically acceptable salt or amide thereof, in the manufacture of a medicament for treating a disorder modulated by the 5-HT_6 receptor selected form the group consisting of deficits in memory and cognition and learning, Alzheimer's disease, age-related cognitive decline, mild cognitive impairment, attention deficit/hyperactivity syndrome, schizophrenia, cognitive deficits of schizophrenia, depression, anxiety, obsessive compulsive disorders, Parkinson's disease, epilepsy, migraine, sleep disorders, anorexia, bulimia, irritable bowel syndrome, stroke, spinal or head trauma and head injuries, drug addiction, and obesity.

6. A pharmaceutical composition comprising a therapeutically effective amount of the compound of claim 1, or a pharmaceutically acceptable salt or amide thereof, in combination with one or more pharmaceutically acceptable carriers.