


CLAIMED:

1. A compound of Formula (I'):



or a pharmaceutically acceptable salt, hydrate, solvate, prodrug, stereoisomer, or tautomer thereof,

wherein:

Q is C(=O), -CH₂-, -NR₅- or -O-;

when Q is C(=O) then Q₁ is -NR₅-, when Q is -NR₅- or -O- then Q₁ is -CH₂-, or when Q is -CH₂- then Q₁ is -O(CH₂)₀₋₁- or -NR₅-;

X₁ is CR₆ or N;

X₂ is CR₇ or N;

X₃ is CR₈ or N;

X₄ is CR₉ or N;

Y is CR_b or N;

R_a and R_b are each independently H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, or halogen;

R₁ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, halogen, -S(O)_p(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, or -O-heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁-C₄) alkoxy, -OH, -NH₂, -NH(C₁-C₄) alkyl, and -N((C₁-C₄) alkyl)₂; or

R₁ and R_a together with the carbon atoms to which they are attached form a heterocycloalkyl; or

R₁ and R₃, when on adjacent atoms, together with the carbon atoms to which they are attached form a heterocycloalkyl optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, and halogen;

R₂ is (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, or (C₁-C₆) haloalkoxy;

R₂' is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, or (C₁-C₆) haloalkoxy; or

R₂ and R₂' together with the carbon atom to which they are attached form a (C₃-C₈) cycloalkyl or heterocycloalkyl;

each R₃ is independently, at each occurrence, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, halogen, -S(O)_p(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, or -O-heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁-C₄) alkoxy, -OH, -NH₂, -NH(C₁-C₄) alkyl, and -N((C₁-C₄) alkyl)₂; or

R₁ and R₃ together with the carbon atoms to which they are attached form a heterocycloalkyl optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, and halogen;

R₄ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, heterocycloalkyl, -OH, -NH₂, CN, -S(O)_m(C₁-C₆) alkyl, -NH(C₁-C₄) alkyl, or -N((C₁-C₄) alkyl)₂;

each R₅ is independently H, (C₁-C₆) alkyl, -C(O)NR₁₀R₁₁, -C(O)(C₁-C₆) alkyl, or -C(O)O(C₁-C₆) alkyl;

each R₆ and R₉ is independently H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, heterocycloalkyl, -OH, -NH₂, CN, -S(O)_o(C₁-C₆) alkyl, -NH(C₁-C₄) alkyl, or -N((C₁-C₄) alkyl)₂;

each R₇ and R₈ is independently H, (C₁-C₈) alkenyl, (C₁-C₈) alkynyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl,

(C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, (C₃-C₈) cycloalkenyl, heterocycloalkyl, -OH, -NH₂, -S(O)_qNH₂, -S(O)_qOH, CN, or (C₁-C₁₈) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₈) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_q-, -C(O)-, -C(CH₂)-, or -C(NH)-, provided that when any two methylene in the alkyl is replaced, then two -O-, two -S(O)_q-, or two -NR₁₃- and -O- and -NR₁₃- are not contiguous, wherein the alkyl is optionally substituted with one or more R₁₂, and wherein the cycloalkyl and cycloalkenyl are optionally substituted with one or more R₁₃;

R₁₀ and R₁₁ are each independently H or (C₁-C₆) alkyl optionally substituted with one or more substituent independently selected from the group consisting of -NH₂ and OH;

R₁₂ is D, -OH, halogen, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, -C(O)OH, -OC(O)(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, heteroaryl, or R₁₇, wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, halogen, and R₁₄;

R₁₃ is H, -OH, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, heteroaryl, or (C₁-C₁₂) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl is replaced, then O and N are not contiguous and wherein the alkyl is optionally substituted with one or more R₁₅, and wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, and -N((C₁-C₆) alkyl)₂;

R₁₄ is (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₁-C₁₂) alkyl or (C₂-C₁₂) alkenyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl and the (C₂-C₁₂) alkenyl are optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl and alkenyl are optionally substituted with one or more R₁₅, and the cycloalkyl and heterocycloalkyl are optionally substituted with one or more R₁₆; or

when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form C=O; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the

atoms to which they are attached form a (C₃-C₈) cycloalkyl or heterocycloalkyl optionally substituted with one or more R₁₃; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form a (C₃-C₈) spirocycloalkyl or a spiroheterocycloalkyl optionally substituted with one or more R₁₃; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form a (C₆-C₁₀) aryl or heteroaryl optionally substituted with one or more R₁₃;

R₁₅ is -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;

R₁₆ is -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₁-C₆) alkoxy, (C₁-C₆) hydroxyalkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;

R₁₇ is (C₁-C₁₈) alkyl or (C₂-C₁₈) alkenyl, wherein 0 to 8 methylene of the (C₁-C₁₈) alkyl and the (C₂-C₁₈) alkenyl are optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl and alkenyl are optionally substituted with one or more R₁₈;

R₁₈ is R₁₉, (C₆-C₁₀) aryl, or heteroaryl optionally substituted with one or more R₂₁;

R₁₉ is (C₁-C₁₈) alkyl wherein 0 to 8 methylene of the (C₁-C₁₈) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl is optionally substituted with one or more R₂₀;

R₂₀ is (C₆-C₁₀) aryl or heteroaryl optionally substituted with one or more R₂₁;

R₂₁ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, or halogen;

or

two R₂₁ together when on adjacent atoms form a cycloalkyl or heterocycloalkyl optionally substituted with one or more R₂₂;

R₂₂ is -C(O)NH₂, -C(O)NH(C₁-C₆) alkyl, -C(O)N((C₁-C₆) alkyl)₂, -C(O) (C₃-C₇) cycloalkyl, or -C(O)heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents independently selected from the group consisting of -OH and CN;

each m, o, p, q, and r is independently, at each occurrence, 0, 1, or 2; and

n is 0, 1, or 2.

2. The compound of claim 1, wherein Q is -NH- or -O-.
3. The compound of claim 1, wherein R₃ is halogen.
4. The compound of claim 1, wherein X₁ is CR₆ and R₆ is H or halogen.
5. The compound of claim 1, wherein (i) X₂ is CR₇ and R₇ is H or halogen; or (ii) X₂ is N.
6. The compound of claim 1, wherein X₃ is CR₈.
7. The compound of claim 1, wherein X₄ is N.
8. The compound of claim 1, wherein n is 0 or 1.
9. The compound of claim 1, wherein:
Q is -NR₅- or -O-;
Q₁ is -CH₂-;
X₁ is CR₆ or N;
X₂ is CR₇ or N;
X₃ is CR₈ or N;

X₄ is CR₉ or N;

Y is CH;

R_a is H;

R₁ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, halogen, -S(O)_p(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, or -O-heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁-C₄) alkoxy, -OH, -NH₂, -NH(C₁-C₄) alkyl, and -N((C₁-C₄) alkyl)₂;

R₂ and R₂' are each independently (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, or (C₁-C₆) haloalkoxy; or

R₂ and R₂' together with the carbon atom to which they are attached form (C₃-C₈) cycloalkyl or heterocycloalkyl;

each R₃ is independently, at each occurrence, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, halogen, -S(O)_p(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, or -O-heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁-C₄) alkoxy, -OH, -NH₂, -NH(C₁-C₄) alkyl, and -N((C₁-C₄) alkyl)₂;

R₄ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, heterocycloalkyl, -OH, -NH₂, CN, -S(O)_m(C₁-C₆) alkyl, -NH(C₁-C₄) alkyl, or -N((C₁-C₄) alkyl)₂;

R₅ is H, (C₁-C₆) alkyl, -C(O)NR₁₀R₁₁, -C(O)(C₁-C₆) alkyl, or -C(O)O(C₁-C₆) alkyl;

each R₆ and R₉ is independently H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, heterocycloalkyl, -OH, -NH₂, CN, -S(O)_o(C₁-C₆) alkyl, -NH(C₁-C₄) alkyl, or -N((C₁-C₄) alkyl)₂;

each R₇ and R₈ is independently H, (C₁-C₈) alkenyl, (C₁-C₈) alkynyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, (C₃-C₈) cycloalkenyl, heterocycloalkyl,

-OH, -NH₂, -S(O)_qNH₂, -S(O)_qOH, CN, or (C₁-C₁₈) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₈) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_q-, -C(O)-, -C(CH₂)-, or -C(NH)-, provided that when any two methylene in the alkyl is replaced, then two -O-, two -S(O)_q-, or two -NR₁₃- and -O- and -NR₁₃- are not contiguous, wherein the alkyl is optionally substituted with one or more R₁₂, and wherein the cycloalkyl and cycloalkenyl are optionally substituted with one or more R₁₃;

R₁₀ and R₁₁ are each independently H or (C₁-C₆) alkyl optionally substituted with one or more substituent independently selected from the group consisting of -NH₂ and OH;

R₁₂ is -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, -C(O)OH, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, or heteroaryl, wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and R₁₄;

R₁₃ is H, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, heteroaryl, or (C₁-C₁₂) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl is replaced, then O and N, are not contiguous and wherein the alkyl is optionally substituted with one or more R₁₅, and wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, and -N((C₁-C₆) alkyl)₂;

R₁₄ is (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₁-C₁₂) alkyl or (C₂-C₁₂) alkenyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl and the (C₂-C₁₂) alkenyl are optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl and alkenyl are optionally substituted with one or more R₁₅, and the cycloalkyl and heterocycloalkyl are optionally substituted with one or more R₁₆; or

when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form C=O; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atoms to which they are attached form a (C₃-C₈) cycloalkyl or heterocycloalkyl optionally substituted with one or more R₁₃; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together

with the atom to which they are attached form a (C₃-C₈) spirocycloalkyl or a spiroheterocycloalkyl optionally substituted with one or more R₁₃;


R₁₅ is -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;









R₁₆ is -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₁-C₆) alkoxy, (C₁-C₆) hydroxyalkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;









each m, o, p, q, and r is independently, at each occurrence, 0, 1, or 2; and









n is 0, 1, or 2.


10. The compound of claim 1, having a Formula selected from the group consisting of:











11. The compound of claim 1, selected from the group consisting of:

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(propan-2-yloxy)phenyl]pyridin-3-yl}cyclopropan-1-amine;

1-[4-(2-cyclopropoxy-5-fluorophenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-[4-(2-methoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

1-[4-(2-cyclobutoxyphenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-[4-(2-methylphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(methylsulfanyl)phenyl]pyridin-3-yl}cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(2,2,2-trifluoroethoxy)phenyl]pyridin-3-yl}cyclopropan-1-amine;

N-[(2,5-dichlorophenyl)methyl]-1-[4-(2-ethylphenyl)pyridin-3-yl]cyclopropan-1-amine;

1-[4-(2-cyclopropylphenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(trifluoromethoxy)phenyl]pyridin-3-yl}cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(methoxymethyl)phenyl]pyridin-3-yl}cyclopropan-1-amine;
1-(4-{2-[(tert-butoxy)methyl]phenyl}pyridin-3-yl)-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-(4-phenylpyridin-3-yl)cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-[4-(2-ethoxy-4,5-difluorophenyl)pyridin-3-yl]cyclopropan-1-amine;
1-[4-(2-chlorophenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-[4-(2-fluorophenyl)pyridin-3-yl]cyclopropan-1-amine;
1-[4-(2-cyclopropoxy-4-fluorophenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]cyclopropan-1-amine;
N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropan-1-amine;
2-{2-[3-(1-{[(2,5-dichlorophenyl)methyl]amino}cyclopropyl)pyridin-4-yl]phenoxy}propan-1-ol;
N-[(2,5-dichlorophenyl)methyl]-1-{4-[2-(oxolan-3-yloxy)phenyl]pyridin-3-yl}cyclopropan-1-amine;
(3R,4R)-4-{2-[3-(1-{[(2,5-dichlorophenyl)methyl]amino}cyclopropyl)pyridin-4-yl]phenoxy}oxolan-3-ol;
N-{[2-chloro-5-(methylsulfanyl)phenyl]methyl}-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;
1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(2,5-dimethylphenyl)methyl]cyclopropan-1-amine;
1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-{[3-methyl-6-(methylsulfanyl)pyridin-2-yl]methyl}cyclopropan-1-amine;
1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(2,3-dichlorophenyl)methyl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(trimethylpyrazin-2-yl)methyl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(2,4-dichlorophenyl)methyl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(4-methoxy-2,5-dimethylphenyl)methyl]cyclopropan-1-amine;

N-[[5-chloro-2-(trifluoromethyl)phenyl]methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(2-chloro-5-cyclopropylphenyl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[[2-chloro-5-(trifluoromethyl)phenyl]methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(2-chloro-5-methylphenyl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(5-chloro-2-methylpyridin-4-yl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(3-chloro-6-methylpyridin-2-yl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-[(3-chloro-5-fluoro-4-methoxy-2-methylphenyl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[[2-methyl-5-(trifluoromethyl)phenyl]methyl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[[4-methoxy-2-methyl-5-(propan-2-yl)phenyl]methyl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[[3-methyl-5-(methylsulfanyl)pyridin-2-yl]methyl]cyclopropan-1-amine;

N-[(5-chloro-2-methylphenyl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[[2-methyl-5-(methylsulfanyl)pyridin-4-yl]methyl]cyclopropan-1-amine;

N-[(5-chloro-2-methanesulfonylphenyl)methyl]-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;
 1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(3,5-dichlorophenyl)methyl]cyclopropan-1-amine
 3-{1-[(2,5-dichlorophenyl)methoxy]cyclopropyl}-4-(2-methoxyphenyl)pyridine;
 4-(2-cyclopropoxyphenyl)-3-{1-[(2,5-dichlorophenyl)methoxy]cyclopropyl}pyridine;
 4-(2-cyclopropoxyphenyl)-3-{1-[(2,3-dichlorophenyl)methoxy]cyclopropyl}pyridine;
 4-(2-cyclopropoxyphenyl)-3-{1-[(2,4-dichlorophenyl)methoxy]cyclopropyl}pyridine;
 4-(2-cyclobutoxyphenyl)-3-{1-[(2,5-dichlorophenyl)methoxy]cyclopropyl}pyridine;
 3-{1-[(2,5-dichlorophenyl)methoxy]cyclopropyl}-4-(2-fluorophenyl)pyridine;
 3-(1-{[5-chloro-2-(trifluoromethyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine;
 3-(1-{[2-chloro-5-(trifluoromethyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine;
 3-{1-[(2-chloro-5-cyclopropylphenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridine;
 3-{1-[(2-chloro-5-methylphenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridine;
 3-{1-[(5-chloro-2-methylphenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridine;
 4-(2-cyclopropoxyphenyl)-3-{1-[(3,5-dichlorophenyl)methoxy]cyclopropyl}pyridine;
 1-{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}-1-[(2,5-dichlorophenyl)methyl]urea;
 1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-[(2,5-dichlorophenyl)methyl]-N-methylcyclopropan-1-amine;
 4-(2-cyclopropoxyphenyl)-3-{3-[(2,5-dichlorophenyl)methoxy]oxetan-3-yl}pyridine;
 1-(5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;
 5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentanoic acid;

5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

4-[(4-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}butyl][(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl]butanoic acid;

1-{4-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl] butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2-methylphenyl]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2R,3R,4R,5S)-6-[(4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl)amino]hexane-1,2,3,4,5-pentol;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]oxane-4-carboxamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-2-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

3-(benzenesulfonyl)-N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-2-hydroxy-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-2-methoxy-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-3-methoxy-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

1-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-3-(2-methoxyethyl)-1-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(5S)-3-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-5-[(1S,2R,3R)-1,2,3,4-tetrahydroxybutyl]-1,3-oxazolidin-2-one;

(2S)-4-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2-[(1S,2R,3R)-1,2,3,4-tetrahydroxybutyl]-1,4-oxazepan-5-one;

1-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-3-methyl-1-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]formamide;

(2R,3S,4R,5R)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(carbamoylmethyl)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2R,3S,4R,5R)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(6-hydroxyhexyl)hexanamide;

(2R,3S,4R,5R)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(2-sulfamoyl)ethyl)hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl]hexanamide;

1-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-1-[2-(2-hydroxyethoxy)ethyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamido}acetic acid;

2-(4-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoyl}piperazin-1-yl)acetic acid;

2-(4-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoyl}piperazin-1-yl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

2-[4-(2-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanamido}ethyl)piperazin-1-yl]acetic acid;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-1-{4-[(2S,3R,4S,5R)-2,3,4,5,6-pentahydroxyhexyl]piperazin-1-yl}pentan-1-one;

(2S,3S,4R,5R,6S)-6-({5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanamido}methyl)-3,4,5-trihydroxyoxane-2-carboxylic acid;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-3-ethyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-ethyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-(2-hydroxyethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-(4-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoyl}piperazin-1-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-{2-[4-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}methyl)piperazin-1-yl]ethyl}pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-{2-[4-({methyl[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}methyl)piperazin-1-yl]ethyl}pentanamide;

4-(2-carboxyethyl)-4-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanamido}heptanedioic acid;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-1-{4-[(2S,3R,4R,5R)-2,3,5,6-tetrahydroxy-4-{{[(2S,3R,4S,5R,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy}hexyl]piperazin-1-yl}pentan-1-one;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-{{[(3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]methyl}pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2-hydroxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

(2R,3R,4S,5R)-2-[({4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]-3,4,5,6-tetrahydroxyhexanoic acid;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-3-(2-hydroxyethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-ethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

3-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-{{[(2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]methyl}urea;

(2S,3S,4R,5R,6S)-6-{{[({4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]methyl}-3,4,5-trihydroxyoxane-2-carboxylic acid;

2-(2-{2-[({4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]acetamido}acetamido)acetic acid;

(2S)-2-[(2S)-2-[(2S)-2-[({4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]propanamido]propanamido]propanoic acid;

(2S)-5-carbamimidamido-2-[({4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]pentanoic acid;

N-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-4-[(2S,3R,4S,5R)-2,3,4,5,6-pentahydroxyhexyl]piperazine-1-carboxamide;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-(2-methoxyethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-[2-(2-hydroxyethoxy)ethyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-1-(5-hydroxypentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2R)-6-amino-2-[(4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}carbamoyl)amino]hexanoic acid;

N-benzyl-5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-phenyl-N-[(2R,3S,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-methyl-N-(2-[(2R,3R,4S,5S,6R)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy)ethyl)pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2,3-dihydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2R)-2-hydroxybutyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2R)-2-hydroxy-3-methoxypropyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S)-2-hydroxy-3-methoxypropyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

N-benzyl-5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2-methoxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-(propan-2-yl)pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-propylpentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2-methanesulfonyl)ethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(oxan-4-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

(2S,3S,4R,5S)-N-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methylphenyl]butyl}-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

5-{2,5-dichloro-4-[({1-[4-(2-methoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{2,5-dichloro-4-[({1-[4-(2-methoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{2,5-dichloro-4-[({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-(4-{2,5-dichloro-4-[({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-2-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N,2-dimethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-{5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2-methylphenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]-2,2-dimethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2-methyl-phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2-methyl-phenyl]-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-(4-{4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2,5-dimethyl-phenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-{4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2,5-dimethyl-phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2,5-dimethyl-phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-{4-[4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2,5-dimethylphenyl]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-2-methylphenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-{2-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]ethoxy}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

(2R,3R,4S,5R)-2-{5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]pentanamido}-3,4,5,6-tetrahydroxyhexanoic acid;

5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]-N-[(2R,3R,4R,5S,6R)-2,4,5-trihydroxy-6-(hydroxymethyl)oxan-3-yl]pentanamide;

2-{2-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]ethoxy}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoic acid;

1-(1-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoyl}piperidin-4-yl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(1-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanoyl}piperidin-4-yl)-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4S,5R)-3,4,5,6-tetrahydroxy-1-(morpholin-4-yl)hexan-2-yl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

1-(5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}pentyl)-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-[(2S,3R,4S,5R)-2-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentanamido}-3,4,5,6-tetrahydroxyhexyl](methyl)amino}acetic acid;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4S,5R)-1-(dimethylamino)-3,4,5,6-tetrahydroxyhexan-2-yl]pentanamide;

4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methyl-phenyl]butan-1-amine;

1-{4-[5-chloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-methyl-phenyl]butyl}-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N,N-bis(2-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)ethyl)pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N,N-bis(2-{methyl[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}ethyl)pentanamide;

5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N,N-bis(2-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)ethyl) pentanamide;

5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N,N-bis(2-{methyl[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}ethyl) pentanamide;

(2S,3S,4R,5S)-N-{4-[5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2-methylphenyl]butyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-6-[(1-{5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]pentanoyl}piperidin-4-yl)amino]-2,3,4,5-tetrahydroxyhexanoic acid;

1-[4-(2,5-dichloro-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropyl)amino)methyl]phenyl)butyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[4-(2,5-dichloro-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropyl)amino)methyl]phenyl)butyl]-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-{4-[5-chloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-2-methylphenyl]butyl}-2,3,4,5-tetrahydroxy-6-(morpholin-4-yl)hexanamide;

5-(2,5-dichloro-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropyl)amino)methyl]phenyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

3-(5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamido)propanoic acid;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]butyl}-2,3,4,5-tetrahydroxy-6-(morpholin-4-yl)hexanamide;

(2S,3S,4R,5S)-6-[(3-{5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]-N-methylpentanamido}propyl)amino]-2,3,4,5-tetrahydroxyhexanoic acid;

N-[(2R,3S,4S,5R,6R)-6-[(1R,2R,3S,4R,6S)-4,6-diamino-3-[(2S,3R,4S,5S,6R)-4-amino-3,5-dihydroxy-6-(hydroxymethyl)oxan-2-yl]oxy}-2-hydroxycyclohexyl]oxy]-3,4,5-trihydroxyoxan-2-yl]methyl}-5-[2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]pentanamide;

4-({4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)butanoic acid;

3-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamido}propanoic acid;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxyhexanamide;

2-[(4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)methoxy]acetic acid;

3-({4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)propanoic acid;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5-tetrahydroxy-N-methyl-6-(morpholin-4-yl)hexanamide;

1-(4-{5-chloro-2-methyl-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{5-chloro-2-methyl-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}butyl)-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-{2,5-dichloro-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-(4-{2,5-dichloro-4-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-({4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}sulfamoyl)-3-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-[(4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)methyl](methyl)amino}acetic acid;

4-({4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)-3,3-dimethylbutanoic acid;

2-[(4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)amino]acetic acid;

3-[(4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)amino]propanoic acid;

4-[(4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)amino]butanoic acid;

2-(((4-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl)methyl)(methyl)amino)acetic acid;

4-[(4-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}butyl}[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl]-3,3-dimethylbutanoic acid;

N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2-methanesulfonyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2-(dimethylamino)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

1-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-1-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-propylhexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(2-methoxyethyl)hexanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[2-(dimethylamino)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

N-(carbamoylmethyl)-5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-N-ethyl-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(propan-2-yl)hexanamide;

(2S,3S,4R,5S)-N-(cyclopropylmethyl)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(3-methoxypropyl)hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(2-hydroxyethyl)hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-[(2R)-2-hydroxypropyl]hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-[(2S)-2-hydroxypropyl]hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-{4-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]butyl}-2,3,4,5,6-pentahydroxy-N-(3-hydroxypropyl)hexanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]-N-(3-hydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]-N-[(methylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]-N-(3-methoxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]-N-[(dimethylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]-N-[2-(dimethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

N-(2-carbamoyl-ethyl)-5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]
 cyclopropoxy}methyl)phenyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 (2S,3S,4R,5S)-N-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}
 methyl)phenyl]pentyl}-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl]hexanamide;
 1-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]
 pentyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;
 (2S,3S,4R,5S)-N-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}
 methyl)phenyl]pentyl}-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonyl-ethyl)hexanamide;
 (2S,3S,4R,5S)-N-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}
 methyl)phenyl]pentyl}-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;
 (2S,3S,4R,5S)-N-{5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}
 methyl)phenyl]pentyl}-2,3,4,5,6-pentahydroxy-N-methylhexanamide;
 5-[4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2,5-dimethylphenyl]-N-
 [(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-[4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2,5-dimethylphenyl]-N-
 methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-
 [(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-methyl-
 N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-
 [(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-
 methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]-N-
 [(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;
 5-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]-N-
 methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-{4-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-4-methylphenyl]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

N-{[5-(6-aminohexan-2-yl)-2-chlorophenyl]methyl}-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-({5-[(2S)-6-aminohexan-2-yl]-2-chlorophenyl}methyl)-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-({5-[(2R)-6-aminohexan-2-yl]-2-chlorophenyl}methyl)-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

(5S)-5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexan-1-amine;

(5R)-5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexan-1-amine;

(5S)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexanoic acid;

(5R)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexanoic acid;

6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}heptanoic acid;

N-({5-[(2S)-5-aminopentan-2-yl]-2-chlorophenyl}methyl)-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-({5-[(2R)-5-aminopentan-2-yl]-2-chlorophenyl}methyl)-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

N-{{5-[(5-aminopentan-2-yl)-2-chlorophenyl]methyl}-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine;

(5S)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}hexanoic acid;

(5R)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}hexanoic acid;

1-[(5S)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[(5R)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

N-benzyl-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(5-hydroxypentyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(morpholine-4-sulfonyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] hexanamide;

1-[(5S)-5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexyl]-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-[(5R)-5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexyl]-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}heptyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-1-methyl-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-1-[2-(2-hydroxyethoxy)ethyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}pentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}hexyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[(5R)-5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[(5S)-5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl]hexyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-4-methylphenyl]hexyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-oxoimidazolidin-1-yl)ethyl]hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}heptyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(2-methoxyethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(3-methoxypropyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-ylmethyl)hexanamide;

(2S,3S,4R,5S)-N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl]hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonyl)ethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-N-(4-acetamidobutyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonyl)ethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-[3-(2-oxopyrrolidin-1-yl)propyl]hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}hexyl)-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(4-methanesulfonamidobutyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}pentyl)-N-[2-(1,1-dioxo-1 λ ⁶,4-thiomorpholin-4-yl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}hexyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(2-methoxyethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(3-methoxypropyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl) hexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}pentyl)-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxy- hexanamide;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}pentyl)-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxy-hexanamide;

(2S,3S,4R,5S)-N-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]hexyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentyl}-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl)hexanamide;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentyl}-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]pentyl}-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{5-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]hexyl}-2,3,4,5,6-pentahydroxyhexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}phenyl}-N-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]hexanamide;

(5S)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(5R)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]heptanamide;

(2S,3S,4R,5S)-6-{{1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoyl)piperidin-4-yl}amino}-2,3,4,5-tetrahydroxyhexanoic acid;

4-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]piperazine-1-carboxamide;

1-[1-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoyl)piperidin-4-yl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

2-[4-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoyl)piperazin-1-yl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

4-[2-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanamido)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]piperazine-1-carboxamide;

1-{2-[4-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoyl)piperazin-1-yl]ethyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-{2-[4-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl]methyl}piperazin-1-yl]ethyl}hexanamide;

(5S)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(5R)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(6S)-6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]heptanamide;

(6R)-6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]heptanamide;

6-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]heptanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(2-hydroxyethyl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

N-(carbamoylmethyl)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(2-methoxyethyl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(3-hydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

N-(2-carbamylethyl)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(methylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(dimethylamino)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(3-methoxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(oxan-4-yl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(dimethylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(3-hydroxy-2,2-dimethylpropyl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(2-hydroxyethoxy)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]-N-[(1s,4s)-4-hydroxycyclohexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(ethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(dimethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(2-methanesulfonyl)ethyl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-(3-methanesulfonylpropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}-N-[2-(dimethylsulfamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-ethylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(5S)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(5R)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-(propan-2-yl)hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-propylhexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-(2-hydroxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

N-(carbamoylmethyl)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-(2-methoxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-methylphenyl}-N-(3-hydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

N-(2-carbamoyl-ethyl)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[(methylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[2-(dimethylamino)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(3-methoxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(oxan-4-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[(dimethylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[2-(ethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-[2-(dimethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(5S)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(2-methanesulfonyl-ethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] hexanamide;

(5R)-5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(2-methanesulfonyl-ethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(2-methanesulfonyl-ethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl}-N-(3-methanesulfonylpropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

2-[4-(5-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-4-methylphenyl)hexanoyl]piperazin-1-yl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-ethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2-hydroxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]-N-ethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

5-[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]-N-(2-hydroxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}pentyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-(5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

5-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-5-hydroxypentyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}pent-4-en-1-yl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-[3-(1-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}cyclopropyl)propyl]-2,3,4,5,6-pentahydroxyhexanamide;

1-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}pent-4-en-1-yl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}-5-hydroxypentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[3-(1-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}cyclopropyl)propyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-4-methylphenyl}-5-hydroxypentyl)-2,3,4,5,6-pentahydroxyhexanamide;

1-(4-{3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-4-methylphenyl}-5-hydroxypentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-2,3,4,5,6-pentahydroxyhexanamide;

1-{4-[N-methyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-ethyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-1-{4-[N-(propan-2-yl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}urea;

1-(4-{N-methyl2,4-dichloro-5-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl)benzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N,N-dimethylbenzene-1-sulfonamide;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-methylbenzene-1-sulfonamide;

3-(1-{[2-chloro-5-(pyrrolidine-1-sulfonyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine;

3-(1-{[2-chloro-5-(piperidine-1-sulfonyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine;

(2S,3R,4R,5R)-S-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-2,3,4,5,6-pentahydroxyhexane-1-sulfonamido;

(2S,3R,4R,5R)-S-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-2,3,4,5,6-pentahydroxy-N-methylhexane-1-sulfonamido;

N-[2-(2-aminoethoxy)ethyl]-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzene-1-sulfonamide;

N-[2-(2-aminoethoxy)ethyl]-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-methylbenzene-1-sulfonamide;

1-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[N-methyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[N-methyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[N-methyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]pentyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(2-{2-[N-methyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-(2-methoxyethyl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]pentyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(2-{2-[N-ethyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[N-(2-methoxyethyl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]pentyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[N-(2-methoxyethyl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]pentyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-(2-hydroxyethyl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[N-ethyl4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethoxy}ethyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-(2-methoxyethyl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]piperidin-4-yl}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-1-[(1r,4r)-4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)benzenesulfonamido]cyclohexyl]urea;

3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-1-[(1s,4s)-4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)benzenesulfonamido]cyclohexyl]urea;

1-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]pyrrolidin-3-yl} methyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]azetidin-3-yl}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonamido]ethyl}cyclohexyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(3-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]piperazin-1-yl}propyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]piperidin-4-yl} methyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]piperazin-1-yl}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]piperidin-3-yl} methyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]azetidin-3-yl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{7-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzene-sulfonyl]-7-azaspiro[3.5]nonan-2-yl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl) benzenesulfonyl]pyrrolidin-3-yl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]-2-azaspiro[3.3]heptan-6-yl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]hexanamide;

7-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]heptanamide;

5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

3-[N-methyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

(1R,5S,6S)-3-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-3-azabicyclo[3.1.0]hexane-6-carboxamide;

(1r,4r)-4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamidomethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]cyclohexane-1-carboxamide;

1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]piperidine-4-carboxamide;

2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

3-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]cyclopentane-1-carboxamide;

2-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperazin-1-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperidin-4-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

(1r,4r)-4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]cyclohexane-1-carboxamide;

3-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperazin-1-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

2-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperidin-4-yl}oxy)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]bicyclo[2.2.2]octane-1-carboxamide;

(2E)-3-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]prop-2-enamide;

2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

3-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

3-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperidin-4-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

(2E)-3-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]pyrrolidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]prop-2-enamide;

3-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]pyrrolidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

(2E)-4-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]but-2-enamide;

4-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

2-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}oxy)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

2-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]pyrrolidin-3-yl}methoxy)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

2-({1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]azetidin-3-yl}methoxy)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl)hexanamide;

(2S,3S,4R,5S)-2,3,4,5,6-pentahydroxy-N-{4-[N-methyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}hexanamide;

(2S,3S,4R,5S)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl)-N-{4-[N-methyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}hexanamide;

(2S,3S,4R,5S)-N-{4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-2,3,4,5,6-pentahydroxy-N-methyl-N-{4-[N-methyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}hexanamide;

(2S,3S,4R,5S)-N-(2-{1-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]piperidin-4-yl}ethyl)-2,3,4,5,6-pentahydroxyhexanamide;

N-(4-aminobutyl)-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-ethylbenzene-1-sulfonamide;

1-(4-{N-methyl-4-chloro-3-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[N-ethyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-methyl-4-chloro-5-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-2-fluorobenzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[N-methyl-2,4-dichloro-5-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{N-methyl-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-4-(trifluoromethyl)benzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{4-[N-methyl3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-(trifluoromethyl)benzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] urea;

1-(4-{N-methyl3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-4-(trifluoromethyl)benzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{N-methyl4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{N-methyl4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{N-ethyl4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{N-methyl4-chloro-5-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-2-fluorobenzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] urea;

1-(4-{N-methyl4-chloro-5-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-2-fluorobenzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{N-methyl2,4-dichloro-5-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{N-methyl3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-4-methylbenzenesulfonamido}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{N-methyl3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]-4-methylbenzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{4-[N-methyl3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylbenzenesulfonamido]butyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S)-5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-2-[(2,3,4,5,6-pentahydroxyhexyl)carbamoyl]amino}pentanoic acid;

(2R)-2-amino-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]-N-ethylhexanamide;

(2R)-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]-N-ethyl-2-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino) hexanamide;

(2S)-2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]-6-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino) hexanoic acid;

(2S)-2-amino-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]hexanoic acid;

(2S)-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]-2-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino) hexanoic acid;

(2S)-2-amino-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]-N-ethylhexanamide;

(2S)-6-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonamido]-N-ethyl-2-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl} amino)hexanamide;

1-(5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}pentyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}pentyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

1-[2-(2-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}ethoxy)ethyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfinyl]ethoxy}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonyl]ethoxy}ethyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{2-[2-({4-chloro-3-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl] phenyl]sulfanyl)ethoxy]ethyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)pentyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

5-({6-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-5-methylpyridin-2-yl}sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-{[5-methyl-2-(methylsulfanyl)pyrimidin-4-yl]methyl}cyclopropan-1-amine;

4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]-4-ethylphenyl}sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl}sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)pentyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl}sulfanyl)propyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl}sulfanyl)butyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)propyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)butyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-[2-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

N-(2-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy)methyl]phenyl}sulfanyl)ethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl}sulfanyl)pentyl]-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}pentyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl)sulfanyl]propyl]-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-[3-(2-oxopyrrolidin-1-yl)propyl] hexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-ylmethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-oxoimidazolidin-1-yl)ethyl] hexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(3-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl)sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-[3-(2-oxopyrrolidin-1-yl)propyl] hexanamide;

(2S,3S,4R,5S)-N-(3-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl)sulfanyl}propyl)-N-[2-(1,1-dioxo-1 λ^6 ,4-thiomorpholin-4-yl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(3-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl)sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-ylmethyl)hexanamide;

(2S,3S,4R,5S)-N-(4-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl)sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-(4-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl)sulfanyl}butyl)-N-[2-(1,1-dioxo-1 λ^6 ,4-thiomorpholin-4-yl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl]-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl]-2,3,4,5,6-pentahydroxy-N-[3-(2-oxopyrrolidin-1-yl)propyl]hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl)sulfanyl}propyl)-N-[2-(1,1-dioxo-1 λ^6 ,4-thiomorpholin-4-yl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-oxoimidazolidin-1-yl)ethyl]hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-ylmethyl)hexanamide;

(2S,3S,4R,5S)-N-(3-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-(3-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-(3-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(3-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-[2-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)ethyl]-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(3-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl)propyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-oxoimidazolidin-1-yl)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[3-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[3-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-[4-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[4-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl) hexanamide;

(2S,3S,4R,5S)-N-(4-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl)butyl)-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl}sulfanyl)propyl]-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxy- hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-ylmethyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl)sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-[3-(2-oxopyrrolidin-1-yl) propyl]hexanamide;

(2S,3S,4R,5S)-N-(2-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}ethyl)-2,3,4,5,6-pentahydroxy-N-methylhexanamide;

(2S,3S,4R,5S)-N-(3-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-N-(1,1-dioxo-1 λ^6 -thian-4-yl)-2,3,4,5,6-pentahydroxy-hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl)sulfanyl)butyl]-N-[2-(1,1-dioxo-1 λ^6 ,4-thiomorpholin-4-yl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(3-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl) hexanamide;

(2S,3S,4R,5S)-N-(4-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonyl)ethyl)hexanamide;

(2S,3S,4R,5S)-N-[4-({3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino) methyl}-4-methylphenyl)sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{{3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonylpropyl)hexanamide;

(2S,3S,4R,5S)-N-(4-{{3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl}phenyl)sulfanyl)butyl]-N-(2-acetamidoethyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-N-(2-acetamidoethyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(3-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(oxan-4-yl)hexanamide;

(2S,3S,4R,5S)-N-(4-{{4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-N-(3-acetamidopropyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-N-(4-acetamidobutyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-N-(4-acetamidobutyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(4-methanesulfonamidobutyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonamidoethyl) hexanamide;

ethyl N-{2-[(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl] cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxyhexanamido]ethyl} carbamate;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-N-(3-acetamidopropyl)-2,3,4,5,6-pentahydroxy-hexanamide;

ethyl N-{3-[(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl] cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxyhexanamido]propyl} carbamate;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonamidoethyl) hexanamide;

ethyl N-{2-[(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl] cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxyhexanamido]ethyl} carbamate;

(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}butyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonamidopropyl) hexanamide;

ethyl N-{3-[(2S,3S,4R,5S)-N-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxyhexanamido]propyl} carbamate;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}propyl)-N-(4-acetamidobutyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(4-methanesulfonamidobutyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-N-(1,1-dioxo-1 λ ⁶-thian-4-yl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(4-methanesulfonamidobutyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl) hexanamide;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonylethyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonamidoethyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-N-(2-acetamidoethyl)-2,3,4,5,6-pentahydroxy-hexanamide;

ethyl N-{2-[(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxyhexanamido]ethyl} carbamate;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonamidopropyl)hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-N-(3-acetamidopropyl)-2,3,4,5,6-pentahydroxyhexanamide;

ethyl N-{3-[(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxyhexanamido]propyl} carbamate;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonamidopropyl)hexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(3-methanesulfonamidopropyl)hexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonamidoethyl)hexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-N-(3-acetamidopropyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-N-(2-acetamidoethyl)-2,3,4,5,6-pentahydroxyhexanamide;

ethyl N-{3-[(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxyhexanamido]propyl} carbamate;

ethyl N-{2-[(2S,3S,4R,5S)-N-(3-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}propyl)-2,3,4,5,6-pentahydroxyhexanamido]ethyl} carbamate;

(2S,3S,4R,5S)-N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)pentyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-hydroxyethoxy)ethyl] hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-2,3,4,5,6-pentahydroxy-N-(4-methanesulfonamidobutyl) hexanamide;

(2S,3S,4R,5S)-N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)pentyl]-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)pentyl]-2,3,4,5,6-pentahydroxy-N-(5-hydroxypentyl) hexanamide;

(2S,3S,4R,5S)-N-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)propyl]-N-(4-acetamidobutyl)-2,3,4,5,6-pentahydroxy-hexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(2-methanesulfonyl)ethyl) hexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}pentyl)-N-[2-(ethanesulfonyl)ethyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(4-hydroxybutyl)hexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}pentyl)-2,3,4,5,6-pentahydroxy-N-(5-hydroxypentyl)hexanamide;

(2S,3S,4R,5S)-N-{5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)benzenesulfinyl]pentyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-{5-[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)benzenesulfonyl]pentyl}-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(carbamoylmethyl)-N-(5-{[4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl}sulfanyl}pentyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(carbamoylmethyl)-N-[5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl} amino)methyl]phenyl}sulfanyl)pentyl]-2,3,4,5,6-pentahydroxyhexanamide;

(2S,3S,4R,5S)-N-(5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}pentyl)-2,3,4,5,6-pentahydroxyhexanamide;

(2R,3R,4R,5S)-6-[(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)(2-methanesulfonylethyl)amino]hexane-1,2,3,4,5-pentol;

(2R,3R,4R,5S)-6-[(3-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl]sulfanyl}propyl)(2-methanesulfonylethyl)amino]hexane-1,2,3,4,5-pentol;

(2R,3R,4R,5S)-6-[(4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-methylphenyl]sulfanyl}butyl)(2-methanesulfonylethyl)amino]hexane-1,2,3,4,5-pentol;

3-(1-{[2-chloro-5-(methylsulfanyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine;

1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]-N-{{5-methyl-2-(methylsulfanyl)pyridin-4-yl}methyl}cyclopropan-1-amine;

4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)-4-(propan-2-yl)phenyl]sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

1-(4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl]sulfanyl)propyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl]sulfanyl)butyl]-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

(2S,3S,4R,5S)-N-[4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl]sulfanyl)butyl]-2,3,4,5,6-pentahydroxy-N-[2-(2-oxoimidazolidin-1-yl)ethyl]hexanamide;

1-(3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy} methyl)phenyl]sulfanyl}propyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{2-[2-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl]sulfanyl)ethoxy]ethyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{{(5-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}pentyl)carbamoyl}amino}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(4-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(4-{{(4-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}butyl)carbamoyl}amino}butyl)-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(5-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}pentyl)-3-[(1r,4r)-4-{{(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl}carbamoyl}amino)cyclohexyl]urea;

2-(4-{{(5-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}pentyl)carbamoyl}amino}piperidin-1-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

1-(4-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}butyl)-3-[(1r,4r)-4-{{(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl}carbamoyl}amino)cyclohexyl] urea;

2-(4-{{(4-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}butyl)carbamoyl}amino}piperidin-1-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

1-(5-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}pentyl)-3-[(1s,4s)-4-{{(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl}carbamoyl}amino)cyclohexyl]urea;

1-(4-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}butyl)-3-[(1s,4s)-4-{{(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl}carbamoyl}amino)cyclohexyl]urea;

1-(5-{{(4-chloro-3-{{1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl}sulfanyl}pentyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-[2-(2-([4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl)ethoxy)ethyl]-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfinyl]pentyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]pentyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]ethoxy}ethyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfinyl]pentyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-{5-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonyl]pentyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

1-(2-{2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfinyl]ethoxy}ethyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

5-({6-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]-5-methylpyridin-2-yl)sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]benzenesulfonyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]benzenesulfinyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl)sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl)sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-methylphenyl]sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({6-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-5-methylpyridin-2-yl)sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({6-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-5-methylpyridin-2-yl)sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-5-methylpyrimidin-2-yl)sulfanyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino]methyl}-5-methylpyrimidin-2-yl)sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

5-{[6-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-5-methylpyridin-2-yl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

5-{[6-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-5-methylpyridin-2-yl]sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-ethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(2-hydroxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(3-hydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[2-(dimethylamino)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

N-(carbamoylmethyl)-4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(2-methoxyethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(2-methanesulfonylethyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-propylbutanamide;

N-benzyl-4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]-N-(propan-2-yl)butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(oxan-4-yl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(methylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[2-(dimethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[2-(ethylcarbamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(3-methoxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(dimethylcarbamoyl)methyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

N-(2-carbamoylethyl)-4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

3-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl} sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

3-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]propanamide;

5-({4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl} sulfanyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

2-[1-({[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}methyl)cyclopropyl]-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] acetamide;

4-[(4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenyl} sulfanyl)methyl]-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]benzamide;

2-{1-[(4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl] phenyl}sulfanyl)methyl]cyclopropyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}-N-[2-(2-hydroxyethoxy)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}-N-(5-hydroxypentyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-({[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}methyl)-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]benzamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl] sulfanyl}-N-[2-(morpholine-4-sulfonyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl] butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(3-hydroxy-2,2-dimethylpropyl)-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[(2R,3S,4S,5S)-2,3,4,5,6-pentahydroxyhexyl]-N-[(1s,4s)-4-hydroxycyclohexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N,2-dimethyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-2-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-4-ethylphenyl]sulfanyl}-N-methyl-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-(4-hydroxybutyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[2-(dimethylsulfamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

4-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}-N-[2-(methylsulfamoyl)ethyl]-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]butanamide;

N-(5-{[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]sulfanyl}pentyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]acetamide;

1-(4-{N-ethyl-4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]benzenesulfonamido}butyl)-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl)amino)methyl]phenol;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N,N-diethylbenzene-1-sulfonamide;

2-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]ethane-1-sulfonic acid;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzene-1-sulfonamide;

1-{2-[2-({4-chloro-3-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}sulfanyl)ethoxy]ethyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-methyl-N-(propan-2-yl)benzene-1-sulfonamide;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-(propan-2-yl)benzene-1-sulfonamide;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-methyl-N-propylbenzene-1-sulfonamide;

4-chloro-N-cyclopentyl-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-methylbenzene-1-sulfonamide;

4-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl) benzenesulfonyl]-3,3-dimethylmorpholine;

3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]-1-{4-[N-(propan-2-yl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}urea;

(2S,3S,4R,5S)-2,3,4,5,6-pentahydroxy-N-{4-[N-(propan-2-yl)4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}hexanamide;

N-tert-butyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzene-1-sulfonamide;

4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)-N-(oxan-4-yl)benzene-1-sulfonamide;

(2S)-S-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-1-hydroxypropane-2-sulfonamido;

(2R)-S-[4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-1-hydroxypropane-2-sulfonamido;

2-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)-N-(2,5-dichlorobenzyl)propan-2-amine;

4-(4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenethyl)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)benzamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N,N-dimethylbenzamide;

1-(5-(4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenoxy)pentyl)-3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)urea;

3-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)oxy)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)benzamide;

4-chloro-5-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-2-fluoro-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl) benzenesulfonamide;

N-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonylacetamide;

4-chloro-5-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-2-methoxy-N,N-dimethylbenzenesulfonamide;

4-chloro-5-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-2-hydroxy-N,N-dimethylbenzenesulfonamide;

1-(4-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-1,4-diazepan-1-yl)ethan-1-one;

6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-2-methoxy-5,6,7,8-tetrahydro-1,6-naphthyridine;

6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-5,6,7,8-tetrahydro-1,6-naphthyridin-2-ol;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-methyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl-1,1,2,2,3,3,4,4-d8)benzenesulfonamide;

(2R,3S,4R,5S)-5-(3-(4-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-methylphenyl)sulfonamido)butyl)ureido)hexane-1,2,3,4,6-pentayl pentapropionate;

3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-(methylthio)phenyl)pyridine;

4-(2-cyclopropoxyphenyl)-3-(2-((2,5-dichlorobenzyl)oxy)propan-2-yl)pyridine;

4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclobutyl)pyridine;

4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopentyl)pyridine;

4-(2-cyclopropoxyphenyl)-3-(3-((2,5-dichlorobenzyl)oxy)tetrahydrofuran-3-yl)pyridine;

4-chloro-3-(((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropyl)amino)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)ethyl)pyridine;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclobutoxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclobutoxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

5-(4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenethyl)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)picolinamide;

4-chloro-3-(((3-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)tetrahydrofuran-3-yl)oxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-chloro-3-(((3-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)tetrahydrofuran-3-yl)oxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-chloro-3-(((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropyl)amino)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)ethoxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)ethoxy)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-chloro-3-(((2-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)propan-2-yl)amino)methyl)-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

1-(4-(4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenoxy)butyl)-3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)urea;

3-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)oxy)-N-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)benzamide;

6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)oxy)-N-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)nicotinamide;

2-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)thio)-1-methyl-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)-1H-imidazole-5-carboxamide;

2-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)thio)-1-methyl-N-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)-1H-imidazole-5-carboxamide;

1-(5-(4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenoxy)pentyl)-3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)urea;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-isobutyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-isobutyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-chloro-5-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-2-fluoro-N-isopropyl-N-(4-(3-((2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

4-chloro-5-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-2-fluoro-N-isopropyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-(2-chloro-6-methoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridine;

N-(4-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-methylphenyl)sulfonamido)butyl)acetamide;

4-(2-chlorophenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridine;

1-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-4-methyl-1,4-diazepane;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-(thiazol-2-yl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-phenylbenzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-(2,2,2-trifluoroethyl)benzenesulfonamide;

3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(o-tolyl)pyridine;

3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-4-methylphenyl)pyridine;

3-(1-((2-chloro-5-(N-(4-((2S,3S,4R,5S)-2,3,4,5,6-pentahydroxyhexanamido)butyl)sulfamoyl)benzyl)oxy)cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine 1-oxide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-methyl-N-(4-(3-((2S,3R,4R,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl)ureido)butyl)benzenesulfonamide;

(1S,4S)-2-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-5-methyl-2,5-diazabicyclo[2.2.1]heptane;

4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)propyl)pyridine;

1-((1S,4S)-5-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)ethan-1-one;

4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridazine;

1-(4-(2-cyclopropoxyphenyl)pyridazin-3-yl)-N-(2,5-dichlorobenzyl)cyclopropan-1-amine;


4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)-6-ethylpyridin-3-yl)cyclopropoxy)methyl)-N-methyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzenesulfonamide;

4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)-6-ethylpyridin-3-yl)cyclopropoxy)methyl)-N-methyl-N-(4-(3-methyl-3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl) benzenesulfonamide;

4-(2-cyclopropoxyphenyl)-5-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-2-ethylpyridine;
 1-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-5H-chromeno[3,4-c]pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-5-ethoxy-4-phenylpyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-5-methoxy-4-phenylpyridine;
 1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)-N-(2,5-dichlorophenyl)cyclopropane-1-carboxamide;
 4-(2-cyclopropoxyphenyl)-3-(1-((2,5-dichlorophenoxy)methyl)cyclopropyl)pyridine;
 6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenoxy) methyl)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)nicotinamide;
 4-(2-cyclopropoxyphenyl)-3-(1-(((2,5-dichlorobenzyl)oxy)methyl)cyclopropyl)pyridine;
 6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)benzyl)oxy)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)nicotinamide;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-6-methylphenyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-3-methylphenyl)pyridine;
 4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)-N-methyl-N-(4-(3-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)ureido)butyl)benzamide;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-5-(trifluoromethoxy)phenyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-5-(trifluoromethyl)phenyl)pyridine;
 4-(3-chloro-2-methoxyphenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-phenylpyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-methoxy-5-methylphenyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2,2-difluorobenzo[d][1,3]dioxol-4-yl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(3-methoxyphenyl)pyridine;
 4-(3-chlorophenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(4-methoxyphenyl)pyridine;
 3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)-4-(2-(methylsulfonyl)phenyl)pyridine; and

4-(4-chlorophenyl)-3-(1-((2,5-dichlorobenzyl)oxy)cyclopropyl)pyridine.

12. A prodrug of a compound of Formula (I') having a Formula (II') or Formula (II):



wherein:

P is a cleavable group selected from -O, -CH₂OC(O)(C₁-C₆) alkyl, or -CH₂OC(O)NR_s (C₁-C₆) alkyl, wherein the alkyl is optionally substituted with -OC(O)(C₁-C₃) alkyl; and

R_s is H or (C₁-C₆) alkyl;

Q is C=O, -CH₂-, -NR₅- or -O-;

when Q is C(O) then Q₁ is -NR₅-, when Q is -NR₅- or -O- then Q₁ is -CH₂-, or when Q is -CH₂- then Q₁ is -O(CH₂)₀₋₁- or -NR₅;

X_1 is CR_6 or N ;

X_2 is CR_7 or N ;

X_3 is CR_8 or N ;

X_4 is CR_9 or N ;

Y is CR_b or N;

R_a and R_b are each independently H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, or halogen;

R₁ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, halogen, -S(O)_p(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, or

–O-heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁–C₄) alkoxy, –OH, –NH₂, –NH(C₁–C₄) alkyl, and –N((C₁–C₄) alkyl)₂; or

R₁ and R_a together with the carbon atoms to which they are attached form a heterocycloalkyl; or

R₁ and R₃, when on adjacent atoms, together with the carbon atoms to which they are attached form a heterocycloalkyl optionally substituted with one or more substituents selected from the group consisting of (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, (C₁–C₆) haloalkoxy, and halogen;

R₂ is independently (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, or (C₁–C₆) haloalkoxy;

R₂' is independently H, (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, or (C₁–C₆) haloalkoxy; or

R₂ and R₂' together with the carbon atom to which they are attached form a (C₃–C₈) cycloalkyl or heterocycloalkyl;

each R₃ is independently, at each occurrence, (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, (C₁–C₆) haloalkoxy, halogen, –S(O)_p(C₁–C₆) alkyl, (C₃–C₈) cycloalkyl, heterocycloalkyl, –O–(C₃–C₈) cycloalkyl, or –O–heterocycloalkyl, wherein the alkyl, alkoxy, cycloalkyl, and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of halogen, (C₁–C₄) alkoxy, –OH, –NH₂, –NH(C₁–C₄) alkyl, and –N((C₁–C₄) alkyl)₂; or

R₁ and R₃ together with the carbon atoms to which they are attached form a heterocycloalkyl optionally substituted with one or more substituents selected from the group consisting of (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, (C₁–C₆) haloalkoxy, and halogen;

R₄ is H, (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, (C₁–C₆) haloalkoxy, (C₁–C₆) hydroxyalkyl, (C₁–C₆) aminoalkyl, halogen, (C₃–C₈) cycloalkyl, heterocycloalkyl, –OH, –NH₂, CN, –S(O)_m(C₁–C₆) alkyl, –NH(C₁–C₄) alkyl, or –N((C₁–C₄) alkyl)₂;

R₅ is H, (C₁–C₆) alkyl, –C(O)NR₁₀R₁₁, –C(O)(C₁–C₆) alkyl, or –C(O)O(C₁–C₆) alkyl;

each R₆ and R₉ is independently H, (C₁–C₆) alkyl, (C₁–C₆) alkoxy, (C₁–C₆) haloalkyl, (C₁–C₆) haloalkoxy, (C₁–C₆) hydroxyalkyl, (C₁–C₆) aminoalkyl, halogen,

(C₃-C₈) cycloalkyl, heterocycloalkyl, -OH, -NH₂, CN, -S(O)₆(C₁-C₆) alkyl, -NH(C₁-C₄) alkyl, or -N((C₁-C₄) alkyl)₂;

each R₇ and R₈ is independently H, (C₁-C₈) alkenyl, (C₁-C₈) alkynyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, halogen, (C₃-C₈) cycloalkyl, (C₃-C₈) cycloalkenyl, heterocycloalkyl, -OH, -NH₂, -S(O)_qNH₂, -S(O)_qOH, CN, or (C₁-C₁₈) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₈) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_q-, -C(O)-, -C(CH₂)-, or -C(NH)-, provided that when any two methylene in the alkyl is replaced, then two -O-, two -S(O)_q-, or two -NR₁₃- and -O- and -NR₁₃- are not contiguous, wherein the alkyl is optionally substituted with one or more R₁₂, and wherein the cycloalkyl and cycloalkenyl are optionally substituted with one or more R₁₃;

R₁₀ and R₁₁ are each independently H or (C₁-C₆) alkyl optionally substituted with one or more substituent independently selected from the group consisting of -NH₂ and OH;

R₁₂ is D, -OH, halogen, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, -C(O)OH, -OC(O)(C₁-C₆) alkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, heteroaryl, or R₁₇, wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, halogen, and R₁₄;

R₁₃ is H, -OH, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl, heteroaryl, or (C₁-C₁₂) alkyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl is replaced, then O and N are not contiguous and wherein the alkyl is optionally substituted with one or more R₁₅, and wherein the cycloalkyl, heterocycloalkyl, aryl, and heteroaryl are optionally substituted with one or more substituents selected from the group consisting of -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, and -N((C₁-C₆) alkyl)₂;

R₁₄ is (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₁-C₁₂) alkyl or (C₂-C₁₂) alkenyl, wherein 0 to 7 methylene of the (C₁-C₁₂) alkyl and the (C₂-C₁₂) alkenyl are optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl and alkenyl are optionally

substituted with one or more R₁₅, and the cycloalkyl and heterocycloalkyl are optionally substituted with one or more R₁₆; or

when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form C=(O); or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atoms to which they are attached form a (C₃-C₈) cycloalkyl or heterocycloalkyl optionally substituted with one or more R₁₃; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form a (C₃-C₈) spirocycloalkyl or a spiroheterocycloalkyl optionally substituted with one or more R₁₃; or when R₁₂ is cycloalkyl or heterocycloalkyl, two R₁₄ together with the atom to which they are attached form a (C₆-C₁₀) aryl or heteroaryl optionally substituted with one or more R₁₃;

R₁₅ is -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₃-C₈) cycloalkyl, heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;

R₁₆ is -OH, -C(O)OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, (C₁-C₆) alkoxy, (C₁-C₆) hydroxyalkyl, (C₃-C₈) cycloalkyl, heterocycloalkyl, -O-(C₃-C₈) cycloalkyl, -O-heterocycloalkyl, (C₆-C₁₀) aryl or heteroaryl, wherein the (C₃-C₈) cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents selected from the group consisting of (C₁-C₆) hydroxyalkyl, (C₁-C₆) aminoalkyl, -C(O)OH, -OH, -NH₂, -NH(C₁-C₆) alkyl, -N((C₁-C₆) alkyl)₂, and oxo;

R₁₇ is (C₁-C₁₈) alkyl or (C₂-C₁₈) alkenyl, wherein 0 to 8 methylene of the (C₁-C₁₈) alkyl and the (C₂-C₁₈) alkenyl are optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided that when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl and alkenyl are optionally substituted with one or more R₁₈;

R₁₈ is R₁₉, (C₆-C₁₀) aryl, or heteroaryl optionally substituted with one or more R₂₁;

R₁₉ is (C₁-C₁₈) alkyl wherein 0 to 8 methylene of the (C₁-C₁₈) alkyl is optionally replaced by a moiety selected from the group consisting of -O-, -NR₁₃-, -S(O)_r-, -C(O)-, or -C(NH)-, provided

that a when any two methylene in the alkyl or alkenyl is replaced, then O and N are not contiguous and wherein the alkyl is optionally substituted with one or more R₂₀;

R₂₀ is (C₆-C₁₀) aryl or heteroaryl optionally substituted with one or more R₂₁;

R₂₁ is H, (C₁-C₆) alkyl, (C₁-C₆) alkoxy, (C₁-C₆) haloalkyl, (C₁-C₆) haloalkoxy, or halogen;

or

two R₂₁ together when on adjacent atoms form a cycloalkyl or heterocycloalkyl optionally substituted with one or more R₂₂;

R₂₂ is -C(O)NH₂, -C(O)NH(C₁-C₆) alkyl, -C(O)N((C₁-C₆) alkyl)₂, -C(O) (C₃-C₇) cycloalkyl, or -C(O)heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl are optionally substituted with one or more substituents independently selected from the group consisting of -OH and CN;

each m, o, p, q, and r is independently, at each occurrence, 0, 1, or 2; and

n is 0, 1, or 2.

13. The prodrug of claim 12, wherein P is -O, -CH₂OC(O)C(CH₃)₃, or -CH₂OC(O)N(CH₃)CH₂CH₂OC(O)CH₃.

14. The compound of claim 12, selected from the group consisting of:

3-{1-[(2-chloro-5-{methyl[4-({[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]carbamoyl} amino)butyl]sulfamoyl}phenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-[1-({2-chloro-5-[(2S)-6-({[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]carbamoyl} amino)hexan-2-yl]phenyl}methoxy)cyclopropyl]-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-{1-[(2-chloro-5-{ethyl[4-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl} amino)butyl]sulfamoyl}phenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-{1-[(2-chloro-5-{ethyl[4-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino)butyl]sulfamoyl}phenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)-1-[(2,2-dimethylpropanoyl)oxy]methyl}pyridin-1-ium;

1-[(2-(2-(acetyloxy)ethyl)(methyl)carbamoyl)oxy]methyl}-3-{1-[(2-chloro-5-{ethyl[4-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino)butyl]sulfamoyl}phenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridin-1-ium;

3-(1-{[2-chloro-5-(ethylsulfamoyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-(1-{[2-chloro-5-(methylsulfamoyl)phenyl]methoxy}cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-{1-[(2-chloro-5-sulfamoylphenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate;

3-{1-[(2-chloro-5-{4-({[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl}amino)butyl](propan-2-yl)sulfamoyl}phenyl)methoxy]cyclopropyl}-4-(2-cyclopropoxyphenyl)pyridin-1-ium-1-olate; and

3-(1-((2-chloro-5-(N-(4-((2S,3S,4R,5S)-2,3,4,5,6-pentahydroxyhexanamido)butyl)sulfamoyl)benzyl)oxy)cyclopropyl)-4-(2-cyclopropoxyphenyl)pyridine 1-oxide.

15. A pharmaceutical composition comprising, a compound of claim 1, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

16. The pharmaceutical composition of claim 15, wherein the composition further comprises one or more additional biologically active agents.

17. The pharmaceutical composition of claim 16, wherein the one or more additional biologically active agents prolong the TGR5-mediated GLP-1 signal.

18. The pharmaceutical composition of claim 16, wherein the one or more additional biologically active agents is a DPP-4 inhibitor selected from the group consisting of sitagliptin, vildagliptin, saxagliptin, linagliptin, alogliptin, gemigliptin, omarigliptin, and dutogliptin.
19. The compound of claim 1, wherein the compound is 1-{2-[2-({4-chloro-3-[(1-{4-[2-(oxetan-3-yloxy)phenyl]pyridin-3-yl}cyclopropoxy)methyl]phenyl}sulfanyl)ethoxy]ethyl}-3-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]urea.
20. The compound of claim 1, wherein the compound is 4-[(4-{2,5-dichloro-4-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}butyl)[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]carbamoyl]butanoic acid.
21. The compound of claim 1, wherein the compound is 5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-1-{4-[(2S,3R,4S,5R)-2,3,4,5,6-pentahydroxyhexyl]piperazin-1-yl}pentan-1-one
22. The compound of claim 1, wherein the compound is 5-[2,5-dichloro-4-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)phenyl]-N-(2,3-dihydroxypropyl)-N-[(2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl]pentanamide.
23. The compound of claim 1, wherein the compound is N-({5-[(2S)-6-aminohexan-2-yl]-2-chlorophenyl}methyl)-1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropan-1-amine.
24. The compound of claim 1, wherein the compound is (5S)-5-{4-chloro-3-[(1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropyl}amino)methyl]phenyl}hexanoic acid.
25. The compound of claim 1, wherein the compound is 1-{4-[N-methyl-4-chloro-3-({1-[4-(2-cyclopropoxyphenyl)pyridin-3-yl]cyclopropoxy}methyl)benzenesulfonamido]butyl}-3-[(2S,3R,4S,5R)-1,3,4,5,6-pentahydroxyhexan-2-yl]urea.

26. The compound of claim 1, wherein the compound is 4-(4-Chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenethyl)-N-((2S,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexyl)benzamide.
27. The compound of claim 1, wherein the compound is 4-Chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)N,N-dimethylbenzamide.
28. The compound of claim 1, wherein the compound is 6-((4-chloro-3-((1-(4-(2-cyclopropoxyphenyl)pyridin-3-yl)cyclopropoxy)methyl)phenyl)sulfonyl)-5,6,7, 8-tetrahydro-1, 6-naphthyridin-2-ol.
29. The compound of claim 1, or a pharmaceutically acceptable salt thereof for use as a medicament.
30. The compound of claim 1, or a pharmaceutically acceptable salt thereof for use in the treatment of fatty liver, non-alcoholic fatty liver disease, liver fibrosis, non-alcoholic steatohepatitis, primary sclerosing cholangitis, liver cirrhosis, or primary biliary cirrhosis.
31. Use of a compound of claim 1, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for treating fatty liver, non-alcoholic fatty liver disease, liver fibrosis, non-alcoholic steatohepatitis, primary sclerosing cholangitis, liver cirrhosis, or primary biliary cirrhosis.