




FIG. 1A




FIG. 1B




FIG. 1C




FIG. 2

ADJACENT PIXEL	DISTANCE	260
A1	.42 mm	
A2	.31 mm	
A3	.40 mm	252
B1	.26 mm	
B3	.28 mm	263
C1	.45 mm	
C2	.34 mm	
C3	.48 mm	

FIG. 3A

PIXEL PROPERTY	VALUE	260
B2 AREA:	.096 mm ²	
B2 SURFACE INCLINATION (X, Y)	(1.4, 5.1)	
B2 COLOR (RGB)	(143, 146, 148)	
ANGLE OF RAY TO CENTER OF PIXEL (X, Y)	(0.8, 1.3)	
LENGTH OF RAY TO CENTER OF PIXEL	0.30 m	
COOLING HOLE (Y/N)	NO	
LOCATION CATEGORIZATION	LEADING EDGE OF BLADE	
B2 WIDTH AT CENTER	0.33 mm	
B2 HEIGHT AT CENTER	0.25 mm	
DISTANCE FROM CENTER TO TOP-LEFT CORNER	0.20 mm	
DISTANCE FROM CENTER TO TOP SIDE	0.12 mm	
DISTANCE FROM CENTER OF TOP SIDE TO TOP-LEFT CORNER	0.16 mm	
...	...	

FIG. 3B




FIG. 4




FIG. 5

4/13




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

8/13




FIG. 14






FIG. 15

9/13






FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22