

1/26





FIGURE 1

2/26


**FIGURE 2**

3/26

CS-A		180-260 nm	185-260 nm	190-260 nm
	Helix	n.d.	n.d.	24.2 %
	Antiparallel	n.d.	n.d.	7.0 %
	Parallel	n.d.	n.d.	15.1 %
	Beta-Turn	n.d.	n.d.	15.7 %
	Rndm. Coil	n.d.	n.d.	60.7 %
	Total Sum			122.6 %
CS-B		180-260 nm	185-260 nm	190-260 nm
	Helix	n.d.	n.d.	27.4 %
	Antiparallel	n.d.	n.d.	9.2 %
	Parallel	n.d.	n.d.	11.5 %
	Beta-Turn	n.d.	n.d.	16.5 %
	Rndm. Coil	n.d.	n.d.	46.0 %
	Total Sum			110.5 %
CS-C		180-260 nm	185-260 nm	190-260 nm
	Helix	n.d.	n.d.	16.6 %
	Antiparallel	n.d.	n.d.	30.2 %
	Parallel	n.d.	n.d.	15.7 %
	Beta-Turn	n.d.	n.d.	19.3 %
	Rndm. Coil	n.d.	n.d.	54.7 %
	Total Sum			136.5 %

FIGURE 3

4/26

**FIGURE 4**

5/26




FIGURE 4
(continued)

6/26





FIGURE 4 (continued)

7/26

**FIGURE 5**

8/26







FIGURE 6

9/26

(b)

 Hipco/SDS Hipco/CS-A Hipco/SDS Hipco/CS-B Hipco/SDS Hipco/CS-C**FIGURE 6**
(continued)

10/26

(c)







FIGURE 6
(continued)

11/26

(d)





FIGURE 6
(continued)

12/26

**FIGURE 7**

13/26








FIGURE 8

14/26

(a)
CS-A(b)
CS-B(c)
CS-C

(d)

**FIGURE 9**

15/26

(A)


Atom	Atomic concentration (%)		
	SDS/Hipco	CS-A/Hipco	CS-C/Hipco
O	26.92	28.93	17.09
C	69.57	67.49	78.58
N	3.47	3.52	4.26
Na	0	0	0
S	0.04	0.06	0.07

(B)


(n, m)	Diameter(nm)	Chiral Angle (Deg)	E_B (kcal/mol)		
			Hipco/CS-A	Hipco/CS-B	Hipco/CS-C
(7,5)	0.829	24.5	-92.6±4.4	-83.8±5.6	-91.8±4.1
(8,4)	0.84	19	-89.2±4.1	-85.3±4.8	-89.9±4.5
(10,2)	0.884	9	-89.5±4.2	-86.5±5.2	-93.5±4.5
(7,6)	0.895	27.5	-93.5±4.1	-86.1±5.3	-93.5±4.3
(9,4)	0.916	17.5	-92.3±4.0	-85.2±4.8	-93.5±4.7
(8,6)	0.966	25	-93.1±4.3	-88.1±5.5	-95.2±4.2

FIGURE 10


16/26

**FIGURE 11**


17/26

**FIGURE 12**


18/26




(I) a



(I) b



(II) a



(II) b

FIGURE 13

19/26




FIGURE 14

20/26





FIGURE 14
(continued)

21/26




FIGURE 14
(continued)

22/26




FIGURE 14
(continued)

23/26




FIGURE 14
(continued)

24/26





FIGURE 15

25/26




FIGURE 15
(continued)

26/26

(n, m)	Diameter (nm)	Chiral Angle (Deg)	Calc. Inten. Factor *	Relative PL Peak intensity % Abundance				Calibrated PL intensity % Abundance			
				Hipco/ SDS	Hipco/ CS-A	Hipco/ CS-B	Hipco/ CS-C	Hipco/ SDS	Hipco/ CS-A	Hipco/ CS-B	Hipco/ CS-C
(6,5)	0.757	27	0.67	9.2%	4.3±2.5	6.8±1.2	4.1±3.8	7.5%	3.9±2.3	5.9±1.0	3.7±3.5
(7,5)	0.829	24.5	0.71	0	8.0±3.7	6.9±1.8	7.3±5.9	0	6.5±3.3	5.7±1.5	6.2±5.1
(8,4)	0.84	19	0.46	7.1%	16.0±2.2	12.0±4.7	11.5±1.6	8.4%	19.8±2.0	15.0±5.6	14.8±2.3
(10,2)	0.884	9	2.38	13.7%	14.6±1.9	12.9±3.9	17.3±2.6	3.25	3.5±0.6	3.2±1.1	4.3±0.7
(7,6)	0.895	27.5	0.47	19.1%	18.9±1.3	20.7±1.8	19.5±2.2	22.2%	22.9±1.3	25.6±1.5	24.5±2.3
(9,4)	0.916	17.5	0.70	27.2%	20.2±3.1	24.3±1.4	21.2±3.9	21.3%	16.4±2.1	20.1±0.7	17.9±3.0
(10,3)	0.936	13	0.28	7.9%	0	0	0	15.4%	0	0	0
(8,6)	0.966	25	0.49	10.7%	9.9±1.0	9.7±2.6	11.9±1.8	12.0%	11.5±1.0	11.6±3.4	14.3±1.9
(9,5)	0.976	21	0.28	5.1%	0	0	0	10.0%	0	0	0
(8,7)	1.032	27.8	0.30	0	8.4±1.9	6.6±1.0	7.3±2.4	0	15.8±3.0	12.9±2.4	14.3±4.3

*calculated intensity factor

FIGURE 16