
2009, *140*(1), 49-61; Nomura DK *et al.*, *Chem. Biol.* **2011**, *18*(7), 846-856, Jinlong Yin *et al*, *Nature Communications* **2020**, *11*, 2978).

The endocannabinoid system is also invlolved in many gastrointestinal physiological and physiopathological actions (Marquez, Suarez et al. 2009). All these effects are driven mainly via cannabinoid receptors (CBRs), CB1 and CB2. CB1 receptors are present throughout the GI tract of animals and healthy humans, especially in the enteric nervous system (ENS) and the epithelial lining, as well as smooth muscle cells of blood vessels in the colonic wall (Wright, Rooney et al. 2005), (Duncan, Davison et al. 2005). Activation of CB1 produces anti-emetic, anti-motility, and anti-inflammatory effect, and help to modulate pain (Perisetti, Rimu et al. 2020). CB2 receptors are expressed in immune cells such as plasma cells and macrophages, in the lamina propria of the GI tract (Wright, Rooney et al. 2005), and primarily on the epithelium of human colonic tissue associated with inflammatory bowel disease (IBD). Activation of CB2 exerts anti-inflammatory effect by reducing pro-inflammatory cytokines. Expression of MAGL is increased in colonic tissue in UC patients (Marquez, Suarez et al. 2009) and 2-AG levels are increased in plasma of IBD patients (Grill, Hogenauer et al. 2019). Several animal studies have demonstrated the potential of MAGL inhibitors for symptomatic treatment of IBD. MAGL inhibition prevents TNBS-induced mouse colitis and decreases local and circulating inflammatory markers via a CB1/CB2 MoA (Marquez, Suarez et al. 2009). Furthermore, MAGL inhibition improves gut wall integrity and intestinal permeability via a CB1 driven MoA (Wang, Zhang et al. 2020).

In conclusion, suppressing the action and/or the activation of MAGL is a promising new therapeutic strategy for the treatment or prevention of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders, inflammatory bowel disease, abdominal pain and abdominal pain associated with irritable bowel syndrome. Furthermore, suppressing the action and/or the activation of MAGL is a promising new therapeutic strategy for providing neuroprotection and myelin regeneration. Accordingly, there is a high unmet medical need for new MAGL inhibitors.

Summary


The present disclosure provides compounds of formula (I)



(I)

wherein A, B, X, and R^1 to R^7 are as defined herein.


In one aspect, the present disclosure provides a compound of formula (I)





(I)


or a pharmaceutically acceptable salt thereof, wherein:

X is CR^8 or N;


A is selected from 

, 


, 


, 


, 

, 


;





; 


; 


;





; 


; 


; 


; 


; 


; 


; 


; 


; 

; 

; 


; 

; 


; and 


;


B is a heteroaryl selected from B-1 to B-10:



(B-1); 



(B-2); 


(B-3); 


(B-4); 

(B-5);



(B-6); 
(B-7); 

(B-8); 

(B-9); 

(B-10) wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, 5- to 6-membered heteroaryl, and 3- to 14-membered heterocyclyl;


D is selected from C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, C_6-C_{14}-aryl, and 5- to 14-membered heteroaryl;

E is selected from C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–OCH_2–$, $–CH_2NH–$, $–NHCH_2–$, $–CH_2OCH_2–$, $–O–$, $–NH–$, $–CH_2CH_2–$, $–CH=CH–$, , $–SO_2NH–$, $–NHSO_2–$, $–SO_2NHCH_2–$, $–CH_2NHSO_2–$, $–SO_2–$, $–CH_2SO_2–$, $–SO_2CH_2–$, $–(CH_2)_2SO_2–$, $–SO_2(CH_2)_2–$, carbonyl, –NHC(O)– and –C(O)NH–;

L^2 is selected from a covalent bond, $–CH_2–$, $–CH_2NH–$, $–NHCH_2–$, $–NH–$, $–N(C_1$-C_6-alkyl)– and $–SO_2–$;

L^3 is selected from a covalent bond and $–CH_2–$;

R^1 is selected from hydrogen, halogen, a group 


, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, C_1-C_6-alkyl-$SO_2NH–$, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl-$S(O)_2–$, C_1-C_6-alkyl-$SO_2–$, halo-C_1-C_6-alkyl-$S(O)_2–$, $(C_1$-C_6-alkyl$)_2N$-$SO_2–$, and halo-C_1-C_6-alkyl-C(O)–;


R^2, R^3, and R^4 are each independently selected from hydrogen, halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and 3- to 14-membered heterocyclyl;


R^5 and R^6 are each independently selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl; wherein said C_3-C_{10}-cycloalkyl and 3- to 14-membered heterocyclyl are optionally substituted with 1, 2 or 3 substituents selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, and hydroxy;

R^7 is absent or is selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and halo-C_1-C_6-alkoxy;

R^8 is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, and hydroxy;

R^9 is selected from hydrogen, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, halogen, cyano, SF_5, C_1-C_6-alkyl-SO_2–, halo-C_1-C_6-alkyl-SO_2–, (C_1-C_6-alkyl)$_2$-PO–, amino, carboxy, carboxy-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl–, NH_2SO_2–, carbamoyl, C_1-C_6-alkyl-C(O)NH–, halo-C_1-C_6-alkyl-NHC(O)–, oxo, a group 

, a group 


and a group 

;

R^{10} and R^{11} are each independently selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and oxo;

R^{12} is selected from hydrogen, carbamoyl, C_1-C_6-alkyl-NHC(O)–, and halo-C_6-C_{14}-aryl and R^{13} is hydrogen; or

R^{12} and R^{13}, taken together with the carbon atom to which they are attached, form a C_3-C_{10}-cycloalkyl;

R^{14} is selected from hydrogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, carbamoyl, hydroxy, oxo, C_1-C_6-alkyl-SO_2–, a group 

;

R^{15} is selected from hydrogen, halogen, hydroxy, oxo, C_1-C_6-alkyl;

R^{16} is selected from hydrogen and halogen; and

R^{17} is selected from hydrogen, C_1-C_6-alkyl, and halo-C_1-C_6-alkyl.

The present disclosure provides a process of manufacturing the compounds of formula (I) described herein, or pharmaceutically acceptable salts thereof, wherein the process is as described in any one of schemes 1 to 44.

The present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, when manufactured according to the processes described herein.

In a further aspect, the present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, for use as therapeutically active substance.

In a further aspect, the present disclosure provides a pharmaceutical composition comprising a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, and a therapeutically inert carrier.

The present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, for use in a method of inhibiting monoacylglycerol lipase in a mammal.

The present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, for use in the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.


In a further aspect, the present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as described herein for use in the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.

In a further aspect, the present disclosure provides use of a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as described herein in manufacture of a medicament for the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.

The present disclosure provides a compound of formula (I) as described herein, or a pharmaceutically acceptable salt thereof, for use in the treatment or prophylaxis of multiple sclerosis, Alzheimer’s disease, Parkinson’s disease, amyotrophic

CLAIMS




















1. A compound of formula (I)





(I)

or a pharmaceutically acceptable salt thereof, wherein:


X is CR^8 or N;


A is selected from , , , , , ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;



; 





;







; and 

;

B is a heteroaryl selected from B-1 to B-10:

 (B-1);  (B-2);  (B-3);  (B-4);  (B-5);

 (B-6);  (B-7);  (B-8);  (B-9);  (B-10) wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, 5- to 6-membered heteroaryl, and 3- to 14-membered heterocyclyl;


D is selected from C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, C_6-C_{14}-aryl, and 5- to 14-membered heteroaryl;

E is selected from C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–OCH_2–$, $–CH_2NH–$, $–NHCH_2–$, $–CH_2OCH_2–$, $–O–$, $–NH–$, $–CH_2CH_2–$, $–CH=CH–$, , $–SO_2NH–$, $–NHSO_2–$, $–SO_2NHCH_2–$, $–CH_2NHSO_2–$, $–SO_2–$, $–CH_2SO_2–$, $–SO_2CH_2–$, $–(CH_2)_2SO_2–$, $–SO_2(CH_2)_2–$, carbonyl, –NHC(O)– and –C(O)NH–;

L^2 is selected from a covalent bond, $–CH_2–$, $–CH_2NH–$, $–NHCH_2–$, $–NH–$, $–N(C_1$-C_6-alkyl)– and $–SO_2–$;

L^3 is selected from a covalent bond and $–CH_2–$;

R^1 is selected from hydrogen, halogen, a group 

, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, C_1-C_6-alkyl-$SO_2NH–$, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl-$S(O)_2–$, C_1-C_6-alkyl-$SO_2–$, halo-C_1-C_6-alkyl-$S(O)_2–$, $(C_1$-C_6-alkyl$)_2$N-$SO_2–$, and halo-C_1-C_6-alkyl-C(O)–;


R^2, R^3, and R^4 are each independently selected from hydrogen, halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and 3- to 14-membered heterocyclyl;

R^5 and R^6 are each independently selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl; wherein said C_3-C_{10}-cycloalkyl and 3- to 14-membered heterocyclyl are optionally substituted with 1, 2 or 3 substituents selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, and hydroxy;


R^7 is absent or is selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and halo-C_1-C_6-alkoxy;

R^8 is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, and hydroxy;


R^9 is selected from hydrogen, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, halogen, cyano, SF_5, C_1-C_6-alkyl-SO_2–, halo-C_1-C_6-alkyl-SO_2–, (C_1-C_6-alkyl)$_2$-PO–, amino, carboxy, carboxy-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl–, NH_2SO_2–, carbamoyl, C_1-C_6-alkyl-C(O)NH–, halo-C_1-C_6-alkyl-NHC(O)–, oxo, a group



, a group



and a group




;

R^{10} and R^{11} are each independently selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and oxo;

R^{12} is selected from hydrogen, carbamoyl, C_1-C_6-alkyl-NHC(O)–, and halo-C_6-C_{14}-aryl and R^{13} is hydrogen; or

R^{12} and R^{13}, taken together with the carbon atom to which they are attached, form a C_3-C_{10}-cycloalkyl;

R^{14} is selected from hydrogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, carbamoyl, hydroxy, oxo, C_1-C_6-alkyl-SO_2–, a group



;


R^{15} is selected from hydrogen, halogen, hydroxy, oxo, C_1-C_6-alkyl;


R^{16} is selected from hydrogen and halogen; and


R^{17} is selected from hydrogen, C_1-C_6-alkyl, and halo-C_1-C_6-alkyl.


2. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:


X is CR^8;


A is selected from 


, 


, 


, 


, 


, 


; 


; 


; 


; 


; 


; 


; 


; 


; 

; 


; 


; 

; 


; 


;



; 





;



; and 


;

B is a heteroaryl selected from B-1 to B-6:

 (B-1);  (B-2);  (B-3);  (B-4);  (B-5);  (B-6); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, 5- to 6-membered heteroaryl, and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–OCH_2–$, $–CH_2NH–$, $–NHCH_2–$, $–CH_2OCH_2–$, $–O–$, $–NH–$, , $–SO_2NH–$, $–NHSO_2–$, $–SO_2NHCH_2–$, $–CH_2NHSO_2–$, $–SO_2–$, $–CH_2SO_2–$, $–SO_2CH_2–$, $–(CH_2)_2SO_2–$, $–SO_2(CH_2)_2–$, carbonyl, $–NHC(O)–$ and $–C(O)NH–$;

R^1 is selected from hydrogen, halogen, a group 

, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, C_1-C_6-alkyl-$SO_2NH–$, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl-$S(O)_2–$, C_1-C_6-alkyl-$SO_2–$, halo-C_1-C_6-alkyl-$S(O)_2–$, $(C_1$-C_6-alkyl$)_2N$-$SO_2–$, and halo-C_1-C_6-alkyl-$C(O)–$;

R^2, R^3, and R^4 are each independently selected from hydrogen, halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and 3- to 14-membered heterocyclyl;

R^5 and R^6 are each independently selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;

wherein C_3-C_{10}-cycloalkyl and 3- to 14-membered heterocyclyl are optionally substituted with 1, 2 or 3 substituents selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, and hydroxy;

R^7 is absent or is selected from hydrogen, halogen, cyano, hydroxy, amino, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and halo-C_1-C_6-alkoxy;

R^8 is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, and hydroxy;

R^9 is selected from hydrogen, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, halogen, cyano, SF_5, C_3-C_{10}-cycloalkyl, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl–, 3- to 14-membered heterocyclyl, C_6-C_{14}-aryl, C_1-C_6-alkyl-SO_2–, amino, carboxy, carboxy-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl–, NH_2SO_2–, carbamoyl, C_1-C_6-alkyl-C(O)NH–, halo-C_1-C_6-alkyl-NHC(O)– and oxo;


wherein C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, and C_6-C_{14}-aryl are optionally substituted with 1, 2, or 3 substituents selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, 3- to 14-membered heterocyclyl, halogen, cyano, amino, and hydroxy;


R^{10} and R^{11} are each independently selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and oxo;


R^{12} is selected from hydrogen, carbamoyl, C_1-C_6-alkyl-NHC(O)–, and halo-C_6-C_{14}-aryl and R^{13} is hydrogen; or


R^{12} and R^{13}, taken together with the carbon atom to which they are attached, form a C_3-C_{10}-cycloalkyl.


3. The compound of formula (I) according to claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein:


A is selected from 


, 


, 


, 

, 


, 


; 


; 


; 


;





; 


; 


; 


; 


; 


; 


; 


; 


; 

; 

; 

; 

; 

; and 

;

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, 5- to 6-membered heteroaryl, and 3- to 14-membered heterocyclyl;


D is selected from C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, C_6-C_{14}-aryl and 5- to 14-membered heteroaryl;

E is selected from C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–CH_2NH–$, $–CH_2OCH_2–$, –O–, –NH–, , $–SO_2NH–$, $–NHSO_2–$, $–SO_2NHCH_2–$, $–CH_2NHSO_2–$, $–SO_2–$, $–CH_2SO_2–$, $–(CH_2)_2SO_2–$, carbonyl, and –C(O)NH–;

L^2 is selected from a covalent bond, $–CH_2–$, $–CH_2NH–$, $–NHCH_2–$, –NH–, $–N(C_1$-C_6-alkyl)– and $–SO_2–$;




L^3 is selected from a covalent bond and $–CH_2–$;

R^1 is selected from a group , halo-C_1-C_6-alkoxy, C_1-C_6-alkyl-SO_2NH–, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl-$S(O)_2$–, C_1-C_6-alkyl-SO_2–, halo-C_1-C_6-alkyl-$S(O)_2$–, $(C_1$-C_6-alkyl$)_2N$-SO_2–, and halo-C_1-C_6-alkyl-C(O)–;

R^2 is selected from hydrogen, halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and 3- to 14-membered heterocyclyl;

R^3 is selected from hydrogen and halogen;

R^4 is hydrogen;

R^9 is selected from hydrogen, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, halogen, cyano, SF_5, C_1-C_6-alkyl-SO_2–, halo-C_1-C_6-alkyl-SO_2–, $(C_1$-C_6-alkyl$)_2$-PO–, amino, carboxy, carboxy-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl–, NH_2SO_2–, carbamoyl, C_1-C_6-alkyl-C(O)NH–, halo-C_1-C_6-alkyl-NHC(O)–, oxo, a group , a group  and a group ;


wherein C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, and C_6-C_{14}-aryl are optionally substituted with 1 or 2 substituents selected from halo-C_1-C_6-alkyl, 3- to 14-membered heterocyclyl, halogen, and hydroxy;

R^{10} is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and oxo;

R^{11} is selected from hydrogen and halogen;

R^{12} is selected from hydrogen, carbamoyl, C_1-C_6-alkyl-NHC(O)–, and halo-C_6-C_{14}-aryl and R^{13} is hydrogen; or

R^{12} and R^{13}, taken together with the carbon atom to which they are attached, form a C_3-C_{10}-cycloalkyl;

R^{14} is selected from hydrogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, carbamoyl, hydroxy, oxo, C_1-C_6-alkyl-SO_2–, a group 


;


R^{15} is selected from hydrogen, halogen, hydroxy, oxo, and C_1-C_6-alkyl;


R^{16} is selected from hydrogen and halogen; and


R^{17} is selected from hydrogen, C_1-C_6-alkyl, and halo-C_1-C_6-alkyl.


4. The compound of formula (I) according to claim 3, or a pharmaceutically acceptable salt thereof, wherein:


A is selected from 


, 


, 


, 


, 


, 


; 


; 


; 


; 


; 


; 


; 


; 

; 

; 

; 

; 

; 

; and .

5. The compound of formula (I) according to claim 3, or a pharmaceutically acceptable salt thereof, wherein:


A is selected from phenyl, pyridyl, azetidinyl, 2-azaspiro[3.3]heptan-2-yl, 2,6-diazaspiro[3.3]heptanyl, and 2-azaspiro[3.5]nonan-2-yl;

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, and 5- to 14-membered heteroaryl;

D is selected from C_3-C_{10}-cycloalkyl and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–O–$, $–SO_2NH–$, and $–SO_2–$;


L^2 is selected from a covalent bond and $–CH_2–$;


R^1 is a group 


;

R^2 is selected from hydrogen and C_1-C_6-alkyl;

R^3, R^4, R^{12}, and R^{13} are all hydrogen;

R^9 is selected from halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, SF_5, C_1-C_6-alkyl-$SO_2–$, a group 

, a group 

and a group 

;

R^{10} is selected from hydrogen, halogen, halo-C_1-C_6-alkyl, and C_1-C_6-alkoxy;

R^{11} is selected from hydrogen and halogen;

R^{14} is selected from hydrogen and halo-C_1-C_6-alkyl;

R^{15} is selected from hydrogen and hydroxy; and

R^{16} is hydrogen.

6. The compound of formula (I) according to claim 5, or a pharmaceutically acceptable salt thereof, wherein:


A is selected from phenyl, pyridyl, azetidinyl, 2-azaspiro[3.3]heptan-2-yl, 2,6-diazaspiro[3.3]heptanyl, and 2-azaspiro[3.5]nonan-2-yl;

C is selected from phenyl, cyclopropyl, pyridyl, 1,2,4-oxadiazolyl, pyrazinyl, and pyrimidinyl;

D is selected from cyclopropyl, azetidinyl, and pyrrolidinyl;




L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, –O–, $–SO_2NH–$, and $–SO_2–$;

L^2 is selected from a covalent bond and $–CH_2–$;

R^1 is a group ;

R^2 is selected from hydrogen and methyl;

R^3, R^4, R^{12}, and R^{13} are all hydrogen;

R^9 is selected from fluoro, chloro, tert-butyl, CF_3, CF_3O, SF_5, methylsulfonyl, a group , a group  and a group ;

R^{10} is selected from hydrogen, fluoro, chloro, CF_3, and methoxy;

R^{11} is selected from hydrogen and fluoro;










R^{14} is selected from hydrogen and CF_3;

R^{15} is selected from hydrogen and hydroxy; and

R^{16} is hydrogen.

7. The compound of formula (I) according to any one of claims 1 to 6, or a pharmaceutically acceptable salt thereof, wherein:

B is a heteroaryl selected from B-1 to B-10:


 (B-1);  (B-2);  (B-3);  (B-4);  (B-5);  (B-6);  (B-7);  (B-8);  (B-9);  (B-10); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

R^5 is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl; wherein said C_3-C_{10}-cycloalkyl is optionally substituted with one substituent selected from hydroxy and C_1-C_6-alkyl;

R^6 is selected from hydrogen and halogen; and

R^7 is absent or hydrogen.

8. The compound of formula (I) according to claim 7, or a pharmaceutically acceptable salt thereof, wherein:


B is  (B-3); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

R^5 is selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and C_3-C_{10}-cycloalkyl, wherein said C_3-C_{10}-cycloalkyl is optionally substituted with one hydroxy substituent;

R^6 is hydrogen; and

R^7 is absent.

9. The compound of formula (I) according to claim 8, or a pharmaceutically acceptable salt thereof, wherein:

B is  (B-3); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

R^5 is selected from ethyl, CF_3, and cyclopropyl, wherein said cyclopropyl is optionally substituted with one hydroxy substituent;

R^6 is hydrogen; and

R^7 is absent.

10. The compound of formula (I) according to any one of claims 1 to 9, or a pharmaceutically acceptable salt thereof, wherein:

X is CR^8 or N; and

R^8 is hydrogen or hydroxy.


11. The compound of formula (I) according to claim 10, or a pharmaceutically acceptable salt thereof, wherein:


X is CR^8; and


R^8 is hydrogen.


12. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:


X is CR^8 or N;


A is selected from 


, 


, 


, 


, 


, 


; 


; 


; 


; 


; 


; 


; 


; 


; 


; 


; 


; 


; 

; 

; 









; 

; 

; and 

;

B is a heteroaryl selected from B-1 to B-10:

 (B-1);  (B-2);  (B-3);  (B-4);  (B-5);  (B-6);  (B-7);  (B-8);  (B-9);  (B-10); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, 5- to 6-membered heteroaryl, and 3- to 14-membered heterocyclyl;


D is selected from C_3-C_{10}-cycloalkyl, 3- to 14-membered heterocyclyl, C_6-C_{14}-aryl and 5- to 14-membered heteroaryl;

E is selected from C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–CH_2NH–$, $–CH_2OCH_2–$, –O–, –NH–, , $–SO_2NH–$, $–NHSO_2–$, $–SO_2NHCH_2–$, $–CH_2NHSO_2–$, $–SO_2–$, $–CH_2SO_2–$, $–(CH_2)_2SO_2–$, carbonyl, and –C(O)NH–;

L^2 is selected from a covalent bond, $–CH_2–$, $–CH_2NH–$, $–NHCH_2–$, –NH–, $–N(C_1\text{-}C_6\text{-alkyl})–$ and $–SO_2–$;

L^3 is selected from a covalent bond and $–CH_2–$;

R^1 is selected from a group , halo-C_1-C_6-alkoxy, C_1-C_6-alkyl-$SO_2NH–$, C_3-C_{10}-cycloalkyl-C_1-C_6-alkyl-$S(O)_2–$, C_1-C_6-alkyl-$SO_2–$, halo-C_1-C_6-alkyl-$S(O)_2–$, $(C_1\text{-}C_6\text{-alkyl})_2N\text{-}SO_2–$, and halo-$C_1$-$C_6$-alkyl-C(O)–;

R^2 is selected from hydrogen, halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and 3- to 14-membered heterocyclyl;

R^3 is selected from hydrogen and halogen;

R^4 is hydrogen;

R^5 is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, C_3-C_{10}-cycloalkyl, and 3- to 14-membered heterocyclyl;


wherein said C_3-C_{10}-cycloalkyl is optionally substituted with one substituent selected from hydroxy and C_1-C_6-alkyl;

R^6 is selected from hydrogen and halogen;


R^7 is absent or hydrogen;

R^8 is hydrogen or hydroxy;


R^9 is selected from hydrogen, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, halogen, cyano, SF_5, C_1-C_6-alkyl-SO_2–, halo-C_1-C_6-alkyl-SO_2–, (C_1-C_6-alkyl)$_2$-PO–, amino, carboxy, carboxy-C_1-C_6-alkyl, C_1-C_6-alkoxycarbonyl, C_1-C_6-alkoxycarbonyl-C_1-C_6-alkyl–, NH_2SO_2–, carbamoyl, C_1-C_6-alkyl-C(O)NH–, halo-C_1-C_6-alkyl-NHC(O)–, oxo, a group



, a group



and a group



;


R^{10} is selected from hydrogen, halogen, cyano, C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkyl, and oxo;

R^{11} is selected from hydrogen and halogen;

R^{12} is selected from hydrogen, carbamoyl, C_1-C_6-alkyl-NHC(O)–, and halo-C_6-C_{14}-aryl and R^{13} is hydrogen; or

R^{12} and R^{13}, taken together with the carbon atom to which they are attached, form a C_3-C_{10}-cycloalkyl;

R^{14} is selected from hydrogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, C_1-C_6-alkoxy, halo-C_1-C_6-alkoxy, halogen, cyano, amino, carbamoyl, hydroxy, oxo, C_1-C_6-alkyl-SO_2–, and a group



;

R^{15} is selected from hydrogen, halogen, hydroxy, oxo, and C_1-C_6-alkyl;


R^{16} is selected from hydrogen and halogen; and

R^{17} is selected from hydrogen, C_1-C_6-alkyl, and halo-C_1-C_6-alkyl.

13. The compound of formula (I) according to claim 12, or a pharmaceutically acceptable salt thereof, wherein:

X is CR^8;

A is selected from phenyl, pyridyl, azetidinyl, 2-azaspiro[3.3]heptan-2-yl, 2,6-diazaspiro[3.3]heptanyl, and 2-azaspiro[3.5]nonan-2-yl;


B is  (B-3); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from C_6-C_{14}-aryl, C_3-C_{10}-cycloalkyl, and 5- to 14-membered heteroaryl;

D is selected from C_3-C_{10}-cycloalkyl and 3- to 14-membered heterocyclyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–O–$, $–SO_2NH–$, and $–SO_2–$;

L^2 is selected from a covalent bond and $–CH_2–$;




R^1 is a group ;

R^2 is selected from hydrogen and C_1-C_6-alkyl;

R^3, R^4, R^6, R^8, R^{12}, and R^{13} are all hydrogen;

R^5 is selected from C_1-C_6-alkyl, halo-C_1-C_6-alkyl, and C_3-C_{10}-cycloalkyl, wherein said C_3-C_{10}-cycloalkyl is optionally substituted with one hydroxy substituent;

R^7 is absent;

R^9 is selected from halogen, C_1-C_6-alkyl, halo-C_1-C_6-alkyl, halo-C_1-C_6-alkoxy, SF_5, C_1-C_6-alkyl-$SO_2–$, a group , a group  and a group ;

R^{10} is selected from hydrogen, halogen, halo-C_1-C_6-alkyl, and C_1-C_6-alkoxy;

R^{11} is selected from hydrogen and halogen;

R^{14} is selected from hydrogen and halo-C_1-C_6-alkyl;


R^{15} is selected from hydrogen and hydroxy; and

R^{16} is hydrogen.

14. The compound of formula (I) according to claim 13, or a pharmaceutically acceptable salt thereof, wherein:

X is CR^8;

A is selected from phenyl, pyridyl, azetidinyl, 2-azaspiro[3.3]heptan-2-yl, 2,6-diazaspiro[3.3]heptanyl, and 2-azaspiro[3.5]nonan-2-yl;


B is  (B-3); wherein the wavy line indicates the point of attachment to the remainder of formula (I);

C is selected from phenyl, cyclopropyl, pyridyl, 1,2,4-oxadiazolyl, pyrazinyl, and pyrimidinyl;

D is selected from cyclopropyl, azetidinyl, and pyrrolidinyl;

L^1 is selected from a covalent bond, $–CR^{12}R^{13}–$, $–CH_2O–$, $–O–$, $–SO_2NH–$, and $–SO_2–$;

L^2 is selected from a covalent bond and $–CH_2–$;




R^1 is a group ;

R^2 is selected from hydrogen and methyl;

R^3, R^4, R^6, R^8, R^{12}, and R^{13} are all hydrogen;

R^5 is selected from ethyl, CF_3, and cyclpropyl, wherein said cyclopropyl is optionally substituted with one hydroxy substituent;

R^7 is absent;

R^9 is selected from fluoro, chloro, tert-butyl, CF_3, CF_3O, SF_5, methylsulfonyl, a group , a group  and a group ;

R^{10} is selected from hydrogen, fluoro, chloro, CF_3, and methoxy;

R^{11} is selected from hydrogen and fluoro;

R^{14} is selected from hydrogen and CF_3;

R^{15} is selected from hydrogen and hydroxy; and

R^{16} is hydrogen.

15. The compound of formula (I) according to claim 1, or a pharmaceutically acceptable salt thereof, selected from:

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(4-(1-(trifluoromethyl)cyclopropyl)phenyl)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(3-((1-(trifluoromethyl)cyclopropyl)methyl)-1,2,4-oxadiazol-5-yl)azetidin-1-yl)methanone;

(4-(5-(tert-butyl)-1,2,4-oxadiazol-3-yl)phenyl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(4-(5-(tert-butyl)-1,2,4-oxadiazol-3-yl)phenyl)(6-(3-(trifluoromethyl)-1H-1,2,4-triazol-1-yl)-2-azaspiro [3.3]heptan-2-yl)methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-[3-(trifluoromethyl)pyrazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-chloropyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

1-[2-[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)benzoyl]-2-azaspiro[3.3]heptan-6-yl]pyrazole-3-carbonitrile;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-[3-(1-methylcyclopropyl)pyrazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-[5-(1-methylcyclopropyl)pyrazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-methoxypyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4,5,6,7-tetrahydroindazol-2-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-methoxypyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(6,7-dihydro-4H-pyrano[4,3-c]pyrazol-2-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-fluoropyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-[5-(trifluoromethyl)pyrazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(5-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(6,7-dihydro-4H-pyrano[4,3-c]pyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(5-methoxypyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

1-[2-[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)benzoyl]-2-azaspiro[3.3]heptan-6-yl]-1,2,4-triazole-3-carbonitrile;

1-[2-[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)benzoyl]-2-azaspiro[3.3]heptan-6-yl]pyrazole-4-carbonitrile;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4,5,6,7-tetrahydroindazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(6-methyl-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-fluoro-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-methyl-5-[[1-(trifluoromethyl)cyclopropyl]methoxy]pyrazin-2-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-fluoro-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-fluoro-6-[(1-methylcyclopropyl)methoxy]-3-pyridyl]methanone;

[[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-fluoro-6-[(1-methylcyclopropyl)methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[1-(trifluoromethyl)cyclopropyl]methoxy]pyrimidin-5-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]pyridazin-3-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(trifluoromethoxy)phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(1-morpholinocyclopropyl)phenyl]azetidin-1-yl]methanone;

6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(1,1-difluoroethyl)phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-fluoro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(2,2,2-trifluoroethyl)phenyl]azetidin-1-yl]methanone;

[3-(4-cyclopropyl-2-fluoro-phenyl)azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

5-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]-2-(trifluoromethoxy)benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[2-methoxy-4-(trifluoromethyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[2-fluoro-4-(trifluoromethoxy)phenoxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[4-(trifluoromethyl)phenoxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-(4-tert-butylphenyl)azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(2-chloro-4-fluoro-phenoxy)-2-azaspiro[3.3]heptan-2-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-(3-fluoro-5-(trifluoromethyl)phenoxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

2-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]oxy]-5-(trifluoromethoxy)benzonitrile;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[1-(trifluoromethyl)cyclopropyl]phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[2-fluoro-4-(pentafluoro-λ⁶-sulfanyl)phenyl]methoxy]azetidin-1-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-(3,4-difluorobenzyl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((6-(trifluoromethyl)pyrazin-2-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)-2-pyridyl]oxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-chloro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[4-(trifluoromethoxy)phenoxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[2-(trifluoromethyl)pyrimidin-4-yl]oxy-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((6-(difluoromethoxy)pyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)pyrimidin-4-yl]oxy-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[4-(trifluoromethyl)pyrimidin-2-yl]oxy-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-(2,4-difluorophenoxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((6-methoxypyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((2-(trifluoromethyl)pyrimidin-5-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)pyridazin-3-yl]oxy-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((5-fluoropyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(4-(5-(tert-butyl)-1,2,4-oxadiazol-3-yl)phenyl)(6-(4-cyclopropyl-1H-imidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(2,2,2-trifluoroethoxy)-2-azaspiro[3.3]heptan-2-yl]methanone;

4-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]oxy]-1-methyl-pyridin-2-one;

[6-(5-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[1-(trifluoromethyl)cyclopropyl]phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(3,4-difluorophenoxy)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-chloro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]-[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[5-(trifluoromethyl)pyrazin-2-yl]oxy-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-(trifluoromethoxy)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((2-fluoro-5-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((3-fluoro-4-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((2-fluoro-4-(trifluoromethoxy)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((3-fluoro-5-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

(3-((2-chloro-4-fluorobenzyl)oxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-fluoro-2-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-(2,5-difluorophenoxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((6-(trifluoromethyl)pyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((5-(trifluoromethyl)pyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-((5-chloropyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-((6-chloropyridin-3-yl)oxy)-2-azaspiro[3.3]heptan-2-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[3-[2-chloro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3,5-difluoro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-fluoro-4-(trifluoromethoxy)phenyl]azetidin-1-yl]methanone;

[3-(2-tert-butylthiazol-4-yl)azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[4-[5-(2,2-dimethylpropyl)-1,2,4-oxadiazol-3-yl]phenyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[2-fluoro-4-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-cyclobutyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aR,6aS)-5-(2-chloro-4-fluoro-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[4-(difluoromethoxy)phenyl]ethynyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aR,6aS)-5-(2-chloro-4-fluoro-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

(3-(2-chloro-3-cyclopropylphenoxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(3-(4-chloro-3-cyclopropylphenoxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(2-fluoro-4-(trifluoromethyl)phenoxy)azetidin-1-yl)methanone;

(3-(2-chloro-4-methylphenoxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(2,4-dichlorophenoxy)azetidin-1-yl)methanone;

(3-(4-chloro-2-fluorophenoxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(3-((2-chloro-6-methylpyridin-3-yl)oxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(trifluoromethyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[2-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[3-fluoro-4-(trifluoromethyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(pentafluoro-λ⁶-sulfanyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[2-fluoro-4-(pentafluoro-λ⁶-sulfanyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-methyl-3-(trifluoromethyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[2-(difluoromethyl)phenyl]ethynyl]azetidin-1-yl]methanone;

[3-[(4-chloro-2-fluoro-phenyl)methoxy]azetidin-1-yl]-[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[(2-chloro-4-fluoro-phenyl)methoxy]azetidin-1-yl]-[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[(2,4-difluorophenyl)methoxy]azetidin-1-yl]methanone;

4-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]oxy]-3-fluoro-benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[4-(difluoromethoxy)-2-fluoro-phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[4-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

2-[[rac-(3aS,6aR)-2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-5-yl]oxy]-5-(trifluoromethyl)benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[3-chloro-4-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[2-methoxy-4-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[3-fluoro-4-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

5-[[rac-(3aS,6aR)-2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-5-yl]oxy]-2-(trifluoromethyl)benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(3,4-difluorophenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[4-fluoro-3-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(2,4-difluorophenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-2-methoxy-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-2-methylsulfonyl-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(2,4,6-trifluorophenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-3-methyl-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-3-chloro-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

2-fluoro-5-[[rac-(3aS,6aR)-2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-5-yl]oxy]benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4,5-difluoro-2-methyl-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

5-fluoro-2-[[rac-(3aS,6aR)-2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-5-yl]oxy]benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-3-methylsulfonyl-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(4-fluoro-3-methoxy-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[2,4-difluoro-5-(trifluoromethyl)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[4-fluoro-3-(trifluoromethoxy)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[4-(trifluoromethoxy)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-[3-fluoro-4-(trifluoromethoxy)phenoxy]-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[5-(trifluoromethyl)-3-pyridyl]methoxy]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-methyl-3-[[4-(trifluoromethyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[2-(difluoromethyl)phenyl]ethynyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[5-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-3-yl]azetidin-1-yl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[(1-methylcyclopropyl)methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[(1-methylcyclopropyl)methoxy]-3-pyridyl]methanone;

[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(2,2,2-trifluoroethoxy)pyrazol-1-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[5-[1-(trifluoromethyl)cyclopropyl]-1,3,4-oxadiazol-2-yl]azetidin-1-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-methylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(4-methylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-methylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[8-[[1-(trifluoromethyl)cyclopropyl]methoxy]-5-azaspiro[2.5]octan-5-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3,3-difluoro-4-[[1-(trifluoromethyl)cyclopropyl]methoxy]-1-piperidyl]methanone;

[6-(3-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-(2,2,2-trifluoro-1,1-dimethyl-ethoxy)-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-(trifluoromethyl)-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-(oxetan-3-yl)-6-[[1-(trifluoromethyl)cyclopropyl]methoxy]-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[4-[[1-(trifluoromethyl)cyclopropyl]methoxymethyl]-1-bicyclo[2.2.2]octanyl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-ethyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-ethylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-[4-(trifluoromethyl)imidazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(4-chloroimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

1-[2-[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)benzoyl]-2-azaspiro[3.3]heptan-6-yl]imidazole-4-carbonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[4-[[1-(trifluoromethyl)cyclopropyl]methoxymethyl]norbornan-1-yl]methanone;

[3-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-1-bicyclo[1.1.1]pentanyl]-[6-(4-cyclopropylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-(5-tert-butyl-1,2,4-oxadiazol-3-yl)-1-bicyclo[1.1.1]pentanyl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[1-[1-(trifluoromethyl)cyclopropyl]triazol-4-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(2,2,2-trifluoroethoxy)pyrazol-1-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[1-(trifluoromethyl)cyclopropyl]-1,2,4-oxadiazol-5-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[1-[3-(trifluoromethyl)oxetan-3-yl]triazol-4-yl]azetidin-1-yl]methanone;

[4-(5-tert-butyl-1,3,4-oxadiazol-2-yl)phenyl]-[6-(3-chloro-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,3,4-oxadiazol-2-yl)phenyl]-[6-(3-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(1-tert-butylpyrazol-4-yl)phenyl]-[6-(3-chloro-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(3-chloro-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[1-(trifluoromethyl)cyclopropyl]methoxymethyl]cyclobutyl]methanone;

[6-(3-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-(2,2,2-trifluoro-1,1-dimethyl-ethoxy)-3-pyridyl]methanone;

[6-(3-chloro-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[5-methyl-6-(2,2,2-trifluoro-1,1-dimethyl-ethoxy)-3-pyridyl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[1-(trifluoromethyl)cyclopropyl]methoxy]cyclobutyl]methanone;

(6-(3-(azetidin-1-yl)-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-(trifluoromethyl)benzyl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-4-yl)-2-azaspiro[3.3]heptan-2-yl]-[rac-(3aS,6aR)-5-(2-chloro-4-fluoro-phenoxy)-3,3a,4,5,6,6a-hexahydro-1H-cyclopenta[c]pyrrol-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(2-cyclopropyloxazol-5-yl)-6-hydroxy-2-azaspiro[3.3]heptan-2-yl]methanone;

[4-(5-tert-butyl-1,2,4-oxadiazol-3-yl)phenyl]-[6-(5-cyclopropylpyrazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-(1-tert-butylpyrazol-4-yl)azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-methyl-4-(trifluoromethoxy)phenyl]azetidin-1-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(4-cyclopropylphenoxy)azetidin-1-yl)methanone;

[6-(3-cyclobutyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

(3-((3-chloro-4-cyclopropylpyridin-2-yl)oxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(3-ethyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(3-cyclopropyl-4-(trifluoromethyl)phenoxy)azetidin-1-yl)methanone;

5-cyclopropyl-2-((1-(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl)azetidin-3-yl)oxy)benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[2-fluoro-4-(trifluoromethyl)benzyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(4-cyclopropyl-2-fluorophenoxy)azetidin-1-yl)methanone;

2-cyclopropyl-6-((1-(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl)azetidin-3-yl)oxy)benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(3-mesylbenzyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

methyl 3-[3-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]oxyphenyl]-2,2-dimethylpropanoate;

N-[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]-3-(trifluoromethyl)benzenesulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]-2-yl]-[6-[[4-fluoro-2-(trifluoromethyl)phenyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[4-[(R)-(3-cyclopropyl-1,2,4-oxadiazol-5-yl)-(4-fluorophenyl)methyl]-1-piperidyl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(3-cyclopropyl-2-fluorophenoxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(3,5-difluoro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

methyl 2-[3-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]oxyphenyl]-2-methylpropanoate;

(6-(2-chloro-4-fluorobenzyl)-2,6-diazaspiro[3.3]heptan-2-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(4-(trifluoromethyl)phenoxy)azetidin-1-yl)methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(3-isopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-cyclopropyl-3-fluoropyridin-2-yl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(4-mesylbenzyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[3-hydroxy-3-(trifluoromethyl)azetidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

(4-((3-cyclopropyl-1,2,4-oxadiazol-5-yl)(4-fluorophenyl)methyl)piperidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((6-cyclopropyl-2-fluoropyridin-3-yl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[3-(trifluoromethyl)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[3-[(5-cyclopropyl-2-pyridyl)oxy]azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(6-((4-fluoro-2-(trifluoromethyl)phenyl)sulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[3-hydroxy-3-(trifluoromethyl)pyrrolidino]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(3,5-difluorophenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3R)-3-hydroxy-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

N-[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]-2,2-dimethyl-propane-1-sulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3S)-3-hydroxy-3-(trifluoromethyl)pyrrolidino]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(5-fluoro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(4-methylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(2-methoxy-3-(trifluoromethyl)phenoxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(3-cyclopropyl-4-fluorophenoxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(3,5-difluorobenzyl)-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

(3-(2-chloro-3-(trifluoromethyl)phenoxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[2-(trifluoromethyl)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(2-cyclohexylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[4-(trifluoromethyl)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[3-fluoro-5-(trifluoromethyl)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[4-[(S)-(3-cyclopropyl-1,2,4-oxadiazol-5-yl)-(4-fluorophenyl)methyl]-1-piperidyl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

(6-((2-chloro-4-fluorophenyl)sulfonyl)-2,6-diazaspiro[3.3]heptan-2-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

2-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methyl]benzoic acid methyl ester;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[4-(trifluoromethoxy)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(2,4-difluorophenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[3-(trifluoromethoxy)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(2,4-difluorobenzyl)-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

(3-((4-chloro-5-cyclopropylpyridin-3-yl)oxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[4-fluoro-3-(trifluoromethyl)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-piperidinosulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-(4-fluoro-2-mesyl-phenoxy)-2-azaspiro[3.5]nonan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-neopentylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

2-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzonitrile;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(2-fluoro-4-methylphenoxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(2,4,6-trifluorophenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[2-[(2-chloro-3-pyridyl)sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[2-(cyclohexylmethylsulfonyl)-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(3-methoxyphenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]methyl]-3-(trifluoromethyl)benzenesulfonamide;

6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-N-[[1-(trifluoromethyl)cyclopropyl]methyl]-2,6-diazaspiro[3.3]heptane-2-sulfonamide;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((6-(trifluoromethyl)pyridazin-3-yl)oxy)azetidin-1-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(4-((1,1,1-trifluoropropan-2-yl)oxy)-1H-pyrazol-1-yl)azetidin-1-yl)methanone;

(2-benzofurazan-4-ylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(2-methoxyphenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[1-(2H-tetrazol-5-yl)cyclopropyl]phenyl]azetidin-1-yl]methanone;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]methyl]-4-(trifluoromethyl)benzenesulfonamide;

(3-((6-chloro-5-cyclopropylpyridin-3-yl)oxy)azetidin-1-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[6-(trifluoromethyl)-3-pyridyl]sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-N-(4-fluorobenzyl)-2,6-diazaspiro[3.3]heptane-2-sulfonamide;

2-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methyl]benzenesulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(3,5-difluoro-2-pyridyl)methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]methyl]-4-(trifluoromethoxy)benzenesulfonamide;

6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-N-[1-(trifluoromethyl)cyclopropyl]-2,6-diazaspiro[3.3]heptane-2-sulfonamide;

4-(1-(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl)azetidin-3-yl)-1-(2,2,2-trifluoroethyl)pyridin-2(1H)-one;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[2-fluoro-4-(trifluoromethyl)benzyl]amino]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[4-(trifluoromethyl)-3-pyridyl]sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

2-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzoic acid methyl ester;

(2-benzylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-(2-fluoro-4-mesyl-benzyl)oxyazetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)pyridazin-3-yl]amino]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[5-(trifluoromethyl)-3-pyridyl]sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-N-(1-methylcyclopropyl)-2,6-diazaspiro[3.3]heptane-2-sulfonamide;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((6-(trifluoromethyl)pyridin-3-yl)oxy)azetidin-1-yl)methanone;

4-chloro-N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]methyl]benzenesulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[2-(4-fluorophenyl)ethylsulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(3,4-difluorophenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((2-cyclopropylpyrimidin-4-yl)oxy)azetidin-1-yl)methanone;

(6-(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl)-2,6-diazaspiro[3.3]heptan-2-yl)(4-fluoro-2-(trifluoromethyl)phenyl)methanone;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]methyl]-4-(trifluoromethyl)benzenesulfonamide;

N-[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]-1-(trifluoromethyl)cyclopropanecarboxamide;

[2-[(4-chloro-3-pyridyl)sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

2-[3-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]oxyphenyl]-2-methylpropanoic acid;

[3-(6-cyclopropylpyridazin-3-yl)oxyazetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(3,5-dimethylisoxazol-4-yl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(4-methoxyphenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((2-(trifluoromethyl)pyrimidin-4-yl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-pyrrolidinosulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((6-(trifluoromethyl)pyrimidin-4-yl)oxy)azetidin-1-yl)methanone;

[2-[(6-chloro-2-pyridyl)sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

3-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(1-methylcyclopropyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(5-(2,4-difluorophenyl)-4H-1,2,4-triazol-3-yl)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(4-fluoro-2-methoxy-phenyl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(2S)-2-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]-2-(4-fluorophenyl)acetamide;

(6-(2-chloro-4-fluorobenzoyl)-2,6-diazaspiro[3.3]heptan-2-yl)(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)methanone;

4-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]benzenesulfonamide;

3-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]-4-fluoro-benzamide;

N-[4-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]phenyl]acetamide;

[2-(cyclopropylmethylsulfonyl)-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[2-(trifluoromethyl)-3-pyridyl]sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

4-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzamide;

3-[3-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]oxyphenyl]-2,2-dimethylpropanoic acid;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(5-methylisoxazol-4-yl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(2R)-2-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]-2-(4-fluorophenyl)acetamide;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]methyl]-4-fluoro-2-(trifluoromethyl)benzenesulfonamide;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((6-(trifluoromethyl)pyrazin-2-yl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-triflyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

2-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]-2-(4-fluorophenyl)acetamide;

(2S)-2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)acetamide;

[3-[[4-(pentafluoro-l6-sulfanyl)phenyl]methoxy]azetidin-1-yl]-[6-[4-(trifluoromethyl)imidazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

4-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzonitrile;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[(2-methoxy-3-pyridyl)sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[2-(2-aminopyrimidin-5-yl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

2-[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-6-yl]-N-methyl-2-phenyl-acetamide;

1-(1-(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl)azetidin-3-yl)-N-(2,2,2-trifluoroethyl)-1H-pyrazole-4-carboxamide;

2-[[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methyl]benzoic acid;

6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-N,N-dimethyl-2,6-diazaspiro[3.3]heptane-2-sulfonamide;

[6-(4-methylimidazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(pentafluoro-l6-sulfanyl)phenyl]methoxy]azetidin-1-yl]methanone;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-((4-(trifluoromethyl)pyrimidin-2-yl)oxy)azetidin-1-yl)methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(3-pyridylsulfonyl)-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-morpholinosulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

3-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]methyl]-4-fluoro-benzenesulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-(2-propylsulfonyl-2,6-diazaspiro[3.3]heptan-6-yl)methanone;

N-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]-4-(trifluoromethyl)benzenesulfonamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(trifluoromethyl)pyridazin-3-yl]oxyazetidin-1-yl]methanone;

2-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzamide;

4-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzoic acid;

N-[[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]methyl]benzenesulfonamide;

(2R)-2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)acetamide;

3-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]-4-fluoro-benzoic acid;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(5-ethyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(2,2,2-trifluoroethylsulfonyl)-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

(2S)-2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)-N-methyl-acetamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(1-methylpyrazol-4-yl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)acetamide;

(6-(3-cyclopropyl-1H-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl)(3-(5-(cyclopropylmethyl)-4H-1,2,4-triazol-3-yl)azetidin-1-yl)methanone;

2-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]-N-methyl-benzamide;

(2R)-2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)-N-methyl-acetamide;

N-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-4-piperidyl]-4-fluoro-benzenesulfonamide;

1-[2-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-6-yl]-2,2,2-trifluoro-ethanone;

2-[[6-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]-2,6-diazaspiro[3.3]heptan-2-yl]sulfonyl]benzoic acid;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-(1,1-diketothietan-3-yl)sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

2-[4-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]piperazino]-2-(4-fluorophenyl)-N-methyl-acetamide;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-(triazol-2-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-(triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(4-fluorophenyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-[2-(trifluoromethyl)pyrimidin-5-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[4-(trifluoromethylsulfonyl)phenyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(4-methylsulfonylphenyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[2-methylsulfonyl-4-(trifluoromethyl)phenyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-chloro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(5-fluoro-3-pyridyl)-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[3-[4-[3-(2,2-dimethylpropyl)triazol-4-yl]phenyl]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6S)-6-[(3,5-difluoro-2-pyridyl)methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6R)-6-[(3,5-difluoro-2-pyridyl)methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[[4-fluoro-2-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-(5-cyclopropyl-3-methyl-pyrazol-1-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-(5-cyclopropyl-3-methyl-pyrazol-1-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-(3,5-dimethylpyrazol-1-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(1H-pyrazolo[4,3-b]pyridin-5-ylmethyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-methylsulfonyl-5-(trifluoromethyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6S)-6-[[3-(trifluoromethylsulfonyl)phenyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6R)-6-[[3-(trifluoromethylsulfonyl)phenyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6S)-6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[(6R)-6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[(4-cyclopropylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

5-[[2-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]methyl]-2-(trifluoromethyl)benzonitrile;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-chloro-3-fluoro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

4-[[2-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]methyl]-2-(trifluoromethyl)benzonitrile;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[7-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,7-diazaspiro[3.4]octan-2-yl]methanone;

3-[[2-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]methyl]-5-(trifluoromethyl)benzonitrile;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[[1-(trifluoromethyl)cyclopropyl]methylamino]-3-pyridyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3R)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(4-dimethylphosphorylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(4-dimethylphosphorylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-dimethylphosphoryl-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(5-dimethylphosphoryl-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(4-dimethylphosphorylphenyl)methyl]-2,6-diazaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2,4-difluorophenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethoxy)-3-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[[6-(trifluoromethyl)-3-pyridyl]methyl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-(1H-pyrazolo[4,3-b]pyridin-5-ylmethyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[(5-cyclopropyl-4H-1,2,4-triazol-3-yl)methyl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-methylsulfonyl-3-(trifluoromethyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-(4-chloro-2-methylsulfonyl-phenyl)-3-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

5-[[(6S)-2-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.4]octan-6-yl]oxy]-2-(trifluoromethyl)pyridine-4-carbonitrile;

[6-[(3,5-difluoro-2-pyridyl)methyl]-2-azaspiro[3.4]octan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

[6-[(5-fluoro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[7-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[7-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[[2-methoxy-4-(trifluoromethyl)phenyl]methylamino]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[5-[(1-methylcyclopropyl)methyl]-4H-1,2,4-triazol-3-yl]phenyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[[1-(trifluoromethyl)cyclopropyl]methylamino]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3S)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

[3-[[2-fluoro-4-(trifluoromethylsulfonyl)phenyl]methoxy]azetidin-1-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(trifluoromethylsulfonyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(trifluoromethyl)-2-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

N-[2-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]-3-(trifluoromethyl)benzenesulfonamide;

[6-[(3,5-difluoro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2-fluoro-4-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-chloro-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(trifluoromethylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(trifluoromethylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)pyridazin-3-yl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[2-(trifluoromethyl)pyrimidin-5-yl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(3-fluoro-5-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[3-[4-(4-chloro-2-methylsulfonyl-phenyl)phenyl]azetidin-1-yl]-[6-(1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[(4-dimethylphosphorylphenyl)methoxy]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[(4-dimethylphosphorylphenyl)methoxy]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-fluoro-2-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[4-[3-(2,2-dimethylpropyl)triazol-4-yl]phenyl]azetidin-1-yl]-[6-(1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-[5-[1-(trifluoromethyl)cyclopropyl]-4H-1,2,4-triazol-3-yl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[5-[1-(trifluoromethyl)cyclopropyl]-4H-1,2,4-triazol-3-yl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[3-[3-[[[1-(trifluoromethyl)cyclopropyl]amino]methyl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-[[1-(trifluoromethyl)cyclopropyl]methylamino]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[3-(trifluoromethyl)azetidin-1-yl]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[2-[3-(trifluoromethyl)azetidin-1-yl]pyrimidin-5-yl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[[1-(trifluoromethyl)cyclopropyl]methylamino]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[4-[5-[(1-methylcyclopropyl)methyl]-4H-1,2,4-triazol-3-yl]phenyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[(3S)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[(3R)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[(1,1-dioxothietan-3-yl)methylamino]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

2-[4-[1-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]phenyl]benzamide;

[6-[[4-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[[3-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-(5-cyclopropyl-4H-1,2,4-triazol-3-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[3-[3-(5-cyclopropyl-4H-1,2,4-triazol-3-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2,7-diazaspiro[3.4]octan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[5-(2,2,2-trifluoroethyl)-1,3,4-oxadiazol-2-yl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[3-[3-(5-cyclopropyl-1,3,4-oxadiazol-2-yl)-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-2,7-diazaspiro[3.4]octan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[6-(trifluoromethyl)pyridazin-3-yl]methyl]-2,7-diazaspiro[3.4]octan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2,7-diazaspiro[3.4]octan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[[[1-(trifluoromethyl)cyclopropyl]amino]methyl]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[3-[[1-(trifluoromethyl)cyclopropyl]methylamino]-1-bicyclo[1.1.1]pentanyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(trifluoromethylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(trifluoromethylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[5-[(1-methylcyclopropyl)methyl]-4H-1,2,4-triazol-3-yl]phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-(5-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[[2-methoxy-4-(trifluoromethyl)phenyl]methylamino]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[3-hydroxy-3-(trifluoromethyl)azetidin-1-yl]-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-(3-hydroxy-3-methyl-azetidin-1-yl)-3-pyridyl]azetidin-1-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

3-(trifluoromethyl)-N-[2-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]benzenesulfonamide;

[6-[(4-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(3-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-methylsulfonyl-3-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(5-methylsulfonyl-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(2-fluoro-4-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(3-fluoro-5-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[3-(trifluoromethyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[3-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(methylsulfonimidoyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[5-(trifluoromethyl)-2-pyridyl]methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[[3-(trifluoromethyl)oxetan-3-yl]amino]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-[5-[1-(trifluoromethyl)cyclopropyl]-4H-1,2,4-triazol-3-yl]phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[4-(5-cyclopropyl-1H-1,2,4-triazol-3-yl)phenyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(3-fluoro-5-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[5-[[1-(trifluoromethyl)cyclopropyl]methylamino]pyrazin-2-yl]azetidin-1-yl]methanone;

[3-[4-(5-cyclobutyl-1H-1,2,4-triazol-3-yl)phenyl]azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)pyridazin-3-yl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[2-[[3-(trifluoromethyl)-1-bicyclo[1.1.1]pentanyl]sulfonyl]-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(4-fluoro-2-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3S)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[[1-(trifluoromethyl)cyclopropyl]amino]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[5-[[1-(trifluoromethyl)cyclopropyl]methylamino]-2-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[3-(trifluoromethyl)azetidin-1-yl]pyrimidin-5-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(3S)-3-(trifluoromethyl)pyrrolidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[(3S)-3-(trifluoromethyl)pyrrolidin-1-yl]pyrimidin-5-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-[(3R)-3-(trifluoromethyl)pyrrolidin-1-yl]pyrimidin-5-yl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(2-fluoro-4-methylsulfonyl-phenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[[3-(trifluoromethyl)-1-bicyclo[1.1.1]pentanyl]sulfonyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[(3-methylsulfonylphenyl)methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[7-[(4-methylsulfonylphenyl)methyl]-2,7-diazaspiro[3.5]nonan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(5-methylsulfonyl-2-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(5-methylsulfonyl-3-pyridyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[(3-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[(4-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[[1-(trifluoromethyl)cyclopropyl]amino]-3-pyridyl]azetidin-1-yl]methanone;

(2R)-1-[4-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]phenyl]-4,4-difluoro-piperidine-2-carboxamide;

(2R)-1-[4-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]phenyl]-4,4-difluoro-piperidine-2-carboxamide;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[3-(trifluoromethyl)azetidin-1-yl]-3-pyridyl]azetidin-1-yl]methanone;

[6-[3-(1-hydroxycyclopropyl)-1,2,4-triazol-1-yl]-2-azaspiro[3.3]heptan-2-yl]-[2-[3-(trifluoromethoxy)phenyl]sulfonyl-2,6-diazaspiro[3.3]heptan-6-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[3-(trifluoromethylsulfonyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(trifluoromethylsulfonyl)phenyl]methoxy]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(4-methylsulfonylphenyl)methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(3-methylsulfonylphenyl)methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[6-[(2-methylsulfonylphenyl)methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

1-[4-[1-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptane-2-carbonyl]azetidin-3-yl]phenyl]-4,4-difluoro-piperidine-2-carboxamide;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-(3-hydroxy-3-methyl-azetidin-1-yl)-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[6-[(1,1-dioxothiolan-3-yl)amino]-3-pyridyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[4-(3-fluorophenoxy)-1-piperidyl]methanone;

[3-(4-cyclobutylphenyl)azetidin-1-yl]-[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[2-(2-fluoro-6-methyl-phenyl)ethyl]azetidin-1-yl]methanone;

[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]-[3-[(E)-2-(3-fluorophenyl)vinyl]azetidin-1-yl]methanone;

bis[6-(3-cyclopropyl-1,2,4-triazol-1-yl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[7-[[6-(difluoromethoxy)-3-pyridyl]methyl]-2-azaspiro[3.5]nonan-2-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-cyclopropyl-4-(trifluoromethyl)phenoxy]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[(2-chloro-4-fluoro-phenyl)methoxy]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[[2-chloro-4-(trifluoromethyl)phenyl]methylamino]azetidin-1-yl]-[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-(5-fluoro-3-pyridyl)-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[7-[(5-fluoro-2-pyridyl)methyl]-2-azaspiro[3.5]nonan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[7-[(5-chloro-2-pyridyl)methyl]-2-azaspiro[3.5]nonan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[[2-methoxy-4-(trifluoromethyl)phenyl]methylamino]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[[5-(trifluoromethyl)pyrazin-2-yl]methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]-[3-[[4-(trifluoromethylsulfonyl)phenyl]methoxy]azetidin-1-yl]methanone;

[7-[[6-(difluoromethoxy)-3-pyridyl]methyl]-2-azaspiro[3.5]nonan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

bis[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[3-(trifluoromethyl)azetidin-1-yl]-3-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)-3-pyridyl]oxy]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[4-(trifluoromethylsulfonyl)phenyl]methyl]-2,6-diazaspiro[3.3]heptan-2-yl]methanone;

[3-[6-[[1-(trifluoromethyl)cyclopropyl]methylamino]-3-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[3-cyclopropyl-4-(trifluoromethyl)phenoxy]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(3-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[(4-methylsulfonylphenyl)methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[[2-chloro-4-(trifluoromethyl)phenyl]methylamino]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[[4-methylsulfonyl-3-(trifluoromethyl)phenyl]methyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[(2-chloro-4-fluoro-phenyl)methoxy]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-(4-isopropyl-N-methyl-anilino)-3-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]-[6-[[6-(trifluoromethyl)-3-pyridyl]methyl]-2-azaspiro[3.4]octan-2-yl]methanone;

2-(trifluoromethyl)-5-[[2-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptane-2-carbonyl]-2-azaspiro[3.3]heptan-6-yl]methyl]benzonitrile;

[3-[5-(2,4-dichlorophenyl)-2-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone;

[3-[6-(2-chloro-4-methylsulfonyl-phenyl)-3-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone; and

[3-[5-(4-chloro-2-fluoro-phenyl)-2-pyridyl]azetidin-1-yl]-[6-[6-(trifluoromethyl)-3-pyridyl]-2-azaspiro[3.3]heptan-2-yl]methanone.

16. A compound of formula (I) according to any one of claims 1 to 15, or a pharmaceutically acceptable salt thereof, for use as therapeutically active substance.

17. A pharmaceutical composition comprising a compound of formula (I) according to any one of claims 1 to 15, or a pharmaceutically acceptable salt thereof, and a therapeutically inert carrier.

18. A compound of formula (I) according to any one of claims 1 to 15, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 17 for use in the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.

19. The compound of formula (I) or the pharmaceutically acceptable salt thereof, or the pharmaceutical composition for use according to claim 18, wherein said neuroinflammation, neurodegenerative diseases, pain, cancer and mental disorders are selected from multiple sclerosis, Alzheimer’s disease, Parkinson’s disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression, hepatocellular carcinoma, colon carcinogenesis, ovarian cancer, neuropathic pain, chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated with pain, abdominal pain, abdominal pain associated with irritable bowel syndrome and/or visceral pain.

20. Use of a compound of formula (I) according to any one of claims 1 to 15, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 17 in manufacture of a medicament for the treatment or prophylaxis of neuroinflammation, neurodegenerative diseases, pain, cancer, mental disorders and/or inflammatory bowel disease in a mammal.

21. The use according to claim 20, wherein said neuroinflammation, neurodegenerative diseases, pain, cancer and mental disorders are selected from multiple sclerosis, Alzheimer’s disease, Parkinson’s disease, amyotrophic lateral sclerosis, traumatic brain injury, neurotoxicity, stroke, epilepsy, anxiety, migraine, depression,

hepatocellular carcinoma, colon carcinogenesis, ovarian cancer, neuropathic pain, chemotherapy induced neuropathy, acute pain, chronic pain, spasticity associated with pain, abdominal pain, abdominal pain associated with irritable bowel syndrome and/or visceral pain.