




FIG.1




FIG.2

4

Code	Name	Description	Attributes	...
ABC-0001	Event A	...	...	...
ABC-0002	Event B	...	...	...
ABC-0003	Event C	...	...	...
ABC-0004	Event D	...	...	...
ABC-0005	Event E	...	...	...
...	...	...	...	...

FIG.3

100: CAR MONITORING SYSTEM




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11

Code	Name	Size	Byte	Bit	CONVERSION COEFFICIENT	...
ABC-0001	Signal A	1 bit	1	7	2states/bit	...
ABC-0002	Signal B	2 bit	1	6	4states/bit	...
ABC-0003	Signal C	1 byte	50	Null	1A/bit	...
ABC-0004	Signal D	2 bytes	51	Null	0.1Hz/bit	...
ABC-0005	Signal E	1 bit	1	4	2states/bit	...
...	...	...	...	...	...	...

FIG.12

	7bit	6bit	5bit	4bit	3bit	2bit	1bit	0bit
1byte	A	B	B	E	...	...	...	...
2bytes	...	...	...	...	...	...	...	...
...	...	...	...	...	...	...	...	...
50bytes	C	C	C	C	C	C	C	C
51bytes	D	D	D	D	D	D	D	D
52bytes	D	D	D	D	D	D	D	D
...	...	...	...	...	...	...	...	...

FIG.13




FIG.14