


CLAIMS

1. Method for preparing a compound of general formula (I) :



in which :


R^{A1} represents a group selected from:

$-N(H)C(=O)R^6$, $-C(=O)N(H)R^6$;

each

R^{A2} independently represents halo-, hydroxy-, nitro-, C_1 - C_6 -alkyl-, C_1 - C_6 -alkoxy-, hydroxy- C_1 - C_6 -alkyl-, $-N(H)C(=O)R^8$, $-N(H)C(=O)NR^8R^7$, $-C(=O)N(H)R^8$ or $-N(H)S(=O)_2R^8$;

R^2 represents a



group;

wherein * indicates the point of attachment of said group with the rest of the molecule;

R^3 represents a hydrogen atom, a halogen atom, a hydroxy-, amino-, cyano-, nitro-, C_1 - C_4 -alkyl-, halo- C_1 - C_4 -alkyl-, C_1 - C_4 -alkoxy-, halo- C_1 - C_4 -alkoxy-, hydroxy- C_1 - C_4 -alkyl-, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl-, halo- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl-, C_2 - C_6 -alkenyl-, C_2 - C_6 -alkynyl-, halo- C_2 - C_6 -alkenyl-, halo- C_2 - C_6 -alkynyl-, C_3 - C_6 -cycloalkyl-, or a

halo-C₃-C₆-cycloalkyl- group;

⁴ R⁴ represents a hydrogen atom, a halogen atom, a hydroxy-, amino-, cyano-,
nitro-, C₁-C₄-alkyl-, halo-C₁-C₄-alkyl-, C₁-C₄-alkoxy-, halo-C₁-C₄-alkoxy-,
5 hydroxy-C₁-C₄-alkyl-, C₁-C₄-alkoxy-C₁-C₄-alkyl-,
halo-C₁-C₄-alkoxy-C₁-C₄-alkyl-, C₂-C₆-alkenyl-, C₂-C₆-alkynyl-,
halo-C₂-C₆-alkenyl-, halo-C₂-C₆-alkynyl-, C₃-C₆-cycloalkyl-, or a
halo-C₃-C₆-cycloalkyl- group;

10 R⁵ represents a hydrogen atom or a C₁-C₃-alkyl- group ;

R^{5a} represents a group selected from:
halo-, nitro-, C₁-C₆-alkyl-, halo-C₁-C₆-alkyl-, C₁-C₆-alkoxy-,
halo-C₁-C₆-alkoxy-, hydroxy-C₁-C₆-alkyl-, C₁-C₆-alkoxy-C₁-C₆-alkyl-,
15 halo-C₁-C₆-alkoxy-C₁-C₆-alkyl-, R⁸-(C₁-C₆-alkoxy)-, R⁸-O-, -NR⁸R⁷,
R⁸-S-, R⁸-S(=O)-, R⁸-S(=O)₂-, (C₃-C₆-cycloalkyl)-(CH₂)_n-O-;

R^{5b} represents a group selected from:
halo-, hydroxy-, cyano-, nitro-, C₁-C₆-alkyl-, halo-C₁-C₆-alkyl-,
20 C₁-C₆-alkoxy-, halo-C₁-C₆-alkoxy-, hydroxy-C₁-C₆-alkyl-,
C₁-C₆-alkoxy-C₁-C₆-alkyl-, halo-C₁-C₆-alkoxy-C₁-C₆-alkyl-,
R⁸-(C₁-C₆-alkyl)-, R⁸-(CH₂)_n(CHOH)(CH₂)_m-, R⁸-(C₁-C₆-alkoxy)-,
R⁸-(CH₂)_n(CHOH)(CH₂)_p-O-, R⁸-(C₁-C₆-alkoxy-C₁-C₆-alkyl)-,
R⁸-(C₁-C₆-alkoxy-C₁-C₆-alkyl)-O-, -O-(CH₂)_n-C(=O)NR⁸R⁷, R⁸-O-,
25 -C(=O)R⁸, -C(=O)O-R⁸, -OC(=O)-R⁸, -N(H)C(=O)R⁸, -N(R⁷)C(=O)R⁸,
-N(R⁷)C(=O)OR⁸, -N(H)C(=O)NR⁸R⁷, -N(R⁷)C(=O)NR⁸R⁷, -NR⁸R⁷, -NR⁷R⁷,
-C(=O)N(H)R⁸, -C(=O)NR⁸R⁷, R⁸-S-, R⁸-S(=O)-, R⁸-S(=O)₂-, R⁸-S(=O)₂-,
-N(H)S(=O)R⁸, -N(R⁷)S(=O)R⁸, -S(=O)N(H)R⁸, -S(=O)NR⁸R⁷, -N(H)S(=O)₂R⁸,
-N(R⁷)S(=O)₂R⁸, -S(=O)₂N(H)R⁸, -S(=O)₂NR⁸R⁷, -S(=O)(=NR⁸)R⁷,
30 -S(=O)(=NR⁷)R⁸, -N=S(=O)(R⁸)R⁷;

- R^6 represents a group selected from
C₃-C₆-cycloalkyl-, 3- to 10-membered heterocyclyl-, aryl-, heteroaryl-,
-(CH₂)_q-(C₃-C₆-cycloalkyl), -(CH₂)_q-(3- to 10-membered heterocyclyl),
-(CH₂)_q-aryl, or -(CH₂)_q-heteroaryl,
- 5 wherein said group is optionally substituted, one or more times, identically
or differently, with a substituent selected from:
halo-, hydroxy-, cyano-, nitro-, C₁-C₆-alkyl-, halo-C₁-C₆-alkyl-,
C₁-C₆-alkoxy-, halo-C₁-C₆-alkoxy-, hydroxy-C₁-C₆-alkyl-,
C₁-C₆-alkoxy-C₁-C₆-alkyl-, halo-C₁-C₆-alkoxy-C₁-C₆-alkyl-,
10 -N(H)R⁸; -N(R⁷)R⁸, N(H)(R⁸)-C₁-C₃-alkyl-, N(R⁷)(R⁸)-C₁-C₃-alkyl- ;
- R^7 represents a hydrogen atom, a C₁-C₆-alkyl- or a C₃-C₆-cycloalkyl- group;
- R^8 represents a hydrogen atom or a C₁-C₆-alkyl- or C₃-C₆-cycloalkyl- group,
15 wherein said C₁-C₆-alkyl- or C₃-C₆-cycloalkyl- group is optionally substituted,
one or more times, identically or differently, with a substituent selected
from:
halo-, hydroxy-, C₁-C₃-alkyl-, C₁-C₃-alkoxy-, halo-C₁-C₃-alkoxy-;
or
- 20 R^7 and R^8 together with the molecular fragment they are attached to represent a 4-
to 6-membered heterocyclic ring, which is optionally substituted, one or
more times, identically or differently, with a halogen atom, a C₁-C₃-alkyl-,
halo-C₁-C₃-alkyl- or C₁-C₃-alkoxy- group;
- 25 Q^1 represents a group selected from: N, CH, C-(C₁-C₆-alkyl),
C-(C₁-C₆-alkoxy), C-halo;
- Q^2 represents a group selected from: N, CH, CR^{5b};
- 30 Q^3 represents a group selected from: N, CH, CR^{5b};

n, m, p,

represent, independently from each other, an integer of 0, 1, 2 or 3;


q represents an integer of 1, 2 or 3;

5

and

t represents an integer of 0, 1 or 2;

the method being characterized in that an intermediate compound of general
10 formula (In1) :




(In1)

in which R², R³, R⁴, and R⁵ are as defined for the compound of general formula (I),
supra, and CG¹ is a group enabling palladium catalysed coupling reactions, including
15 a leaving group, or a boronic acid or an ester thereof;


is converted to a compound of general formula (I).

2. The method according to claim 1, wherein the method comprises the step of
20 allowing a compound of general formula (In1) :




(In1)

to react with a compound of general formula (In5)



5 thus providing a compound of general formula (Ia) :



wherein:

G¹ represents

- 10 R^{A1}, wherein R^{A1} is as defined in claim 1, or
 -C(=O)OH, or a carboxylic acid ester, or
 -NH₂, or a protected amine ;


CG¹ and CG²

- 15 represent groups enabling palladium catalysed coupling reactions, including
 chloro, bromo, iodo, trifluoromethylsulfonyloxy, or a boronic acid or an ester
 thereof, with the proviso that if CG¹ represents a boronic ester or an ester or
 derivative thereof, CG² stands for a leaving group, and *vice versa*;

and

- 20 R^{A2}, t, R², R³, R⁴, and R⁵ are as defined in claim 1.


3. The method according to claim 1, wherein the method comprises the step of
 allowing a compound of general formula (In1) :




(In1)

in which R^2 , R^3 , R^4 , and R^5 are as defined in claim 1, and LG is a leaving group;

5 to react with a compound of general formula (In2) or (In3):



(In2)



(In3)

in which :

10 G^1 represents
 R^{A1} , wherein R^{A1} is as defined in claim 1, or
 $-C(=O)OH$, or a carboxylic acid ester, or
 $-NH_2$, or a protected amine ;

15 R^{B1} and R^{B2}
 represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl
 or C_3 - C_6 -cycloalkyl- group ;

or

R^{B1} and R^{B2} together represent a C_1 - C_6 -alkylene group;


20

and

R^{A2} and t are as defined for general formula (I), *supra*;

thus providing a compound of general formula (Ia) :

25



(Ia)

in which R^{A2} , R^2 , R^3 , R^4 , R^5 and t are as defined in claim 1, and


5 G^1 represents

R^{A1} , wherein R^{A1} is as defined in claim 1, or

$-C(=O)OH$, or a carboxylic acid ester, or

$-NH_2$, or a protected amine.


10 4. The method according to claim 1, the method comprising the step of allowing a compound of general formula (In1) :



(In1)

in which R^2 , R^3 , R^4 , and R^5 are as defined in claim 1, and

15 CG^1 represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;

20 R^{B1} and R^{B2}


represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl- group ;

or

R^{B1} and R^{B2} together represent a C_1 - C_6 -alkylene group;

to react with a compound of general formula (In2) :

5



in which :

G^1 represents


10 R^{A1} , wherein R^{A1} is as defined in claim 1, or

-C(=O)OH, or a carboxylic acid ester, or

-NH₂, or a protected amine; and

LG represents a leaving group;

15 thus providing a compound of general formula (Ia) :



20 in which R^{A2} , R^2 , R^3 , R^4 , R^5 and t are as defined in claim 1, and

G^1 represents

R^{A1} , wherein R^{A1} is as defined in claim 1, or

-C(=O)OH, or a carboxylic acid ester, or

-NH₂, or a protected amine.


25

5. The method according to any one of claims 2 to 4, wherein G^1 represents R^{A1} .

6. The method according to any one of claims 2 to 4, wherein G^1 represents $-C(=O)OH$ or a protected amine.


7. The method according to any one of claims 1 to 6, wherein LG represents a chlorine atom or a bromine atom.

8. The method according to any one of claims 1 to 7, wherein the compound of formula (I) is selected from compounds of general formula (PC):




in which :

R^1 represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;

R^2 represents



wherein * indicates the point of attachment of said group with the rest of the molecule;

5 R^3 represents a hydrogen atom ;

R^4 represents a hydrogen atom ;

R^5 represents a hydrogen atom or a C_1 - C_3 -alkyl- group ;

10


R^{5a} represents a group selected from: C_1 - C_4 -alkoxy-, halo- C_1 - C_4 -alkoxy-, C_1 - C_4 -alkyl ;

R^{5b} represents a group selected from:

15

$-C(=O)N(H)R^8$, $-C(=O)NR^8R^7$, $-N(R^7)C(=O)OR^8$, $R^7-S(=O)_2-$;

R^6 represents a



group ;

wherein * indicates the point of attachment of said group with the rest of the molecule ;

20

wherein said group is optionally substituted, one or more times, identically or differently, with a halogen atom or a methyl- group ;

R^7 represents a C_1 - C_3 -alkyl- or a cyclopropyl- group ;

25

R^8 represents a hydrogen atom or a C_1 - C_6 -alkyl- or C_3 - C_6 -cycloalkyl- group ;

wherein said C₁-C₆-alkyl- or C₃-C₆-cycloalkyl- group is optionally substituted, one or more times, with a halogen atom ;

or

5 R⁷ and R⁸ together with the molecular fragment they are attached to represent a 4- to 6-membered heterocyclic ring, which is optionally substituted, one or more times, identically or differently, with a halogen atom, a C₁-C₃-alkyl-, halo-C₁-C₃-alkyl- or C₁-C₃-alkoxy- group ;

10 R⁹ represents a group selected from: C₁-C₃-alkyl-, hydroxy-C₁-C₃-alkyl-, -N(H)R⁸; -N(R⁷)R⁸, N(H)(R⁸)-C₁-C₃-alkyl-, N(R⁷)(R⁸)-C₁-C₃-alkyl- ;

and

Q represents CH or N ;

15 or a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

9. The method according to any one of claims 1 to 8, wherein the compound of general formula (I) is selected from the group consisting of:

20 (2R)-2-(4-fluorophenyl)-N-[4-(2-[[2-methoxy-4-(methylsulfonyl)phenyl]amino}-[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

(2R)-N-[4-(2-[[2-ethoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)propanamide,

25 (2R)-2-(4-fluorophenyl)-N-[4-(2-[[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)-phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

4-{[6-(4-[[[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl][1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxy-N-(2,2,2-trifluoroethyl)benzamide,

4-{[6-(4-[[[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl][1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxybenzamide,

- 4-[[6-(4-[(2*R*)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]-
pyridin-2-yl]amino}-3-(2,2,2-trifluoroethoxy)benzamide,
(2*R*)-*N*-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-methoxyphenyl}amino)-
[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl}-2-(4-fluorophenyl)propanamide,
5 (2*R*)-*N*-[4-(2-{[4-(azetidin-1-ylcarbonyl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-
a]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)propanamide,
(2*R*)-2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(2-oxo-1,3-oxazolidin-3-yl)phenyl]-
amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]propanamide,
(-)-2-(4-fluorophenyl)-3-hydroxy-*N*-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-tri-
10 fluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]propanamide,
(2*R*)-2-amino-2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)-
phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]ethanamide,
4-[[6-(4-[(2*R*)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl]amino}-3-methoxy-*N,N*-dimethylbenzamide,
15 (2*R*)-2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(pyrrolidin-1-
ylcarbonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]propanamide,
(2*R*)-*N*-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-
trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl}-2-(4-
fluorophenyl)propanamide,
20 (2*R*)-2-(4-fluorophenyl)-*N*-[4-(2-{[4-[(3-hydroxyazetidin-1-yl)carbonyl]-2-(2,2,2-
trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)phenyl]propanamide,
(2*R*)-2-(4-fluorophenyl)-*N*-[4-(2-{[4-(pyrrolidin-1-ylcarbonyl)-2-(2,2,2-
trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
25 yl)phenyl]propanamide,
(2*S*)-2-(4-fluorophenyl)-3-hydroxy-*N*-[4-(2-{[2-methoxy-4-
(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)phenyl]propanamide,

(2S)-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl}phenyl}-2-(4-fluorophenyl)-3-hydroxypropanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(2-oxo-1,3-oxazolidin-3-yl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

(2R)-2-amino-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-methoxyphenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl}phenyl}-2-(4-fluorophenyl)ethanamide,

(2R)-2-amino-N-[4-(2-{[4-(azetidin-1-ylcarbonyl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)ethanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(pyrrolidin-1-ylcarbonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

(2R)-2-amino-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl}phenyl}-2-(4-fluorophenyl)ethanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[4-(pyrrolidin-1-ylcarbonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

N,N-diethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxybenzamide,

N-(4-{2-[(4-cyano-2-methoxyphenyl)amino][1,2,4]triazolo[1,5-a]pyridin-6-yl}phenyl)-2-(4-fluorophenyl)acetamide,

N-(4-{2-[(2-ethoxy-4-fluorophenyl)amino][1,2,4]triazolo[1,5-a]pyridin-6-yl}phenyl)-2-(4-fluorophenyl)acetamide,

N-ethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxybenzamide,

- N*-*tert*-butyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-hydroxyethyl)-3-methoxybenzamide,
- 5 *N*-(2-ethoxyethyl)-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,
- 3-ethoxy-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-hydroxyethyl)benzamide,
- 3-ethoxy-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(1-hydroxy-2-methylpropan-2-yl)benzamide,
- 10 3-ethoxy-*N,N*-diethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}benzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-hydroxyethyl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 15 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-hydroxy-2-methylpropyl)-3-methoxybenzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(1-hydroxy-2-methylpropan-2-yl)-3-methoxybenzamide,
- N*-{2-[acetyl(methyl)amino]ethyl}-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)-[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-methylbenzamide,
- 20 [1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-methylbenzamide,
- 2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]-triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,
- 3-ethoxy-*N*-ethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}benzamide,
- 25 3-ethoxy-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-hydroxy-2-methylpropyl)benzamide,
- 3-ethoxy-*N*-ethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(2-methoxyethyl)benzamide,

- 3-ethoxy-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-N-(2-hydroxyethyl)-N-methylbenzamide,
- 4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl}-
amino}-3-methoxy-N-methyl-N-[2-(methylamino)ethyl]benzamide,
- 5 N-tert-butyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-3-(2,2,2-trifluoroethoxy)benzamide,
- N,N-diethyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-3-(2,2,2-trifluoroethoxy)benzamide,
- N,N-diethyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-3-propoxybenzamide,
- 10 3-(cyclopropylmethoxy)-N,N-diethyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}-
phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl}amino}benzamide,
- N,N-diethyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-3-isopropoxybenzamide,
- 15 N,N-diethyl-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-3-(2-methoxyethoxy)benzamide,
- 4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl}-
amino}-3-(2,2,2-trifluoroethoxy)-N-(2,2,2-trifluoroethyl)benzamide,
- 3-ethoxy-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl}amino}-N-[2-(methylsulfonyl)ethyl]benzamide,
- 20 4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-
yl}amino}-N-(2-hydroxy-2-methylpropyl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-
yl}amino}-3-methoxy-N-methylbenzamide,
- 25 4-{{6-(4-{{(4-fluorobenzyl)carbamoyl}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl}-
amino}-N-(2-hydroxyethyl)-3-methoxybenzamide,
- 3-ethoxy-4-{{6-(4-{{(4-fluorobenzyl)carbamoyl}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-
yl}amino}-N-(2-hydroxyethyl)benzamide,

- 3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-(1-hydroxy-2-methylpropan-2-yl)benzamide,
- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-hydroxyethyl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 5 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-hydroxy-2-methylpropyl)-3-methoxybenzamide,
- N*-(4-fluorobenzyl)-4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]-triazolo[1,5-*a*]pyridin-6-yl)benzamide,
- 3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-(2-hydroxy-2-methylpropyl)benzamide,
- 10 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(1-hydroxy-2-methylpropan-2-yl)-3-methoxybenzamide,
- N*-{2-[acetyl(methyl)amino]ethyl}-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxy-*N*-methylbenzamide,
- 15 *N*-(2-ethoxyethyl)-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,
- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methoxy-*N*-methyl-*N*-[2-(methylamino)ethyl]benzamide,
- 3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-(2-hydroxyethyl)-*N*-methylbenzamide,
- 20 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methoxy-*N*-methylbenzamide,
- N*-*tert*-butyl-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,
- 25 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxy-*N*-[2-(methylsulfonyl)ethyl]benzamide,
- 4-{2-[(2,4-dimethoxyphenyl)amino][1,2,4]triazolo[1,5-*a*]pyridin-6-yl}-*N*-(4-fluorobenzyl)benzamide,

- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methoxy-*N*-(2,2,2-trifluoroethyl)benzamide,
- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(1-hydroxy-2-methylpropan-2-yl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 5 3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-[2-(methylsulfonyl)ethyl]benzamide,
- N*-ethyl-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,
- N*-*tert*-butyl-3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]-
- 10 triazolo[1,5-*a*]pyridin-2-yl)amino]benzamide,
- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-hydroxy-2-methylpropyl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-(2,2,2-trifluoroethoxy)-*N*-(2,2,2-trifluoroethyl)benzamide,
- 15 4-(2-{[4-(dimethylamino)-2-methylphenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,
- 2-fluoro-*N*-(4-fluorobenzyl)-4-[2-({4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]-2-methoxyphenyl}amino)[1,2,4]triazolo[1,5-*a*]pyridin-6-yl]benzamide,
- N*-(4-fluorobenzyl)-4-[2-({4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]-2-
- 20 methoxyphenyl}amino)[1,2,4]triazolo[1,5-*a*]pyridin-6-yl]-2-methylbenzamide,
- 2-chloro-*N*-(4-fluorobenzyl)-4-[2-({4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]-2-methoxyphenyl}amino)[1,2,4]triazolo[1,5-*a*]pyridin-6-yl]benzamide,
- 4-[(6-{4-[(cyclopropylmethyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-ethoxy-*N*-ethylbenzamide,
- 25 4-[(6-{4-[(cyclopropylmethyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-ethoxy-*N*-ethyl-*N*-(2-methoxyethyl)benzamide,
- 4-[(6-{4-[(cyclopropylmethyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-ethoxy-*N*-(2-hydroxyethyl)benzamide,

- 4-[(6-{4-[(cyclopropylmethyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-(2-hydroxyethyl)-3-(2,2,2-trifluoroethoxy)benzamide,
- 4-[(6-{4-[(cyclopropylmethyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-ethyl-3-(2,2,2-trifluoroethoxy)benzamide,
- 5 *N*-ethyl-4-[(6-{4-[(3-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,
- N*-(4-fluorobenzyl)-4-[2-({4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]-2-methoxyphenyl}amino)[1,2,4]triazolo[1,5-*a*]pyridin-6-yl]-2-methoxybenzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]-amino}-3-methoxy-*N*-(2,2,2-trifluoroethyl)benzamide,
- 10 *N*-[4-(2-{[2-ethoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,
- N*-[4-(2-{[2-ethoxy-4-(ethylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,
- 15 2-(4-fluorophenyl)-*N*-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)phenyl]-amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,
- N*-[4-(2-{[2-(difluoromethoxy)-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,
- N*-[4-(2-{[2-(difluoromethoxy)-4-(ethylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,
- 20 *N*-[4-(2-{[2-(cyclopropyloxy)-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,
- 4-(2-{[2-ethoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,
- 25 4-(2-{[2-ethoxy-4-(ethylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,
- N*-(4-fluorobenzyl)-4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

- 4-(2-{[2-(difluoromethoxy)-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]-pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,
- 4-(2-{[2-(cyclopropyloxy)-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]-pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,
- 5 *N*-(4-fluorobenzyl)-2-methyl-4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)-phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,
- N*-(4-fluorobenzyl)-2-methoxy-4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,
- 2-(2,4-difluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,
- 10 *N*-(2,4-difluorobenzyl)-4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-(2-methoxyethyl)benzamide,
- 15 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N,N*-dimethylbenzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-[2-(methylsulfonyl)ethyl]benzamide,
- 4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,
- 20 *N*-(2-fluoroethyl)-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,
- N*-ethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-methylbenzamide,
- 25 *N*-(2,2-difluoroethyl)-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,

N-[2-(dimethylamino)ethyl]-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]-triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxy-*N*-methylbenzamide,

4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]-amino}-3-methoxy-*N*-methyl-*N*-(2,2,2-trifluoroethyl)benzamide,

5 *N*-[2-(dimethylamino)ethyl]-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)-[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methoxybenzamide,

4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-(3-fluoropropyl)-3-methoxybenzamide,

10 *N*-[4-(2-{[5-fluoro-2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,

2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfinyl)phenyl]amino}[1,2,4]-triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

N-[4-(2-{[5-fluoro-2-methoxy-4-(methylsulfinyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,

15 *N*-[4-(2-{[4-(*tert*-butylsulfamoyl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)acetamide,

2-(4-fluorophenyl)-*N*-[4-(2-{[4-(2-hydroxypropan-2-yl)-2-methoxyphenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

20 *N*-(4-{2-[(2,4-dimethoxyphenyl)amino][1,2,4]triazolo[1,5-*a*]pyridin-6-yl}phenyl)-2-(4-fluorophenyl)acetamide,

3-ethoxy-*N*-ethyl-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-*N*-methylbenzamide,

N-[2-(dimethylamino)ethyl]-3-ethoxy-4-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}benzamide,

4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]-
amino}-*N*-[2-(methylsulfonyl)ethyl]-3-(2,2,2-trifluoroethoxy)benzamide,

4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-*N*-(1-hydroxy-2-methylpropan-2-yl)-3-(2,2,2-trifluoroethoxy)benzamide,

5 *N*-[2-(dimethylamino)ethyl]-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)-
[1,2,4]triazolo[1,5-*a*]pyridin-2-yl]amino}-3-(2,2,2-trifluoroethoxy)benzamide,

2-(4-fluorophenyl)-*N*-[4-(2-{{4-(methylsulfinyl)-2-(2,2,2-trifluoroethoxy)phenyl]-
amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

10 4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-3-(trifluoromethoxy)benzamide,

N-[4-(2-{{2-(difluoromethoxy)-4-(propan-2-
ylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]-2-(4-
fluorophenyl)acetamide,

15 *N*-[4-(2-{{2-(difluoromethoxy)-4-fluorophenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)phenyl]-2-(4-fluorophenyl)acetamide,

4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-3-methylbenzamide,

4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-3-methyl-*N*-(2,2,2-trifluoroethyl)benzamide,

20 *N*-(2-fluoroethyl)-4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]-
triazolo[1,5-*a*]pyridin-2-yl]amino}-3-methylbenzamide,

4-{{6-(4-{{(4-fluorophenyl)acetyl}amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-*N,N*,3-trimethylbenzamide,

25 2-(4-fluorophenyl)-*N*-[4-(2-{{2-methyl-4-(methylsulfonyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

2-(4-fluorophenyl)-*N*-[4-(2-{[2-methyl-4-(methylsulfinyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

2-(4-fluorophenyl)-*N*-{4-[2-({2-methyl-4-[(methylsulfonyl)amino]phenyl}amino)-
[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl}acetamide,

5 2-(4-fluorophenyl)-*N*-(4-{2-[(4-methoxy-2-methylphenyl)amino][1,2,4]triazolo[1,5-
a]pyridin-6-yl}phenyl)acetamide,

N-[4-(2-{[4-(dimethylamino)-2-methylphenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)phenyl]-2-(4-fluorophenyl)acetamide,

10 *N*-ethyl-5-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-
a]pyridin-2-yl]amino}-4-methylpyridine-2-carboxamide,

5-{[6-(4-{[(4-fluorophenyl)acetyl]amino}phenyl)[1,2,4]triazolo[1,5-*a*]pyridin-2-
yl]amino}-4-methyl-*N*-(2,2,2-trifluoroethyl)pyridine-2-carboxamide,

N-[4-(2-{[2-fluoro-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)phenyl]-2-(4-fluorophenyl)acetamide,

15 2-(4-fluoro-3-methylphenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]-
amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

2-(4-chlorophenyl)-*N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}-
[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

20 *N*-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-
6-yl)phenyl]-2-phenylacetamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-
amino]-3-methoxybenzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-
amino]-3-methoxy-*N*-(2-methoxyethyl)benzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-fluoroethyl)-3-methoxybenzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methoxy-*N,N*-dimethylbenzamide,

5 *N*-(2,2-difluoroethyl)-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,

N-[2-(dimethylamino)ethyl]-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxybenzamide,

10 *N*-[2-(dimethylamino)ethyl]-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methoxy-*N*-methylbenzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(3-fluoropropyl)-3-methoxybenzamide,

N-(4-fluorobenzyl)-4-(2-{[2-methoxy-4-(methylsulfinyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

15 4-(2-{[4-(*tert*-butylsulfamoyl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,

N-(4-fluorobenzyl)-4-(2-{[4-(2-hydroxypropan-2-yl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

20 *N*-[2-(dimethylamino)ethyl]-3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]benzamide,

3-ethoxy-*N*-ethyl-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-methylbenzamide,

3-ethoxy-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-*N*-(2-fluoroethyl)benzamide,

N-[2-(dimethylamino)ethyl]-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-(2,2,2-trifluoroethoxy)benzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-fluoroethyl)-3-(2,2,2-trifluoroethoxy)benzamide,

5 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-(trifluoromethoxy)benzamide,

4-(2-{[2-(difluoromethoxy)-4-(ethylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,

10 4-(2-{[2-(difluoromethoxy)-4-(propan-2-ylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,

4-(2-{[2-(difluoromethoxy)-4-fluorophenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-*N*-(4-fluorobenzyl)benzamide,

N-ethyl-4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)amino]-3-methylbenzamide,

15 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methylbenzamide,

4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-3-methyl-*N*-(2,2,2-trifluoroethyl)benzamide,

20 4-[(6-{4-[(4-fluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-amino]-*N*-(2-fluoroethyl)-3-methylbenzamide,

N-(4-fluorobenzyl)-4-(2-{[2-methyl-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

N-(4-fluorobenzyl)-4-(2-{[2-methyl-4-(methylsulfinyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

N-(4-fluorobenzyl)-4-[2-({2-methyl-4-[(methylsulfonyl)amino]phenyl}amino)[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl]benzamide,

N-(4-fluorobenzyl)-4-{2-[(4-methoxy-2-methylphenyl)amino][1,2,4]triazolo[1,5-
a]pyridin-6-yl}benzamide,

5 4-[(6-{4-[(4-chlorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-
amino]-3-methoxy-*N*-(2,2,2-trifluoroethyl)benzamide,

N-(4-chlorobenzyl)-4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)benzamide,

10 *N*-(4-chlorobenzyl)-4-(2-{[2-methyl-4-
(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

N-(4-chlorobenzyl)-4-(2-{[2-methyl-4-(methylsulfinyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)benzamide,

4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-
yl)-*N*-(4-methylbenzyl)benzamide,

15 *N*-(4-methylbenzyl)-4-(2-{[2-methyl-4-(methylsulfonyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)benzamide,

N-(4-methylbenzyl)-4-(2-{[2-methyl-4-(methylsulfinyl)phenyl]amino}[1,2,4]-
triazolo[1,5-*a*]pyridin-6-yl)benzamide,

20 4-[(6-{4-[(2,4-difluorobenzyl)carbamoyl]phenyl}[1,2,4]triazolo[1,5-*a*]pyridin-2-yl)-
amino]-3-methoxy-*N*-(2,2,2-trifluoroethyl)benzamide,

N-(2,4-difluorobenzyl)-2-methyl-4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)-
phenyl]amino}[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,

N-(4-fluorobenzyl)-4-(2-{[4-(2-hydroxypropan-2-yl)-2-methoxyphenyl]amino}-
[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)-2-methoxybenzamide,

2-(4-fluorophenyl)-*N*-[4-(2-{[2-methoxy-4-(*S*-methylsulfonimidoyl)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

N-(4-fluorobenzyl)-4-(2-{[2-methoxy-4-(*S*-methylsulfonimidoyl)phenyl]amino}-[1,2,4]triazolo[1,5-*a*]pyridin-6-yl)benzamide,


5 2-(4-fluorophenyl)-*N*-[4-(2-{[4-(hydroxymethyl)-2-methoxyphenyl]amino}[1,2,4]-triazolo[1,5-*a*]pyridin-6-yl)phenyl]acetamide,

and

N-(4-fluorobenzyl)-4-(2-{[4-(hydroxymethyl)-2-methoxyphenyl]amino}[1,2,4]-triazolo[1,5-*a*]pyridin-6-yl)benzamide.


10

10. Intermediate compound of general formula (In1) :



(In1)

in which R^2 , R^3 , R^4 , and R^5 are as defined in any one of the claims 1 to 9, and CG^1 is
15 a leaving group, including a halogen atom or a trifluoromethylsulphonyloxy or nonafluorobutylsulphonyloxy group, preferably a chlorine atom, or CG^1 represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;

20







R^{B1} and R^{B2}


represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl- group ;


or


 R^{B1} and R^{B2} together represent a C_1 - C_6 -alkylene group.






11. Intermediate compound according to claim 10, which is selected from :










































































5 12. Intermediate compound according to claim 11, in which CG¹ is a leaving group, including a halogen atom or a trifluoromethylsulphonyloxy or nonafluorobutylsulphonyloxy group, preferably a chlorine atom.

10 13. Intermediate compound according to claim 11, in which CG¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;

5 $\text{R}^{\text{B}1}$ and $\text{R}^{\text{B}2}$


represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl- or C_3 - C_6 -cycloalkyl- group ;

or

$\text{R}^{\text{B}1}$ and $\text{R}^{\text{B}2}$ together represent a C_1 - C_6 -alkylene group.

10

14. Intermediate compound of general formula (In2) :



15

in which :

G^1 represents

$\text{R}^{\text{A}1}$, wherein $\text{R}^{\text{A}1}$ is as defined in claim 1, or

$-\text{C}(=\text{O})\text{OH}$, or a carboxylic acid ester, or

20

$-\text{NH}_2$, or a protected amine ;

$\text{R}^{\text{B}1}$ and $\text{R}^{\text{B}2}$

represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl- group ;

25 or


$\text{R}^{\text{B}1}$ and $\text{R}^{\text{B}2}$ together represent a C_1 - C_6 -alkylene group;

and

R² and t are as defined in claim 1.


15. Intermediate compound according to claim 14, in which t is 0 and G¹ is selected

5 from:



10

16. Intermediate compound of general formula (In3) :





in which :

5 G^1 represents R^{A1} , wherein R^{A1} is as in claim 1, or
 $-C(=O)OH$, or a carboxylic acid ester, or
 $-NH_2$, or a protected amine ;


10 and
 R^{A2} and t are as defined in claim 1.

17. Intermediate compound according to claim 16, in which t is 0 and G¹ is selected from:





18. Intermediate compound of general formula (In4) :



in which :

G¹ represents


R^{A1}, wherein R^{A1} is as in claim 1, or
 -C(=O)OH, or a carboxylic acid ester, or
 -NH₂, or a protected amine;

LG represents a leaving group;

and

R^{A2} and t are as defined in claim 1.

19. Intermediate compound according to claim 18, in which t is 0 and G¹ is selected from:




5

20. Use of a compound of any one of claims 10, 11, 12, 13, 14, 15, 16, 17, 18, or 19 for the preparation of a compound of formula (I) as defined in claim 1.

10

CLAIMS


1. Method for preparing a compound of general formula PC:



(PC)


in which :

R¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;

R² represents



wherein * indicates the point of attachment of said group with the rest of the molecule;

R³ represents a hydrogen atom ;


R⁴ represents a hydrogen atom ;

R⁵ represents a hydrogen atom or a C₁-C₃-alkyl- group ;

R^{5a} represents a group selected from: C₁-C₄-alkoxy-, halo-C₁-C₄-alkoxy-,
C₁-C₄-alkyl ;

R^{5b} represents a group selected from:
-C(=O)N(H)R⁸, -C(=O)NR⁸R⁷, -N(R⁷)C(=O)OR⁸, R⁷-S(=O)₂- ;

R⁶ represents a



wherein * indicates the point of attachment of said group with the rest of the molecule ;

wherein said group is optionally substituted, one or more times, identically or differently, with a halogen atom or a methyl- group ;

R⁷ represents a C₁-C₃-alkyl- or a cyclopropyl- group ;

R⁸ represents a hydrogen atom or a C₁-C₆-alkyl- or C₃-C₆-cycloalkyl- group ;
wherein said C₁-C₆-alkyl- or C₃-C₆-cycloalkyl- group is optionally substituted, one or more times, with a halogen atom ;

or

R⁷ and R⁸ together with the molecular fragment they are attached to represent a 4- to 6-membered heterocyclic ring, which is optionally substituted, one or more times, identically or differently, with a halogen atom, a C₁-C₃-alkyl-, halo-C₁-C₃-alkyl- or C₁-C₃-alkoxy- group ;


R⁹ represents a group selected from: C₁-C₃-alkyl-, hydroxy-C₁-C₃-alkyl-, -N(H)R⁸; -N(R⁷)R⁸, N(H)(R⁸)-C₁-C₃-alkyl-, N(R⁷)(R⁸)-C₁-C₃-alkyl- ;

and

Q represents CH or N ;

5


wherein the method comprises the step of allowing a compound of general formula (In1) :



(In1)

10


to react with a compound of general formula (In5)



(In5)

15

thus providing a compound of general formula (Ia) :




(Ia)

20

wherein:

G¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ; or

5 -NH₂, or a protected amine ;

CG¹ and CG²


represent groups enabling palladium catalysed coupling reactions, including chloro, bromo, iodo, trifluoromethylsulfonyloxy, or a boronic acid or an ester thereof, with the proviso that if CG¹ represents a boronic ester or an ester or derivative thereof, CG² stands for a leaving group, and *vice versa*;

and

R², R³, R⁴, and R⁵ are as defined in claim 1.


15

2. Method for preparing a compound of general formula PC as defined in claim 1, the method comprising the step of allowing a compound of general formula (In1) :



(In1)

20 in which R², R³, R⁴, and R⁵ are as defined in claim 1, and CG¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;


R^{B1} and R^{B2}

5 represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl- group ;

or


R^{B1} and R^{B2} together represent a C_1 - C_6 -alkylene group;

10 to react with a compound of general formula (In2) :



in which :

15 G^1 represents




wherein * indicates the point of attachment of said group with the rest of the molecule ; or

- NH_2 , or a protected amine ; and

20 LG represents a leaving group;


thus providing a compound of general formula (Ia) :



(Ia)

in which

5 G¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ; or

-NH₂, or a protected amine,


10

and

R², R³, R⁴, R⁵, R⁶ and R⁹ are as defined in claim 1.

15


3. The method according to claim 1, wherein the method comprises the step of allowing a compound of general formula (In1) :




(In1)

20 in which R², R³, R⁴, and R⁵ are as defined in claim 1, and LG is a leaving group;

to react with a compound of general formula (In2) or (In3):




(In2)



(In3)

in which :

G^1 represents



wherein * indicates the point of attachment of said group with the rest of the molecule ; or

$-\text{NH}_2$, or a protected amine ;


R^{B1} and R^{B2}

represent, independently from each other, a hydrogen atom or a C_1 - C_6 -alkyl or C_3 - C_6 -cycloalkyl- group ;

or

R^{B1} and R^{B2} together represent a C_1 - C_6 -alkylene group;


thus providing a compound of general formula (Ia) :



(Ia)

in which R², R³, R⁴, and R⁵ are as defined in claim 1, and

5 G¹ represents




wherein * indicates the point of attachment of said group with the rest of the molecule ; or

-NH₂, or a protected amine.

10

4. The method according to any one of claims 2 to 3, wherein

G¹ represents



15 wherein * indicates the point of attachment of said group with the rest of the molecule.

5. The method according to any one of claims 2 to 3, wherein

20 G¹ represents a protected amine.

6. The method according to any one of claims 1 to 5, wherein LG represents a chlorine atom or a bromine atom.

5

7. The method according to any one of claims 1 to 6, wherein the compound of general formula (I) is selected from the group consisting of:

(2R)-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}-[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

10 (2R)-N-[4-(2-{[2-ethoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)propanamide,

(2R)-2-(4-fluorophenyl)-N-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)-phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

15 4-{[6-(4-{[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxy-N-(2,2,2-trifluoroethyl)benzamide,

4-{[6-(4-{[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxybenzamide,

4-{[6-(4-{[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-(2,2,2-trifluoroethoxy)benzamide,

20 (2R)-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-methoxyphenyl}amino)-[1,2,4]triazolo[1,5-a]pyridin-6-yl]phenyl}-2-(4-fluorophenyl)propanamide,

(2R)-N-[4-(2-{[4-(azetidin-1-ylcarbonyl)-2-methoxyphenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]-2-(4-fluorophenyl)propanamide,

25 (2R)-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(2-oxo-1,3-oxazolidin-3-yl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

(-)-2-(4-fluorophenyl)-3-hydroxy-N-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(methylsulfonyl)-phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

4-{[6-(4-{[(2R)-2-(4-fluorophenyl)propanoyl]amino}phenyl)[1,2,4]triazolo[1,5-a]pyridin-2-yl]amino}-3-methoxy-N,N-dimethylbenzamide,

5 (2R)-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(pyrrolidin-1-ylcarbonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

(2R)-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl}-2-(4-fluorophenyl)propanamide,

10 (2R)-2-(4-fluorophenyl)-N-{4-[2-({4-[(3-hydroxyazetidin-1-yl)carbonyl]-2-(2,2,2-trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl}propanamide,

(2R)-2-(4-fluorophenyl)-N-[4-(2-{[4-(pyrrolidin-1-ylcarbonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-

15 yl)phenyl]propanamide,

(2S)-2-(4-fluorophenyl)-3-hydroxy-N-[4-(2-{[2-methoxy-4-(methylsulfonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]propanamide,

(2S)-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-

20 trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl}-2-(4-fluorophenyl)-3-hydroxypropanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[4-(methylsulfonyl)-2-(2,2,2-trifluoroethoxy)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(2-oxo-1,3-oxazolidin-3-yl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl)phenyl]ethanamide,

25

(2R)-2-amino-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-methoxyphenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl]phenyl}-2-(4-fluorophenyl)ethanamide,


(2R)-2-amino-N-[4-(2-{4-(azetidin-1-ylcarbonyl)-2-

5 methoxyphenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl]phenyl]-2-(4-fluorophenyl)ethanamide,

(2R)-2-amino-2-(4-fluorophenyl)-N-[4-(2-{[2-methoxy-4-(pyrrolidin-1-ylcarbonyl)phenyl]amino}[1,2,4]triazolo[1,5-a]pyridin-6-yl]phenyl]ethanamide,


10 (2R)-2-amino-N-{4-[2-({4-[(3-fluoroazetidin-1-yl)carbonyl]-2-(2,2,2-trifluoroethoxy)phenyl}amino)[1,2,4]triazolo[1,5-a]pyridin-6-yl]phenyl}-2-(4-fluorophenyl)ethanamide.

8. Intermediate compound of general formula (In1) :



(In1)

15 in which R², R³, R⁴, and R⁵ are as defined in any one of the claims 1 to 7, and CG¹ represents



wherein * indicates the point of attachment of said group with the rest of the molecule ;







20 R^{B1} and R^{B2}


represent, independently from each other, a hydrogen atom or a C₁-C₆-alkyl or C₃-C₆-cycloalkyl- group ;







or


R^{B1} and R^{B2} together represent a C₁-C₆-alkylene group.







9. Intermediate compound according to claim 8, which is selected from :


























5

10. Intermediate compound of general formula (In2) :



10

in which :

R^{B1} and R^{B2}

represent, independently from each other, a hydrogen atom or a C₁-C₆-alkyl
or C₃-C₆-cycloalkyl- group ;


or

R^{B1} and R^{B2} together represent a C₁-C₆-alkylene group;

5

and

G¹ is selected from:



10

