




FIG. 1





FIG. 2

FIG. 3



Dashboard / Configure

GermanCreditRiskModelYPQA

Payload logging

Model details

Accuracy

Fairness

Explainability

Diff. data

Specify the location of the training data

Training data must be stored in a Db2 database or Cloud Object Storage. Enter your connection information, then click Test to verify the connection.

Location

Db2

Hostname or IP address

dashdb-entry-yp-dal09-09 services.dal.bluewin.ch

SSL port

50001

Database

BL1238

Username

dash11348

Password

Test

Back

Test

FIG. 4A




FIG. 4B




FIG. 5




FIG. 6A

Additional Questions

GermanCreditRiskModelPQA

Copy to clipboard

Reset values

Accuracy

Outcome

Interpretability

Full text

Specify reference and monitored groups [Age]

Divide values into two groups - reference and monitored. Reference group values are used to calculate disparities of outcomes between groups. Specify the monitored group values that will be compared with the reference group to check for potential bias.

Warning: When reference and monitored groups have overlapping ranges, the model will not be able to calculate disparities.

Values from training data

	Reference group	Monitored group
Starting value	0	0
End value	1	1

Enter one or more non-overlapping ranges.
Don't enter the same range in both groups.

Monitored group

Starting value	0	1	0
----------------	---	---	---

0-1

FIG. 6B




FIG. 6C