
CLAIMS

What is claimed is:

































1. A compound of Formula (I)




(I)

or a salt thereof, wherein:

Ring A is:


or

;

each R_1 is independently F, Cl, Br, –CN, –OH, $–NO_2$, $C_{1–6}$ alkyl substituted with zero to 6 R_{1a}, $C_{1–3}$ alkoxy substituted with zero to 6 R_{1a}, $–CR_xR_xOCR_xR_x$(phenyl), $–NR_yR_y$, $–NR_xC(O)H$, $–NR_xC(O)(C_{1–2}$ alkyl), $–NR_xC(O)NR_xR_x$, –C(O)H, –C(O)OH, $–C(O)O(C_{1–3}$ alkyl), $–C(O)NR_xR_x$, $–C(O)NR_x(C_{3–6}$ cycloalkyl), $–OC(O)(C_{1-3}$ alkyl), $–SO_2(C_{1–3}$ alkyl), $–NHN(C_{1-2}$ alkyl)$_2$, $–CH_2CH_2Si(CH_3)_3$ or a cyclic group selected from $C_{3–6}$ cycloalkyl, phenyl, pyridinyl, piperidinyl, piperazinyl, pyrrolidinyl, morpholinyl, and dioxidothiomorpholinyl, wherein said cyclic group is substituted with zero to 4 R_{1b};

each R_{1a} is independently F, Cl, –CN, –OH, $C_{1–2}$ alkoxy, $C_{1–2}$ fluoroalkoxy, $–SO_2(C_{1–3}$ alkyl), or phenyl;

each R_{1b} is independently F, Cl, $C_{1–2}$ alkyl, $C_{1–2}$ fluoroalkyl, $C_{1–2}$ alkoxy, $C_{1–2}$ fluoroalkoxy, $–C(O)(C_{1–3}$ alkyl), $–SO_2(C_{1–3}$ alkyl), or $–CH_2$(phenyl);

each R_x is independently H or $–CH_3$;

each R_y is independently H or $C_{1–6}$ alkyl; and

n is zero, 1, 2, 3, or 4.

2. The compound according to claim 1 or a salt thereof, wherein:

each R_1 is independently F, Cl, Br, –CN, –OH, $–NO_2$, $C_{1–5}$ alkyl substituted with zero to 6 R_{1a}, $C_{1–2}$ alkoxy substituted with zero to 5 R_{1a}, $–CR_xR_xOCH_2$(phenyl), $–NR_yR_y$, $–NR_xC(O)CH_3$, $–NR_xC(O)NR_xR_x$, –C(O)H, –C(O)OH, $–C(O)O(C_{1–2}$ alkyl), $–C(O)NR_xR_x$, $–C(O)NR_x$(cyclopropyl), $–OC(O)(C_{1-2}$ alkyl), $–SO_2(C_{1–2}$ alkyl), $–NHN(CH_3)_2$, $–CH_2CH_2Si(CH_3)_3$, or a cyclic group selected from $C_{3–6}$ cycloalkyl, phenyl, pyridinyl, piperidinyl, piperazinyl, pyrrolidinyl, morpholinyl,

and dioxidothiomorpholinyl, wherein said cyclic group is substituted with zero to 3 R_{1b};

each R_{1b} is independently F, Cl, C_{1-2} alkyl, $-CH_2F$, $-CHF_2$, $-CF_3$, C_{1-2} alkoxy, $-OCF_3$, $-C(O)(C_{1-2}$ alkyl), or $-SO_2(C_{1-2}$ alkyl); and


n is zero, 1, 2, or 3.

3. The compound according to claim 1 or a salt thereof, wherein:


each R_1 is independently F, Cl, Br, $-CN$, $-OH$, $-NO_2$, $-CH_3$, $-CH_2CH_3$, $-CHCH_2CH_3$, $-CH(CH_3)_2$, $-CH_2C(CH_3)_3$, $-CF_3$, $-CH_2Cl$, $-CH_2CN$, $-CH_2$(phenyl), $-CH_2OH$, $-CH_2OCH_2$(phenyl), $-OCH_3$, $-OCH_2CH_3$, $-OCH_2$(phenyl), $-NH_2$, $-NH(CH_3)$, $-NH(CH_2CH_3)$, $-NH(CH(CH_3)CH_2CH_3)$, $-N(CH_3)_2$, $-N(CH_2CH_3)_2$, $-NHC(O)CH_3$, $-N(CH_3)C(O)CH_3$, $-C(O)H$, $-C(O)OCH_3$, $-C(O)NH$(cyclopropyl), $-C(O)NH_2$, $-C(O)N(CH_3)_2$, $-CH_2CH_2Si(CH_3)_3$, $-OC(O)CH_3$, $-NHN(CH_3)_2$, cyclopropyl, phenyl, pyridinyl, (benzyl)morpholinyl, (methylsulfonyl)piperazinyl, or acetylpiperazinyl; and



n is zero, 1, 2, or 3.

4. The compound according to claim 1 or a salt thereof, wherein Ring A is:


 or .

5. The compound according to any one of claims 1 to 3 or a salt thereof, wherein Ring A is:




 or .

6. The compound according to any one of claims 1 to 3 or a salt thereof, wherein Ring A is:



or


.

7. The compound according to any one of claims 1 to 3 or a salt thereof, wherein Ring A is: ;

each R_1 is independently F, Cl, Br, –CN, –OH, $–NO_2$, $–CH_3$, $–OCH_3$, $–NH_2$, $–NH(CH_3)$, $–NH(CH_2CH_3)$, $–NHC(O)CH_3$, $–NHN(CH_3)_2$, cyclopropyl, phenyl, (benzyl)morpholinyl, (methylsulfonyl)piperazinyl, or acetylpiperazinyl; and

n is zero, 1, 2, or 3.


8. The compound according to any one of claims 1 to 3 or a salt thereof, wherein: ing

A is  ;

each R_1 is independently F, Cl, –CN, –OH, $–CH_3$, $–OCH_3$, $–OCH_2$(phenyl), $–NH_2$, $–N(CH_3)_2$, $–CH_2CH_3$, $–CH(CH_3)_2$, $–CH_2C(CH_3)_3$, $–CF_3$, $–CH_2Cl$, $–CH_2CN$, $–CH_2$(phenyl), $–CH_2OH$, $–CH_2OCH_2$(phenyl), $–OCH_2CH_3$, $–NH(CH_3)$, $–NH(CH_2CH_3)$, or $–NHC(O)CH_3$; and

n is zero, 1, or 2.



9. The compound according to any one of claims 1 to 3 or a salt thereof, wherein:

Ring A is  ;

each R_1 is independently F, Cl, –OH, $–CH_3$, $–OCH_3$, $–NH_2$, $–C(O)OCH_3$, $–C(O)NH$(cyclopropyl), or phenyl; and

n is zero, 1, or 2.

10. The compound according to any one of claims 1 to 3 or a salt thereof, wherein:

Ring A is:  or  ;

each R_1 is independently –CN, $–NH_2$, $–C(O)NH_2$, phenyl, or pyridinyl; and

n is zero, 1, or 2.

11. The compound according to claim 1 or a salt thereof, wherein said compound is:

3-[1-oxo-5-(quinolin-2-yl)-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (1);

3-[5-(4-aminoisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (2);

3-(5-{8-oxa-3,5-diazatricyclo[7.4.0.0²,7]trideca-1(9),2,4,6,10,12-hexaen-6-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (3);

3-[5-(1-aminoisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (4);

3-[5-(3-aminoquinoxalin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (5);

3-(1-oxo-5-{7H-pyrrolo[2,3-c]pyridazin-3-yl}-2,3-dihydro-1H-isoindol-2-yl) piperidine-2,6-dione (6);

3-[1-oxo-5-(quinoxalin-2-yl)-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (7);

3-[5-(4-aminoquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (8);

3-[1-oxo-5-(quinazolin-2-yl)-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (9);

3-(5-{2-[(butan-2-yl)amino]-[1,3]thiazolo[5,4-b]pyridin-5-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (10);

3-(5-{7-fluoro-1H-pyrrolo[3,2-c]pyridin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl) piperidine-2,6-dione (11);

3-[5-(4-methoxyquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (12);

3-[1-oxo-5-(4-phenylquinolin-2-yl)-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (13);

N-cyclopropyl-2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl] quinoline-4-carboxamide (14);

3-{5-[6-chloro-4-(diethylamino)quinazolin-2-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (15);

3-[5-(4-amino-6,7-dimethoxyquinazolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (16);

3-[5-(6-methoxyisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (17);

3-[5-(6-chloroquinoxalin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (18);

3-[5-(7-fluoroisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (19);

3-[5-(5-fluoroisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (20);

3-[5-(1,5-naphthyridin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (21);

3-[5-(4-aminoquinazolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (22);

3-[5-(6-methylisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (23);

3-[5-(4-methylquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (24);

3-[5-(3-aminoisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (25);

3-[5-(6-fluoroquinoxalin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (26);

3-[5-(6-chloroquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (27);

3-[5-(7-chloroquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (28);

3-[5-(6-methoxyquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (29);

ethyl 3-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]quinoxaline-2-carboxylate (30);

methyl 2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]quinoline-6-carboxylate (31);

3-[5-(3-methylquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (32);

3-[5-(8-methoxyquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (33);

3-[5-(8-chloroquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (34);

3-[5-(6-fluoroquinazolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (35);

3-[5-(3-chloroquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (36);

3-[5-(4-hydroxyquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (37);

3-[5-(6-fluoroquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (38);

3-[5-(6-methylquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (39);

3-[5-(6-hydroxyquinolin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (40);

methyl 2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl] quinazoline-7-carboxylate (41);

3-(5-{5-amino-3-[2-(trimethylsilyl)ethyl]-3H-[1,2,3]triazolo[4,5-d]pyrimidin-7-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (42);

3-[5-(2-amino-9H-purin-6-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (43);

3-[5-(6-amino-7H-purin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (44);

3-(5-{6-amino-1-ethyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (45);

3-{5-[5-amino-1-(2,2-dimethylpropyl)-4-oxo-1,4-dihydro-1,6-naphthyridin-7-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (46);

3-[5-(5-amino-4-oxo-1,4-dihydro-1,6-naphthyridin-7-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (47);

N-{3-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]isoquinolin-1-yl}acetamide (48);

3-{5-[1-(dimethylamino)isoquinolin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl} piperidine-2,6-dione (49);

3-{5-[1-(methylamino)isoquinolin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl} piperidine-2,6-dione (50);

3-{5-[5-(methylamino)-1,6-naphthyridin-7-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl} piperidine-2,6-dione (51);

N-{3-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]isoquinolin-1-yl}-N-methylacetamide (52);

3-[5-(6-amino-1,7-naphthyridin-8-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (53);

3-[5-(3-amino-5-methoxyisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (54);

3-(5-(4-(4-acetylpiperazin-1-yl)pyrido[2,3-d]pyrimidin-2-yl)-1-oxoisoindolin-2-yl) piperidine-2,6-dione (55);

3-(5-{4-bromo-1H-pyrrolo[2,3-c]pyridin-7-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl) piperidine-2,6-dione (56);

3-[5-(5-amino-1,6-naphthyridin-7-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (57);

3-[5-(3,6-dimethoxyisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (58);

1-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]isoquinoline-3-carbonitrile (59);

4-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]thieno[3,2-c] pyridine-2-carbaldehyde (60);

3-{5-[1-methyl-4-(methylamino)-1H-imidazo[4,5-c]pyridin-6-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (61);

3-(5-{2-methyl-4-oxo-4H-pyrano[2,3-b]pyridin-7-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (62);

3-{5-[5,7-dichloro-3-(dimethylamino)isoquinolin-1-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (63);

3-[5-(1,7-naphthyridin-8-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (64);

3-(5-{2-aminoimidazo[1,2-b]pyridazin-6-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl) piperidine-2,6-dione (65);

3-[5-(isoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (66);

3-[5-(isoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (67);

3-(5-(2-amino-6-methoxypyrimidin-4-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (68);

3-(5-(6-aminopyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (69);

3-(5-(2-aminopyrimidin-4-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (70);

3-(1-oxo-5-(4-phenylpyrimidin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (71);

3-(1-oxo-5-(4-(pyridin-3-yl)pyrimidin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (72);

3-(5-(4-amino-6-phenyl-1,3,5-triazin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (73);

3-(1-oxo-5-(4-phenylpyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (74);

3-(1-oxo-5-(4-(pyridin-2-yl)pyrimidin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (75);

3-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)pyridazine-4-carbonitrile (76);

6-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]pyridazine-3-carbonitrile (77);

6-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl] pyridazine-3-carboxamide (78);

3-[5-(6-amino-3-nitropyridin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (79);

4-amino-2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl] pyrimidine-5-carbonitrile (80);

4-amino-2-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl] pyrimidine-5-carboxamide (81);

(3S)-3-[5-(1-aminoisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (82);

(3R)-3-[5-(1-aminoisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (83);

(3S)-3-[5-(1-amino-4-ethoxyisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (84);

3-(5-(4-ethoxyisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (85);

3-(5-(1-chloro-4-ethoxyisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (86);

3-(5-(2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (87);

3-(5-(1-methylisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (88);

3-(5-(1-cyclopropylisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (89);

1-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)isoquinoline-4-carbonitrile (90);

3-(1-oxo-5-(quinazolin-4-yl)isoindolin-2-yl)piperidine-2,6-dione (91);

3-(5-(6-methyl-5-oxo-5,6,7,8-tetrahydro-1,6-naphthyridin-2-yl)-1-oxoisoindolin-2-yl) piperidine-2,6-dione (92);

3-(5-(3-chloroquinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (93);

3-(5-(3-methoxyquinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (94);

3-(5-(3-(ethylamino)quinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (95);

3-(5-(3-hydroxyquinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (96);

3-(5-(3-cyclopropylquinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (97);

3-(5-(3-isopropylquinoxalin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (98);

3-(1-oxo-5-(3-phenylquinoxalin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (99);

3-(5-(1,6-naphthyridin-5-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (100);

3-(5-(6-amino-3-bromopyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (101);

3-(5-(6-aminoisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (102);

3-(5-(4-methoxyisoquinolin-1-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (103);

3-(5-(3-methoxypyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (104);

3-(5-(4-(benzyloxy)isoquinolin-1-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (105);

3-(5-(6-amino-3-methoxypyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (106);

3-(5-(3-(hydroxymethyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (107);

3-(5-(4-(hydroxymethyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (108);

3-(1-oxo-5-(pyridin-2-yl)isoindolin-2-yl)piperidine-2,6-dione (109);

2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)isonicotinonitrile (110);

2-(2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)pyridin-4-yl)acetonitrile (111);

3-(5-(6-amino-4-(hydroxymethyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (112);

3-(5-(2,3-dihydro-1H-pyrrolo[2,3-c]pyridin-5-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (113);

3-(1-oxo-5-(2-oxo-2,3-dihydro-1H-pyrrolo[2,3-b]pyridin-6-yl)isoindolin-2-yl)

piperidine-2,6-dione (114);

3-(1-oxo-5-(5,6,7,8-tetrahydroisoquinolin-3-yl)isoindolin-2-yl)piperidine-2,6-dione (115);

3-(5-(6-amino-5-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (116);

3-(5-(5,6-diaminopyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (117);

3-(1-oxo-5-(1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)isoindolin-2-yl)piperidine-2,6-dione (118);

3-(5-(5-amino-4,6-dimethylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (119);

3-(5-(6-amino-4-(trifluoromethyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (120);

3-(5-(4,5-dimethylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (121);

(3S)-3-[5-(1,8-naphthyridin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (122);

(S)-3-(5-(3-aminoisoquinolin-1-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (123);

(S)-N-(1-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)isoquinolin-3-yl) acetamide (124);

3-{2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl} isoquinoline-1-carbonitrile (125);

3-{2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl} isoquinoline-1-carboxamide (126);

(4S)-7-{2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl}-2H,3H,4H-pyrano[2,3-b]pyridin-4-yl acetate (127);

(4R)-7-{2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl}-2H,3H,4H-pyrano[2,3-b]pyridin-4-yl acetate (128);

3-{5-[7-chloro-4-(dimethylamino)isoquinolin-1-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (129);

1-amino-3-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]-N,N-dimethylisoquinoline-4-carboxamide (130);

3-[5-(1-amino-4-methylisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]

piperidine-2,6-dione (131);

3-[5-(6-amino-3-cyclopropylpyridin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (132);

3-[5-(6-aminoisoquinolin-1-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (133);

N-{1-[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]isoquinolin-6-yl}acetamide (134);

3-{5-[6-amino-4-(chloromethyl)pyridin-2-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl} piperidine-2,6-dione (135);

3-(1-oxo-5-{5H,6H,7H,8H,9H-pyrido[2,3-b]azepin-2-yl}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione (136);

3-[1-oxo-5-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (137);

3-{5-[6-(2,2-dimethylhydrazin-1-yl)pyridin-2-yl]-1-oxo-2,3-dihydro-1H-isoindol-2-yl}piperidine-2,6-dione (138);

3-(5-(1H-imidazo[4,5-b]pyridin-5-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (139);

3-(5-(6-amino-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (140);

3-(5-(3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (141);

3-(5-(6-aminopyrazin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (142);

3-(5-(2-amino-6-methylpyrimidin-4-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (143);

3-(5-(4,6-dimethylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (144);

3-(5-(5-chloro-3-hydroxyisoquinolin-1-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (145);

3-(5-(6-methoxy-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (146);

3-(5-(6-hydroxy-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (147);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-methylnicotinonitrile (148);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)isonicotinonitrile (149);

3-(5-(1-amino-5,6,7,8-tetrahydroisoquinolin-3-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (150);

3-(5-(6-amino-4,5-dimethylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (151);

6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-methylnicotinonitrile (152);

3-(5-(6-amino-5-methoxy-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (153);

3-(5-(6-amino-5-methoxy-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (154);

3-[5-(6-methoxypyridin-2-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (155);

3-[5-(1-methoxyisoquinolin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione (156);

3-[1-oxo-5-(1-oxo-1,2-dihydroisoquinolin-3-yl)-2,3-dihydro-1H-isoindol-2-yl] piperidine-2,6-dione (157);

3-(5-{1-Benzyl-1H-pyrrolo[3,2-c]pyridin-6-yl}-1-oxo-2,3-dihydro-1H-isoindol-2-yl) piperidine-2,6-dione (158);

3-(1-oxo-5-(1H-pyrrolo[3,2-c]pyridin-6-yl)isoindolin-2-yl)piperidine-2,6-dione (159);

3-(1-oxo-5-(1H-pyrrolo[3,2-c]pyridin-4-yl)isoindolin-2-yl)piperidine-2,6-dione (160);

3-(5-(1-benzyl-1H-pyrrolo[3,2-c]pyridin-4-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (161);

6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)picolinonitrile (162);

3-(5-(6-amino-4-(trifluoromethyl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (163);

3-(5-(6-amino-4-methoxypyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (164);

3-(5-(6-amino-4-chloropyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (165);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)nicotinonitrile

(166);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)pyridine-3,5-dicarbonitrile (168);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-5-fluoronicotinonitrile (169);

3-(5-(6-amino-4-phenylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (170);

6-amino-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-(trifluoromethyl) nicotine-nitrile (171);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-propylnicotinonitrile (172);

6-amino-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-propylnicotinonitrile (173);

6-amino-4-(difluoromethyl)-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl) nicotinonitrile (174);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-5-(trifluoromethyl) nicotine-nitrile (175);

2-amino-4-(difluoromethyl)-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl) nicotinonitrile (176);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-(trifluoromethyl) nicotine-nitrile (177);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-isopropylnicotinonitrile (178);

6-amino-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-4-isopropylnicotinonitrile (179);

6-amino-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-5-methylnicotinonitrile (180);

2-amino-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl)-5-methoxynicotinonitrile (181);

6-amino-5-cyclopropyl-2-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl) nicotinonitrile (182);

2-amino-5-cyclopropyl-6-(2-(2,6-dioxopiperidin-3-yl)-1-oxoisoindolin-5-yl) nicotinonitrile (183);

3-(5-(6-amino-4-(4-benzylpiperazin-1-yl) pyridin-2-yl)-1-oxoisoindolin-2-yl)

piperidine-2,6-dione (184);

3-(5-(6-amino-4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (185);

3-(5-(4-(4-acetylpiperazin-1-yl)-6-aminopyridin-2-yl)-1-oxoisoindolin-2-yl) piperidine-2,6-dione (186);

3-(5-(4-methyl-6-(methylamino)pyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (187);

3-(5-(6-(ethylamino)-4-methylpyridin-2-yl)-1-oxoisoindolin-2-yl)piperidine-2,6-dione (188); or

3-(5-(4,5-dimethyl-6-(methylamino)pyridin-2-yl)-1-oxoisoindolin-2-yl) piperidine-2,6-dione (189).

12. A pharmaceutical composition comprising a compound according to any one of claims 1-11 or a pharmaceutically-acceptable salt thereof; and a pharmaceutically acceptable carrier.

13. A compound according to any one of claims 1-11 for use in the treatment of cancer.

14. The compound according to claim 13, wherein said cancer is selected from cancer of the colon, gastric, pancreatic cancer, breast cancer, prostate cancer, lung cancer, ovarian cancer, cervical cancer, renal cancer, cancer of the head and neck, lymphoma, leukemia and melanoma.

15. A compound according to any one of claims 1 to 11 for decreasing Helios protein levels, Helios activity level, or Helios expression level in the cells, or a pharmaceutically acceptable salt thereof.

16. The compound according to Claim 15, wherein Helios protein is the amino acid sequence encoded by SEQ ID NOs: 1, 2, 3, 4, or 5.

17. A compound according to any one of claims 1 to 11 for decreasing Eos protein levels, Eos activity level, or Eos expression level in the cells, or a pharmaceutically acceptable salt thereof.

18. The compound according to Claim 17, wherein Eos protein is the amino acid sequence encoded by SEQ ID NOs: 7 or 8.

19. A compound according to any one of claims 1-11 for use in therapy.