

Figure 1A

EFdA




Figure 1B

Example 18




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5

Mean plasma concentration-time profiles of Example 17 and EFdA after single IM injection of Example 17 at 20 mg equivalent of EFdA/kg in male Wistar Han rats (N = 3/time point)




FIGURE 6

Mean plasma concentration-time profiles of Example 18, EFdA and Met1 after single IM injection of Example 18 at 20 mg equivalent of EFdA/kg in male Wistar Han rats (N = 3/time point)




FIGURE 7




FIGURE 8




FIGURE 9

Mean plasma concentration-time profiles of Example 37, EFdAA, Met1 and Met2 after single IM injection of Example 37 at 20 mg equivalent of EFdA/kg in male Wistar Han rats (N = 3/time point)




FIGURE 10

Mean plasma concentration-time profiles of Example 38, EFdA, Met1 and Met2 after single IM injection of Example 38 at 20 mg equivalent of EFdA/kg in male Wistar Han rats (N = 3/time point)




FIGURE 11

Mean plasma concentration-time profiles of Example 39, EFdA, Met1 and Met2 after single IM injection of Example 39 at 20 mg equivalent of EFdA/kg in male Wistar Han rats (N = 3/time point)




FIGURE 12




FIGURE 13

Mean plasma concentration-time profiles of Example 42, EFdA, Met1 and Met2 after single IM injection of Example 42 at 20 mg/kg in male Wistar Han rats (N=3/time point)




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20




FIGURE 21




FIGURE 22




FIGURE 23




FIGURE 24




FIGURE 25




FIGURE 26




FIGURE 27




FIGURE 28




FIGURE 29




FIGURE 30

