WHAT IS CLAIMED IS:

1. A computer implemented method comprising:

monitoring at a server electronic communications over a network between a first matched individual at a first client device and a second matched individual at a second client device, wherein monitoring includes

observing initiator electronic communication contributions originating at the first client device and recipient electronic communication contributions originating at the second client device,

maintaining a total electronic communications count between the first client device and the second client device, and

measuring an electronic communications duration period from an initial initiator electronic communication and a last electronic communication;

determining, based on the monitored electronic communications, that one or both of the first matched individual and the second matched individual are ready for an in-person meeting; and

supplying to the first client device a first prompt to initiate the in-person meeting.

2. The computer implemented method of claim 1 further comprising supplying to the second client device a second prompt in response to the first client device accepting the first prompt to initiate the in-person meeting.

3. The computer implemented method of claim 2 further comprising supplying to each of the first client device and the second client device a respective in-person meeting scheduling prompt in response to the first client device accepting the first prompt to initiate the in-person meeting and the second client device accepting the second prompt to initiate the in-person meeting.

4. The computer implemented method of any of the preceding claims wherein determining that one or both of the first matched individual and the second matched individual are ready for the in-person meeting comprises determining that a communication ratio between the initiator electronic communication contributions and the recipient electronic communication contributions satisfies a measure.

5. The computer implemented method of any of the preceding claims wherein determining that one or both of the first matched individual and the second matched individual are ready for the in-person meeting comprises determining that the total electronic communications count exceeds a minimum electronic communications count.

6. The computer implemented method of any of the preceding claims wherein determining that one or both of the first matched individual and the second matched individual are ready for the in-person meeting comprises determining that the electronic communications duration period exceeds a minimum electronic communications duration period.

7. The computer implemented method of any of the preceding claims wherein monitoring includes observing content in the electronic communications between the first matched individual and the second matched individual, and wherein determining that one or both of the first matched individual and the second matched individual are ready for the in-person meeting comprises determining that the content includes one or more keywords.

8. The computer implemented method of claim 7 wherein the one or more keywords include a phone number or a social media profile of the first or second matched individuals.

9. The computer implemented method of any of the preceding claims further comprising obtaining a geographical location for each of the first matched individual at the first client device and the second matched individual at the second client device, wherein determining that one or both of the first matched individual and the second matched individual are ready for the in-person meeting comprises determining that the geographical location of the first matched individual was within a predefined distance of the geographical location of the second matched individual during a particular time interval.

10. The computer implemented method of any of the preceding claims further comprising automatically stopping the monitoring of the electronic communications in response to supplying the first prompt to the first client device.

11. The computer implemented method of any of the preceding claims wherein observing the initiator electronic communication contributions originating at the first client device and the recipient electronic communication contributions originating at the second client device comprises:

maintaining a first count of the initiator electronic communication contributions and a second count of the recipient electronic communication contributions; and

comparing the first count and the second count to determine a communication ratio between the initiator electronic communication contributions and the recipient electronic communication.

12. A system comprising:

one or more processors coupled to a memory, the one or more processors configured to perform operations according to the computer implemented method of any one of claims 1 to 11.

13. A non-transitory computer readable medium storing instructions for causing a computing system to perform operations according to the computer implemented method of any one of claims 1 to 11.