

Classical Pathway
Lectin Pathway
Alternative Pathway
Ag-Ab complexes and others (e.g. CRP)
Microbial surfaces (mannose) and others (e.g. IgA)
Spontaneous and foreign surfaces, e.g. LPS
SIGN-R1
bacterial dextran receptor (CPS)
C1q
C1q C1r C1s
C1-INH
MBL, MASPs
C4
C4a
C4bC2
C2b
CPN
Factor I
DAF
MCP
CR1
C4b2a
C3-convertase
C3
C3b
C3a
C3(H2O)
Factor B
Factor H + I
C4-bp + I
Factor D
C3(H2O)Bb
Properdin
C3bB
Factor B
Factor D
C3bBb
Factor I
Factor H
DAF
MCP
CR1
CPN
C3b3bBb
C4b2a3b
C5-convertase
C5
C5b
C6+C7+C8+C9
Terminal Membrane Attack Complex
Anaphylatoxin
C5a
CPN
Clusterin
Vitronectin
CD59
s Protein
Copy right:
Riedemann N.C.
all rights reserved

Figure 1



1 mg/kg
10 mg/kg
% CFB mRNA remaining
relative to PBS
120
100
80
60
40
20
0
AD-60169
AD-60304
AD-60331
AD-60344
PBS
C3
Factor B siRNA

Figure 2




Figure 3