


Claims

1. Use of a compound according to formula (I)



(I)

wherein:

R1 is selected from the group consisting of "hydrogen atom, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl, heterocyclylalkyl, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl" which are optionally substituted in the alkyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl and/or heterocyclylalkyl group by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl"; and preferably are selected from the group consisting of "alkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl" optionally being substituted by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl";

R2 is selected from the group consisting of "alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl, heterocyclylalkyl, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl" which are optionally substituted in the alkyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl and/or heterocyclylalkyl group by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl"; and preferably are selected from the group consisting of "alkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl" optionally being substituted by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl";

one of radicals R3 and R4 is a hydrogen atom, whereas the other radical is selected from the group consisting of "hydrogen atom, alkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl, heterocyclylalkyl, -alkyl-O-aryl, -alkyl-O-arylalkyl, -alkyl-O-heteroaryl, -alkyl-O-heteroarylalkyl, -alkyl-O-heterocyclyl, -alkyl-O-heterocyclylalkyl, -alkyl-CO-aryl, -alkyl-CO-arylalkyl, -alkyl-CO-heteroaryl, -alkyl-CO-heteroarylalkyl, -alkyl-CO-heterocyclyl, -

- alkyl-CO-heterocyclalkyl, -alkyl-C(O)O-aryl, -alkyl-C(O)O-arylalkyl, -alkyl-C(O)O-heteroaryl, -alkyl-C(O)O-heteroarylalkyl, -alkyl-C(O)O-heterocycl, -alkyl-C(O)O-heterocyclalkyl, -alkyl-CO-NH₂, -alkyl-CO-OH, -alkyl-NH₂, -alkyl-NH-C(NH)-NH₂, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl, alkyl-S-alkyl, alkyl-S-H" which are optionally
- 5 substituted in the aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocycl and/or heterocyclalkyl group by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl"; and preferably are selected from the group consisting of
- 10 "arylalkyl, heteroarylalkyl, heterocyclalkyl, -alkyl-O-aryl, -alkyl-O-arylalkyl, -alkyl-O-heteroaryl, -alkyl-O-heteroarylalkyl, -alkyl-O-heterocycl, alkyl-O-

heterocyclalkyl, -alkyl-CO-aryl, -alkyl-CO-arylalkyl, -alkyl-CO-heteroaryl, -alkyl-CO-heteroarylalkyl, -alkyl-CO-heterocycl, alkyl-CO-heterocyclalkyl, -alkyl-C(O)O-aryl, -alkyl-C(O)O-arylalkyl, -alkyl-C(O)O-heteroaryl, -alkyl-C(O)O-heteroarylalkyl, -alkyl-C(O)O-heterocycl, -alkyl-C(O)O-heterocyclalkyl, -alkyl-CO-NH₂, -alkyl-CO-OH, -alkyl-NH₂, -alkyl-NH-C(NH)-NH₂," optionally being substituted in the aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocycl and/or heterocyclalkyl group by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl";

R₅ is selected from the group consisting of "hydrogen atom, alkyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocycl, heterocyclalkyl, -CO-alkyl, -CO-cycloalkyl, -CO-cycloalkylalkyl, -CO-aryl, -CO-arylalkyl, -CO-heteroaryl, -CO-heteroarylalkyl, -CO-heterocycl, -CO-heterocyclalkyl, -CO-C*(R₉R₁₀)-NH₂, -CO-CH₂-C*(R₉R₁₀)-NH₂, -CO-C*(R₉R₁₀)-CH₂-NH₂, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl" which are optionally substituted by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl"; and preferably is selected from the group consisting of "hydrogen atom, -CO-alkyl, -CO-cycloalkyl, -CO-aryl, -CO-heteroaryl, -CO-arylalkyl, -CO-heteroarylalkyl, -CO-heterocycl, -CO-C*(R₉R₁₀)-NH₂, -CO-CH₂-C*(R₉R₁₀)-NH₂, -CO-C*(R₉R₁₀)-CH₂-NH₂, optionally being substituted by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR₇R₈, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl";

R₆ is selected from the group consisting of "hydrogen atom, alkyl, cycloalkyl, cycloalkylalkyl" and preferably is a hydrogen atom;

R₇ and R₈ are independently of one another selected from the group consisting of "hydrogen atom, alkyl, cycloalkyl, cycloalkylalkyl" and preferably are a hydrogen atom;

R₉ and R₁₀ are independently of one another selected from the group consisting of "hydrogen atom, alkyl, natural alpha-amino acid side chain, unnatural alpha-amino acid side chain" and preferably are selected from the group consisting of "hydrogen atom, alkyl";

m is 0, 1 or 2 and preferably is 0; and

* means a carbon atom of R or S configuration when chiral;

for the manufacture of a medicament for the treatment or prophylaxis of physiological and/or pathophysiological conditions selected from the group consisting of: growth retardation, cachexia, short-, medium- and/or long term regulation of energy balance, short-, medium- and/or long term regulation (stimulation and/or inhibition) of food intake, adipogenesis, adiposity, obesity, body weight gain and/or reduction, diabetes, diabetes type I, diabetes type II, inflammation, inflammatory effects, gastric postoperative ileus, postoperative ileus, gastrectomy (ghrelin replacement therapy) and/or tumor cell proliferation.

2. The use of a compound according to formula (I) as claimed in claim 1, where

R3 is selected from the group consisting of "alkyl-CO-aryl, alkyl-CO-arylalkyl, alkyl-CO-heteroaryl, alkyl-CO-heteroarylalkyl, alkyl-CO-heterocyclyl, alkyl-CO-heterocyclylalkyl, alkyl-C(O)O-aryl, alkyl-C(O)O-arylalkyl, alkyl-C(O)O-heteroaryl, alkyl-C(O)O-heteroarylalkyl, alkyl-C(O)O-heterocyclyl, alkyl-C(O)O-heterocyclylalkyl, alkyl-CO-NH₂, alkyl-CO-OH, alkyl-NH-C(NH)-NH₂, alkyl-S-alkyl, alkyl-S-H", and preferably is selected from the group consisting of "alkyl-CO-arylalkyl, alkyl-C(O)O-arylalkyl, alkyl-CO-NH₂, alkyl-CO-OH".

3. The use of a compound according to formula (I) as claimed in claim 1, where

R4 is a hydrogen atom;

R5 is selected from the group consisting of "hydrogen atom, alkyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl, heterocyclylalkyl, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl, -CO-cycloalkyl, -CO-cycloalkyl-alkyl, -CO-aryl, -CO-arylalkyl, -CO-heteroaryl, -CO-heteroarylalkyl, -CO-heterocyclyl, -CO-heterocyclylalkyl";

with the proviso that if R5 is "-CO-heteroarylalkyl", "heteroaryl" is not imidazole; and

with the proviso that if R5 is "-CO-heterocyclyl" and "heterocyclyl" contains only nitrogen atoms as heteroatoms, that at least two nitrogen atoms are contained in "heterocyclyl"; and with the proviso that if R5 is "-CO-heterocyclylalkyl" and "heterocyclyl" contains only nitrogen atoms as heteroatoms that in the case that one or two nitrogen atoms are contained in "heterocyclyl" no nitrogen atom is positioned at position 1 of "heterocyclyl" that is the atom directly linking "heterocyclyl" to the carbonyl group "-CO-";

where "alkyl, cycloalkyl, cycloalkylalkyl, aryl, heteroaryl, arylalkyl, heteroarylalkyl, heterocyclyl, heterocyclylalkyl, alkylsulfonyl, arylsulfonyl, arylalkylsulfonyl, -CO-cycloalkyl, -CO-cycloalkylalkyl, -CO-aryl, -CO-arylalkyl, -CO-heteroaryl, -CO-heteroarylalkyl, -CO-heterocyclyl, and/or -CO-heterocyclylalkyl" are optionally substituted by up to 3 substituents independently selected from the group consisting of "halogen, -F, -Cl, -Br, -I, -N₃, -CN, -NR7R8, -OH, -NO₂, alkyl, aryl, arylalkyl, -O-alkyl, -O-aryl, -O-arylalkyl";

with the proviso that if R5 is "-CO-cycloalkyl" or "-CO-cycloalkylalkyl", R5 is not substituted with NR7R8 at position 1 of "cycloalkyl", that is the C atom directly linking "cycloalkyl" to the carbonyl

group “-CO-” in case of R5 = “-CO-cycloalkyl” or to the “alkyl” in case R5 = “-CO-cycloalkylalkyl”; and

with the proviso that if R5 is “-CO-aryl” or “-CO-arylalkyl” and “aryl” is phenyl/benzene and is only substituted with one substituent, this one substituent is not -NR7R8;

5 R6 is a hydrogen atom;

R7 and R8 are independently of one another selected from the group consisting of “hydrogen atom, alkyl, cycloalkyl, cycloalkylalkyl” and preferably are a hydrogen atom; and

m is 0, 1 or 2, and more preferably is 0.

10 4. The use of a compound according to formula (I) as claimed in claim 1, where

R1 is selected from the group consisting of “hydrogen, methyl, (2-methoxyphenyl)-methyl, (3-methoxyphenyl)-methyl, (4-methoxyphenyl)-methyl, (3-methoxyphenyl)-ethyl, (4-methoxyphenyl)-ethyl, phenyl, phenyl-methyl, phenyl-ethyl, (4-ethylphenyl)-methyl, (4-methylphenyl)-methyl, (4-fluorophenyl)-methyl, (4-bromophenyl)-methyl, (2,4-dimethoxyphenyl)-methyl, (3,5-dimethoxyphenyl)-methyl, 2,2-diphenyl-ethyl, naphthalene-1-yl-methyl, 1*H*-indole-3-yl-methyl, 2-(1*H*-indole-3-yl)-ethyl, 3-(1*H*-indole-3-yl)-propyl, 4-methyl-phenyl, 4-ethyl-phenyl, n-hexyl, (3,4-dichlorophenyl)-methyl, (4-nitro-phenyl)-methyl, (pyridine-2-yl)-methyl, (pyridine-3-yl)-methyl, (pyridine-4-yl)-methyl, (thiophene-2-yl)-methyl, (thiophene-3-yl)-methyl, (furan-2-yl)-methyl, (furan-3-yl)-methyl”;

20 R2 is selected from the group consisting of “methyl, 1*H*-indole-3-yl-methyl, 2-(1*H*-indole-3-yl)-ethyl, 3-(1*H*-indole-3-yl)-propyl, 2-phenyl-ethyl, 3-phenyl-propyl, 4-phenyl-butyl, 2-methoxy-phenylmethyl, 3-methoxy-phenylmethyl, 4-methoxy-phenylmethyl, 2-methoxy-phenylethyl, 3-methoxy-phenylethyl, 4-methoxy-phenylethyl”;

25 R3 is selected from the group consisting of “hydrogen atom, methyl, propan-2-yl, 2-methyl-propan-1-yl, butan-2-yl, butan-1-yl, -CH₂-SH, -(CH₂)₂-S-CH₃, 1*H*-indole-3-yl-methyl, phenyl-methyl, 2-phenyl-ethyl, -CH₂-O-CH₂-phenyl, -CH₂-CO-CH₂-phenyl, -(CH₂)₂-CO-CH₂-phenyl, -CH₂-C(O)O-phenyl, -(CH₂)₂-C(O)O-phenyl, hydroxy-methyl, 1-hydroxy-ethan-1-yl, -CH₂-CO-NH₂, -(CH₂)₂-CO-NH₂, (1-hydroxy-benzene-4-yl)-methyl, -CH₂-CO-OH, -(CH₂)₂-CO-OH, -(CH₂)₄-NH₂, (1*H*-imidazol-5-yl)-methyl, -(CH₂)₃-NH-C(NH)-NH₂, -(CH₂)₃-NH₂, -(CH₂)₃-NH-CO-NH₂”, and preferably is selected from the group consisting of “1*H*-indole-3-yl-methyl, -CH₂-CO-CH₂-phenyl, -(CH₂)₂-CO-CH₂-phenyl, -CH₂-C(O)O-phenyl, -(CH₂)₂-C(O)O-phenyl”;

30 R4 is a hydrogen atom;

- 5 R5 is selected from the group consisting of "hydrogen atom, $-\text{CO}-\text{CH}_2-\text{NH}_2$ (Gly residue), $-\text{CO}-\text{CH}_2-\text{CH}_2-\text{NH}_2$ (beta-Ala residue), $-\text{CO}-\text{CH}(\text{CH}_3)-\text{NH}_2$ (D- and/or L-alpha-Ala residue), $-\text{CO}-$ (pyrrolidine-2-yl) (D- and/or L-Pro residue), 2-amino-2-carbonyl-propane (2-amino-isobutyric acid/Aib residue), 4-carbonyl-1*H*-piperidine, 3-carbonyl-1*H*-piperidine, R-(3-carbonyl-1*H*-piperidine), S-(3-carbonyl-1*H*-piperidine), 2-carbonyl-1*H*-piperidine, R-(2-carbonyl-1*H*-piperidine), S-(2-carbonyl-1*H*-piperidine), 1-amino-2-carbonyl-benzene, carbonyl-cyclohexane, 2-acetyl-pyridine, 3-acetyl-pyridine, 4-acetyl-pyridine, 2-propionyl-pyridine, 3-propionyl-pyridine, 4-propionyl-pyridine, (R-1-amino)-2-carbonyl-cyclohexane, (S-1-amino)-2-carbonyl-cyclohexane, 2-carbonyl-1*H*-imidazole, 2-carbonyl-pyridine, 3-carbonyl-pyridine, 4-carbonyl-pyridine, 2-amino-3-carbonyl-pyridine, 2-carbonyl-pyrazine, 2-carbonyl-4-hydroxy-1*H*-pyrrolidine, 4-carbonyl-1*H*,3*H*-diazacyclohexane, methylsulfonyl, phenylsulfonyl, 1-carbonyl-1-amino-2-phenylethane, phenylmethyl, 1-carbonyl-4-azide-benzene, 2-carbonyl-2,5-dihydro-1*H*-pyrrole, 2-carbonyl-piperazine, 2-carbonyl-1*H*-pyrrolidine, 2-aminoethane, carbonyl-benzene, 2-carbonyl-pyrazine, 3-carbonyl-pyrazine, 4-carbonyl-oxacyclohexane, 4-methyl-phenylsulfonyl, phenylmethyl-sulfonyl";
- 10 R6 is a hydrogen atom; and
- 15 m is 0.

5. The use of a compound according to formula (I) as claimed in claim 4, where
- 20 R3 is selected from the group consisting of " $-\text{CH}_2-\text{CO}-\text{CH}_2$ -phenyl, $-(\text{CH}_2)_2-\text{CO}-\text{CH}_2$ -phenyl, $-\text{CH}_2-\text{CO}-\text{NH}_2$, $-(\text{CH}_2)_2-\text{CO}-\text{NH}_2$, $-\text{CH}_2-\text{CO}-\text{OH}$, $-(\text{CH}_2)_2-\text{CO}-\text{OH}$, $-(\text{CH}_2)_3-\text{NH}-\text{C}(\text{NH})-\text{NH}_2$, $-\text{CH}_2-\text{SH}$, $-(\text{CH}_2)_2-\text{S}-\text{CH}_3$ ".
6. The use of a compound according to formula (I) as claimed in claim 4, where

R5 is selected from the group consisting of "hydrogen atom, methylsulfonyl, phenylsulfonyl, carbonyl-cyclohexane, (R-1-amino)-2-carbonyl-cyclohexane, (S-1-amino)-2-carbonyl-cyclohexane, 2-carbonyl-pyridine, 3-carbonyl-pyridine, 4-carbonyl-pyridine, 2-acetyl-pyridine, 3-acetyl-pyridine, 4-acetyl-pyridine, 2-propionyl-pyridine, 3-propionyl-pyridine, 4-propionyl-pyridine, 2-amino-3-carbonyl-pyridine, 2-carbonyl-1*H*-imidazole, 2-carbonyl-pyrazine, 4-carbonyl-1*H*,3*H*-diazacyclohexane".

7. The use as claimed in any of claims 1 to 6, where the compound is selected from the group consisting of:

compound 1 (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 2 (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 3 (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 4 (R)-N-(1-(5-benzyl-4-(naphthalen-1-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 5 (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(naphthalen-1-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 6 (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 7 (R)-N-(1-(4-(3-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 8 (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 9 (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 10 (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 11 (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(naphthalen-1-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 12** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 13** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 14** (*R*)-*N*-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(4-bromobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 15** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 16** (*R*)-*N*-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 17** (*R*)-*N*-(1-(4,5-bis(2-(1*H*-indol-3-yl)ethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 18** (*S*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 19** (*R*)-*N*-(1-(4-(3-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 20** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 21** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3,5-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 22** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 25 **compound 23** (*R*)-*N*-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 24** (*R*)-*N*-(1-(4-(2-(1*H*-indol-3-yl)ethyl)-5-(3-(1*H*-indol-3-yl)propyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 25** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 26** (*R*)-*N*-(1-(4-(2-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 27** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(4-(naphthalen-1-ylmethyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 28** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3,4-dichlorobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 29** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-fluorobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 30** (*R*)-*N*-(1-(4-(4-fluorobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 31** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 10 **compound 32** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 33** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 34** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methylbenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 36** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 37** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 38** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminobenzamide,
- compound 39** (*R*)-*N*-(1-(5-benzyl-4-(pyridin-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 40** (2*S*,4*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-4-hydroxypyrrolidine-2-carboxamide,
- 25 **compound 41** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 42** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- 30 **compound 43** (*R*)-*N*-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 44** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,

- compound 45** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 5 **compound 46** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 47** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 48** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- 10 **compound 49** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 50** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- compound 51** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 15 **compound 52** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-4-yl)acetamide,
- compound 53** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)cyclohexanecarboxamide,
- 20 **compound 54** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 55** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 56** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-3-aminopropanamide,
- 25 **compound 57** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminopropanamide,
- compound 58** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-3-yl)acetamide,
- 30 **compound 59** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-3-(pyridin-3-yl)propanamide,
- compound 60** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,

- compound 61** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 5 **compound 62** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 63** (*R*)-*N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 64** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- 10 **compound 65** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)isonicotinamide,
- compound 66** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 67** (*R*)-*N*-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- 15 **compound 68** (*S*)-*N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 69** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- 20 **compound 70** (*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 71** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 72** (*R*)-*N*-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- 25 **compound 73** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 74** (*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,
- 30 **compound 75** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- compound 76** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,

- compound 77** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)isonicotinamide,
- 5 **compound 78** (*R*)-*N*-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 79** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 80** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- 10 **compound 81** (*R*)-*N*-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 82** (*R*)-*N*-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 15 **compound 83** (*R*)-*N*-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 84** (*R*)-*N*-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 85** (*R*)-*N*-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- 20 **compound 86** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-cis-aminocyclohexanecarboxamide,
- compound 87** (*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- 25 **compound 88** (*R*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 89** (*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 90** (*R*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- 30 **compound 91** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 92** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-bromobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 93** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-phenylethyl)-2-amino-2-methylpropanamide,
- 5 **compound 94** (R)-N-(2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-(thiophen-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 96** (R)-N-(1-(5-((1*H*-indol-3-yl)methyl)-4-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 97** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 98** (R)-N-(1-(5-((1*H*-indol-3-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 99** (R)-N-(1-(5-((1*H*-indol-3-yl)methyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 100** (R)-N-(1-(4-(2,4-dimethoxybenzyl)-5-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 101** (R)-N-(1-(5-((1*H*-indol-3-yl)methyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 102** (R)-N-(1-(4-(2,4-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 103** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 104** (R)-N-(1-(5-((1*H*-indol-3-yl)methyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 25 **compound 105** (R)-N-(1-(5-benzyl-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 106** (R)-N-(1-(5-benzyl-4-(2,2-diphenylethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 107** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,2-diphenylethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 108** (R)-N-(1-(4-(3,5-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 109** (*R*)-*N*-(1-(4,5-dibenzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 110** (*R*)-*N*-(1-(5-benzyl-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 111** (*R*)-*N*-(1-(4-(2-(1*H*-indol-3-yl)ethyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 112** (*S*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 113** (*R*)-*N*-(1-(4-(3,5-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 114** (*R*)-*N*-(1-(4-(4-bromobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 115** (*R*)-*N*-(1-(4-(2-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 116** (*S*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 117** (*R*)-*N*-(1-(4,5-diphenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 118** (*R*)-*N*-(1-(4-(3,4-dichlorobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 119** (*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,
- compound 120** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-phenylethyl)-2-amino-2-methylpropanamide,
- 25 **compound 121** (*R*)-*N*-(1-(4-(4-fluorobenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 122** (*R*)-*N*-(1-(4-(3,4-dichlorobenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 124** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 125** (*S*)-*N*-(1-(4-(4-methoxybenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 126** (S)-N-(1-(4-(4-methoxybenzyl)-5-benzyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 128** N-((R)-1-(4-(4-nitrobenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 129** (S)-N-(1-(4-(4-methoxybenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 130** (R)-N-(1-(4-(4-methoxyphenethyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 131** (R)-N-(2-(1H-indol-3-yl)-1-(5-phenethyl-4-(thiophen-2-ylmethyl)-4H-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 132** (R)-N-(2-(1H-indol-3-yl)-1-(5-phenethyl-4-(pyridin-2-ylmethyl)-4H-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 133** (R)-N-(2-(1H-indol-3-yl)-1-(5-phenethyl-4-(pyridin-2-ylmethyl)-4H-1,2,4-triazol-3-yl)ethyl)piperidine-3-carboxamide,
- 15 **compound 134** (S)-N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 135** N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-aminoacetamide,
- 20 **compound 136** N-((R)-1-(5-(2-(1H-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-(pyridin-4-yl)acetamide,
- compound 137** (2R)-N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 138** N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)picolinamide,
- 25 **compound 139** N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-aminopyridine-3-carboxamide,
- compound 140** (2S)-N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-aminopropanamide,
- 30 **compound 141** N-((R)-1-(4-(4-ethylbenzyl)-5-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)isonicotinamide,
- compound 142** N-((R)-2-(1H-indol-3-yl)-1-(5-phenethyl-4-phenyl-4H-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,

- compound 143** (2*S*)-*N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- 5 **compound 144** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-aminoacetamide,
- compound 145** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 146** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)picolinamide,
- 10 **compound 147** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 148** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 149** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- 15 **compound 150** (2*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 152** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- 20 **compound 153** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-*trans*-aminocyclohexanecarboxamide,
- compound 154** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-3-yl)acetamide,
- compound 155** (3*S*)-*N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- 25 **compound 156** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminobenzamide,
- compound 157** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- 30 **compound 158** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 159** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)picolinamide,

- compound 160** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 5 **compound 161** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 162** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-aminoacetamide,
- compound 163** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,
- 10 **compound 164** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 165** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-acetamide,
- 15 **compound 166** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 167** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 168** *N*-((*R*)-1-(5-(4-methoxybenzyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 169** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 170** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-acetamide,
- 25 **compound 171** (*R*)-benzyl-3-(2-aminoisobutyramido)-3-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-propanoate,
- compound 172** *N*-((*R*)-1-(5-benzyl-4-((pyridin-3-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 173** *N*-((*R*)-1-(4-benzyl-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 174** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-methyl-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)picolinamide,
- compound 175** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 176** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)benzamide,
- 5 **compound 177** (*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-phenylmethanesulfonylamine,
- compound 178** (*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-tosylethanamine,
- compound 179** *N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 180** *N*-1-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)ethane-1,2-diamine,
- compound 181** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 182** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 183** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 184** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-tetrahydro-2*H*-pyran-4-carboxamide,
- 20 **compound 185** *N*-((*R*)-1-(5-((1*H*-indol-3-yl)methyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 186** (2*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-3-phenylpropanamide,
- 25 **compound 187** (*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-tosylethanamine,
- compound 188** *N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-4-azidobenzamide,
- compound 189** *N*-benzyl-(*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,
- 30 **compound 190** (2*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2,5-dihydro-1*H*-pyrrole-2-carboxamide.

8. The use as claimed in claim 7, where the compound is a GHS receptor antagonist selected from the group consisting of: **compound 1, 3, 12, 13, 14, 18, 20, 22, 23, 33, 36, 37, 38, 41, 46, 47, 48,**
5 **49, 50, 51, 52, 53, 57, 58, 59, 60, 61, 63, 64, 65, 66, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 79,**
80, 82, 85, 86, 87, 88, 89, 90, 91, 93, 101, 102, 109, 114, 116, 119, 134, 135, 136, 137, 138,
139, 140, 145, 146, 147, 148, 150, 152, 153, 154, 156, 157, 159, 160, 161, 164, 171, 174, 176,
178, 179, 182, 184, 186, 188 and/or compound 190.

10 9. The use as claimed in claim 7, where the compound is a GHS receptor agonist selected from the group consisting of: **compound 2, 4, 5, 6, 7, 8, 9, 10, 11, 15, 16, 17, 19, 21, 24, 25, 26, 27, 28,**
29, 30, 31, 32, 34, 39, 40, 42, 43, 44, 45, 54, 55, 56, 62, 67, 78, 81, 83, 84, 87, 92, 94, 99, 103,
104, 105, 106, 107, 108, 110, 111, 115, 117, 118, 121, 122, 124, 130, 131, 142, 155, 158, 163,
15 **173, 175, 180, 181, 183, 185 and/or compound 187.**

20

25

30

10. The use as claimed in any of claims 1 to 9, where such medicament comprises at least one additional pharmacologically active substance.

5

11. The use as claimed in claim 10, where such medicament comprises a GHS receptor antagonist and an endocannabinoid receptor antagonist, preferably a CB1 receptor antagonist, most preferably rimonabant [1H-Pyrazole-3-carboxamide, 5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-N-1-piperidinyl-, monohydrochloride] as additional pharmacologically active substance.

10

12. The use as claimed in any of claims 1 to 11, where the medicament is applied before and/or during and/or after treatment with at least one additional pharmacologically active substance.

15

13. The use as claimed in claim 12, where the medicament comprises a GHS receptor antagonist and the additional pharmacologically active substance is an endocannabinoid receptor antagonist, preferably a CB1 receptor antagonist, most preferably rimonabant [1H-Pyrazole-3-carboxamide, 5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-N-1-piperidinyl-, monohydrochloride].

20

14. A triazole compound selected from the group consisting of:

compound 1 (R)-N-(1-(5-(2-(1H-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 2 (R)-N-(1-(5-(2-(1H-indol-3-yl)ethyl)-4-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

25 **compound 3** (R)-N-(1-(5-(3-(1H-indol-3-yl)propyl)-4-phenethyl-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 4 (R)-N-(1-(5-benzyl-4-(naphthalen-1-ylmethyl)-4H-1,2,4-triazol-3-yl)-2-(1H-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 5** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(naphthalen-1-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 6** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 7** (R)-N-(1-(4-(3-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 8** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 9** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 10** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 11** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(naphthalen-1-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 12** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 13** (R)-N-(1-(4-(4-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 14** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(4-bromobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 15** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 16** (R)-N-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 17** (R)-N-(1-(4,5-bis(2-(1*H*-indol-3-yl)ethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 18** (S)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 19** (R)-N-(1-(4-(3-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 20** (R)-N-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 21** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3,5-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 22** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 23** (*R*)-*N*-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 24** (*R*)-*N*-(1-(4-(2-(1*H*-indol-3-yl)ethyl)-5-(3-(1*H*-indol-3-yl)propyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 25** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 26** (*R*)-*N*-(1-(4-(2-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 27** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(4-(naphthalen-1-ylmethyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 28** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(3,4-dichlorobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 29** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-fluorobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 30** (*R*)-*N*-(1-(4-(4-fluorobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 31** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 25 **compound 32** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 33** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 34** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methylbenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 36** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 37** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 38** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminobenzamide,
- 5 **compound 39** (*R*)-*N*-(1-(5-benzyl-4-(pyridin-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 40** (2*S*,4*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-4-hydroxypyrrolidine-2-carboxamide,
- compound 41** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- 10 **compound 42** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 43** (*R*)-*N*-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 44** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 15 **compound 45** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 46** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- 20 **compound 47** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 48** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 49** (*R*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- 25 **compound 50** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- compound 51** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 30 **compound 52** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-4-yl)acetamide,
- compound 53** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)cyclohexanecarboxamide,

- compound 54** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 5 **compound 55** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 56** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-3-aminopropanamide,
- compound 57** (*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminopropanamide,
- 10 **compound 58** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-3-yl)acetamide,
- compound 59** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-3-(pyridin-3-yl)propanamide,
- compound 60** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 15 **compound 61** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 62** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 20 **compound 63** (*R*)-*N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 64** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 65** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)isonicotinamide,
- 25 **compound 66** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 67** (*R*)-*N*-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- 30 **compound 68** (*S*)-*N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 69** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,

- compound 70** (S)-N-((R)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 71** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 72** (R)-N-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 73** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 74** (R)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,
- compound 75** (R)-N-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- compound 76** (R)-N-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,
- compound 77** (R)-N-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)isonicotinamide,
- compound 78** (R)-N-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 79** (R)-N-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 80** (R)-N-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 81** (R)-N-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 82** (R)-N-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 83** (R)-N-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 84** (R)-N-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperazine-2-carboxamide,
- compound 85** (R)-N-(1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrazine-2-carboxamide,

- compound 86** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-*cis*-aminocyclohexanecarboxamide,
- 5 **compound 87** (*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 88** (*R*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 89** (*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- 10 **compound 90** (*R*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 91** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- 15 **compound 92** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-bromobenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 93** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-phenylethyl)-2-amino-2-methylpropanamide,
- compound 94** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-(thiophen-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,
- 20 **compound 95** (*R*)-*N*-(1-(4-(2-(1*H*-indol-3-yl)ethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 96** (*R*)-*N*-(1-(5-((1*H*-indol-3-yl)methyl)-4-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 25 **compound 97** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 98** (*R*)-*N*-(1-(5-((1*H*-indol-3-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 99** (*R*)-*N*-(1-(5-((1*H*-indol-3-yl)methyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 100** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-methyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 101** (*R*)-*N*-(1-(5-((1*H*-indol-3-yl)methyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 102** (*R*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 5 **compound 103** (*R*)-*N*-(1-(5-(3-(1*H*-indol-3-yl)propyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 104** (*R*)-*N*-(1-(5-((1*H*-indol-3-yl)methyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 105** (*R*)-*N*-(1-(5-benzyl-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 106** (*R*)-*N*-(1-(5-benzyl-4-(2,2-diphenylethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 107** (*R*)-*N*-(1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,2-diphenylethyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 108** (*R*)-*N*-(1-(4-(3,5-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 109** (*R*)-*N*-(1-(4,5-dibenzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 110** (*R*)-*N*-(1-(5-benzyl-4-hexyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 111** (*R*)-*N*-(1-(4-(2-(1*H*-indol-3-yl)ethyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 112** (*S*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 113** (*R*)-*N*-(1-(4-(3,5-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 25 **compound 114** (*R*)-*N*-(1-(4-(4-bromobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 115** (*R*)-*N*-(1-(4-(2-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 30 **compound 116** (*S*)-*N*-(1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 117** (*R*)-*N*-(1-(4,5-diphenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 118** (*R*)-*N*-(1-(4-(3,4-dichlorobenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 119** (*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,
- 5 **compound 120** (*R*)-*N*-(1-(4-(4-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-phenylethyl)-2-amino-2-methylpropanamide,
- compound 121** (*R*)-*N*-(1-(4-(4-fluorobenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 122** (*R*)-*N*-(1-(4-(3,4-dichlorobenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 124** (*R*)-*N*-(1-(4-(4-methylbenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 125** (*S*)-*N*-(1-(4-(4-methoxybenzyl)-5-(3-phenylpropyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 126** (*S*)-*N*-(1-(4-(4-methoxybenzyl)-5-benzyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 128** *N*-((*R*)-1-(4-(4-nitrobenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 129** (*S*)-*N*-(1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 20 **compound 130** (*R*)-*N*-(1-(4-(4-methoxyphenethyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 131** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-(thiophen-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 25 **compound 132** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-(pyridin-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 133** (*R*)-*N*-(2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-(pyridin-2-ylmethyl)-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 134** (*S*)-*N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- 30 **compound 135** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,

- compound 136** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-4-yl)acetamide,
- 5 **compound 137** (2*R*)-*N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-2-carboxamide,
- compound 138** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 139** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminopyridine-3-carboxamide,
- 10 **compound 140** (2*S*)-*N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminopropanamide,
- compound 141** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)isonicotinamide,
- 15 **compound 142** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 143** (2*S*)-*N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 144** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-aminoacetamide,
- 20 **compound 145** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 146** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(5-phenethyl-4-phenyl-4*H*-1,2,4-triazol-3-yl)ethyl)picolinamide,
- 25 **compound 147** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 148** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 149** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- 30 **compound 150** (2*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-ethylphenyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)pyrrolidine-2-carboxamide,
- compound 152** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,

- compound 153** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-trans-aminocyclohexanecarboxamide,
- 5 **compound 154** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-(pyridin-3-yl)acetamide,
- compound 155** (3*S*)-*N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-3-carboxamide,
- compound 156** *N*-((*R*)-1-(4-(4-ethylbenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminobenzamide,
- 10 **compound 157** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 158** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 159** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-
15 triazol-3-yl)ethyl)picolinamide,
- compound 160** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-(pyridin-2-yl)acetamide,
- compound 161** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)pyrazine-2-carboxamide,
- 20 **compound 162** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)-2-aminoacetamide,
- compound 163** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-(2,4-dimethoxyphenyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)piperidine-4-carboxamide,
- compound 164** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- 25 **compound 165** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-aminoacetamide,
- compound 166** *N*-((*R*)-1-(5-benzyl-4-((pyridin-2-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 30 **compound 167** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 168** *N*-((*R*)-1-(5-(4-methoxybenzyl)-4-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

- compound 169** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 170** *N*-((*R*)-1-(5-benzyl-4-((pyridin-4-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)2-amino-acetamide,
- 5 **compound 171** (*R*)-benzyl-3-(2-aminoisobutyramido)-3-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-propanoate,
- compound 172** *N*-((*R*)-1-(5-benzyl-4-((pyridin-3-yl)methyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 173** *N*-((*R*)-1-(4-benzyl-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 10 **compound 174** *N*-((*R*)-2-(1*H*-indol-3-yl)-1-(4-methyl-5-phenethyl-4*H*-1,2,4-triazol-3-yl)ethyl)picolinamide,
- compound 175** *N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-phenyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- 15 **compound 176** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)benzamide,
- compound 177** (*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-phenylmethanesulfonylamine,
- compound 178** (*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-tosylethanamine,
- 20 **compound 179** *N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 180** *N*-1-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)ethane-1,2-diamine,
- 25 **compound 181** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,
- compound 182** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)picolinamide,
- compound 183** *N*-((*R*)-1-(4-((furan-2-yl)methyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)piperidine-4-carboxamide,
- 30 **compound 184** *N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-tetrahydro-2*H*-pyran-4-carboxamide,

compound 185 *N*-((*R*)-1-(5-((1*H*-indol-3-yl)methyl)-4-(3-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-2-methylpropanamide,

compound 186 (2*S*)-*N*-((*R*)-1-(4-(4-methoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2-amino-3-phenylpropanamide,

compound 187 (*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(2,4-dimethoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)-*N*-tosylethanamine,

compound 188 *N*-((*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-4-azidobenzamide,

compound 189 *N*-benzyl-(*R*)-1-(4-(2,4-dimethoxybenzyl)-5-phenethyl-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethanamine,

compound 190 (2*S*)-*N*-((*R*)-1-(5-(2-(1*H*-indol-3-yl)ethyl)-4-(4-methoxybenzyl)-4*H*-1,2,4-triazol-3-yl)-2-(1*H*-indol-3-yl)ethyl)-2,5-dihydro-1*H*-pyrrole-2-carboxamide.

15. A pharmaceutical composition comprising a pharmacologically active amount of at least one compound as claimed in claim 14.

16. The pharmaceutical composition as claimed in claim 15, where the active ingredient is present in a unit dose of from 0.001 mg to 100 mg per kg of a patient's bodyweight.

17. The pharmaceutical composition as claimed in any of claims 15 to 16, where the composition additionally comprises at least one pharmaceutically acceptable carrier and/or excipient.

18. The pharmaceutical composition as claimed in any of claims 15 to 17, where the composition comprises at least one further pharmacologically active substance.

19. The pharmaceutical composition as claimed in claim 18, where the further pharmacologically active substance is an endocannabinoid receptor antagonist, preferably a CB1 receptor antagonist, most preferably rimonabant [1*H*-Pyrazole-3-carboxamide, 5-(4-chlorophenyl)-1-(2,4-dichlorophenyl)-4-methyl-*N*-1-piperidinyl-, monohydrochloride].