

1/25




Fig. 1




Fig. 2

2/25




Fig. 3A




Fig. 3B

3/25




Fig. 4




Fig. 5

5/25




Fig. 6

6/25




Fig. 7

7/25




Fig. 8

8/25




Fig. 9

9/25




Fig. 10

10/25




Fig. 11

11/25




Fig. 12

12/25





Fig. 13

13/25

**Fig. 14**

14/25




Fig. 15A

15/25




Fig. 15B

16/25




Fig. 16A




Fig. 16B




Fig. 17

18/25




Fig. 18

19/25




Fig. 19

20/25

Disulfide Bond Isoform RP-  
HPLC  
- Comparison of EBI-031 Samples





Fig. 20

21/25

EBI-031 (NBL0071-08-06, BDS from 200 L Bioreactor,  
Clonal Cell Line) Disulfide Bond Isoform RP-HPLC

| Name        | RT     | Area    | % Area |
|-------------|--------|---------|--------|
| B isoform   | 13.383 | 58509   | 0.85   |
| A/B isoform | 13.682 | 1349980 | 19.67  |
| A isoform   | 14.854 | 5453505 | 79.47  |

Fig. 21




Fig. 22A




Fig. 22B

23/25




Fig. 23

24/25




Fig. 24A




Fig. 24B




Fig. 24C

25/25




Fig. 24D




Fig. 24E




Fig. 24F




Fig. 24G




Fig. 24H




Fig. 24I