SUBSTITUTED NUCLEOSIDES, NUCLEOTIDES AND ANALOGS THEREOF

INCORPORATION BY REFERENCE TO ANY PRIORITY APPLICATIONS

[0001] Any and all applications for which a foreign or domestic priority claim is identified, for example, in the Application Data Sheet or Request as filed with the present application, are hereby incorporated by reference under 37 CFR 1.57, and Rules 4.18 and 20.6.

BACKGROUND

Field

[0002] The present application relates to the fields of chemistry, biochemistry and medicine. More particularly, disclosed herein are nucleosides, nucleotides and nucleotide analogs, pharmaceutical compositions that include one or more nucleosides, nucleotides and/or nucleotide analogs and methods of synthesizing the same. Also disclosed herein are methods of treating diseases and/or conditions with a nucleoside, a nucleotide and/or a nucleotide analog, alone or in combination therapy with one or more other agents.

Description

[0003] Nucleoside analogs are a class of compounds that have been shown to exert antiviral and anticancer activity both in vitro and in vivo, and thus, have been the subject of widespread research for the treatment of viral infections. Nucleoside analogs are usually therapeutically inactive compounds that are converted by host or viral enzymes to their respective active anti-metabolites, which, in turn, may inhibit polymerases involved in viral or cell proliferation. The activation occurs by a variety of mechanisms, such as the addition of one or more phosphate groups and, or in combination with, other metabolic processes.

SUMMARY

[0004] Some embodiments disclosed herein relate to a compound of Formula (I), or a pharmaceutically acceptable salt thereof. Other embodiments disclosed herein relate to a compound of Formula (II), or a pharmaceutically acceptable salt thereof.

[0005] Some embodiments disclosed herein relate to a method of ameliorating and/or treating a picornavirus infection that can include administering to a subject identified as suffering from the picornavirus infection an effective amount of one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. Other embodiments described herein relate to using one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in the manufacture of a medicament for ameliorating and/or treating a picornavirus infection. Still other embodiments described herein relate to one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, that can be used for ameliorating and/or treating a picornavirus infection.

[0006] Some embodiments disclosed herein relate to a method of ameliorating and/or treating a picornavirus infection that can include contacting a cell infected with the picornavirus with an effective amount of one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof. Other embodiments described herein relate to using one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt thereof) in the manufacture of a medicament for ameliorating and/or treating a picornavirus infection that can include contacting a cell infected with the picornavirus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof, that can be used for ameliorating and/or treating a picornavirus infection by contacting a cell infected with the picornavirus with an effective amount of said compound(s).

[0007] Some embodiments disclosed herein relate to a method of inhibiting replication of a picornavirus that can include contacting a cell infected with the picornavirus

with an effective amount of one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof. Other embodiments described herein relate to using one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt thereof) in the manufacture of a medicament for inhibiting replication of a picornavirus that can include contacting a cell infected with the picornavirus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof, that can be used for inhibiting replication of a picornavirus by contacting a cell infected with the picornavirus with an effective amount of said compound(s). In some embodiments, the picornavirus can be selected from a rhinovirus, hepatitis A virus, a coxasackie virus and an enterovirus.

[0008] Some embodiments disclosed herein relate to a method of ameliorating and/or treating a *Flaviviridae* viral infection that can include administering to a subject identified as suffering from the *Flaviviridae* viral infection an effective amount of one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. Other embodiments described herein relate to using one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in the manufacture of a medicament for ameliorating and/or treating a *Flaviviridae* viral infection. Still other embodiments described herein relate to one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes one or more compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, that can be used for ameliorating and/or treating a *Flaviviridae* viral infection.

[0009] Some embodiments disclosed herein relate to a method of ameliorating and/or treating a *Flaviviridae* viral infection that can include contacting a cell infected with

the *Flaviviridae* virus with an effective amount of one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof. Other embodiments described herein relate to using one or more compounds described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for ameliorating and/or treating a *Flaviviridae* viral infection that can include contacting a cell infected with the *Flaviviridae* virus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof, that can be used for ameliorating and/or treating a *Flaviviridae* viral infection by contacting a cell infected with the *Flaviviridae* virus with an effective amount of said compound(s).

[0010] Some embodiments disclosed herein relate to a method of inhibiting replication of a *Flaviviridae* virus that can include contacting a cell infected with the *Flaviviridae* virus with an effective amount of one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof. Other embodiments described herein relate to using one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt thereof) in the manufacture of a medicament for inhibiting replication of a *Flaviviridae* virus that can include contacting a cell infected with the *Flaviviridae* virus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein, or a pharmaceutically acceptable salt thereof, that can be used for inhibiting replication of a *Flaviviridae* virus by contacting a cell infected with the *Flaviviridae* virus with an effective amount of said compound(s). In some embodiments, the *Flaviviridae* virus

can be selected from hepatitis C virus, West Nile virus, yellow fever virus, dengue virus and an encephalitis virus from within the *Flaviviridae* virus family.

BRIEF DESCRIPTION OF THE DRAWINGS

[0011] Figure 1 shows example HCV protease inhibitors.

[0012] Figure 2 shows example nucleoside HCV polymerase inhibitors.

[0013] Figure 3 shows example non-nucleoside HCV polymerase inhibitors.

[0014] Figure 4 shows example NS5A inhibitors.

[0015] Figure 5 shows example other antivirals.

[0016] Figure 6 shows example compounds of Formula (CC) and alpha-thiotriphosphates thereof, wherein R^{CC1}, R^{CC2}, R^{CC3a}, R^{CC3b}, R^{CC4}, R^{CC5}, R^{CC6}, R^{CC7}, R^{CC8}, R^{CC9} and B^{CC1} are defined herein.

[0017] Figure 7 shows example compounds of Formula (AA), wherein R^{1AA}, R^{2AA}, R^{3AA}, R^{4AA}, R^{5AA} and B^{1AA} are defined herein.

[0018] Figure 8 shows example compounds of Formula (BB), wherein R^{BB1}, R^{BB2}, R^{BB3}, R^{BB4}, R^{BB5}, R^{BB6}, R^{BB7}, R^{BB8}, X^{BB} and B^{BB1} are defined herein.

[0019] Figure 9 shows example compounds of Formula (I), wherein Z^1, O^1, R^{1A}, R^{2A}, R^{3A}, R^{4A}, R^{5A}, B^{1A}, Z^{1B}, R^{1B}, Z^2, O^2, R^{1C}, R^{2C}, R^{3C}, R^{4C}, R^{5C}, B^{1C}, Z^{1D} and R^{1D} are defined herein.

DETAILED DESCRIPTION

[0020] The viruses within the *Picornaviridae* family are non-enveloped, positive sense, single-stranded, spherical RNA viruses with an icosahedral capsid. Picornavirus genomes are approximately 7-8 kilobases long and have an IRES (Internal Ribosomal Entry Site). These viruses are polyadenylated at the 3' end, and has a VPg protein at the 5' end in place of a cap. Genera within the *Picornaviridae* family include Aphthovirus, Aquamavirus, Avihepatovirus, Cardiovirus, Cosavirus, Dicipivirus, Enterovirus, Erbovirus, Hepatovirus, Kobuvirus, Megrivirus, Parechovirus, Rhinovirus, Salivirus, Sapelovirus, Senecavirus, Teschovirus and Tremovirus.

[0021] Enteroviruses are transmitted through the fecal-oral route and/or via aerosols of respiratory droplets, and are highly communicable. The genus of Enterovirus

includes several species, including: enterovirus A, enterovirus B, enterovirus C, enterovirus D, enterovirus E, enterovirus F, enterovirus G, enterovirus Henterovirus J, rhinovirus A, rhinovirus B and rhinovirus C. Within a species of the aforementioned enteroviruses are the following serotypes: polioviruses, rhinoviruses, coxsackieviruses, echoviruses and enterovirus.

[0022] Rhinoviruses are the cause of the common cold. Rhinoviruses are named because of their transmission through the respiratory route and replication in the nose. A person can be infected with numerous rhinoviruses over their lifetime because immunity develops for each serotype. Thus, each serotype can cause a new infection.

[0023] A hepatitis A infection is the result of an infection with a Hepatitis A virus. Hepatovirus is transmitted through the fecal-oral route. Transmission can occur via person-to-person by ingestion of contaminated food or water, or through direct contact with an infectious person.

[0024] Parechovirus include human parechovirus 1 (echovirus 22), human parechovirus 2 (echovirus 23), human parechovirus 3, human parechovirus 4, human parechovirus 5 and human parechovirus 6.

[0025] The viruses with the *Flaviviridae* family are enveloped, positive sense, single-stranded, spherical RNA viruses with an icosahedral shaped capsid. These viruses are polyadenylated at the 5' end but lack a 3'polyadenylate tail. Genera within the *Flaviviridae* family include: Flavivirus, Pestivirus and Hepacivirus. *Flaviviridae* viruses are predominantly arthropod-borne, and are often transmitted via mosquitos and ticks.


[0026] Flaviviruses include several encephalitis viruses (for example, Japanese Encephalitis virus (JEV), St. Louis encephalitis virus (SLEV) and tick-borne encephalitis virus (TBEV)), dengue virus 1-4 (DENV), West Nile virus (WNV) and yellow fever virus (YFV). Viruses within the Pestivirus genus include bovine viral diarrhea 1, bovine viral diarrhea 2, and classic swine fever virus.

Definitions

[0027] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of ordinary skill in the art. All patents, applications, published applications and other publications referenced herein are

incorporated by reference in their entirety unless stated otherwise. In the event that there are a plurality of definitions for a term herein, those in this section prevail unless stated otherwise.

[0028] As used herein, any "R" group(s) such as, without limitation, R^1, R^2, R^3, R^4, R^{5A}, R^{5B}, R^{6A}, R^{6B}, R^{6C}, R^{6D}, R^{6E}, R^{6F}, R^{6G}, R^{6H}, R^{7A}, R^{7B}, R^8, R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}, R^{15}, R^{16}, R^{17}, R^{18}, R^{A1}, R^{A2}, R^{A3} and R^{A4} represent substituents that can be attached to the indicated atom. An R group may be substituted or unsubstituted. If two "R" groups are described as being "taken together" the R groups and the atoms they are attached to can form a cycloalkyl, cycloalkenyl, aryl, heteroaryl or heterocycle. For example, without limitation, if R^a and R^b of an NR^aR^b group are indicated to be "taken together," it means that they are covalently bonded to one another to form a ring:



In addition, if two "R" groups are described as being "taken together" with the atom(s) to which they are attached to form a ring as an alternative, the R groups are not limited to the variables or substituents defined previously.

[0029] Whenever a group is described as being "optionally substituted" that group may be unsubstituted or substituted with one or more of the indicated substituents. Likewise, when a group is described as being "unsubstituted or substituted" if substituted, the substituent(s) may be selected from one or more of the indicated substituents. If no substituents are indicated, it is meant that the indicated "optionally substituted" or "substituted" group may be substituted with one or more group(s) individually and independently selected from alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl), (heterocyclyl)alkyl, hydroxy, alkoxy, acyl, cyano, halogen, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, azido, silyl, sulfenyl, sulfinyl, sulfonyl, haloalkyl, haloalkoxy, trihalomethanesulfonyl, trihalomethanesulfonamido, an amino, a mono-substituted amino group and a di-substituted amino group.

[0030] As used herein, "C_a to C_b" in which "a" and "b" are integers refer to the number of carbon atoms in an alkyl, alkenyl or alkynyl group, or the number of carbon atoms

in the ring of a cycloalkyl, cycloalkenyl, aryl, heteroaryl or heterocyclyl group. That is, the alkyl, alkenyl, alkynyl, ring of the cycloalkyl, ring of the cycloalkenyl, ring of the aryl, ring of the heteroaryl or ring of the heterocyclyl can contain from "a" to "b", inclusive, carbon atoms. Thus, for example, a "C_1 to C_4 alkyl" group refers to all alkyl groups having from 1 to 4 carbons, that is, CH_3-, CH_3CH_2-, $CH_3CH_2CH_2$-, $(CH_3)_2CH$-, $CH_3CH_2CH_2CH_2$-, $CH_3CH_2CH(CH_3)$- and $(CH_3)_3C$-. If no "a" and "b" are designated with regard to an alkyl, alkenyl, alkynyl, cycloalkyl cycloalkenyl, aryl, heteroaryl or heterocyclyl group, the broadest range described in these definitions is to be assumed.

[0031] As used herein, "alkyl" refers to a straight or branched hydrocarbon chain that comprises a fully saturated (no double or triple bonds) hydrocarbon group. The alkyl group may have 1 to 20 carbon atoms (whenever it appears herein, a numerical range such as "1 to 20" refers to each integer in the given range; *e.g.*, "1 to 20 carbon atoms" means that the alkyl group may consist of 1 carbon atom, 2 carbon atoms, 3 carbon atoms, *etc.*, up to and including 20 carbon atoms, although the present definition also covers the occurrence of the term "alkyl" where no numerical range is designated). The alkyl group may also be a medium size alkyl having 1 to 10 carbon atoms. The alkyl group could also be a lower alkyl having 1 to 6 carbon atoms. The alkyl group of the compounds may be designated as "C_1-C_4 alkyl" or similar designations. By way of example only, "C_1-C_4 alkyl" indicates that there are one to four carbon atoms in the alkyl chain, i.e., the alkyl chain is selected from methyl, ethyl, propyl, iso-propyl, n-butyl, iso-butyl, sec-butyl and t-butyl. Typical alkyl groups include, but are in no way limited to, methyl, ethyl, propyl, isopropyl, butyl, isobutyl, tertiary butyl, pentyl and hexyl. The alkyl group may be substituted or unsubstituted.

[0032] As used herein, "alkenyl" refers to an alkyl group that contains in the straight or branched hydrocarbon chain one or more double bonds. Examples of alkenyl groups include allenyl, vinylmethyl and ethenyl. An alkenyl group may be unsubstituted or substituted.

[0033] As used herein, "alkynyl" refers to an alkyl group that contains in the straight or branched hydrocarbon chain one or more triple bonds. Examples of alkynyls include ethynyl and propynyl. An alkynyl group may be unsubstituted or substituted.

[0034] As used herein, "cycloalkyl" refers to a completely saturated (no double or triple bonds) mono- or multi- cyclic hydrocarbon ring system. When composed of two or

more rings, the rings may be joined together in a fused fashion. Cycloalkyl groups can contain 3 to 10 atoms in the ring(s) or 3 to 8 atoms in the ring(s). A cycloalkyl group may be unsubstituted or substituted. Typical cycloalkyl groups include, but are in no way limited to, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl and cyclooctyl.

[0035] As used herein, "cycloalkenyl" refers to a mono- or multi- cyclic hydrocarbon ring system that contains one or more double bonds in at least one ring; although, if there is more than one, the double bonds cannot form a fully delocalized pi-electron system throughout all the rings (otherwise the group would be "aryl," as defined herein). When composed of two or more rings, the rings may be connected together in a fused fashion. A cycloalkenyl can contain 3 to 10 atoms in the ring(s) or 3 to 8 atoms in the ring(s). A cycloalkenyl group may be unsubstituted or substituted.

[0036] As used herein, "aryl" refers to a carbocyclic (all carbon) monocyclic or multicyclic aromatic ring system (including fused ring systems where two carbocyclic rings share a chemical bond) that has a fully delocalized pi-electron system throughout all the rings. The number of carbon atoms in an aryl group can vary. For example, the aryl group can be a C_6-C_{14} aryl group, a C_6-C_{10} aryl group, or a C_6 aryl group. Examples of aryl groups include, but are not limited to, benzene, naphthalene and azulene. An aryl group may be substituted or unsubstituted.

[0037] As used herein, "heteroaryl" refers to a monocyclic, bicyclic and tricyclic aromatic ring system (a ring system with fully delocalized pi-electron system) that contain(s) one or more heteroatoms (for example, 1 to 5 heteroatoms), that is, an element other than carbon, including but not limited to, nitrogen, oxygen and sulfur. The number of atoms in the ring(s) of a heteroaryl group can vary. For example, the heteroaryl group can contain 4 to 14 atoms in the ring(s), 5 to 10 atoms in the ring(s) or 5 to 6 atoms in the ring(s). Furthermore, the term "heteroaryl" includes fused ring systems where two rings, such as at least one aryl ring and at least one heteroaryl ring, or at least two heteroaryl rings, share at least one chemical bond. Examples of heteroaryl rings include, but are not limited to, furan, furazan, thiophene, benzothiophene, phthalazine, pyrrole, oxazole, benzoxazole, 1,2,3-oxadiazole, 1,2,4-oxadiazole, thiazole, 1,2,3-thiadiazole, 1,2,4-thiadiazole, benzothiazole, imidazole, benzimidazole, indole, indazole, pyrazole, benzopyrazole, isoxazole, benzoisoxazole, isothiazole, triazole, benzotriazole, thiadiazole, tetrazole, pyridine, pyridazine, pyrimidine,

pyrazine, purine, pteridine, quinoline, isoquinoline, quinazoline, quinoxaline, cinnoline and triazine. A heteroaryl group may be substituted or unsubstituted.

[0038] As used herein, "heterocyclyl" or "heteroalicyclyl" refers to three-, four-, five-, six-, seven-, eight-, nine-, ten-, up to 18-membered monocyclic, bicyclic and tricyclic ring system wherein carbon atoms together with from 1 to 5 heteroatoms constitute said ring system. A heterocycle may optionally contain one or more unsaturated bonds situated in such a way, however, that a fully delocalized pi-electron system does not occur throughout all the rings. The heteroatom(s) is an element other than carbon including, but not limited to, oxygen, sulfur and nitrogen. A heterocycle may further contain one or more carbonyl or thiocarbonyl functionalities, so as to make the definition include oxo-systems and thio-systems such as lactams, lactones, cyclic imides, cyclic thioimides and cyclic carbamates. When composed of two or more rings, the rings may be joined together in a fused fashion. Additionally, any nitrogens in a heterocyclyl or a heteroalicyclyl may be quaternized. Heterocyclyl or heteroalicyclic groups may be unsubstituted or substituted. Examples of such "heterocyclyl" or "heteroalicyclyl" groups include but are not limited to, 1,3-dioxin, 1,3-dioxane, 1,4-dioxane, 1,2-dioxolane, 1,3-dioxolane, 1,4-dioxolane, 1,3-oxathiane, 1,4-oxathiin, 1,3-oxathiolane, 1,3-dithiole, 1,3-dithiolane, 1,4-oxathiane, tetrahydro-1,4-thiazine, 2H-1,2-oxazine, maleimide, succinimide, barbituric acid, thiobarbituric acid, dioxopiperazine, hydantoin, dihydrouracil, trioxane, hexahydro-1,3,5-triazine, imidazoline, imidazolidine, isoxazoline, isoxazolidine, oxazoline, oxazolidine, oxazolidinone, thiazoline, thiazolidine, morpholine, oxirane, piperidine *N*-Oxide, piperidine, piperazine, pyrrolidine, pyrrolidone, pyrrolidione, 4-piperidone, pyrazoline, pyrazolidine, 2-oxopyrrolidine, tetrahydropyran, 4H-pyran, tetrahydrothiopyran, thiamorpholine, thiamorpholine sulfoxide, thiamorpholine sulfone and their benzo-fused analogs (e.g., benzimidazolidinone, tetrahydroquinoline and 3,4-methylenedioxyphenyl).

[0039] As used herein, "aralkyl" and "aryl(alkyl)" refer to an aryl group connected, as a substituent, via a lower alkylene group. The lower alkylene and aryl group of an aryl(alkyl) may be substituted or unsubstituted. Examples include but are not limited to benzyl, 2-phenyl(alkyl), 3-phenyl(alkyl), and naphthyl(alkyl).

[0040] As used herein, "heteroaralkyl" and "heteroaryl(alkyl)" refer to a heteroaryl group connected, as a substituent, via a lower alkylene group. The lower alkylene

and heteroaryl group of heteroaryl(alkyl) may be substituted or unsubstituted. Examples include but are not limited to 2-thienyl(alkyl), 3-thienyl(alkyl), furyl(alkyl), thienyl(alkyl), pyrrolyl(alkyl), pyridyl(alkyl), isoxazolyl(alkyl), imidazolyl(alkyl), and their benzo-fused analogs.

[0041] A "(heteroalicyclyl)alkyl" and "(heterocyclyl)alkyl" refer to a heterocyclic or a heteroalicyclylic group connected, as a substituent, via a lower alkylene group. The lower alkylene and heterocyclyl of a heterocyclyl(alkyl) may be substituted or unsubstituted. Examples include but are not limited tetrahydro-2H-pyran-4-yl(methyl), piperidin-4-yl(ethyl), piperidin-4-yl(propyl), tetrahydro-2H-thiopyran-4-yl(methyl) and 1,3-thiazinan-4-yl(methyl).

[0042] "Lower alkylene groups" are straight-chained $-CH_2-$ tethering groups, forming bonds to connect molecular fragments via their terminal carbon atoms. Examples include but are not limited to methylene ($-CH_2-$), ethylene ($-CH_2CH_2-$), propylene ($-CH_2CH_2CH_2-$) and butylene ($-CH_2CH_2CH_2CH_2-$). A lower alkylene group can be substituted by replacing one or more hydrogen of the lower alkylene group with a substituent(s) listed under the definition of "substituted."

[0043] As used herein, "alkoxy" refers to the formula –OR wherein R is an alkyl, an alkenyl, an alkynyl, a cycloalkyl, a cycloalkenyl, aryl, heteroaryl, heterocyclyl, aralkyl, heteroaryl(alkyl) or heterocyclyl(alkyl) is defined herein. A non-limiting list of alkoxys are methoxy, ethoxy, n-propoxy, 1-methylethoxy (isopropoxy), n-butoxy, iso-butoxy, sec-butoxy, tert-butoxy, phenoxy and benzoxy. An alkoxy may be substituted or unsubstituted.

[0044] As used herein, "acyl" refers to a hydrogen an alkyl, an alkenyl, an alkynyl, a cycloalkyl, a cycloalkenyl, aryl, heteroaryl, heteroalicyclyl, aralkyl, heteroaryl(alkyl) or heterocyclyl(alkyl) connected, as substituents, via a carbonyl group. Examples include formyl, acetyl, propanoyl, benzoyl, and acryl. An acyl may be substituted or unsubstituted.

[0045] As used herein, "hydroxyalkyl" refers to an alkyl group in which one or more of the hydrogen atoms are replaced by a hydroxy group. Exemplary hydroxyalkyl groups include but are not limited to, 2-hydroxyethyl, 3-hydroxypropyl, 2-hydroxypropyl and 2,2-dihydroxyethyl. A hydroxyalkyl may be substituted or unsubstituted.

[0046] As used herein, "haloalkyl" refers to an alkyl group in which one or more of the hydrogen atoms are replaced by a halogen (e.g., mono-haloalkyl, di-haloalkyl and tri-haloalkyl). Such groups include but are not limited to, chloromethyl, fluoromethyl, difluoromethyl, trifluoromethyl, 1-chloro-2-fluoromethyl and 2-fluoroisobutyl. A haloalkyl may be substituted or unsubstituted.

[0047] As used herein, "haloalkoxy" refers to a O-alkyl group in which one or more of the hydrogen atoms are replaced by a halogen (e.g., mono-haloalkoxy, di-haloalkoxy and tri- haloalkoxy). Such groups include but are not limited to, chloromethoxy, fluoromethoxy, difluoromethoxy, trifluoromethoxy, 1-chloro-2-fluoromethoxy and 2-fluoroisobutoxy. A haloalkoxy may be substituted or unsubstituted.

[0048] A "sulfenyl" group refers to an "-SR" group in which R can be hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). A sulfenyl may be substituted or unsubstituted.

[0049] A "sulfinyl" group refers to an "-S(=O)-R" group in which R can be the same as defined with respect to sulfenyl. A sulfinyl may be substituted or unsubstituted.

[0050] A "sulfonyl" group refers to an "SO_2R" group in which R can be the same as defined with respect to sulfenyl. A sulfonyl may be substituted or unsubstituted.

[0051] An "O-carboxy" group refers to a "RC(=O)O-" group in which R can be hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl), as defined herein. An O-carboxy may be substituted or unsubstituted.

[0052] The terms "ester" and "C-carboxy" refer to a "-C(=O)OR" group in which R can be the same as defined with respect to O-carboxy. An ester and C-carboxy may be substituted or unsubstituted.

[0053] A "thiocarbonyl" group refers to a "-C(=S)R" group in which R can be the same as defined with respect to O-carboxy. A thiocarbonyl may be substituted or unsubstituted.

[0054] A "trihalomethanesulfonyl" group refers to an "X_3CSO_2-" group wherein each X is a halogen.

[0055] A "trihalomethanesulfonamido" group refers to an "$X_3CS(O)_2N(R_A)$-" group wherein each X is a halogen, and R_A is hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl,

cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl).

[0056] The term "amino" as used herein refers to a $-NH_2$ group.

[0057] As used herein, the term "hydroxy" refers to a –OH group.

[0058] A "cyano" group refers to a "-CN" group.

[0059] The term "azido" as used herein refers to a $-N_3$ group.

[0060] An "isocyanato" group refers to a "-NCO" group.

[0061] A "thiocyanato" group refers to a "-CNS" group.

[0062] An "isothiocyanato" group refers to an " -NCS" group.

[0063] A "mercapto" group refers to an "-SH" group.

[0064] A "carbonyl" group refers to a C=O group.

[0065] An "S-sulfonamido" group refers to a "$-SO_2N(R_AR_B)$" group in which R_A and R_B can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An S-sulfonamido may be substituted or unsubstituted.

[0066] An "N-sulfonamido" group refers to a "$RSO_2N(R_A)$-" group in which R and R_A can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An N-sulfonamido may be substituted or unsubstituted.

[0067] An "O-carbamyl" group refers to a "$-OC(=O)N(R_AR_B)$" group in which R_A and R_B can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An O-carbamyl may be substituted or unsubstituted.

[0068] An "N-carbamyl" group refers to an "$ROC(=O)N(R_A)$-" group in which R and R_A can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An N-carbamyl may be substituted or unsubstituted.

[0069] An "O-thiocarbamyl" group refers to a "$-OC(=S)-N(R_AR_B)$" group in which R_A and R_B can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An O-thiocarbamyl may be substituted or unsubstituted.

[0070] An "N-thiocarbamyl" group refers to an "ROC(=S)N(R_A)-" group in which R and R_A can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An N-thiocarbamyl may be substituted or unsubstituted.

[0071] A "C-amido" group refers to a "-C(=O)N($R_A$$R_B$)" group in which R_A and R_B can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). A C-amido may be substituted or unsubstituted.

[0072] An "N-amido" group refers to a "RC(=O)N(R_A)-" group in which R and R_A can be independently hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heteroaryl, heterocyclyl, aryl(alkyl), heteroaryl(alkyl) or heterocyclyl(alkyl). An N-amido may be substituted or unsubstituted.

[0073] The term "halogen atom" or "halogen" as used herein, means any one of the radio-stable atoms of column 7 of the Periodic Table of the Elements, such as, fluorine, chlorine, bromine and iodine.

[0074] Where the numbers of substituents is not specified (e.g. haloalkyl), there may be one or more substituents present. For example "haloalkyl" may include one or more of the same or different halogens. As another example, "C_1-C_3 alkoxyphenyl" may include one or more of the same or different alkoxy groups containing one, two or three atoms.

[0075] As used herein, the abbreviations for any protective groups, amino acids and other compounds, are, unless indicated otherwise, in accord with their common usage, recognized abbreviations, or the IUPAC-IUB Commission on Biochemical Nomenclature (See, Biochem. 11:942-944 (1972)).

[0076] The term "nucleoside" is used herein in its ordinary sense as understood by those skilled in the art, and refers to a compound composed of an optionally substituted pentose moiety or modified pentose moiety attached to a heterocyclic base or tautomer thereof, such as attached via the 9-position of a purine-base or the 1-position of a pyrimidine-base. Examples include, but are not limited to, a ribonucleoside comprising a ribose moiety and a deoxyribonucleoside comprising a deoxyribose moiety. A modified pentose moiety is a pentose moiety in which an oxygen atom has been replaced with a carbon and/or a carbon has been replaced with a sulfur or an oxygen atom. A "nucleoside" is a monomer that can

have a substituted base and/or sugar moiety. Additionally, a nucleoside can be incorporated into larger DNA and/or RNA polymers and oligomers. In some instances, the nucleoside can be a nucleoside analog drug.

[0077] The term "nucleotide" is used herein in its ordinary sense as understood by those skilled in the art, and refers to a nucleoside having a phosphate ester bound to the pentose moiety, for example, at the 5'-position.

[0078] As used herein, the term "heterocyclic base" refers to an optionally substituted nitrogen-containing heterocyclyl that can be attached to an optionally substituted pentose moiety or modified pentose moiety. In some embodiments, the heterocyclic base can be selected from an optionally substituted purine-base, an optionally substituted pyrimidine-base and an optionally substituted triazole-base (for example, a 1,2,4-triazole). The term "purine-base" is used herein in its ordinary sense as understood by those skilled in the art, and includes its tautomers. Similarly, the term "pyrimidine-base" is used herein in its ordinary sense as understood by those skilled in the art, and includes its tautomers. A non-limiting list of optionally substituted purine-bases includes purine, adenine, guanine, hypoxanthine, xanthine, alloxanthine, 7-alkylguanine (e.g. 7-methylguanine), theobromine, caffeine, uric acid and isoguanine. Examples of pyrimidine-bases include, but are not limited to, cytosine, thymine, uracil, 5,6-dihydrouracil and 5-alkylcytosine (e.g., 5-methylcytosine). An example of an optionally substituted triazole-base is 1,2,4-triazole-3-carboxamide. Other non-limiting examples of heterocyclic bases include diaminopurine, 8-oxo-N^6-alkyladenine (e.g., 8-oxo-N^6-methyladenine), 7-deazaxanthine, 7-deazaguanine, 7-deazaadenine, N^4,N^4-ethanocytosin, N^6,N^6-ethano-2,6-diaminopurine, 5-halouracil (e.g., 5-fluorouracil and 5-bromouracil), pseudoisocytosine, isocytosine, isoguanine, and other heterocyclic bases described in U.S. Patent Nos. 5,432,272 and 7,125,855, which are incorporated herein by reference for the limited purpose of disclosing additional heterocyclic bases. In some embodiments, a heterocyclic base can be optionally substituted with an amine or an enol protecting group(s).





[0079] The term "–N–linked amino acid" refers to an amino acid that is attached to the indicated moiety via a main-chain amino or mono-substituted amino group. When the amino acid is attached in an –N–linked amino acid, one of the hydrogens that is part of the



main-chain amino or mono-substituted amino group is not present and the amino acid is attached via the nitrogen. N-linked amino acids can be substituted or unsubstituted.

[0080] The term "–N–linked amino acid ester derivative" refers to an amino acid in which a main-chain carboxylic acid group has been converted to an ester group. In some embodiments, the ester group has a formula selected from alkyl-O-C(=O)-, cycloalkyl-O-C(=O)-, aryl-O-C(=O)- and aryl(alkyl)-O-C(=O)-. A non-limiting list of ester groups include substituted and unsubstituted versions of the following: methyl-O-C(=O)-, ethyl-O-C(=O)-, n-propyl-O-C(=O)-, isopropyl-O-C(=O)-, n-butyl-O-C(=O)-, isobutyl-O-C(=O)-, tert-butyl-O-C(=O)-, neopentyl-O-C(=O)-, cyclopropyl-O-C(=O)-, cyclobutyl-O-C(=O)-, cyclopentyl-O-C(=O)-, cyclohexyl-O-C(=O)-, phenyl-O-C(=O)-, benzyl-O-C(=O)- and naphthyl-O-C(=O)-. N-linked amino acid ester derivatives can be substituted or unsubstituted.

[0081] The term "–O–linked amino acid" refers to an amino acid that is attached to the indicated moiety via the hydroxy from its main-chain carboxylic acid group. When the amino acid is attached in an –O–linked amino acid, the hydrogen that is part of the hydroxy from its main-chain carboxylic acid group is not present and the amino acid is attached via the oxygen. O-linked amino acids can be substituted or unsubstituted.

[0082] As used herein, the term "amino acid" refers to any amino acid (both standard and non-standard amino acids), including, but not limited to, α-amino acids, β-amino acids, γ-amino acids and δ-amino acids. Examples of suitable amino acids include, but are not limited to, alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan and valine. Additional examples of suitable amino acids include, but are not limited to, ornithine, hypusine, 2-aminoisobutyric acid, dehydroalanine, gamma-aminobutyric acid, citrulline, beta-alanine, alpha-ethyl-glycine, alpha-propyl-glycine and norleucine.

[0083] The terms "phosphorothioate" and "phosphothioate" refer to a compound of the general formula  its protonated forms (for example,  and ) and its tautomers (such as ).

[0084] As used herein, the term "phosphate" is used in its ordinary sense as understood by those skilled in the art, and includes its protonated forms (for example,  and ). As used herein, the terms "monophosphate," "diphosphate," and "triphosphate" are used in their ordinary sense as understood by those skilled in the art, and include protonated forms.

[0085] The terms "protecting group" and "protecting groups" as used herein refer to any atom or group of atoms that is added to a molecule in order to prevent existing groups in the molecule from undergoing unwanted chemical reactions. Examples of protecting group moieties are described in T. W. Greene and P. G. M. Wuts, *Protective Groups in Organic Synthesis*, 3. Ed. John Wiley & Sons, 1999, and in J.F.W. McOmie, *Protective Groups in Organic Chemistry* Plenum Press, 1973, both of which are hereby incorporated by reference for the limited purpose of disclosing suitable protecting groups. The protecting group moiety may be chosen in such a way, that they are stable to certain reaction conditions and readily removed at a convenient stage using methodology known from the art. A non-limiting list of protecting groups include benzyl; substituted benzyl; alkylcarbonyls and alkoxycarbonyls (e.g., t-butoxycarbonyl (BOC), acetyl, or isobutyryl); arylalkylcarbonyls and arylalkoxycarbonyls (e.g., benzyloxycarbonyl); substituted methyl ether (e.g. methoxymethyl ether); substituted ethyl ether; a substituted benzyl ether; tetrahydropyranyl ether; silyls (e.g., trimethylsilyl, triethylsilyl, triisopropylsilyl, t-butyldimethylsilyl, tri-*iso*-propylsilyloxymethyl, [2-(trimethylsilyl)ethoxy]methyl or t-butyldiphenylsilyl); esters (e.g. benzoate ester); carbonates (e.g. methoxymethylcarbonate); sulfonates (e.g. tosylate or mesylate); acyclic ketal (e.g. dimethyl acetal); cyclic ketals (e.g., 1,3-dioxane, 1,3-dioxolanes

and those described herein); acyclic acetal; cyclic acetal (e.g., those described herein); acyclic hemiacetal; cyclic hemiacetal; cyclic dithioketals (e.g., 1,3-dithiane or 1,3-dithiolane); orthoesters (e.g., those described herein) and triarylmethyl groups (e.g., trityl; monomethoxytrityl (MMTr); 4,4'-dimethoxytrityl (DMTr); 4,4',4"-trimethoxytrityl (TMTr); and those described herein).



[0086] The term "pharmaceutically acceptable salt" refers to a salt of a compound that does not cause significant irritation to an organism to which it is administered and does not abrogate the biological activity and properties of the compound. In some embodiments, the salt is an acid addition salt of the compound. Pharmaceutical salts can be obtained by reacting a compound with inorganic acids such as hydrohalic acid (e.g., hydrochloric acid or hydrobromic acid), sulfuric acid, nitric acid and phosphoric acid. Pharmaceutical salts can also be obtained by reacting a compound with an organic acid such as aliphatic or aromatic carboxylic or sulfonic acids, for example formic, acetic, succinic, lactic, malic, tartaric, citric, ascorbic, nicotinic, methanesulfonic, ethanesulfonic, p-toluenesulfonic, salicylic or naphthalenesulfonic acid. Pharmaceutical salts can also be obtained by reacting a compound with a base to form a salt such as an ammonium salt, an alkali metal salt, such as a sodium or a potassium salt, an alkaline earth metal salt, such as a calcium or a magnesium salt, a salt of organic bases such as dicyclohexylamine, N-methyl-D-glucamine, tris(hydroxymethyl)methylamine, C_1-C_7 alkylamine, cyclohexylamine, triethanolamine, ethylenediamine, and salts with amino acids such as arginine and lysine.

[0087] Terms and phrases used in this application, and variations thereof, especially in the appended claims, unless otherwise expressly stated, should be construed as open ended as opposed to limiting. As examples of the foregoing, the term 'including' should be read to mean 'including, without limitation,' 'including but not limited to,' or the like; the term 'comprising' as used herein is synonymous with 'including,' 'containing,' or 'characterized by,' and is inclusive or open-ended and does not exclude additional, unrecited elements or method steps; the term 'having' should be interpreted as 'having at least;' the term 'includes' should be interpreted as 'includes but is not limited to;' the term 'example' is used to provide exemplary instances of the item in discussion, not an exhaustive or limiting list thereof; and use of terms like 'preferably,' 'preferred,' 'desired,' or 'desirable,' and words of similar meaning should not be understood as implying that certain features are

critical, essential, or even important to the structure or function, but instead as merely intended to highlight alternative or additional features that may or may not be utilized in a particular embodiment. In addition, the term "comprising" is to be interpreted synonymously with the phrases "having at least" or "including at least". When used in the context of a process, the term "comprising" means that the process includes at least the recited steps, but may include additional steps.. When used in the context of a compound, composition or device, the term "comprising" means that the compound, composition or device includes at least the recited features or components, but may also include additional features or components. Likewise, a group of items linked with the conjunction 'and' should not be read as requiring that each and every one of those items be present in the grouping, but rather should be read as 'and/or' unless expressly stated otherwise. Similarly, a group of items linked with the conjunction 'or' should not be read as requiring mutual exclusivity among that group, but rather should be read as 'and/or' unless expressly stated otherwise.

[0088] With respect to the use of substantially any plural and/or singular terms herein, those having skill in the art can translate from the plural to the singular and/or from the singular to the plural as is appropriate to the context and/or application. The various singular/plural permutations may be expressly set forth herein for sake of clarity. The indefinite article "a" or "an" does not exclude a plurality. A single processor or other unit may fulfill the functions of several items recited in the claims. The mere fact that certain measures are recited in mutually different dependent claims does not indicate that a combination of these measures cannot be used to advantage. Any reference signs in the claims should not be construed as limiting the scope.

[0089] It is understood that, in any compound described herein having one or more chiral centers, if an absolute stereochemistry is not expressly indicated, then each center may independently be of R-configuration or S-configuration or a mixture thereof. Thus, the compounds provided herein may be enantiomerically pure, enantiomerically enriched, racemic mixture, diastereomerically pure, diastereomerically enriched, or a stereoisomeric mixture. In addition it is understood that, in any compound described herein having one or more double bond(s) generating geometrical isomers that can be defined as E or Z, each double bond may independently be E or Z a mixture thereof.

[0090] Likewise, it is understood that, in any compound described, all tautomeric forms are also intended to be included. For example all tautomers of a phosphate and a phosphorothioate groups are intended to be included. Examples of tautomers of a phosphorothioate include the following:  ,  and . Furthermore, all tautomers of heterocyclic bases known in the art are intended to be included, including tautomers of natural and non-natural purine-bases and pyrimidine-bases.

[0091] It is to be understood that where compounds disclosed herein have unfilled valencies, then the valencies are to be filled with hydrogens or isotopes thereof, e.g., hydrogen-1 (protium) and hydrogen-2 (deuterium).

[0092] It is understood that the compounds described herein can be labeled isotopically. Substitution with isotopes such as deuterium may afford certain therapeutic advantages resulting from greater metabolic stability, such as, for example, increased *in vivo* half-life or reduced dosage requirements. Each chemical element as represented in a compound structure may include any isotope of said element. For example, in a compound structure a hydrogen atom may be explicitly disclosed or understood to be present in the compound. At any position of the compound that a hydrogen atom may be present, the hydrogen atom can be any isotope of hydrogen, including but not limited to hydrogen-1 (protium) and hydrogen-2 (deuterium). Thus, reference herein to a compound encompasses all potential isotopic forms unless the context clearly dictates otherwise.

[0093] It is understood that the methods and combinations described herein include crystalline forms (also known as polymorphs, which include the different crystal packing arrangements of the same elemental composition of a compound), amorphous phases, salts, solvates and hydrates. In some embodiments, the compounds described herein exist in solvated forms with pharmaceutically acceptable solvents such as water, ethanol, or the like. In other embodiments, the compounds described herein exist in unsolvated form.

Solvates contain either stoichiometric or non-stoichiometric amounts of a solvent, and may be formed during the process of crystallization with pharmaceutically acceptable solvents such as water, ethanol, or the like. Hydrates are formed when the solvent is water, or alcoholates are formed when the solvent is alcohol. In addition, the compounds provided herein can exist in unsolvated as well as solvated forms. In general, the solvated forms are considered equivalent to the unsolvated forms for the purposes of the compounds and methods provided herein.

[0094] Where a range of values is provided, it is understood that the upper and lower limit, and each intervening value between the upper and lower limit of the range is encompassed within the embodiments.

Methods of Use

[0095] Some embodiments disclosed herein relate to a method of treating and/or ameliorating a Picornavirus infection that can include administering to a subject infected with the Picornavirus an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments disclosed herein relate to a method of treating and/or ameliorating a Picornavirus infection that can include administering to a subject identified as suffering from the viral infection an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing).

[0096] Some embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for ameliorating and/or treating a Picornavirus infection that can include administering to a subject infected with the Picornavirus an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Still other embodiments described herein relate to one or

more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) that can be used for ameliorating and/or treating a Picornavirus infection by administering to a subject infected with the Picornavirus an effective amount of one or more compounds described herein.

[0097] Some embodiments disclosed herein relate to methods of ameliorating and/or treating a Picornavirus infection that can include contacting a cell infected with the virus with an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for ameliorating and/or treating a Picornavirus infection that can include contacting a cell infected with the virus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), that can be used for ameliorating and/or treating a Picornavirus infection by contacting a cell infected with the virus with an effective amount of said compound(s).

[0098] Some embodiments disclosed herein relate to methods of inhibiting replication of a Picornavirus that can include contacting a cell infected with the virus with an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for inhibiting replication of a Picornavirus that can include contacting a cell infected with the virus with an effective amount of said compound(s). Still other embodiments described herein relate to a compound described herein (such as a compound of Formulae (I) and/or (II), or a

pharmaceutically acceptable salt of the foregoing), that can be used for inhibiting replication of a Picornavirus by contacting a cell infected with the virus with an effective amount of said compound(s). In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can inhibit a RNA dependent RNA polymerase of a picornavirus, and thus, inhibit the replication of RNA. In some embodiments, a polymerase of a picornavirus can be inhibited by contacting a cell infected with the picornavirus with a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing).

[0099] In some embodiments, the picornavirus can be selected from an Aphthovirus, an Enterovirus, a Rhinovirus, a Hepatovirus and a Parechovirus. Within the Enterovirus genus, there are several species of Enteroviruses including enterovirus A, enterovirus B, enterovirus C, enterovirus D, enterovirus E, enterovirus F, enterovirus G, enterovirus Henterovirus J. Each Enterovirus species includes several serotypes. Examples of Enterovirus serotypes include the following: poliovirus 1, poliovirus 2, poliovirus 3, echovirus 1, echovirus 2, echovirus 3, echovirus 4, echovirus 5, echovirus 6, echovirus 7, echovirus 9, echovirus 11, echovirus 12, echovirus 13, echovirus 14, echovirus 15, echovirus 16, echovirus 17, echovirus 18, echovirus 19, echovirus 20, echovirus 21, echovirus 24, echovirus 25, echovirus 26, echovirus 27, echovirus 29, echovirus 30, echovirus 31, echovirus 32, echovirus 33, enterovirus 68, enterovirus 69, enterovirus 70, enterovirus 71 and viluisk human encephalomyelitis virus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat an Enterovirus infection. For example, by administering an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, to a subject infected with the Enterovirus and/or by contacting a cell infected with the Enterovirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of an Enterovirus. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be effective against an Enterovirus, and thereby ameliorate one or more symptoms of an Enterovirus infection. In some embodiments, the Enterovirus can be Enterovirus A. In other embodiments, the Enterovirus can be Enterovirus B. In still other

embodiments, the Enterovirus can be Enterovirus C. In yet still other embodiments, the Enterovirus can be Enterovirus D. In other embodiments, the Enterovirus can be Enterovirus E. In still other embodiments, the Enterovirus can be Enterovirus F. In yet still other embodiments, the Enterovirus can be Enterovirus G. In some embodiments, the Enterovirus can be Enterovirus H. In other embodiments, the Enterovirus can be Enterovirus J.

[0100] Coxsackieviruses are divided into group A and group B. Group A coxsackieviruses were noted to cause flaccid paralysis, while group B coxsackieviruses were noted to cause spastic paralysis. Over 20 serotypes of group A (CV-A1, CV-A2, CV-A3, CV-A4, CV-A5, CV-A6, CV-A7, CV-A8, CV-A9, CV-A10, CV-A11, CV-A12, CV-A13, CV-A14, CV-A15, CV-A16, CV-A17, CV-A18, CV-A19, CV-A20, CV-A21, CV-A22 and CV-A23) and 6 serotypes of group B (CV-B1, CV-B2, CV-B3, CV-B4, CV-B5 and CV-B6) are recognized. No specific treatment for coxsackievirus infections is currently approved. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat a coxsackievirus infection. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a coxsackievirus. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be effective against a coxsackievirus as demonstrated by the amelioration of one or more symptoms of a coxsackievirus infection. In some embodiments, a coxsackievirus infection can be ameliorated, treated and/or inhibited by administering an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, to a subject infected with the coxsackievirus and/or by contacting a cell infected with the coxsackievirus. In some embodiments, the coxsackievirus can be a coxsackievirus A. In other embodiments, the coxsackievirus can be a coxsackievirus B. In some embodiments, a compound described herein (one or more a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat hand, food and mouth disease caused by a coxsackie A virus.

[0101] Additional species within the Enterovirus genus includes rhinovirus A, rhinovirus B and rhinovirus C. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the

foregoing) can ameliorate and/or treat a rhinovirus infection. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a rhinovirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can be effective against multiple serotypes of a rhinovirus. For example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be used to ameliorate and/or treat 2, 5, 10, 20, 40, 60, 80 or more serotypes of a rhinovirus. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be effective against rhinovirus, and thereby ameliorating one or more symptoms of a rhinovirus infection. In some embodiments, a rhinovirus infection can be ameliorated, treated and/or inhibited by administering an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, to a subject infected with the rhinovirus and/or by contacting a cell infected with the rhinovirus. In some embodiments, the coxsackievirus can be a coxsackievirus A. In some embodiments, the rhinovirus can be rhinovirus A. In other embodiments, the rhinovirus can be rhinovirus B. In still other embodiments, the rhinovirus can be rhinovirus C.

[0102] Another species of Enterovirus is Hepatovirus. Hepatitis A is a serotype of Hepatovirus. Several human genotypes of Hepatitis A are known, IA, IB, IIA, IIB, IIIA and IIIB. Genotype I is the most common. To date, there is no specific therapy for treating a hepatitis A infection. Rather, treatment is supportive in nature. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat a Hepatovirus infection, such as a hepatitis A virus infection. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a Hepatovirus (for example, a hepatitis A virus). In some embodiment, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can treat and/or ameliorate a genotype I of hepatitis A. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, is effective against more than one genotype of hepatitis A, for example, 2, 3, 4, 5 or 6 genotypes of hepatitis A. In some embodiments, a Hepatovirus infection can

be ameliorated, treated and/or inhibited by administering an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, to a subject infected with the Hepatovirus and/or by contacting a cell infected with the Hepatovirus.

[0103] Parechovirus is another species of Enterovirus. Serotypes of Parechovirus includes human parechovirus 1 (echovirus 22), human parechovirus 2 (echovirus 23), human parechovirus 3,.human parechovirus 4, human parechovirus 5 and human parechovirus 6. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat a parechovirus infection. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a parechovirus. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, is effective against more than one serotype of a parechovirus. In some embodiments, a parechovirus infection can be ameliorated, treated and/or inhibited by administering an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, to a subject infected with the parechovirus and/or by contacting a cell infected with the parechovirus.

[0104] Other genera of Picornavirus include the following: Aquamavirus, Avihepatovirus, Cardiovirus, Cosavirus, Dicipivirus, Erbovirus, Kobuvirus, Megrivirus, Salivirus, Sapelovirus, Senecavirus, Teschovirus and Tremovirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate and/or treat a picornavirus infection caused by a virus selected from Aquamavirus, Avihepatovirus, Cardiovirus, Cosavirus, Dicipivirus, Erbovirus, Kobuvirus, Megrivirus, Salivirus, Sapelovirus, Senecavirus, Teschovirus and Tremovirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a picornavirus selected from Aquamavirus, Avihepatovirus, Cardiovirus, Cosavirus, Dicipivirus, Erbovirus, Kobuvirus, Megrivirus, Salivirus, Sapelovirus, Senecavirus, Teschovirus and Tremovirus. A compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can ameliorate, treat and/or inhibit a virus selected from Aquamavirus, Avihepatovirus, Cardiovirus, Cosavirus, Dicipivirus, Erbovirus, Kobuvirus, Megrivirus,

Salivirus, Sapelovirus, Senecavirus, Teschovirus and Tremovirus by administering an effective amount of a compound described herein to a subject infected by the virus and/or by contacting a cell infected with the virus with an effective amount of a compound described herein.

[0105] In some embodiments, an effective amount of a compound of Formulae (I) and/(II), or a pharmaceutical acceptable salt of the foregoing, or a pharmaceutical composition that includes an effective amount of one or more compounds of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be effective to treat more than one genera of Picornavirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can be used to ameliorate and/or treat more than one species of a Picornavirus. As an example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be used to ameliorate and/or treat 2, 3, 4, 5, or more species of an Enterovirus. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can be effective to treat multiple serotypes of a Picornavirus described herein. For example, a compound described herein (one or more a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can be effective to treat 2, 5, 10, 15 or more serotypes of a coxsackie virus.

[0106] Some embodiments disclosed herein relate to a method of treating and/or ameliorating a *Flaviviridae* virus infection that can include administering to a subject infected with the *Flaviviridae* an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments disclosed herein relate to a method of treating and/or ameliorating a *Flaviviridae* virus infection that can include administering to a subject an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Some

embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for ameliorating and/or treating a *Flaviviridae* virus infection that can include administering an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Still other embodiments described herein relate to one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) that can be used for ameliorating and/or treating a *Flaviviridae* virus infection by administering to a subject an effective amount of one or more compounds described herein.

[0107] Some embodiments disclosed herein relate to methods of ameliorating and/or treating a *Flaviviridae* virus infection that can include contacting a cell infected with the virus with an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for ameliorating and/or treating a *Flaviviridae* virus infection that can include contacting a cell infected with the virus with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), that can be used for ameliorating and/or treating a *Flaviviridae* virus infection by contacting a cell infected with the virus with an effective amount of said compound(s).

[0108] Some embodiments disclosed herein relate to methods of inhibiting replication of a *Flaviviridae* virus that can include contacting a cell infected with the virus with an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the

foregoing). Other embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for inhibiting replication of a *Flaviviridae* virus that can include contacting a cell infected with the virus with an effective amount of said compound(s). Still other embodiments described herein relate to a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), that can be used for inhibiting replication of a *Flaviviridae* virus by contacting a cell infected with the virus with an effective amount of said compound(s). In some embodiments, a polymerase of a *Flaviviridae* virus can be inhibited by contacting a cell infected with the *Flaviviridae* virus with a compound described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), and thereby, inhibit the replication of RNA.

[0109] HCV is an enveloped positive strand RNA virus in the Flaviviridae family. There are various nonstructural proteins of HCV, such as NS2, NS3, NS4, NS4A, NS4B, NS5A and NS5B. NS5B is believed to be an RNA-dependent RNA polymerase involved in the replication of HCV RNA.

[0110] Some embodiments disclosed herein relate to methods of ameliorating and/or treating a HCV infection that can include contacting a cell infected with HCV with an effective amount of one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), or a pharmaceutical composition that includes one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Other embodiments described herein relate to using one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), in the manufacture of a medicament for ameliorating and/or treating a HCV infection that can include contacting a cell infected with HCV with an effective amount of said compound(s). Still other embodiments described herein relate to one or more compounds described herein (such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), that can be used for ameliorating and/or treating a HCV infection by contacting a cell infected with HCV with an effective amount of said compound(s).

[0111] Some embodiments described herein relate to a method of inhibiting NS5B polymerase activity that can include contacting a cell infected with hepatitis C virus with an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. Some embodiments described herein relate to a method of inhibiting NS5B polymerase activity that can include administering to a subject infected with hepatitis C virus an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can inhibit a RNA dependent RNA polymerase, and thus, inhibit the replication of HCV RNA. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can inhibit a HCV polymerase (for example, NS5B polymerase).

[0112] Some embodiments described herein relate to a method of treating a condition selected from liver fibrosis, liver cirrhosis and liver cancer in a subject suffering from one or more of the aforementioned liver conditions that can include administering to the subject an effective amount of a compound or a pharmaceutical composition described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing), wherein the liver condition is caused by a HCV infection. Some embodiments described herein relate to a method of increasing liver function in a subject having a HCV infection that can include administering to the subject an effective amount of a compound or a pharmaceutical composition described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). Also contemplated is a method for reducing or eliminating further virus-caused liver damage in a subject having an HCV infection by administering to the subject an effective amount of a compound or a pharmaceutical composition described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing). In some embodiments, this method can include slowing or halting the progression of liver disease. In other embodiments, the course of the disease can be reversed, and stasis or improvement in liver function is contemplated. In some embodiments, liver fibrosis, liver cirrhosis and/or liver cancer can be treated; liver function can be increased; virus-caused liver damage can be reduced or eliminated; progression of liver disease can be slowed or halted; the course of the liver disease can be reversed and/or liver function can be improved or maintained by

contacting a cell infected with hepatitis C virus with an effective amount of a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing.)

[0113] There are a variety of genotypes of HCV, and a variety of subtypes within each genotype. For example, at present it is known that there are eleven (numbered 1 through 11) main genotypes of HCV, although others have classified the genotypes as 6 main genotypes. Each of these genotypes is further subdivided into subtypes (1a-1c; 2a-2c; 3a-3b; 4a-4e; 5a; 6a; 7a- 7b; 8a-8b; 9a; 10a; and 11a). In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, or a pharmaceutical composition that includes an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be effective to treat at least one genotype of HCV. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) can be effective to treat all 11 genotypes of HCV. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) can be effective to treat 3 or more, 5 or more, 7 or more, or 9 or more genotypes of HCV. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, can be more effective against a larger number of HCV genotypes than the standard of care. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be more effective against a particular HCV genotype than the standard of care (such as genotype 1, 2, 3, 4, 5 and/or 6).

[0114] Various indicators for determining the effectiveness of a method for treating a HCV infection are known to those skilled in the art. Examples of suitable indicators include, but are not limited to, a reduction in viral load, a reduction in viral replication, a reduction in time to seroconversion (virus undetectable in patient serum), an increase in the rate of sustained viral response to therapy, a reduction of morbidity or mortality in clinical outcomes, a reduction in the rate of liver function decrease; stasis in liver function; improvement in liver function; reduction in one or more markers of liver dysfunction, including alanine transaminase, aspartate transaminase, total bilirubin, conjugated bilirubin, gamma glutamyl transpeptidase and/or other indicator of disease

response. Similarly, successful therapy with an effective amount of a compound or a pharmaceutical composition described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) can reduce the incidence of liver cancer in HCV infected subjects.

[0115] In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is an amount that is effective to reduce HCV viral titers to undetectable levels, for example, to about 100 to about 500, to about 50 to about 100, to about 10 to about 50, or to about 15 to about 25 international units/mL serum. In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is an amount that is effective to reduce HCV viral load compared to the HCV viral load before administration of the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. For example, wherein the HCV viral load is measured before administration of the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and again after completion of the treatment regime with the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing (for example, 1 month after completion). In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be an amount that is effective to reduce HCV viral load to lower than about 25 international units/mL serum. In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is an amount that is effective to achieve a reduction in HCV viral titer in the serum of the subject in the range of about 1.5-log to about a 2.5-log reduction, about a 3-log to about a 4-log reduction, or a greater than about 5-log reduction compared to the viral load before administration of the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. For example, the HCV viral load can be measured before administration of the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and again after completion of the treatment regime with the compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing (for example, 1 month after completion).

[0116] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in at least a 1, 2, 3, 4, 5, 10, 15, 20, 25, 50, 75, 100-fold or more reduction in the replication of the hepatitis C virus relative to pre-treatment levels in a subject, as determined after completion of the treatment regime (for example 1 month after completion). In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in a reduction of the replication of the hepatitis C virus relative to pre-treatment levels in the range of about 2 to about 5 fold, about 10 to about 20 fold, about 15 to about 40 fold, or about 50 to about 100 fold. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in a reduction of the hepatitis C virus replication in the range of 1 to 1.5 log, 1.5 log to 2 log, 2 log to 2.5 log, 2.5 to 3 log, 3 log to 3.5 log or 3.5 to 4 log more reduction of the hepatitis C virus replication compared to the reduction of the hepatitis C virus reduction achieved by pegylated interferon in combination with ribavirin, administered according to the standard of care, or may achieve the same reduction as that standard of care therapy in a shorter period of time, for example, in one month, two months, or three months, as compared to the reduction achieved after six months of standard of care therapy with ribavirin and pegylated interferon.

[0117] In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is an amount that is effective to achieve a sustained viral response, for example, non-detectable or substantially non-detectable HCV RNA (e.g., less than about 500, less than about 200, less than about 100, less than about 25, or less than about 15 international units per milliliter serum) is found in the subject's serum for a period of at least about one month, at least about two months, at least about three months, at least about four months, at least about five months, or at least about six months following cessation of therapy.

[0118] In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can reduce a level of a marker of liver fibrosis by at least about 10%, at least about 20%, at least about 25%, at least about 30%, at least about 35%, at least about 40%, at least about 45%, at least about 50%, at least about 55%, at least about 60%, at least about 65%, at least about 70%, at least about 75%, or at least about 80%, or more, compared to the level of the marker in an untreated

subject, or to a placebo-treated subject. Methods of measuring serum markers are known to those skilled in the art and include immunological-based methods, e.g., enzyme-linked immunosorbent assays (ELISA), radioimmunoassays, and the like, using antibody specific for a given serum marker. A non-limiting list of examples of markers includes measuring the levels of serum alanine aminotransferase (ALT), aspartate aminotransferase (AST), alkaline phosphatase (ALP), gamma-glutamyl transpeptidase (GGT) and total bilirubin (TBIL) using known methods. In general, an ALT level of less than about 45 IU/L (international units/liter), an AST in the range of 10-34 IU/L, ALP in the range of 44-147 IU/L, GGT in the range of 0-51 IU/L, TBIL in the range of 0.3-1.9 mg/dL is considered normal. In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be an amount effective to reduce ALT, AST, ALP, GGT and/or TBIL levels to with what is considered a normal level.

[0119] Subjects who are clinically diagnosed with HCV infection include "naïve" subjects (e.g., subjects not previously treated for HCV, particularly those who have not previously received IFN-alpha-based and/or ribavirin-based therapy) and individuals who have failed prior treatment for HCV ("treatment failure" subjects). Treatment failure subjects include "non-responders" (i.e., subjects in whom the HCV titer was not significantly or sufficiently reduced by a previous treatment for HCV ($\leq$ 0.5 log IU/mL), for example, a previous IFN-alpha monotherapy, a previous IFN-alpha and ribavirin combination therapy, or a previous pegylated IFN-alpha and ribavirin combination therapy); and "relapsers" (i.e., subjects who were previously treated for HCV, for example, who received a previous IFN-alpha monotherapy, a previous IFN-alpha and ribavirin combination therapy, or a previous pegylated IFN-alpha and ribavirin combination therapy, whose HCV titer decreased, and subsequently increased).

[0120] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a treatment failure subject suffering from HCV. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a non-responder subject suffering from HCV. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a relapsed subject suffering from HCV.

[0121] After a period of time, infectious agents can develop resistance to one or more therapeutic agents. The term "resistance" as used herein refers to a viral strain displaying a delayed, lessened and/or null response to a therapeutic agent(s). For example, after treatment with an antiviral agent, the viral load of a subject infected with a resistant virus may be reduced to a lesser degree compared to the amount in viral load reduction exhibited by a subject infected with a non-resistant strain. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a subject infected with an HCV strain that is resistant to one or more different anti-HCV agents (for example, an agent used in a conventional standard of care). In some embodiments, development of resistant HCV strains is delayed when a subject is treated with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, compared to the development of HCV strains resistant to other HCV drugs (such as an agent used in a conventional standard of care).

[0122] In some embodiments, an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a subject for whom other anti-HCV medications are contraindicated. For example, administration of pegylated interferon alpha in combination with ribavirin is contraindicated in subjects with hemoglobinopathies (e.g., thalassemia major, sickle-cell anemia) and other subjects at risk from the hematologic side effects of current therapy. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be provided to a subject that is hypersensitive to interferon and/or ribavirin.

[0123] Some subjects being treated for HCV experience a viral load rebound. The term "viral load rebound" as used herein refers to a sustained ≥0.5 log IU/mL increase of viral load above nadir before the end of treatment, where nadir is a ≥0.5 log IU/mL decrease from baseline. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered to a subject experiencing viral load rebound, or can prevent such viral load rebound when used to treat the subject.

[0124] The standard of care for treating HCV has been associated with several side effects (adverse events). In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can decrease the number and/or

severity of side effects that can be observed in HCV patients being treated with ribavirin and pegylated interferon according to the standard of care. Examples of side effects include, but are not limited to fever, malaise, tachycardia, chills, headache, arthralgias, myalgias, fatigue, apathy, loss of appetite, nausea, vomiting, cognitive changes, asthenia, drowsiness, lack of initiative, irritability, confusion, depression, severe depression, suicidal ideation, anemia, low white blood cell counts, and thinning of hair. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be provided to a subject that discontinued a HCV therapy because of one or more adverse effects or side effects associated with one or more other HCV agents (for example, an agent used in a conventional standard of care).

[0125] In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can be ameliorate and/or treat a Flavivirus infection. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can inhibit replication of a Flavivirus.

[0126] In some embodiments, the Flavivirus can be a West Nile virus. A West Nile infection can lead to West Nile fever or severe West Nile disease (also called West Nile encephalitis or meningitis or West Nile poliomyelitis). Symptoms of West Nile fever include fever, headache, tiredness, body aches, nausea, vomiting, a skin rash (on the trunk of the body) and swollen lymph glands. Symptoms of West Nile disease include headache, high fever, neck stiffness, stupor, disorientation, coma, tremors, convulsions, muscle weakness and paralysis. Current treatment for a West Nile virus infection is supportive, and no vaccination is currently available for humans.

[0127] In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can treat and/or ameliorate a dengue virus, such as DENV-1, DENV-2, DENV-3 and DENV-4. A dengue virus infection can cause dengue hemorrhagic fever and/or dengue shock syndrome. In some embodiments, a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing) can treat and/or ameliorate dengue hemorrhagic fever and/or dengue shock syndrome. According to the World Health Organization (WHO), global incidence of dengue has grown dramatically

in recent decades. To date, there is no treatment for a dengue virus infection. Further, recovery from an infection of one serotype of dengue virus provides only partial and temporary immunity against the other serotypes. Subsequent infection(s) with another serotypes increases the likelihood of developing severe dengue (previously known as dengue hemorrhagic fever). A dengue infection is suspected with a high fever (approx. 104 °F) accompanied by one or more of the following symptoms: severe headache, pain behind the eyes, muscle and joint pain, nausea, vomiting, swollen glands and rash.

[0128] Yellow fever is an acute viral hemorrhagic disease. As provided by the WHO, up to 50% of severely affected persons without treatment die from yellow fever. An estimated 200,000 cases of yellow fever, causing 30,000 deaths, worldwide occur each year. As with other Flaviviruses, there is no cure or specific treatment for yellow fever, and treatment with ribavirin and interferons are insufficient. In some embodiments, the Flavivirus can be yellow fever virus. Symptoms of a yellow fever infection include fever, muscle pain with prominent backache, headache, shivers, loss of appetite, nausea, vomiting, jaundice and bleeding (for example from the mouth, nose, eyes and/or stomach).

[0129] In yet still other embodiments, the Flavivirus can be an encephalitis virus from within the Flavivirus genus. Examples of encephalitis viruses include, but are not limited to, Japanese encephalitis virus, St. Louis encephalitis virus and tick borne encephalitis. Viral encephalitis causes inflammation of the brain and/or meninges. Symptoms include high fever, headache, sensitivity to light, stiff neck and back, vomiting, confusion, seizures, paralysis and coma. There is no specific treatment for an encephalitis infection, such as Japanese encephalitis, St. Louis encephalitis and tick borne encephalitis.

[0130] Various indicators for determining the effectiveness of a method for treating an Picornavirus and/or *Flaviviridae* viral infection are known to those skilled in the art. Example of suitable indicators include, but are not limited to, a reduction in viral load, a reduction in viral replication, a reduction in time to seroconversion (virus undetectable in patient serum), a reduction of morbidity or mortality in clinical outcomes, and/or other indicator(s) of disease response. Further indicators include one or more overall quality of life health indicators, such as reduced illness duration, reduced illness severity, reduced time to return to normal health and normal activity, and reduced time to alleviation of one or more symptoms. In some embodiments, a compound of Formulae (I) and/or (II), or a

pharmaceutically acceptable salt of the foregoing, can result in the reduction, alleviation or positive indication of one or more of the aforementioned indicators compared to a subject who is receiving the standard of care (for HCV) or an untreated subject (picornavirus, and other *Flaviviridae* infections besides HCV). Effects/symptoms of a Picornavirus infection are described herein, and include, but are not limited to, fever, blisters, rash, meningitis, conjunctivitis, acute hemorrhagic conjunctivitis (AHC), sore throat, nasal congestion, runny nose, sneezing, coughing, loss of appetite, muscle aches, headache, fatigue, nausea, jaundice, encephalitis, herpangina, myocarditis, pericarditis, meningitis, Bornholm disease, myalgia, nasal congestion, muscle weakness, loss of appetite, fever, vomiting, abdominal pain, abdominal discomfort, dark urine and muscle pain. Effects/symptoms of a *Flaviviridae* virus infection are also described herein.

[0131] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in a reduction in the length and/or severity of one or more symptoms associated with a Picornavirus or a *Flaviviridae* virus infection compared to a subject who is receiving the standard of care (for HCV) or an untreated subject (picornavirus, and other *Flaviviridae* infection besides HCV). Table 1 provides some embodiments of the percentage improvements obtained using a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, as compared to the standard of care (for HCV) or an untreated subject (picornavirus, and other *Flaviviridae* infection besides HCV). Examples include the following: in some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, results in a percentage of non-responders that is 10% less than the percentage of non-responders receiving the standard of care for HCV; in some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, results in a duration of illness that is in the range of about 10% to about 30% less than compared to the duration of illness experienced by a subject who is untreated for a yellow fever viral infection; and in some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, results in a severity of a symptom (such as one of those described herein) that is 25% less than compared to the severity of the same symptom experienced by a subject who is untreated for a dengue virus infection.

Methods of quantifying the severity of a side effect and/or symptom are known to those skilled in the art.

Table 1

Percentage of non-responders	**Percentage of relapsers**	**Percentage of resistance**	**Percentage of viral load rebound**	**Number of side effects**	**Severity of side effect(s)**
10% less	10% less	10% less	10% less	10% less	10% less
25% less	25% less	25% less	25% less	25% less	25% less
40% less	40% less	40% less	40% less	40% less	40% less
50% less	50% less	50% less	50% less	50% less	50% less
60% less	60% less	60% less	60% less	60% less	60% less
70% less	70% less	70% less	70% less	70% less	70% less
80% less	80% less	80% less	80% less	80% less	80% less
90% less	90% less	90% less	90% less	90% less	90% less
about 10% to about 30% less	about 10% to about 30% less	about 10% to about 30% less	about 10% to about 30% less	about 10% to about 30% less	about 10% to about 30% less
about 20% to about 50% less	about 20% to about 50% less	about 20% to about 50% less	about 20% to about 50% less	about 20% to about 50% less	about 20% to about 50% less
about 30% to about 70% less	about 30% to about 70% less	about 30% to about 70% less	about 30% to about 70% less	about 30% to about 70% less	about 30% to about 70% less
about 20% to about 80% less	about 20% to about 80% less	about 20% to about 80% less	about 20% to about 80% less	about 20% to about 80% less	about 20% to about 80% less
Duration of illness	**Duration of illness**	**Duration of illness**	**Severity of symptom(s)**	**Severity of symptom(s)**	**Severity of symptom(s)**
10% less	60% less	about 10% to about 30% less	10% less	60% less	about 10% to about 30% less
25% less	70% less	about 20% to about 50% less	25% less	70% less	about 20% to about 50% less
40% less	80% less	about 30% to about 70% less	40% less	80% less	about 30% to about 70% less
50% less	90% less	about 20% to about 80% less	50% less	90% less	about 20% to about 80% less

[0132] In some embodiments, the compound can be a compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, wherein R^{1A} is hydrogen. In other embodiments, the compound can be a compound of Formulae (I) and/or (II), wherein compound of Formulae (I) and/or (II) is a mono, di, or triphosphate, or a pharmaceutically acceptable salt of the foregoing. In still other embodiments, the compound can be a compound of Formulae (I) and/or (II), wherein compound of Formulae (I) and/or (II) is a thiomonophosphate, alpha-thiodiphosphate, or alpha-thiotriphosphate, or a pharmaceutically acceptable salt of the foregoing. In some embodiments, the compound of Formulae (I) and/or (II), or a pharmaceutical acceptable salt of the foregoing, that can be used to ameliorate and/or treat a Picornavirus infection and/or inhibit replication of a Picornavirus can be any of the embodiments provided in any of the embodiments described in paragraphs [0173]-[0291].

[0133] As used herein, a "subject" refers to an animal that is the object of treatment, observation or experiment. "Animal" includes cold- and warm-blooded vertebrates and invertebrates such as fish, shellfish, reptiles and, in particular, mammals. "Mammal" includes, without limitation, mice, rats, rabbits, guinea pigs, dogs, cats, sheep, goats, cows, horses, primates, such as monkeys, chimpanzees, and apes, and, in particular, humans. In some embodiments, the subject is human.

[0134] As used herein, the terms "treating," "treatment," "therapeutic," or "therapy" do not necessarily mean total cure or abolition of the disease or condition. Any alleviation of any undesired signs or symptoms of a disease or condition, to any extent can be considered treatment and/or therapy. Furthermore, treatment may include acts that may worsen the patient's overall feeling of well-being or appearance.

[0135] The terms "therapeutically effective amount" and "effective amount" are used to indicate an amount of an active compound, or pharmaceutical agent, that elicits the biological or medicinal response indicated. For example, an effective amount of compound can be the amount needed to prevent, alleviate or ameliorate symptoms of disease or prolong the survival of the subject being treated This response may occur in a tissue, system, animal or human and includes alleviation of the signs or symptoms of the disease being treated. Determination of an effective amount is well within the capability of those skilled in the art, in view of the disclosure provided herein. The effective amount of the compounds disclosed

herein required as a dose will depend on the route of administration, the type of animal, including human, being treated, and the physical characteristics of the specific animal under consideration. The dose can be tailored to achieve a desired effect, but will depend on such factors as weight, diet, concurrent medication and other factors which those skilled in the medical arts will recognize.

[0136] As will be readily apparent to one skilled in the art, the useful *in vivo* dosage to be administered and the particular mode of administration will vary depending upon the age, weight, the severity of the affliction, and mammalian species treated, the particular compounds employed, and the specific use for which these compounds are employed. The determination of effective dosage levels, that is the dosage levels necessary to achieve the desired result, can be accomplished by one skilled in the art using routine methods, for example, human clinical trials and *in vitro* studies.

[0137] The dosage may range broadly, depending upon the desired effects and the therapeutic indication. Alternatively dosages may be based and calculated upon the surface area of the patient, as understood by those of skill in the art. Although the exact dosage will be determined on a drug-by-drug basis, in most cases, some generalizations regarding the dosage can be made. The daily dosage regimen for an adult human patient may be, for example, an oral dose of between 0.01 mg and 3000 mg of each active ingredient, preferably between 1 mg and 700 mg, e.g. 5 to 200 mg. The dosage may be a single one or a series of two or more given in the course of one or more days, as is needed by the subject. In some embodiments, the compounds will be administered for a period of continuous therapy, for example for a week or more, or for months or years. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered less frequently compared to the frequency of administration of an agent within the standard of care. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered one time per day. For example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered one time per day to a subject suffering from a HCV infection. In some embodiments, the total time of the treatment regime with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can less compared to the total time of the treatment regime with the standard of care.

[0138] In instances where human dosages for compounds have been established for at least some condition, those same dosages may be used, or dosages that are between about 0.1% and 500%, more preferably between about 25% and 250% of the established human dosage. Where no human dosage is established, as will be the case for newly-discovered pharmaceutical compositions, a suitable human dosage can be inferred from ED_{50} or ID_{50} values, or other appropriate values derived from *in vitro* or *in vivo* studies, as qualified by toxicity studies and efficacy studies in animals.

[0139] In cases of administration of a pharmaceutically acceptable salt, dosages may be calculated as the free base. As will be understood by those of skill in the art, in certain situations it may be necessary to administer the compounds disclosed herein in amounts that exceed, or even far exceed, the above-stated, preferred dosage range in order to effectively and aggressively treat particularly aggressive diseases or infections.

[0140] Dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the modulating effects, or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from in vitro data. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration. However, HPLC assays or bioassays can be used to determine plasma concentrations. Dosage intervals can also be determined using MEC value. Compositions should be administered using a regimen which maintains plasma levels above the MEC for 10-90% of the time, preferably between 30-90% and most preferably between 50-90%. In cases of local administration or selective uptake, the effective local concentration of the drug may not be related to plasma concentration.

[0141] It should be noted that the attending physician would know how to and when to terminate, interrupt, or adjust administration due to toxicity or organ dysfunctions. Conversely, the attending physician would also know to adjust treatment to higher levels if the clinical response were not adequate (precluding toxicity). The magnitude of an administrated dose in the management of the disorder of interest will vary with the severity of the condition to be treated and to the route of administration. The severity of the condition may, for example, be evaluated, in part, by standard prognostic evaluation methods. Further, the dose and perhaps dose frequency, will also vary according to the age, body weight, and

response of the individual patient. A program comparable to that discussed above may be used in veterinary medicine.

[0142] Compounds disclosed herein can be evaluated for efficacy and toxicity using known methods. For example, the toxicology of a particular compound, or of a subset of the compounds, sharing certain chemical moieties, may be established by determining *in vitro* toxicity towards a cell line, such as a mammalian, and preferably human, cell line. The results of such studies are often predictive of toxicity in animals, such as mammals, or more specifically, humans. Alternatively, the toxicity of particular compounds in an animal model, such as mice, rats, rabbits, or monkeys, may be determined using known methods. The efficacy of a particular compound may be established using several recognized methods, such as *in vitro* methods, animal models, or human clinical trials. When selecting a model to determine efficacy, the skilled artisan can be guided by the state of the art to choose an appropriate model, dose, route of administration and/or regime.

[0143] As described herein, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have a moiety(ies) that neutralize the charge of the phosphate or thiophosphate. By neutralizing the charge on the phosphate or thiophosphate, penetration of the cell membrane may be facilitated as a result of the increased lipophilicity of the compound. Once absorbed and taken inside the cell, the groups attached to the phosphorus can be easily removed by esterases, proteases and/or other enzymes. In some embodiments, the groups attached to the phosphorus can be removed by simple hydrolysis. Inside the cell, the phosphate thus released may then be metabolized by cellular enzymes to the diphosphate or the active triphosphate. Likewise, the thio-phosphate may be metabolized to the alpha-thiodiphosphate or the alpha-thiotriphosphate. Furthermore, in some embodiments, varying the substituents on a compound described herein, such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can help maintain the efficacy of such the compound by reducing undesirable effects, such as isomerization.

[0144] In some embodiments, the phosphorylation of a thio-monophosphate of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be stereoselective. For example, a thio-monophosphate of a compound of Formulae (I) and/or (II) can be phosphorylated to give an alpha-thiodiphosphate and/or an alpha-

thiotriphosphate compound that can be enriched in the (*R*) or (*S*) diastereomer with respect to the 5'-O-phosphorous atom. For example, one of the (*R*) and (*S*) configuration with respect to the 5'-O-phosphorous atom of the alpha-thiodiphosphate and/or the alpha-thiotriphosphate compound can be present in an amount > 50%, ≥ 75%, ≥ 90%, ≥ 95% or ≥ 99% compared to the amount of the other of the (*R*) or (*S*) configuration with respect to the 5'-O-phosphorous atom. In some embodiments, phosphorylation of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in the formation of a compound that has the (*R*)-configuration at the 5'-O-phosphorous atom. In some embodiments, phosphorylation of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can result in formation of a compound that has the (*S*)-configuration at the 5'-O-phosphorous atom.

[0145] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can act as a chain terminator of RNA synthesis. For example, compounds of Formulae (I) and/or (II) can contain a moiety at the 2'-carbon position such that once the compound is incorporated into an RNA chain, no further elongation is observed to occur. For example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can contain a non-hydrogen 2'-carbon modification such as an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl or an optionally substituted C_{2-6} alkynyl.

[0146] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have increased metabolic and/or plasma stability. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be more resistant to hydrolysis and/or more resistant to enzymatic transformations. For example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have increased metabolic stability, increased plasma stability, can be more resistant to hydrolysis and/or can be more resistant to enzymatic transformations compared to a compound that is identical in structure but for having O^1 as OH, R^{Λ}, $R^{2\Lambda}$, $R^{5\Lambda}$, R^{a1} and R^{a2} are each hydrogen and $R^{3\Lambda}$ and $R^{4\Lambda}$ are each OH. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have improved properties. A non-limiting list of example properties include, but are not limited to, increased biological half-

life, increased bioavailability, increase potency, a sustained in vivo response, increased dosing intervals, decreased dosing amounts, decreased cytotoxicity, reduction in required amounts for treating disease conditions, reduction in viral load, reduction in time to seroconversion (i.e., the virus becomes undetectable in patient serum), increased sustained viral response, a reduction of morbidity or mortality in clinical outcomes, increased subject compliance, decreased liver conditions (such as liver fibrosis, liver cirrhosis and/or liver cancer), and compatibility with other medications. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have a biological half-life of greater than 24 hours. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have a biological half-life greater than a compound that is identical in structure but for having O^1 as OH, R^A, R^{2A}, R^{5A}, R^{a1} and R^{a2} are each hydrogen and R^{3A} and R^{4A} are each OH. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can have more potent antiviral activity compared to a compound that is identical in structure but for having O^1 as OH, R^A, R^{2A}, R^{5A}, R^{a1} and R^{a2} are each hydrogen and R^{3A} and R^{4A} are each OH.

[0147] Additionally, in some embodiments, the presence of a moiety(ies) that neutralizes the charge of the phosphate or thiophosphate can increase the stability of the compound by inhibiting its degradation. Also, in some embodiments, the presence of a moiety(ies) that neutralizes the charge of the phosphate or thiophosphate can make the compound more resistant to cleavage *in vivo* and provide sustained, extended efficacy. In some embodiments, a moiety(ies) that neutralizes the charge of the phosphate or thiophosphate can facilitate the penetration of the cell membrane by a compound of Formulae (I) and/or (II) by making the compound more lipophilic. In some embodiments, a moiety(ies) that neutralizes the charge of the phosphate or thiophosphate can have improved oral bioavailability, improved aqueous stability and/or reduced risk of byproduct-related toxicity. In some embodiments, for comparison purposes, a compound of Formulae (I) and/or (II) can be compared to a compound that is identical in structure but for having O^1 as OH, R^A, R^{2A}, R^{5A}, R^{a1} and R^{a2} are each hydrogen and R^{3A} and R^{4A} are each OH.

Combination Therapies

[0148] In some embodiments, the compounds disclosed herein, such as a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound described herein, or a pharmaceutically acceptable salt thereof, can be used in combination with one or more additional agent(s) for treating, ameliorating and/or inhibiting a Picornavirus and/or *Flaviviridae* viral infection.

[0149] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered with one or more additional agent(s) together in a single pharmaceutical composition. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered with one or more additional agent(s) as two or more separate pharmaceutical compositions. For example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered in one pharmaceutical composition, and at least one of the additional agents can be administered in a second pharmaceutical composition. If there are at least two additional agents, one or more of the additional agents can be in a first pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and at least one of the other additional agent(s) can be in a second pharmaceutical composition.

[0150] The dosing amount(s) and dosing schedule(s) when using a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and one or more additional agents are within the knowledge of those skilled in the art. For example, when performing a conventional standard of care therapy using art-recognized dosing amounts and dosing schedules, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered in addition to that therapy, or in place of one of the agents of a combination therapy, using effective amounts and dosing protocols as described herein.

[0151] The order of administration of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, with one or more additional agent(s) can vary. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered prior to all additional agents. In other embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered prior to at least one additional agent. In still other embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered concomitantly with one or more additional agent(s). In yet still other embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered subsequent to the administration of at least one additional agent. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be administered subsequent to the administration of all additional agents.

[0152] In some embodiments, the combination of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more additional agent(s) can result in an additive effect. In some embodiments, the combination of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, used in combination with one or more additional agent(s) can result in a synergistic effect. In some embodiments, the combination of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, used in combination with one or more additional agent(s) can result in a strongly synergistic effect. In some embodiments, the combination of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more additional agent(s) is not antagonistic.

[0153] As used herein, the term "antagonistic" means that the activity of the combination of compounds is less compared to the sum of the activities of the compounds in combination when the activity of each compound is determined individually (i.e. as a single compound). As used herein, the term "synergistic effect" means that the activity of the combination of compounds is greater than the sum of the individual activities of the compounds in the combination when the activity of each compound is determined individually. As used herein, the term "additive effect" means that the activity of the

combination of compounds is about equal to the sum of the individual activities of the compound in the combination when the activity of each compound is determined individually.

[0154] A potential advantage of utilizing a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more additional agent(s) may be a reduction in the required amount(s) of one or more additional agent(s) that is effective in treating a disease condition disclosed herein (for example, picornavirus and/or *Flaviviridae* virus infection), as compared to the amount required to achieve same therapeutic result when one or more additional agent(s) are administered without a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. For example, for treating HCV, the amount of a compound in Figures 1-9 (including a pharmaceutically acceptable salt thereof), can be less compared to the amount of the compound in Figures 1-9 (including a pharmaceutically acceptable salt thereof), needed to achieve the same viral load reduction when administered as a monotherapy. Another potential advantage of utilizing a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more additional agent(s) is that the use of two or more compounds having different mechanism of actions can create a higher barrier to the development of resistant viral strains compared to the barrier when a compound is administered as monotherapy.

[0155] Additional advantages of utilizing a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more additional agent(s) may include little to no cross resistance between a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and one or more additional agent(s) thereof; different routes for elimination of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and one or more additional agent(s); little to no overlapping toxicities between a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and one or more additional agent(s); little to no significant effects on cytochrome P450; little to no pharmacokinetic interactions between a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, and one or more additional agent(s); greater percentage of subjects achieving a sustained viral response compared to when a compound is administered as monotherapy

and/or a decrease in treatment time to achieve a sustained viral response compared to when a compound is administered as monotherapy.

[0156] For treating of a picornavirus and/or a *Flaviviridae* virus infection other than HCV, examples of additional agents that can be used in combination with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include, but are not limited to, ribavirin and an interferon (including those described herein).

[0157] For the treatment of HCV, examples of additional agents that can be used in combination with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include, but are not limited to, agents currently used in a conventional standard of care for treating HCV, HCV protease inhibitors, HCV polymerase inhibitors, NS5A inhibitors, other antiviral compounds, compounds of Formula (AA), (including pharmaceutically acceptable salts and pharmaceutical compositions that can include a compound of Formula (AA), or a pharmaceutically acceptable salt thereof), compounds of Formula (BB) (including pharmaceutically acceptable salts and pharmaceutical compositions that can include a compound of Formula (BB), or a pharmaceutically acceptable salt thereof), compounds of Formula (CC) (including pharmaceutically acceptable salts and pharmaceutical compositions that can include a compound of Formula (CC), or a pharmaceutically acceptable salt thereof), and/or combinations thereof. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used with one, two, three or more additional agents described herein. A non-limiting list of examples of combinations of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is provided in Tables A, B, C, D and E.

[0158] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that

includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with an agent(s) currently used in a conventional standard of care therapy. For example, for the treatment of HCV, a compound disclosed herein can be used in combination with Pegylated interferon-alpha-2a (brand name PEGASYS®) and ribavirin, Pegylated interferon-alpha-2b (brand name PEG-INTRON®) and ribavirin, Pegylated interferon-alpha-2a, Pegylated interferon-alpha-2b, or ribavirin.

[0159] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be substituted for an agent currently used in a conventional standard of care therapy. For example, for the treatment of HCV, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in place of ribavirin.

[0160] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with an interferon, such as a pegylated interferon. Examples of suitable interferons include, but are not limited to, Pegylated interferon-alpha-2a (brand name PEGASYS®), Pegylated interferon-alpha-2b (brand name PEG-INTRON®), interferon alfacon-1 (brand name INFERGEN®), pegylated interferon lambda and/or a combination thereof.

[0161] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a HCV protease inhibitor. A non-limiting list of example HCV protease inhibitors include the following: VX-950 (TELAPREVIR®), MK-5172, ABT-450, BILN-2061, BI-201335, BMS-650032, SCH 503034 (BOCEPREVIR®), GS-9256, GS-9451, IDX-320, ACH-1625, ACH-2684, TMC-435, ITMN-191 (DANOPREVIR®) and/or a combination thereof. Additional HCV protease inhibitors suitable for use in combination with a compound of Formulae (I) and/or (II), or a

pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include VP-19744, PSI-879, VCH-759/VX-759, HCV-371, IDX-375, GL-60667, JTK-109, PSI-6130, R1479, R-1626, R-7182, MK-0608, INX-8014, INX-8018, A-848837, A-837093, BILB-1941, VCH-916, VCH-716, GSK-71185, GSK-625433, XTL-2125 and those disclosed in PCT Publication No. WO 2012/142085, which is hereby incorporated by reference for the limited purpose of its disclosure of HCV protease inhibitors, HCV polymerase inhibitors and NS5A inhibitors. A non-limiting list of example HCV protease inhibitors includes the compounds numbered 1001-1016 in Figure 1.


[0162] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a HCV polymerase inhibitor. In some embodiments, the HCV polymerase inhibitor can be a nucleoside inhibitor. In other embodiments, the HCV polymerase inhibitor can be a non-nucleoside inhibitor. Examples of suitable nucleoside inhibitors include, but are not limited to, RG7128, PSI-7851, PSI-7977, INX-189, PSI-352938, PSI-661, 4'-azidouridine (including known prodrugs of 4'-azidouridine), GS-6620, IDX-184, and TMC649128 and/or combinations thereof. A non-limiting list of example nucleoside inhibitors includes compounds numbered 2001-2012 in Figure 2. Examples of suitable non-nucleoside inhibitors include, but are not limited to, ABT-333, ANA-598, VX-222, HCV-796, BI-207127, GS-9190, PF-00868554 (FILIBUVIR®), VX-497 and/or combinations thereof. A non-limiting list of example non-nucleoside inhibitors includes the compounds numbered 3001-3014 in Figure 3. Further HCV polymerase inhibitors suitable for use in combination with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include VX-500, VX-813, VBY-376, TMC-435350, EZ-058, EZ-063, GS-9132, ACH-1095, IDX-136, IDX-316, ITMN-8356, ITMN-8347, ITMN-8096, ITMN-7587, VX-985, and those disclosed in PCT Publication No. WO 2012/142085.

[0163] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that

includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a NS5A inhibitor. Examples of NS5A inhibitors include BMS-790052, PPI-461, ACH-2928, GS-5885, BMS-824393 and/or combinations thereof. A non-limiting list of example NS5A inhibitors includes the compounds numbered 4001-4012 in Figure 4. Additional NS5A inhibitors suitable for use in combination with a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include A-832, PPI-1301 and those disclosed in PCT Publication No. WO 2012/142085.

[0164] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with other antiviral compounds. Examples of other antiviral compounds include, but are not limited to, Debio-025, a MIR-122 inhibitor (for example, Miravirsen (SPC3649)), cyclosporin A and/or combinations thereof. A non-limiting list of example other antiviral compounds includes the compounds numbered 5001-5011 in Figure 5.


[0165] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a compound of Formula (AA), or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition that includes a compound of Formula (AA), or a pharmaceutically acceptable salt thereof (see, U.S. Publication No. 2013/0164261 A1, filed December 20, 2012, the contents of which are incorporated by reference in its entirety):




Formula (AA)

wherein: B^{AA1} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; R^{AA1} can be selected from O^-, OH, an

optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{AA2} can be absent or selected from hydrogen, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl and




, wherein R^{AA6}, R^{AA7} and R^{AA8} can be independently absent or hydrogen, and n^{AA} can be 0 or 1; provided that when R^{AA1} is O^- or OH, then R^{AA2} is absent, hydrogen or



; R^{AA3} can be selected from hydrogen, halogen, -OR^{AA9} and -$OC(=O)R^{AA10}$; R^{AA4} can be selected from halogen, -OR^{AA11} and -$OC(=O)R^{AA12}$;or R^{AA3} and R^{AA4} can be both an oxygen atom which are linked together by a carbonyl group; R^{AA5} can be selected from an optionally substituted C_{2-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl and an optionally substituted C_{3-6} cycloalkyl; or R^{AA4} and R^{AA5} together can form –(C_{1-6} alkyl)-O– or –O-(C_{1-6} alkyl)–; R^{AA9} and R^{AA11} can be independently hydrogen or an optionally substituted C_{1-6} alkyl; and R^{AA10} and R^{AA12} can be independently an optionally substituted C_{1-6} alkyl or an optionally substituted C_{3-6} cycloalkyl. A non-limiting list of examples of compounds of Formula (AA) includes the compounds numbered 7000-7027 in Figure 7.

[0166] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a compound of Formula (BB), or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition that includes a compound of Formula (BB), or a pharmaceutically acceptable salt thereof (see, U.S. Publication No. 2012/0165286, published June 28, 2012, the contents of which are incorporated by reference in their entireties):




Formula (BB)



wherein B^{BB1} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; X^{BB} can be O (oxygen) or S (sulfur); R^{BB1} can be selected from $-Z^{BB}-R^{BB9}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; Z^{BB} can be selected from O (oxygen), S (sulfur) and $N(R^{BB10})$; R^{BB2} and R^{BB3} can be independently selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl, an optionally substituted C_{1-6} haloalkyl and an optionally substituted aryl(C_{1-6} alkyl); or R^{BB2} and R^{BB3} can be taken together to form a group selected from an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted C_{3-6} aryl and an optionally substituted C_{3-6} heteroaryl; R^{BB4} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl and an optionally substituted allenyl; R^{BB5} can be hydrogen or an optionally substituted C_{1-6} alkyl; R^{BB6} can be selected from hydrogen, halogen, azido, amino, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{BB11}$ and $-OC(=O)R^{BB12}$; R^{BB7} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{BB13}$ and $-OC(=O)R^{BB14}$; R^{BB8} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{BB15}$ and $-OC(=O)R^{BB16}$; R^{BB9} can be selected from an optionally substituted alkyl, an optionally substituted alkenyl, an optionally substituted alkynyl, an optionally substituted cycloalkyl, an optionally substituted cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl, an optionally substituted aryl(C_{1-6}alkyl), an optionally substituted heteroaryl(C_{1-6}alkyl) and an optionally substituted heterocyclyl(C_{1-6}alkyl); R^{BB10} can be selected from hydrogen, an optionally substituted alkyl, an optionally substituted alkenyl, an optionally substituted alkynyl, an optionally substituted cycloalkyl, an optionally substituted cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl, an optionally substituted aryl(C_{1-6}alkyl), an



optionally substituted heteroaryl(C_{1-6}alkyl) and an optionally substituted heterocyclyl(C_{1-6}alkyl); R^{BB11}, R^{BB13} and R^{BB15} can be independently hydrogen or an optionally substituted C_{1-6} alkyl; and R^{BB12}, R^{BB14} and R^{BB16} can be independently an optionally substituted C_{1-6} alkyl or an optionally substituted C_{3-6} cycloalkyl. In some embodiments, at least one of R^{BB2} and R^{BB3} is not hydrogen. A non-limiting list of example compounds of Formula (BB) includes the compound numbered 8000-8016 in Figure 8.

[0167] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, can be used in combination with a compound of Formula (CC), or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition that includes a compound of Formula (CC), or a pharmaceutically acceptable salt thereof (see, U.S. Publication No. 2012/0071434, published March 22, 2012, the contents of which are incorporated by reference in its entirety):



Formula (CC)

wherein B^{CC1} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; R^{CC1} can be selected from O^-, OH, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{CC2} can be selected from an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl and  , wherein R^{CC19}, R^{CC20} and R^{CC21} can be independently absent or hydrogen, and n^{CC} can be 0 or 1; provided that when R^{CC1} is O^- or OH, then R^{CC2} is  ; R^{CC3a} and R^{CC3b} can be independently selected from

hydrogen, deuterium, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl, an optionally substituted C_{1-6} haloalkyl and aryl(C_{1-6} alkyl); or R^{CC3a} and R^{CC3b} can be taken together to form an optionally substituted C_{3-6} cycloalkyl; R^{CC4} can be selected from hydrogen, azido, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{CC5} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{CC10}$ and $-OC(=O)R^{CC11}$; R^{CC6} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{CC12}$ and $-OC(=O)R^{CC13}$; R^{CC7} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{CC14}$ and $-OC(=O)R^{CC15}$; or R^{CC6} and R^{CC7} can be both oxygen atoms and linked together by a carbonyl group; R^{CC8} can be selected from hydrogen, halogen, azido, cyano, an optionally substituted C_{1-6} alkyl, $-OR^{CC16}$ and $-OC(=O)R^{CC17}$; R^{CC9} can be selected from hydrogen, azido, cyano, an optionally substituted C_{1-6} alkyl and $-OR^{CC18}$; R^{CC10}, R^{CC12}, R^{CC14}, R^{CC16} and R^{CC18} can be independently selected from hydrogen and an optionally substituted C_{1-6} alkyl; and R^{CC11}, R^{CC13}, R^{CC15} and R^{CC17} can be independently selected from an optionally substituted C_{1-6} alkyl and an optionally substituted C_{3-6} cycloalkyl. In some embodiments, when R^{CC3a}, R^{CC3b}, R^{CC4}, R^{CC5}, R^{CC7}, R^{CC8} and R^{CC9} are all hydrogen, then R^{CC6} is not azido. In some embodiments, R^{CC2} cannot be  when R^{CC3a} is hydrogen, R^{CC3b} is hydrogen, R^{CC4} is H, R^{CC5} is OH or H, R^{CC6} is hydrogen, OH, or $-OC(=O)CH_3$, R^{CC7} is hydrogen, OH, OCH_3 or $-OC(=O)CH_3$, R^{CC8} is hydrogen, OH or OCH_3, R^{CC9} is H and B^{CC1} is an optionally substituted adenine, an optionally substituted guanine, an optionally substituted uracil or an optionally substituted hypoxanthine. In some embodiments, R^{CC2} cannot be  . A non-limiting list of examples of compounds of Formula (CC) includes the compounds numbered 6000-6078 in Figure 6.

[0168] Some embodiments described herein relate to a method of ameliorating or treating a Picornavirus and/or a *Flaviviridae* viral infection that can include contacting a cell infected with the virus with an effective amount of a compound of Formulae (I) and/or (II),

or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds. Some embodiments described herein relate to a method of ameliorating or treating a HCV infection that can include contacting a cell infected with the HCV infection with an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds.

[0169] Some embodiments described herein relate to a method of ameliorating or treating a Picornavirus and/or a *Flaviviridae* viral infection that can include administering to a subject suffering from the viral infection an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds. Some embodiments described herein relate to a method of ameliorating or treating a HCV infection that can include administering to a subject suffering from the HCV infection an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds.


[0170] Some embodiments described herein relate to a method of inhibiting the replication of a Picornavirus and/or a *Flaviviridae* virus that can include contacting a cell infected with the virus with an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of

any of the aforementioned compounds. Some embodiments described herein relate to a method of inhibiting the replication of a hepatitis C virus that can include contacting a cell infected with the hepatitis C virus with an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds.

[0171] Some embodiments described herein relate to a method of inhibiting the replication of a Picornavirus and/or a *Flaviviridae* virus that can include administering to a subject infected with the virus an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a compound of Formula (AA), a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds. Some embodiments described herein relate to a method of inhibiting the replication of a hepatitis C virus that can include administering to a subject infected with the hepatitis C virus an effective amount of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, in combination with one or more agents selected from an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA), a compound of Formula (BB), a compound of Formula (CC), or a pharmaceutically acceptable salt of any of the aforementioned compounds.

[0172] A non-limiting list of example combination of compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, or a pharmaceutical composition that includes a compound described herein, with one or more additional agent(s) are provided in Tables A, B, C, D and E. Each numbered X and Y compound in Tables A, B, C, D and E has a corresponding name and/or structure provided in Figures 1-9. The numbered compounds in Tables A, B, C, D and E includes pharmaceutically acceptable salts of the compounds and pharmaceutical compositions containing the compounds or a pharmaceutically acceptable salt thereof. For example, 1001 includes the compound corresponding to 1001, pharmaceutically acceptable salts thereof, and pharmaceutical

compositions that include compound 1001 and/or a pharmaceutically acceptable salt thereof. The combinations exemplified in Tables A, B, C, D and E are designated by the formula X:Y, which represents a combination of a compound X with a compound Y. For example, the combination designated as 1001:9044 in Table A represents a combination of compound 1001 with compound 9044, including pharmaceutically acceptable salts of compound 1001 and/or 9044, and pharmaceutical compositions including compound 1001 and 9044 (including pharmaceutical compositions that include pharmaceutically acceptable salts of compound 1001 and/or compound 9044). Thus, the combination designated as 1001:9044 in Table A represents the combination of Telaprevir (compound 1001, as shown in Figure 1)



and (compound 9044, as shown in Figure 9), including pharmaceutically acceptable salts of compound 1001 and/or 9044, and pharmaceutical compositions including compound 1001 and 9044 (including pharmaceutical compositions that include pharmaceutically acceptable salts of compound 1001 and/or compound 9044). Each of the combinations provided in Tables A, B, C, D and E can be used with one, two, three or more additional agents described herein. In some embodiments described herein, the combination of agents can be used to treat, ameliorate and/or inhibit a virus and/or a viral infection, wherein the virus can be Picornavirus and/or *Flaviviridae* virus and the viral infection can be a Picornavirus viral infection and/or *Flaviviridae* virus.

Table A: Example combinations of a compound X with a compound Y.

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9006	1001 : 9007	1001 : 9008	1001 : 9018	1001 : 9020	1001 : 9021
1002 : 9006	1002 : 9007	1002 : 9008	1002 : 9018	1002 : 9020	1002 : 9021
1003 : 9006	1003 : 9007	1003 : 9008	1003 : 9018	1003 : 9020	1003 : 9021
1004 : 9006	1004 : 9007	1004 : 9008	1004 : 9018	1004 : 9020	1004 : 9021
1005 : 9006	1005 : 9007	1005 : 9008	1005 : 9018	1005 : 9020	1005 : 9021
1006 : 9006	1006 : 9007	1006 : 9008	1006 : 9018	1006 : 9020	1006 : 9021
1007 : 9006	1007 : 9007	1007 : 9008	1007 : 9018	1007 : 9020	1007 : 9021
1008 : 9006	1008 : 9007	1008 : 9008	1008 : 9018	1008 : 9020	1008 : 9021
1009 : 9006	1009 : 9007	1009 : 9008	1009 : 9018	1009 : 9020	1009 : 9021
1010 : 9006	1010 : 9007	1010 : 9008	1010 : 9018	1010 : 9020	1010 : 9021
1011 : 9006	1011 : 9007	1011 : 9008	1011 : 9018	1011 : 9020	1011 : 9021
1012 : 9006	1012 : 9007	1012 : 9008	1012 : 9018	1012 : 9020	1012 : 9021
1013 : 9006	1013 : 9007	1013 : 9008	1013 : 9018	1013 : 9020	1013 : 9021
1014 : 9006	1014 : 9007	1014 : 9008	1014 : 9018	1014 : 9020	1014 : 9021
1015 : 9006	1015 : 9007	1015 : 9008	1015 : 9018	1015 : 9020	1015 : 9021
1016 : 9006	1016 : 9007	1016 : 9008	1016 : 9018	1016 : 9020	1016 : 9021
2001 : 9006	2001 : 9007	2001 : 9008	2001 : 9018	2001 : 9020	2001 : 9021
2002 : 9006	2002 : 9007	2002 : 9008	2002 : 9018	2002 : 9020	2002 : 9021
2003 : 9006	2003 : 9007	2003 : 9008	2003 : 9018	2003 : 9020	2003 : 9021
2004 : 9006	2004 : 9007	2004 : 9008	2004 : 9018	2004 : 9020	2004 : 9021
2005 : 9006	2005 : 9007	2005 : 9008	2005 : 9018	2005 : 9020	2005 : 9021
2006 : 9006	2006 : 9007	2006 : 9008	2006 : 9018	2006 : 9020	2006 : 9021
2007 : 9006	2007 : 9007	2007 : 9008	2007 : 9018	2007 : 9020	2007 : 9021
2008 : 9006	2008 : 9007	2008 : 9008	2008 : 9018	2008 : 9020	2008 : 9021
2009 : 9006	2009 : 9007	2009 : 9008	2009 : 9018	2009 : 9020	2009 : 9021
2010 : 9006	2010 : 9007	2010 : 9008	2010 : 9018	2010 : 9020	2010 : 9021
2011 : 9006	2011 : 9007	2011 : 9008	2011 : 9018	2011 : 9020	2011 : 9021
2012 : 9006	2012 : 9007	2012 : 9008	2012 : 9018	2012 : 9020	2012 : 9021

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9025	1001 : 9026	1001 : 9036	1001 : 9038	1001 : 9039	1001 : 9040
1002 : 9025	1002 : 9026	1002 : 9036	1002 : 9038	1002 : 9039	1002 : 9040
1003 : 9025	1003 : 9026	1003 : 9036	1003 : 9038	1003 : 9039	1003 : 9040
1004 : 9025	1004 : 9026	1004 : 9036	1004 : 9038	1004 : 9039	1004 : 9040
1005 : 9025	1005 : 9026	1005 : 9036	1005 : 9038	1005 : 9039	1005 : 9040
1006 : 9025	1006 : 9026	1006 : 9036	1006 : 9038	1006 : 9039	1006 : 9040
1007 : 9025	1007 : 9026	1007 : 9036	1007 : 9038	1007 : 9039	1007 : 9040
1008 : 9025	1008 : 9026	1008 : 9036	1008 : 9038	1008 : 9039	1008 : 9040
1009 : 9025	1009 : 9026	1009 : 9036	1009 : 9038	1009 : 9039	1009 : 9040
1010 : 9025	1010 : 9026	1010 : 9036	1010 : 9038	1010 : 9039	1010 : 9040
1011 : 9025	1011 : 9026	1011 : 9036	1011 : 9038	1011 : 9039	1011 : 9040
1012 : 9025	1012 : 9026	1012 : 9036	1012 : 9038	1012 : 9039	1012 : 9040
1013 : 9025	1013 : 9026	1013 : 9036	1013 : 9038	1013 : 9039	1013 : 9040
1014 : 9025	1014 : 9026	1014 : 9036	1014 : 9038	1014 : 9039	1014 : 9040
1015 : 9025	1015 : 9026	1015 : 9036	1015 : 9038	1015 : 9039	1015 : 9040
1016 : 9025	1016 : 9026	1016 : 9036	1016 : 9038	1016 : 9039	1016 : 9040
2001 : 9025	2001 : 9026	2001 : 9036	2001 : 9038	2001 : 9039	2001 : 9040
2002 : 9025	2002 : 9026	2002 : 9036	2002 : 9038	2002 : 9039	2002 : 9040
2003 : 9025	2003 : 9026	2003 : 9036	2003 : 9038	2003 : 9039	2003 : 9040
2004 : 9025	2004 : 9026	2004 : 9036	2004 : 9038	2004 : 9039	2004 : 9040
2005 : 9025	2005 : 9026	2005 : 9036	2005 : 9038	2005 : 9039	2005 : 9040
2006 : 9025	2006 : 9026	2006 : 9036	2006 : 9038	2006 : 9039	2006 : 9040
2007 : 9025	2007 : 9026	2007 : 9036	2007 : 9038	2007 : 9039	2007 : 9040
2008 : 9025	2008 : 9026	2008 : 9036	2008 : 9038	2008 : 9039	2008 : 9040
2009 : 9025	2009 : 9026	2009 : 9036	2009 : 9038	2009 : 9039	2009 : 9040
2010 : 9025	2010 : 9026	2010 : 9036	2010 : 9038	2010 : 9039	2010 : 9040
2011 : 9025	2011 : 9026	2011 : 9036	2011 : 9038	2011 : 9039	2011 : 9040
2012 : 9025	2012 : 9026	2012 : 9036	2012 : 9038	2012 : 9039	2012 : 9040

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9041	1001 : 9042	1001 : 9043	1001 : 9044	1001 : 9045	1001 : 9047
1002 : 9041	1002 : 9042	1002 : 9043	1002 : 9044	1002 : 9045	1002 : 9047
1003 : 9041	1003 : 9042	1003 : 9043	1003 : 9044	1003 : 9045	1003 : 9047
1004 : 9041	1004 : 9042	1004 : 9043	1004 : 9044	1004 : 9045	1004 : 9047
1005 : 9041	1005 : 9042	1005 : 9043	1005 : 9044	1005 : 9045	1005 : 9047
1006 : 9041	1006 : 9042	1006 : 9043	1006 : 9044	1006 : 9045	1006 : 9047
1007 : 9041	1007 : 9042	1007 : 9043	1007 : 9044	1007 : 9045	1007 : 9047
1008 : 9041	1008 : 9042	1008 : 9043	1008 : 9044	1008 : 9045	1008 : 9047
1009 : 9041	1009 : 9042	1009 : 9043	1009 : 9044	1009 : 9045	1009 : 9047
1010 : 9041	1010 : 9042	1010 : 9043	1010 : 9044	1010 : 9045	1010 : 9047
1011 : 9041	1011 : 9042	1011 : 9043	1011 : 9044	1011 : 9045	1011 : 9047
1012 : 9041	1012 : 9042	1012 : 9043	1012 : 9044	1012 : 9045	1012 : 9047
1013 : 9041	1013 : 9042	1013 : 9043	1013 : 9044	1013 : 9045	1013 : 9047
1014 : 9041	1014 : 9042	1014 : 9043	1014 : 9044	1014 : 9045	1014 : 9047
1015 : 9041	1015 : 9042	1015 : 9043	1015 : 9044	1015 : 9045	1015 : 9047
1016 : 9041	1016 : 9042	1016 : 9043	1016 : 9044	1016 : 9045	1016 : 9047
2001 : 9041	2001 : 9042	2001 : 9043	2001 : 9044	2001 : 9045	2001 : 9047
2002 : 9041	2002 : 9042	2002 : 9043	2002 : 9044	2002 : 9045	2002 : 9047
2003 : 9041	2003 : 9042	2003 : 9043	2003 : 9044	2003 : 9045	2003 : 9047
2004 : 9041	2004 : 9042	2004 : 9043	2004 : 9044	2004 : 9045	2004 : 9047
2005 : 9041	2005 : 9042	2005 : 9043	2005 : 9044	2005 : 9045	2005 : 9047
2006 : 9041	2006 : 9042	2006 : 9043	2006 : 9044	2006 : 9045	2006 : 9047
2007 : 9041	2007 : 9042	2007 : 9043	2007 : 9044	2007 : 9045	2007 : 9047
2008 : 9041	2008 : 9042	2008 : 9043	2008 : 9044	2008 : 9045	2008 : 9047
2009 : 9041	2009 : 9042	2009 : 9043	2009 : 9044	2009 : 9045	2009 : 9047
2010 : 9041	2010 : 9042	2010 : 9043	2010 : 9044	2010 : 9045	2010 : 9047
2011 : 9041	2011 : 9042	2011 : 9043	2011 : 9044	2011 : 9045	2011 : 9047
2012 : 9041	2012 : 9042	2012 : 9043	2012 : 9044	2012 : 9045	2012 : 9047

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9048	1001 : 9049	1001 : 9051	1001 : 9052	1001 : 9053	1001 : 9054
1002 : 9048	1002 : 9049	1002 : 9051	1002 : 9052	1002 : 9053	1002 : 9054
1003 : 9048	1003 : 9049	1003 : 9051	1003 : 9052	1003 : 9053	1003 : 9054
1004 : 9048	1004 : 9049	1004 : 9051	1004 : 9052	1004 : 9053	1004 : 9054
1005 : 9048	1005 : 9049	1005 : 9051	1005 : 9052	1005 : 9053	1005 : 9054
1006 : 9048	1006 : 9049	1006 : 9051	1006 : 9052	1006 : 9053	1006 : 9054
1007 : 9048	1007 : 9049	1007 : 9051	1007 : 9052	1007 : 9053	1007 : 9054
1008 : 9048	1008 : 9049	1008 : 9051	1008 : 9052	1008 : 9053	1008 : 9054
1009 : 9048	1009 : 9049	1009 : 9051	1009 : 9052	1009 : 9053	1009 : 9054
1010 : 9048	1010 : 9049	1010 : 9051	1010 : 9052	1010 : 9053	1010 : 9054
1011 : 9048	1011 : 9049	1011 : 9051	1011 : 9052	1011 : 9053	1011 : 9054
1012 : 9048	1012 : 9049	1012 : 9051	1012 : 9052	1012 : 9053	1012 : 9054
1013 : 9048	1013 : 9049	1013 : 9051	1013 : 9052	1013 : 9053	1013 : 9054
1014 : 9048	1014 : 9049	1014 : 9051	1014 : 9052	1014 : 9053	1014 : 9054
1015 : 9048	1015 : 9049	1015 : 9051	1015 : 9052	1015 : 9053	1015 : 9054
1016 : 9048	1016 : 9049	1016 : 9051	1016 : 9052	1016 : 9053	1016 : 9054
2001 : 9048	2001 : 9049	2001 : 9051	2001 : 9052	2001 : 9053	2001 : 9054
2002 : 9048	2002 : 9049	2002 : 9051	2002 : 9052	2002 : 9053	2002 : 9054
2003 : 9048	2003 : 9049	2003 : 9051	2003 : 9052	2003 : 9053	2003 : 9054
2004 : 9048	2004 : 9049	2004 : 9051	2004 : 9052	2004 : 9053	2004 : 9054
2005 : 9048	2005 : 9049	2005 : 9051	2005 : 9052	2005 : 9053	2005 : 9054
2006 : 9048	2006 : 9049	2006 : 9051	2006 : 9052	2006 : 9053	2006 : 9054
2007 : 9048	2007 : 9049	2007 : 9051	2007 : 9052	2007 : 9053	2007 : 9054
2008 : 9048	2008 : 9049	2008 : 9051	2008 : 9052	2008 : 9053	2008 : 9054
2009 : 9048	2009 : 9049	2009 : 9051	2009 : 9052	2009 : 9053	2009 : 9054
2010 : 9048	2010 : 9049	2010 : 9051	2010 : 9052	2010 : 9053	2010 : 9054
2011 : 9048	2011 : 9049	2011 : 9051	2011 : 9052	2011 : 9053	2011 : 9054
2012 : 9048	2012 : 9049	2012 : 9051	2012 : 9052	2012 : 9053	2012 : 9054

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9055	1001 : 9056	1001 : 9058	1001 : 9060	1001 : 9061	1001 : 9062
1002 : 9055	1002 : 9056	1002 : 9058	1002 : 9060	1002 : 9061	1002 : 9062
1003 : 9055	1003 : 9056	1003 : 9058	1003 : 9060	1003 : 9061	1003 : 9062
1004 : 9055	1004 : 9056	1004 : 9058	1004 : 9060	1004 : 9061	1004 : 9062
1005 : 9055	1005 : 9056	1005 : 9058	1005 : 9060	1005 : 9061	1005 : 9062
1006 : 9055	1006 : 9056	1006 : 9058	1006 : 9060	1006 : 9061	1006 : 9062
1007 : 9055	1007 : 9056	1007 : 9058	1007 : 9060	1007 : 9061	1007 : 9062
1008 : 9055	1008 : 9056	1008 : 9058	1008 : 9060	1008 : 9061	1008 : 9062
1009 : 9055	1009 : 9056	1009 : 9058	1009 : 9060	1009 : 9061	1009 : 9062
1010 : 9055	1010 : 9056	1010 : 9058	1010 : 9060	1010 : 9061	1010 : 9062
1011 : 9055	1011 : 9056	1011 : 9058	1011 : 9060	1011 : 9061	1011 : 9062
1012 : 9055	1012 : 9056	1012 : 9058	1012 : 9060	1012 : 9061	1012 : 9062
1013 : 9055	1013 : 9056	1013 : 9058	1013 : 9060	1013 : 9061	1013 : 9062
1014 : 9055	1014 : 9056	1014 : 9058	1014 : 9060	1014 : 9061	1014 : 9062
1015 : 9055	1015 : 9056	1015 : 9058	1015 : 9060	1015 : 9061	1015 : 9062
1016 : 9055	1016 : 9056	1016 : 9058	1016 : 9060	1016 : 9061	1016 : 9062
2001 : 9055	2001 : 9056	2001 : 9058	2001 : 9060	2001 : 9061	2001 : 9062
2002 : 9055	2002 : 9056	2002 : 9058	2002 : 9060	2002 : 9061	2002 : 9062
2003 : 9055	2003 : 9056	2003 : 9058	2003 : 9060	2003 : 9061	2003 : 9062
2004 : 9055	2004 : 9056	2004 : 9058	2004 : 9060	2004 : 9061	2004 : 9062
2005 : 9055	2005 : 9056	2005 : 9058	2005 : 9060	2005 : 9061	2005 : 9062
2006 : 9055	2006 : 9056	2006 : 9058	2006 : 9060	2006 : 9061	2006 : 9062
2007 : 9055	2007 : 9056	2007 : 9058	2007 : 9060	2007 : 9061	2007 : 9062
2008 : 9055	2008 : 9056	2008 : 9058	2008 : 9060	2008 : 9061	2008 : 9062
2009 : 9055	2009 : 9056	2009 : 9058	2009 : 9060	2009 : 9061	2009 : 9062
2010 : 9055	2010 : 9056	2010 : 9058	2010 : 9060	2010 : 9061	2010 : 9062
2011 : 9055	2011 : 9056	2011 : 9058	2011 : 9060	2011 : 9061	2011 : 9062
2012 : 9055	2012 : 9056	2012 : 9058	2012 : 9060	2012 : 9061	2012 : 9062

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9063	1001 : 9064	1001 : 9065	1001 : 9066	1001 : 9067	1001 : 9068
1002 : 9063	1002 : 9064	1002 : 9065	1002 : 9066	1002 : 9067	1002 : 9068
1003 : 9063	1003 : 9064	1003 : 9065	1003 : 9066	1003 : 9067	1003 : 9068
1004 : 9063	1004 : 9064	1004 : 9065	1004 : 9066	1004 : 9067	1004 : 9068
1005 : 9063	1005 : 9064	1005 : 9065	1005 : 9066	1005 : 9067	1005 : 9068
1006 : 9063	1006 : 9064	1006 : 9065	1006 : 9066	1006 : 9067	1006 : 9068
1007 : 9063	1007 : 9064	1007 : 9065	1007 : 9066	1007 : 9067	1007 : 9068
1008 : 9063	1008 : 9064	1008 : 9065	1008 : 9066	1008 : 9067	1008 : 9068
1009 : 9063	1009 : 9064	1009 : 9065	1009 : 9066	1009 : 9067	1009 : 9068
1010 : 9063	1010 : 9064	1010 : 9065	1010 : 9066	1010 : 9067	1010 : 9068
1011 : 9063	1011 : 9064	1011 : 9065	1011 : 9066	1011 : 9067	1011 : 9068
1012 : 9063	1012 : 9064	1012 : 9065	1012 : 9066	1012 : 9067	1012 : 9068
1013 : 9063	1013 : 9064	1013 : 9065	1013 : 9066	1013 : 9067	1013 : 9068
1014 : 9063	1014 : 9064	1014 : 9065	1014 : 9066	1014 : 9067	1014 : 9068
1015 : 9063	1015 : 9064	1015 : 9065	1015 : 9066	1015 : 9067	1015 : 9068
1016 : 9063	1016 : 9064	1016 : 9065	1016 : 9066	1016 : 9067	1016 : 9068
2001 : 9063	2001 : 9064	2001 : 9065	2001 : 9066	2001 : 9067	2001 : 9068
2002 : 9063	2002 : 9064	2002 : 9065	2002 : 9066	2002 : 9067	2002 : 9068
2003 : 9063	2003 : 9064	2003 : 9065	2003 : 9066	2003 : 9067	2003 : 9068
2004 : 9063	2004 : 9064	2004 : 9065	2004 : 9066	2004 : 9067	2004 : 9068
2005 : 9063	2005 : 9064	2005 : 9065	2005 : 9066	2005 : 9067	2005 : 9068
2006 : 9063	2006 : 9064	2006 : 9065	2006 : 9066	2006 : 9067	2006 : 9068
2007 : 9063	2007 : 9064	2007 : 9065	2007 : 9066	2007 : 9067	2007 : 9068
2008 : 9063	2008 : 9064	2008 : 9065	2008 : 9066	2008 : 9067	2008 : 9068
2009 : 9063	2009 : 9064	2009 : 9065	2009 : 9066	2009 : 9067	2009 : 9068
2010 : 9063	2010 : 9064	2010 : 9065	2010 : 9066	2010 : 9067	2010 : 9068
2011 : 9063	2011 : 9064	2011 : 9065	2011 : 9066	2011 : 9067	2011 : 9068
2012 : 9063	2012 : 9064	2012 : 9065	2012 : 9066	2012 : 9067	2012 : 9068

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9069	1001 : 9070	1001 : 9071	1001 : 9072	1001 : 9073	1001 : 9074
1002 : 9069	1002 : 9070	1002 : 9071	1002 : 9072	1002 : 9073	1002 : 9074
1003 : 9069	1003 : 9070	1003 : 9071	1003 : 9072	1003 : 9073	1003 : 9074
1004 : 9069	1004 : 9070	1004 : 9071	1004 : 9072	1004 : 9073	1004 : 9074
1005 : 9069	1005 : 9070	1005 : 9071	1005 : 9072	1005 : 9073	1005 : 9074
1006 : 9069	1006 : 9070	1006 : 9071	1006 : 9072	1006 : 9073	1006 : 9074
1007 : 9069	1007 : 9070	1007 : 9071	1007 : 9072	1007 : 9073	1007 : 9074
1008 : 9069	1008 : 9070	1008 : 9071	1008 : 9072	1008 : 9073	1008 : 9074
1009 : 9069	1009 : 9070	1009 : 9071	1009 : 9072	1009 : 9073	1009 : 9074
1010 : 9069	1010 : 9070	1010 : 9071	1010 : 9072	1010 : 9073	1010 : 9074
1011 : 9069	1011 : 9070	1011 : 9071	1011 : 9072	1011 : 9073	1011 : 9074
1012 : 9069	1012 : 9070	1012 : 9071	1012 : 9072	1012 : 9073	1012 : 9074
1013 : 9069	1013 : 9070	1013 : 9071	1013 : 9072	1013 : 9073	1013 : 9074
1014 : 9069	1014 : 9070	1014 : 9071	1014 : 9072	1014 : 9073	1014 : 9074
1015 : 9069	1015 : 9070	1015 : 9071	1015 : 9072	1015 : 9073	1015 : 9074
1016 : 9069	1016 : 9070	1016 : 9071	1016 : 9072	1016 : 9073	1016 : 9074
2001 : 9069	2001 : 9070	2001 : 9071	2001 : 9072	2001 : 9073	2001 : 9074
2002 : 9069	2002 : 9070	2002 : 9071	2002 : 9072	2002 : 9073	2002 : 9074
2003 : 9069	2003 : 9070	2003 : 9071	2003 : 9072	2003 : 9073	2003 : 9074
2004 : 9069	2004 : 9070	2004 : 9071	2004 : 9072	2004 : 9073	2004 : 9074
2005 : 9069	2005 : 9070	2005 : 9071	2005 : 9072	2005 : 9073	2005 : 9074
2006 : 9069	2006 : 9070	2006 : 9071	2006 : 9072	2006 : 9073	2006 : 9074
2007 : 9069	2007 : 9070	2007 : 9071	2007 : 9072	2007 : 9073	2007 : 9074
2008 : 9069	2008 : 9070	2008 : 9071	2008 : 9072	2008 : 9073	2008 : 9074
2009 : 9069	2009 : 9070	2009 : 9071	2009 : 9072	2009 : 9073	2009 : 9074
2010 : 9069	2010 : 9070	2010 : 9071	2010 : 9072	2010 : 9073	2010 : 9074
2011 : 9069	2011 : 9070	2011 : 9071	2011 : 9072	2011 : 9073	2011 : 9074
2012 : 9069	2012 : 9070	2012 : 9071	2012 : 9072	2012 : 9073	2012 : 9074

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9075	1001 : 9076	1001 : 9077	1001 : 9078	1001 : 9079	1001 : 9080
1002 : 9075	1002 : 9076	1002 : 9077	1002 : 9078	1002 : 9079	1002 : 9080
1003 : 9075	1003 : 9076	1003 : 9077	1003 : 9078	1003 : 9079	1003 : 9080
1004 : 9075	1004 : 9076	1004 : 9077	1004 : 9078	1004 : 9079	1004 : 9080
1005 : 9075	1005 : 9076	1005 : 9077	1005 : 9078	1005 : 9079	1005 : 9080
1006 : 9075	1006 : 9076	1006 : 9077	1006 : 9078	1006 : 9079	1006 : 9080
1007 : 9075	1007 : 9076	1007 : 9077	1007 : 9078	1007 : 9079	1007 : 9080
1008 : 9075	1008 : 9076	1008 : 9077	1008 : 9078	1008 : 9079	1008 : 9080
1009 : 9075	1009 : 9076	1009 : 9077	1009 : 9078	1009 : 9079	1009 : 9080
1010 : 9075	1010 : 9076	1010 : 9077	1010 : 9078	1010 : 9079	1010 : 9080
1011 : 9075	1011 : 9076	1011 : 9077	1011 : 9078	1011 : 9079	1011 : 9080
1012 : 9075	1012 : 9076	1012 : 9077	1012 : 9078	1012 : 9079	1012 : 9080
1013 : 9075	1013 : 9076	1013 : 9077	1013 : 9078	1013 : 9079	1013 : 9080
1014 : 9075	1014 : 9076	1014 : 9077	1014 : 9078	1014 : 9079	1014 : 9080
1015 : 9075	1015 : 9076	1015 : 9077	1015 : 9078	1015 : 9079	1015 : 9080
1016 : 9075	1016 : 9076	1016 : 9077	1016 : 9078	1016 : 9079	1016 : 9080
2001 : 9075	2001 : 9076	2001 : 9077	2001 : 9078	2001 : 9079	2001 : 9080
2002 : 9075	2002 : 9076	2002 : 9077	2002 : 9078	2002 : 9079	2002 : 9080
2003 : 9075	2003 : 9076	2003 : 9077	2003 : 9078	2003 : 9079	2003 : 9080
2004 : 9075	2004 : 9076	2004 : 9077	2004 : 9078	2004 : 9079	2004 : 9080
2005 : 9075	2005 : 9076	2005 : 9077	2005 : 9078	2005 : 9079	2005 : 9080
2006 : 9075	2006 : 9076	2006 : 9077	2006 : 9078	2006 : 9079	2006 : 9080
2007 : 9075	2007 : 9076	2007 : 9077	2007 : 9078	2007 : 9079	2007 : 9080
2008 : 9075	2008 : 9076	2008 : 9077	2008 : 9078	2008 : 9079	2008 : 9080
2009 : 9075	2009 : 9076	2009 : 9077	2009 : 9078	2009 : 9079	2009 : 9080
2010 : 9075	2010 : 9076	2010 : 9077	2010 : 9078	2010 : 9079	2010 : 9080
2011 : 9075	2011 : 9076	2011 : 9077	2011 : 9078	2011 : 9079	2011 : 9080
2012 : 9075	2012 : 9076	2012 : 9077	2012 : 9078	2012 : 9079	2012 : 9080

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9081	1001 : 9082	1001 : 9083	1001 : 9084	1001 : 9085	1001 : 9086
1002 : 9081	1002 : 9082	1002 : 9083	1002 : 9084	1002 : 9085	1002 : 9086
1003 : 9081	1003 : 9082	1003 : 9083	1003 : 9084	1003 : 9085	1003 : 9086
1004 : 9081	1004 : 9082	1004 : 9083	1004 : 9084	1004 : 9085	1004 : 9086
1005 : 9081	1005 : 9082	1005 : 9083	1005 : 9084	1005 : 9085	1005 : 9086
1006 : 9081	1006 : 9082	1006 : 9083	1006 : 9084	1006 : 9085	1006 : 9086
1007 : 9081	1007 : 9082	1007 : 9083	1007 : 9084	1007 : 9085	1007 : 9086
1008 : 9081	1008 : 9082	1008 : 9083	1008 : 9084	1008 : 9085	1008 : 9086
1009 : 9081	1009 : 9082	1009 : 9083	1009 : 9084	1009 : 9085	1009 : 9086
1010 : 9081	1010 : 9082	1010 : 9083	1010 : 9084	1010 : 9085	1010 : 9086
1011 : 9081	1011 : 9082	1011 : 9083	1011 : 9084	1011 : 9085	1011 : 9086
1012 : 9081	1012 : 9082	1012 : 9083	1012 : 9084	1012 : 9085	1012 : 9086
1013 : 9081	1013 : 9082	1013 : 9083	1013 : 9084	1013 : 9085	1013 : 9086
1014 : 9081	1014 : 9082	1014 : 9083	1014 : 9084	1014 : 9085	1014 : 9086
1015 : 9081	1015 : 9082	1015 : 9083	1015 : 9084	1015 : 9085	1015 : 9086
1016 : 9081	1016 : 9082	1016 : 9083	1016 : 9084	1016 : 9085	1016 : 9086
2001 : 9081	2001 : 9082	2001 : 9083	2001 : 9084	2001 : 9085	2001 : 9086
2002 : 9081	2002 : 9082	2002 : 9083	2002 : 9084	2002 : 9085	2002 : 9086
2003 : 9081	2003 : 9082	2003 : 9083	2003 : 9084	2003 : 9085	2003 : 9086
2004 : 9081	2004 : 9082	2004 : 9083	2004 : 9084	2004 : 9085	2004 : 9086
2005 : 9081	2005 : 9082	2005 : 9083	2005 : 9084	2005 : 9085	2005 : 9086
2006 : 9081	2006 : 9082	2006 : 9083	2006 : 9084	2006 : 9085	2006 : 9086
2007 : 9081	2007 : 9082	2007 : 9083	2007 : 9084	2007 : 9085	2007 : 9086
2008 : 9081	2008 : 9082	2008 : 9083	2008 : 9084	2008 : 9085	2008 : 9086
2009 : 9081	2009 : 9082	2009 : 9083	2009 : 9084	2009 : 9085	2009 : 9086
2010 : 9081	2010 : 9082	2010 : 9083	2010 : 9084	2010 : 9085	2010 : 9086
2011 : 9081	2011 : 9082	2011 : 9083	2011 : 9084	2011 : 9085	2011 : 9086
2012 : 9081	2012 : 9082	2012 : 9083	2012 : 9084	2012 : 9085	2012 : 9086

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9088	1001 : 9089	1001 : 9094	1001 : 9095	1001 : 9096	1001 : 9097
1002 : 9088	1002 : 9089	1002 : 9094	1002 : 9095	1002 : 9096	1002 : 9097
1003 : 9088	1003 : 9089	1003 : 9094	1003 : 9095	1003 : 9096	1003 : 9097
1004 : 9088	1004 : 9089	1004 : 9094	1004 : 9095	1004 : 9096	1004 : 9097
1005 : 9088	1005 : 9089	1005 : 9094	1005 : 9095	1005 : 9096	1005 : 9097
1006 : 9088	1006 : 9089	1006 : 9094	1006 : 9095	1006 : 9096	1006 : 9097
1007 : 9088	1007 : 9089	1007 : 9094	1007 : 9095	1007 : 9096	1007 : 9097
1008 : 9088	1008 : 9089	1008 : 9094	1008 : 9095	1008 : 9096	1008 : 9097
1009 : 9088	1009 : 9089	1009 : 9094	1009 : 9095	1009 : 9096	1009 : 9097
1010 : 9088	1010 : 9089	1010 : 9094	1010 : 9095	1010 : 9096	1010 : 9097
1011 : 9088	1011 : 9089	1011 : 9094	1011 : 9095	1011 : 9096	1011 : 9097
1012 : 9088	1012 : 9089	1012 : 9094	1012 : 9095	1012 : 9096	1012 : 9097
1013 : 9088	1013 : 9089	1013 : 9094	1013 : 9095	1013 : 9096	1013 : 9097
1014 : 9088	1014 : 9089	1014 : 9094	1014 : 9095	1014 : 9096	1014 : 9097
1015 : 9088	1015 : 9089	1015 : 9094	1015 : 9095	1015 : 9096	1015 : 9097
1016 : 9088	1016 : 9089	1016 : 9094	1016 : 9095	1016 : 9096	1016 : 9097
2001 : 9088	2001 : 9089	2001 : 9094	2001 : 9095	2001 : 9096	2001 : 9097
2002 : 9088	2002 : 9089	2002 : 9094	2002 : 9095	2002 : 9096	2002 : 9097
2003 : 9088	2003 : 9089	2003 : 9094	2003 : 9095	2003 : 9096	2003 : 9097
2004 : 9088	2004 : 9089	2004 : 9094	2004 : 9095	2004 : 9096	2004 : 9097
2005 : 9088	2005 : 9089	2005 : 9094	2005 : 9095	2005 : 9096	2005 : 9097
2006 : 9088	2006 : 9089	2006 : 9094	2006 : 9095	2006 : 9096	2006 : 9097
2007 : 9088	2007 : 9089	2007 : 9094	2007 : 9095	2007 : 9096	2007 : 9097
2008 : 9088	2008 : 9089	2008 : 9094	2008 : 9095	2008 : 9096	2008 : 9097
2009 : 9088	2009 : 9089	2009 : 9094	2009 : 9095	2009 : 9096	2009 : 9097
2010 : 9088	2010 : 9089	2010 : 9094	2010 : 9095	2010 : 9096	2010 : 9097
2011 : 9088	2011 : 9089	2011 : 9094	2011 : 9095	2011 : 9096	2011 : 9097
2012 : 9088	2012 : 9089	2012 : 9094	2012 : 9095	2012 : 9096	2012 : 9097

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9098	1001 : 9099	1001 : 9100	1001 : 9101	1001 : 9102	1001 : 9103
1002 : 9098	1002 : 9099	1002 : 9100	1002 : 9101	1002 : 9102	1002 : 9103
1003 : 9098	1003 : 9099	1003 : 9100	1003 : 9101	1003 : 9102	1003 : 9103
1004 : 9098	1004 : 9099	1004 : 9100	1004 : 9101	1004 : 9102	1004 : 9103
1005 : 9098	1005 : 9099	1005 : 9100	1005 : 9101	1005 : 9102	1005 : 9103
1006 : 9098	1006 : 9099	1006 : 9100	1006 : 9101	1006 : 9102	1006 : 9103
1007 : 9098	1007 : 9099	1007 : 9100	1007 : 9101	1007 : 9102	1007 : 9103
1008 : 9098	1008 : 9099	1008 : 9100	1008 : 9101	1008 : 9102	1008 : 9103
1009 : 9098	1009 : 9099	1009 : 9100	1009 : 9101	1009 : 9102	1009 : 9103
1010 : 9098	1010 : 9099	1010 : 9100	1010 : 9101	1010 : 9102	1010 : 9103
1011 : 9098	1011 : 9099	1011 : 9100	1011 : 9101	1011 : 9102	1011 : 9103
1012 : 9098	1012 : 9099	1012 : 9100	1012 : 9101	1012 : 9102	1012 : 9103
1013 : 9098	1013 : 9099	1013 : 9100	1013 : 9101	1013 : 9102	1013 : 9103
1014 : 9098	1014 : 9099	1014 : 9100	1014 : 9101	1014 : 9102	1014 : 9103
1015 : 9098	1015 : 9099	1015 : 9100	1015 : 9101	1015 : 9102	1015 : 9103
1016 : 9098	1016 : 9099	1016 : 9100	1016 : 9101	1016 : 9102	1016 : 9103
2001 : 9098	2001 : 9099	2001 : 9100	2001 : 9101	2001 : 9102	2001 : 9103
2002 : 9098	2002 : 9099	2002 : 9100	2002 : 9101	2002 : 9102	2002 : 9103
2003 : 9098	2003 : 9099	2003 : 9100	2003 : 9101	2003 : 9102	2003 : 9103
2004 : 9098	2004 : 9099	2004 : 9100	2004 : 9101	2004 : 9102	2004 : 9103
2005 : 9098	2005 : 9099	2005 : 9100	2005 : 9101	2005 : 9102	2005 : 9103
2006 : 9098	2006 : 9099	2006 : 9100	2006 : 9101	2006 : 9102	2006 : 9103
2007 : 9098	2007 : 9099	2007 : 9100	2007 : 9101	2007 : 9102	2007 : 9103
2008 : 9098	2008 : 9099	2008 : 9100	2008 : 9101	2008 : 9102	2008 : 9103
2009 : 9098	2009 : 9099	2009 : 9100	2009 : 9101	2009 : 9102	2009 : 9103
2010 : 9098	2010 : 9099	2010 : 9100	2010 : 9101	2010 : 9102	2010 : 9103
2011 : 9098	2011 : 9099	2011 : 9100	2011 : 9101	2011 : 9102	2011 : 9103
2012 : 9098	2012 : 9099	2012 : 9100	2012 : 9101	2012 : 9102	2012 : 9103

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9104	1001 : 9105	1001 : 9106	1001 : 9107	1001 : 9108	1001 : 9109
1002 : 9104	1002 : 9105	1002 : 9106	1002 : 9107	1002 : 9108	1002 : 9109
1003 : 9104	1003 : 9105	1003 : 9106	1003 : 9107	1003 : 9108	1003 : 9109
1004 : 9104	1004 : 9105	1004 : 9106	1004 : 9107	1004 : 9108	1004 : 9109
1005 : 9104	1005 : 9105	1005 : 9106	1005 : 9107	1005 : 9108	1005 : 9109
1006 : 9104	1006 : 9105	1006 : 9106	1006 : 9107	1006 : 9108	1006 : 9109
1007 : 9104	1007 : 9105	1007 : 9106	1007 : 9107	1007 : 9108	1007 : 9109
1008 : 9104	1008 : 9105	1008 : 9106	1008 : 9107	1008 : 9108	1008 : 9109
1009 : 9104	1009 : 9105	1009 : 9106	1009 : 9107	1009 : 9108	1009 : 9109
1010 : 9104	1010 : 9105	1010 : 9106	1010 : 9107	1010 : 9108	1010 : 9109
1011 : 9104	1011 : 9105	1011 : 9106	1011 : 9107	1011 : 9108	1011 : 9109
1012 : 9104	1012 : 9105	1012 : 9106	1012 : 9107	1012 : 9108	1012 : 9109
1013 : 9104	1013 : 9105	1013 : 9106	1013 : 9107	1013 : 9108	1013 : 9109
1014 : 9104	1014 : 9105	1014 : 9106	1014 : 9107	1014 : 9108	1014 : 9109
1015 : 9104	1015 : 9105	1015 : 9106	1015 : 9107	1015 : 9108	1015 : 9109
1016 : 9104	1016 : 9105	1016 : 9106	1016 : 9107	1016 : 9108	1016 : 9109
2001 : 9104	2001 : 9105	2001 : 9106	2001 : 9107	2001 : 9108	2001 : 9109
2002 : 9104	2002 : 9105	2002 : 9106	2002 : 9107	2002 : 9108	2002 : 9109
2003 : 9104	2003 : 9105	2003 : 9106	2003 : 9107	2003 : 9108	2003 : 9109
2004 : 9104	2004 : 9105	2004 : 9106	2004 : 9107	2004 : 9108	2004 : 9109
2005 : 9104	2005 : 9105	2005 : 9106	2005 : 9107	2005 : 9108	2005 : 9109
2006 : 9104	2006 : 9105	2006 : 9106	2006 : 9107	2006 : 9108	2006 : 9109
2007 : 9104	2007 : 9105	2007 : 9106	2007 : 9107	2007 : 9108	2007 : 9109
2008 : 9104	2008 : 9105	2008 : 9106	2008 : 9107	2008 : 9108	2008 : 9109
2009 : 9104	2009 : 9105	2009 : 9106	2009 : 9107	2009 : 9108	2009 : 9109
2010 : 9104	2010 : 9105	2010 : 9106	2010 : 9107	2010 : 9108	2010 : 9109
2011 : 9104	2011 : 9105	2011 : 9106	2011 : 9107	2011 : 9108	2011 : 9109
2012 : 9104	2012 : 9105	2012 : 9106	2012 : 9107	2012 : 9108	2012 : 9109

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9110	1001 : 9111	1001 : 9129	1001 : 9130	1001 : 9131	1001 : 9132
1002 : 9110	1002 : 9111	1002 : 9129	1002 : 9130	1002 : 9131	1002 : 9132
1003 : 9110	1003 : 9111	1003 : 9129	1003 : 9130	1003 : 9131	1003 : 9132
1004 : 9110	1004 : 9111	1004 : 9129	1004 : 9130	1004 : 9131	1004 : 9132
1005 : 9110	1005 : 9111	1005 : 9129	1005 : 9130	1005 : 9131	1005 : 9132
1006 : 9110	1006 : 9111	1006 : 9129	1006 : 9130	1006 : 9131	1006 : 9132
1007 : 9110	1007 : 9111	1007 : 9129	1007 : 9130	1007 : 9131	1007 : 9132
1008 : 9110	1008 : 9111	1008 : 9129	1008 : 9130	1008 : 9131	1008 : 9132
1009 : 9110	1009 : 9111	1009 : 9129	1009 : 9130	1009 : 9131	1009 : 9132
1010 : 9110	1010 : 9111	1010 : 9129	1010 : 9130	1010 : 9131	1010 : 9132
1011 : 9110	1011 : 9111	1011 : 9129	1011 : 9130	1011 : 9131	1011 : 9132
1012 : 9110	1012 : 9111	1012 : 9129	1012 : 9130	1012 : 9131	1012 : 9132
1013 : 9110	1013 : 9111	1013 : 9129	1013 : 9130	1013 : 9131	1013 : 9132
1014 : 9110	1014 : 9111	1014 : 9129	1014 : 9130	1014 : 9131	1014 : 9132
1015 : 9110	1015 : 9111	1015 : 9129	1015 : 9130	1015 : 9131	1015 : 9132
1016 : 9110	1016 : 9111	1016 : 9129	1016 : 9130	1016 : 9131	1016 : 9132
2001 : 9110	2001 : 9111	2001 : 9129	2001 : 9130	2001 : 9131	2001 : 9132
2002 : 9110	2002 : 9111	2002 : 9129	2002 : 9130	2002 : 9131	2002 : 9132
2003 : 9110	2003 : 9111	2003 : 9129	2003 : 9130	2003 : 9131	2003 : 9132
2004 : 9110	2004 : 9111	2004 : 9129	2004 : 9130	2004 : 9131	2004 : 9132
2005 : 9110	2005 : 9111	2005 : 9129	2005 : 9130	2005 : 9131	2005 : 9132
2006 : 9110	2006 : 9111	2006 : 9129	2006 : 9130	2006 : 9131	2006 : 9132
2007 : 9110	2007 : 9111	2007 : 9129	2007 : 9130	2007 : 9131	2007 : 9132
2008 : 9110	2008 : 9111	2008 : 9129	2008 : 9130	2008 : 9131	2008 : 9132
2009 : 9110	2009 : 9111	2009 : 9129	2009 : 9130	2009 : 9131	2009 : 9132
2010 : 9110	2010 : 9111	2010 : 9129	2010 : 9130	2010 : 9131	2010 : 9132
2011 : 9110	2011 : 9111	2011 : 9129	2011 : 9130	2011 : 9131	2011 : 9132
2012 : 9110	2012 : 9111	2012 : 9129	2012 : 9130	2012 : 9131	2012 : 9132

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9133	1001 : 9134	1001 : 9135	1001 : 9136	1001 : 9137	1001 : 9138
1002 : 9133	1002 : 9134	1002 : 9135	1002 : 9136	1002 : 9137	1002 : 9138
1003 : 9133	1003 : 9134	1003 : 9135	1003 : 9136	1003 : 9137	1003 : 9138
1004 : 9133	1004 : 9134	1004 : 9135	1004 : 9136	1004 : 9137	1004 : 9138
1005 : 9133	1005 : 9134	1005 : 9135	1005 : 9136	1005 : 9137	1005 : 9138
1006 : 9133	1006 : 9134	1006 : 9135	1006 : 9136	1006 : 9137	1006 : 9138
1007 : 9133	1007 : 9134	1007 : 9135	1007 : 9136	1007 : 9137	1007 : 9138
1008 : 9133	1008 : 9134	1008 : 9135	1008 : 9136	1008 : 9137	1008 : 9138
1009 : 9133	1009 : 9134	1009 : 9135	1009 : 9136	1009 : 9137	1009 : 9138
1010 : 9133	1010 : 9134	1010 : 9135	1010 : 9136	1010 : 9137	1010 : 9138
1011 : 9133	1011 : 9134	1011 : 9135	1011 : 9136	1011 : 9137	1011 : 9138
1012 : 9133	1012 : 9134	1012 : 9135	1012 : 9136	1012 : 9137	1012 : 9138
1013 : 9133	1013 : 9134	1013 : 9135	1013 : 9136	1013 : 9137	1013 : 9138
1014 : 9133	1014 : 9134	1014 : 9135	1014 : 9136	1014 : 9137	1014 : 9138
1015 : 9133	1015 : 9134	1015 : 9135	1015 : 9136	1015 : 9137	1015 : 9138
1016 : 9133	1016 : 9134	1016 : 9135	1016 : 9136	1016 : 9137	1016 : 9138
2001 : 9133	2001 : 9134	2001 : 9135	2001 : 9136	2001 : 9137	2001 : 9138
2002 : 9133	2002 : 9134	2002 : 9135	2002 : 9136	2002 : 9137	2002 : 9138
2003 : 9133	2003 : 9134	2003 : 9135	2003 : 9136	2003 : 9137	2003 : 9138
2004 : 9133	2004 : 9134	2004 : 9135	2004 : 9136	2004 : 9137	2004 : 9138
2005 : 9133	2005 : 9134	2005 : 9135	2005 : 9136	2005 : 9137	2005 : 9138
2006 : 9133	2006 : 9134	2006 : 9135	2006 : 9136	2006 : 9137	2006 : 9138
2007 : 9133	2007 : 9134	2007 : 9135	2007 : 9136	2007 : 9137	2007 : 9138
2008 : 9133	2008 : 9134	2008 : 9135	2008 : 9136	2008 : 9137	2008 : 9138
2009 : 9133	2009 : 9134	2009 : 9135	2009 : 9136	2009 : 9137	2009 : 9138
2010 : 9133	2010 : 9134	2010 : 9135	2010 : 9136	2010 : 9137	2010 : 9138
2011 : 9133	2011 : 9134	2011 : 9135	2011 : 9136	2011 : 9137	2011 : 9138
2012 : 9133	2012 : 9134	2012 : 9135	2012 : 9136	2012 : 9137	2012 : 9138

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9139	1001 : 9140	1001 : 9141	1001 : 9142	1001 : 9143	1001 : 9144
1002 : 9139	1002 : 9140	1002 : 9141	1002 : 9142	1002 : 9143	1002 : 9144
1003 : 9139	1003 : 9140	1003 : 9141	1003 : 9142	1003 : 9143	1003 : 9144
1004 : 9139	1004 : 9140	1004 : 9141	1004 : 9142	1004 : 9143	1004 : 9144
1005 : 9139	1005 : 9140	1005 : 9141	1005 : 9142	1005 : 9143	1005 : 9144
1006 : 9139	1006 : 9140	1006 : 9141	1006 : 9142	1006 : 9143	1006 : 9144
1007 : 9139	1007 : 9140	1007 : 9141	1007 : 9142	1007 : 9143	1007 : 9144
1008 : 9139	1008 : 9140	1008 : 9141	1008 : 9142	1008 : 9143	1008 : 9144
1009 : 9139	1009 : 9140	1009 : 9141	1009 : 9142	1009 : 9143	1009 : 9144
1010 : 9139	1010 : 9140	1010 : 9141	1010 : 9142	1010 : 9143	1010 : 9144
1011 : 9139	1011 : 9140	1011 : 9141	1011 : 9142	1011 : 9143	1011 : 9144
1012 : 9139	1012 : 9140	1012 : 9141	1012 : 9142	1012 : 9143	1012 : 9144
1013 : 9139	1013 : 9140	1013 : 9141	1013 : 9142	1013 : 9143	1013 : 9144
1014 : 9139	1014 : 9140	1014 : 9141	1014 : 9142	1014 : 9143	1014 : 9144
1015 : 9139	1015 : 9140	1015 : 9141	1015 : 9142	1015 : 9143	1015 : 9144
1016 : 9139	1016 : 9140	1016 : 9141	1016 : 9142	1016 : 9143	1016 : 9144
2001 : 9139	2001 : 9140	2001 : 9141	2001 : 9142	2001 : 9143	2001 : 9144
2002 : 9139	2002 : 9140	2002 : 9141	2002 : 9142	2002 : 9143	2002 : 9144
2003 : 9139	2003 : 9140	2003 : 9141	2003 : 9142	2003 : 9143	2003 : 9144
2004 : 9139	2004 : 9140	2004 : 9141	2004 : 9142	2004 : 9143	2004 : 9144
2005 : 9139	2005 : 9140	2005 : 9141	2005 : 9142	2005 : 9143	2005 : 9144
2006 : 9139	2006 : 9140	2006 : 9141	2006 : 9142	2006 : 9143	2006 : 9144
2007 : 9139	2007 : 9140	2007 : 9141	2007 : 9142	2007 : 9143	2007 : 9144
2008 : 9139	2008 : 9140	2008 : 9141	2008 : 9142	2008 : 9143	2008 : 9144
2009 : 9139	2009 : 9140	2009 : 9141	2009 : 9142	2009 : 9143	2009 : 9144
2010 : 9139	2010 : 9140	2010 : 9141	2010 : 9142	2010 : 9143	2010 : 9144
2011 : 9139	2011 : 9140	2011 : 9141	2011 : 9142	2011 : 9143	2011 : 9144
2012 : 9139	2012 : 9140	2012 : 9141	2012 : 9142	2012 : 9143	2012 : 9144

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9145	1001 : 9146	1001 : 9147	1001 : 9148	1001 : 9149	1001 : 9150
1002 : 9145	1002 : 9146	1002 : 9147	1002 : 9148	1002 : 9149	1002 : 9150
1003 : 9145	1003 : 9146	1003 : 9147	1003 : 9148	1003 : 9149	1003 : 9150
1004 : 9145	1004 : 9146	1004 : 9147	1004 : 9148	1004 : 9149	1004 : 9150
1005 : 9145	1005 : 9146	1005 : 9147	1005 : 9148	1005 : 9149	1005 : 9150
1006 : 9145	1006 : 9146	1006 : 9147	1006 : 9148	1006 : 9149	1006 : 9150
1007 : 9145	1007 : 9146	1007 : 9147	1007 : 9148	1007 : 9149	1007 : 9150
1008 : 9145	1008 : 9146	1008 : 9147	1008 : 9148	1008 : 9149	1008 : 9150
1009 : 9145	1009 : 9146	1009 : 9147	1009 : 9148	1009 : 9149	1009 : 9150
1010 : 9145	1010 : 9146	1010 : 9147	1010 : 9148	1010 : 9149	1010 : 9150
1011 : 9145	1011 : 9146	1011 : 9147	1011 : 9148	1011 : 9149	1011 : 9150
1012 : 9145	1012 : 9146	1012 : 9147	1012 : 9148	1012 : 9149	1012 : 9150
1013 : 9145	1013 : 9146	1013 : 9147	1013 : 9148	1013 : 9149	1013 : 9150
1014 : 9145	1014 : 9146	1014 : 9147	1014 : 9148	1014 : 9149	1014 : 9150
1015 : 9145	1015 : 9146	1015 : 9147	1015 : 9148	1015 : 9149	1015 : 9150
1016 : 9145	1016 : 9146	1016 : 9147	1016 : 9148	1016 : 9149	1016 : 9150
2001 : 9145	2001 : 9146	2001 : 9147	2001 : 9148	2001 : 9149	2001 : 9150
2002 : 9145	2002 : 9146	2002 : 9147	2002 : 9148	2002 : 9149	2002 : 9150
2003 : 9145	2003 : 9146	2003 : 9147	2003 : 9148	2003 : 9149	2003 : 9150
2004 : 9145	2004 : 9146	2004 : 9147	2004 : 9148	2004 : 9149	2004 : 9150
2005 : 9145	2005 : 9146	2005 : 9147	2005 : 9148	2005 : 9149	2005 : 9150
2006 : 9145	2006 : 9146	2006 : 9147	2006 : 9148	2006 : 9149	2006 : 9150
2007 : 9145	2007 : 9146	2007 : 9147	2007 : 9148	2007 : 9149	2007 : 9150
2008 : 9145	2008 : 9146	2008 : 9147	2008 : 9148	2008 : 9149	2008 : 9150
2009 : 9145	2009 : 9146	2009 : 9147	2009 : 9148	2009 : 9149	2009 : 9150
2010 : 9145	2010 : 9146	2010 : 9147	2010 : 9148	2010 : 9149	2010 : 9150
2011 : 9145	2011 : 9146	2011 : 9147	2011 : 9148	2011 : 9149	2011 : 9150
2012 : 9145	2012 : 9146	2012 : 9147	2012 : 9148	2012 : 9149	2012 : 9150

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9161	1001 : 9162	1001 : 9163	1001 : 9164	1001 : 9167	1001 : 9168
1002 : 9161	1002 : 9162	1002 : 9163	1002 : 9164	1002 : 9167	1002 : 9168
1003 : 9161	1003 : 9162	1003 : 9163	1003 : 9164	1003 : 9167	1003 : 9168
1004 : 9161	1004 : 9162	1004 : 9163	1004 : 9164	1004 : 9167	1004 : 9168
1005 : 9161	1005 : 9162	1005 : 9163	1005 : 9164	1005 : 9167	1005 : 9168
1006 : 9161	1006 : 9162	1006 : 9163	1006 : 9164	1006 : 9167	1006 : 9168
1007 : 9161	1007 : 9162	1007 : 9163	1007 : 9164	1007 : 9167	1007 : 9168
1008 : 9161	1008 : 9162	1008 : 9163	1008 : 9164	1008 : 9167	1008 : 9168
1009 : 9161	1009 : 9162	1009 : 9163	1009 : 9164	1009 : 9167	1009 : 9168
1010 : 9161	1010 : 9162	1010 : 9163	1010 : 9164	1010 : 9167	1010 : 9168
1011 : 9161	1011 : 9162	1011 : 9163	1011 : 9164	1011 : 9167	1011 : 9168
1012 : 9161	1012 : 9162	1012 : 9163	1012 : 9164	1012 : 9167	1012 : 9168
1013 : 9161	1013 : 9162	1013 : 9163	1013 : 9164	1013 : 9167	1013 : 9168
1014 : 9161	1014 : 9162	1014 : 9163	1014 : 9164	1014 : 9167	1014 : 9168
1015 : 9161	1015 : 9162	1015 : 9163	1015 : 9164	1015 : 9167	1015 : 9168
1016 : 9161	1016 : 9162	1016 : 9163	1016 : 9164	1016 : 9167	1016 : 9168
2001 : 9161	2001 : 9162	2001 : 9163	2001 : 9164	2001 : 9167	2001 : 9168
2002 : 9161	2002 : 9162	2002 : 9163	2002 : 9164	2002 : 9167	2002 : 9168
2003 : 9161	2003 : 9162	2003 : 9163	2003 : 9164	2003 : 9167	2003 : 9168
2004 : 9161	2004 : 9162	2004 : 9163	2004 : 9164	2004 : 9167	2004 : 9168
2005 : 9161	2005 : 9162	2005 : 9163	2005 : 9164	2005 : 9167	2005 : 9168
2006 : 9161	2006 : 9162	2006 : 9163	2006 : 9164	2006 : 9167	2006 : 9168
2007 : 9161	2007 : 9162	2007 : 9163	2007 : 9164	2007 : 9167	2007 : 9168
2008 : 9161	2008 : 9162	2008 : 9163	2008 : 9164	2008 : 9167	2008 : 9168
2009 : 9161	2009 : 9162	2009 : 9163	2009 : 9164	2009 : 9167	2009 : 9168
2010 : 9161	2010 : 9162	2010 : 9163	2010 : 9164	2010 : 9167	2010 : 9168
2011 : 9161	2011 : 9162	2011 : 9163	2011 : 9164	2011 : 9167	2011 : 9168
2012 : 9161	2012 : 9162	2012 : 9163	2012 : 9164	2012 : 9167	2012 : 9168

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9169	1001 : 9170	1001 : 9171	1001 : 9172	1001 : 9173	1001 : 9174
1002 : 9169	1002 : 9170	1002 : 9171	1002 : 9172	1002 : 9173	1002 : 9174
1003 : 9169	1003 : 9170	1003 : 9171	1003 : 9172	1003 : 9173	1003 : 9174
1004 : 9169	1004 : 9170	1004 : 9171	1004 : 9172	1004 : 9173	1004 : 9174
1005 : 9169	1005 : 9170	1005 : 9171	1005 : 9172	1005 : 9173	1005 : 9174
1006 : 9169	1006 : 9170	1006 : 9171	1006 : 9172	1006 : 9173	1006 : 9174
1007 : 9169	1007 : 9170	1007 : 9171	1007 : 9172	1007 : 9173	1007 : 9174
1008 : 9169	1008 : 9170	1008 : 9171	1008 : 9172	1008 : 9173	1008 : 9174
1009 : 9169	1009 : 9170	1009 : 9171	1009 : 9172	1009 : 9173	1009 : 9174
1010 : 9169	1010 : 9170	1010 : 9171	1010 : 9172	1010 : 9173	1010 : 9174
1011 : 9169	1011 : 9170	1011 : 9171	1011 : 9172	1011 : 9173	1011 : 9174
1012 : 9169	1012 : 9170	1012 : 9171	1012 : 9172	1012 : 9173	1012 : 9174
1013 : 9169	1013 : 9170	1013 : 9171	1013 : 9172	1013 : 9173	1013 : 9174
1014 : 9169	1014 : 9170	1014 : 9171	1014 : 9172	1014 : 9173	1014 : 9174
1015 : 9169	1015 : 9170	1015 : 9171	1015 : 9172	1015 : 9173	1015 : 9174
1016 : 9169	1016 : 9170	1016 : 9171	1016 : 9172	1016 : 9173	1016 : 9174
2001 : 9169	2001 : 9170	2001 : 9171	2001 : 9172	2001 : 9173	2001 : 9174
2002 : 9169	2002 : 9170	2002 : 9171	2002 : 9172	2002 : 9173	2002 : 9174
2003 : 9169	2003 : 9170	2003 : 9171	2003 : 9172	2003 : 9173	2003 : 9174
2004 : 9169	2004 : 9170	2004 : 9171	2004 : 9172	2004 : 9173	2004 : 9174
2005 : 9169	2005 : 9170	2005 : 9171	2005 : 9172	2005 : 9173	2005 : 9174
2006 : 9169	2006 : 9170	2006 : 9171	2006 : 9172	2006 : 9173	2006 : 9174
2007 : 9169	2007 : 9170	2007 : 9171	2007 : 9172	2007 : 9173	2007 : 9174
2008 : 9169	2008 : 9170	2008 : 9171	2008 : 9172	2008 : 9173	2008 : 9174
2009 : 9169	2009 : 9170	2009 : 9171	2009 : 9172	2009 : 9173	2009 : 9174
2010 : 9169	2010 : 9170	2010 : 9171	2010 : 9172	2010 : 9173	2010 : 9174
2011 : 9169	2011 : 9170	2011 : 9171	2011 : 9172	2011 : 9173	2011 : 9174
2012 : 9169	2012 : 9170	2012 : 9171	2012 : 9172	2012 : 9173	2012 : 9174

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9175	1001 : 9176	1001 : 9177	1001 : 9178	1001 : 9179	1001 : 9180
1002 : 9175	1002 : 9176	1002 : 9177	1002 : 9178	1002 : 9179	1002 : 9180
1003 : 9175	1003 : 9176	1003 : 9177	1003 : 9178	1003 : 9179	1003 : 9180
1004 : 9175	1004 : 9176	1004 : 9177	1004 : 9178	1004 : 9179	1004 : 9180
1005 : 9175	1005 : 9176	1005 : 9177	1005 : 9178	1005 : 9179	1005 : 9180
1006 : 9175	1006 : 9176	1006 : 9177	1006 : 9178	1006 : 9179	1006 : 9180
1007 : 9175	1007 : 9176	1007 : 9177	1007 : 9178	1007 : 9179	1007 : 9180
1008 : 9175	1008 : 9176	1008 : 9177	1008 : 9178	1008 : 9179	1008 : 9180
1009 : 9175	1009 : 9176	1009 : 9177	1009 : 9178	1009 : 9179	1009 : 9180
1010 : 9175	1010 : 9176	1010 : 9177	1010 : 9178	1010 : 9179	1010 : 9180
1011 : 9175	1011 : 9176	1011 : 9177	1011 : 9178	1011 : 9179	1011 : 9180
1012 : 9175	1012 : 9176	1012 : 9177	1012 : 9178	1012 : 9179	1012 : 9180
1013 : 9175	1013 : 9176	1013 : 9177	1013 : 9178	1013 : 9179	1013 : 9180
1014 : 9175	1014 : 9176	1014 : 9177	1014 : 9178	1014 : 9179	1014 : 9180
1015 : 9175	1015 : 9176	1015 : 9177	1015 : 9178	1015 : 9179	1015 : 9180
1016 : 9175	1016 : 9176	1016 : 9177	1016 : 9178	1016 : 9179	1016 : 9180
2001 : 9175	2001 : 9176	2001 : 9177	2001 : 9178	2001 : 9179	2001 : 9180
2002 : 9175	2002 : 9176	2002 : 9177	2002 : 9178	2002 : 9179	2002 : 9180
2003 : 9175	2003 : 9176	2003 : 9177	2003 : 9178	2003 : 9179	2003 : 9180
2004 : 9175	2004 : 9176	2004 : 9177	2004 : 9178	2004 : 9179	2004 : 9180
2005 : 9175	2005 : 9176	2005 : 9177	2005 : 9178	2005 : 9179	2005 : 9180
2006 : 9175	2006 : 9176	2006 : 9177	2006 : 9178	2006 : 9179	2006 : 9180
2007 : 9175	2007 : 9176	2007 : 9177	2007 : 9178	2007 : 9179	2007 : 9180
2008 : 9175	2008 : 9176	2008 : 9177	2008 : 9178	2008 : 9179	2008 : 9180
2009 : 9175	2009 : 9176	2009 : 9177	2009 : 9178	2009 : 9179	2009 : 9180
2010 : 9175	2010 : 9176	2010 : 9177	2010 : 9178	2010 : 9179	2010 : 9180
2011 : 9175	2011 : 9176	2011 : 9177	2011 : 9178	2011 : 9179	2011 : 9180
2012 : 9175	2012 : 9176	2012 : 9177	2012 : 9178	2012 : 9179	2012 : 9180

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9181	1001 : 9182	1001 : 9183	1001 : 9184	1001 : 9185	1001 : 9206
1002 : 9181	1002 : 9182	1002 : 9183	1002 : 9184	1002 : 9185	1002 : 9206
1003 : 9181	1003 : 9182	1003 : 9183	1003 : 9184	1003 : 9185	1003 : 9206
1004 : 9181	1004 : 9182	1004 : 9183	1004 : 9184	1004 : 9185	1004 : 9206
1005 : 9181	1005 : 9182	1005 : 9183	1005 : 9184	1005 : 9185	1005 : 9206
1006 : 9181	1006 : 9182	1006 : 9183	1006 : 9184	1006 : 9185	1006 : 9206
1007 : 9181	1007 : 9182	1007 : 9183	1007 : 9184	1007 : 9185	1007 : 9206
1008 : 9181	1008 : 9182	1008 : 9183	1008 : 9184	1008 : 9185	1008 : 9206
1009 : 9181	1009 : 9182	1009 : 9183	1009 : 9184	1009 : 9185	1009 : 9206
1010 : 9181	1010 : 9182	1010 : 9183	1010 : 9184	1010 : 9185	1010 : 9206
1011 : 9181	1011 : 9182	1011 : 9183	1011 : 9184	1011 : 9185	1011 : 9206
1012 : 9181	1012 : 9182	1012 : 9183	1012 : 9184	1012 : 9185	1012 : 9206
1013 : 9181	1013 : 9182	1013 : 9183	1013 : 9184	1013 : 9185	1013 : 9206
1014 : 9181	1014 : 9182	1014 : 9183	1014 : 9184	1014 : 9185	1014 : 9206
1015 : 9181	1015 : 9182	1015 : 9183	1015 : 9184	1015 : 9185	1015 : 9206
1016 : 9181	1016 : 9182	1016 : 9183	1016 : 9184	1016 : 9185	1016 : 9206
2001 : 9181	2001 : 9182	2001 : 9183	2001 : 9184	2001 : 9185	2001 : 9206
2002 : 9181	2002 : 9182	2002 : 9183	2002 : 9184	2002 : 9185	2002 : 9206
2003 : 9181	2003 : 9182	2003 : 9183	2003 : 9184	2003 : 9185	2003 : 9206
2004 : 9181	2004 : 9182	2004 : 9183	2004 : 9184	2004 : 9185	2004 : 9206
2005 : 9181	2005 : 9182	2005 : 9183	2005 : 9184	2005 : 9185	2005 : 9206
2006 : 9181	2006 : 9182	2006 : 9183	2006 : 9184	2006 : 9185	2006 : 9206
2007 : 9181	2007 : 9182	2007 : 9183	2007 : 9184	2007 : 9185	2007 : 9206
2008 : 9181	2008 : 9182	2008 : 9183	2008 : 9184	2008 : 9185	2008 : 9206
2009 : 9181	2009 : 9182	2009 : 9183	2009 : 9184	2009 : 9185	2009 : 9206
2010 : 9181	2010 : 9182	2010 : 9183	2010 : 9184	2010 : 9185	2010 : 9206
2011 : 9181	2011 : 9182	2011 : 9183	2011 : 9184	2011 : 9185	2011 : 9206
2012 : 9181	2012 : 9182	2012 : 9183	2012 : 9184	2012 : 9185	2012 : 9206

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9207	1001 : 9208	1001 : 9209	1001 : 9214	1001 : 9241	1001 : 9242
1002 : 9207	1002 : 9208	1002 : 9209	1002 : 9214	1002 : 9241	1002 : 9242
1003 : 9207	1003 : 9208	1003 : 9209	1003 : 9214	1003 : 9241	1003 : 9242
1004 : 9207	1004 : 9208	1004 : 9209	1004 : 9214	1004 : 9241	1004 : 9242
1005 : 9207	1005 : 9208	1005 : 9209	1005 : 9214	1005 : 9241	1005 : 9242
1006 : 9207	1006 : 9208	1006 : 9209	1006 : 9214	1006 : 9241	1006 : 9242
1007 : 9207	1007 : 9208	1007 : 9209	1007 : 9214	1007 : 9241	1007 : 9242
1008 : 9207	1008 : 9208	1008 : 9209	1008 : 9214	1008 : 9241	1008 : 9242
1009 : 9207	1009 : 9208	1009 : 9209	1009 : 9214	1009 : 9241	1009 : 9242
1010 : 9207	1010 : 9208	1010 : 9209	1010 : 9214	1010 : 9241	1010 : 9242
1011 : 9207	1011 : 9208	1011 : 9209	1011 : 9214	1011 : 9241	1011 : 9242
1012 : 9207	1012 : 9208	1012 : 9209	1012 : 9214	1012 : 9241	1012 : 9242
1013 : 9207	1013 : 9208	1013 : 9209	1013 : 9214	1013 : 9241	1013 : 9242
1014 : 9207	1014 : 9208	1014 : 9209	1014 : 9214	1014 : 9241	1014 : 9242
1015 : 9207	1015 : 9208	1015 : 9209	1015 : 9214	1015 : 9241	1015 : 9242
1016 : 9207	1016 : 9208	1016 : 9209	1016 : 9214	1016 : 9241	1016 : 9242
2001 : 9207	2001 : 9208	2001 : 9209	2001 : 9214	2001 : 9241	2001 : 9242
2002 : 9207	2002 : 9208	2002 : 9209	2002 : 9214	2002 : 9241	2002 : 9242
2003 : 9207	2003 : 9208	2003 : 9209	2003 : 9214	2003 : 9241	2003 : 9242
2004 : 9207	2004 : 9208	2004 : 9209	2004 : 9214	2004 : 9241	2004 : 9242
2005 : 9207	2005 : 9208	2005 : 9209	2005 : 9214	2005 : 9241	2005 : 9242
2006 : 9207	2006 : 9208	2006 : 9209	2006 : 9214	2006 : 9241	2006 : 9242
2007 : 9207	2007 : 9208	2007 : 9209	2007 : 9214	2007 : 9241	2007 : 9242
2008 : 9207	2008 : 9208	2008 : 9209	2008 : 9214	2008 : 9241	2008 : 9242
2009 : 9207	2009 : 9208	2009 : 9209	2009 : 9214	2009 : 9241	2009 : 9242
2010 : 9207	2010 : 9208	2010 : 9209	2010 : 9214	2010 : 9241	2010 : 9242
2011 : 9207	2011 : 9208	2011 : 9209	2011 : 9214	2011 : 9241	2011 : 9242
2012 : 9207	2012 : 9208	2012 : 9209	2012 : 9214	2012 : 9241	2012 : 9242

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9244	1001 : 9245	1001 : 9246	1001 : 9247	1001 : 9248	1001 : 9249
1002 : 9244	1002 : 9245	1002 : 9246	1002 : 9247	1002 : 9248	1002 : 9249
1003 : 9244	1003 : 9245	1003 : 9246	1003 : 9247	1003 : 9248	1003 : 9249
1004 : 9244	1004 : 9245	1004 : 9246	1004 : 9247	1004 : 9248	1004 : 9249
1005 : 9244	1005 : 9245	1005 : 9246	1005 : 9247	1005 : 9248	1005 : 9249
1006 : 9244	1006 : 9245	1006 : 9246	1006 : 9247	1006 : 9248	1006 : 9249
1007 : 9244	1007 : 9245	1007 : 9246	1007 : 9247	1007 : 9248	1007 : 9249
1008 : 9244	1008 : 9245	1008 : 9246	1008 : 9247	1008 : 9248	1008 : 9249
1009 : 9244	1009 : 9245	1009 : 9246	1009 : 9247	1009 : 9248	1009 : 9249
1010 : 9244	1010 : 9245	1010 : 9246	1010 : 9247	1010 : 9248	1010 : 9249
1011 : 9244	1011 : 9245	1011 : 9246	1011 : 9247	1011 : 9248	1011 : 9249
1012 : 9244	1012 : 9245	1012 : 9246	1012 : 9247	1012 : 9248	1012 : 9249
1013 : 9244	1013 : 9245	1013 : 9246	1013 : 9247	1013 : 9248	1013 : 9249
1014 : 9244	1014 : 9245	1014 : 9246	1014 : 9247	1014 : 9248	1014 : 9249
1015 : 9244	1015 : 9245	1015 : 9246	1015 : 9247	1015 : 9248	1015 : 9249
1016 : 9244	1016 : 9245	1016 : 9246	1016 : 9247	1016 : 9248	1016 : 9249
2001 : 9244	2001 : 9245	2001 : 9246	2001 : 9247	2001 : 9248	2001 : 9249
2002 : 9244	2002 : 9245	2002 : 9246	2002 : 9247	2002 : 9248	2002 : 9249
2003 : 9244	2003 : 9245	2003 : 9246	2003 : 9247	2003 : 9248	2003 : 9249
2004 : 9244	2004 : 9245	2004 : 9246	2004 : 9247	2004 : 9248	2004 : 9249
2005 : 9244	2005 : 9245	2005 : 9246	2005 : 9247	2005 : 9248	2005 : 9249
2006 : 9244	2006 : 9245	2006 : 9246	2006 : 9247	2006 : 9248	2006 : 9249
2007 : 9244	2007 : 9245	2007 : 9246	2007 : 9247	2007 : 9248	2007 : 9249
2008 : 9244	2008 : 9245	2008 : 9246	2008 : 9247	2008 : 9248	2008 : 9249
2009 : 9244	2009 : 9245	2009 : 9246	2009 : 9247	2009 : 9248	2009 : 9249
2010 : 9244	2010 : 9245	2010 : 9246	2010 : 9247	2010 : 9248	2010 : 9249
2011 : 9244	2011 : 9245	2011 : 9246	2011 : 9247	2011 : 9248	2011 : 9249
2012 : 9244	2012 : 9245	2012 : 9246	2012 : 9247	2012 : 9248	2012 : 9249

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9250	1001 : 9251	1001 : 9252	1001 : 9253	1001 : 9255	1001 : 9256
1002 : 9250	1002 : 9251	1002 : 9252	1002 : 9253	1002 : 9255	1002 : 9256
1003 : 9250	1003 : 9251	1003 : 9252	1003 : 9253	1003 : 9255	1003 : 9256
1004 : 9250	1004 : 9251	1004 : 9252	1004 : 9253	1004 : 9255	1004 : 9256
1005 : 9250	1005 : 9251	1005 : 9252	1005 : 9253	1005 : 9255	1005 : 9256
1006 : 9250	1006 : 9251	1006 : 9252	1006 : 9253	1006 : 9255	1006 : 9256
1007 : 9250	1007 : 9251	1007 : 9252	1007 : 9253	1007 : 9255	1007 : 9256
1008 : 9250	1008 : 9251	1008 : 9252	1008 : 9253	1008 : 9255	1008 : 9256
1009 : 9250	1009 : 9251	1009 : 9252	1009 : 9253	1009 : 9255	1009 : 9256
1010 : 9250	1010 : 9251	1010 : 9252	1010 : 9253	1010 : 9255	1010 : 9256
1011 : 9250	1011 : 9251	1011 : 9252	1011 : 9253	1011 : 9255	1011 : 9256
1012 : 9250	1012 : 9251	1012 : 9252	1012 : 9253	1012 : 9255	1012 : 9256
1013 : 9250	1013 : 9251	1013 : 9252	1013 : 9253	1013 : 9255	1013 : 9256
1014 : 9250	1014 : 9251	1014 : 9252	1014 : 9253	1014 : 9255	1014 : 9256
1015 : 9250	1015 : 9251	1015 : 9252	1015 : 9253	1015 : 9255	1015 : 9256
1016 : 9250	1016 : 9251	1016 : 9252	1016 : 9253	1016 : 9255	1016 : 9256
2001 : 9250	2001 : 9251	2001 : 9252	2001 : 9253	2001 : 9255	2001 : 9256
2002 : 9250	2002 : 9251	2002 : 9252	2002 : 9253	2002 : 9255	2002 : 9256
2003 : 9250	2003 : 9251	2003 : 9252	2003 : 9253	2003 : 9255	2003 : 9256
2004 : 9250	2004 : 9251	2004 : 9252	2004 : 9253	2004 : 9255	2004 : 9256
2005 : 9250	2005 : 9251	2005 : 9252	2005 : 9253	2005 : 9255	2005 : 9256
2006 : 9250	2006 : 9251	2006 : 9252	2006 : 9253	2006 : 9255	2006 : 9256
2007 : 9250	2007 : 9251	2007 : 9252	2007 : 9253	2007 : 9255	2007 : 9256
2008 : 9250	2008 : 9251	2008 : 9252	2008 : 9253	2008 : 9255	2008 : 9256
2009 : 9250	2009 : 9251	2009 : 9252	2009 : 9253	2009 : 9255	2009 : 9256
2010 : 9250	2010 : 9251	2010 : 9252	2010 : 9253	2010 : 9255	2010 : 9256
2011 : 9250	2011 : 9251	2011 : 9252	2011 : 9253	2011 : 9255	2011 : 9256
2012 : 9250	2012 : 9251	2012 : 9252	2012 : 9253	2012 : 9255	2012 : 9256

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9257	1001 : 9258	1001 : 9259	1001 : 9260	1001 : 9262	1001 : 9263
1002 : 9257	1002 : 9258	1002 : 9259	1002 : 9260	1002 : 9262	1002 : 9263
1003 : 9257	1003 : 9258	1003 : 9259	1003 : 9260	1003 : 9262	1003 : 9263
1004 : 9257	1004 : 9258	1004 : 9259	1004 : 9260	1004 : 9262	1004 : 9263
1005 : 9257	1005 : 9258	1005 : 9259	1005 : 9260	1005 : 9262	1005 : 9263
1006 : 9257	1006 : 9258	1006 : 9259	1006 : 9260	1006 : 9262	1006 : 9263
1007 : 9257	1007 : 9258	1007 : 9259	1007 : 9260	1007 : 9262	1007 : 9263
1008 : 9257	1008 : 9258	1008 : 9259	1008 : 9260	1008 : 9262	1008 : 9263
1009 : 9257	1009 : 9258	1009 : 9259	1009 : 9260	1009 : 9262	1009 : 9263
1010 : 9257	1010 : 9258	1010 : 9259	1010 : 9260	1010 : 9262	1010 : 9263
1011 : 9257	1011 : 9258	1011 : 9259	1011 : 9260	1011 : 9262	1011 : 9263
1012 : 9257	1012 : 9258	1012 : 9259	1012 : 9260	1012 : 9262	1012 : 9263
1013 : 9257	1013 : 9258	1013 : 9259	1013 : 9260	1013 : 9262	1013 : 9263
1014 : 9257	1014 : 9258	1014 : 9259	1014 : 9260	1014 : 9262	1014 : 9263
1015 : 9257	1015 : 9258	1015 : 9259	1015 : 9260	1015 : 9262	1015 : 9263
1016 : 9257	1016 : 9258	1016 : 9259	1016 : 9260	1016 : 9262	1016 : 9263
2001 : 9257	2001 : 9258	2001 : 9259	2001 : 9260	2001 : 9262	2001 : 9263
2002 : 9257	2002 : 9258	2002 : 9259	2002 : 9260	2002 : 9262	2002 : 9263
2003 : 9257	2003 : 9258	2003 : 9259	2003 : 9260	2003 : 9262	2003 : 9263
2004 : 9257	2004 : 9258	2004 : 9259	2004 : 9260	2004 : 9262	2004 : 9263
2005 : 9257	2005 : 9258	2005 : 9259	2005 : 9260	2005 : 9262	2005 : 9263
2006 : 9257	2006 : 9258	2006 : 9259	2006 : 9260	2006 : 9262	2006 : 9263
2007 : 9257	2007 : 9258	2007 : 9259	2007 : 9260	2007 : 9262	2007 : 9263
2008 : 9257	2008 : 9258	2008 : 9259	2008 : 9260	2008 : 9262	2008 : 9263
2009 : 9257	2009 : 9258	2009 : 9259	2009 : 9260	2009 : 9262	2009 : 9263
2010 : 9257	2010 : 9258	2010 : 9259	2010 : 9260	2010 : 9262	2010 : 9263
2011 : 9257	2011 : 9258	2011 : 9259	2011 : 9260	2011 : 9262	2011 : 9263
2012 : 9257	2012 : 9258	2012 : 9259	2012 : 9260	2012 : 9262	2012 : 9263

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9264	1001 : 9265	1001 : 9266	1001 : 9267	1001 : 9268	1001 : 9269
1002 : 9264	1002 : 9265	1002 : 9266	1002 : 9267	1002 : 9268	1002 : 9269
1003 : 9264	1003 : 9265	1003 : 9266	1003 : 9267	1003 : 9268	1003 : 9269
1004 : 9264	1004 : 9265	1004 : 9266	1004 : 9267	1004 : 9268	1004 : 9269
1005 : 9264	1005 : 9265	1005 : 9266	1005 : 9267	1005 : 9268	1005 : 9269
1006 : 9264	1006 : 9265	1006 : 9266	1006 : 9267	1006 : 9268	1006 : 9269
1007 : 9264	1007 : 9265	1007 : 9266	1007 : 9267	1007 : 9268	1007 : 9269
1008 : 9264	1008 : 9265	1008 : 9266	1008 : 9267	1008 : 9268	1008 : 9269
1009 : 9264	1009 : 9265	1009 : 9266	1009 : 9267	1009 : 9268	1009 : 9269
1010 : 9264	1010 : 9265	1010 : 9266	1010 : 9267	1010 : 9268	1010 : 9269
1011 : 9264	1011 : 9265	1011 : 9266	1011 : 9267	1011 : 9268	1011 : 9269
1012 : 9264	1012 : 9265	1012 : 9266	1012 : 9267	1012 : 9268	1012 : 9269
1013 : 9264	1013 : 9265	1013 : 9266	1013 : 9267	1013 : 9268	1013 : 9269
1014 : 9264	1014 : 9265	1014 : 9266	1014 : 9267	1014 : 9268	1014 : 9269
1015 : 9264	1015 : 9265	1015 : 9266	1015 : 9267	1015 : 9268	1015 : 9269
1016 : 9264	1016 : 9265	1016 : 9266	1016 : 9267	1016 : 9268	1016 : 9269
2001 : 9264	2001 : 9265	2001 : 9266	2001 : 9267	2001 : 9268	2001 : 9269
2002 : 9264	2002 : 9265	2002 : 9266	2002 : 9267	2002 : 9268	2002 : 9269
2003 : 9264	2003 : 9265	2003 : 9266	2003 : 9267	2003 : 9268	2003 : 9269
2004 : 9264	2004 : 9265	2004 : 9266	2004 : 9267	2004 : 9268	2004 : 9269
2005 : 9264	2005 : 9265	2005 : 9266	2005 : 9267	2005 : 9268	2005 : 9269
2006 : 9264	2006 : 9265	2006 : 9266	2006 : 9267	2006 : 9268	2006 : 9269
2007 : 9264	2007 : 9265	2007 : 9266	2007 : 9267	2007 : 9268	2007 : 9269
2008 : 9264	2008 : 9265	2008 : 9266	2008 : 9267	2008 : 9268	2008 : 9269
2009 : 9264	2009 : 9265	2009 : 9266	2009 : 9267	2009 : 9268	2009 : 9269
2010 : 9264	2010 : 9265	2010 : 9266	2010 : 9267	2010 : 9268	2010 : 9269
2011 : 9264	2011 : 9265	2011 : 9266	2011 : 9267	2011 : 9268	2011 : 9269
2012 : 9264	2012 : 9265	2012 : 9266	2012 : 9267	2012 : 9268	2012 : 9269

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9270	1001 : 9271	1001 : 9272	1001 : 9273	1001 : 9274	1001 : 9275
1002 : 9270	1002 : 9271	1002 : 9272	1002 : 9273	1002 : 9274	1002 : 9275
1003 : 9270	1003 : 9271	1003 : 9272	1003 : 9273	1003 : 9274	1003 : 9275
1004 : 9270	1004 : 9271	1004 : 9272	1004 : 9273	1004 : 9274	1004 : 9275
1005 : 9270	1005 : 9271	1005 : 9272	1005 : 9273	1005 : 9274	1005 : 9275
1006 : 9270	1006 : 9271	1006 : 9272	1006 : 9273	1006 : 9274	1006 : 9275
1007 : 9270	1007 : 9271	1007 : 9272	1007 : 9273	1007 : 9274	1007 : 9275
1008 : 9270	1008 : 9271	1008 : 9272	1008 : 9273	1008 : 9274	1008 : 9275
1009 : 9270	1009 : 9271	1009 : 9272	1009 : 9273	1009 : 9274	1009 : 9275
1010 : 9270	1010 : 9271	1010 : 9272	1010 : 9273	1010 : 9274	1010 : 9275
1011 : 9270	1011 : 9271	1011 : 9272	1011 : 9273	1011 : 9274	1011 : 9275
1012 : 9270	1012 : 9271	1012 : 9272	1012 : 9273	1012 : 9274	1012 : 9275
1013 : 9270	1013 : 9271	1013 : 9272	1013 : 9273	1013 : 9274	1013 : 9275
1014 : 9270	1014 : 9271	1014 : 9272	1014 : 9273	1014 : 9274	1014 : 9275
1015 : 9270	1015 : 9271	1015 : 9272	1015 : 9273	1015 : 9274	1015 : 9275
1016 : 9270	1016 : 9271	1016 : 9272	1016 : 9273	1016 : 9274	1016 : 9275
2001 : 9270	2001 : 9271	2001 : 9272	2001 : 9273	2001 : 9274	2001 : 9275
2002 : 9270	2002 : 9271	2002 : 9272	2002 : 9273	2002 : 9274	2002 : 9275
2003 : 9270	2003 : 9271	2003 : 9272	2003 : 9273	2003 : 9274	2003 : 9275
2004 : 9270	2004 : 9271	2004 : 9272	2004 : 9273	2004 : 9274	2004 : 9275
2005 : 9270	2005 : 9271	2005 : 9272	2005 : 9273	2005 : 9274	2005 : 9275
2006 : 9270	2006 : 9271	2006 : 9272	2006 : 9273	2006 : 9274	2006 : 9275
2007 : 9270	2007 : 9271	2007 : 9272	2007 : 9273	2007 : 9274	2007 : 9275
2008 : 9270	2008 : 9271	2008 : 9272	2008 : 9273	2008 : 9274	2008 : 9275
2009 : 9270	2009 : 9271	2009 : 9272	2009 : 9273	2009 : 9274	2009 : 9275
2010 : 9270	2010 : 9271	2010 : 9272	2010 : 9273	2010 : 9274	2010 : 9275
2011 : 9270	2011 : 9271	2011 : 9272	2011 : 9273	2011 : 9274	2011 : 9275
2012 : 9270	2012 : 9271	2012 : 9272	2012 : 9273	2012 : 9274	2012 : 9275

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9276	1001 : 9277	1001 : 9278	1001 : 9279	1001 : 9280	1001 : 9281
1002 : 9276	1002 : 9277	1002 : 9278	1002 : 9279	1002 : 9280	1002 : 9281
1003 : 9276	1003 : 9277	1003 : 9278	1003 : 9279	1003 : 9280	1003 : 9281
1004 : 9276	1004 : 9277	1004 : 9278	1004 : 9279	1004 : 9280	1004 : 9281
1005 : 9276	1005 : 9277	1005 : 9278	1005 : 9279	1005 : 9280	1005 : 9281
1006 : 9276	1006 : 9277	1006 : 9278	1006 : 9279	1006 : 9280	1006 : 9281
1007 : 9276	1007 : 9277	1007 : 9278	1007 : 9279	1007 : 9280	1007 : 9281
1008 : 9276	1008 : 9277	1008 : 9278	1008 : 9279	1008 : 9280	1008 : 9281
1009 : 9276	1009 : 9277	1009 : 9278	1009 : 9279	1009 : 9280	1009 : 9281
1010 : 9276	1010 : 9277	1010 : 9278	1010 : 9279	1010 : 9280	1010 : 9281
1011 : 9276	1011 : 9277	1011 : 9278	1011 : 9279	1011 : 9280	1011 : 9281
1012 : 9276	1012 : 9277	1012 : 9278	1012 : 9279	1012 : 9280	1012 : 9281
1013 : 9276	1013 : 9277	1013 : 9278	1013 : 9279	1013 : 9280	1013 : 9281
1014 : 9276	1014 : 9277	1014 : 9278	1014 : 9279	1014 : 9280	1014 : 9281
1015 : 9276	1015 : 9277	1015 : 9278	1015 : 9279	1015 : 9280	1015 : 9281
1016 : 9276	1016 : 9277	1016 : 9278	1016 : 9279	1016 : 9280	1016 : 9281
2001 : 9276	2001 : 9277	2001 : 9278	2001 : 9279	2001 : 9280	2001 : 9281
2002 : 9276	2002 : 9277	2002 : 9278	2002 : 9279	2002 : 9280	2002 : 9281
2003 : 9276	2003 : 9277	2003 : 9278	2003 : 9279	2003 : 9280	2003 : 9281
2004 : 9276	2004 : 9277	2004 : 9278	2004 : 9279	2004 : 9280	2004 : 9281
2005 : 9276	2005 : 9277	2005 : 9278	2005 : 9279	2005 : 9280	2005 : 9281
2006 : 9276	2006 : 9277	2006 : 9278	2006 : 9279	2006 : 9280	2006 : 9281
2007 : 9276	2007 : 9277	2007 : 9278	2007 : 9279	2007 : 9280	2007 : 9281
2008 : 9276	2008 : 9277	2008 : 9278	2008 : 9279	2008 : 9280	2008 : 9281
2009 : 9276	2009 : 9277	2009 : 9278	2009 : 9279	2009 : 9280	2009 : 9281
2010 : 9276	2010 : 9277	2010 : 9278	2010 : 9279	2010 : 9280	2010 : 9281
2011 : 9276	2011 : 9277	2011 : 9278	2011 : 9279	2011 : 9280	2011 : 9281
2012 : 9276	2012 : 9277	2012 : 9278	2012 : 9279	2012 : 9280	2012 : 9281

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9282	1001 : 9283	1001 : 9284	1001 : 9285	1001 : 9286	1001 : 9287
1002 : 9282	1002 : 9283	1002 : 9284	1002 : 9285	1002 : 9286	1002 : 9287
1003 : 9282	1003 : 9283	1003 : 9284	1003 : 9285	1003 : 9286	1003 : 9287
1004 : 9282	1004 : 9283	1004 : 9284	1004 : 9285	1004 : 9286	1004 : 9287
1005 : 9282	1005 : 9283	1005 : 9284	1005 : 9285	1005 : 9286	1005 : 9287
1006 : 9282	1006 : 9283	1006 : 9284	1006 : 9285	1006 : 9286	1006 : 9287
1007 : 9282	1007 : 9283	1007 : 9284	1007 : 9285	1007 : 9286	1007 : 9287
1008 : 9282	1008 : 9283	1008 : 9284	1008 : 9285	1008 : 9286	1008 : 9287
1009 : 9282	1009 : 9283	1009 : 9284	1009 : 9285	1009 : 9286	1009 : 9287
1010 : 9282	1010 : 9283	1010 : 9284	1010 : 9285	1010 : 9286	1010 : 9287
1011 : 9282	1011 : 9283	1011 : 9284	1011 : 9285	1011 : 9286	1011 : 9287
1012 : 9282	1012 : 9283	1012 : 9284	1012 : 9285	1012 : 9286	1012 : 9287
1013 : 9282	1013 : 9283	1013 : 9284	1013 : 9285	1013 : 9286	1013 : 9287
1014 : 9282	1014 : 9283	1014 : 9284	1014 : 9285	1014 : 9286	1014 : 9287
1015 : 9282	1015 : 9283	1015 : 9284	1015 : 9285	1015 : 9286	1015 : 9287
1016 : 9282	1016 : 9283	1016 : 9284	1016 : 9285	1016 : 9286	1016 : 9287
2001 : 9282	2001 : 9283	2001 : 9284	2001 : 9285	2001 : 9286	2001 : 9287
2002 : 9282	2002 : 9283	2002 : 9284	2002 : 9285	2002 : 9286	2002 : 9287
2003 : 9282	2003 : 9283	2003 : 9284	2003 : 9285	2003 : 9286	2003 : 9287
2004 : 9282	2004 : 9283	2004 : 9284	2004 : 9285	2004 : 9286	2004 : 9287
2005 : 9282	2005 : 9283	2005 : 9284	2005 : 9285	2005 : 9286	2005 : 9287
2006 : 9282	2006 : 9283	2006 : 9284	2006 : 9285	2006 : 9286	2006 : 9287
2007 : 9282	2007 : 9283	2007 : 9284	2007 : 9285	2007 : 9286	2007 : 9287
2008 : 9282	2008 : 9283	2008 : 9284	2008 : 9285	2008 : 9286	2008 : 9287
2009 : 9282	2009 : 9283	2009 : 9284	2009 : 9285	2009 : 9286	2009 : 9287
2010 : 9282	2010 : 9283	2010 : 9284	2010 : 9285	2010 : 9286	2010 : 9287
2011 : 9282	2011 : 9283	2011 : 9284	2011 : 9285	2011 : 9286	2011 : 9287
2012 : 9282	2012 : 9283	2012 : 9284	2012 : 9285	2012 : 9286	2012 : 9287

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9288	1001 : 9289	1001 : 9290	1001 : 9291	1001 : 9292	1001 : 9293
1002 : 9288	1002 : 9289	1002 : 9290	1002 : 9291	1002 : 9292	1002 : 9293
1003 : 9288	1003 : 9289	1003 : 9290	1003 : 9291	1003 : 9292	1003 : 9293
1004 : 9288	1004 : 9289	1004 : 9290	1004 : 9291	1004 : 9292	1004 : 9293
1005 : 9288	1005 : 9289	1005 : 9290	1005 : 9291	1005 : 9292	1005 : 9293
1006 : 9288	1006 : 9289	1006 : 9290	1006 : 9291	1006 : 9292	1006 : 9293
1007 : 9288	1007 : 9289	1007 : 9290	1007 : 9291	1007 : 9292	1007 : 9293
1008 : 9288	1008 : 9289	1008 : 9290	1008 : 9291	1008 : 9292	1008 : 9293
1009 : 9288	1009 : 9289	1009 : 9290	1009 : 9291	1009 : 9292	1009 : 9293
1010 : 9288	1010 : 9289	1010 : 9290	1010 : 9291	1010 : 9292	1010 : 9293
1011 : 9288	1011 : 9289	1011 : 9290	1011 : 9291	1011 : 9292	1011 : 9293
1012 : 9288	1012 : 9289	1012 : 9290	1012 : 9291	1012 : 9292	1012 : 9293
1013 : 9288	1013 : 9289	1013 : 9290	1013 : 9291	1013 : 9292	1013 : 9293
1014 : 9288	1014 : 9289	1014 : 9290	1014 : 9291	1014 : 9292	1014 : 9293
1015 : 9288	1015 : 9289	1015 : 9290	1015 : 9291	1015 : 9292	1015 : 9293
1016 : 9288	1016 : 9289	1016 : 9290	1016 : 9291	1016 : 9292	1016 : 9293
2001 : 9288	2001 : 9289	2001 : 9290	2001 : 9291	2001 : 9292	2001 : 9293
2002 : 9288	2002 : 9289	2002 : 9290	2002 : 9291	2002 : 9292	2002 : 9293
2003 : 9288	2003 : 9289	2003 : 9290	2003 : 9291	2003 : 9292	2003 : 9293
2004 : 9288	2004 : 9289	2004 : 9290	2004 : 9291	2004 : 9292	2004 : 9293
2005 : 9288	2005 : 9289	2005 : 9290	2005 : 9291	2005 : 9292	2005 : 9293
2006 : 9288	2006 : 9289	2006 : 9290	2006 : 9291	2006 : 9292	2006 : 9293
2007 : 9288	2007 : 9289	2007 : 9290	2007 : 9291	2007 : 9292	2007 : 9293
2008 : 9288	2008 : 9289	2008 : 9290	2008 : 9291	2008 : 9292	2008 : 9293
2009 : 9288	2009 : 9289	2009 : 9290	2009 : 9291	2009 : 9292	2009 : 9293
2010 : 9288	2010 : 9289	2010 : 9290	2010 : 9291	2010 : 9292	2010 : 9293
2011 : 9288	2011 : 9289	2011 : 9290	2011 : 9291	2011 : 9292	2011 : 9293
2012 : 9288	2012 : 9289	2012 : 9290	2012 : 9291	2012 : 9292	2012 : 9293

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9294	1001 : 9295	1001 : 9296	1001 : 9297	1001 : 9298	1001 : 9299
1002 : 9294	1002 : 9295	1002 : 9296	1002 : 9297	1002 : 9298	1002 : 9299
1003 : 9294	1003 : 9295	1003 : 9296	1003 : 9297	1003 : 9298	1003 : 9299
1004 : 9294	1004 : 9295	1004 : 9296	1004 : 9297	1004 : 9298	1004 : 9299
1005 : 9294	1005 : 9295	1005 : 9296	1005 : 9297	1005 : 9298	1005 : 9299
1006 : 9294	1006 : 9295	1006 : 9296	1006 : 9297	1006 : 9298	1006 : 9299
1007 : 9294	1007 : 9295	1007 : 9296	1007 : 9297	1007 : 9298	1007 : 9299
1008 : 9294	1008 : 9295	1008 : 9296	1008 : 9297	1008 : 9298	1008 : 9299
1009 : 9294	1009 : 9295	1009 : 9296	1009 : 9297	1009 : 9298	1009 : 9299
1010 : 9294	1010 : 9295	1010 : 9296	1010 : 9297	1010 : 9298	1010 : 9299
1011 : 9294	1011 : 9295	1011 : 9296	1011 : 9297	1011 : 9298	1011 : 9299
1012 : 9294	1012 : 9295	1012 : 9296	1012 : 9297	1012 : 9298	1012 : 9299
1013 : 9294	1013 : 9295	1013 : 9296	1013 : 9297	1013 : 9298	1013 : 9299
1014 : 9294	1014 : 9295	1014 : 9296	1014 : 9297	1014 : 9298	1014 : 9299
1015 : 9294	1015 : 9295	1015 : 9296	1015 : 9297	1015 : 9298	1015 : 9299
1016 : 9294	1016 : 9295	1016 : 9296	1016 : 9297	1016 : 9298	1016 : 9299
2001 : 9294	2001 : 9295	2001 : 9296	2001 : 9297	2001 : 9298	2001 : 9299
2002 : 9294	2002 : 9295	2002 : 9296	2002 : 9297	2002 : 9298	2002 : 9299
2003 : 9294	2003 : 9295	2003 : 9296	2003 : 9297	2003 : 9298	2003 : 9299
2004 : 9294	2004 : 9295	2004 : 9296	2004 : 9297	2004 : 9298	2004 : 9299
2005 : 9294	2005 : 9295	2005 : 9296	2005 : 9297	2005 : 9298	2005 : 9299
2006 : 9294	2006 : 9295	2006 : 9296	2006 : 9297	2006 : 9298	2006 : 9299
2007 : 9294	2007 : 9295	2007 : 9296	2007 : 9297	2007 : 9298	2007 : 9299
2008 : 9294	2008 : 9295	2008 : 9296	2008 : 9297	2008 : 9298	2008 : 9299
2009 : 9294	2009 : 9295	2009 : 9296	2009 : 9297	2009 : 9298	2009 : 9299
2010 : 9294	2010 : 9295	2010 : 9296	2010 : 9297	2010 : 9298	2010 : 9299
2011 : 9294	2011 : 9295	2011 : 9296	2011 : 9297	2011 : 9298	2011 : 9299
2012 : 9294	2012 : 9295	2012 : 9296	2012 : 9297	2012 : 9298	2012 : 9299

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9300	1001 : 9301	1001 : 9302	1001 : 9303	1001 : 9304	1001 : 9305
1002 : 9300	1002 : 9301	1002 : 9302	1002 : 9303	1002 : 9304	1002 : 9305
1003 : 9300	1003 : 9301	1003 : 9302	1003 : 9303	1003 : 9304	1003 : 9305
1004 : 9300	1004 : 9301	1004 : 9302	1004 : 9303	1004 : 9304	1004 : 9305
1005 : 9300	1005 : 9301	1005 : 9302	1005 : 9303	1005 : 9304	1005 : 9305
1006 : 9300	1006 : 9301	1006 : 9302	1006 : 9303	1006 : 9304	1006 : 9305
1007 : 9300	1007 : 9301	1007 : 9302	1007 : 9303	1007 : 9304	1007 : 9305
1008 : 9300	1008 : 9301	1008 : 9302	1008 : 9303	1008 : 9304	1008 : 9305
1009 : 9300	1009 : 9301	1009 : 9302	1009 : 9303	1009 : 9304	1009 : 9305
1010 : 9300	1010 : 9301	1010 : 9302	1010 : 9303	1010 : 9304	1010 : 9305
1011 : 9300	1011 : 9301	1011 : 9302	1011 : 9303	1011 : 9304	1011 : 9305
1012 : 9300	1012 : 9301	1012 : 9302	1012 : 9303	1012 : 9304	1012 : 9305
1013 : 9300	1013 : 9301	1013 : 9302	1013 : 9303	1013 : 9304	1013 : 9305
1014 : 9300	1014 : 9301	1014 : 9302	1014 : 9303	1014 : 9304	1014 : 9305
1015 : 9300	1015 : 9301	1015 : 9302	1015 : 9303	1015 : 9304	1015 : 9305
1016 : 9300	1016 : 9301	1016 : 9302	1016 : 9303	1016 : 9304	1016 : 9305
2001 : 9300	2001 : 9301	2001 : 9302	2001 : 9303	2001 : 9304	2001 : 9305
2002 : 9300	2002 : 9301	2002 : 9302	2002 : 9303	2002 : 9304	2002 : 9305
2003 : 9300	2003 : 9301	2003 : 9302	2003 : 9303	2003 : 9304	2003 : 9305
2004 : 9300	2004 : 9301	2004 : 9302	2004 : 9303	2004 : 9304	2004 : 9305
2005 : 9300	2005 : 9301	2005 : 9302	2005 : 9303	2005 : 9304	2005 : 9305
2006 : 9300	2006 : 9301	2006 : 9302	2006 : 9303	2006 : 9304	2006 : 9305
2007 : 9300	2007 : 9301	2007 : 9302	2007 : 9303	2007 : 9304	2007 : 9305
2008 : 9300	2008 : 9301	2008 : 9302	2008 : 9303	2008 : 9304	2008 : 9305
2009 : 9300	2009 : 9301	2009 : 9302	2009 : 9303	2009 : 9304	2009 : 9305
2010 : 9300	2010 : 9301	2010 : 9302	2010 : 9303	2010 : 9304	2010 : 9305
2011 : 9300	2011 : 9301	2011 : 9302	2011 : 9303	2011 : 9304	2011 : 9305
2012 : 9300	2012 : 9301	2012 : 9302	2012 : 9303	2012 : 9304	2012 : 9305

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
1001 : 9306	1001 : 9307	1001 : 9308	1001 : 9309	1001 : 9310	
1002 : 9306	1002 : 9307	1002 : 9308	1002 : 9309	1002 : 9310	
1003 : 9306	1003 : 9307	1003 : 9308	1003 : 9309	1003 : 9310	
1004 : 9306	1004 : 9307	1004 : 9308	1004 : 9309	1004 : 9310	
1005 : 9306	1005 : 9307	1005 : 9308	1005 : 9309	1005 : 9310	
1006 : 9306	1006 : 9307	1006 : 9308	1006 : 9309	1006 : 9310	
1007 : 9306	1007 : 9307	1007 : 9308	1007 : 9309	1007 : 9310	
1008 : 9306	1008 : 9307	1008 : 9308	1008 : 9309	1008 : 9310	
1009 : 9306	1009 : 9307	1009 : 9308	1009 : 9309	1009 : 9310	
1010 : 9306	1010 : 9307	1010 : 9308	1010 : 9309	1010 : 9310	
1011 : 9306	1011 : 9307	1011 : 9308	1011 : 9309	1011 : 9310	
1012 : 9306	1012 : 9307	1012 : 9308	1012 : 9309	1012 : 9310	
1013 : 9306	1013 : 9307	1013 : 9308	1013 : 9309	1013 : 9310	
1014 : 9306	1014 : 9307	1014 : 9308	1014 : 9309	1014 : 9310	
1015 : 9306	1015 : 9307	1015 : 9308	1015 : 9309	1015 : 9310	--
1016 : 9306	1016 : 9307	1016 : 9308	1016 : 9309	1016 : 9310	
2001 : 9306	2001 : 9307	2001 : 9308	2001 : 9309	2001 : 9310	
2002 : 9306	2002 : 9307	2002 : 9308	2002 : 9309	2002 : 9310	
2003 : 9306	2003 : 9307	2003 : 9308	2003 : 9309	2003 : 9310	
2004 : 9306	2004 : 9307	2004 : 9308	2004 : 9309	2004 : 9310	
2005 : 9306	2005 : 9307	2005 : 9308	2005 : 9309	2005 : 9310	
2006 : 9306	2006 : 9307	2006 : 9308	2006 : 9309	2006 : 9310	
2007 : 9306	2007 : 9307	2007 : 9308	2007 : 9309	2007 : 9310	
2008 : 9306	2008 : 9307	2008 : 9308	2008 : 9309	2008 : 9310	
2009 : 9306	2009 : 9307	2009 : 9308	2009 : 9309	2009 : 9310	
2010 : 9306	2010 : 9307	2010 : 9308	2010 : 9309	2010 : 9310	
2011 : 9306	2011 : 9307	2011 : 9308	2011 : 9309	2011 : 9310	
2012 : 9306	2012 : 9307	2012 : 9308	2012 : 9309	2012 : 9310	

Table B: Example combinations of a compound X with a compound Y.

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9006	3002 : 9007	3002 : 9008	3002 : 9018	3002 : 9020	3002 : 9021
3003 : 9006	3003 : 9007	3003 : 9008	3003 : 9018	3003 : 9020	3003 : 9021
3004 : 9006	3004 : 9007	3004 : 9008	3004 : 9018	3004 : 9020	3004 : 9021
3005 : 9006	3005 : 9007	3005 : 9008	3005 : 9018	3005 : 9020	3005 : 9021
3006 : 9006	3006 : 9007	3006 : 9008	3006 : 9018	3006 : 9020	3006 : 9021
3007 : 9006	3007 : 9007	3007 : 9008	3007 : 9018	3007 : 9020	3007 : 9021
3008 : 9006	3008 : 9007	3008 : 9008	3008 : 9018	3008 : 9020	3008 : 9021
3009 : 9006	3009 : 9007	3009 : 9008	3009 : 9018	3009 : 9020	3009 : 9021
3010 : 9006	3010 : 9007	3010 : 9008	3010 : 9018	3010 : 9020	3010 : 9021
3011 : 9006	3011 : 9007	3011 : 9008	3011 : 9018	3011 : 9020	3011 : 9021
3012 : 9006	3012 : 9007	3012 : 9008	3012 : 9018	3012 : 9020	3012 : 9021
3013 : 9006	3013 : 9007	3013 : 9008	3013 : 9018	3013 : 9020	3013 : 9021
3014 : 9006	3014 : 9007	3014 : 9008	3014 : 9018	3014 : 9020	3014 : 9021
4001 : 9006	4001 : 9007	4001 : 9008	4001 : 9018	4001 : 9020	4001 : 9021
4002 : 9006	4002 : 9007	4002 : 9008	4002 : 9018	4002 : 9020	4002 : 9021
4003 : 9006	4003 : 9007	4003 : 9008	4003 : 9018	4003 : 9020	4003 : 9021
4004 : 9006	4004 : 9007	4004 : 9008	4004 : 9018	4004 : 9020	4004 : 9021
4005 : 9006	4005 : 9007	4005 : 9008	4005 : 9018	4005 : 9020	4005 : 9021
4006 : 9006	4006 : 9007	4006 : 9008	4006 : 9018	4006 : 9020	4006 : 9021
4007 : 9006	4007 : 9007	4007 : 9008	4007 : 9018	4007 : 9020	4007 : 9021
4008 : 9006	4008 : 9007	4008 : 9008	4008 : 9018	4008 : 9020	4008 : 9021
4009 : 9006	4009 : 9007	4009 : 9008	4009 : 9018	4009 : 9020	4009 : 9021
4010 : 9006	4010 : 9007	4010 : 9008	4010 : 9018	4010 : 9020	4010 : 9021
4011 : 9006	4011 : 9007	4011 : 9008	4011 : 9018	4011 : 9020	4011 : 9021
4012 : 9006	4012 : 9007	4012 : 9008	4012 : 9018	4012 : 9020	4012 : 9021
5001 : 9006	5001 : 9007	5001 : 9008	5001 : 9018	5001 : 9020	5001 : 9021
5002 : 9006	5002 : 9007	5002 : 9008	5002 : 9018	5002 : 9020	5002 : 9021
5003 : 9006	5003 : 9007	5003 : 9008	5003 : 9018	5003 : 9020	5003 : 9021
5004 : 9006	5004 : 9007	5004 : 9008	5004 : 9018	5004 : 9020	5004 : 9021
5005 : 9006	5005 : 9007	5005 : 9008	5005 : 9018	5005 : 9020	5005 : 9021
5006 : 9006	5006 : 9007	5006 : 9008	5006 : 9018	5006 : 9020	5006 : 9021
5007 : 9006	5007 : 9007	5007 : 9008	5007 : 9018	5007 : 9020	5007 : 9021
5008 : 9006	5008 : 9007	5008 : 9008	5008 : 9018	5008 : 9020	5008 : 9021
5009 : 9006	5009 : 9007	5009 : 9008	5009 : 9018	5009 : 9020	5009 : 9021
5010 : 9006	5010 : 9007	5010 : 9008	5010 : 9018	5010 : 9020	5010 : 9021
5011 : 9006	5011 : 9007	5011 : 9008	5011 : 9018	5011 : 9020	5011 : 9021

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9025	3002 : 9026	3002 : 9036	3002 : 9038	3002 : 9039	3002 : 9040
3003 : 9025	3003 : 9026	3003 : 9036	3003 : 9038	3003 : 9039	3003 : 9040
3004 : 9025	3004 : 9026	3004 : 9036	3004 : 9038	3004 : 9039	3004 : 9040
3005 : 9025	3005 : 9026	3005 : 9036	3005 : 9038	3005 : 9039	3005 : 9040
3006 : 9025	3006 : 9026	3006 : 9036	3006 : 9038	3006 : 9039	3006 : 9040
3007 : 9025	3007 : 9026	3007 : 9036	3007 : 9038	3007 : 9039	3007 : 9040
3008 : 9025	3008 : 9026	3008 : 9036	3008 : 9038	3008 : 9039	3008 : 9040
3009 : 9025	3009 : 9026	3009 : 9036	3009 : 9038	3009 : 9039	3009 : 9040
3010 : 9025	3010 : 9026	3010 : 9036	3010 : 9038	3010 : 9039	3010 : 9040
3011 : 9025	3011 : 9026	3011 : 9036	3011 : 9038	3011 : 9039	3011 : 9040
3012 : 9025	3012 : 9026	3012 : 9036	3012 : 9038	3012 : 9039	3012 : 9040
3013 : 9025	3013 : 9026	3013 : 9036	3013 : 9038	3013 : 9039	3013 : 9040
3014 : 9025	3014 : 9026	3014 : 9036	3014 : 9038	3014 : 9039	3014 : 9040
4001 : 9025	4001 : 9026	4001 : 9036	4001 : 9038	4001 : 9039	4001 : 9040
4002 : 9025	4002 : 9026	4002 : 9036	4002 : 9038	4002 : 9039	4002 : 9040
4003 : 9025	4003 : 9026	4003 : 9036	4003 : 9038	4003 : 9039	4003 : 9040
4004 : 9025	4004 : 9026	4004 : 9036	4004 : 9038	4004 : 9039	4004 : 9040
4005 : 9025	4005 : 9026	4005 : 9036	4005 : 9038	4005 : 9039	4005 : 9040
4006 : 9025	4006 : 9026	4006 : 9036	4006 : 9038	4006 : 9039	4006 : 9040
4007 : 9025	4007 : 9026	4007 : 9036	4007 : 9038	4007 : 9039	4007 : 9040
4008 : 9025	4008 : 9026	4008 : 9036	4008 : 9038	4008 : 9039	4008 : 9040
4009 : 9025	4009 : 9026	4009 : 9036	4009 : 9038	4009 : 9039	4009 : 9040
4010 : 9025	4010 : 9026	4010 : 9036	4010 : 9038	4010 : 9039	4010 : 9040
4011 : 9025	4011 : 9026	4011 : 9036	4011 : 9038	4011 : 9039	4011 : 9040
4012 : 9025	4012 : 9026	4012 : 9036	4012 : 9038	4012 : 9039	4012 : 9040
5001 : 9025	5001 : 9026	5001 : 9036	5001 : 9038	5001 : 9039	5001 : 9040
5002 : 9025	5002 : 9026	5002 : 9036	5002 : 9038	5002 : 9039	5002 : 9040
5003 : 9025	5003 : 9026	5003 : 9036	5003 : 9038	5003 : 9039	5003 : 9040
5004 : 9025	5004 : 9026	5004 : 9036	5004 : 9038	5004 : 9039	5004 : 9040
5005 : 9025	5005 : 9026	5005 : 9036	5005 : 9038	5005 : 9039	5005 : 9040
5006 : 9025	5006 : 9026	5006 : 9036	5006 : 9038	5006 : 9039	5006 : 9040
5007 : 9025	5007 : 9026	5007 : 9036	5007 : 9038	5007 : 9039	5007 : 9040
5008 : 9025	5008 : 9026	5008 : 9036	5008 : 9038	5008 : 9039	5008 : 9040
5009 : 9025	5009 : 9026	5009 : 9036	5009 : 9038	5009 : 9039	5009 : 9040
5010 : 9025	5010 : 9026	5010 : 9036	5010 : 9038	5010 : 9039	5010 : 9040
5011 : 9025	5011 : 9026	5011 : 9036	5011 : 9038	5011 : 9039	5011 : 9040

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9041	3002 : 9042	3002 : 9043	3002 : 9044	3002 : 9045	3002 : 9047
3003 : 9041	3003 : 9042	3003 : 9043	3003 : 9044	3003 : 9045	3003 : 9047
3004 : 9041	3004 : 9042	3004 : 9043	3004 : 9044	3004 : 9045	3004 : 9047
3005 : 9041	3005 : 9042	3005 : 9043	3005 : 9044	3005 : 9045	3005 : 9047
3006 : 9041	3006 : 9042	3006 : 9043	3006 : 9044	3006 : 9045	3006 : 9047
3007 : 9041	3007 : 9042	3007 : 9043	3007 : 9044	3007 : 9045	3007 : 9047
3008 : 9041	3008 : 9042	3008 : 9043	3008 : 9044	3008 : 9045	3008 : 9047
3009 : 9041	3009 : 9042	3009 : 9043	3009 : 9044	3009 : 9045	3009 : 9047
3010 : 9041	3010 : 9042	3010 : 9043	3010 : 9044	3010 : 9045	3010 : 9047
3011 : 9041	3011 : 9042	3011 : 9043	3011 : 9044	3011 : 9045	3011 : 9047
3012 : 9041	3012 : 9042	3012 : 9043	3012 : 9044	3012 : 9045	3012 : 9047
3013 : 9041	3013 : 9042	3013 : 9043	3013 : 9044	3013 : 9045	3013 : 9047
3014 : 9041	3014 : 9042	3014 : 9043	3014 : 9044	3014 : 9045	3014 : 9047
4001 : 9041	4001 : 9042	4001 : 9043	4001 : 9044	4001 : 9045	4001 : 9047
4002 : 9041	4002 : 9042	4002 : 9043	4002 : 9044	4002 : 9045	4002 : 9047
4003 : 9041	4003 : 9042	4003 : 9043	4003 : 9044	4003 : 9045	4003 : 9047
4004 : 9041	4004 : 9042	4004 : 9043	4004 : 9044	4004 : 9045	4004 : 9047
4005 : 9041	4005 : 9042	4005 : 9043	4005 : 9044	4005 : 9045	4005 : 9047
4006 : 9041	4006 : 9042	4006 : 9043	4006 : 9044	4006 : 9045	4006 : 9047
4007 : 9041	4007 : 9042	4007 : 9043	4007 : 9044	4007 : 9045	4007 : 9047
4008 : 9041	4008 : 9042	4008 : 9043	4008 : 9044	4008 : 9045	4008 : 9047
4009 : 9041	4009 : 9042	4009 : 9043	4009 : 9044	4009 : 9045	4009 : 9047
4010 : 9041	4010 : 9042	4010 : 9043	4010 : 9044	4010 : 9045	4010 : 9047
4011 : 9041	4011 : 9042	4011 : 9043	4011 : 9044	4011 : 9045	4011 : 9047
4012 : 9041	4012 : 9042	4012 : 9043	4012 : 9044	4012 : 9045	4012 : 9047
5001 : 9041	5001 : 9042	5001 : 9043	5001 : 9044	5001 : 9045	5001 : 9047
5002 : 9041	5002 : 9042	5002 : 9043	5002 : 9044	5002 : 9045	5002 : 9047
5003 : 9041	5003 : 9042	5003 : 9043	5003 : 9044	5003 : 9045	5003 : 9047
5004 : 9041	5004 : 9042	5004 : 9043	5004 : 9044	5004 : 9045	5004 : 9047
5005 : 9041	5005 : 9042	5005 : 9043	5005 : 9044	5005 : 9045	5005 : 9047
5006 : 9041	5006 : 9042	5006 : 9043	5006 : 9044	5006 : 9045	5006 : 9047
5007 : 9041	5007 : 9042	5007 : 9043	5007 : 9044	5007 : 9045	5007 : 9047
5008 : 9041	5008 : 9042	5008 : 9043	5008 : 9044	5008 : 9045	5008 : 9047
5009 : 9041	5009 : 9042	5009 : 9043	5009 : 9044	5009 : 9045	5009 : 9047
5010 : 9041	5010 : 9042	5010 : 9043	5010 : 9044	5010 : 9045	5010 : 9047
5011 : 9041	5011 : 9042	5011 : 9043	5011 : 9044	5011 : 9045	5011 : 9047

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9048	3002 : 9049	3002 : 9051	3002 : 9052	3002 : 9053	3002 : 9054
3003 : 9048	3003 : 9049	3003 : 9051	3003 : 9052	3003 : 9053	3003 : 9054
3004 : 9048	3004 : 9049	3004 : 9051	3004 : 9052	3004 : 9053	3004 : 9054
3005 : 9048	3005 : 9049	3005 : 9051	3005 : 9052	3005 : 9053	3005 : 9054
3006 : 9048	3006 : 9049	3006 : 9051	3006 : 9052	3006 : 9053	3006 : 9054
3007 : 9048	3007 : 9049	3007 : 9051	3007 : 9052	3007 : 9053	3007 : 9054
3008 : 9048	3008 : 9049	3008 : 9051	3008 : 9052	3008 : 9053	3008 : 9054
3009 : 9048	3009 : 9049	3009 : 9051	3009 : 9052	3009 : 9053	3009 : 9054
3010 : 9048	3010 : 9049	3010 : 9051	3010 : 9052	3010 : 9053	3010 : 9054
3011 : 9048	3011 : 9049	3011 : 9051	3011 : 9052	3011 : 9053	3011 : 9054
3012 : 9048	3012 : 9049	3012 : 9051	3012 : 9052	3012 : 9053	3012 : 9054
3013 : 9048	3013 : 9049	3013 : 9051	3013 : 9052	3013 : 9053	3013 : 9054
3014 : 9048	3014 : 9049	3014 : 9051	3014 : 9052	3014 : 9053	3014 : 9054
4001 : 9048	4001 : 9049	4001 : 9051	4001 : 9052	4001 : 9053	4001 : 9054
4002 : 9048	4002 : 9049	4002 : 9051	4002 : 9052	4002 : 9053	4002 : 9054
4003 : 9048	4003 : 9049	4003 : 9051	4003 : 9052	4003 : 9053	4003 : 9054
4004 : 9048	4004 : 9049	4004 : 9051	4004 : 9052	4004 : 9053	4004 : 9054
4005 : 9048	4005 : 9049	4005 : 9051	4005 : 9052	4005 : 9053	4005 : 9054
4006 : 9048	4006 : 9049	4006 : 9051	4006 : 9052	4006 : 9053	4006 : 9054
4007 : 9048	4007 : 9049	4007 : 9051	4007 : 9052	4007 : 9053	4007 : 9054
4008 : 9048	4008 : 9049	4008 : 9051	4008 : 9052	4008 : 9053	4008 : 9054
4009 : 9048	4009 : 9049	4009 : 9051	4009 : 9052	4009 : 9053	4009 : 9054
4010 : 9048	4010 : 9049	4010 : 9051	4010 : 9052	4010 : 9053	4010 : 9054
4011 : 9048	4011 : 9049	4011 : 9051	4011 : 9052	4011 : 9053	4011 : 9054
4012 : 9048	4012 : 9049	4012 : 9051	4012 : 9052	4012 : 9053	4012 : 9054
5001 : 9048	5001 : 9049	5001 : 9051	5001 : 9052	5001 : 9053	5001 : 9054
5002 : 9048	5002 : 9049	5002 : 9051	5002 : 9052	5002 : 9053	5002 : 9054
5003 : 9048	5003 : 9049	5003 : 9051	5003 : 9052	5003 : 9053	5003 : 9054
5004 : 9048	5004 : 9049	5004 : 9051	5004 : 9052	5004 : 9053	5004 : 9054
5005 : 9048	5005 : 9049	5005 : 9051	5005 : 9052	5005 : 9053	5005 : 9054
5006 : 9048	5006 : 9049	5006 : 9051	5006 : 9052	5006 : 9053	5006 : 9054
5007 : 9048	5007 : 9049	5007 : 9051	5007 : 9052	5007 : 9053	5007 : 9054
5008 : 9048	5008 : 9049	5008 : 9051	5008 : 9052	5008 : 9053	5008 : 9054
5009 : 9048	5009 : 9049	5009 : 9051	5009 : 9052	5009 : 9053	5009 : 9054
5010 : 9048	5010 : 9049	5010 : 9051	5010 : 9052	5010 : 9053	5010 : 9054
5011 : 9048	5011 : 9049	5011 : 9051	5011 : 9052	5011 : 9053	5011 : 9054

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9055	3002 : 9056	3002 : 9058	3002 : 9060	3002 : 9061	3002 : 9062
3003 : 9055	3003 : 9056	3003 : 9058	3003 : 9060	3003 : 9061	3003 : 9062
3004 : 9055	3004 : 9056	3004 : 9058	3004 : 9060	3004 : 9061	3004 : 9062
3005 : 9055	3005 : 9056	3005 : 9058	3005 : 9060	3005 : 9061	3005 : 9062
3006 : 9055	3006 : 9056	3006 : 9058	3006 : 9060	3006 : 9061	3006 : 9062
3007 : 9055	3007 : 9056	3007 : 9058	3007 : 9060	3007 : 9061	3007 : 9062
3008 : 9055	3008 : 9056	3008 : 9058	3008 : 9060	3008 : 9061	3008 : 9062
3009 : 9055	3009 : 9056	3009 : 9058	3009 : 9060	3009 : 9061	3009 : 9062
3010 : 9055	3010 : 9056	3010 : 9058	3010 : 9060	3010 : 9061	3010 : 9062
3011 : 9055	3011 : 9056	3011 : 9058	3011 : 9060	3011 : 9061	3011 : 9062
3012 : 9055	3012 : 9056	3012 : 9058	3012 : 9060	3012 : 9061	3012 : 9062
3013 : 9055	3013 : 9056	3013 : 9058	3013 : 9060	3013 : 9061	3013 : 9062
3014 : 9055	3014 : 9056	3014 : 9058	3014 : 9060	3014 : 9061	3014 : 9062
4001 : 9055	4001 : 9056	4001 : 9058	4001 : 9060	4001 : 9061	4001 : 9062
4002 : 9055	4002 : 9056	4002 : 9058	4002 : 9060	4002 : 9061	4002 : 9062
4003 : 9055	4003 : 9056	4003 : 9058	4003 : 9060	4003 : 9061	4003 : 9062
4004 : 9055	4004 : 9056	4004 : 9058	4004 : 9060	4004 : 9061	4004 : 9062
4005 : 9055	4005 : 9056	4005 : 9058	4005 : 9060	4005 : 9061	4005 : 9062
4006 : 9055	4006 : 9056	4006 : 9058	4006 : 9060	4006 : 9061	4006 : 9062
4007 : 9055	4007 : 9056	4007 : 9058	4007 : 9060	4007 : 9061	4007 : 9062
4008 : 9055	4008 : 9056	4008 : 9058	4008 : 9060	4008 : 9061	4008 : 9062
4009 : 9055	4009 : 9056	4009 : 9058	4009 : 9060	4009 : 9061	4009 : 9062
4010 : 9055	4010 : 9056	4010 : 9058	4010 : 9060	4010 : 9061	4010 : 9062
4011 : 9055	4011 : 9056	4011 : 9058	4011 : 9060	4011 : 9061	4011 : 9062
4012 : 9055	4012 : 9056	4012 : 9058	4012 : 9060	4012 : 9061	4012 : 9062
5001 : 9055	5001 : 9056	5001 : 9058	5001 : 9060	5001 : 9061	5001 : 9062
5002 : 9055	5002 : 9056	5002 : 9058	5002 : 9060	5002 : 9061	5002 : 9062
5003 : 9055	5003 : 9056	5003 : 9058	5003 : 9060	5003 : 9061	5003 : 9062
5004 : 9055	5004 : 9056	5004 : 9058	5004 : 9060	5004 : 9061	5004 : 9062
5005 : 9055	5005 : 9056	5005 : 9058	5005 : 9060	5005 : 9061	5005 : 9062
5006 : 9055	5006 : 9056	5006 : 9058	5006 : 9060	5006 : 9061	5006 : 9062
5007 : 9055	5007 : 9056	5007 : 9058	5007 : 9060	5007 : 9061	5007 : 9062
5008 : 9055	5008 : 9056	5008 : 9058	5008 : 9060	5008 : 9061	5008 : 9062
5009 : 9055	5009 : 9056	5009 : 9058	5009 : 9060	5009 : 9061	5009 : 9062
5010 : 9055	5010 : 9056	5010 : 9058	5010 : 9060	5010 : 9061	5010 : 9062
5011 : 9055	5011 : 9056	5011 : 9058	5011 : 9060	5011 : 9061	5011 : 9062

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9063	3002 : 9064	3002 : 9065	3002 : 9066	3002 : 9067	3002 : 9068
3003 : 9063	3003 : 9064	3003 : 9065	3003 : 9066	3003 : 9067	3003 : 9068
3004 : 9063	3004 : 9064	3004 : 9065	3004 : 9066	3004 : 9067	3004 : 9068
3005 : 9063	3005 : 9064	3005 : 9065	3005 : 9066	3005 : 9067	3005 : 9068
3006 : 9063	3006 : 9064	3006 : 9065	3006 : 9066	3006 : 9067	3006 : 9068
3007 : 9063	3007 : 9064	3007 : 9065	3007 : 9066	3007 : 9067	3007 : 9068
3008 : 9063	3008 : 9064	3008 : 9065	3008 : 9066	3008 : 9067	3008 : 9068
3009 : 9063	3009 : 9064	3009 : 9065	3009 : 9066	3009 : 9067	3009 : 9068
3010 : 9063	3010 : 9064	3010 : 9065	3010 : 9066	3010 : 9067	3010 : 9068
3011 : 9063	3011 : 9064	3011 : 9065	3011 : 9066	3011 : 9067	3011 : 9068
3012 : 9063	3012 : 9064	3012 : 9065	3012 : 9066	3012 : 9067	3012 : 9068
3013 : 9063	3013 : 9064	3013 : 9065	3013 : 9066	3013 : 9067	3013 : 9068
3014 : 9063	3014 : 9064	3014 : 9065	3014 : 9066	3014 : 9067	3014 : 9068
4001 : 9063	4001 : 9064	4001 : 9065	4001 : 9066	4001 : 9067	4001 : 9068
4002 : 9063	4002 : 9064	4002 : 9065	4002 : 9066	4002 : 9067	4002 : 9068
4003 : 9063	4003 : 9064	4003 : 9065	4003 : 9066	4003 : 9067	4003 : 9068
4004 : 9063	4004 : 9064	4004 : 9065	4004 : 9066	4004 : 9067	4004 : 9068
4005 : 9063	4005 : 9064	4005 : 9065	4005 : 9066	4005 : 9067	4005 : 9068
4006 : 9063	4006 : 9064	4006 : 9065	4006 : 9066	4006 : 9067	4006 : 9068
4007 : 9063	4007 : 9064	4007 : 9065	4007 : 9066	4007 : 9067	4007 : 9068
4008 : 9063	4008 : 9064	4008 : 9065	4008 : 9066	4008 : 9067	4008 : 9068
4009 : 9063	4009 : 9064	4009 : 9065	4009 : 9066	4009 : 9067	4009 : 9068
4010 : 9063	4010 : 9064	4010 : 9065	4010 : 9066	4010 : 9067	4010 : 9068
4011 : 9063	4011 : 9064	4011 : 9065	4011 : 9066	4011 : 9067	4011 : 9068
4012 : 9063	4012 : 9064	4012 : 9065	4012 : 9066	4012 : 9067	4012 : 9068
5001 : 9063	5001 : 9064	5001 : 9065	5001 : 9066	5001 : 9067	5001 : 9068
5002 : 9063	5002 : 9064	5002 : 9065	5002 : 9066	5002 : 9067	5002 : 9068
5003 : 9063	5003 : 9064	5003 : 9065	5003 : 9066	5003 : 9067	5003 : 9068
5004 : 9063	5004 : 9064	5004 : 9065	5004 : 9066	5004 : 9067	5004 : 9068
5005 : 9063	5005 : 9064	5005 : 9065	5005 : 9066	5005 : 9067	5005 : 9068
5006 : 9063	5006 : 9064	5006 : 9065	5006 : 9066	5006 : 9067	5006 : 9068
5007 : 9063	5007 : 9064	5007 : 9065	5007 : 9066	5007 : 9067	5007 : 9068
5008 : 9063	5008 : 9064	5008 : 9065	5008 : 9066	5008 : 9067	5008 : 9068
5009 : 9063	5009 : 9064	5009 : 9065	5009 : 9066	5009 : 9067	5009 : 9068
5010 : 9063	5010 : 9064	5010 : 9065	5010 : 9066	5010 : 9067	5010 : 9068
5011 : 9063	5011 : 9064	5011 : 9065	5011 : 9066	5011 : 9067	5011 : 9068

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9069	3002 : 9070	3002 : 9071	3002 : 9072	3002 : 9073	3002 : 9074
3003 : 9069	3003 : 9070	3003 : 9071	3003 : 9072	3003 : 9073	3003 : 9074
3004 : 9069	3004 : 9070	3004 : 9071	3004 : 9072	3004 : 9073	3004 : 9074
3005 : 9069	3005 : 9070	3005 : 9071	3005 : 9072	3005 : 9073	3005 : 9074
3006 : 9069	3006 : 9070	3006 : 9071	3006 : 9072	3006 : 9073	3006 : 9074
3007 : 9069	3007 : 9070	3007 : 9071	3007 : 9072	3007 : 9073	3007 : 9074
3008 : 9069	3008 : 9070	3008 : 9071	3008 : 9072	3008 : 9073	3008 : 9074
3009 : 9069	3009 : 9070	3009 : 9071	3009 : 9072	3009 : 9073	3009 : 9074
3010 : 9069	3010 : 9070	3010 : 9071	3010 : 9072	3010 : 9073	3010 : 9074
3011 : 9069	3011 : 9070	3011 : 9071	3011 : 9072	3011 : 9073	3011 : 9074
3012 : 9069	3012 : 9070	3012 : 9071	3012 : 9072	3012 : 9073	3012 : 9074
3013 : 9069	3013 : 9070	3013 : 9071	3013 : 9072	3013 : 9073	3013 : 9074
3014 : 9069	3014 : 9070	3014 : 9071	3014 : 9072	3014 : 9073	3014 : 9074
4001 : 9069	4001 : 9070	4001 : 9071	4001 : 9072	4001 : 9073	4001 : 9074
4002 : 9069	4002 : 9070	4002 : 9071	4002 : 9072	4002 : 9073	4002 : 9074
4003 : 9069	4003 : 9070	4003 : 9071	4003 : 9072	4003 : 9073	4003 : 9074
4004 : 9069	4004 : 9070	4004 : 9071	4004 : 9072	4004 : 9073	4004 : 9074
4005 : 9069	4005 : 9070	4005 : 9071	4005 : 9072	4005 : 9073	4005 : 9074
4006 : 9069	4006 : 9070	4006 : 9071	4006 : 9072	4006 : 9073	4006 : 9074
4007 : 9069	4007 : 9070	4007 : 9071	4007 : 9072	4007 : 9073	4007 : 9074
4008 : 9069	4008 : 9070	4008 : 9071	4008 : 9072	4008 : 9073	4008 : 9074
4009 : 9069	4009 : 9070	4009 : 9071	4009 : 9072	4009 : 9073	4009 : 9074
4010 : 9069	4010 : 9070	4010 : 9071	4010 : 9072	4010 : 9073	4010 : 9074
4011 : 9069	4011 : 9070	4011 : 9071	4011 : 9072	4011 : 9073	4011 : 9074
4012 : 9069	4012 : 9070	4012 : 9071	4012 : 9072	4012 : 9073	4012 : 9074
5001 : 9069	5001 : 9070	5001 : 9071	5001 : 9072	5001 : 9073	5001 : 9074
5002 : 9069	5002 : 9070	5002 : 9071	5002 : 9072	5002 : 9073	5002 : 9074
5003 : 9069	5003 : 9070	5003 : 9071	5003 : 9072	5003 : 9073	5003 : 9074
5004 : 9069	5004 : 9070	5004 : 9071	5004 : 9072	5004 : 9073	5004 : 9074
5005 : 9069	5005 : 9070	5005 : 9071	5005 : 9072	5005 : 9073	5005 : 9074
5006 : 9069	5006 : 9070	5006 : 9071	5006 : 9072	5006 : 9073	5006 : 9074
5007 : 9069	5007 : 9070	5007 : 9071	5007 : 9072	5007 : 9073	5007 : 9074
5008 : 9069	5008 : 9070	5008 : 9071	5008 : 9072	5008 : 9073	5008 : 9074
5009 : 9069	5009 : 9070	5009 : 9071	5009 : 9072	5009 : 9073	5009 : 9074
5010 : 9069	5010 : 9070	5010 : 9071	5010 : 9072	5010 : 9073	5010 : 9074
5011 : 9069	5011 : 9070	5011 : 9071	5011 : 9072	5011 : 9073	5011 : 9074

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9075	3002 : 9076	3002 : 9077	3002 : 9078	3002 : 9079	3002 : 9080
3003 : 9075	3003 : 9076	3003 : 9077	3003 : 9078	3003 : 9079	3003 : 9080
3004 : 9075	3004 : 9076	3004 : 9077	3004 : 9078	3004 : 9079	3004 : 9080
3005 : 9075	3005 : 9076	3005 : 9077	3005 : 9078	3005 : 9079	3005 : 9080
3006 : 9075	3006 : 9076	3006 : 9077	3006 : 9078	3006 : 9079	3006 : 9080
3007 : 9075	3007 : 9076	3007 : 9077	3007 : 9078	3007 : 9079	3007 : 9080
3008 : 9075	3008 : 9076	3008 : 9077	3008 : 9078	3008 : 9079	3008 : 9080
3009 : 9075	3009 : 9076	3009 : 9077	3009 : 9078	3009 : 9079	3009 : 9080
3010 : 9075	3010 : 9076	3010 : 9077	3010 : 9078	3010 : 9079	3010 : 9080
3011 : 9075	3011 : 9076	3011 : 9077	3011 : 9078	3011 : 9079	3011 : 9080
3012 : 9075	3012 : 9076	3012 : 9077	3012 : 9078	3012 : 9079	3012 : 9080
3013 : 9075	3013 : 9076	3013 : 9077	3013 : 9078	3013 : 9079	3013 : 9080
3014 : 9075	3014 : 9076	3014 : 9077	3014 : 9078	3014 : 9079	3014 : 9080
4001 : 9075	4001 : 9076	4001 : 9077	4001 : 9078	4001 : 9079	4001 : 9080
4002 : 9075	4002 : 9076	4002 : 9077	4002 : 9078	4002 : 9079	4002 : 9080
4003 : 9075	4003 : 9076	4003 : 9077	4003 : 9078	4003 : 9079	4003 : 9080
4004 : 9075	4004 : 9076	4004 : 9077	4004 : 9078	4004 : 9079	4004 : 9080
4005 : 9075	4005 : 9076	4005 : 9077	4005 : 9078	4005 : 9079	4005 : 9080
4006 : 9075	4006 : 9076	4006 : 9077	4006 : 9078	4006 : 9079	4006 : 9080
4007 : 9075	4007 : 9076	4007 : 9077	4007 : 9078	4007 : 9079	4007 : 9080
4008 : 9075	4008 : 9076	4008 : 9077	4008 : 9078	4008 : 9079	4008 : 9080
4009 : 9075	4009 : 9076	4009 : 9077	4009 : 9078	4009 : 9079	4009 : 9080
4010 : 9075	4010 : 9076	4010 : 9077	4010 : 9078	4010 : 9079	4010 : 9080
4011 : 9075	4011 : 9076	4011 : 9077	4011 : 9078	4011 : 9079	4011 : 9080
4012 : 9075	4012 : 9076	4012 : 9077	4012 : 9078	4012 : 9079	4012 : 9080
5001 : 9075	5001 : 9076	5001 : 9077	5001 : 9078	5001 : 9079	5001 : 9080
5002 : 9075	5002 : 9076	5002 : 9077	5002 : 9078	5002 : 9079	5002 : 9080
5003 : 9075	5003 : 9076	5003 : 9077	5003 : 9078	5003 : 9079	5003 : 9080
5004 : 9075	5004 : 9076	5004 : 9077	5004 : 9078	5004 : 9079	5004 : 9080
5005 : 9075	5005 : 9076	5005 : 9077	5005 : 9078	5005 : 9079	5005 : 9080
5006 : 9075	5006 : 9076	5006 : 9077	5006 : 9078	5006 : 9079	5006 : 9080
5007 : 9075	5007 : 9076	5007 : 9077	5007 : 9078	5007 : 9079	5007 : 9080
5008 : 9075	5008 : 9076	5008 : 9077	5008 : 9078	5008 : 9079	5008 : 9080
5009 : 9075	5009 : 9076	5009 : 9077	5009 : 9078	5009 : 9079	5009 : 9080
5010 : 9075	5010 : 9076	5010 : 9077	5010 : 9078	5010 : 9079	5010 : 9080
5011 : 9075	5011 : 9076	5011 : 9077	5011 : 9078	5011 : 9079	5011 : 9080

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9081	3002 : 9082	3002 : 9083	3002 : 9084	3002 : 9085	3002 : 9086
3003 : 9081	3003 : 9082	3003 : 9083	3003 : 9084	3003 : 9085	3003 : 9086
3004 : 9081	3004 : 9082	3004 : 9083	3004 : 9084	3004 : 9085	3004 : 9086
3005 : 9081	3005 : 9082	3005 : 9083	3005 : 9084	3005 : 9085	3005 : 9086
3006 : 9081	3006 : 9082	3006 : 9083	3006 : 9084	3006 : 9085	3006 : 9086
3007 : 9081	3007 : 9082	3007 : 9083	3007 : 9084	3007 : 9085	3007 : 9086
3008 : 9081	3008 : 9082	3008 : 9083	3008 : 9084	3008 : 9085	3008 : 9086
3009 : 9081	3009 : 9082	3009 : 9083	3009 : 9084	3009 : 9085	3009 : 9086
3010 : 9081	3010 : 9082	3010 : 9083	3010 : 9084	3010 : 9085	3010 : 9086
3011 : 9081	3011 : 9082	3011 : 9083	3011 : 9084	3011 : 9085	3011 : 9086
3012 : 9081	3012 : 9082	3012 : 9083	3012 : 9084	3012 : 9085	3012 : 9086
3013 : 9081	3013 : 9082	3013 : 9083	3013 : 9084	3013 : 9085	3013 : 9086
3014 : 9081	3014 : 9082	3014 : 9083	3014 : 9084	3014 : 9085	3014 : 9086
4001 : 9081	4001 : 9082	4001 : 9083	4001 : 9084	4001 : 9085	4001 : 9086
4002 : 9081	4002 : 9082	4002 : 9083	4002 : 9084	4002 : 9085	4002 : 9086
4003 : 9081	4003 : 9082	4003 : 9083	4003 : 9084	4003 : 9085	4003 : 9086
4004 : 9081	4004 : 9082	4004 : 9083	4004 : 9084	4004 : 9085	4004 : 9086
4005 : 9081	4005 : 9082	4005 : 9083	4005 : 9084	4005 : 9085	4005 : 9086
4006 : 9081	4006 : 9082	4006 : 9083	4006 : 9084	4006 : 9085	4006 : 9086
4007 : 9081	4007 : 9082	4007 : 9083	4007 : 9084	4007 : 9085	4007 : 9086
4008 : 9081	4008 : 9082	4008 : 9083	4008 : 9084	4008 : 9085	4008 : 9086
4009 : 9081	4009 : 9082	4009 : 9083	4009 : 9084	4009 : 9085	4009 : 9086
4010 : 9081	4010 : 9082	4010 : 9083	4010 : 9084	4010 : 9085	4010 : 9086
4011 : 9081	4011 : 9082	4011 : 9083	4011 : 9084	4011 : 9085	4011 : 9086
4012 : 9081	4012 : 9082	4012 : 9083	4012 : 9084	4012 : 9085	4012 : 9086
5001 : 9081	5001 : 9082	5001 : 9083	5001 : 9084	5001 : 9085	5001 : 9086
5002 : 9081	5002 : 9082	5002 : 9083	5002 : 9084	5002 : 9085	5002 : 9086
5003 : 9081	5003 : 9082	5003 : 9083	5003 : 9084	5003 : 9085	5003 : 9086
5004 : 9081	5004 : 9082	5004 : 9083	5004 : 9084	5004 : 9085	5004 : 9086
5005 : 9081	5005 : 9082	5005 : 9083	5005 : 9084	5005 : 9085	5005 : 9086
5006 : 9081	5006 : 9082	5006 : 9083	5006 : 9084	5006 : 9085	5006 : 9086
5007 : 9081	5007 : 9082	5007 : 9083	5007 : 9084	5007 : 9085	5007 : 9086
5008 : 9081	5008 : 9082	5008 : 9083	5008 : 9084	5008 : 9085	5008 : 9086
5009 : 9081	5009 : 9082	5009 : 9083	5009 : 9084	5009 : 9085	5009 : 9086
5010 : 9081	5010 : 9082	5010 : 9083	5010 : 9084	5010 : 9085	5010 : 9086
5011 : 9081	5011 : 9082	5011 : 9083	5011 : 9084	5011 : 9085	5011 : 9086

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9088	3002 : 9089	3002 : 9094	3002 : 9095	3002 : 9096	3002 : 9097
3003 : 9088	3003 : 9089	3003 : 9094	3003 : 9095	3003 : 9096	3003 : 9097
3004 : 9088	3004 : 9089	3004 : 9094	3004 : 9095	3004 : 9096	3004 : 9097
3005 : 9088	3005 : 9089	3005 : 9094	3005 : 9095	3005 : 9096	3005 : 9097
3006 : 9088	3006 : 9089	3006 : 9094	3006 : 9095	3006 : 9096	3006 : 9097
3007 : 9088	3007 : 9089	3007 : 9094	3007 : 9095	3007 : 9096	3007 : 9097
3008 : 9088	3008 : 9089	3008 : 9094	3008 : 9095	3008 : 9096	3008 : 9097
3009 : 9088	3009 : 9089	3009 : 9094	3009 : 9095	3009 : 9096	3009 : 9097
3010 : 9088	3010 : 9089	3010 : 9094	3010 : 9095	3010 : 9096	3010 : 9097
3011 : 9088	3011 : 9089	3011 : 9094	3011 : 9095	3011 : 9096	3011 : 9097
3012 : 9088	3012 : 9089	3012 : 9094	3012 : 9095	3012 : 9096	3012 : 9097
3013 : 9088	3013 : 9089	3013 : 9094	3013 : 9095	3013 : 9096	3013 : 9097
3014 : 9088	3014 : 9089	3014 : 9094	3014 : 9095	3014 : 9096	3014 : 9097
4001 : 9088	4001 : 9089	4001 : 9094	4001 : 9095	4001 : 9096	4001 : 9097
4002 : 9088	4002 : 9089	4002 : 9094	4002 : 9095	4002 : 9096	4002 : 9097
4003 : 9088	4003 : 9089	4003 : 9094	4003 : 9095	4003 : 9096	4003 : 9097
4004 : 9088	4004 : 9089	4004 : 9094	4004 : 9095	4004 : 9096	4004 : 9097
4005 : 9088	4005 : 9089	4005 : 9094	4005 : 9095	4005 : 9096	4005 : 9097
4006 : 9088	4006 : 9089	4006 : 9094	4006 : 9095	4006 : 9096	4006 : 9097
4007 : 9088	4007 : 9089	4007 : 9094	4007 : 9095	4007 : 9096	4007 : 9097
4008 : 9088	4008 : 9089	4008 : 9094	4008 : 9095	4008 : 9096	4008 : 9097
4009 : 9088	4009 : 9089	4009 : 9094	4009 : 9095	4009 : 9096	4009 : 9097
4010 : 9088	4010 : 9089	4010 : 9094	4010 : 9095	4010 : 9096	4010 : 9097
4011 : 9088	4011 : 9089	4011 : 9094	4011 : 9095	4011 : 9096	4011 : 9097
4012 : 9088	4012 : 9089	4012 : 9094	4012 : 9095	4012 : 9096	4012 : 9097
5001 : 9088	5001 : 9089	5001 : 9094	5001 : 9095	5001 : 9096	5001 : 9097
5002 : 9088	5002 : 9089	5002 : 9094	5002 : 9095	5002 : 9096	5002 : 9097
5003 : 9088	5003 : 9089	5003 : 9094	5003 : 9095	5003 : 9096	5003 : 9097
5004 : 9088	5004 : 9089	5004 : 9094	5004 : 9095	5004 : 9096	5004 : 9097
5005 : 9088	5005 : 9089	5005 : 9094	5005 : 9095	5005 : 9096	5005 : 9097
5006 : 9088	5006 : 9089	5006 : 9094	5006 : 9095	5006 : 9096	5006 : 9097
5007 : 9088	5007 : 9089	5007 : 9094	5007 : 9095	5007 : 9096	5007 : 9097
5008 : 9088	5008 : 9089	5008 : 9094	5008 : 9095	5008 : 9096	5008 : 9097
5009 : 9088	5009 : 9089	5009 : 9094	5009 : 9095	5009 : 9096	5009 : 9097
5010 : 9088	5010 : 9089	5010 : 9094	5010 : 9095	5010 : 9096	5010 : 9097
5011 : 9088	5011 : 9089	5011 : 9094	5011 : 9095	5011 : 9096	5011 : 9097

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9098	3002 : 9099	3002 : 9100	3002 : 9101	3002 : 9102	3002 : 9103
3003 : 9098	3003 : 9099	3003 : 9100	3003 : 9101	3003 : 9102	3003 : 9103
3004 : 9098	3004 : 9099	3004 : 9100	3004 : 9101	3004 : 9102	3004 : 9103
3005 : 9098	3005 : 9099	3005 : 9100	3005 : 9101	3005 : 9102	3005 : 9103
3006 : 9098	3006 : 9099	3006 : 9100	3006 : 9101	3006 : 9102	3006 : 9103
3007 : 9098	3007 : 9099	3007 : 9100	3007 : 9101	3007 : 9102	3007 : 9103
3008 : 9098	3008 : 9099	3008 : 9100	3008 : 9101	3008 : 9102	3008 : 9103
3009 : 9098	3009 : 9099	3009 : 9100	3009 : 9101	3009 : 9102	3009 : 9103
3010 : 9098	3010 : 9099	3010 : 9100	3010 : 9101	3010 : 9102	3010 : 9103
3011 : 9098	3011 : 9099	3011 : 9100	3011 : 9101	3011 : 9102	3011 : 9103
3012 : 9098	3012 : 9099	3012 : 9100	3012 : 9101	3012 : 9102	3012 : 9103
3013 : 9098	3013 : 9099	3013 : 9100	3013 : 9101	3013 : 9102	3013 : 9103
3014 : 9098	3014 : 9099	3014 : 9100	3014 : 9101	3014 : 9102	3014 : 9103
4001 : 9098	4001 : 9099	4001 : 9100	4001 : 9101	4001 : 9102	4001 : 9103
4002 : 9098	4002 : 9099	4002 : 9100	4002 : 9101	4002 : 9102	4002 : 9103
4003 : 9098	4003 : 9099	4003 : 9100	4003 : 9101	4003 : 9102	4003 : 9103
4004 : 9098	4004 : 9099	4004 : 9100	4004 : 9101	4004 : 9102	4004 : 9103
4005 : 9098	4005 : 9099	4005 : 9100	4005 : 9101	4005 : 9102	4005 : 9103
4006 : 9098	4006 : 9099	4006 : 9100	4006 : 9101	4006 : 9102	4006 : 9103
4007 : 9098	4007 : 9099	4007 : 9100	4007 : 9101	4007 : 9102	4007 : 9103
4008 : 9098	4008 : 9099	4008 : 9100	4008 : 9101	4008 : 9102	4008 : 9103
4009 : 9098	4009 : 9099	4009 : 9100	4009 : 9101	4009 : 9102	4009 : 9103
4010 : 9098	4010 : 9099	4010 : 9100	4010 : 9101	4010 : 9102	4010 : 9103
4011 : 9098	4011 : 9099	4011 : 9100	4011 : 9101	4011 : 9102	4011 : 9103
4012 : 9098	4012 : 9099	4012 : 9100	4012 : 9101	4012 : 9102	4012 : 9103
5001 : 9098	5001 : 9099	5001 : 9100	5001 : 9101	5001 : 9102	5001 : 9103
5002 : 9098	5002 : 9099	5002 : 9100	5002 : 9101	5002 : 9102	5002 : 9103
5003 : 9098	5003 : 9099	5003 : 9100	5003 : 9101	5003 : 9102	5003 : 9103
5004 : 9098	5004 : 9099	5004 : 9100	5004 : 9101	5004 : 9102	5004 : 9103
5005 : 9098	5005 : 9099	5005 : 9100	5005 : 9101	5005 : 9102	5005 : 9103
5006 : 9098	5006 : 9099	5006 : 9100	5006 : 9101	5006 : 9102	5006 : 9103
5007 : 9098	5007 : 9099	5007 : 9100	5007 : 9101	5007 : 9102	5007 : 9103
5008 : 9098	5008 : 9099	5008 : 9100	5008 : 9101	5008 : 9102	5008 : 9103
5009 : 9098	5009 : 9099	5009 : 9100	5009 : 9101	5009 : 9102	5009 : 9103
5010 : 9098	5010 : 9099	5010 : 9100	5010 : 9101	5010 : 9102	5010 : 9103
5011 : 9098	5011 : 9099	5011 : 9100	5011 : 9101	5011 : 9102	5011 : 9103

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9104	3002 : 9105	3002 : 9106	3002 : 9107	3002 : 9108	3002 : 9109
3003 : 9104	3003 : 9105	3003 : 9106	3003 : 9107	3003 : 9108	3003 : 9109
3004 : 9104	3004 : 9105	3004 : 9106	3004 : 9107	3004 : 9108	3004 : 9109
3005 : 9104	3005 : 9105	3005 : 9106	3005 : 9107	3005 : 9108	3005 : 9109
3006 : 9104	3006 : 9105	3006 : 9106	3006 : 9107	3006 : 9108	3006 : 9109
3007 : 9104	3007 : 9105	3007 : 9106	3007 : 9107	3007 : 9108	3007 : 9109
3008 : 9104	3008 : 9105	3008 : 9106	3008 : 9107	3008 : 9108	3008 : 9109
3009 : 9104	3009 : 9105	3009 : 9106	3009 : 9107	3009 : 9108	3009 : 9109
3010 : 9104	3010 : 9105	3010 : 9106	3010 : 9107	3010 : 9108	3010 : 9109
3011 : 9104	3011 : 9105	3011 : 9106	3011 : 9107	3011 : 9108	3011 : 9109
3012 : 9104	3012 : 9105	3012 : 9106	3012 : 9107	3012 : 9108	3012 : 9109
3013 : 9104	3013 : 9105	3013 : 9106	3013 : 9107	3013 : 9108	3013 : 9109
3014 : 9104	3014 : 9105	3014 : 9106	3014 : 9107	3014 : 9108	3014 : 9109
4001 : 9104	4001 : 9105	4001 : 9106	4001 : 9107	4001 : 9108	4001 : 9109
4002 : 9104	4002 : 9105	4002 : 9106	4002 : 9107	4002 : 9108	4002 : 9109
4003 : 9104	4003 : 9105	4003 : 9106	4003 : 9107	4003 : 9108	4003 : 9109
4004 : 9104	4004 : 9105	4004 : 9106	4004 : 9107	4004 : 9108	4004 : 9109
4005 : 9104	4005 : 9105	4005 : 9106	4005 : 9107	4005 : 9108	4005 : 9109
4006 : 9104	4006 : 9105	4006 : 9106	4006 : 9107	4006 : 9108	4006 : 9109
4007 : 9104	4007 : 9105	4007 : 9106	4007 : 9107	4007 : 9108	4007 : 9109
4008 : 9104	4008 : 9105	4008 : 9106	4008 : 9107	4008 : 9108	4008 : 9109
4009 : 9104	4009 : 9105	4009 : 9106	4009 : 9107	4009 : 9108	4009 : 9109
4010 : 9104	4010 : 9105	4010 : 9106	4010 : 9107	4010 : 9108	4010 : 9109
4011 : 9104	4011 : 9105	4011 : 9106	4011 : 9107	4011 : 9108	4011 : 9109
4012 : 9104	4012 : 9105	4012 : 9106	4012 : 9107	4012 : 9108	4012 : 9109
5001 : 9104	5001 : 9105	5001 : 9106	5001 : 9107	5001 : 9108	5001 : 9109
5002 : 9104	5002 : 9105	5002 : 9106	5002 : 9107	5002 : 9108	5002 : 9109
5003 : 9104	5003 : 9105	5003 : 9106	5003 : 9107	5003 : 9108	5003 : 9109
5004 : 9104	5004 : 9105	5004 : 9106	5004 : 9107	5004 : 9108	5004 : 9109
5005 : 9104	5005 : 9105	5005 : 9106	5005 : 9107	5005 : 9108	5005 : 9109
5006 : 9104	5006 : 9105	5006 : 9106	5006 : 9107	5006 : 9108	5006 : 9109
5007 : 9104	5007 : 9105	5007 : 9106	5007 : 9107	5007 : 9108	5007 : 9109
5008 : 9104	5008 : 9105	5008 : 9106	5008 : 9107	5008 : 9108	5008 : 9109
5009 : 9104	5009 : 9105	5009 : 9106	5009 : 9107	5009 : 9108	5009 : 9109
5010 : 9104	5010 : 9105	5010 : 9106	5010 : 9107	5010 : 9108	5010 : 9109
5011 : 9104	5011 : 9105	5011 : 9106	5011 : 9107	5011 : 9108	5011 : 9109

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9110	3002 : 9111	3002 : 9129	3002 : 9130	3002 : 9131	3002 : 9132
3003 : 9110	3003 : 9111	3003 : 9129	3003 : 9130	3003 : 9131	3003 : 9132
3004 : 9110	3004 : 9111	3004 : 9129	3004 : 9130	3004 : 9131	3004 : 9132
3005 : 9110	3005 : 9111	3005 : 9129	3005 : 9130	3005 : 9131	3005 : 9132
3006 : 9110	3006 : 9111	3006 : 9129	3006 : 9130	3006 : 9131	3006 : 9132
3007 : 9110	3007 : 9111	3007 : 9129	3007 : 9130	3007 : 9131	3007 : 9132
3008 : 9110	3008 : 9111	3008 : 9129	3008 : 9130	3008 : 9131	3008 : 9132
3009 : 9110	3009 : 9111	3009 : 9129	3009 : 9130	3009 : 9131	3009 : 9132
3010 : 9110	3010 : 9111	3010 : 9129	3010 : 9130	3010 : 9131	3010 : 9132
3011 : 9110	3011 : 9111	3011 : 9129	3011 : 9130	3011 : 9131	3011 : 9132
3012 : 9110	3012 : 9111	3012 : 9129	3012 : 9130	3012 : 9131	3012 : 9132
3013 : 9110	3013 : 9111	3013 : 9129	3013 : 9130	3013 : 9131	3013 : 9132
3014 : 9110	3014 : 9111	3014 : 9129	3014 : 9130	3014 : 9131	3014 : 9132
4001 : 9110	4001 : 9111	4001 : 9129	4001 : 9130	4001 : 9131	4001 : 9132
4002 : 9110	4002 : 9111	4002 : 9129	4002 : 9130	4002 : 9131	4002 : 9132
4003 : 9110	4003 : 9111	4003 : 9129	4003 : 9130	4003 : 9131	4003 : 9132
4004 : 9110	4004 : 9111	4004 : 9129	4004 : 9130	4004 : 9131	4004 : 9132
4005 : 9110	4005 : 9111	4005 : 9129	4005 : 9130	4005 : 9131	4005 : 9132
4006 : 9110	4006 : 9111	4006 : 9129	4006 : 9130	4006 : 9131	4006 : 9132
4007 : 9110	4007 : 9111	4007 : 9129	4007 : 9130	4007 : 9131	4007 : 9132
4008 : 9110	4008 : 9111	4008 : 9129	4008 : 9130	4008 : 9131	4008 : 9132
4009 : 9110	4009 : 9111	4009 : 9129	4009 : 9130	4009 : 9131	4009 : 9132
4010 : 9110	4010 : 9111	4010 : 9129	4010 : 9130	4010 : 9131	4010 : 9132
4011 : 9110	4011 : 9111	4011 : 9129	4011 : 9130	4011 : 9131	4011 : 9132
4012 : 9110	4012 : 9111	4012 : 9129	4012 : 9130	4012 : 9131	4012 : 9132
5001 : 9110	5001 : 9111	5001 : 9129	5001 : 9130	5001 : 9131	5001 : 9132
5002 : 9110	5002 : 9111	5002 : 9129	5002 : 9130	5002 : 9131	5002 : 9132
5003 : 9110	5003 : 9111	5003 : 9129	5003 : 9130	5003 : 9131	5003 : 9132
5004 : 9110	5004 : 9111	5004 : 9129	5004 : 9130	5004 : 9131	5004 : 9132
5005 : 9110	5005 : 9111	5005 : 9129	5005 : 9130	5005 : 9131	5005 : 9132
5006 : 9110	5006 : 9111	5006 : 9129	5006 : 9130	5006 : 9131	5006 : 9132
5007 : 9110	5007 : 9111	5007 : 9129	5007 : 9130	5007 : 9131	5007 : 9132
5008 : 9110	5008 : 9111	5008 : 9129	5008 : 9130	5008 : 9131	5008 : 9132
5009 : 9110	5009 : 9111	5009 : 9129	5009 : 9130	5009 : 9131	5009 : 9132
5010 : 9110	5010 : 9111	5010 : 9129	5010 : 9130	5010 : 9131	5010 : 9132
5011 : 9110	5011 : 9111	5011 : 9129	5011 : 9130	5011 : 9131	5011 : 9132

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9133	3002 : 9134	3002 : 9135	3002 : 9136	3002 : 9137	3002 : 9138
3003 : 9133	3003 : 9134	3003 : 9135	3003 : 9136	3003 : 9137	3003 : 9138
3004 : 9133	3004 : 9134	3004 : 9135	3004 : 9136	3004 : 9137	3004 : 9138
3005 : 9133	3005 : 9134	3005 : 9135	3005 : 9136	3005 : 9137	3005 : 9138
3006 : 9133	3006 : 9134	3006 : 9135	3006 : 9136	3006 : 9137	3006 : 9138
3007 : 9133	3007 : 9134	3007 : 9135	3007 : 9136	3007 : 9137	3007 : 9138
3008 : 9133	3008 : 9134	3008 : 9135	3008 : 9136	3008 : 9137	3008 : 9138
3009 : 9133	3009 : 9134	3009 : 9135	3009 : 9136	3009 : 9137	3009 : 9138
3010 : 9133	3010 : 9134	3010 : 9135	3010 : 9136	3010 : 9137	3010 : 9138
3011 : 9133	3011 : 9134	3011 : 9135	3011 : 9136	3011 : 9137	3011 : 9138
3012 : 9133	3012 : 9134	3012 : 9135	3012 : 9136	3012 : 9137	3012 : 9138
3013 : 9133	3013 : 9134	3013 : 9135	3013 : 9136	3013 : 9137	3013 : 9138
3014 : 9133	3014 : 9134	3014 : 9135	3014 : 9136	3014 : 9137	3014 : 9138
4001 : 9133	4001 : 9134	4001 : 9135	4001 : 9136	4001 : 9137	4001 : 9138
4002 : 9133	4002 : 9134	4002 : 9135	4002 : 9136	4002 : 9137	4002 : 9138
4003 : 9133	4003 : 9134	4003 : 9135	4003 : 9136	4003 : 9137	4003 : 9138
4004 : 9133	4004 : 9134	4004 : 9135	4004 : 9136	4004 : 9137	4004 : 9138
4005 : 9133	4005 : 9134	4005 : 9135	4005 : 9136	4005 : 9137	4005 : 9138
4006 : 9133	4006 : 9134	4006 : 9135	4006 : 9136	4006 : 9137	4006 : 9138
4007 : 9133	4007 : 9134	4007 : 9135	4007 : 9136	4007 : 9137	4007 : 9138
4008 : 9133	4008 : 9134	4008 : 9135	4008 : 9136	4008 : 9137	4008 : 9138
4009 : 9133	4009 : 9134	4009 : 9135	4009 : 9136	4009 : 9137	4009 : 9138
4010 : 9133	4010 : 9134	4010 : 9135	4010 : 9136	4010 : 9137	4010 : 9138
4011 : 9133	4011 : 9134	4011 : 9135	4011 : 9136	4011 : 9137	4011 : 9138
4012 : 9133	4012 : 9134	4012 : 9135	4012 : 9136	4012 : 9137	4012 : 9138
5001 : 9133	5001 : 9134	5001 : 9135	5001 : 9136	5001 : 9137	5001 : 9138
5002 : 9133	5002 : 9134	5002 : 9135	5002 : 9136	5002 : 9137	5002 : 9138
5003 : 9133	5003 : 9134	5003 : 9135	5003 : 9136	5003 : 9137	5003 : 9138
5004 : 9133	5004 : 9134	5004 : 9135	5004 : 9136	5004 : 9137	5004 : 9138
5005 : 9133	5005 : 9134	5005 : 9135	5005 : 9136	5005 : 9137	5005 : 9138
5006 : 9133	5006 : 9134	5006 : 9135	5006 : 9136	5006 : 9137	5006 : 9138
5007 : 9133	5007 : 9134	5007 : 9135	5007 : 9136	5007 : 9137	5007 : 9138
5008 : 9133	5008 : 9134	5008 : 9135	5008 : 9136	5008 : 9137	5008 : 9138
5009 : 9133	5009 : 9134	5009 : 9135	5009 : 9136	5009 : 9137	5009 : 9138
5010 : 9133	5010 : 9134	5010 : 9135	5010 : 9136	5010 : 9137	5010 : 9138
5011 : 9133	5011 : 9134	5011 : 9135	5011 : 9136	5011 : 9137	5011 : 9138

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9139	3002 : 9140	3002 : 9141	3002 : 9142	3002 : 9143	3002 : 9144
3003 : 9139	3003 : 9140	3003 : 9141	3003 : 9142	3003 : 9143	3003 : 9144
3004 : 9139	3004 : 9140	3004 : 9141	3004 : 9142	3004 : 9143	3004 : 9144
3005 : 9139	3005 : 9140	3005 : 9141	3005 : 9142	3005 : 9143	3005 : 9144
3006 : 9139	3006 : 9140	3006 : 9141	3006 : 9142	3006 : 9143	3006 : 9144
3007 : 9139	3007 : 9140	3007 : 9141	3007 : 9142	3007 : 9143	3007 : 9144
3008 : 9139	3008 : 9140	3008 : 9141	3008 : 9142	3008 : 9143	3008 : 9144
3009 : 9139	3009 : 9140	3009 : 9141	3009 : 9142	3009 : 9143	3009 : 9144
3010 : 9139	3010 : 9140	3010 : 9141	3010 : 9142	3010 : 9143	3010 : 9144
3011 : 9139	3011 : 9140	3011 : 9141	3011 : 9142	3011 : 9143	3011 : 9144
3012 : 9139	3012 : 9140	3012 : 9141	3012 : 9142	3012 : 9143	3012 : 9144
3013 : 9139	3013 : 9140	3013 : 9141	3013 : 9142	3013 : 9143	3013 : 9144
3014 : 9139	3014 : 9140	3014 : 9141	3014 : 9142	3014 : 9143	3014 : 9144
4001 : 9139	4001 : 9140	4001 : 9141	4001 : 9142	4001 : 9143	4001 : 9144
4002 : 9139	4002 : 9140	4002 : 9141	4002 : 9142	4002 : 9143	4002 : 9144
4003 : 9139	4003 : 9140	4003 : 9141	4003 : 9142	4003 : 9143	4003 : 9144
4004 : 9139	4004 : 9140	4004 : 9141	4004 : 9142	4004 : 9143	4004 : 9144
4005 : 9139	4005 : 9140	4005 : 9141	4005 : 9142	4005 : 9143	4005 : 9144
4006 : 9139	4006 : 9140	4006 : 9141	4006 : 9142	4006 : 9143	4006 : 9144
4007 : 9139	4007 : 9140	4007 : 9141	4007 : 9142	4007 : 9143	4007 : 9144
4008 : 9139	4008 : 9140	4008 : 9141	4008 : 9142	4008 : 9143	4008 : 9144
4009 : 9139	4009 : 9140	4009 : 9141	4009 : 9142	4009 : 9143	4009 : 9144
4010 : 9139	4010 : 9140	4010 : 9141	4010 : 9142	4010 : 9143	4010 : 9144
4011 : 9139	4011 : 9140	4011 : 9141	4011 : 9142	4011 : 9143	4011 : 9144
4012 : 9139	4012 : 9140	4012 : 9141	4012 : 9142	4012 : 9143	4012 : 9144
5001 : 9139	5001 : 9140	5001 : 9141	5001 : 9142	5001 : 9143	5001 : 9144
5002 : 9139	5002 : 9140	5002 : 9141	5002 : 9142	5002 : 9143	5002 : 9144
5003 : 9139	5003 : 9140	5003 : 9141	5003 : 9142	5003 : 9143	5003 : 9144
5004 : 9139	5004 : 9140	5004 : 9141	5004 : 9142	5004 : 9143	5004 : 9144
5005 : 9139	5005 : 9140	5005 : 9141	5005 : 9142	5005 : 9143	5005 : 9144
5006 : 9139	5006 : 9140	5006 : 9141	5006 : 9142	5006 : 9143	5006 : 9144
5007 : 9139	5007 : 9140	5007 : 9141	5007 : 9142	5007 : 9143	5007 : 9144
5008 : 9139	5008 : 9140	5008 : 9141	5008 : 9142	5008 : 9143	5008 : 9144
5009 : 9139	5009 : 9140	5009 : 9141	5009 : 9142	5009 : 9143	5009 : 9144
5010 : 9139	5010 : 9140	5010 : 9141	5010 : 9142	5010 : 9143	5010 : 9144
5011 : 9139	5011 : 9140	5011 : 9141	5011 : 9142	5011 : 9143	5011 : 9144

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9145	3002 : 9146	3002 : 9147	3002 : 9148	3002 : 9149	3002 : 9150
3003 : 9145	3003 : 9146	3003 : 9147	3003 : 9148	3003 : 9149	3003 : 9150
3004 : 9145	3004 : 9146	3004 : 9147	3004 : 9148	3004 : 9149	3004 : 9150
3005 : 9145	3005 : 9146	3005 : 9147	3005 : 9148	3005 : 9149	3005 : 9150
3006 : 9145	3006 : 9146	3006 : 9147	3006 : 9148	3006 : 9149	3006 : 9150
3007 : 9145	3007 : 9146	3007 : 9147	3007 : 9148	3007 : 9149	3007 : 9150
3008 : 9145	3008 : 9146	3008 : 9147	3008 : 9148	3008 : 9149	3008 : 9150
3009 : 9145	3009 : 9146	3009 : 9147	3009 : 9148	3009 : 9149	3009 : 9150
3010 : 9145	3010 : 9146	3010 : 9147	3010 : 9148	3010 : 9149	3010 : 9150
3011 : 9145	3011 : 9146	3011 : 9147	3011 : 9148	3011 : 9149	3011 : 9150
3012 : 9145	3012 : 9146	3012 : 9147	3012 : 9148	3012 : 9149	3012 : 9150
3013 : 9145	3013 : 9146	3013 : 9147	3013 : 9148	3013 : 9149	3013 : 9150
3014 : 9145	3014 : 9146	3014 : 9147	3014 : 9148	3014 : 9149	3014 : 9150
4001 : 9145	4001 : 9146	4001 : 9147	4001 : 9148	4001 : 9149	4001 : 9150
4002 : 9145	4002 : 9146	4002 : 9147	4002 : 9148	4002 : 9149	4002 : 9150
4003 : 9145	4003 : 9146	4003 : 9147	4003 : 9148	4003 : 9149	4003 : 9150
4004 : 9145	4004 : 9146	4004 : 9147	4004 : 9148	4004 : 9149	4004 : 9150
4005 : 9145	4005 : 9146	4005 : 9147	4005 : 9148	4005 : 9149	4005 : 9150
4006 : 9145	4006 : 9146	4006 : 9147	4006 : 9148	4006 : 9149	4006 : 9150
4007 : 9145	4007 : 9146	4007 : 9147	4007 : 9148	4007 : 9149	4007 : 9150
4008 : 9145	4008 : 9146	4008 : 9147	4008 : 9148	4008 : 9149	4008 : 9150
4009 : 9145	4009 : 9146	4009 : 9147	4009 : 9148	4009 : 9149	4009 : 9150
4010 : 9145	4010 : 9146	4010 : 9147	4010 : 9148	4010 : 9149	4010 : 9150
4011 : 9145	4011 : 9146	4011 : 9147	4011 : 9148	4011 : 9149	4011 : 9150
4012 : 9145	4012 : 9146	4012 : 9147	4012 : 9148	4012 : 9149	4012 : 9150
5001 : 9145	5001 : 9146	5001 : 9147	5001 : 9148	5001 : 9149	5001 : 9150
5002 : 9145	5002 : 9146	5002 : 9147	5002 : 9148	5002 : 9149	5002 : 9150
5003 : 9145	5003 : 9146	5003 : 9147	5003 : 9148	5003 : 9149	5003 : 9150
5004 : 9145	5004 : 9146	5004 : 9147	5004 : 9148	5004 : 9149	5004 : 9150
5005 : 9145	5005 : 9146	5005 : 9147	5005 : 9148	5005 : 9149	5005 : 9150
5006 : 9145	5006 : 9146	5006 : 9147	5006 : 9148	5006 : 9149	5006 : 9150
5007 : 9145	5007 : 9146	5007 : 9147	5007 : 9148	5007 : 9149	5007 : 9150
5008 : 9145	5008 : 9146	5008 : 9147	5008 : 9148	5008 : 9149	5008 : 9150
5009 : 9145	5009 : 9146	5009 : 9147	5009 : 9148	5009 : 9149	5009 : 9150
5010 : 9145	5010 : 9146	5010 : 9147	5010 : 9148	5010 : 9149	5010 : 9150
5011 : 9145	5011 : 9146	5011 : 9147	5011 : 9148	5011 : 9149	5011 : 9150

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9161	3002 : 9162	3002 : 9163	3002 : 9164	3002 : 9167	3002 : 9168
3003 : 9161	3003 : 9162	3003 : 9163	3003 : 9164	3003 : 9167	3003 : 9168
3004 : 9161	3004 : 9162	3004 : 9163	3004 : 9164	3004 : 9167	3004 : 9168
3005 : 9161	3005 : 9162	3005 : 9163	3005 : 9164	3005 : 9167	3005 : 9168
3006 : 9161	3006 : 9162	3006 : 9163	3006 : 9164	3006 : 9167	3006 : 9168
3007 : 9161	3007 : 9162	3007 : 9163	3007 : 9164	3007 : 9167	3007 : 9168
3008 : 9161	3008 : 9162	3008 : 9163	3008 : 9164	3008 : 9167	3008 : 9168
3009 : 9161	3009 : 9162	3009 : 9163	3009 : 9164	3009 : 9167	3009 : 9168
3010 : 9161	3010 : 9162	3010 : 9163	3010 : 9164	3010 : 9167	3010 : 9168
3011 : 9161	3011 : 9162	3011 : 9163	3011 : 9164	3011 : 9167	3011 : 9168
3012 : 9161	3012 : 9162	3012 : 9163	3012 : 9164	3012 : 9167	3012 : 9168
3013 : 9161	3013 : 9162	3013 : 9163	3013 : 9164	3013 : 9167	3013 : 9168
3014 : 9161	3014 : 9162	3014 : 9163	3014 : 9164	3014 : 9167	3014 : 9168
4001 : 9161	4001 : 9162	4001 : 9163	4001 : 9164	4001 : 9167	4001 : 9168
4002 : 9161	4002 : 9162	4002 : 9163	4002 : 9164	4002 : 9167	4002 : 9168
4003 : 9161	4003 : 9162	4003 : 9163	4003 : 9164	4003 : 9167	4003 : 9168
4004 : 9161	4004 : 9162	4004 : 9163	4004 : 9164	4004 : 9167	4004 : 9168
4005 : 9161	4005 : 9162	4005 : 9163	4005 : 9164	4005 : 9167	4005 : 9168
4006 : 9161	4006 : 9162	4006 : 9163	4006 : 9164	4006 : 9167	4006 : 9168
4007 : 9161	4007 : 9162	4007 : 9163	4007 : 9164	4007 : 9167	4007 : 9168
4008 : 9161	4008 : 9162	4008 : 9163	4008 : 9164	4008 : 9167	4008 : 9168
4009 : 9161	4009 : 9162	4009 : 9163	4009 : 9164	4009 : 9167	4009 : 9168
4010 : 9161	4010 : 9162	4010 : 9163	4010 : 9164	4010 : 9167	4010 : 9168
4011 : 9161	4011 : 9162	4011 : 9163	4011 : 9164	4011 : 9167	4011 : 9168
4012 : 9161	4012 : 9162	4012 : 9163	4012 : 9164	4012 : 9167	4012 : 9168
5001 : 9161	5001 : 9162	5001 : 9163	5001 : 9164	5001 : 9167	5001 : 9168
5002 : 9161	5002 : 9162	5002 : 9163	5002 : 9164	5002 : 9167	5002 : 9168
5003 : 9161	5003 : 9162	5003 : 9163	5003 : 9164	5003 : 9167	5003 : 9168
5004 : 9161	5004 : 9162	5004 : 9163	5004 : 9164	5004 : 9167	5004 : 9168
5005 : 9161	5005 : 9162	5005 : 9163	5005 : 9164	5005 : 9167	5005 : 9168
5006 : 9161	5006 : 9162	5006 : 9163	5006 : 9164	5006 : 9167	5006 : 9168
5007 : 9161	5007 : 9162	5007 : 9163	5007 : 9164	5007 : 9167	5007 : 9168
5008 : 9161	5008 : 9162	5008 : 9163	5008 : 9164	5008 : 9167	5008 : 9168
5009 : 9161	5009 : 9162	5009 : 9163	5009 : 9164	5009 : 9167	5009 : 9168
5010 : 9161	5010 : 9162	5010 : 9163	5010 : 9164	5010 : 9167	5010 : 9168
5011 : 9161	5011 : 9162	5011 : 9163	5011 : 9164	5011 : 9167	5011 : 9168

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9169	3002 : 9170	3002 : 9171	3002 : 9172	3002 : 9173	3002 : 9174
3003 : 9169	3003 : 9170	3003 : 9171	3003 : 9172	3003 : 9173	3003 : 9174
3004 : 9169	3004 : 9170	3004 : 9171	3004 : 9172	3004 : 9173	3004 : 9174
3005 : 9169	3005 : 9170	3005 : 9171	3005 : 9172	3005 : 9173	3005 : 9174
3006 : 9169	3006 : 9170	3006 : 9171	3006 : 9172	3006 : 9173	3006 : 9174
3007 : 9169	3007 : 9170	3007 : 9171	3007 : 9172	3007 : 9173	3007 : 9174
3008 : 9169	3008 : 9170	3008 : 9171	3008 : 9172	3008 : 9173	3008 : 9174
3009 : 9169	3009 : 9170	3009 : 9171	3009 : 9172	3009 : 9173	3009 : 9174
3010 : 9169	3010 : 9170	3010 : 9171	3010 : 9172	3010 : 9173	3010 : 9174
3011 : 9169	3011 : 9170	3011 : 9171	3011 : 9172	3011 : 9173	3011 : 9174
3012 : 9169	3012 : 9170	3012 : 9171	3012 : 9172	3012 : 9173	3012 : 9174
3013 : 9169	3013 : 9170	3013 : 9171	3013 : 9172	3013 : 9173	3013 : 9174
3014 : 9169	3014 : 9170	3014 : 9171	3014 : 9172	3014 : 9173	3014 : 9174
4001 : 9169	4001 : 9170	4001 : 9171	4001 : 9172	4001 : 9173	4001 : 9174
4002 : 9169	4002 : 9170	4002 : 9171	4002 : 9172	4002 : 9173	4002 : 9174
4003 : 9169	4003 : 9170	4003 : 9171	4003 : 9172	4003 : 9173	4003 : 9174
4004 : 9169	4004 : 9170	4004 : 9171	4004 : 9172	4004 : 9173	4004 : 9174
4005 : 9169	4005 : 9170	4005 : 9171	4005 : 9172	4005 : 9173	4005 : 9174
4006 : 9169	4006 : 9170	4006 : 9171	4006 : 9172	4006 : 9173	4006 : 9174
4007 : 9169	4007 : 9170	4007 : 9171	4007 : 9172	4007 : 9173	4007 : 9174
4008 : 9169	4008 : 9170	4008 : 9171	4008 : 9172	4008 : 9173	4008 : 9174
4009 : 9169	4009 : 9170	4009 : 9171	4009 : 9172	4009 : 9173	4009 : 9174
4010 : 9169	4010 : 9170	4010 : 9171	4010 : 9172	4010 : 9173	4010 : 9174
4011 : 9169	4011 : 9170	4011 : 9171	4011 : 9172	4011 : 9173	4011 : 9174
4012 : 9169	4012 : 9170	4012 : 9171	4012 : 9172	4012 : 9173	4012 : 9174
5001 : 9169	5001 : 9170	5001 : 9171	5001 : 9172	5001 : 9173	5001 : 9174
5002 : 9169	5002 : 9170	5002 : 9171	5002 : 9172	5002 : 9173	5002 : 9174
5003 : 9169	5003 : 9170	5003 : 9171	5003 : 9172	5003 : 9173	5003 : 9174
5004 : 9169	5004 : 9170	5004 : 9171	5004 : 9172	5004 : 9173	5004 : 9174
5005 : 9169	5005 : 9170	5005 : 9171	5005 : 9172	5005 : 9173	5005 : 9174
5006 : 9169	5006 : 9170	5006 : 9171	5006 : 9172	5006 : 9173	5006 : 9174
5007 : 9169	5007 : 9170	5007 : 9171	5007 : 9172	5007 : 9173	5007 : 9174
5008 : 9169	5008 : 9170	5008 : 9171	5008 : 9172	5008 : 9173	5008 : 9174
5009 : 9169	5009 : 9170	5009 : 9171	5009 : 9172	5009 : 9173	5009 : 9174
5010 : 9169	5010 : 9170	5010 : 9171	5010 : 9172	5010 : 9173	5010 : 9174
5011 : 9169	5011 : 9170	5011 : 9171	5011 : 9172	5011 : 9173	5011 : 9174

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9175	3002 : 9176	3002 : 9177	3002 : 9178	3002 : 9179	3002 : 9180
3003 : 9175	3003 : 9176	3003 : 9177	3003 : 9178	3003 : 9179	3003 : 9180
3004 : 9175	3004 : 9176	3004 : 9177	3004 : 9178	3004 : 9179	3004 : 9180
3005 : 9175	3005 : 9176	3005 : 9177	3005 : 9178	3005 : 9179	3005 : 9180
3006 : 9175	3006 : 9176	3006 : 9177	3006 : 9178	3006 : 9179	3006 : 9180
3007 : 9175	3007 : 9176	3007 : 9177	3007 : 9178	3007 : 9179	3007 : 9180
3008 : 9175	3008 : 9176	3008 : 9177	3008 : 9178	3008 : 9179	3008 : 9180
3009 : 9175	3009 : 9176	3009 : 9177	3009 : 9178	3009 : 9179	3009 : 9180
3010 : 9175	3010 : 9176	3010 : 9177	3010 : 9178	3010 : 9179	3010 : 9180
3011 : 9175	3011 : 9176	3011 : 9177	3011 : 9178	3011 : 9179	3011 : 9180
3012 : 9175	3012 : 9176	3012 : 9177	3012 : 9178	3012 : 9179	3012 : 9180
3013 : 9175	3013 : 9176	3013 : 9177	3013 : 9178	3013 : 9179	3013 : 9180
3014 : 9175	3014 : 9176	3014 : 9177	3014 : 9178	3014 : 9179	3014 : 9180
4001 : 9175	4001 : 9176	4001 : 9177	4001 : 9178	4001 : 9179	4001 : 9180
4002 : 9175	4002 : 9176	4002 : 9177	4002 : 9178	4002 : 9179	4002 : 9180
4003 : 9175	4003 : 9176	4003 : 9177	4003 : 9178	4003 : 9179	4003 : 9180
4004 : 9175	4004 : 9176	4004 : 9177	4004 : 9178	4004 : 9179	4004 : 9180
4005 : 9175	4005 : 9176	4005 : 9177	4005 : 9178	4005 : 9179	4005 : 9180
4006 : 9175	4006 : 9176	4006 : 9177	4006 : 9178	4006 : 9179	4006 : 9180
4007 : 9175	4007 : 9176	4007 : 9177	4007 : 9178	4007 : 9179	4007 : 9180
4008 : 9175	4008 : 9176	4008 : 9177	4008 : 9178	4008 : 9179	4008 : 9180
4009 : 9175	4009 : 9176	4009 : 9177	4009 : 9178	4009 : 9179	4009 : 9180
4010 : 9175	4010 : 9176	4010 : 9177	4010 : 9178	4010 : 9179	4010 : 9180
4011 : 9175	4011 : 9176	4011 : 9177	4011 : 9178	4011 : 9179	4011 : 9180
4012 : 9175	4012 : 9176	4012 : 9177	4012 : 9178	4012 : 9179	4012 : 9180
5001 : 9175	5001 : 9176	5001 : 9177	5001 : 9178	5001 : 9179	5001 : 9180
5002 : 9175	5002 : 9176	5002 : 9177	5002 : 9178	5002 : 9179	5002 : 9180
5003 : 9175	5003 : 9176	5003 : 9177	5003 : 9178	5003 : 9179	5003 : 9180
5004 : 9175	5004 : 9176	5004 : 9177	5004 : 9178	5004 : 9179	5004 : 9180
5005 : 9175	5005 : 9176	5005 : 9177	5005 : 9178	5005 : 9179	5005 : 9180
5006 : 9175	5006 : 9176	5006 : 9177	5006 : 9178	5006 : 9179	5006 : 9180
5007 : 9175	5007 : 9176	5007 : 9177	5007 : 9178	5007 : 9179	5007 : 9180
5008 : 9175	5008 : 9176	5008 : 9177	5008 : 9178	5008 : 9179	5008 : 9180
5009 : 9175	5009 : 9176	5009 : 9177	5009 : 9178	5009 : 9179	5009 : 9180
5010 : 9175	5010 : 9176	5010 : 9177	5010 : 9178	5010 : 9179	5010 : 9180
5011 : 9175	5011 : 9176	5011 : 9177	5011 : 9178	5011 : 9179	5011 : 9180

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9181	3002 : 9182	3002 : 9183	3002 : 9184	3002 : 9185	3002 : 9206
3003 : 9181	3003 : 9182	3003 : 9183	3003 : 9184	3003 : 9185	3003 : 9206
3004 : 9181	3004 : 9182	3004 : 9183	3004 : 9184	3004 : 9185	3004 : 9206
3005 : 9181	3005 : 9182	3005 : 9183	3005 : 9184	3005 : 9185	3005 : 9206
3006 : 9181	3006 : 9182	3006 : 9183	3006 : 9184	3006 : 9185	3006 : 9206
3007 : 9181	3007 : 9182	3007 : 9183	3007 : 9184	3007 : 9185	3007 : 9206
3008 : 9181	3008 : 9182	3008 : 9183	3008 : 9184	3008 : 9185	3008 : 9206
3009 : 9181	3009 : 9182	3009 : 9183	3009 : 9184	3009 : 9185	3009 : 9206
3010 : 9181	3010 : 9182	3010 : 9183	3010 : 9184	3010 : 9185	3010 : 9206
3011 : 9181	3011 : 9182	3011 : 9183	3011 : 9184	3011 : 9185	3011 : 9206
3012 : 9181	3012 : 9182	3012 : 9183	3012 : 9184	3012 : 9185	3012 : 9206
3013 : 9181	3013 : 9182	3013 : 9183	3013 : 9184	3013 : 9185	3013 : 9206
3014 : 9181	3014 : 9182	3014 : 9183	3014 : 9184	3014 : 9185	3014 : 9206
4001 : 9181	4001 : 9182	4001 : 9183	4001 : 9184	4001 : 9185	4001 : 9206
4002 : 9181	4002 : 9182	4002 : 9183	4002 : 9184	4002 : 9185	4002 : 9206
4003 : 9181	4003 : 9182	4003 : 9183	4003 : 9184	4003 : 9185	4003 : 9206
4004 : 9181	4004 : 9182	4004 : 9183	4004 : 9184	4004 : 9185	4004 : 9206
4005 : 9181	4005 : 9182	4005 : 9183	4005 : 9184	4005 : 9185	4005 : 9206
4006 : 9181	4006 : 9182	4006 : 9183	4006 : 9184	4006 : 9185	4006 : 9206
4007 : 9181	4007 : 9182	4007 : 9183	4007 : 9184	4007 : 9185	4007 : 9206
4008 : 9181	4008 : 9182	4008 : 9183	4008 : 9184	4008 : 9185	4008 : 9206
4009 : 9181	4009 : 9182	4009 : 9183	4009 : 9184	4009 : 9185	4009 : 9206
4010 : 9181	4010 : 9182	4010 : 9183	4010 : 9184	4010 : 9185	4010 : 9206
4011 : 9181	4011 : 9182	4011 : 9183	4011 : 9184	4011 : 9185	4011 : 9206
4012 : 9181	4012 : 9182	4012 : 9183	4012 : 9184	4012 : 9185	4012 : 9206
5001 : 9181	5001 : 9182	5001 : 9183	5001 : 9184	5001 : 9185	5001 : 9206
5002 : 9181	5002 : 9182	5002 : 9183	5002 : 9184	5002 : 9185	5002 : 9206
5003 : 9181	5003 : 9182	5003 : 9183	5003 : 9184	5003 : 9185	5003 : 9206
5004 : 9181	5004 : 9182	5004 : 9183	5004 : 9184	5004 : 9185	5004 : 9206
5005 : 9181	5005 : 9182	5005 : 9183	5005 : 9184	5005 : 9185	5005 : 9206
5006 : 9181	5006 : 9182	5006 : 9183	5006 : 9184	5006 : 9185	5006 : 9206
5007 : 9181	5007 : 9182	5007 : 9183	5007 : 9184	5007 : 9185	5007 : 9206
5008 : 9181	5008 : 9182	5008 : 9183	5008 : 9184	5008 : 9185	5008 : 9206
5009 : 9181	5009 : 9182	5009 : 9183	5009 : 9184	5009 : 9185	5009 : 9206
5010 : 9181	5010 : 9182	5010 : 9183	5010 : 9184	5010 : 9185	5010 : 9206
5011 : 9181	5011 : 9182	5011 : 9183	5011 : 9184	5011 : 9185	5011 : 9206

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9207	3002 : 9208	3002 : 9209	3002 : 9214	3002 : 9241	3002 : 9242
3003 : 9207	3003 : 9208	3003 : 9209	3003 : 9214	3003 : 9241	3003 : 9242
3004 : 9207	3004 : 9208	3004 : 9209	3004 : 9214	3004 : 9241	3004 : 9242
3005 : 9207	3005 : 9208	3005 : 9209	3005 : 9214	3005 : 9241	3005 : 9242
3006 : 9207	3006 : 9208	3006 : 9209	3006 : 9214	3006 : 9241	3006 : 9242
3007 : 9207	3007 : 9208	3007 : 9209	3007 : 9214	3007 : 9241	3007 : 9242
3008 : 9207	3008 : 9208	3008 : 9209	3008 : 9214	3008 : 9241	3008 : 9242
3009 : 9207	3009 : 9208	3009 : 9209	3009 : 9214	3009 : 9241	3009 : 9242
3010 : 9207	3010 : 9208	3010 : 9209	3010 : 9214	3010 : 9241	3010 : 9242
3011 : 9207	3011 : 9208	3011 : 9209	3011 : 9214	3011 : 9241	3011 : 9242
3012 : 9207	3012 : 9208	3012 : 9209	3012 : 9214	3012 : 9241	3012 : 9242
3013 : 9207	3013 : 9208	3013 : 9209	3013 : 9214	3013 : 9241	3013 : 9242
3014 : 9207	3014 : 9208	3014 : 9209	3014 : 9214	3014 : 9241	3014 : 9242
4001 : 9207	4001 : 9208	4001 : 9209	4001 : 9214	4001 : 9241	4001 : 9242
4002 : 9207	4002 : 9208	4002 : 9209	4002 : 9214	4002 : 9241	4002 : 9242
4003 : 9207	4003 : 9208	4003 : 9209	4003 : 9214	4003 : 9241	4003 : 9242
4004 : 9207	4004 : 9208	4004 : 9209	4004 : 9214	4004 : 9241	4004 : 9242
4005 : 9207	4005 : 9208	4005 : 9209	4005 : 9214	4005 : 9241	4005 : 9242
4006 : 9207	4006 : 9208	4006 : 9209	4006 : 9214	4006 : 9241	4006 : 9242
4007 : 9207	4007 : 9208	4007 : 9209	4007 : 9214	4007 : 9241	4007 : 9242
4008 : 9207	4008 : 9208	4008 : 9209	4008 : 9214	4008 : 9241	4008 : 9242
4009 : 9207	4009 : 9208	4009 : 9209	4009 : 9214	4009 : 9241	4009 : 9242
4010 : 9207	4010 : 9208	4010 : 9209	4010 : 9214	4010 : 9241	4010 : 9242
4011 : 9207	4011 : 9208	4011 : 9209	4011 : 9214	4011 : 9241	4011 : 9242
4012 : 9207	4012 : 9208	4012 : 9209	4012 : 9214	4012 : 9241	4012 : 9242
5001 : 9207	5001 : 9208	5001 : 9209	5001 : 9214	5001 : 9241	5001 : 9242
5002 : 9207	5002 : 9208	5002 : 9209	5002 : 9214	5002 : 9241	5002 : 9242
5003 : 9207	5003 : 9208	5003 : 9209	5003 : 9214	5003 : 9241	5003 : 9242
5004 : 9207	5004 : 9208	5004 : 9209	5004 : 9214	5004 : 9241	5004 : 9242
5005 : 9207	5005 : 9208	5005 : 9209	5005 : 9214	5005 : 9241	5005 : 9242
5006 : 9207	5006 : 9208	5006 : 9209	5006 : 9214	5006 : 9241	5006 : 9242
5007 : 9207	5007 : 9208	5007 : 9209	5007 : 9214	5007 : 9241	5007 : 9242
5008 : 9207	5008 : 9208	5008 : 9209	5008 : 9214	5008 : 9241	5008 : 9242
5009 : 9207	5009 : 9208	5009 : 9209	5009 : 9214	5009 : 9241	5009 : 9242
5010 : 9207	5010 : 9208	5010 : 9209	5010 : 9214	5010 : 9241	5010 : 9242
5011 : 9207	5011 : 9208	5011 : 9209	5011 : 9214	5011 : 9241	5011 : 9242

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9244	3002 : 9245	3002 : 9246	3002 : 9247	3002 : 9248	3002 : 9249
3003 : 9244	3003 : 9245	3003 : 9246	3003 : 9247	3003 : 9248	3003 : 9249
3004 : 9244	3004 : 9245	3004 : 9246	3004 : 9247	3004 : 9248	3004 : 9249
3005 : 9244	3005 : 9245	3005 : 9246	3005 : 9247	3005 : 9248	3005 : 9249
3006 : 9244	3006 : 9245	3006 : 9246	3006 : 9247	3006 : 9248	3006 : 9249
3007 : 9244	3007 : 9245	3007 : 9246	3007 : 9247	3007 : 9248	3007 : 9249
3008 : 9244	3008 : 9245	3008 : 9246	3008 : 9247	3008 : 9248	3008 : 9249
3009 : 9244	3009 : 9245	3009 : 9246	3009 : 9247	3009 : 9248	3009 : 9249
3010 : 9244	3010 : 9245	3010 : 9246	3010 : 9247	3010 : 9248	3010 : 9249
3011 : 9244	3011 : 9245	3011 : 9246	3011 : 9247	3011 : 9248	3011 : 9249
3012 : 9244	3012 : 9245	3012 : 9246	3012 : 9247	3012 : 9248	3012 : 9249
3013 : 9244	3013 : 9245	3013 : 9246	3013 : 9247	3013 : 9248	3013 : 9249
3014 : 9244	3014 : 9245	3014 : 9246	3014 : 9247	3014 : 9248	3014 : 9249
4001 : 9244	4001 : 9245	4001 : 9246	4001 : 9247	4001 : 9248	4001 : 9249
4002 : 9244	4002 : 9245	4002 : 9246	4002 : 9247	4002 : 9248	4002 : 9249
4003 : 9244	4003 : 9245	4003 : 9246	4003 : 9247	4003 : 9248	4003 : 9249
4004 : 9244	4004 : 9245	4004 : 9246	4004 : 9247	4004 : 9248	4004 : 9249
4005 : 9244	4005 : 9245	4005 : 9246	4005 : 9247	4005 : 9248	4005 : 9249
4006 : 9244	4006 : 9245	4006 : 9246	4006 : 9247	4006 : 9248	4006 : 9249
4007 : 9244	4007 : 9245	4007 : 9246	4007 : 9247	4007 : 9248	4007 : 9249
4008 : 9244	4008 : 9245	4008 : 9246	4008 : 9247	4008 : 9248	4008 : 9249
4009 : 9244	4009 : 9245	4009 : 9246	4009 : 9247	4009 : 9248	4009 : 9249
4010 : 9244	4010 : 9245	4010 : 9246	4010 : 9247	4010 : 9248	4010 : 9249
4011 : 9244	4011 : 9245	4011 : 9246	4011 : 9247	4011 : 9248	4011 : 9249
4012 : 9244	4012 : 9245	4012 : 9246	4012 : 9247	4012 : 9248	4012 : 9249
5001 : 9244	5001 : 9245	5001 : 9246	5001 : 9247	5001 : 9248	5001 : 9249
5002 : 9244	5002 : 9245	5002 : 9246	5002 : 9247	5002 : 9248	5002 : 9249
5003 : 9244	5003 : 9245	5003 : 9246	5003 : 9247	5003 : 9248	5003 : 9249
5004 : 9244	5004 : 9245	5004 : 9246	5004 : 9247	5004 : 9248	5004 : 9249
5005 : 9244	5005 : 9245	5005 : 9246	5005 : 9247	5005 : 9248	5005 : 9249
5006 : 9244	5006 : 9245	5006 : 9246	5006 : 9247	5006 : 9248	5006 : 9249
5007 : 9244	5007 : 9245	5007 : 9246	5007 : 9247	5007 : 9248	5007 : 9249
5008 : 9244	5008 : 9245	5008 : 9246	5008 : 9247	5008 : 9248	5008 : 9249
5009 : 9244	5009 : 9245	5009 : 9246	5009 : 9247	5009 : 9248	5009 : 9249
5010 : 9244	5010 : 9245	5010 : 9246	5010 : 9247	5010 : 9248	5010 : 9249
5011 : 9244	5011 : 9245	5011 : 9246	5011 : 9247	5011 : 9248	5011 : 9249

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9250	3002 : 9251	3002 : 9252	3002 : 9253	3002 : 9255	3002 : 9256
3003 : 9250	3003 : 9251	3003 : 9252	3003 : 9253	3003 : 9255	3003 : 9256
3004 : 9250	3004 : 9251	3004 : 9252	3004 : 9253	3004 : 9255	3004 : 9256
3005 : 9250	3005 : 9251	3005 : 9252	3005 : 9253	3005 : 9255	3005 : 9256
3006 : 9250	3006 : 9251	3006 : 9252	3006 : 9253	3006 : 9255	3006 : 9256
3007 : 9250	3007 : 9251	3007 : 9252	3007 : 9253	3007 : 9255	3007 : 9256
3008 : 9250	3008 : 9251	3008 : 9252	3008 : 9253	3008 : 9255	3008 : 9256
3009 : 9250	3009 : 9251	3009 : 9252	3009 : 9253	3009 : 9255	3009 : 9256
3010 : 9250	3010 : 9251	3010 : 9252	3010 : 9253	3010 : 9255	3010 : 9256
3011 : 9250	3011 : 9251	3011 : 9252	3011 : 9253	3011 : 9255	3011 : 9256
3012 : 9250	3012 : 9251	3012 : 9252	3012 : 9253	3012 : 9255	3012 : 9256
3013 : 9250	3013 : 9251	3013 : 9252	3013 : 9253	3013 : 9255	3013 : 9256
3014 : 9250	3014 : 9251	3014 : 9252	3014 : 9253	3014 : 9255	3014 : 9256
4001 : 9250	4001 : 9251	4001 : 9252	4001 : 9253	4001 : 9255	4001 : 9256
4002 : 9250	4002 : 9251	4002 : 9252	4002 : 9253	4002 : 9255	4002 : 9256
4003 : 9250	4003 : 9251	4003 : 9252	4003 : 9253	4003 : 9255	4003 : 9256
4004 : 9250	4004 : 9251	4004 : 9252	4004 : 9253	4004 : 9255	4004 : 9256
4005 : 9250	4005 : 9251	4005 : 9252	4005 : 9253	4005 : 9255	4005 : 9256
4006 : 9250	4006 : 9251	4006 : 9252	4006 : 9253	4006 : 9255	4006 : 9256
4007 : 9250	4007 : 9251	4007 : 9252	4007 : 9253	4007 : 9255	4007 : 9256
4008 : 9250	4008 : 9251	4008 : 9252	4008 : 9253	4008 : 9255	4008 : 9256
4009 : 9250	4009 : 9251	4009 : 9252	4009 : 9253	4009 : 9255	4009 : 9256
4010 : 9250	4010 : 9251	4010 : 9252	4010 : 9253	4010 : 9255	4010 : 9256
4011 : 9250	4011 : 9251	4011 : 9252	4011 : 9253	4011 : 9255	4011 : 9256
4012 : 9250	4012 : 9251	4012 : 9252	4012 : 9253	4012 : 9255	4012 : 9256
5001 : 9250	5001 : 9251	5001 : 9252	5001 : 9253	5001 : 9255	5001 : 9256
5002 : 9250	5002 : 9251	5002 : 9252	5002 : 9253	5002 : 9255	5002 : 9256
5003 : 9250	5003 : 9251	5003 : 9252	5003 : 9253	5003 : 9255	5003 : 9256
5004 : 9250	5004 : 9251	5004 : 9252	5004 : 9253	5004 : 9255	5004 : 9256
5005 : 9250	5005 : 9251	5005 : 9252	5005 : 9253	5005 : 9255	5005 : 9256
5006 : 9250	5006 : 9251	5006 : 9252	5006 : 9253	5006 : 9255	5006 : 9256
5007 : 9250	5007 : 9251	5007 : 9252	5007 : 9253	5007 : 9255	5007 : 9256
5008 : 9250	5008 : 9251	5008 : 9252	5008 : 9253	5008 : 9255	5008 : 9256
5009 : 9250	5009 : 9251	5009 : 9252	5009 : 9253	5009 : 9255	5009 : 9256
5010 : 9250	5010 : 9251	5010 : 9252	5010 : 9253	5010 : 9255	5010 : 9256
5011 : 9250	5011 : 9251	5011 : 9252	5011 : 9253	5011 : 9255	5011 : 9256

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9257	3002 : 9258	3002 : 9259	3002 : 9260	3002 : 9262	3002 : 9263
3003 : 9257	3003 : 9258	3003 : 9259	3003 : 9260	3003 : 9262	3003 : 9263
3004 : 9257	3004 : 9258	3004 : 9259	3004 : 9260	3004 : 9262	3004 : 9263
3005 : 9257	3005 : 9258	3005 : 9259	3005 : 9260	3005 : 9262	3005 : 9263
3006 : 9257	3006 : 9258	3006 : 9259	3006 : 9260	3006 : 9262	3006 : 9263
3007 : 9257	3007 : 9258	3007 : 9259	3007 : 9260	3007 : 9262	3007 : 9263
3008 : 9257	3008 : 9258	3008 : 9259	3008 : 9260	3008 : 9262	3008 : 9263
3009 : 9257	3009 : 9258	3009 : 9259	3009 : 9260	3009 : 9262	3009 : 9263
3010 : 9257	3010 : 9258	3010 : 9259	3010 : 9260	3010 : 9262	3010 : 9263
3011 : 9257	3011 : 9258	3011 : 9259	3011 : 9260	3011 : 9262	3011 : 9263
3012 : 9257	3012 : 9258	3012 : 9259	3012 : 9260	3012 : 9262	3012 : 9263
3013 : 9257	3013 : 9258	3013 : 9259	3013 : 9260	3013 : 9262	3013 : 9263
3014 : 9257	3014 : 9258	3014 : 9259	3014 : 9260	3014 : 9262	3014 : 9263
4001 : 9257	4001 : 9258	4001 : 9259	4001 : 9260	4001 : 9262	4001 : 9263
4002 : 9257	4002 : 9258	4002 : 9259	4002 : 9260	4002 : 9262	4002 : 9263
4003 : 9257	4003 : 9258	4003 : 9259	4003 : 9260	4003 : 9262	4003 : 9263
4004 : 9257	4004 : 9258	4004 : 9259	4004 : 9260	4004 : 9262	4004 : 9263
4005 : 9257	4005 : 9258	4005 : 9259	4005 : 9260	4005 : 9262	4005 : 9263
4006 : 9257	4006 : 9258	4006 : 9259	4006 : 9260	4006 : 9262	4006 : 9263
4007 : 9257	4007 : 9258	4007 : 9259	4007 : 9260	4007 : 9262	4007 : 9263
4008 : 9257	4008 : 9258	4008 : 9259	4008 : 9260	4008 : 9262	4008 : 9263
4009 : 9257	4009 : 9258	4009 : 9259	4009 : 9260	4009 : 9262	4009 : 9263
4010 : 9257	4010 : 9258	4010 : 9259	4010 : 9260	4010 : 9262	4010 : 9263
4011 : 9257	4011 : 9258	4011 : 9259	4011 : 9260	4011 : 9262	4011 : 9263
4012 : 9257	4012 : 9258	4012 : 9259	4012 : 9260	4012 : 9262	4012 : 9263
5001 : 9257	5001 : 9258	5001 : 9259	5001 : 9260	5001 : 9262	5001 : 9263
5002 : 9257	5002 : 9258	5002 : 9259	5002 : 9260	5002 : 9262	5002 : 9263
5003 : 9257	5003 : 9258	5003 : 9259	5003 : 9260	5003 : 9262	5003 : 9263
5004 : 9257	5004 : 9258	5004 : 9259	5004 : 9260	5004 : 9262	5004 : 9263
5005 : 9257	5005 : 9258	5005 : 9259	5005 : 9260	5005 : 9262	5005 : 9263
5006 : 9257	5006 : 9258	5006 : 9259	5006 : 9260	5006 : 9262	5006 : 9263
5007 : 9257	5007 : 9258	5007 : 9259	5007 : 9260	5007 : 9262	5007 : 9263
5008 : 9257	5008 : 9258	5008 : 9259	5008 : 9260	5008 : 9262	5008 : 9263
5009 : 9257	5009 : 9258	5009 : 9259	5009 : 9260	5009 : 9262	5009 : 9263
5010 : 9257	5010 : 9258	5010 : 9259	5010 : 9260	5010 : 9262	5010 : 9263
5011 : 9257	5011 : 9258	5011 : 9259	5011 : 9260	5011 : 9262	5011 : 9263

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9264	3002 : 9265	3002 : 9266	3002 : 9267	3002 : 9268	3002 : 9269
3003 : 9264	3003 : 9265	3003 : 9266	3003 : 9267	3003 : 9268	3003 : 9269
3004 : 9264	3004 : 9265	3004 : 9266	3004 : 9267	3004 : 9268	3004 : 9269
3005 : 9264	3005 : 9265	3005 : 9266	3005 : 9267	3005 : 9268	3005 : 9269
3006 : 9264	3006 : 9265	3006 : 9266	3006 : 9267	3006 : 9268	3006 : 9269
3007 : 9264	3007 : 9265	3007 : 9266	3007 : 9267	3007 : 9268	3007 : 9269
3008 : 9264	3008 : 9265	3008 : 9266	3008 : 9267	3008 : 9268	3008 : 9269
3009 : 9264	3009 : 9265	3009 : 9266	3009 : 9267	3009 : 9268	3009 : 9269
3010 : 9264	3010 : 9265	3010 : 9266	3010 : 9267	3010 : 9268	3010 : 9269
3011 : 9264	3011 : 9265	3011 : 9266	3011 : 9267	3011 : 9268	3011 : 9269
3012 : 9264	3012 : 9265	3012 : 9266	3012 : 9267	3012 : 9268	3012 : 9269
3013 : 9264	3013 : 9265	3013 : 9266	3013 : 9267	3013 : 9268	3013 : 9269
3014 : 9264	3014 : 9265	3014 : 9266	3014 : 9267	3014 : 9268	3014 : 9269
4001 : 9264	4001 : 9265	4001 : 9266	4001 : 9267	4001 : 9268	4001 : 9269
4002 : 9264	4002 : 9265	4002 : 9266	4002 : 9267	4002 : 9268	4002 : 9269
4003 : 9264	4003 : 9265	4003 : 9266	4003 : 9267	4003 : 9268	4003 : 9269
4004 : 9264	4004 : 9265	4004 : 9266	4004 : 9267	4004 : 9268	4004 : 9269
4005 : 9264	4005 : 9265	4005 : 9266	4005 : 9267	4005 : 9268	4005 : 9269
4006 : 9264	4006 : 9265	4006 : 9266	4006 : 9267	4006 : 9268	4006 : 9269
4007 : 9264	4007 : 9265	4007 : 9266	4007 : 9267	4007 : 9268	4007 : 9269
4008 : 9264	4008 : 9265	4008 : 9266	4008 : 9267	4008 : 9268	4008 : 9269
4009 : 9264	4009 : 9265	4009 : 9266	4009 : 9267	4009 : 9268	4009 : 9269
4010 : 9264	4010 : 9265	4010 : 9266	4010 : 9267	4010 : 9268	4010 : 9269
4011 : 9264	4011 : 9265	4011 : 9266	4011 : 9267	4011 : 9268	4011 : 9269
4012 : 9264	4012 : 9265	4012 : 9266	4012 : 9267	4012 : 9268	4012 : 9269
5001 : 9264	5001 : 9265	5001 : 9266	5001 : 9267	5001 : 9268	5001 : 9269
5002 : 9264	5002 : 9265	5002 : 9266	5002 : 9267	5002 : 9268	5002 : 9269
5003 : 9264	5003 : 9265	5003 : 9266	5003 : 9267	5003 : 9268	5003 : 9269
5004 : 9264	5004 : 9265	5004 : 9266	5004 : 9267	5004 : 9268	5004 : 9269
5005 : 9264	5005 : 9265	5005 : 9266	5005 : 9267	5005 : 9268	5005 : 9269
5006 : 9264	5006 : 9265	5006 : 9266	5006 : 9267	5006 : 9268	5006 : 9269
5007 : 9264	5007 : 9265	5007 : 9266	5007 : 9267	5007 : 9268	5007 : 9269
5008 : 9264	5008 : 9265	5008 : 9266	5008 : 9267	5008 : 9268	5008 : 9269
5009 : 9264	5009 : 9265	5009 : 9266	5009 : 9267	5009 : 9268	5009 : 9269
5010 : 9264	5010 : 9265	5010 : 9266	5010 : 9267	5010 : 9268	5010 : 9269
5011 : 9264	5011 : 9265	5011 : 9266	5011 : 9267	5011 : 9268	5011 : 9269

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9270	3002 : 9271	3002 : 9272	3002 : 9273	3002 : 9274	3002 : 9275
3003 : 9270	3003 : 9271	3003 : 9272	3003 : 9273	3003 : 9274	3003 : 9275
3004 : 9270	3004 : 9271	3004 : 9272	3004 : 9273	3004 : 9274	3004 : 9275
3005 : 9270	3005 : 9271	3005 : 9272	3005 : 9273	3005 : 9274	3005 : 9275
3006 : 9270	3006 : 9271	3006 : 9272	3006 : 9273	3006 : 9274	3006 : 9275
3007 : 9270	3007 : 9271	3007 : 9272	3007 : 9273	3007 : 9274	3007 : 9275
3008 : 9270	3008 : 9271	3008 : 9272	3008 : 9273	3008 : 9274	3008 : 9275
3009 : 9270	3009 : 9271	3009 : 9272	3009 : 9273	3009 : 9274	3009 : 9275
3010 : 9270	3010 : 9271	3010 : 9272	3010 : 9273	3010 : 9274	3010 : 9275
3011 : 9270	3011 : 9271	3011 : 9272	3011 : 9273	3011 : 9274	3011 : 9275
3012 : 9270	3012 : 9271	3012 : 9272	3012 : 9273	3012 : 9274	3012 : 9275
3013 : 9270	3013 : 9271	3013 : 9272	3013 : 9273	3013 : 9274	3013 : 9275
3014 : 9270	3014 : 9271	3014 : 9272	3014 : 9273	3014 : 9274	3014 : 9275
4001 : 9270	4001 : 9271	4001 : 9272	4001 : 9273	4001 : 9274	4001 : 9275
4002 : 9270	4002 : 9271	4002 : 9272	4002 : 9273	4002 : 9274	4002 : 9275
4003 : 9270	4003 : 9271	4003 : 9272	4003 : 9273	4003 : 9274	4003 : 9275
4004 : 9270	4004 : 9271	4004 : 9272	4004 : 9273	4004 : 9274	4004 : 9275
4005 : 9270	4005 : 9271	4005 : 9272	4005 : 9273	4005 : 9274	4005 : 9275
4006 : 9270	4006 : 9271	4006 : 9272	4006 : 9273	4006 : 9274	4006 : 9275
4007 : 9270	4007 : 9271	4007 : 9272	4007 : 9273	4007 : 9274	4007 : 9275
4008 : 9270	4008 : 9271	4008 : 9272	4008 : 9273	4008 : 9274	4008 : 9275
4009 : 9270	4009 : 9271	4009 : 9272	4009 : 9273	4009 : 9274	4009 : 9275
4010 : 9270	4010 : 9271	4010 : 9272	4010 : 9273	4010 : 9274	4010 : 9275
4011 : 9270	4011 : 9271	4011 : 9272	4011 : 9273	4011 : 9274	4011 : 9275
4012 : 9270	4012 : 9271	4012 : 9272	4012 : 9273	4012 : 9274	4012 : 9275
5001 : 9270	5001 : 9271	5001 : 9272	5001 : 9273	5001 : 9274	5001 : 9275
5002 : 9270	5002 : 9271	5002 : 9272	5002 : 9273	5002 : 9274	5002 : 9275
5003 : 9270	5003 : 9271	5003 : 9272	5003 : 9273	5003 : 9274	5003 : 9275
5004 : 9270	5004 : 9271	5004 : 9272	5004 : 9273	5004 : 9274	5004 : 9275
5005 : 9270	5005 : 9271	5005 : 9272	5005 : 9273	5005 : 9274	5005 : 9275
5006 : 9270	5006 : 9271	5006 : 9272	5006 : 9273	5006 : 9274	5006 : 9275
5007 : 9270	5007 : 9271	5007 : 9272	5007 : 9273	5007 : 9274	5007 : 9275
5008 : 9270	5008 : 9271	5008 : 9272	5008 : 9273	5008 : 9274	5008 : 9275
5009 : 9270	5009 : 9271	5009 : 9272	5009 : 9273	5009 : 9274	5009 : 9275
5010 : 9270	5010 : 9271	5010 : 9272	5010 : 9273	5010 : 9274	5010 : 9275
5011 : 9270	5011 : 9271	5011 : 9272	5011 : 9273	5011 : 9274	5011 : 9275

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9276	3002 : 9277	3002 : 9278	3002 : 9279	3002 : 9280	3002 : 9281
3003 : 9276	3003 : 9277	3003 : 9278	3003 : 9279	3003 : 9280	3003 : 9281
3004 : 9276	3004 : 9277	3004 : 9278	3004 : 9279	3004 : 9280	3004 : 9281
3005 : 9276	3005 : 9277	3005 : 9278	3005 : 9279	3005 : 9280	3005 : 9281
3006 : 9276	3006 : 9277	3006 : 9278	3006 : 9279	3006 : 9280	3006 : 9281
3007 : 9276	3007 : 9277	3007 : 9278	3007 : 9279	3007 : 9280	3007 : 9281
3008 : 9276	3008 : 9277	3008 : 9278	3008 : 9279	3008 : 9280	3008 : 9281
3009 : 9276	3009 : 9277	3009 : 9278	3009 : 9279	3009 : 9280	3009 : 9281
3010 : 9276	3010 : 9277	3010 : 9278	3010 : 9279	3010 : 9280	3010 : 9281
3011 : 9276	3011 : 9277	3011 : 9278	3011 : 9279	3011 : 9280	3011 : 9281
3012 : 9276	3012 : 9277	3012 : 9278	3012 : 9279	3012 : 9280	3012 : 9281
3013 : 9276	3013 : 9277	3013 : 9278	3013 : 9279	3013 : 9280	3013 : 9281
3014 : 9276	3014 : 9277	3014 : 9278	3014 : 9279	3014 : 9280	3014 : 9281
4001 : 9276	4001 : 9277	4001 : 9278	4001 : 9279	4001 : 9280	4001 : 9281
4002 : 9276	4002 : 9277	4002 : 9278	4002 : 9279	4002 : 9280	4002 : 9281
4003 : 9276	4003 : 9277	4003 : 9278	4003 : 9279	4003 : 9280	4003 : 9281
4004 : 9276	4004 : 9277	4004 : 9278	4004 : 9279	4004 : 9280	4004 : 9281
4005 : 9276	4005 : 9277	4005 : 9278	4005 : 9279	4005 : 9280	4005 : 9281
4006 : 9276	4006 : 9277	4006 : 9278	4006 : 9279	4006 : 9280	4006 : 9281
4007 : 9276	4007 : 9277	4007 : 9278	4007 : 9279	4007 : 9280	4007 : 9281
4008 : 9276	4008 : 9277	4008 : 9278	4008 : 9279	4008 : 9280	4008 : 9281
4009 : 9276	4009 : 9277	4009 : 9278	4009 : 9279	4009 : 9280	4009 : 9281
4010 : 9276	4010 : 9277	4010 : 9278	4010 : 9279	4010 : 9280	4010 : 9281
4011 : 9276	4011 : 9277	4011 : 9278	4011 : 9279	4011 : 9280	4011 : 9281
4012 : 9276	4012 : 9277	4012 : 9278	4012 : 9279	4012 : 9280	4012 : 9281
5001 : 9276	5001 : 9277	5001 : 9278	5001 : 9279	5001 : 9280	5001 : 9281
5002 : 9276	5002 : 9277	5002 : 9278	5002 : 9279	5002 : 9280	5002 : 9281
5003 : 9276	5003 : 9277	5003 : 9278	5003 : 9279	5003 : 9280	5003 : 9281
5004 : 9276	5004 : 9277	5004 : 9278	5004 : 9279	5004 : 9280	5004 : 9281
5005 : 9276	5005 : 9277	5005 : 9278	5005 : 9279	5005 : 9280	5005 : 9281
5006 : 9276	5006 : 9277	5006 : 9278	5006 : 9279	5006 : 9280	5006 : 9281
5007 : 9276	5007 : 9277	5007 : 9278	5007 : 9279	5007 : 9280	5007 : 9281
5008 : 9276	5008 : 9277	5008 : 9278	5008 : 9279	5008 : 9280	5008 : 9281
5009 : 9276	5009 : 9277	5009 : 9278	5009 : 9279	5009 : 9280	5009 : 9281
5010 : 9276	5010 : 9277	5010 : 9278	5010 : 9279	5010 : 9280	5010 : 9281
5011 : 9276	5011 : 9277	5011 : 9278	5011 : 9279	5011 : 9280	5011 : 9281

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9282	3002 : 9283	3002 : 9284	3002 : 9285	3002 : 9286	3002 : 9287
3003 : 9282	3003 : 9283	3003 : 9284	3003 : 9285	3003 : 9286	3003 : 9287
3004 : 9282	3004 : 9283	3004 : 9284	3004 : 9285	3004 : 9286	3004 : 9287
3005 : 9282	3005 : 9283	3005 : 9284	3005 : 9285	3005 : 9286	3005 : 9287
3006 : 9282	3006 : 9283	3006 : 9284	3006 : 9285	3006 : 9286	3006 : 9287
3007 : 9282	3007 : 9283	3007 : 9284	3007 : 9285	3007 : 9286	3007 : 9287
3008 : 9282	3008 : 9283	3008 : 9284	3008 : 9285	3008 : 9286	3008 : 9287
3009 : 9282	3009 : 9283	3009 : 9284	3009 : 9285	3009 : 9286	3009 : 9287
3010 : 9282	3010 : 9283	3010 : 9284	3010 : 9285	3010 : 9286	3010 : 9287
3011 : 9282	3011 : 9283	3011 : 9284	3011 : 9285	3011 : 9286	3011 : 9287
3012 : 9282	3012 : 9283	3012 : 9284	3012 : 9285	3012 : 9286	3012 : 9287
3013 : 9282	3013 : 9283	3013 : 9284	3013 : 9285	3013 : 9286	3013 : 9287
3014 : 9282	3014 : 9283	3014 : 9284	3014 : 9285	3014 : 9286	3014 : 9287
4001 : 9282	4001 : 9283	4001 : 9284	4001 : 9285	4001 : 9286	4001 : 9287
4002 : 9282	4002 : 9283	4002 : 9284	4002 : 9285	4002 : 9286	4002 : 9287
4003 : 9282	4003 : 9283	4003 : 9284	4003 : 9285	4003 : 9286	4003 : 9287
4004 : 9282	4004 : 9283	4004 : 9284	4004 : 9285	4004 : 9286	4004 : 9287
4005 : 9282	4005 : 9283	4005 : 9284	4005 : 9285	4005 : 9286	4005 : 9287
4006 : 9282	4006 : 9283	4006 : 9284	4006 : 9285	4006 : 9286	4006 : 9287
4007 : 9282	4007 : 9283	4007 : 9284	4007 : 9285	4007 : 9286	4007 : 9287
4008 : 9282	4008 : 9283	4008 : 9284	4008 : 9285	4008 : 9286	4008 : 9287
4009 : 9282	4009 : 9283	4009 : 9284	4009 : 9285	4009 : 9286	4009 : 9287
4010 : 9282	4010 : 9283	4010 : 9284	4010 : 9285	4010 : 9286	4010 : 9287
4011 : 9282	4011 : 9283	4011 : 9284	4011 : 9285	4011 : 9286	4011 : 9287
4012 : 9282	4012 : 9283	4012 : 9284	4012 : 9285	4012 : 9286	4012 : 9287
5001 : 9282	5001 : 9283	5001 : 9284	5001 : 9285	5001 : 9286	5001 : 9287
5002 : 9282	5002 : 9283	5002 : 9284	5002 : 9285	5002 : 9286	5002 : 9287
5003 : 9282	5003 : 9283	5003 : 9284	5003 : 9285	5003 : 9286	5003 : 9287
5004 : 9282	5004 : 9283	5004 : 9284	5004 : 9285	5004 : 9286	5004 : 9287
5005 : 9282	5005 : 9283	5005 : 9284	5005 : 9285	5005 : 9286	5005 : 9287
5006 : 9282	5006 : 9283	5006 : 9284	5006 : 9285	5006 : 9286	5006 : 9287
5007 : 9282	5007 : 9283	5007 : 9284	5007 : 9285	5007 : 9286	5007 : 9287
5008 : 9282	5008 : 9283	5008 : 9284	5008 : 9285	5008 : 9286	5008 : 9287
5009 : 9282	5009 : 9283	5009 : 9284	5009 : 9285	5009 : 9286	5009 : 9287
5010 : 9282	5010 : 9283	5010 : 9284	5010 : 9285	5010 : 9286	5010 : 9287
5011 : 9282	5011 : 9283	5011 : 9284	5011 : 9285	5011 : 9286	5011 : 9287

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9288	3002 : 9289	3002 : 9290	3002 : 9291	3002 : 9292	3002 : 9293
3003 : 9288	3003 : 9289	3003 : 9290	3003 : 9291	3003 : 9292	3003 : 9293
3004 : 9288	3004 : 9289	3004 : 9290	3004 : 9291	3004 : 9292	3004 : 9293
3005 : 9288	3005 : 9289	3005 : 9290	3005 : 9291	3005 : 9292	3005 : 9293
3006 : 9288	3006 : 9289	3006 : 9290	3006 : 9291	3006 : 9292	3006 : 9293
3007 : 9288	3007 : 9289	3007 : 9290	3007 : 9291	3007 : 9292	3007 : 9293
3008 : 9288	3008 : 9289	3008 : 9290	3008 : 9291	3008 : 9292	3008 : 9293
3009 : 9288	3009 : 9289	3009 : 9290	3009 : 9291	3009 : 9292	3009 : 9293
3010 : 9288	3010 : 9289	3010 : 9290	3010 : 9291	3010 : 9292	3010 : 9293
3011 : 9288	3011 : 9289	3011 : 9290	3011 : 9291	3011 : 9292	3011 : 9293
3012 : 9288	3012 : 9289	3012 : 9290	3012 : 9291	3012 : 9292	3012 : 9293
3013 : 9288	3013 : 9289	3013 : 9290	3013 : 9291	3013 : 9292	3013 : 9293
3014 : 9288	3014 : 9289	3014 : 9290	3014 : 9291	3014 : 9292	3014 : 9293
4001 : 9288	4001 : 9289	4001 : 9290	4001 : 9291	4001 : 9292	4001 : 9293
4002 : 9288	4002 : 9289	4002 : 9290	4002 : 9291	4002 : 9292	4002 : 9293
4003 : 9288	4003 : 9289	4003 : 9290	4003 : 9291	4003 : 9292	4003 : 9293
4004 : 9288	4004 : 9289	4004 : 9290	4004 : 9291	4004 : 9292	4004 : 9293
4005 : 9288	4005 : 9289	4005 : 9290	4005 : 9291	4005 : 9292	4005 : 9293
4006 : 9288	4006 : 9289	4006 : 9290	4006 : 9291	4006 : 9292	4006 : 9293
4007 : 9288	4007 : 9289	4007 : 9290	4007 : 9291	4007 : 9292	4007 : 9293
4008 : 9288	4008 : 9289	4008 : 9290	4008 : 9291	4008 : 9292	4008 : 9293
4009 : 9288	4009 : 9289	4009 : 9290	4009 : 9291	4009 : 9292	4009 : 9293
4010 : 9288	4010 : 9289	4010 : 9290	4010 : 9291	4010 : 9292	4010 : 9293
4011 : 9288	4011 : 9289	4011 : 9290	4011 : 9291	4011 : 9292	4011 : 9293
4012 : 9288	4012 : 9289	4012 : 9290	4012 : 9291	4012 : 9292	4012 : 9293
5001 : 9288	5001 : 9289	5001 : 9290	5001 : 9291	5001 : 9292	5001 : 9293
5002 : 9288	5002 : 9289	5002 : 9290	5002 : 9291	5002 : 9292	5002 : 9293
5003 : 9288	5003 : 9289	5003 : 9290	5003 : 9291	5003 : 9292	5003 : 9293
5004 : 9288	5004 : 9289	5004 : 9290	5004 : 9291	5004 : 9292	5004 : 9293
5005 : 9288	5005 : 9289	5005 : 9290	5005 : 9291	5005 : 9292	5005 : 9293
5006 : 9288	5006 : 9289	5006 : 9290	5006 : 9291	5006 : 9292	5006 : 9293
5007 : 9288	5007 : 9289	5007 : 9290	5007 : 9291	5007 : 9292	5007 : 9293
5008 : 9288	5008 : 9289	5008 : 9290	5008 : 9291	5008 : 9292	5008 : 9293
5009 : 9288	5009 : 9289	5009 : 9290	5009 : 9291	5009 : 9292	5009 : 9293
5010 : 9288	5010 : 9289	5010 : 9290	5010 : 9291	5010 : 9292	5010 : 9293
5011 : 9288	5011 : 9289	5011 : 9290	5011 : 9291	5011 : 9292	5011 : 9293

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9294	3002 : 9295	3002 : 9296	3002 : 9297	3002 : 9298	3002 : 9299
3003 : 9294	3003 : 9295	3003 : 9296	3003 : 9297	3003 : 9298	3003 : 9299
3004 : 9294	3004 : 9295	3004 : 9296	3004 : 9297	3004 : 9298	3004 : 9299
3005 : 9294	3005 : 9295	3005 : 9296	3005 : 9297	3005 : 9298	3005 : 9299
3006 : 9294	3006 : 9295	3006 : 9296	3006 : 9297	3006 : 9298	3006 : 9299
3007 : 9294	3007 : 9295	3007 : 9296	3007 : 9297	3007 : 9298	3007 : 9299
3008 : 9294	3008 : 9295	3008 : 9296	3008 : 9297	3008 : 9298	3008 : 9299
3009 : 9294	3009 : 9295	3009 : 9296	3009 : 9297	3009 : 9298	3009 : 9299
3010 : 9294	3010 : 9295	3010 : 9296	3010 : 9297	3010 : 9298	3010 : 9299
3011 : 9294	3011 : 9295	3011 : 9296	3011 : 9297	3011 : 9298	3011 : 9299
3012 : 9294	3012 : 9295	3012 : 9296	3012 : 9297	3012 : 9298	3012 : 9299
3013 : 9294	3013 : 9295	3013 : 9296	3013 : 9297	3013 : 9298	3013 : 9299
3014 : 9294	3014 : 9295	3014 : 9296	3014 : 9297	3014 : 9298	3014 : 9299
4001 : 9294	4001 : 9295	4001 : 9296	4001 : 9297	4001 : 9298	4001 : 9299
4002 : 9294	4002 : 9295	4002 : 9296	4002 : 9297	4002 : 9298	4002 : 9299
4003 : 9294	4003 : 9295	4003 : 9296	4003 : 9297	4003 : 9298	4003 : 9299
4004 : 9294	4004 : 9295	4004 : 9296	4004 : 9297	4004 : 9298	4004 : 9299
4005 : 9294	4005 : 9295	4005 : 9296	4005 : 9297	4005 : 9298	4005 : 9299
4006 : 9294	4006 : 9295	4006 : 9296	4006 : 9297	4006 : 9298	4006 : 9299
4007 : 9294	4007 : 9295	4007 : 9296	4007 : 9297	4007 : 9298	4007 : 9299
4008 : 9294	4008 : 9295	4008 : 9296	4008 : 9297	4008 : 9298	4008 : 9299
4009 : 9294	4009 : 9295	4009 : 9296	4009 : 9297	4009 : 9298	4009 : 9299
4010 : 9294	4010 : 9295	4010 : 9296	4010 : 9297	4010 : 9298	4010 : 9299
4011 : 9294	4011 : 9295	4011 : 9296	4011 : 9297	4011 : 9298	4011 : 9299
4012 : 9294	4012 : 9295	4012 : 9296	4012 : 9297	4012 : 9298	4012 : 9299
5001 : 9294	5001 : 9295	5001 : 9296	5001 : 9297	5001 : 9298	5001 : 9299
5002 : 9294	5002 : 9295	5002 : 9296	5002 : 9297	5002 : 9298	5002 : 9299
5003 : 9294	5003 : 9295	5003 : 9296	5003 : 9297	5003 : 9298	5003 : 9299
5004 : 9294	5004 : 9295	5004 : 9296	5004 : 9297	5004 : 9298	5004 : 9299
5005 : 9294	5005 : 9295	5005 : 9296	5005 : 9297	5005 : 9298	5005 : 9299
5006 : 9294	5006 : 9295	5006 : 9296	5006 : 9297	5006 : 9298	5006 : 9299
5007 : 9294	5007 : 9295	5007 : 9296	5007 : 9297	5007 : 9298	5007 : 9299
5008 : 9294	5008 : 9295	5008 : 9296	5008 : 9297	5008 : 9298	5008 : 9299
5009 : 9294	5009 : 9295	5009 : 9296	5009 : 9297	5009 : 9298	5009 : 9299
5010 : 9294	5010 : 9295	5010 : 9296	5010 : 9297	5010 : 9298	5010 : 9299
5011 : 9294	5011 : 9295	5011 : 9296	5011 : 9297	5011 : 9298	5011 : 9299

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9300	3002 : 9301	3002 : 9302	3002 : 9303	3002 : 9304	3002 : 9305
3003 : 9300	3003 : 9301	3003 : 9302	3003 : 9303	3003 : 9304	3003 : 9305
3004 : 9300	3004 : 9301	3004 : 9302	3004 : 9303	3004 : 9304	3004 : 9305
3005 : 9300	3005 : 9301	3005 : 9302	3005 : 9303	3005 : 9304	3005 : 9305
3006 : 9300	3006 : 9301	3006 : 9302	3006 : 9303	3006 : 9304	3006 : 9305
3007 : 9300	3007 : 9301	3007 : 9302	3007 : 9303	3007 : 9304	3007 : 9305
3008 : 9300	3008 : 9301	3008 : 9302	3008 : 9303	3008 : 9304	3008 : 9305
3009 : 9300	3009 : 9301	3009 : 9302	3009 : 9303	3009 : 9304	3009 : 9305
3010 : 9300	3010 : 9301	3010 : 9302	3010 : 9303	3010 : 9304	3010 : 9305
3011 : 9300	3011 : 9301	3011 : 9302	3011 : 9303	3011 : 9304	3011 : 9305
3012 : 9300	3012 : 9301	3012 : 9302	3012 : 9303	3012 : 9304	3012 : 9305
3013 : 9300	3013 : 9301	3013 : 9302	3013 : 9303	3013 : 9304	3013 : 9305
3014 : 9300	3014 : 9301	3014 : 9302	3014 : 9303	3014 : 9304	3014 : 9305
4001 : 9300	4001 : 9301	4001 : 9302	4001 : 9303	4001 : 9304	4001 : 9305
4002 : 9300	4002 : 9301	4002 : 9302	4002 : 9303	4002 : 9304	4002 : 9305
4003 : 9300	4003 : 9301	4003 : 9302	4003 : 9303	4003 : 9304	4003 : 9305
4004 : 9300	4004 : 9301	4004 : 9302	4004 : 9303	4004 : 9304	4004 : 9305
4005 : 9300	4005 : 9301	4005 : 9302	4005 : 9303	4005 : 9304	4005 : 9305
4006 : 9300	4006 : 9301	4006 : 9302	4006 : 9303	4006 : 9304	4006 : 9305
4007 : 9300	4007 : 9301	4007 : 9302	4007 : 9303	4007 : 9304	4007 : 9305
4008 : 9300	4008 : 9301	4008 : 9302	4008 : 9303	4008 : 9304	4008 : 9305
4009 : 9300	4009 : 9301	4009 : 9302	4009 : 9303	4009 : 9304	4009 : 9305
4010 : 9300	4010 : 9301	4010 : 9302	4010 : 9303	4010 : 9304	4010 : 9305
4011 : 9300	4011 : 9301	4011 : 9302	4011 : 9303	4011 : 9304	4011 : 9305
4012 : 9300	4012 : 9301	4012 : 9302	4012 : 9303	4012 : 9304	4012 : 9305
5001 : 9300	5001 : 9301	5001 : 9302	5001 : 9303	5001 : 9304	5001 : 9305
5002 : 9300	5002 : 9301	5002 : 9302	5002 : 9303	5002 : 9304	5002 : 9305
5003 : 9300	5003 : 9301	5003 : 9302	5003 : 9303	5003 : 9304	5003 : 9305
5004 : 9300	5004 : 9301	5004 : 9302	5004 : 9303	5004 : 9304	5004 : 9305
5005 : 9300	5005 : 9301	5005 : 9302	5005 : 9303	5005 : 9304	5005 : 9305
5006 : 9300	5006 : 9301	5006 : 9302	5006 : 9303	5006 : 9304	5006 : 9305
5007 : 9300	5007 : 9301	5007 : 9302	5007 : 9303	5007 : 9304	5007 : 9305
5008 : 9300	5008 : 9301	5008 : 9302	5008 : 9303	5008 : 9304	5008 : 9305
5009 : 9300	5009 : 9301	5009 : 9302	5009 : 9303	5009 : 9304	5009 : 9305
5010 : 9300	5010 : 9301	5010 : 9302	5010 : 9303	5010 : 9304	5010 : 9305
5011 : 9300	5011 : 9301	5011 : 9302	5011 : 9303	5011 : 9304	5011 : 9305

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
3002 : 9306	3002 : 9307	3002 : 9308	3002 : 9309	3002 : 9310	
3003 : 9306	3003 : 9307	3003 : 9308	3003 : 9309	3003 : 9310	
3004 : 9306	3004 : 9307	3004 : 9308	3004 : 9309	3004 : 9310	
3005 : 9306	3005 : 9307	3005 : 9308	3005 : 9309	3005 : 9310	
3006 : 9306	3006 : 9307	3006 : 9308	3006 : 9309	3006 : 9310	
3007 : 9306	3007 : 9307	3007 : 9308	3007 : 9309	3007 : 9310	
3008 : 9306	3008 : 9307	3008 : 9308	3008 : 9309	3008 : 9310	
3009 : 9306	3009 : 9307	3009 : 9308	3009 : 9309	3009 : 9310	
3010 : 9306	3010 : 9307	3010 : 9308	3010 : 9309	3010 : 9310	
3011 : 9306	3011 : 9307	3011 : 9308	3011 : 9309	3011 : 9310	
3012 : 9306	3012 : 9307	3012 : 9308	3012 : 9309	3012 : 9310	
3013 : 9306	3013 : 9307	3013 : 9308	3013 : 9309	3013 : 9310	
3014 : 9306	3014 : 9307	3014 : 9308	3014 : 9309	3014 : 9310	
4001 : 9306	4001 : 9307	4001 : 9308	4001 : 9309	4001 : 9310	
4002 : 9306	4002 : 9307	4002 : 9308	4002 : 9309	4002 : 9310	
4003 : 9306	4003 : 9307	4003 : 9308	4003 : 9309	4003 : 9310	
4004 : 9306	4004 : 9307	4004 : 9308	4004 : 9309	4004 : 9310	
4005 : 9306	4005 : 9307	4005 : 9308	4005 : 9309	4005 : 9310	
4006 : 9306	4006 : 9307	4006 : 9308	4006 : 9309	4006 : 9310	--
4007 : 9306	4007 : 9307	4007 : 9308	4007 : 9309	4007 : 9310	
4008 : 9306	4008 : 9307	4008 : 9308	4008 : 9309	4008 : 9310	
4009 : 9306	4009 : 9307	4009 : 9308	4009 : 9309	4009 : 9310	
4010 : 9306	4010 : 9307	4010 : 9308	4010 : 9309	4010 : 9310	
4011 : 9306	4011 : 9307	4011 : 9308	4011 : 9309	4011 : 9310	
4012 : 9306	4012 : 9307	4012 : 9308	4012 : 9309	4012 : 9310	
5001 : 9306	5001 : 9307	5001 : 9308	5001 : 9309	5001 : 9310	
5002 : 9306	5002 : 9307	5002 : 9308	5002 : 9309	5002 : 9310	
5003 : 9306	5003 : 9307	5003 : 9308	5003 : 9309	5003 : 9310	
5004 : 9306	5004 : 9307	5004 : 9308	5004 : 9309	5004 : 9310	
5005 : 9306	5005 : 9307	5005 : 9308	5005 : 9309	5005 : 9310	
5006 : 9306	5006 : 9307	5006 : 9308	5006 : 9309	5006 : 9310	
5007 : 9306	5007 : 9307	5007 : 9308	5007 : 9309	5007 : 9310	
5008 : 9306	5008 : 9307	5008 : 9308	5008 : 9309	5008 : 9310	
5009 : 9306	5009 : 9307	5009 : 9308	5009 : 9309	5009 : 9310	
5010 : 9306	5010 : 9307	5010 : 9308	5010 : 9309	5010 : 9310	
5011 : 9306	5011 : 9307	5011 : 9308	5011 : 9309	5011 : 9310	

Table C: Example combinations of a compound X with a compound Y.

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9006 : 7000	9007 : 7000	9008 : 7000	9018 : 7000	9020 : 7000	9021 : 7000
9006 : 7001	9007 : 7001	9008 : 7001	9018 : 7001	9020 : 7001	9021 : 7001
9006 : 7002	9007 : 7002	9008 : 7002	9018 : 7002	9020 : 7002	9021 : 7002
9006 : 7003	9007 : 7003	9008 : 7003	9018 : 7003	9020 : 7003	9021 : 7003
9006 : 7004	9007 : 7004	9008 : 7004	9018 : 7004	9020 : 7004	9021 : 7004
9006 : 7005	9007 : 7005	9008 : 7005	9018 : 7005	9020 : 7005	9021 : 7005
9006 : 7006	9007 : 7006	9008 : 7006	9018 : 7006	9020 : 7006	9021 : 7006
9006 : 7007	9007 : 7007	9008 : 7007	9018 : 7007	9020 : 7007	9021 : 7007
9006 : 7008	9007 : 7008	9008 : 7008	9018 : 7008	9020 : 7008	9021 : 7008
9006 : 7009	9007 : 7009	9008 : 7009	9018 : 7009	9020 : 7009	9021 : 7009
9006 : 7010	9007 : 7010	9008 : 7010	9018 : 7010	9020 : 7010	9021 : 7010
9006 : 7011	9007 : 7011	9008 : 7011	9018 : 7011	9020 : 7011	9021 : 7011
9006 : 7012	9007 : 7012	9008 : 7012	9018 : 7012	9020 : 7012	9021 : 7012
9006 : 7013	9007 : 7013	9008 : 7013	9018 : 7013	9020 : 7013	9021 : 7013
9006 : 7014	9007 : 7014	9008 : 7014	9018 : 7014	9020 : 7014	9021 : 7014
9006 : 7015	9007 : 7015	9008 : 7015	9018 : 7015	9020 : 7015	9021 : 7015
9006 : 7016	9007 : 7016	9008 : 7016	9018 : 7016	9020 : 7016	9021 : 7016
9006 : 7017	9007 : 7017	9008 : 7017	9018 : 7017	9020 : 7017	9021 : 7017
9006 : 7018	9007 : 7018	9008 : 7018	9018 : 7018	9020 : 7018	9021 : 7018
9006 : 7019	9007 : 7019	9008 : 7019	9018 : 7019	9020 : 7019	9021 : 7019
9006 : 7020	9007 : 7020	9008 : 7020	9018 : 7020	9020 : 7020	9021 : 7020
9006 : 7021	9007 : 7021	9008 : 7021	9018 : 7021	9020 : 7021	9021 : 7021
9006 : 7022	9007 : 7022	9008 : 7022	9018 : 7022	9020 : 7022	9021 : 7022
9006 : 7023	9007 : 7023	9008 : 7023	9018 : 7023	9020 : 7023	9021 : 7023
9006 : 7024	9007 : 7024	9008 : 7024	9018 : 7024	9020 : 7024	9021 : 7024
9006 : 7025	9007 : 7025	9008 : 7025	9018 : 7025	9020 : 7025	9021 : 7025
9006 : 7026	9007 : 7026	9008 : 7026	9018 : 7026	9020 : 7026	9021 : 7026
9006 : 7027	9007 : 7027	9008 : 7027	9018 : 7027	9020 : 7027	9021 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9025 : 7000	9026 : 7000	9036 : 7000	9038 : 7000	9039 : 7000	9040 : 7000
9025 : 7001	9026 : 7001	9036 : 7001	9038 : 7001	9039 : 7001	9040 : 7001
9025 : 7002	9026 : 7002	9036 : 7002	9038 : 7002	9039 : 7002	9040 : 7002
9025 : 7003	9026 : 7003	9036 : 7003	9038 : 7003	9039 : 7003	9040 : 7003
9025 : 7004	9026 : 7004	9036 : 7004	9038 : 7004	9039 : 7004	9040 : 7004
9025 : 7005	9026 : 7005	9036 : 7005	9038 : 7005	9039 : 7005	9040 : 7005
9025 : 7006	9026 : 7006	9036 : 7006	9038 : 7006	9039 : 7006	9040 : 7006
9025 : 7007	9026 : 7007	9036 : 7007	9038 : 7007	9039 : 7007	9040 : 7007
9025 : 7008	9026 : 7008	9036 : 7008	9038 : 7008	9039 : 7008	9040 : 7008
9025 : 7009	9026 : 7009	9036 : 7009	9038 : 7009	9039 : 7009	9040 : 7009
9025 : 7010	9026 : 7010	9036 : 7010	9038 : 7010	9039 : 7010	9040 : 7010
9025 : 7011	9026 : 7011	9036 : 7011	9038 : 7011	9039 : 7011	9040 : 7011
9025 : 7012	9026 : 7012	9036 : 7012	9038 : 7012	9039 : 7012	9040 : 7012
9025 : 7013	9026 : 7013	9036 : 7013	9038 : 7013	9039 : 7013	9040 : 7013
9025 : 7014	9026 : 7014	9036 : 7014	9038 : 7014	9039 : 7014	9040 : 7014
9025 : 7015	9026 : 7015	9036 : 7015	9038 : 7015	9039 : 7015	9040 : 7015
9025 : 7016	9026 : 7016	9036 : 7016	9038 : 7016	9039 : 7016	9040 : 7016
9025 : 7017	9026 : 7017	9036 : 7017	9038 : 7017	9039 : 7017	9040 : 7017
9025 : 7018	9026 : 7018	9036 : 7018	9038 : 7018	9039 : 7018	9040 : 7018
9025 : 7019	9026 : 7019	9036 : 7019	9038 : 7019	9039 : 7019	9040 : 7019
9025 : 7020	9026 : 7020	9036 : 7020	9038 : 7020	9039 : 7020	9040 : 7020
9025 : 7021	9026 : 7021	9036 : 7021	9038 : 7021	9039 : 7021	9040 : 7021
9025 : 7022	9026 : 7022	9036 : 7022	9038 : 7022	9039 : 7022	9040 : 7022
9025 : 7023	9026 : 7023	9036 : 7023	9038 : 7023	9039 : 7023	9040 : 7023
9025 : 7024	9026 : 7024	9036 : 7024	9038 : 7024	9039 : 7024	9040 : 7024
9025 : 7025	9026 : 7025	9036 : 7025	9038 : 7025	9039 : 7025	9040 : 7025
9025 : 7026	9026 : 7026	9036 : 7026	9038 : 7026	9039 : 7026	9040 : 7026
9025 : 7027	9026 : 7027	9036 : 7027	9038 : 7027	9039 : 7027	9040 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9041 : 7000	9042 : 7000	9043 : 7000	9044 : 7000	9045 : 7000	9047 : 7000
9041 : 7001	9042 : 7001	9043 : 7001	9044 : 7001	9045 : 7001	9047 : 7001
9041 : 7002	9042 : 7002	9043 : 7002	9044 : 7002	9045 : 7002	9047 : 7002
9041 : 7003	9042 : 7003	9043 : 7003	9044 : 7003	9045 : 7003	9047 : 7003
9041 : 7004	9042 : 7004	9043 : 7004	9044 : 7004	9045 : 7004	9047 : 7004
9041 : 7005	9042 : 7005	9043 : 7005	9044 : 7005	9045 : 7005	9047 : 7005
9041 : 7006	9042 : 7006	9043 : 7006	9044 : 7006	9045 : 7006	9047 : 7006
9041 : 7007	9042 : 7007	9043 : 7007	9044 : 7007	9045 : 7007	9047 : 7007
9041 : 7008	9042 : 7008	9043 : 7008	9044 : 7008	9045 : 7008	9047 : 7008
9041 : 7009	9042 : 7009	9043 : 7009	9044 : 7009	9045 : 7009	9047 : 7009
9041 : 7010	9042 : 7010	9043 : 7010	9044 : 7010	9045 : 7010	9047 : 7010
9041 : 7011	9042 : 7011	9043 : 7011	9044 : 7011	9045 : 7011	9047 : 7011
9041 : 7012	9042 : 7012	9043 : 7012	9044 : 7012	9045 : 7012	9047 : 7012
9041 : 7013	9042 : 7013	9043 : 7013	9044 : 7013	9045 : 7013	9047 : 7013
9041 : 7014	9042 : 7014	9043 : 7014	9044 : 7014	9045 : 7014	9047 : 7014
9041 : 7015	9042 : 7015	9043 : 7015	9044 : 7015	9045 : 7015	9047 : 7015
9041 : 7016	9042 : 7016	9043 : 7016	9044 : 7016	9045 : 7016	9047 : 7016
9041 : 7017	9042 : 7017	9043 : 7017	9044 : 7017	9045 : 7017	9047 : 7017
9041 : 7018	9042 : 7018	9043 : 7018	9044 : 7018	9045 : 7018	9047 : 7018
9041 : 7019	9042 : 7019	9043 : 7019	9044 : 7019	9045 : 7019	9047 : 7019
9041 : 7020	9042 : 7020	9043 : 7020	9044 : 7020	9045 : 7020	9047 : 7020
9041 : 7021	9042 : 7021	9043 : 7021	9044 : 7021	9045 : 7021	9047 : 7021
9041 : 7022	9042 : 7022	9043 : 7022	9044 : 7022	9045 : 7022	9047 : 7022
9041 : 7023	9042 : 7023	9043 : 7023	9044 : 7023	9045 : 7023	9047 : 7023
9041 : 7024	9042 : 7024	9043 : 7024	9044 : 7024	9045 : 7024	9047 : 7024
9041 : 7025	9042 : 7025	9043 : 7025	9044 : 7025	9045 : 7025	9047 : 7025
9041 : 7026	9042 : 7026	9043 : 7026	9044 : 7026	9045 : 7026	9047 : 7026
9041 : 7027	9042 : 7027	9043 : 7027	9044 : 7027	9045 : 7027	9047 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9048 : 7000	9049 : 7000	9051 : 7000	9052 : 7000	9053 : 7000	9054 : 7000
9048 : 7001	9049 : 7001	9051 : 7001	9052 : 7001	9053 : 7001	9054 : 7001
9048 : 7002	9049 : 7002	9051 : 7002	9052 : 7002	9053 : 7002	9054 : 7002
9048 : 7003	9049 : 7003	9051 : 7003	9052 : 7003	9053 : 7003	9054 : 7003
9048 : 7004	9049 : 7004	9051 : 7004	9052 : 7004	9053 : 7004	9054 : 7004
9048 : 7005	9049 : 7005	9051 : 7005	9052 : 7005	9053 : 7005	9054 : 7005
9048 : 7006	9049 : 7006	9051 : 7006	9052 : 7006	9053 : 7006	9054 : 7006
9048 : 7007	9049 : 7007	9051 : 7007	9052 : 7007	9053 : 7007	9054 : 7007
9048 : 7008	9049 : 7008	9051 : 7008	9052 : 7008	9053 : 7008	9054 : 7008
9048 : 7009	9049 : 7009	9051 : 7009	9052 : 7009	9053 : 7009	9054 : 7009
9048 : 7010	9049 : 7010	9051 : 7010	9052 : 7010	9053 : 7010	9054 : 7010
9048 : 7011	9049 : 7011	9051 : 7011	9052 : 7011	9053 : 7011	9054 : 7011
9048 : 7012	9049 : 7012	9051 : 7012	9052 : 7012	9053 : 7012	9054 : 7012
9048 : 7013	9049 : 7013	9051 : 7013	9052 : 7013	9053 : 7013	9054 : 7013
9048 : 7014	9049 : 7014	9051 : 7014	9052 : 7014	9053 : 7014	9054 : 7014
9048 : 7015	9049 : 7015	9051 : 7015	9052 : 7015	9053 : 7015	9054 : 7015
9048 : 7016	9049 : 7016	9051 : 7016	9052 : 7016	9053 : 7016	9054 : 7016
9048 : 7017	9049 : 7017	9051 : 7017	9052 : 7017	9053 : 7017	9054 : 7017
9048 : 7018	9049 : 7018	9051 : 7018	9052 : 7018	9053 : 7018	9054 : 7018
9048 : 7019	9049 : 7019	9051 : 7019	9052 : 7019	9053 : 7019	9054 : 7019
9048 : 7020	9049 : 7020	9051 : 7020	9052 : 7020	9053 : 7020	9054 : 7020
9048 : 7021	9049 : 7021	9051 : 7021	9052 : 7021	9053 : 7021	9054 : 7021
9048 : 7022	9049 : 7022	9051 : 7022	9052 : 7022	9053 : 7022	9054 : 7022
9048 : 7023	9049 : 7023	9051 : 7023	9052 : 7023	9053 : 7023	9054 : 7023
9048 : 7024	9049 : 7024	9051 : 7024	9052 : 7024	9053 : 7024	9054 : 7024
9048 : 7025	9049 : 7025	9051 : 7025	9052 : 7025	9053 : 7025	9054 : 7025
9048 : 7026	9049 : 7026	9051 : 7026	9052 : 7026	9053 : 7026	9054 : 7026
9048 : 7027	9049 : 7027	9051 : 7027	9052 : 7027	9053 : 7027	9054 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9055 : 7000	9056 : 7000	9058 : 7000	9060 : 7000	9061 : 7000	9062 : 7000
9055 : 7001	9056 : 7001	9058 : 7001	9060 : 7001	9061 : 7001	9062 : 7001
9055 : 7002	9056 : 7002	9058 : 7002	9060 : 7002	9061 : 7002	9062 : 7002
9055 : 7003	9056 : 7003	9058 : 7003	9060 : 7003	9061 : 7003	9062 : 7003
9055 : 7004	9056 : 7004	9058 : 7004	9060 : 7004	9061 : 7004	9062 : 7004
9055 : 7005	9056 : 7005	9058 : 7005	9060 : 7005	9061 : 7005	9062 : 7005
9055 : 7006	9056 : 7006	9058 : 7006	9060 : 7006	9061 : 7006	9062 : 7006
9055 : 7007	9056 : 7007	9058 : 7007	9060 : 7007	9061 : 7007	9062 : 7007
9055 : 7008	9056 : 7008	9058 : 7008	9060 : 7008	9061 : 7008	9062 : 7008
9055 : 7009	9056 : 7009	9058 : 7009	9060 : 7009	9061 : 7009	9062 : 7009
9055 : 7010	9056 : 7010	9058 : 7010	9060 : 7010	9061 : 7010	9062 : 7010
9055 : 7011	9056 : 7011	9058 : 7011	9060 : 7011	9061 : 7011	9062 : 7011
9055 : 7012	9056 : 7012	9058 : 7012	9060 : 7012	9061 : 7012	9062 : 7012
9055 : 7013	9056 : 7013	9058 : 7013	9060 : 7013	9061 : 7013	9062 : 7013
9055 : 7014	9056 : 7014	9058 : 7014	9060 : 7014	9061 : 7014	9062 : 7014
9055 : 7015	9056 : 7015	9058 : 7015	9060 : 7015	9061 : 7015	9062 : 7015
9055 : 7016	9056 : 7016	9058 : 7016	9060 : 7016	9061 : 7016	9062 : 7016
9055 : 7017	9056 : 7017	9058 : 7017	9060 : 7017	9061 : 7017	9062 : 7017
9055 : 7018	9056 : 7018	9058 : 7018	9060 : 7018	9061 : 7018	9062 : 7018
9055 : 7019	9056 : 7019	9058 : 7019	9060 : 7019	9061 : 7019	9062 : 7019
9055 : 7020	9056 : 7020	9058 : 7020	9060 : 7020	9061 : 7020	9062 : 7020
9055 : 7021	9056 : 7021	9058 : 7021	9060 : 7021	9061 : 7021	9062 : 7021
9055 : 7022	9056 : 7022	9058 : 7022	9060 : 7022	9061 : 7022	9062 : 7022
9055 : 7023	9056 : 7023	9058 : 7023	9060 : 7023	9061 : 7023	9062 : 7023
9055 : 7024	9056 : 7024	9058 : 7024	9060 : 7024	9061 : 7024	9062 : 7024
9055 : 7025	9056 : 7025	9058 : 7025	9060 : 7025	9061 : 7025	9062 : 7025
9055 : 7026	9056 : 7026	9058 : 7026	9060 : 7026	9061 : 7026	9062 : 7026
9055 : 7027	9056 : 7027	9058 : 7027	9060 : 7027	9061 : 7027	9062 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9063 : 7000	9064 : 7000	9065 : 7000	9066 : 7000	9067 : 7000	9068 : 7000
9063 : 7001	9064 : 7001	9065 : 7001	9066 : 7001	9067 : 7001	9068 : 7001
9063 : 7002	9064 : 7002	9065 : 7002	9066 : 7002	9067 : 7002	9068 : 7002
9063 : 7003	9064 : 7003	9065 : 7003	9066 : 7003	9067 : 7003	9068 : 7003
9063 : 7004	9064 : 7004	9065 : 7004	9066 : 7004	9067 : 7004	9068 : 7004
9063 : 7005	9064 : 7005	9065 : 7005	9066 : 7005	9067 : 7005	9068 : 7005
9063 : 7006	9064 : 7006	9065 : 7006	9066 : 7006	9067 : 7006	9068 : 7006
9063 : 7007	9064 : 7007	9065 : 7007	9066 : 7007	9067 : 7007	9068 : 7007
9063 : 7008	9064 : 7008	9065 : 7008	9066 : 7008	9067 : 7008	9068 : 7008
9063 : 7009	9064 : 7009	9065 : 7009	9066 : 7009	9067 : 7009	9068 : 7009
9063 : 7010	9064 : 7010	9065 : 7010	9066 : 7010	9067 : 7010	9068 : 7010
9063 : 7011	9064 : 7011	9065 : 7011	9066 : 7011	9067 : 7011	9068 : 7011
9063 : 7012	9064 : 7012	9065 : 7012	9066 : 7012	9067 : 7012	9068 : 7012
9063 : 7013	9064 : 7013	9065 : 7013	9066 : 7013	9067 : 7013	9068 : 7013
9063 : 7014	9064 : 7014	9065 : 7014	9066 : 7014	9067 : 7014	9068 : 7014
9063 : 7015	9064 : 7015	9065 : 7015	9066 : 7015	9067 : 7015	9068 : 7015
9063 : 7016	9064 : 7016	9065 : 7016	9066 : 7016	9067 : 7016	9068 : 7016
9063 : 7017	9064 : 7017	9065 : 7017	9066 : 7017	9067 : 7017	9068 : 7017
9063 : 7018	9064 : 7018	9065 : 7018	9066 : 7018	9067 : 7018	9068 : 7018
9063 : 7019	9064 : 7019	9065 : 7019	9066 : 7019	9067 : 7019	9068 : 7019
9063 : 7020	9064 : 7020	9065 : 7020	9066 : 7020	9067 : 7020	9068 : 7020
9063 : 7021	9064 : 7021	9065 : 7021	9066 : 7021	9067 : 7021	9068 : 7021
9063 : 7022	9064 : 7022	9065 : 7022	9066 : 7022	9067 : 7022	9068 : 7022
9063 : 7023	9064 : 7023	9065 : 7023	9066 : 7023	9067 : 7023	9068 : 7023
9063 : 7024	9064 : 7024	9065 : 7024	9066 : 7024	9067 : 7024	9068 : 7024
9063 : 7025	9064 : 7025	9065 : 7025	9066 : 7025	9067 : 7025	9068 : 7025
9063 : 7026	9064 : 7026	9065 : 7026	9066 : 7026	9067 : 7026	9068 : 7026
9063 : 7027	9064 : 7027	9065 : 7027	9066 : 7027	9067 : 7027	9068 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9069 : 7000	9070 : 7000	9071 : 7000	9072 : 7000	9073 : 7000	9074 : 7000
9069 : 7001	9070 : 7001	9071 : 7001	9072 : 7001	9073 : 7001	9074 : 7001
9069 : 7002	9070 : 7002	9071 : 7002	9072 : 7002	9073 : 7002	9074 : 7002
9069 : 7003	9070 : 7003	9071 : 7003	9072 : 7003	9073 : 7003	9074 : 7003
9069 : 7004	9070 : 7004	9071 : 7004	9072 : 7004	9073 : 7004	9074 : 7004
9069 : 7005	9070 : 7005	9071 : 7005	9072 : 7005	9073 : 7005	9074 : 7005
9069 : 7006	9070 : 7006	9071 : 7006	9072 : 7006	9073 : 7006	9074 : 7006
9069 : 7007	9070 : 7007	9071 : 7007	9072 : 7007	9073 : 7007	9074 : 7007
9069 : 7008	9070 : 7008	9071 : 7008	9072 : 7008	9073 : 7008	9074 : 7008
9069 : 7009	9070 : 7009	9071 : 7009	9072 : 7009	9073 : 7009	9074 : 7009
9069 : 7010	9070 : 7010	9071 : 7010	9072 : 7010	9073 : 7010	9074 : 7010
9069 : 7011	9070 : 7011	9071 : 7011	9072 : 7011	9073 : 7011	9074 : 7011
9069 : 7012	9070 : 7012	9071 : 7012	9072 : 7012	9073 : 7012	9074 : 7012
9069 : 7013	9070 : 7013	9071 : 7013	9072 : 7013	9073 : 7013	9074 : 7013
9069 : 7014	9070 : 7014	9071 : 7014	9072 : 7014	9073 : 7014	9074 : 7014
9069 : 7015	9070 : 7015	9071 : 7015	9072 : 7015	9073 : 7015	9074 : 7015
9069 : 7016	9070 : 7016	9071 : 7016	9072 : 7016	9073 : 7016	9074 : 7016
9069 : 7017	9070 : 7017	9071 : 7017	9072 : 7017	9073 : 7017	9074 : 7017
9069 : 7018	9070 : 7018	9071 : 7018	9072 : 7018	9073 : 7018	9074 : 7018
9069 : 7019	9070 : 7019	9071 : 7019	9072 : 7019	9073 : 7019	9074 : 7019
9069 : 7020	9070 : 7020	9071 : 7020	9072 : 7020	9073 : 7020	9074 : 7020
9069 : 7021	9070 : 7021	9071 : 7021	9072 : 7021	9073 : 7021	9074 : 7021
9069 : 7022	9070 : 7022	9071 : 7022	9072 : 7022	9073 : 7022	9074 : 7022
9069 : 7023	9070 : 7023	9071 : 7023	9072 : 7023	9073 : 7023	9074 : 7023
9069 : 7024	9070 : 7024	9071 : 7024	9072 : 7024	9073 : 7024	9074 : 7024
9069 : 7025	9070 : 7025	9071 : 7025	9072 : 7025	9073 : 7025	9074 : 7025
9069 : 7026	9070 : 7026	9071 : 7026	9072 : 7026	9073 : 7026	9074 : 7026
9069 : 7027	9070 : 7027	9071 : 7027	9072 : 7027	9073 : 7027	9074 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9075 : 7000	9076 : 7000	9077 : 7000	9078 : 7000	9079 : 7000	9080 : 7000
9075 : 7001	9076 : 7001	9077 : 7001	9078 : 7001	9079 : 7001	9080 : 7001
9075 : 7002	9076 : 7002	9077 : 7002	9078 : 7002	9079 : 7002	9080 : 7002
9075 : 7003	9076 : 7003	9077 : 7003	9078 : 7003	9079 : 7003	9080 : 7003
9075 : 7004	9076 : 7004	9077 : 7004	9078 : 7004	9079 : 7004	9080 : 7004
9075 : 7005	9076 : 7005	9077 : 7005	9078 : 7005	9079 : 7005	9080 : 7005
9075 : 7006	9076 : 7006	9077 : 7006	9078 : 7006	9079 : 7006	9080 : 7006
9075 : 7007	9076 : 7007	9077 : 7007	9078 : 7007	9079 : 7007	9080 : 7007
9075 : 7008	9076 : 7008	9077 : 7008	9078 : 7008	9079 : 7008	9080 : 7008
9075 : 7009	9076 : 7009	9077 : 7009	9078 : 7009	9079 : 7009	9080 : 7009
9075 : 7010	9076 : 7010	9077 : 7010	9078 : 7010	9079 : 7010	9080 : 7010
9075 : 7011	9076 : 7011	9077 : 7011	9078 : 7011	9079 : 7011	9080 : 7011
9075 : 7012	9076 : 7012	9077 : 7012	9078 : 7012	9079 : 7012	9080 : 7012
9075 : 7013	9076 : 7013	9077 : 7013	9078 : 7013	9079 : 7013	9080 : 7013
9075 : 7014	9076 : 7014	9077 : 7014	9078 : 7014	9079 : 7014	9080 : 7014
9075 : 7015	9076 : 7015	9077 : 7015	9078 : 7015	9079 : 7015	9080 : 7015
9075 : 7016	9076 : 7016	9077 : 7016	9078 : 7016	9079 : 7016	9080 : 7016
9075 : 7017	9076 : 7017	9077 : 7017	9078 : 7017	9079 : 7017	9080 : 7017
9075 : 7018	9076 : 7018	9077 : 7018	9078 : 7018	9079 : 7018	9080 : 7018
9075 : 7019	9076 : 7019	9077 : 7019	9078 : 7019	9079 : 7019	9080 : 7019
9075 : 7020	9076 : 7020	9077 : 7020	9078 : 7020	9079 : 7020	9080 : 7020
9075 : 7021	9076 : 7021	9077 : 7021	9078 : 7021	9079 : 7021	9080 : 7021
9075 : 7022	9076 : 7022	9077 : 7022	9078 : 7022	9079 : 7022	9080 : 7022
9075 : 7023	9076 : 7023	9077 : 7023	9078 : 7023	9079 : 7023	9080 : 7023
9075 : 7024	9076 : 7024	9077 : 7024	9078 : 7024	9079 : 7024	9080 : 7024
9075 : 7025	9076 : 7025	9077 : 7025	9078 : 7025	9079 : 7025	9080 : 7025
9075 : 7026	9076 : 7026	9077 : 7026	9078 : 7026	9079 : 7026	9080 : 7026
9075 : 7027	9076 : 7027	9077 : 7027	9078 : 7027	9079 : 7027	9080 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9081 : 7000	9082 : 7000	9083 : 7000	9084 : 7000	9085 : 7000	9086 : 7000
9081 : 7001	9082 : 7001	9083 : 7001	9084 : 7001	9085 : 7001	9086 : 7001
9081 : 7002	9082 : 7002	9083 : 7002	9084 : 7002	9085 : 7002	9086 : 7002
9081 : 7003	9082 : 7003	9083 : 7003	9084 : 7003	9085 : 7003	9086 : 7003
9081 : 7004	9082 : 7004	9083 : 7004	9084 : 7004	9085 : 7004	9086 : 7004
9081 : 7005	9082 : 7005	9083 : 7005	9084 : 7005	9085 : 7005	9086 : 7005
9081 : 7006	9082 : 7006	9083 : 7006	9084 : 7006	9085 : 7006	9086 : 7006
9081 : 7007	9082 : 7007	9083 : 7007	9084 : 7007	9085 : 7007	9086 : 7007
9081 : 7008	9082 : 7008	9083 : 7008	9084 : 7008	9085 : 7008	9086 : 7008
9081 : 7009	9082 : 7009	9083 : 7009	9084 : 7009	9085 : 7009	9086 : 7009
9081 : 7010	9082 : 7010	9083 : 7010	9084 : 7010	9085 : 7010	9086 : 7010
9081 : 7011	9082 : 7011	9083 : 7011	9084 : 7011	9085 : 7011	9086 : 7011
9081 : 7012	9082 : 7012	9083 : 7012	9084 : 7012	9085 : 7012	9086 : 7012
9081 : 7013	9082 : 7013	9083 : 7013	9084 : 7013	9085 : 7013	9086 : 7013
9081 : 7014	9082 : 7014	9083 : 7014	9084 : 7014	9085 : 7014	9086 : 7014
9081 : 7015	9082 : 7015	9083 : 7015	9084 : 7015	9085 : 7015	9086 : 7015
9081 : 7016	9082 : 7016	9083 : 7016	9084 : 7016	9085 : 7016	9086 : 7016
9081 : 7017	9082 : 7017	9083 : 7017	9084 : 7017	9085 : 7017	9086 : 7017
9081 : 7018	9082 : 7018	9083 : 7018	9084 : 7018	9085 : 7018	9086 : 7018
9081 : 7019	9082 : 7019	9083 : 7019	9084 : 7019	9085 : 7019	9086 : 7019
9081 : 7020	9082 : 7020	9083 : 7020	9084 : 7020	9085 : 7020	9086 : 7020
9081 : 7021	9082 : 7021	9083 : 7021	9084 : 7021	9085 : 7021	9086 : 7021
9081 : 7022	9082 : 7022	9083 : 7022	9084 : 7022	9085 : 7022	9086 : 7022
9081 : 7023	9082 : 7023	9083 : 7023	9084 : 7023	9085 : 7023	9086 : 7023
9081 : 7024	9082 : 7024	9083 : 7024	9084 : 7024	9085 : 7024	9086 : 7024
9081 : 7025	9082 : 7025	9083 : 7025	9084 : 7025	9085 : 7025	9086 : 7025
9081 : 7026	9082 : 7026	9083 : 7026	9084 : 7026	9085 : 7026	9086 : 7026
9081 : 7027	9082 : 7027	9083 : 7027	9084 : 7027	9085 : 7027	9086 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9088 : 7000	9089 : 7000	9094 : 7000	9095 : 7000	9096 : 7000	9097 : 7000
9088 : 7001	9089 : 7001	9094 : 7001	9095 : 7001	9096 : 7001	9097 : 7001
9088 : 7002	9089 : 7002	9094 : 7002	9095 : 7002	9096 : 7002	9097 : 7002
9088 : 7003	9089 : 7003	9094 : 7003	9095 : 7003	9096 : 7003	9097 : 7003
9088 : 7004	9089 : 7004	9094 : 7004	9095 : 7004	9096 : 7004	9097 : 7004
9088 : 7005	9089 : 7005	9094 : 7005	9095 : 7005	9096 : 7005	9097 : 7005
9088 : 7006	9089 : 7006	9094 : 7006	9095 : 7006	9096 : 7006	9097 : 7006
9088 : 7007	9089 : 7007	9094 : 7007	9095 : 7007	9096 : 7007	9097 : 7007
9088 : 7008	9089 : 7008	9094 : 7008	9095 : 7008	9096 : 7008	9097 : 7008
9088 : 7009	9089 : 7009	9094 : 7009	9095 : 7009	9096 : 7009	9097 : 7009
9088 : 7010	9089 : 7010	9094 : 7010	9095 : 7010	9096 : 7010	9097 : 7010
9088 : 7011	9089 : 7011	9094 : 7011	9095 : 7011	9096 : 7011	9097 : 7011
9088 : 7012	9089 : 7012	9094 : 7012	9095 : 7012	9096 : 7012	9097 : 7012
9088 : 7013	9089 : 7013	9094 : 7013	9095 : 7013	9096 : 7013	9097 : 7013
9088 : 7014	9089 : 7014	9094 : 7014	9095 : 7014	9096 : 7014	9097 : 7014
9088 : 7015	9089 : 7015	9094 : 7015	9095 : 7015	9096 : 7015	9097 : 7015
9088 : 7016	9089 : 7016	9094 : 7016	9095 : 7016	9096 : 7016	9097 : 7016
9088 : 7017	9089 : 7017	9094 : 7017	9095 : 7017	9096 : 7017	9097 : 7017
9088 : 7018	9089 : 7018	9094 : 7018	9095 : 7018	9096 : 7018	9097 : 7018
9088 : 7019	9089 : 7019	9094 : 7019	9095 : 7019	9096 : 7019	9097 : 7019
9088 : 7020	9089 : 7020	9094 : 7020	9095 : 7020	9096 : 7020	9097 : 7020
9088 : 7021	9089 : 7021	9094 : 7021	9095 : 7021	9096 : 7021	9097 : 7021
9088 : 7022	9089 : 7022	9094 : 7022	9095 : 7022	9096 : 7022	9097 : 7022
9088 : 7023	9089 : 7023	9094 : 7023	9095 : 7023	9096 : 7023	9097 : 7023
9088 : 7024	9089 : 7024	9094 : 7024	9095 : 7024	9096 : 7024	9097 : 7024
9088 : 7025	9089 : 7025	9094 : 7025	9095 : 7025	9096 : 7025	9097 : 7025
9088 : 7026	9089 : 7026	9094 : 7026	9095 : 7026	9096 : 7026	9097 : 7026
9088 : 7027	9089 : 7027	9094 : 7027	9095 : 7027	9096 : 7027	9097 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9098 : 7000	9099 : 7000	9100 : 7000	9101 : 7000	9102 : 7000	9103 : 7000
9098 : 7001	9099 : 7001	9100 : 7001	9101 : 7001	9102 : 7001	9103 : 7001
9098 : 7002	9099 : 7002	9100 : 7002	9101 : 7002	9102 : 7002	9103 : 7002
9098 : 7003	9099 : 7003	9100 : 7003	9101 : 7003	9102 : 7003	9103 : 7003
9098 : 7004	9099 : 7004	9100 : 7004	9101 : 7004	9102 : 7004	9103 : 7004
9098 : 7005	9099 : 7005	9100 : 7005	9101 : 7005	9102 : 7005	9103 : 7005
9098 : 7006	9099 : 7006	9100 : 7006	9101 : 7006	9102 : 7006	9103 : 7006
9098 : 7007	9099 : 7007	9100 : 7007	9101 : 7007	9102 : 7007	9103 : 7007
9098 : 7008	9099 : 7008	9100 : 7008	9101 : 7008	9102 : 7008	9103 : 7008
9098 : 7009	9099 : 7009	9100 : 7009	9101 : 7009	9102 : 7009	9103 : 7009
9098 : 7010	9099 : 7010	9100 : 7010	9101 : 7010	9102 : 7010	9103 : 7010
9098 : 7011	9099 : 7011	9100 : 7011	9101 : 7011	9102 : 7011	9103 : 7011
9098 : 7012	9099 : 7012	9100 : 7012	9101 : 7012	9102 : 7012	9103 : 7012
9098 : 7013	9099 : 7013	9100 : 7013	9101 : 7013	9102 : 7013	9103 : 7013
9098 : 7014	9099 : 7014	9100 : 7014	9101 : 7014	9102 : 7014	9103 : 7014
9098 : 7015	9099 : 7015	9100 : 7015	9101 : 7015	9102 : 7015	9103 : 7015
9098 : 7016	9099 : 7016	9100 : 7016	9101 : 7016	9102 : 7016	9103 : 7016
9098 : 7017	9099 : 7017	9100 : 7017	9101 : 7017	9102 : 7017	9103 : 7017
9098 : 7018	9099 : 7018	9100 : 7018	9101 : 7018	9102 : 7018	9103 : 7018
9098 : 7019	9099 : 7019	9100 : 7019	9101 : 7019	9102 : 7019	9103 : 7019
9098 : 7020	9099 : 7020	9100 : 7020	9101 : 7020	9102 : 7020	9103 : 7020
9098 : 7021	9099 : 7021	9100 : 7021	9101 : 7021	9102 : 7021	9103 : 7021
9098 : 7022	9099 : 7022	9100 : 7022	9101 : 7022	9102 : 7022	9103 : 7022
9098 : 7023	9099 : 7023	9100 : 7023	9101 : 7023	9102 : 7023	9103 : 7023
9098 : 7024	9099 : 7024	9100 : 7024	9101 : 7024	9102 : 7024	9103 : 7024
9098 : 7025	9099 : 7025	9100 : 7025	9101 : 7025	9102 : 7025	9103 : 7025
9098 : 7026	9099 : 7026	9100 : 7026	9101 : 7026	9102 : 7026	9103 : 7026
9098 : 7027	9099 : 7027	9100 : 7027	9101 : 7027	9102 : 7027	9103 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9104 : 7000	9105 : 7000	9106 : 7000	9107 : 7000	9108 : 7000	9109 : 7000
9104 : 7001	9105 : 7001	9106 : 7001	9107 : 7001	9108 : 7001	9109 : 7001
9104 : 7002	9105 : 7002	9106 : 7002	9107 : 7002	9108 : 7002	9109 : 7002
9104 : 7003	9105 : 7003	9106 : 7003	9107 : 7003	9108 : 7003	9109 : 7003
9104 : 7004	9105 : 7004	9106 : 7004	9107 : 7004	9108 : 7004	9109 : 7004
9104 : 7005	9105 : 7005	9106 : 7005	9107 : 7005	9108 : 7005	9109 : 7005
9104 : 7006	9105 : 7006	9106 : 7006	9107 : 7006	9108 : 7006	9109 : 7006
9104 : 7007	9105 : 7007	9106 : 7007	9107 : 7007	9108 : 7007	9109 : 7007
9104 : 7008	9105 : 7008	9106 : 7008	9107 : 7008	9108 : 7008	9109 : 7008
9104 : 7009	9105 : 7009	9106 : 7009	9107 : 7009	9108 : 7009	9109 : 7009
9104 : 7010	9105 : 7010	9106 : 7010	9107 : 7010	9108 : 7010	9109 : 7010
9104 : 7011	9105 : 7011	9106 : 7011	9107 : 7011	9108 : 7011	9109 : 7011
9104 : 7012	9105 : 7012	9106 : 7012	9107 : 7012	9108 : 7012	9109 : 7012
9104 : 7013	9105 : 7013	9106 : 7013	9107 : 7013	9108 : 7013	9109 : 7013
9104 : 7014	9105 : 7014	9106 : 7014	9107 : 7014	9108 : 7014	9109 : 7014
9104 : 7015	9105 : 7015	9106 : 7015	9107 : 7015	9108 : 7015	9109 : 7015
9104 : 7016	9105 : 7016	9106 : 7016	9107 : 7016	9108 : 7016	9109 : 7016
9104 : 7017	9105 : 7017	9106 : 7017	9107 : 7017	9108 : 7017	9109 : 7017
9104 : 7018	9105 : 7018	9106 : 7018	9107 : 7018	9108 : 7018	9109 : 7018
9104 : 7019	9105 : 7019	9106 : 7019	9107 : 7019	9108 : 7019	9109 : 7019
9104 : 7020	9105 : 7020	9106 : 7020	9107 : 7020	9108 : 7020	9109 : 7020
9104 : 7021	9105 : 7021	9106 : 7021	9107 : 7021	9108 : 7021	9109 : 7021
9104 : 7022	9105 : 7022	9106 : 7022	9107 : 7022	9108 : 7022	9109 : 7022
9104 : 7023	9105 : 7023	9106 : 7023	9107 : 7023	9108 : 7023	9109 : 7023
9104 : 7024	9105 : 7024	9106 : 7024	9107 : 7024	9108 : 7024	9109 : 7024
9104 : 7025	9105 : 7025	9106 : 7025	9107 : 7025	9108 : 7025	9109 : 7025
9104 : 7026	9105 : 7026	9106 : 7026	9107 : 7026	9108 : 7026	9109 : 7026
9104 : 7027	9105 : 7027	9106 : 7027	9107 : 7027	9108 : 7027	9109 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9110 : 7000	9111 : 7000	9129 : 7000	9130 : 7000	9131 : 7000	9132 : 7000
9110 : 7001	9111 : 7001	9129 : 7001	9130 : 7001	9131 : 7001	9132 : 7001
9110 : 7002	9111 : 7002	9129 : 7002	9130 : 7002	9131 : 7002	9132 : 7002
9110 : 7003	9111 : 7003	9129 : 7003	9130 : 7003	9131 : 7003	9132 : 7003
9110 : 7004	9111 : 7004	9129 : 7004	9130 : 7004	9131 : 7004	9132 : 7004
9110 : 7005	9111 : 7005	9129 : 7005	9130 : 7005	9131 : 7005	9132 : 7005
9110 : 7006	9111 : 7006	9129 : 7006	9130 : 7006	9131 : 7006	9132 : 7006
9110 : 7007	9111 : 7007	9129 : 7007	9130 : 7007	9131 : 7007	9132 : 7007
9110 : 7008	9111 : 7008	9129 : 7008	9130 : 7008	9131 : 7008	9132 : 7008
9110 : 7009	9111 : 7009	9129 : 7009	9130 : 7009	9131 : 7009	9132 : 7009
9110 : 7010	9111 : 7010	9129 : 7010	9130 : 7010	9131 : 7010	9132 : 7010
9110 : 7011	9111 : 7011	9129 : 7011	9130 : 7011	9131 : 7011	9132 : 7011
9110 : 7012	9111 : 7012	9129 : 7012	9130 : 7012	9131 : 7012	9132 : 7012
9110 : 7013	9111 : 7013	9129 : 7013	9130 : 7013	9131 : 7013	9132 : 7013
9110 : 7014	9111 : 7014	9129 : 7014	9130 : 7014	9131 : 7014	9132 : 7014
9110 : 7015	9111 : 7015	9129 : 7015	9130 : 7015	9131 : 7015	9132 : 7015
9110 : 7016	9111 : 7016	9129 : 7016	9130 : 7016	9131 : 7016	9132 : 7016
9110 : 7017	9111 : 7017	9129 : 7017	9130 : 7017	9131 : 7017	9132 : 7017
9110 : 7018	9111 : 7018	9129 : 7018	9130 : 7018	9131 : 7018	9132 : 7018
9110 : 7019	9111 : 7019	9129 : 7019	9130 : 7019	9131 : 7019	9132 : 7019
9110 : 7020	9111 : 7020	9129 : 7020	9130 : 7020	9131 : 7020	9132 : 7020
9110 : 7021	9111 : 7021	9129 : 7021	9130 : 7021	9131 : 7021	9132 : 7021
9110 : 7022	9111 : 7022	9129 : 7022	9130 : 7022	9131 : 7022	9132 : 7022
9110 : 7023	9111 : 7023	9129 : 7023	9130 : 7023	9131 : 7023	9132 : 7023
9110 : 7024	9111 : 7024	9129 : 7024	9130 : 7024	9131 : 7024	9132 : 7024
9110 : 7025	9111 : 7025	9129 : 7025	9130 : 7025	9131 : 7025	9132 : 7025
9110 : 7026	9111 : 7026	9129 : 7026	9130 : 7026	9131 : 7026	9132 : 7026
9110 : 7027	9111 : 7027	9129 : 7027	9130 : 7027	9131 : 7027	9132 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9133 : 7000	9134 : 7000	9135 : 7000	9136 : 7000	9137 : 7000	9138 : 7000
9133 : 7001	9134 : 7001	9135 : 7001	9136 : 7001	9137 : 7001	9138 : 7001
9133 : 7002	9134 : 7002	9135 : 7002	9136 : 7002	9137 : 7002	9138 : 7002
9133 : 7003	9134 : 7003	9135 : 7003	9136 : 7003	9137 : 7003	9138 : 7003
9133 : 7004	9134 : 7004	9135 : 7004	9136 : 7004	9137 : 7004	9138 : 7004
9133 : 7005	9134 : 7005	9135 : 7005	9136 : 7005	9137 : 7005	9138 : 7005
9133 : 7006	9134 : 7006	9135 : 7006	9136 : 7006	9137 : 7006	9138 : 7006
9133 : 7007	9134 : 7007	9135 : 7007	9136 : 7007	9137 : 7007	9138 : 7007
9133 : 7008	9134 : 7008	9135 : 7008	9136 : 7008	9137 : 7008	9138 : 7008
9133 : 7009	9134 : 7009	9135 : 7009	9136 : 7009	9137 : 7009	9138 : 7009
9133 : 7010	9134 : 7010	9135 : 7010	9136 : 7010	9137 : 7010	9138 : 7010
9133 : 7011	9134 : 7011	9135 : 7011	9136 : 7011	9137 : 7011	9138 : 7011
9133 : 7012	9134 : 7012	9135 : 7012	9136 : 7012	9137 : 7012	9138 : 7012
9133 : 7013	9134 : 7013	9135 : 7013	9136 : 7013	9137 : 7013	9138 : 7013
9133 : 7014	9134 : 7014	9135 : 7014	9136 : 7014	9137 : 7014	9138 : 7014
9133 : 7015	9134 : 7015	9135 : 7015	9136 : 7015	9137 : 7015	9138 : 7015
9133 : 7016	9134 : 7016	9135 : 7016	9136 : 7016	9137 : 7016	9138 : 7016
9133 : 7017	9134 : 7017	9135 : 7017	9136 : 7017	9137 : 7017	9138 : 7017
9133 : 7018	9134 : 7018	9135 : 7018	9136 : 7018	9137 : 7018	9138 : 7018
9133 : 7019	9134 : 7019	9135 : 7019	9136 : 7019	9137 : 7019	9138 : 7019
9133 : 7020	9134 : 7020	9135 : 7020	9136 : 7020	9137 : 7020	9138 : 7020
9133 : 7021	9134 : 7021	9135 : 7021	9136 : 7021	9137 : 7021	9138 : 7021
9133 : 7022	9134 : 7022	9135 : 7022	9136 : 7022	9137 : 7022	9138 : 7022
9133 : 7023	9134 : 7023	9135 : 7023	9136 : 7023	9137 : 7023	9138 : 7023
9133 : 7024	9134 : 7024	9135 : 7024	9136 : 7024	9137 : 7024	9138 : 7024
9133 : 7025	9134 : 7025	9135 : 7025	9136 : 7025	9137 : 7025	9138 : 7025
9133 : 7026	9134 : 7026	9135 : 7026	9136 : 7026	9137 : 7026	9138 : 7026
9133 : 7027	9134 : 7027	9135 : 7027	9136 : 7027	9137 : 7027	9138 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9139 : 7000	9140 : 7000	9141 : 7000	9142 : 7000	9143 : 7000	9144 : 7000
9139 : 7001	9140 : 7001	9141 : 7001	9142 : 7001	9143 : 7001	9144 : 7001
9139 : 7002	9140 : 7002	9141 : 7002	9142 : 7002	9143 : 7002	9144 : 7002
9139 : 7003	9140 : 7003	9141 : 7003	9142 : 7003	9143 : 7003	9144 : 7003
9139 : 7004	9140 : 7004	9141 : 7004	9142 : 7004	9143 : 7004	9144 : 7004
9139 : 7005	9140 : 7005	9141 : 7005	9142 : 7005	9143 : 7005	9144 : 7005
9139 : 7006	9140 : 7006	9141 : 7006	9142 : 7006	9143 : 7006	9144 : 7006
9139 : 7007	9140 : 7007	9141 : 7007	9142 : 7007	9143 : 7007	9144 : 7007
9139 : 7008	9140 : 7008	9141 : 7008	9142 : 7008	9143 : 7008	9144 : 7008
9139 : 7009	9140 : 7009	9141 : 7009	9142 : 7009	9143 : 7009	9144 : 7009
9139 : 7010	9140 : 7010	9141 : 7010	9142 : 7010	9143 : 7010	9144 : 7010
9139 : 7011	9140 : 7011	9141 : 7011	9142 : 7011	9143 : 7011	9144 : 7011
9139 : 7012	9140 : 7012	9141 : 7012	9142 : 7012	9143 : 7012	9144 : 7012
9139 : 7013	9140 : 7013	9141 : 7013	9142 : 7013	9143 : 7013	9144 : 7013
9139 : 7014	9140 : 7014	9141 : 7014	9142 : 7014	9143 : 7014	9144 : 7014
9139 : 7015	9140 : 7015	9141 : 7015	9142 : 7015	9143 : 7015	9144 : 7015
9139 : 7016	9140 : 7016	9141 : 7016	9142 : 7016	9143 : 7016	9144 : 7016
9139 : 7017	9140 : 7017	9141 : 7017	9142 : 7017	9143 : 7017	9144 : 7017
9139 : 7018	9140 : 7018	9141 : 7018	9142 : 7018	9143 : 7018	9144 : 7018
9139 : 7019	9140 : 7019	9141 : 7019	9142 : 7019	9143 : 7019	9144 : 7019
9139 : 7020	9140 : 7020	9141 : 7020	9142 : 7020	9143 : 7020	9144 : 7020
9139 : 7021	9140 : 7021	9141 : 7021	9142 : 7021	9143 : 7021	9144 : 7021
9139 : 7022	9140 : 7022	9141 : 7022	9142 : 7022	9143 : 7022	9144 : 7022
9139 : 7023	9140 : 7023	9141 : 7023	9142 : 7023	9143 : 7023	9144 : 7023
9139 : 7024	9140 : 7024	9141 : 7024	9142 : 7024	9143 : 7024	9144 : 7024
9139 : 7025	9140 : 7025	9141 : 7025	9142 : 7025	9143 : 7025	9144 : 7025
9139 : 7026	9140 : 7026	9141 : 7026	9142 : 7026	9143 : 7026	9144 : 7026
9139 : 7027	9140 : 7027	9141 : 7027	9142 : 7027	9143 : 7027	9144 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9145 : 7000	9146 : 7000	9147 : 7000	9148 : 7000	9149 : 7000	9150 : 7000
9145 : 7001	9146 : 7001	9147 : 7001	9148 : 7001	9149 : 7001	9150 : 7001
9145 : 7002	9146 : 7002	9147 : 7002	9148 : 7002	9149 : 7002	9150 : 7002
9145 : 7003	9146 : 7003	9147 : 7003	9148 : 7003	9149 : 7003	9150 : 7003
9145 : 7004	9146 : 7004	9147 : 7004	9148 : 7004	9149 : 7004	9150 : 7004
9145 : 7005	9146 : 7005	9147 : 7005	9148 : 7005	9149 : 7005	9150 : 7005
9145 : 7006	9146 : 7006	9147 : 7006	9148 : 7006	9149 : 7006	9150 : 7006
9145 : 7007	9146 : 7007	9147 : 7007	9148 : 7007	9149 : 7007	9150 : 7007
9145 : 7008	9146 : 7008	9147 : 7008	9148 : 7008	9149 : 7008	9150 : 7008
9145 : 7009	9146 : 7009	9147 : 7009	9148 : 7009	9149 : 7009	9150 : 7009
9145 : 7010	9146 : 7010	9147 : 7010	9148 : 7010	9149 : 7010	9150 : 7010
9145 : 7011	9146 : 7011	9147 : 7011	9148 : 7011	9149 : 7011	9150 : 7011
9145 : 7012	9146 : 7012	9147 : 7012	9148 : 7012	9149 : 7012	9150 : 7012
9145 : 7013	9146 : 7013	9147 : 7013	9148 : 7013	9149 : 7013	9150 : 7013
9145 : 7014	9146 : 7014	9147 : 7014	9148 : 7014	9149 : 7014	9150 : 7014
9145 : 7015	9146 : 7015	9147 : 7015	9148 : 7015	9149 : 7015	9150 : 7015
9145 : 7016	9146 : 7016	9147 : 7016	9148 : 7016	9149 : 7016	9150 : 7016
9145 : 7017	9146 : 7017	9147 : 7017	9148 : 7017	9149 : 7017	9150 : 7017
9145 : 7018	9146 : 7018	9147 : 7018	9148 : 7018	9149 : 7018	9150 : 7018
9145 : 7019	9146 : 7019	9147 : 7019	9148 : 7019	9149 : 7019	9150 : 7019
9145 : 7020	9146 : 7020	9147 : 7020	9148 : 7020	9149 : 7020	9150 : 7020
9145 : 7021	9146 : 7021	9147 : 7021	9148 : 7021	9149 : 7021	9150 : 7021
9145 : 7022	9146 : 7022	9147 : 7022	9148 : 7022	9149 : 7022	9150 : 7022
9145 : 7023	9146 : 7023	9147 : 7023	9148 : 7023	9149 : 7023	9150 : 7023
9145 : 7024	9146 : 7024	9147 : 7024	9148 : 7024	9149 : 7024	9150 : 7024
9145 : 7025	9146 : 7025	9147 : 7025	9148 : 7025	9149 : 7025	9150 : 7025
9145 : 7026	9146 : 7026	9147 : 7026	9148 : 7026	9149 : 7026	9150 : 7026
9145 : 7027	9146 : 7027	9147 : 7027	9148 : 7027	9149 : 7027	9150 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9161 : 7000	9162 : 7000	9163 : 7000	9164 : 7000	9167 : 7000	9168 : 7000
9161 : 7001	9162 : 7001	9163 : 7001	9164 : 7001	9167 : 7001	9168 : 7001
9161 : 7002	9162 : 7002	9163 : 7002	9164 : 7002	9167 : 7002	9168 : 7002
9161 : 7003	9162 : 7003	9163 : 7003	9164 : 7003	9167 : 7003	9168 : 7003
9161 : 7004	9162 : 7004	9163 : 7004	9164 : 7004	9167 : 7004	9168 : 7004
9161 : 7005	9162 : 7005	9163 : 7005	9164 : 7005	9167 : 7005	9168 : 7005
9161 : 7006	9162 : 7006	9163 : 7006	9164 : 7006	9167 : 7006	9168 : 7006
9161 : 7007	9162 : 7007	9163 : 7007	9164 : 7007	9167 : 7007	9168 : 7007
9161 : 7008	9162 : 7008	9163 : 7008	9164 : 7008	9167 : 7008	9168 : 7008
9161 : 7009	9162 : 7009	9163 : 7009	9164 : 7009	9167 : 7009	9168 : 7009
9161 : 7010	9162 : 7010	9163 : 7010	9164 : 7010	9167 : 7010	9168 : 7010
9161 : 7011	9162 : 7011	9163 : 7011	9164 : 7011	9167 : 7011	9168 : 7011
9161 : 7012	9162 : 7012	9163 : 7012	9164 : 7012	9167 : 7012	9168 : 7012
9161 : 7013	9162 : 7013	9163 : 7013	9164 : 7013	9167 : 7013	9168 : 7013
9161 : 7014	9162 : 7014	9163 : 7014	9164 : 7014	9167 : 7014	9168 : 7014
9161 : 7015	9162 : 7015	9163 : 7015	9164 : 7015	9167 : 7015	9168 : 7015
9161 : 7016	9162 : 7016	9163 : 7016	9164 : 7016	9167 : 7016	9168 : 7016
9161 : 7017	9162 : 7017	9163 : 7017	9164 : 7017	9167 : 7017	9168 : 7017
9161 : 7018	9162 : 7018	9163 : 7018	9164 : 7018	9167 : 7018	9168 : 7018
9161 : 7019	9162 : 7019	9163 : 7019	9164 : 7019	9167 : 7019	9168 : 7019
9161 : 7020	9162 : 7020	9163 : 7020	9164 : 7020	9167 : 7020	9168 : 7020
9161 : 7021	9162 : 7021	9163 : 7021	9164 : 7021	9167 : 7021	9168 : 7021
9161 : 7022	9162 : 7022	9163 : 7022	9164 : 7022	9167 : 7022	9168 : 7022
9161 : 7023	9162 : 7023	9163 : 7023	9164 : 7023	9167 : 7023	9168 : 7023
9161 : 7024	9162 : 7024	9163 : 7024	9164 : 7024	9167 : 7024	9168 : 7024
9161 : 7025	9162 : 7025	9163 : 7025	9164 : 7025	9167 : 7025	9168 : 7025
9161 : 7026	9162 : 7026	9163 : 7026	9164 : 7026	9167 : 7026	9168 : 7026
9161 : 7027	9162 : 7027	9163 : 7027	9164 : 7027	9167 : 7027	9168 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9169 : 7000	9170 : 7000	9171 : 7000	9172 : 7000	9173 : 7000	9174 : 7000
9169 : 7001	9170 : 7001	9171 : 7001	9172 : 7001	9173 : 7001	9174 : 7001
9169 : 7002	9170 : 7002	9171 : 7002	9172 : 7002	9173 : 7002	9174 : 7002
9169 : 7003	9170 : 7003	9171 : 7003	9172 : 7003	9173 : 7003	9174 : 7003
9169 : 7004	9170 : 7004	9171 : 7004	9172 : 7004	9173 : 7004	9174 : 7004
9169 : 7005	9170 : 7005	9171 : 7005	9172 : 7005	9173 : 7005	9174 : 7005
9169 : 7006	9170 : 7006	9171 : 7006	9172 : 7006	9173 : 7006	9174 : 7006
9169 : 7007	9170 : 7007	9171 : 7007	9172 : 7007	9173 : 7007	9174 : 7007
9169 : 7008	9170 : 7008	9171 : 7008	9172 : 7008	9173 : 7008	9174 : 7008
9169 : 7009	9170 : 7009	9171 : 7009	9172 : 7009	9173 : 7009	9174 : 7009
9169 : 7010	9170 : 7010	9171 : 7010	9172 : 7010	9173 : 7010	9174 : 7010
9169 : 7011	9170 : 7011	9171 : 7011	9172 : 7011	9173 : 7011	9174 : 7011
9169 : 7012	9170 : 7012	9171 : 7012	9172 : 7012	9173 : 7012	9174 : 7012
9169 : 7013	9170 : 7013	9171 : 7013	9172 : 7013	9173 : 7013	9174 : 7013
9169 : 7014	9170 : 7014	9171 : 7014	9172 : 7014	9173 : 7014	9174 : 7014
9169 : 7015	9170 : 7015	9171 : 7015	9172 : 7015	9173 : 7015	9174 : 7015
9169 : 7016	9170 : 7016	9171 : 7016	9172 : 7016	9173 : 7016	9174 : 7016
9169 : 7017	9170 : 7017	9171 : 7017	9172 : 7017	9173 : 7017	9174 : 7017
9169 : 7018	9170 : 7018	9171 : 7018	9172 : 7018	9173 : 7018	9174 : 7018
9169 : 7019	9170 : 7019	9171 : 7019	9172 : 7019	9173 : 7019	9174 : 7019
9169 : 7020	9170 : 7020	9171 : 7020	9172 : 7020	9173 : 7020	9174 : 7020
9169 : 7021	9170 : 7021	9171 : 7021	9172 : 7021	9173 : 7021	9174 : 7021
9169 : 7022	9170 : 7022	9171 : 7022	9172 : 7022	9173 : 7022	9174 : 7022
9169 : 7023	9170 : 7023	9171 : 7023	9172 : 7023	9173 : 7023	9174 : 7023
9169 : 7024	9170 : 7024	9171 : 7024	9172 : 7024	9173 : 7024	9174 : 7024
9169 : 7025	9170 : 7025	9171 : 7025	9172 : 7025	9173 : 7025	9174 : 7025
9169 : 7026	9170 : 7026	9171 : 7026	9172 : 7026	9173 : 7026	9174 : 7026
9169 : 7027	9170 : 7027	9171 : 7027	9172 : 7027	9173 : 7027	9174 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9175 : 7000	9176 : 7000	9177 : 7000	9178 : 7000	9179 : 7000	9180 : 7000
9175 : 7001	9176 : 7001	9177 : 7001	9178 : 7001	9179 : 7001	9180 : 7001
9175 : 7002	9176 : 7002	9177 : 7002	9178 : 7002	9179 : 7002	9180 : 7002
9175 : 7003	9176 : 7003	9177 : 7003	9178 : 7003	9179 : 7003	9180 : 7003
9175 : 7004	9176 : 7004	9177 : 7004	9178 : 7004	9179 : 7004	9180 : 7004
9175 : 7005	9176 : 7005	9177 : 7005	9178 : 7005	9179 : 7005	9180 : 7005
9175 : 7006	9176 : 7006	9177 : 7006	9178 : 7006	9179 : 7006	9180 : 7006
9175 : 7007	9176 : 7007	9177 : 7007	9178 : 7007	9179 : 7007	9180 : 7007
9175 : 7008	9176 : 7008	9177 : 7008	9178 : 7008	9179 : 7008	9180 : 7008
9175 : 7009	9176 : 7009	9177 : 7009	9178 : 7009	9179 : 7009	9180 : 7009
9175 : 7010	9176 : 7010	9177 : 7010	9178 : 7010	9179 : 7010	9180 : 7010
9175 : 7011	9176 : 7011	9177 : 7011	9178 : 7011	9179 : 7011	9180 : 7011
9175 : 7012	9176 : 7012	9177 : 7012	9178 : 7012	9179 : 7012	9180 : 7012
9175 : 7013	9176 : 7013	9177 : 7013	9178 : 7013	9179 : 7013	9180 : 7013
9175 : 7014	9176 : 7014	9177 : 7014	9178 : 7014	9179 : 7014	9180 : 7014
9175 : 7015	9176 : 7015	9177 : 7015	9178 : 7015	9179 : 7015	9180 : 7015
9175 : 7016	9176 : 7016	9177 : 7016	9178 : 7016	9179 : 7016	9180 : 7016
9175 : 7017	9176 : 7017	9177 : 7017	9178 : 7017	9179 : 7017	9180 : 7017
9175 : 7018	9176 : 7018	9177 : 7018	9178 : 7018	9179 : 7018	9180 : 7018
9175 : 7019	9176 : 7019	9177 : 7019	9178 : 7019	9179 : 7019	9180 : 7019
9175 : 7020	9176 : 7020	9177 : 7020	9178 : 7020	9179 : 7020	9180 : 7020
9175 : 7021	9176 : 7021	9177 : 7021	9178 : 7021	9179 : 7021	9180 : 7021
9175 : 7022	9176 : 7022	9177 : 7022	9178 : 7022	9179 : 7022	9180 : 7022
9175 : 7023	9176 : 7023	9177 : 7023	9178 : 7023	9179 : 7023	9180 : 7023
9175 : 7024	9176 : 7024	9177 : 7024	9178 : 7024	9179 : 7024	9180 : 7024
9175 : 7025	9176 : 7025	9177 : 7025	9178 : 7025	9179 : 7025	9180 : 7025
9175 : 7026	9176 : 7026	9177 : 7026	9178 : 7026	9179 : 7026	9180 : 7026
9175 : 7027	9176 : 7027	9177 : 7027	9178 : 7027	9179 : 7027	9180 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9181 : 7000	9182 : 7000	9183 : 7000	9184 : 7000	9185 : 7000	9206 : 7000
9181 : 7001	9182 : 7001	9183 : 7001	9184 : 7001	9185 : 7001	9206 : 7001
9181 : 7002	9182 : 7002	9183 : 7002	9184 : 7002	9185 : 7002	9206 : 7002
9181 : 7003	9182 : 7003	9183 : 7003	9184 : 7003	9185 : 7003	9206 : 7003
9181 : 7004	9182 : 7004	9183 : 7004	9184 : 7004	9185 : 7004	9206 : 7004
9181 : 7005	9182 : 7005	9183 : 7005	9184 : 7005	9185 : 7005	9206 : 7005
9181 : 7006	9182 : 7006	9183 : 7006	9184 : 7006	9185 : 7006	9206 : 7006
9181 : 7007	9182 : 7007	9183 : 7007	9184 : 7007	9185 : 7007	9206 : 7007
9181 : 7008	9182 : 7008	9183 : 7008	9184 : 7008	9185 : 7008	9206 : 7008
9181 : 7009	9182 : 7009	9183 : 7009	9184 : 7009	9185 : 7009	9206 : 7009
9181 : 7010	9182 : 7010	9183 : 7010	9184 : 7010	9185 : 7010	9206 : 7010
9181 : 7011	9182 : 7011	9183 : 7011	9184 : 7011	9185 : 7011	9206 : 7011
9181 : 7012	9182 : 7012	9183 : 7012	9184 : 7012	9185 : 7012	9206 : 7012
9181 : 7013	9182 : 7013	9183 : 7013	9184 : 7013	9185 : 7013	9206 : 7013
9181 : 7014	9182 : 7014	9183 : 7014	9184 : 7014	9185 : 7014	9206 : 7014
9181 : 7015	9182 : 7015	9183 : 7015	9184 : 7015	9185 : 7015	9206 : 7015
9181 : 7016	9182 : 7016	9183 : 7016	9184 : 7016	9185 : 7016	9206 : 7016
9181 : 7017	9182 : 7017	9183 : 7017	9184 : 7017	9185 : 7017	9206 : 7017
9181 : 7018	9182 : 7018	9183 : 7018	9184 : 7018	9185 : 7018	9206 : 7018
9181 : 7019	9182 : 7019	9183 : 7019	9184 : 7019	9185 : 7019	9206 : 7019
9181 : 7020	9182 : 7020	9183 : 7020	9184 : 7020	9185 : 7020	9206 : 7020
9181 : 7021	9182 : 7021	9183 : 7021	9184 : 7021	9185 : 7021	9206 : 7021
9181 : 7022	9182 : 7022	9183 : 7022	9184 : 7022	9185 : 7022	9206 : 7022
9181 : 7023	9182 : 7023	9183 : 7023	9184 : 7023	9185 : 7023	9206 : 7023
9181 : 7024	9182 : 7024	9183 : 7024	9184 : 7024	9185 : 7024	9206 : 7024
9181 : 7025	9182 : 7025	9183 : 7025	9184 : 7025	9185 : 7025	9206 : 7025
9181 : 7026	9182 : 7026	9183 : 7026	9184 : 7026	9185 : 7026	9206 : 7026
9181 : 7027	9182 : 7027	9183 : 7027	9184 : 7027	9185 : 7027	9206 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9207 : 7000	9208 : 7000	9209 : 7000	9214 : 7000	9241 : 7000	9242 : 7000
9207 : 7001	9208 : 7001	9209 : 7001	9214 : 7001	9241 : 7001	9242 : 7001
9207 : 7002	9208 : 7002	9209 : 7002	9214 : 7002	9241 : 7002	9242 : 7002
9207 : 7003	9208 : 7003	9209 : 7003	9214 : 7003	9241 : 7003	9242 : 7003
9207 : 7004	9208 : 7004	9209 : 7004	9214 : 7004	9241 : 7004	9242 : 7004
9207 : 7005	9208 : 7005	9209 : 7005	9214 : 7005	9241 : 7005	9242 : 7005
9207 : 7006	9208 : 7006	9209 : 7006	9214 : 7006	9241 : 7006	9242 : 7006
9207 : 7007	9208 : 7007	9209 : 7007	9214 : 7007	9241 : 7007	9242 : 7007
9207 : 7008	9208 : 7008	9209 : 7008	9214 : 7008	9241 : 7008	9242 : 7008
9207 : 7009	9208 : 7009	9209 : 7009	9214 : 7009	9241 : 7009	9242 : 7009
9207 : 7010	9208 : 7010	9209 : 7010	9214 : 7010	9241 : 7010	9242 : 7010
9207 : 7011	9208 : 7011	9209 : 7011	9214 : 7011	9241 : 7011	9242 : 7011
9207 : 7012	9208 : 7012	9209 : 7012	9214 : 7012	9241 : 7012	9242 : 7012
9207 : 7013	9208 : 7013	9209 : 7013	9214 : 7013	9241 : 7013	9242 : 7013
9207 : 7014	9208 : 7014	9209 : 7014	9214 : 7014	9241 : 7014	9242 : 7014
9207 : 7015	9208 : 7015	9209 : 7015	9214 : 7015	9241 : 7015	9242 : 7015
9207 : 7016	9208 : 7016	9209 : 7016	9214 : 7016	9241 : 7016	9242 : 7016
9207 : 7017	9208 : 7017	9209 : 7017	9214 : 7017	9241 : 7017	9242 : 7017
9207 : 7018	9208 : 7018	9209 : 7018	9214 : 7018	9241 : 7018	9242 : 7018
9207 : 7019	9208 : 7019	9209 : 7019	9214 : 7019	9241 : 7019	9242 : 7019
9207 : 7020	9208 : 7020	9209 : 7020	9214 : 7020	9241 : 7020	9242 : 7020
9207 : 7021	9208 : 7021	9209 : 7021	9214 : 7021	9241 : 7021	9242 : 7021
9207 : 7022	9208 : 7022	9209 : 7022	9214 : 7022	9241 : 7022	9242 : 7022
9207 : 7023	9208 : 7023	9209 : 7023	9214 : 7023	9241 : 7023	9242 : 7023
9207 : 7024	9208 : 7024	9209 : 7024	9214 : 7024	9241 : 7024	9242 : 7024
9207 : 7025	9208 : 7025	9209 : 7025	9214 : 7025	9241 : 7025	9242 : 7025
9207 : 7026	9208 : 7026	9209 : 7026	9214 : 7026	9241 : 7026	9242 : 7026
9207 : 7027	9208 : 7027	9209 : 7027	9214 : 7027	9241 : 7027	9242 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9244 : 7000	9245 : 7000	9246 : 7000	9247 : 7000	9248 : 7000	9249 : 7000
9244 : 7001	9245 : 7001	9246 : 7001	9247 : 7001	9248 : 7001	9249 : 7001
9244 : 7002	9245 : 7002	9246 : 7002	9247 : 7002	9248 : 7002	9249 : 7002
9244 : 7003	9245 : 7003	9246 : 7003	9247 : 7003	9248 : 7003	9249 : 7003
9244 : 7004	9245 : 7004	9246 : 7004	9247 : 7004	9248 : 7004	9249 : 7004
9244 : 7005	9245 : 7005	9246 : 7005	9247 : 7005	9248 : 7005	9249 : 7005
9244 : 7006	9245 : 7006	9246 : 7006	9247 : 7006	9248 : 7006	9249 : 7006
9244 : 7007	9245 : 7007	9246 : 7007	9247 : 7007	9248 : 7007	9249 : 7007
9244 : 7008	9245 : 7008	9246 : 7008	9247 : 7008	9248 : 7008	9249 : 7008
9244 : 7009	9245 : 7009	9246 : 7009	9247 : 7009	9248 : 7009	9249 : 7009
9244 : 7010	9245 : 7010	9246 : 7010	9247 : 7010	9248 : 7010	9249 : 7010
9244 : 7011	9245 : 7011	9246 : 7011	9247 : 7011	9248 : 7011	9249 : 7011
9244 : 7012	9245 : 7012	9246 : 7012	9247 : 7012	9248 : 7012	9249 : 7012
9244 : 7013	9245 : 7013	9246 : 7013	9247 : 7013	9248 : 7013	9249 : 7013
9244 : 7014	9245 : 7014	9246 : 7014	9247 : 7014	9248 : 7014	9249 : 7014
9244 : 7015	9245 : 7015	9246 : 7015	9247 : 7015	9248 : 7015	9249 : 7015
9244 : 7016	9245 : 7016	9246 : 7016	9247 : 7016	9248 : 7016	9249 : 7016
9244 : 7017	9245 : 7017	9246 : 7017	9247 : 7017	9248 : 7017	9249 : 7017
9244 : 7018	9245 : 7018	9246 : 7018	9247 : 7018	9248 : 7018	9249 : 7018
9244 : 7019	9245 : 7019	9246 : 7019	9247 : 7019	9248 : 7019	9249 : 7019
9244 : 7020	9245 : 7020	9246 : 7020	9247 : 7020	9248 : 7020	9249 : 7020
9244 : 7021	9245 : 7021	9246 : 7021	9247 : 7021	9248 : 7021	9249 : 7021
9244 : 7022	9245 : 7022	9246 : 7022	9247 : 7022	9248 : 7022	9249 : 7022
9244 : 7023	9245 : 7023	9246 : 7023	9247 : 7023	9248 : 7023	9249 : 7023
9244 : 7024	9245 : 7024	9246 : 7024	9247 : 7024	9248 : 7024	9249 : 7024
9244 : 7025	9245 : 7025	9246 : 7025	9247 : 7025	9248 : 7025	9249 : 7025
9244 : 7026	9245 : 7026	9246 : 7026	9247 : 7026	9248 : 7026	9249 : 7026
9244 : 7027	9245 : 7027	9246 : 7027	9247 : 7027	9248 : 7027	9249 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9250 : 7000	9251 : 7000	9252 : 7000	9253 : 7000	9255 : 7000	9256 : 7000
9250 : 7001	9251 : 7001	9252 : 7001	9253 : 7001	9255 : 7001	9256 : 7001
9250 : 7002	9251 : 7002	9252 : 7002	9253 : 7002	9255 : 7002	9256 : 7002
9250 : 7003	9251 : 7003	9252 : 7003	9253 : 7003	9255 : 7003	9256 : 7003
9250 : 7004	9251 : 7004	9252 : 7004	9253 : 7004	9255 : 7004	9256 : 7004
9250 : 7005	9251 : 7005	9252 : 7005	9253 : 7005	9255 : 7005	9256 : 7005
9250 : 7006	9251 : 7006	9252 : 7006	9253 : 7006	9255 : 7006	9256 : 7006
9250 : 7007	9251 : 7007	9252 : 7007	9253 : 7007	9255 : 7007	9256 : 7007
9250 : 7008	9251 : 7008	9252 : 7008	9253 : 7008	9255 : 7008	9256 : 7008
9250 : 7009	9251 : 7009	9252 : 7009	9253 : 7009	9255 : 7009	9256 : 7009
9250 : 7010	9251 : 7010	9252 : 7010	9253 : 7010	9255 : 7010	9256 : 7010
9250 : 7011	9251 : 7011	9252 : 7011	9253 : 7011	9255 : 7011	9256 : 7011
9250 : 7012	9251 : 7012	9252 : 7012	9253 : 7012	9255 : 7012	9256 : 7012
9250 : 7013	9251 : 7013	9252 : 7013	9253 : 7013	9255 : 7013	9256 : 7013
9250 : 7014	9251 : 7014	9252 : 7014	9253 : 7014	9255 : 7014	9256 : 7014
9250 : 7015	9251 : 7015	9252 : 7015	9253 : 7015	9255 : 7015	9256 : 7015
9250 : 7016	9251 : 7016	9252 : 7016	9253 : 7016	9255 : 7016	9256 : 7016
9250 : 7017	9251 : 7017	9252 : 7017	9253 : 7017	9255 : 7017	9256 : 7017
9250 : 7018	9251 : 7018	9252 : 7018	9253 : 7018	9255 : 7018	9256 : 7018
9250 : 7019	9251 : 7019	9252 : 7019	9253 : 7019	9255 : 7019	9256 : 7019
9250 : 7020	9251 : 7020	9252 : 7020	9253 : 7020	9255 : 7020	9256 : 7020
9250 : 7021	9251 : 7021	9252 : 7021	9253 : 7021	9255 : 7021	9256 : 7021
9250 : 7022	9251 : 7022	9252 : 7022	9253 : 7022	9255 : 7022	9256 : 7022
9250 : 7023	9251 : 7023	9252 : 7023	9253 : 7023	9255 : 7023	9256 : 7023
9250 : 7024	9251 : 7024	9252 : 7024	9253 : 7024	9255 : 7024	9256 : 7024
9250 : 7025	9251 : 7025	9252 : 7025	9253 : 7025	9255 : 7025	9256 : 7025
9250 : 7026	9251 : 7026	9252 : 7026	9253 : 7026	9255 : 7026	9256 : 7026
9250 : 7027	9251 : 7027	9252 : 7027	9253 : 7027	9255 : 7027	9256 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9257 : 7000	9258 : 7000	9259 : 7000	9260 : 7000	9262 : 7000	9263 : 7000
9257 : 7001	9258 : 7001	9259 : 7001	9260 : 7001	9262 : 7001	9263 : 7001
9257 : 7002	9258 : 7002	9259 : 7002	9260 : 7002	9262 : 7002	9263 : 7002
9257 : 7003	9258 : 7003	9259 : 7003	9260 : 7003	9262 : 7003	9263 : 7003
9257 : 7004	9258 : 7004	9259 : 7004	9260 : 7004	9262 : 7004	9263 : 7004
9257 : 7005	9258 : 7005	9259 : 7005	9260 : 7005	9262 : 7005	9263 : 7005
9257 : 7006	9258 : 7006	9259 : 7006	9260 : 7006	9262 : 7006	9263 : 7006
9257 : 7007	9258 : 7007	9259 : 7007	9260 : 7007	9262 : 7007	9263 : 7007
9257 : 7008	9258 : 7008	9259 : 7008	9260 : 7008	9262 : 7008	9263 : 7008
9257 : 7009	9258 : 7009	9259 : 7009	9260 : 7009	9262 : 7009	9263 : 7009
9257 : 7010	9258 : 7010	9259 : 7010	9260 : 7010	9262 : 7010	9263 : 7010
9257 : 7011	9258 : 7011	9259 : 7011	9260 : 7011	9262 : 7011	9263 : 7011
9257 : 7012	9258 : 7012	9259 : 7012	9260 : 7012	9262 : 7012	9263 : 7012
9257 : 7013	9258 : 7013	9259 : 7013	9260 : 7013	9262 : 7013	9263 : 7013
9257 : 7014	9258 : 7014	9259 : 7014	9260 : 7014	9262 : 7014	9263 : 7014
9257 : 7015	9258 : 7015	9259 : 7015	9260 : 7015	9262 : 7015	9263 : 7015
9257 : 7016	9258 : 7016	9259 : 7016	9260 : 7016	9262 : 7016	9263 : 7016
9257 : 7017	9258 : 7017	9259 : 7017	9260 : 7017	9262 : 7017	9263 : 7017
9257 : 7018	9258 : 7018	9259 : 7018	9260 : 7018	9262 : 7018	9263 : 7018
9257 : 7019	9258 : 7019	9259 : 7019	9260 : 7019	9262 : 7019	9263 : 7019
9257 : 7020	9258 : 7020	9259 : 7020	9260 : 7020	9262 : 7020	9263 : 7020
9257 : 7021	9258 : 7021	9259 : 7021	9260 : 7021	9262 : 7021	9263 : 7021
9257 : 7022	9258 : 7022	9259 : 7022	9260 : 7022	9262 : 7022	9263 : 7022
9257 : 7023	9258 : 7023	9259 : 7023	9260 : 7023	9262 : 7023	9263 : 7023
9257 : 7024	9258 : 7024	9259 : 7024	9260 : 7024	9262 : 7024	9263 : 7024
9257 : 7025	9258 : 7025	9259 : 7025	9260 : 7025	9262 : 7025	9263 : 7025
9257 : 7026	9258 : 7026	9259 : 7026	9260 : 7026	9262 : 7026	9263 : 7026
9257 : 7027	9258 : 7027	9259 : 7027	9260 : 7027	9262 : 7027	9263 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9264 : 7000	9265 : 7000	9266 : 7000	9267 : 7000	9268 : 7000	9269 : 7000
9264 : 7001	9265 : 7001	9266 : 7001	9267 : 7001	9268 : 7001	9269 : 7001
9264 : 7002	9265 : 7002	9266 : 7002	9267 : 7002	9268 : 7002	9269 : 7002
9264 : 7003	9265 : 7003	9266 : 7003	9267 : 7003	9268 : 7003	9269 : 7003
9264 : 7004	9265 : 7004	9266 : 7004	9267 : 7004	9268 : 7004	9269 : 7004
9264 : 7005	9265 : 7005	9266 : 7005	9267 : 7005	9268 : 7005	9269 : 7005
9264 : 7006	9265 : 7006	9266 : 7006	9267 : 7006	9268 : 7006	9269 : 7006
9264 : 7007	9265 : 7007	9266 : 7007	9267 : 7007	9268 : 7007	9269 : 7007
9264 : 7008	9265 : 7008	9266 : 7008	9267 : 7008	9268 : 7008	9269 : 7008
9264 : 7009	9265 : 7009	9266 : 7009	9267 : 7009	9268 : 7009	9269 : 7009
9264 : 7010	9265 : 7010	9266 : 7010	9267 : 7010	9268 : 7010	9269 : 7010
9264 : 7011	9265 : 7011	9266 : 7011	9267 : 7011	9268 : 7011	9269 : 7011
9264 : 7012	9265 : 7012	9266 : 7012	9267 : 7012	9268 : 7012	9269 : 7012
9264 : 7013	9265 : 7013	9266 : 7013	9267 : 7013	9268 : 7013	9269 : 7013
9264 : 7014	9265 : 7014	9266 : 7014	9267 : 7014	9268 : 7014	9269 : 7014
9264 : 7015	9265 : 7015	9266 : 7015	9267 : 7015	9268 : 7015	9269 : 7015
9264 : 7016	9265 : 7016	9266 : 7016	9267 : 7016	9268 : 7016	9269 : 7016
9264 : 7017	9265 : 7017	9266 : 7017	9267 : 7017	9268 : 7017	9269 : 7017
9264 : 7018	9265 : 7018	9266 : 7018	9267 : 7018	9268 : 7018	9269 : 7018
9264 : 7019	9265 : 7019	9266 : 7019	9267 : 7019	9268 : 7019	9269 : 7019
9264 : 7020	9265 : 7020	9266 : 7020	9267 : 7020	9268 : 7020	9269 : 7020
9264 : 7021	9265 : 7021	9266 : 7021	9267 : 7021	9268 : 7021	9269 : 7021
9264 : 7022	9265 : 7022	9266 : 7022	9267 : 7022	9268 : 7022	9269 : 7022
9264 : 7023	9265 : 7023	9266 : 7023	9267 : 7023	9268 : 7023	9269 : 7023
9264 : 7024	9265 : 7024	9266 : 7024	9267 : 7024	9268 : 7024	9269 : 7024
9264 : 7025	9265 : 7025	9266 : 7025	9267 : 7025	9268 : 7025	9269 : 7025
9264 : 7026	9265 : 7026	9266 : 7026	9267 : 7026	9268 : 7026	9269 : 7026
9264 : 7027	9265 : 7027	9266 : 7027	9267 : 7027	9268 : 7027	9269 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9270 : 7000	9271 : 7000	9272 : 7000	9273 : 7000	9274 : 7000	9275 : 7000
9270 : 7001	9271 : 7001	9272 : 7001	9273 : 7001	9274 : 7001	9275 : 7001
9270 : 7002	9271 : 7002	9272 : 7002	9273 : 7002	9274 : 7002	9275 : 7002
9270 : 7003	9271 : 7003	9272 : 7003	9273 : 7003	9274 : 7003	9275 : 7003
9270 : 7004	9271 : 7004	9272 : 7004	9273 : 7004	9274 : 7004	9275 : 7004
9270 : 7005	9271 : 7005	9272 : 7005	9273 : 7005	9274 : 7005	9275 : 7005
9270 : 7006	9271 : 7006	9272 : 7006	9273 : 7006	9274 : 7006	9275 : 7006
9270 : 7007	9271 : 7007	9272 : 7007	9273 : 7007	9274 : 7007	9275 : 7007
9270 : 7008	9271 : 7008	9272 : 7008	9273 : 7008	9274 : 7008	9275 : 7008
9270 : 7009	9271 : 7009	9272 : 7009	9273 : 7009	9274 : 7009	9275 : 7009
9270 : 7010	9271 : 7010	9272 : 7010	9273 : 7010	9274 : 7010	9275 : 7010
9270 : 7011	9271 : 7011	9272 : 7011	9273 : 7011	9274 : 7011	9275 : 7011
9270 : 7012	9271 : 7012	9272 : 7012	9273 : 7012	9274 : 7012	9275 : 7012
9270 : 7013	9271 : 7013	9272 : 7013	9273 : 7013	9274 : 7013	9275 : 7013
9270 : 7014	9271 : 7014	9272 : 7014	9273 : 7014	9274 : 7014	9275 : 7014
9270 : 7015	9271 : 7015	9272 : 7015	9273 : 7015	9274 : 7015	9275 : 7015
9270 : 7016	9271 : 7016	9272 : 7016	9273 : 7016	9274 : 7016	9275 : 7016
9270 : 7017	9271 : 7017	9272 : 7017	9273 : 7017	9274 : 7017	9275 : 7017
9270 : 7018	9271 : 7018	9272 : 7018	9273 : 7018	9274 : 7018	9275 : 7018
9270 : 7019	9271 : 7019	9272 : 7019	9273 : 7019	9274 : 7019	9275 : 7019
9270 : 7020	9271 : 7020	9272 : 7020	9273 : 7020	9274 : 7020	9275 : 7020
9270 : 7021	9271 : 7021	9272 : 7021	9273 : 7021	9274 : 7021	9275 : 7021
9270 : 7022	9271 : 7022	9272 : 7022	9273 : 7022	9274 : 7022	9275 : 7022
9270 : 7023	9271 : 7023	9272 : 7023	9273 : 7023	9274 : 7023	9275 : 7023
9270 : 7024	9271 : 7024	9272 : 7024	9273 : 7024	9274 : 7024	9275 : 7024
9270 : 7025	9271 : 7025	9272 : 7025	9273 : 7025	9274 : 7025	9275 : 7025
9270 : 7026	9271 : 7026	9272 : 7026	9273 : 7026	9274 : 7026	9275 : 7026
9270 : 7027	9271 : 7027	9272 : 7027	9273 : 7027	9274 : 7027	9275 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9276 : 7000	9277 : 7000	9278 : 7000	9279 : 7000	9280 : 7000	9281 : 7000
9276 : 7001	9277 : 7001	9278 : 7001	9279 : 7001	9280 : 7001	9281 : 7001
9276 : 7002	9277 : 7002	9278 : 7002	9279 : 7002	9280 : 7002	9281 : 7002
9276 : 7003	9277 : 7003	9278 : 7003	9279 : 7003	9280 : 7003	9281 : 7003
9276 : 7004	9277 : 7004	9278 : 7004	9279 : 7004	9280 : 7004	9281 : 7004
9276 : 7005	9277 : 7005	9278 : 7005	9279 : 7005	9280 : 7005	9281 : 7005
9276 : 7006	9277 : 7006	9278 : 7006	9279 : 7006	9280 : 7006	9281 : 7006
9276 : 7007	9277 : 7007	9278 : 7007	9279 : 7007	9280 : 7007	9281 : 7007
9276 : 7008	9277 : 7008	9278 : 7008	9279 : 7008	9280 : 7008	9281 : 7008
9276 : 7009	9277 : 7009	9278 : 7009	9279 : 7009	9280 : 7009	9281 : 7009
9276 : 7010	9277 : 7010	9278 : 7010	9279 : 7010	9280 : 7010	9281 : 7010
9276 : 7011	9277 : 7011	9278 : 7011	9279 : 7011	9280 : 7011	9281 : 7011
9276 : 7012	9277 : 7012	9278 : 7012	9279 : 7012	9280 : 7012	9281 : 7012
9276 : 7013	9277 : 7013	9278 : 7013	9279 : 7013	9280 : 7013	9281 : 7013
9276 : 7014	9277 : 7014	9278 : 7014	9279 : 7014	9280 : 7014	9281 : 7014
9276 : 7015	9277 : 7015	9278 : 7015	9279 : 7015	9280 : 7015	9281 : 7015
9276 : 7016	9277 : 7016	9278 : 7016	9279 : 7016	9280 : 7016	9281 : 7016
9276 : 7017	9277 : 7017	9278 : 7017	9279 : 7017	9280 : 7017	9281 : 7017
9276 : 7018	9277 : 7018	9278 : 7018	9279 : 7018	9280 : 7018	9281 : 7018
9276 : 7019	9277 : 7019	9278 : 7019	9279 : 7019	9280 : 7019	9281 : 7019
9276 : 7020	9277 : 7020	9278 : 7020	9279 : 7020	9280 : 7020	9281 : 7020
9276 : 7021	9277 : 7021	9278 : 7021	9279 : 7021	9280 : 7021	9281 : 7021
9276 : 7022	9277 : 7022	9278 : 7022	9279 : 7022	9280 : 7022	9281 : 7022
9276 : 7023	9277 : 7023	9278 : 7023	9279 : 7023	9280 : 7023	9281 : 7023
9276 : 7024	9277 : 7024	9278 : 7024	9279 : 7024	9280 : 7024	9281 : 7024
9276 : 7025	9277 : 7025	9278 : 7025	9279 : 7025	9280 : 7025	9281 : 7025
9276 : 7026	9277 : 7026	9278 : 7026	9279 : 7026	9280 : 7026	9281 : 7026
9276 : 7027	9277 : 7027	9278 : 7027	9279 : 7027	9280 : 7027	9281 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9282 : 7000	9283 : 7000	9284 : 7000	9285 : 7000	9286 : 7000	9287 : 7000
9282 : 7001	9283 : 7001	9284 : 7001	9285 : 7001	9286 : 7001	9287 : 7001
9282 : 7002	9283 : 7002	9284 : 7002	9285 : 7002	9286 : 7002	9287 : 7002
9282 : 7003	9283 : 7003	9284 : 7003	9285 : 7003	9286 : 7003	9287 : 7003
9282 : 7004	9283 : 7004	9284 : 7004	9285 : 7004	9286 : 7004	9287 : 7004
9282 : 7005	9283 : 7005	9284 : 7005	9285 : 7005	9286 : 7005	9287 : 7005
9282 : 7006	9283 : 7006	9284 : 7006	9285 : 7006	9286 : 7006	9287 : 7006
9282 : 7007	9283 : 7007	9284 : 7007	9285 : 7007	9286 : 7007	9287 : 7007
9282 : 7008	9283 : 7008	9284 : 7008	9285 : 7008	9286 : 7008	9287 : 7008
9282 : 7009	9283 : 7009	9284 : 7009	9285 : 7009	9286 : 7009	9287 : 7009
9282 : 7010	9283 : 7010	9284 : 7010	9285 : 7010	9286 : 7010	9287 : 7010
9282 : 7011	9283 : 7011	9284 : 7011	9285 : 7011	9286 : 7011	9287 : 7011
9282 : 7012	9283 : 7012	9284 : 7012	9285 : 7012	9286 : 7012	9287 : 7012
9282 : 7013	9283 : 7013	9284 : 7013	9285 : 7013	9286 : 7013	9287 : 7013
9282 : 7014	9283 : 7014	9284 : 7014	9285 : 7014	9286 : 7014	9287 : 7014
9282 : 7015	9283 : 7015	9284 : 7015	9285 : 7015	9286 : 7015	9287 : 7015
9282 : 7016	9283 : 7016	9284 : 7016	9285 : 7016	9286 : 7016	9287 : 7016
9282 : 7017	9283 : 7017	9284 : 7017	9285 : 7017	9286 : 7017	9287 : 7017
9282 : 7018	9283 : 7018	9284 : 7018	9285 : 7018	9286 : 7018	9287 : 7018
9282 : 7019	9283 : 7019	9284 : 7019	9285 : 7019	9286 : 7019	9287 : 7019
9282 : 7020	9283 : 7020	9284 : 7020	9285 : 7020	9286 : 7020	9287 : 7020
9282 : 7021	9283 : 7021	9284 : 7021	9285 : 7021	9286 : 7021	9287 : 7021
9282 : 7022	9283 : 7022	9284 : 7022	9285 : 7022	9286 : 7022	9287 : 7022
9282 : 7023	9283 : 7023	9284 : 7023	9285 : 7023	9286 : 7023	9287 : 7023
9282 : 7024	9283 : 7024	9284 : 7024	9285 : 7024	9286 : 7024	9287 : 7024
9282 : 7025	9283 : 7025	9284 : 7025	9285 : 7025	9286 : 7025	9287 : 7025
9282 : 7026	9283 : 7026	9284 : 7026	9285 : 7026	9286 : 7026	9287 : 7026
9282 : 7027	9283 : 7027	9284 : 7027	9285 : 7027	9286 : 7027	9287 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9288 : 7000	9289 : 7000	9290 : 7000	9291 : 7000	9292 : 7000	9293 : 7000
9288 : 7001	9289 : 7001	9290 : 7001	9291 : 7001	9292 : 7001	9293 : 7001
9288 : 7002	9289 : 7002	9290 : 7002	9291 : 7002	9292 : 7002	9293 : 7002
9288 : 7003	9289 : 7003	9290 : 7003	9291 : 7003	9292 : 7003	9293 : 7003
9288 : 7004	9289 : 7004	9290 : 7004	9291 : 7004	9292 : 7004	9293 : 7004
9288 : 7005	9289 : 7005	9290 : 7005	9291 : 7005	9292 : 7005	9293 : 7005
9288 : 7006	9289 : 7006	9290 : 7006	9291 : 7006	9292 : 7006	9293 : 7006
9288 : 7007	9289 : 7007	9290 : 7007	9291 : 7007	9292 : 7007	9293 : 7007
9288 : 7008	9289 : 7008	9290 : 7008	9291 : 7008	9292 : 7008	9293 : 7008
9288 : 7009	9289 : 7009	9290 : 7009	9291 : 7009	9292 : 7009	9293 : 7009
9288 : 7010	9289 : 7010	9290 : 7010	9291 : 7010	9292 : 7010	9293 : 7010
9288 : 7011	9289 : 7011	9290 : 7011	9291 : 7011	9292 : 7011	9293 : 7011
9288 : 7012	9289 : 7012	9290 : 7012	9291 : 7012	9292 : 7012	9293 : 7012
9288 : 7013	9289 : 7013	9290 : 7013	9291 : 7013	9292 : 7013	9293 : 7013
9288 : 7014	9289 : 7014	9290 : 7014	9291 : 7014	9292 : 7014	9293 : 7014
9288 : 7015	9289 : 7015	9290 : 7015	9291 : 7015	9292 : 7015	9293 : 7015
9288 : 7016	9289 : 7016	9290 : 7016	9291 : 7016	9292 : 7016	9293 : 7016
9288 : 7017	9289 : 7017	9290 : 7017	9291 : 7017	9292 : 7017	9293 : 7017
9288 : 7018	9289 : 7018	9290 : 7018	9291 : 7018	9292 : 7018	9293 : 7018
9288 : 7019	9289 : 7019	9290 : 7019	9291 : 7019	9292 : 7019	9293 : 7019
9288 : 7020	9289 : 7020	9290 : 7020	9291 : 7020	9292 : 7020	9293 : 7020
9288 : 7021	9289 : 7021	9290 : 7021	9291 : 7021	9292 : 7021	9293 : 7021
9288 : 7022	9289 : 7022	9290 : 7022	9291 : 7022	9292 : 7022	9293 : 7022
9288 : 7023	9289 : 7023	9290 : 7023	9291 : 7023	9292 : 7023	9293 : 7023
9288 : 7024	9289 : 7024	9290 : 7024	9291 : 7024	9292 : 7024	9293 : 7024
9288 : 7025	9289 : 7025	9290 : 7025	9291 : 7025	9292 : 7025	9293 : 7025
9288 : 7026	9289 : 7026	9290 : 7026	9291 : 7026	9292 : 7026	9293 : 7026
9288 : 7027	9289 : 7027	9290 : 7027	9291 : 7027	9292 : 7027	9293 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9294 : 7000	9295 : 7000	9296 : 7000	9297 : 7000	9298 : 7000	9299 : 7000
9294 : 7001	9295 : 7001	9296 : 7001	9297 : 7001	9298 : 7001	9299 : 7001
9294 : 7002	9295 : 7002	9296 : 7002	9297 : 7002	9298 : 7002	9299 : 7002
9294 : 7003	9295 : 7003	9296 : 7003	9297 : 7003	9298 : 7003	9299 : 7003
9294 : 7004	9295 : 7004	9296 : 7004	9297 : 7004	9298 : 7004	9299 : 7004
9294 : 7005	9295 : 7005	9296 : 7005	9297 : 7005	9298 : 7005	9299 : 7005
9294 : 7006	9295 : 7006	9296 : 7006	9297 : 7006	9298 : 7006	9299 : 7006
9294 : 7007	9295 : 7007	9296 : 7007	9297 : 7007	9298 : 7007	9299 : 7007
9294 : 7008	9295 : 7008	9296 : 7008	9297 : 7008	9298 : 7008	9299 : 7008
9294 : 7009	9295 : 7009	9296 : 7009	9297 : 7009	9298 : 7009	9299 : 7009
9294 : 7010	9295 : 7010	9296 : 7010	9297 : 7010	9298 : 7010	9299 : 7010
9294 : 7011	9295 : 7011	9296 : 7011	9297 : 7011	9298 : 7011	9299 : 7011
9294 : 7012	9295 : 7012	9296 : 7012	9297 : 7012	9298 : 7012	9299 : 7012
9294 : 7013	9295 : 7013	9296 : 7013	9297 : 7013	9298 : 7013	9299 : 7013
9294 : 7014	9295 : 7014	9296 : 7014	9297 : 7014	9298 : 7014	9299 : 7014
9294 : 7015	9295 : 7015	9296 : 7015	9297 : 7015	9298 : 7015	9299 : 7015
9294 : 7016	9295 : 7016	9296 : 7016	9297 : 7016	9298 : 7016	9299 : 7016
9294 : 7017	9295 : 7017	9296 : 7017	9297 : 7017	9298 : 7017	9299 : 7017
9294 : 7018	9295 : 7018	9296 : 7018	9297 : 7018	9298 : 7018	9299 : 7018
9294 : 7019	9295 : 7019	9296 : 7019	9297 : 7019	9298 : 7019	9299 : 7019
9294 : 7020	9295 : 7020	9296 : 7020	9297 : 7020	9298 : 7020	9299 : 7020
9294 : 7021	9295 : 7021	9296 : 7021	9297 : 7021	9298 : 7021	9299 : 7021
9294 : 7022	9295 : 7022	9296 : 7022	9297 : 7022	9298 : 7022	9299 : 7022
9294 : 7023	9295 : 7023	9296 : 7023	9297 : 7023	9298 : 7023	9299 : 7023
9294 : 7024	9295 : 7024	9296 : 7024	9297 : 7024	9298 : 7024	9299 : 7024
9294 : 7025	9295 : 7025	9296 : 7025	9297 : 7025	9298 : 7025	9299 : 7025
9294 : 7026	9295 : 7026	9296 : 7026	9297 : 7026	9298 : 7026	9299 : 7026
9294 : 7027	9295 : 7027	9296 : 7027	9297 : 7027	9298 : 7027	9299 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9300 : 7000	9301 : 7000	9302 : 7000	9303 : 7000	9304 : 7000	9305 : 7000
9300 : 7001	9301 : 7001	9302 : 7001	9303 : 7001	9304 : 7001	9305 : 7001
9300 : 7002	9301 : 7002	9302 : 7002	9303 : 7002	9304 : 7002	9305 : 7002
9300 : 7003	9301 : 7003	9302 : 7003	9303 : 7003	9304 : 7003	9305 : 7003
9300 : 7004	9301 : 7004	9302 : 7004	9303 : 7004	9304 : 7004	9305 : 7004
9300 : 7005	9301 : 7005	9302 : 7005	9303 : 7005	9304 : 7005	9305 : 7005
9300 : 7006	9301 : 7006	9302 : 7006	9303 : 7006	9304 : 7006	9305 : 7006
9300 : 7007	9301 : 7007	9302 : 7007	9303 : 7007	9304 : 7007	9305 : 7007
9300 : 7008	9301 : 7008	9302 : 7008	9303 : 7008	9304 : 7008	9305 : 7008
9300 : 7009	9301 : 7009	9302 : 7009	9303 : 7009	9304 : 7009	9305 : 7009
9300 : 7010	9301 : 7010	9302 : 7010	9303 : 7010	9304 : 7010	9305 : 7010
9300 : 7011	9301 : 7011	9302 : 7011	9303 : 7011	9304 : 7011	9305 : 7011
9300 : 7012	9301 : 7012	9302 : 7012	9303 : 7012	9304 : 7012	9305 : 7012
9300 : 7013	9301 : 7013	9302 : 7013	9303 : 7013	9304 : 7013	9305 : 7013
9300 : 7014	9301 : 7014	9302 : 7014	9303 : 7014	9304 : 7014	9305 : 7014
9300 : 7015	9301 : 7015	9302 : 7015	9303 : 7015	9304 : 7015	9305 : 7015
9300 : 7016	9301 : 7016	9302 : 7016	9303 : 7016	9304 : 7016	9305 : 7016
9300 : 7017	9301 : 7017	9302 : 7017	9303 : 7017	9304 : 7017	9305 : 7017
9300 : 7018	9301 : 7018	9302 : 7018	9303 : 7018	9304 : 7018	9305 : 7018
9300 : 7019	9301 : 7019	9302 : 7019	9303 : 7019	9304 : 7019	9305 : 7019
9300 : 7020	9301 : 7020	9302 : 7020	9303 : 7020	9304 : 7020	9305 : 7020
9300 : 7021	9301 : 7021	9302 : 7021	9303 : 7021	9304 : 7021	9305 : 7021
9300 : 7022	9301 : 7022	9302 : 7022	9303 : 7022	9304 : 7022	9305 : 7022
9300 : 7023	9301 : 7023	9302 : 7023	9303 : 7023	9304 : 7023	9305 : 7023
9300 : 7024	9301 : 7024	9302 : 7024	9303 : 7024	9304 : 7024	9305 : 7024
9300 : 7025	9301 : 7025	9302 : 7025	9303 : 7025	9304 : 7025	9305 : 7025
9300 : 7026	9301 : 7026	9302 : 7026	9303 : 7026	9304 : 7026	9305 : 7026
9300 : 7027	9301 : 7027	9302 : 7027	9303 : 7027	9304 : 7027	9305 : 7027

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
9306 : 7000	9307 : 7000	9308 : 7000	9309 : 7000	9310 : 7000	
9306 : 7001	9307 : 7001	9308 : 7001	9309 : 7001	9310 : 7001	
9306 : 7002	9307 : 7002	9308 : 7002	9309 : 7002	9310 : 7002	
9306 : 7003	9307 : 7003	9308 : 7003	9309 : 7003	9310 : 7003	
9306 : 7004	9307 : 7004	9308 : 7004	9309 : 7004	9310 : 7004	
9306 : 7005	9307 : 7005	9308 : 7005	9309 : 7005	9310 : 7005	
9306 : 7006	9307 : 7006	9308 : 7006	9309 : 7006	9310 : 7006	
9306 : 7007	9307 : 7007	9308 : 7007	9309 : 7007	9310 : 7007	
9306 : 7008	9307 : 7008	9308 : 7008	9309 : 7008	9310 : 7008	
9306 : 7009	9307 : 7009	9308 : 7009	9309 : 7009	9310 : 7009	
9306 : 7010	9307 : 7010	9308 : 7010	9309 : 7010	9310 : 7010	
9306 : 7011	9307 : 7011	9308 : 7011	9309 : 7011	9310 : 7011	
9306 : 7012	9307 : 7012	9308 : 7012	9309 : 7012	9310 : 7012	
9306 : 7013	9307 : 7013	9308 : 7013	9309 : 7013	9310 : 7013	
9306 : 7014	9307 : 7014	9308 : 7014	9309 : 7014	9310 : 7014	--
9306 : 7015	9307 : 7015	9308 : 7015	9309 : 7015	9310 : 7015	
9306 : 7016	9307 : 7016	9308 : 7016	9309 : 7016	9310 : 7016	
9306 : 7017	9307 : 7017	9308 : 7017	9309 : 7017	9310 : 7017	
9306 : 7018	9307 : 7018	9308 : 7018	9309 : 7018	9310 : 7018	
9306 : 7019	9307 : 7019	9308 : 7019	9309 : 7019	9310 : 7019	
9306 : 7020	9307 : 7020	9308 : 7020	9309 : 7020	9310 : 7020	
9306 : 7021	9307 : 7021	9308 : 7021	9309 : 7021	9310 : 7021	
9306 : 7022	9307 : 7022	9308 : 7022	9309 : 7022	9310 : 7022	
9306 : 7023	9307 : 7023	9308 : 7023	9309 : 7023	9310 : 7023	
9306 : 7024	9307 : 7024	9308 : 7024	9309 : 7024	9310 : 7024	
9306 : 7025	9307 : 7025	9308 : 7025	9309 : 7025	9310 : 7025	
9306 : 7026	9307 : 7026	9308 : 7026	9309 : 7026	9310 : 7026	
9306 : 7027	9307 : 7027	9308 : 7027	9309 : 7027	9310 : 7027	

Table D: Example combinations of a compound X with a compound Y.

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9006	6040 : 9006	6000 : 9007	6040 : 9007	6000 : 9008	6040 : 9008
6001 : 9006	6041 : 9006	6001 : 9007	6041 : 9007	6001 : 9008	6041 : 9008
6002 : 9006	6042 : 9006	6002 : 9007	6042 : 9007	6002 : 9008	6042 : 9008
6003 : 9006	6043 : 9006	6003 : 9007	6043 : 9007	6003 : 9008	6043 : 9008
6004 : 9006	6044 : 9006	6004 : 9007	6044 : 9007	6004 : 9008	6044 : 9008
6005 : 9006	6045 : 9006	6005 : 9007	6045 : 9007	6005 : 9008	6045 : 9008
6006 : 9006	6046 : 9006	6006 : 9007	6046 : 9007	6006 : 9008	6046 : 9008
6007 : 9006	6047 : 9006	6007 : 9007	6047 : 9007	6007 : 9008	6047 : 9008
6008 : 9006	6048 : 9006	6008 : 9007	6048 : 9007	6008 : 9008	6048 : 9008
6009 : 9006	6049 : 9006	6009 : 9007	6049 : 9007	6009 : 9008	6049 : 9008
6010 : 9006	6050 : 9006	6010 : 9007	6050 : 9007	6010 : 9008	6050 : 9008
6011 : 9006	6051 : 9006	6011 : 9007	6051 : 9007	6011 : 9008	6051 : 9008
6012 : 9006	6052 : 9006	6012 : 9007	6052 : 9007	6012 : 9008	6052 : 9008
6013 : 9006	6053 : 9006	6013 : 9007	6053 : 9007	6013 : 9008	6053 : 9008
6014 : 9006	6054 : 9006	6014 : 9007	6054 : 9007	6014 : 9008	6054 : 9008
6015 : 9006	6055 : 9006	6015 : 9007	6055 : 9007	6015 : 9008	6055 : 9008
6016 : 9006	6056 : 9006	6016 : 9007	6056 : 9007	6016 : 9008	6056 : 9008
6017 : 9006	6057 : 9006	6017 : 9007	6057 : 9007	6017 : 9008	6057 : 9008
6018 : 9006	6058 : 9006	6018 : 9007	6058 : 9007	6018 : 9008	6058 : 9008
6019 : 9006	6059 : 9006	6019 : 9007	6059 : 9007	6019 : 9008	6059 : 9008
6020 : 9006	6060 : 9006	6020 : 9007	6060 : 9007	6020 : 9008	6060 : 9008
6021 : 9006	6061 : 9006	6021 : 9007	6061 : 9007	6021 : 9008	6061 : 9008
6022 : 9006	6062 : 9006	6022 : 9007	6062 : 9007	6022 : 9008	6062 : 9008
6023 : 9006	6063 : 9006	6023 : 9007	6063 : 9007	6023 : 9008	6063 : 9008
6024 : 9006	6064 : 9006	6024 : 9007	6064 : 9007	6024 : 9008	6064 : 9008
6025 : 9006	6065 : 9006	6025 : 9007	6065 : 9007	6025 : 9008	6065 : 9008
6026 : 9006	6066 : 9006	6026 : 9007	6066 : 9007	6026 : 9008	6066 : 9008
6027 : 9006	6067 : 9006	6027 : 9007	6067 : 9007	6027 : 9008	6067 : 9008
6028 : 9006	6068 : 9006	6028 : 9007	6068 : 9007	6028 : 9008	6068 : 9008
6029 : 9006	6069 : 9006	6029 : 9007	6069 : 9007	6029 : 9008	6069 : 9008
6030 : 9006	6070 : 9006	6030 : 9007	6070 : 9007	6030 : 9008	6070 : 9008
6031 : 9006	6071 : 9006	6031 : 9007	6071 : 9007	6031 : 9008	6071 : 9008
6032 : 9006	6072 : 9006	6032 : 9007	6072 : 9007	6032 : 9008	6072 : 9008
6033 : 9006	6073 : 9006	6033 : 9007	6073 : 9007	6033 : 9008	6073 : 9008
6034 : 9006	6074 : 9006	6034 : 9007	6074 : 9007	6034 : 9008	6074 : 9008
6035 : 9006	6075 : 9006	6035 : 9007	6075 : 9007	6035 : 9008	6075 : 9008
6036 : 9006	6076 : 9006	6036 : 9007	6076 : 9007	6036 : 9008	6076 : 9008
6037 : 9006	6077 : 9006	6037 : 9007	6077 : 9007	6037 : 9008	6077 : 9008
6038 : 9006	6078 : 9006	6038 : 9007	6078 : 9007	6038 : 9008	6078 : 9008
6039 : 9006		6039 : 9007		6039 : 9008	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9018	6040 : 9018	6000 : 9020	6040 : 9020	6000 : 9021	6040 : 9021
6001 : 9018	6041 : 9018	6001 : 9020	6041 : 9020	6001 : 9021	6041 : 9021
6002 : 9018	6042 : 9018	6002 : 9020	6042 : 9020	6002 : 9021	6042 : 9021
6003 : 9018	6043 : 9018	6003 : 9020	6043 : 9020	6003 : 9021	6043 : 9021
6004 : 9018	6044 : 9018	6004 : 9020	6044 : 9020	6004 : 9021	6044 : 9021
6005 : 9018	6045 : 9018	6005 : 9020	6045 : 9020	6005 : 9021	6045 : 9021
6006 : 9018	6046 : 9018	6006 : 9020	6046 : 9020	6006 : 9021	6046 : 9021
6007 : 9018	6047 : 9018	6007 : 9020	6047 : 9020	6007 : 9021	6047 : 9021
6008 : 9018	6048 : 9018	6008 : 9020	6048 : 9020	6008 : 9021	6048 : 9021
6009 : 9018	6049 : 9018	6009 : 9020	6049 : 9020	6009 : 9021	6049 : 9021
6010 : 9018	6050 : 9018	6010 : 9020	6050 : 9020	6010 : 9021	6050 : 9021
6011 : 9018	6051 : 9018	6011 : 9020	6051 : 9020	6011 : 9021	6051 : 9021
6012 : 9018	6052 : 9018	6012 : 9020	6052 : 9020	6012 : 9021	6052 : 9021
6013 : 9018	6053 : 9018	6013 : 9020	6053 : 9020	6013 : 9021	6053 : 9021
6014 : 9018	6054 : 9018	6014 : 9020	6054 : 9020	6014 : 9021	6054 : 9021
6015 : 9018	6055 : 9018	6015 : 9020	6055 : 9020	6015 : 9021	6055 : 9021
6016 : 9018	6056 : 9018	6016 : 9020	6056 : 9020	6016 : 9021	6056 : 9021
6017 : 9018	6057 : 9018	6017 : 9020	6057 : 9020	6017 : 9021	6057 : 9021
6018 : 9018	6058 : 9018	6018 : 9020	6058 : 9020	6018 : 9021	6058 : 9021
6019 : 9018	6059 : 9018	6019 : 9020	6059 : 9020	6019 : 9021	6059 : 9021
6020 : 9018	6060 : 9018	6020 : 9020	6060 : 9020	6020 : 9021	6060 : 9021
6021 : 9018	6061 : 9018	6021 : 9020	6061 : 9020	6021 : 9021	6061 : 9021
6022 : 9018	6062 : 9018	6022 : 9020	6062 : 9020	6022 : 9021	6062 : 9021
6023 : 9018	6063 : 9018	6023 : 9020	6063 : 9020	6023 : 9021	6063 : 9021
6024 : 9018	6064 : 9018	6024 : 9020	6064 : 9020	6024 : 9021	6064 : 9021
6025 : 9018	6065 : 9018	6025 : 9020	6065 : 9020	6025 : 9021	6065 : 9021
6026 : 9018	6066 : 9018	6026 : 9020	6066 : 9020	6026 : 9021	6066 : 9021
6027 : 9018	6067 : 9018	6027 : 9020	6067 : 9020	6027 : 9021	6067 : 9021
6028 : 9018	6068 : 9018	6028 : 9020	6068 : 9020	6028 : 9021	6068 : 9021
6029 : 9018	6069 : 9018	6029 : 9020	6069 : 9020	6029 : 9021	6069 : 9021
6030 : 9018	6070 : 9018	6030 : 9020	6070 : 9020	6030 : 9021	6070 : 9021
6031 : 9018	6071 : 9018	6031 : 9020	6071 : 9020	6031 : 9021	6071 : 9021
6032 : 9018	6072 : 9018	6032 : 9020	6072 : 9020	6032 : 9021	6072 : 9021
6033 : 9018	6073 : 9018	6033 : 9020	6073 : 9020	6033 : 9021	6073 : 9021
6034 : 9018	6074 : 9018	6034 : 9020	6074 : 9020	6034 : 9021	6074 : 9021
6035 : 9018	6075 : 9018	6035 : 9020	6075 : 9020	6035 : 9021	6075 : 9021
6036 : 9018	6076 : 9018	6036 : 9020	6076 : 9020	6036 : 9021	6076 : 9021
6037 : 9018	6077 : 9018	6037 : 9020	6077 : 9020	6037 : 9021	6077 : 9021
6038 : 9018	6078 : 9018	6038 : 9020	6078 : 9020	6038 : 9021	6078 : 9021
6039 : 9018		6039 : 9020		6039 : 9021	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9025	6040 : 9025	6000 : 9026	6040 : 9026	6000 : 9036	6040 : 9036
6001 : 9025	6041 : 9025	6001 : 9026	6041 : 9026	6001 : 9036	6041 : 9036
6002 : 9025	6042 : 9025	6002 : 9026	6042 : 9026	6002 : 9036	6042 : 9036
6003 : 9025	6043 : 9025	6003 : 9026	6043 : 9026	6003 : 9036	6043 : 9036
6004 : 9025	6044 : 9025	6004 : 9026	6044 : 9026	6004 : 9036	6044 : 9036
6005 : 9025	6045 : 9025	6005 : 9026	6045 : 9026	6005 : 9036	6045 : 9036
6006 : 9025	6046 : 9025	6006 : 9026	6046 : 9026	6006 : 9036	6046 : 9036
6007 : 9025	6047 : 9025	6007 : 9026	6047 : 9026	6007 : 9036	6047 : 9036
6008 : 9025	6048 : 9025	6008 : 9026	6048 : 9026	6008 : 9036	6048 : 9036
6009 : 9025	6049 : 9025	6009 : 9026	6049 : 9026	6009 : 9036	6049 : 9036
6010 : 9025	6050 : 9025	6010 : 9026	6050 : 9026	6010 : 9036	6050 : 9036
6011 : 9025	6051 : 9025	6011 : 9026	6051 : 9026	6011 : 9036	6051 : 9036
6012 : 9025	6052 : 9025	6012 : 9026	6052 : 9026	6012 : 9036	6052 : 9036
6013 : 9025	6053 : 9025	6013 : 9026	6053 : 9026	6013 : 9036	6053 : 9036
6014 : 9025	6054 : 9025	6014 : 9026	6054 : 9026	6014 : 9036	6054 : 9036
6015 : 9025	6055 : 9025	6015 : 9026	6055 : 9026	6015 : 9036	6055 : 9036
6016 : 9025	6056 : 9025	6016 : 9026	6056 : 9026	6016 : 9036	6056 : 9036
6017 : 9025	6057 : 9025	6017 : 9026	6057 : 9026	6017 : 9036	6057 : 9036
6018 : 9025	6058 : 9025	6018 : 9026	6058 : 9026	6018 : 9036	6058 : 9036
6019 : 9025	6059 : 9025	6019 : 9026	6059 : 9026	6019 : 9036	6059 : 9036
6020 : 9025	6060 : 9025	6020 : 9026	6060 : 9026	6020 : 9036	6060 : 9036
6021 : 9025	6061 : 9025	6021 : 9026	6061 : 9026	6021 : 9036	6061 : 9036
6022 : 9025	6062 : 9025	6022 : 9026	6062 : 9026	6022 : 9036	6062 : 9036
6023 : 9025	6063 : 9025	6023 : 9026	6063 : 9026	6023 : 9036	6063 : 9036
6024 : 9025	6064 : 9025	6024 : 9026	6064 : 9026	6024 : 9036	6064 : 9036
6025 : 9025	6065 : 9025	6025 : 9026	6065 : 9026	6025 : 9036	6065 : 9036
6026 : 9025	6066 : 9025	6026 : 9026	6066 : 9026	6026 : 9036	6066 : 9036
6027 : 9025	6067 : 9025	6027 : 9026	6067 : 9026	6027 : 9036	6067 : 9036
6028 : 9025	6068 : 9025	6028 : 9026	6068 : 9026	6028 : 9036	6068 : 9036
6029 : 9025	6069 : 9025	6029 : 9026	6069 : 9026	6029 : 9036	6069 : 9036
6030 : 9025	6070 : 9025	6030 : 9026	6070 : 9026	6030 : 9036	6070 : 9036
6031 : 9025	6071 : 9025	6031 : 9026	6071 : 9026	6031 : 9036	6071 : 9036
6032 : 9025	6072 : 9025	6032 : 9026	6072 : 9026	6032 : 9036	6072 : 9036
6033 : 9025	6073 : 9025	6033 : 9026	6073 : 9026	6033 : 9036	6073 : 9036
6034 : 9025	6074 : 9025	6034 : 9026	6074 : 9026	6034 : 9036	6074 : 9036
6035 : 9025	6075 : 9025	6035 : 9026	6075 : 9026	6035 : 9036	6075 : 9036
6036 : 9025	6076 : 9025	6036 : 9026	6076 : 9026	6036 : 9036	6076 : 9036
6037 : 9025	6077 : 9025	6037 : 9026	6077 : 9026	6037 : 9036	6077 : 9036
6038 : 9025	6078 : 9025	6038 : 9026	6078 : 9026	6038 : 9036	6078 : 9036
6039 : 9025		6039 : 9026		6039 : 9036	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9038	6040 : 9038	6000 : 9039	6040 : 9039	6000 : 9040	6040 : 9040
6001 : 9038	6041 : 9038	6001 : 9039	6041 : 9039	6001 : 9040	6041 : 9040
6002 : 9038	6042 : 9038	6002 : 9039	6042 : 9039	6002 : 9040	6042 : 9040
6003 : 9038	6043 : 9038	6003 : 9039	6043 : 9039	6003 : 9040	6043 : 9040
6004 : 9038	6044 : 9038	6004 : 9039	6044 : 9039	6004 : 9040	6044 : 9040
6005 : 9038	6045 : 9038	6005 : 9039	6045 : 9039	6005 : 9040	6045 : 9040
6006 : 9038	6046 : 9038	6006 : 9039	6046 : 9039	6006 : 9040	6046 : 9040
6007 : 9038	6047 : 9038	6007 : 9039	6047 : 9039	6007 : 9040	6047 : 9040
6008 : 9038	6048 : 9038	6008 : 9039	6048 : 9039	6008 : 9040	6048 : 9040
6009 : 9038	6049 : 9038	6009 : 9039	6049 : 9039	6009 : 9040	6049 : 9040
6010 : 9038	6050 : 9038	6010 : 9039	6050 : 9039	6010 : 9040	6050 : 9040
6011 : 9038	6051 : 9038	6011 : 9039	6051 : 9039	6011 : 9040	6051 : 9040
6012 : 9038	6052 : 9038	6012 : 9039	6052 : 9039	6012 : 9040	6052 : 9040
6013 : 9038	6053 : 9038	6013 : 9039	6053 : 9039	6013 : 9040	6053 : 9040
6014 : 9038	6054 : 9038	6014 : 9039	6054 : 9039	6014 : 9040	6054 : 9040
6015 : 9038	6055 : 9038	6015 : 9039	6055 : 9039	6015 : 9040	6055 : 9040
6016 : 9038	6056 : 9038	6016 : 9039	6056 : 9039	6016 : 9040	6056 : 9040
6017 : 9038	6057 : 9038	6017 : 9039	6057 : 9039	6017 : 9040	6057 : 9040
6018 : 9038	6058 : 9038	6018 : 9039	6058 : 9039	6018 : 9040	6058 : 9040
6019 : 9038	6059 : 9038	6019 : 9039	6059 : 9039	6019 : 9040	6059 : 9040
6020 : 9038	6060 : 9038	6020 : 9039	6060 : 9039	6020 : 9040	6060 : 9040
6021 : 9038	6061 : 9038	6021 : 9039	6061 : 9039	6021 : 9040	6061 : 9040
6022 : 9038	6062 : 9038	6022 : 9039	6062 : 9039	6022 : 9040	6062 : 9040
6023 : 9038	6063 : 9038	6023 : 9039	6063 : 9039	6023 : 9040	6063 : 9040
6024 : 9038	6064 : 9038	6024 : 9039	6064 : 9039	6024 : 9040	6064 : 9040
6025 : 9038	6065 : 9038	6025 : 9039	6065 : 9039	6025 : 9040	6065 : 9040
6026 : 9038	6066 : 9038	6026 : 9039	6066 : 9039	6026 : 9040	6066 : 9040
6027 : 9038	6067 : 9038	6027 : 9039	6067 : 9039	6027 : 9040	6067 : 9040
6028 : 9038	6068 : 9038	6028 : 9039	6068 : 9039	6028 : 9040	6068 : 9040
6029 : 9038	6069 : 9038	6029 : 9039	6069 : 9039	6029 : 9040	6069 : 9040
6030 : 9038	6070 : 9038	6030 : 9039	6070 : 9039	6030 : 9040	6070 : 9040
6031 : 9038	6071 : 9038	6031 : 9039	6071 : 9039	6031 : 9040	6071 : 9040
6032 : 9038	6072 : 9038	6032 : 9039	6072 : 9039	6032 : 9040	6072 : 9040
6033 : 9038	6073 : 9038	6033 : 9039	6073 : 9039	6033 : 9040	6073 : 9040
6034 : 9038	6074 : 9038	6034 : 9039	6074 : 9039	6034 : 9040	6074 : 9040
6035 : 9038	6075 : 9038	6035 : 9039	6075 : 9039	6035 : 9040	6075 : 9040
6036 : 9038	6076 : 9038	6036 : 9039	6076 : 9039	6036 : 9040	6076 : 9040
6037 : 9038	6077 : 9038	6037 : 9039	6077 : 9039	6037 : 9040	6077 : 9040
6038 : 9038	6078 : 9038	6038 : 9039	6078 : 9039	6038 : 9040	6078 : 9040
6039 : 9038		6039 : 9039		6039 : 9040	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9041	6040 : 9041	6000 : 9042	6040 : 9042	6000 : 9043	6040 : 9043
6001 : 9041	6041 : 9041	6001 : 9042	6041 : 9042	6001 : 9043	6041 : 9043
6002 : 9041	6042 : 9041	6002 : 9042	6042 : 9042	6002 : 9043	6042 : 9043
6003 : 9041	6043 : 9041	6003 : 9042	6043 : 9042	6003 : 9043	6043 : 9043
6004 : 9041	6044 : 9041	6004 : 9042	6044 : 9042	6004 : 9043	6044 : 9043
6005 : 9041	6045 : 9041	6005 : 9042	6045 : 9042	6005 : 9043	6045 : 9043
6006 : 9041	6046 : 9041	6006 : 9042	6046 : 9042	6006 : 9043	6046 : 9043
6007 : 9041	6047 : 9041	6007 : 9042	6047 : 9042	6007 : 9043	6047 : 9043
6008 : 9041	6048 : 9041	6008 : 9042	6048 : 9042	6008 : 9043	6048 : 9043
6009 : 9041	6049 : 9041	6009 : 9042	6049 : 9042	6009 : 9043	6049 : 9043
6010 : 9041	6050 : 9041	6010 : 9042	6050 : 9042	6010 : 9043	6050 : 9043
6011 : 9041	6051 : 9041	6011 : 9042	6051 : 9042	6011 : 9043	6051 : 9043
6012 : 9041	6052 : 9041	6012 : 9042	6052 : 9042	6012 : 9043	6052 : 9043
6013 : 9041	6053 : 9041	6013 : 9042	6053 : 9042	6013 : 9043	6053 : 9043
6014 : 9041	6054 : 9041	6014 : 9042	6054 : 9042	6014 : 9043	6054 : 9043
6015 : 9041	6055 : 9041	6015 : 9042	6055 : 9042	6015 : 9043	6055 : 9043
6016 : 9041	6056 : 9041	6016 : 9042	6056 : 9042	6016 : 9043	6056 : 9043
6017 : 9041	6057 : 9041	6017 : 9042	6057 : 9042	6017 : 9043	6057 : 9043
6018 : 9041	6058 : 9041	6018 : 9042	6058 : 9042	6018 : 9043	6058 : 9043
6019 : 9041	6059 : 9041	6019 : 9042	6059 : 9042	6019 : 9043	6059 : 9043
6020 : 9041	6060 : 9041	6020 : 9042	6060 : 9042	6020 : 9043	6060 : 9043
6021 : 9041	6061 : 9041	6021 : 9042	6061 : 9042	6021 : 9043	6061 : 9043
6022 : 9041	6062 : 9041	6022 : 9042	6062 : 9042	6022 : 9043	6062 : 9043
6023 : 9041	6063 : 9041	6023 : 9042	6063 : 9042	6023 : 9043	6063 : 9043
6024 : 9041	6064 : 9041	6024 : 9042	6064 : 9042	6024 : 9043	6064 : 9043
6025 : 9041	6065 : 9041	6025 : 9042	6065 : 9042	6025 : 9043	6065 : 9043
6026 : 9041	6066 : 9041	6026 : 9042	6066 : 9042	6026 : 9043	6066 : 9043
6027 : 9041	6067 : 9041	6027 : 9042	6067 : 9042	6027 : 9043	6067 : 9043
6028 : 9041	6068 : 9041	6028 : 9042	6068 : 9042	6028 : 9043	6068 : 9043
6029 : 9041	6069 : 9041	6029 : 9042	6069 : 9042	6029 : 9043	6069 : 9043
6030 : 9041	6070 : 9041	6030 : 9042	6070 : 9042	6030 : 9043	6070 : 9043
6031 : 9041	6071 : 9041	6031 : 9042	6071 : 9042	6031 : 9043	6071 : 9043
6032 : 9041	6072 : 9041	6032 : 9042	6072 : 9042	6032 : 9043	6072 : 9043
6033 : 9041	6073 : 9041	6033 : 9042	6073 : 9042	6033 : 9043	6073 : 9043
6034 : 9041	6074 : 9041	6034 : 9042	6074 : 9042	6034 : 9043	6074 : 9043
6035 : 9041	6075 : 9041	6035 : 9042	6075 : 9042	6035 : 9043	6075 : 9043
6036 : 9041	6076 : 9041	6036 : 9042	6076 : 9042	6036 : 9043	6076 : 9043
6037 : 9041	6077 : 9041	6037 : 9042	6077 : 9042	6037 : 9043	6077 : 9043
6038 : 9041	6078 : 9041	6038 : 9042	6078 : 9042	6038 : 9043	6078 : 9043
6039 : 9041		6039 : 9042		6039 : 9043	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9044	6040 : 9044	6000 : 9045	6040 : 9045	6000 : 9047	6040 : 9047
6001 : 9044	6041 : 9044	6001 : 9045	6041 : 9045	6001 : 9047	6041 : 9047
6002 : 9044	6042 : 9044	6002 : 9045	6042 : 9045	6002 : 9047	6042 : 9047
6003 : 9044	6043 : 9044	6003 : 9045	6043 : 9045	6003 : 9047	6043 : 9047
6004 : 9044	6044 : 9044	6004 : 9045	6044 : 9045	6004 : 9047	6044 : 9047
6005 : 9044	6045 : 9044	6005 : 9045	6045 : 9045	6005 : 9047	6045 : 9047
6006 : 9044	6046 : 9044	6006 : 9045	6046 : 9045	6006 : 9047	6046 : 9047
6007 : 9044	6047 : 9044	6007 : 9045	6047 : 9045	6007 : 9047	6047 : 9047
6008 : 9044	6048 : 9044	6008 : 9045	6048 : 9045	6008 : 9047	6048 : 9047
6009 : 9044	6049 : 9044	6009 : 9045	6049 : 9045	6009 : 9047	6049 : 9047
6010 : 9044	6050 : 9044	6010 : 9045	6050 : 9045	6010 : 9047	6050 : 9047
6011 : 9044	6051 : 9044	6011 : 9045	6051 : 9045	6011 : 9047	6051 : 9047
6012 : 9044	6052 : 9044	6012 : 9045	6052 : 9045	6012 : 9047	6052 : 9047
6013 : 9044	6053 : 9044	6013 : 9045	6053 : 9045	6013 : 9047	6053 : 9047
6014 : 9044	6054 : 9044	6014 : 9045	6054 : 9045	6014 : 9047	6054 : 9047
6015 : 9044	6055 : 9044	6015 : 9045	6055 : 9045	6015 : 9047	6055 : 9047
6016 : 9044	6056 : 9044	6016 : 9045	6056 : 9045	6016 : 9047	6056 : 9047
6017 : 9044	6057 : 9044	6017 : 9045	6057 : 9045	6017 : 9047	6057 : 9047
6018 : 9044	6058 : 9044	6018 : 9045	6058 : 9045	6018 : 9047	6058 : 9047
6019 : 9044	6059 : 9044	6019 : 9045	6059 : 9045	6019 : 9047	6059 : 9047
6020 : 9044	6060 : 9044	6020 : 9045	6060 : 9045	6020 : 9047	6060 : 9047
6021 : 9044	6061 : 9044	6021 : 9045	6061 : 9045	6021 : 9047	6061 : 9047
6022 : 9044	6062 : 9044	6022 : 9045	6062 : 9045	6022 : 9047	6062 : 9047
6023 : 9044	6063 : 9044	6023 : 9045	6063 : 9045	6023 : 9047	6063 : 9047
6024 : 9044	6064 : 9044	6024 : 9045	6064 : 9045	6024 : 9047	6064 : 9047
6025 : 9044	6065 : 9044	6025 : 9045	6065 : 9045	6025 : 9047	6065 : 9047
6026 : 9044	6066 : 9044	6026 : 9045	6066 : 9045	6026 : 9047	6066 : 9047
6027 : 9044	6067 : 9044	6027 : 9045	6067 : 9045	6027 : 9047	6067 : 9047
6028 : 9044	6068 : 9044	6028 : 9045	6068 : 9045	6028 : 9047	6068 : 9047
6029 : 9044	6069 : 9044	6029 : 9045	6069 : 9045	6029 : 9047	6069 : 9047
6030 : 9044	6070 : 9044	6030 : 9045	6070 : 9045	6030 : 9047	6070 : 9047
6031 : 9044	6071 : 9044	6031 : 9045	6071 : 9045	6031 : 9047	6071 : 9047
6032 : 9044	6072 : 9044	6032 : 9045	6072 : 9045	6032 : 9047	6072 : 9047
6033 : 9044	6073 : 9044	6033 : 9045	6073 : 9045	6033 : 9047	6073 : 9047
6034 : 9044	6074 : 9044	6034 : 9045	6074 : 9045	6034 : 9047	6074 : 9047
6035 : 9044	6075 : 9044	6035 : 9045	6075 : 9045	6035 : 9047	6075 : 9047
6036 : 9044	6076 : 9044	6036 : 9045	6076 : 9045	6036 : 9047	6076 : 9047
6037 : 9044	6077 : 9044	6037 : 9045	6077 : 9045	6037 : 9047	6077 : 9047
6038 : 9044	6078 : 9044	6038 : 9045	6078 : 9045	6038 : 9047	6078 : 9047
6039 : 9044		6039 : 9045		6039 : 9047	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9048	6040 : 9048	6000 : 9049	6040 : 9049	6000 : 9051	6040 : 9051
6001 : 9048	6041 : 9048	6001 : 9049	6041 : 9049	6001 : 9051	6041 : 9051
6002 : 9048	6042 : 9048	6002 : 9049	6042 : 9049	6002 : 9051	6042 : 9051
6003 : 9048	6043 : 9048	6003 : 9049	6043 : 9049	6003 : 9051	6043 : 9051
6004 : 9048	6044 : 9048	6004 : 9049	6044 : 9049	6004 : 9051	6044 : 9051
6005 : 9048	6045 : 9048	6005 : 9049	6045 : 9049	6005 : 9051	6045 : 9051
6006 : 9048	6046 : 9048	6006 : 9049	6046 : 9049	6006 : 9051	6046 : 9051
6007 : 9048	6047 : 9048	6007 : 9049	6047 : 9049	6007 : 9051	6047 : 9051
6008 : 9048	6048 : 9048	6008 : 9049	6048 : 9049	6008 : 9051	6048 : 9051
6009 : 9048	6049 : 9048	6009 : 9049	6049 : 9049	6009 : 9051	6049 : 9051
6010 : 9048	6050 : 9048	6010 : 9049	6050 : 9049	6010 : 9051	6050 : 9051
6011 : 9048	6051 : 9048	6011 : 9049	6051 : 9049	6011 : 9051	6051 : 9051
6012 : 9048	6052 : 9048	6012 : 9049	6052 : 9049	6012 : 9051	6052 : 9051
6013 : 9048	6053 : 9048	6013 : 9049	6053 : 9049	6013 : 9051	6053 : 9051
6014 : 9048	6054 : 9048	6014 : 9049	6054 : 9049	6014 : 9051	6054 : 9051
6015 : 9048	6055 : 9048	6015 : 9049	6055 : 9049	6015 : 9051	6055 : 9051
6016 : 9048	6056 : 9048	6016 : 9049	6056 : 9049	6016 : 9051	6056 : 9051
6017 : 9048	6057 : 9048	6017 : 9049	6057 : 9049	6017 : 9051	6057 : 9051
6018 : 9048	6058 : 9048	6018 : 9049	6058 : 9049	6018 : 9051	6058 : 9051
6019 : 9048	6059 : 9048	6019 : 9049	6059 : 9049	6019 : 9051	6059 : 9051
6020 : 9048	6060 : 9048	6020 : 9049	6060 : 9049	6020 : 9051	6060 : 9051
6021 : 9048	6061 : 9048	6021 : 9049	6061 : 9049	6021 : 9051	6061 : 9051
6022 : 9048	6062 : 9048	6022 : 9049	6062 : 9049	6022 : 9051	6062 : 9051
6023 : 9048	6063 : 9048	6023 : 9049	6063 : 9049	6023 : 9051	6063 : 9051
6024 : 9048	6064 : 9048	6024 : 9049	6064 : 9049	6024 : 9051	6064 : 9051
6025 : 9048	6065 : 9048	6025 : 9049	6065 : 9049	6025 : 9051	6065 : 9051
6026 : 9048	6066 : 9048	6026 : 9049	6066 : 9049	6026 : 9051	6066 : 9051
6027 : 9048	6067 : 9048	6027 : 9049	6067 : 9049	6027 : 9051	6067 : 9051
6028 : 9048	6068 : 9048	6028 : 9049	6068 : 9049	6028 : 9051	6068 : 9051
6029 : 9048	6069 : 9048	6029 : 9049	6069 : 9049	6029 : 9051	6069 : 9051
6030 : 9048	6070 : 9048	6030 : 9049	6070 : 9049	6030 : 9051	6070 : 9051
6031 : 9048	6071 : 9048	6031 : 9049	6071 : 9049	6031 : 9051	6071 : 9051
6032 : 9048	6072 : 9048	6032 : 9049	6072 : 9049	6032 : 9051	6072 : 9051
6033 : 9048	6073 : 9048	6033 : 9049	6073 : 9049	6033 : 9051	6073 : 9051
6034 : 9048	6074 : 9048	6034 : 9049	6074 : 9049	6034 : 9051	6074 : 9051
6035 : 9048	6075 : 9048	6035 : 9049	6075 : 9049	6035 : 9051	6075 : 9051
6036 : 9048	6076 : 9048	6036 : 9049	6076 : 9049	6036 : 9051	6076 : 9051
6037 : 9048	6077 : 9048	6037 : 9049	6077 : 9049	6037 : 9051	6077 : 9051
6038 : 9048	6078 : 9048	6038 : 9049	6078 : 9049	6038 : 9051	6078 : 9051
6039 : 9048		6039 : 9049		6039 : 9051	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9052	6040 : 9052	6000 : 9053	6040 : 9053	6000 : 9054	6040 : 9054
6001 : 9052	6041 : 9052	6001 : 9053	6041 : 9053	6001 : 9054	6041 : 9054
6002 : 9052	6042 : 9052	6002 : 9053	6042 : 9053	6002 : 9054	6042 : 9054
6003 : 9052	6043 : 9052	6003 : 9053	6043 : 9053	6003 : 9054	6043 : 9054
6004 : 9052	6044 : 9052	6004 : 9053	6044 : 9053	6004 : 9054	6044 : 9054
6005 : 9052	6045 : 9052	6005 : 9053	6045 : 9053	6005 : 9054	6045 : 9054
6006 : 9052	6046 : 9052	6006 : 9053	6046 : 9053	6006 : 9054	6046 : 9054
6007 : 9052	6047 : 9052	6007 : 9053	6047 : 9053	6007 : 9054	6047 : 9054
6008 : 9052	6048 : 9052	6008 : 9053	6048 : 9053	6008 : 9054	6048 : 9054
6009 : 9052	6049 : 9052	6009 : 9053	6049 : 9053	6009 : 9054	6049 : 9054
6010 : 9052	6050 : 9052	6010 : 9053	6050 : 9053	6010 : 9054	6050 : 9054
6011 : 9052	6051 : 9052	6011 : 9053	6051 : 9053	6011 : 9054	6051 : 9054
6012 : 9052	6052 : 9052	6012 : 9053	6052 : 9053	6012 : 9054	6052 : 9054
6013 : 9052	6053 : 9052	6013 : 9053	6053 : 9053	6013 : 9054	6053 : 9054
6014 : 9052	6054 : 9052	6014 : 9053	6054 : 9053	6014 : 9054	6054 : 9054
6015 : 9052	6055 : 9052	6015 : 9053	6055 : 9053	6015 : 9054	6055 : 9054
6016 : 9052	6056 : 9052	6016 : 9053	6056 : 9053	6016 : 9054	6056 : 9054
6017 : 9052	6057 : 9052	6017 : 9053	6057 : 9053	6017 : 9054	6057 : 9054
6018 : 9052	6058 : 9052	6018 : 9053	6058 : 9053	6018 : 9054	6058 : 9054
6019 : 9052	6059 : 9052	6019 : 9053	6059 : 9053	6019 : 9054	6059 : 9054
6020 : 9052	6060 : 9052	6020 : 9053	6060 : 9053	6020 : 9054	6060 : 9054
6021 : 9052	6061 : 9052	6021 : 9053	6061 : 9053	6021 : 9054	6061 : 9054
6022 : 9052	6062 : 9052	6022 : 9053	6062 : 9053	6022 : 9054	6062 : 9054
6023 : 9052	6063 : 9052	6023 : 9053	6063 : 9053	6023 : 9054	6063 : 9054
6024 : 9052	6064 : 9052	6024 : 9053	6064 : 9053	6024 : 9054	6064 : 9054
6025 : 9052	6065 : 9052	6025 : 9053	6065 : 9053	6025 : 9054	6065 : 9054
6026 : 9052	6066 : 9052	6026 : 9053	6066 : 9053	6026 : 9054	6066 : 9054
6027 : 9052	6067 : 9052	6027 : 9053	6067 : 9053	6027 : 9054	6067 : 9054
6028 : 9052	6068 : 9052	6028 : 9053	6068 : 9053	6028 : 9054	6068 : 9054
6029 : 9052	6069 : 9052	6029 : 9053	6069 : 9053	6029 : 9054	6069 : 9054
6030 : 9052	6070 : 9052	6030 : 9053	6070 : 9053	6030 : 9054	6070 : 9054
6031 : 9052	6071 : 9052	6031 : 9053	6071 : 9053	6031 : 9054	6071 : 9054
6032 : 9052	6072 : 9052	6032 : 9053	6072 : 9053	6032 : 9054	6072 : 9054
6033 : 9052	6073 : 9052	6033 : 9053	6073 : 9053	6033 : 9054	6073 : 9054
6034 : 9052	6074 : 9052	6034 : 9053	6074 : 9053	6034 : 9054	6074 : 9054
6035 : 9052	6075 : 9052	6035 : 9053	6075 : 9053	6035 : 9054	6075 : 9054
6036 : 9052	6076 : 9052	6036 : 9053	6076 : 9053	6036 : 9054	6076 : 9054
6037 : 9052	6077 : 9052	6037 : 9053	6077 : 9053	6037 : 9054	6077 : 9054
6038 : 9052	6078 : 9052	6038 : 9053	6078 : 9053	6038 : 9054	6078 : 9054
6039 : 9052		6039 : 9053		6039 : 9054	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9055	6040 : 9055	6000 : 9056	6040 : 9056	6000 : 9057	6040 : 9057
6001 : 9055	6041 : 9055	6001 : 9056	6041 : 9056	6001 : 9057	6041 : 9057
6002 : 9055	6042 : 9055	6002 : 9056	6042 : 9056	6002 : 9057	6042 : 9057
6003 : 9055	6043 : 9055	6003 : 9056	6043 : 9056	6003 : 9057	6043 : 9057
6004 : 9055	6044 : 9055	6004 : 9056	6044 : 9056	6004 : 9057	6044 : 9057
6005 : 9055	6045 : 9055	6005 : 9056	6045 : 9056	6005 : 9057	6045 : 9057
6006 : 9055	6046 : 9055	6006 : 9056	6046 : 9056	6006 : 9057	6046 : 9057
6007 : 9055	6047 : 9055	6007 : 9056	6047 : 9056	6007 : 9057	6047 : 9057
6008 : 9055	6048 : 9055	6008 : 9056	6048 : 9056	6008 : 9057	6048 : 9057
6009 : 9055	6049 : 9055	6009 : 9056	6049 : 9056	6009 : 9057	6049 : 9057
6010 : 9055	6050 : 9055	6010 : 9056	6050 : 9056	6010 : 9057	6050 : 9057
6011 : 9055	6051 : 9055	6011 : 9056	6051 : 9056	6011 : 9057	6051 : 9057
6012 : 9055	6052 : 9055	6012 : 9056	6052 : 9056	6012 : 9057	6052 : 9057
6013 : 9055	6053 : 9055	6013 : 9056	6053 : 9056	6013 : 9057	6053 : 9057
6014 : 9055	6054 : 9055	6014 : 9056	6054 : 9056	6014 : 9057	6054 : 9057
6015 : 9055	6055 : 9055	6015 : 9056	6055 : 9056	6015 : 9057	6055 : 9057
6016 : 9055	6056 : 9055	6016 : 9056	6056 : 9056	6016 : 9057	6056 : 9057
6017 : 9055	6057 : 9055	6017 : 9056	6057 : 9056	6017 : 9057	6057 : 9057
6018 : 9055	6058 : 9055	6018 : 9056	6058 : 9056	6018 : 9057	6058 : 9057
6019 : 9055	6059 : 9055	6019 : 9056	6059 : 9056	6019 : 9057	6059 : 9057
6020 : 9055	6060 : 9055	6020 : 9056	6060 : 9056	6020 : 9057	6060 : 9057
6021 : 9055	6061 : 9055	6021 : 9056	6061 : 9056	6021 : 9057	6061 : 9057
6022 : 9055	6062 : 9055	6022 : 9056	6062 : 9056	6022 : 9057	6062 : 9057
6023 : 9055	6063 : 9055	6023 : 9056	6063 : 9056	6023 : 9057	6063 : 9057
6024 : 9055	6064 : 9055	6024 : 9056	6064 : 9056	6024 : 9057	6064 : 9057
6025 : 9055	6065 : 9055	6025 : 9056	6065 : 9056	6025 : 9057	6065 : 9057
6026 : 9055	6066 : 9055	6026 : 9056	6066 : 9056	6026 : 9057	6066 : 9057
6027 : 9055	6067 : 9055	6027 : 9056	6067 : 9056	6027 : 9057	6067 : 9057
6028 : 9055	6068 : 9055	6028 : 9056	6068 : 9056	6028 : 9057	6068 : 9057
6029 : 9055	6069 : 9055	6029 : 9056	6069 : 9056	6029 : 9057	6069 : 9057
6030 : 9055	6070 : 9055	6030 : 9056	6070 : 9056	6030 : 9057	6070 : 9057
6031 : 9055	6071 : 9055	6031 : 9056	6071 : 9056	6031 : 9057	6071 : 9057
6032 : 9055	6072 : 9055	6032 : 9056	6072 : 9056	6032 : 9057	6072 : 9057
6033 : 9055	6073 : 9055	6033 : 9056	6073 : 9056	6033 : 9057	6073 : 9057
6034 : 9055	6074 : 9055	6034 : 9056	6074 : 9056	6034 : 9057	6074 : 9057
6035 : 9055	6075 : 9055	6035 : 9056	6075 : 9056	6035 : 9057	6075 : 9057
6036 : 9055	6076 : 9055	6036 : 9056	6076 : 9056	6036 : 9057	6076 : 9057
6037 : 9055	6077 : 9055	6037 : 9056	6077 : 9056	6037 : 9057	6077 : 9057
6038 : 9055	6078 : 9055	6038 : 9056	6078 : 9056	6038 : 9057	6078 : 9057
6039 : 9055		6039 : 9056		6039 : 9057	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9058	6040 : 9058	6000 : 9060	6040 : 9060	6000 : 9061	6040 : 9061
6001 : 9058	6041 : 9058	6001 : 9060	6041 : 9060	6001 : 9061	6041 : 9061
6002 : 9058	6042 : 9058	6002 : 9060	6042 : 9060	6002 : 9061	6042 : 9061
6003 : 9058	6043 : 9058	6003 : 9060	6043 : 9060	6003 : 9061	6043 : 9061
6004 : 9058	6044 : 9058	6004 : 9060	6044 : 9060	6004 : 9061	6044 : 9061
6005 : 9058	6045 : 9058	6005 : 9060	6045 : 9060	6005 : 9061	6045 : 9061
6006 : 9058	6046 : 9058	6006 : 9060	6046 : 9060	6006 : 9061	6046 : 9061
6007 : 9058	6047 : 9058	6007 : 9060	6047 : 9060	6007 : 9061	6047 : 9061
6008 : 9058	6048 : 9058	6008 : 9060	6048 : 9060	6008 : 9061	6048 : 9061
6009 : 9058	6049 : 9058	6009 : 9060	6049 : 9060	6009 : 9061	6049 : 9061
6010 : 9058	6050 : 9058	6010 : 9060	6050 : 9060	6010 : 9061	6050 : 9061
6011 : 9058	6051 : 9058	6011 : 9060	6051 : 9060	6011 : 9061	6051 : 9061
6012 : 9058	6052 : 9058	6012 : 9060	6052 : 9060	6012 : 9061	6052 : 9061
6013 : 9058	6053 : 9058	6013 : 9060	6053 : 9060	6013 : 9061	6053 : 9061
6014 : 9058	6054 : 9058	6014 : 9060	6054 : 9060	6014 : 9061	6054 : 9061
6015 : 9058	6055 : 9058	6015 : 9060	6055 : 9060	6015 : 9061	6055 : 9061
6016 : 9058	6056 : 9058	6016 : 9060	6056 : 9060	6016 : 9061	6056 : 9061
6017 : 9058	6057 : 9058	6017 : 9060	6057 : 9060	6017 : 9061	6057 : 9061
6018 : 9058	6058 : 9058	6018 : 9060	6058 : 9060	6018 : 9061	6058 : 9061
6019 : 9058	6059 : 9058	6019 : 9060	6059 : 9060	6019 : 9061	6059 : 9061
6020 : 9058	6060 : 9058	6020 : 9060	6060 : 9060	6020 : 9061	6060 : 9061
6021 : 9058	6061 : 9058	6021 : 9060	6061 : 9060	6021 : 9061	6061 : 9061
6022 : 9058	6062 : 9058	6022 : 9060	6062 : 9060	6022 : 9061	6062 : 9061
6023 : 9058	6063 : 9058	6023 : 9060	6063 : 9060	6023 : 9061	6063 : 9061
6024 : 9058	6064 : 9058	6024 : 9060	6064 : 9060	6024 : 9061	6064 : 9061
6025 : 9058	6065 : 9058	6025 : 9060	6065 : 9060	6025 : 9061	6065 : 9061
6026 : 9058	6066 : 9058	6026 : 9060	6066 : 9060	6026 : 9061	6066 : 9061
6027 : 9058	6067 : 9058	6027 : 9060	6067 : 9060	6027 : 9061	6067 : 9061
6028 : 9058	6068 : 9058	6028 : 9060	6068 : 9060	6028 : 9061	6068 : 9061
6029 : 9058	6069 : 9058	6029 : 9060	6069 : 9060	6029 : 9061	6069 : 9061
6030 : 9058	6070 : 9058	6030 : 9060	6070 : 9060	6030 : 9061	6070 : 9061
6031 : 9058	6071 : 9058	6031 : 9060	6071 : 9060	6031 : 9061	6071 : 9061
6032 : 9058	6072 : 9058	6032 : 9060	6072 : 9060	6032 : 9061	6072 : 9061
6033 : 9058	6073 : 9058	6033 : 9060	6073 : 9060	6033 : 9061	6073 : 9061
6034 : 9058	6074 : 9058	6034 : 9060	6074 : 9060	6034 : 9061	6074 : 9061
6035 : 9058	6075 : 9058	6035 : 9060	6075 : 9060	6035 : 9061	6075 : 9061
6036 : 9058	6076 : 9058	6036 : 9060	6076 : 9060	6036 : 9061	6076 : 9061
6037 : 9058	6077 : 9058	6037 : 9060	6077 : 9060	6037 : 9061	6077 : 9061
6038 : 9058	6078 : 9058	6038 : 9060	6078 : 9060	6038 : 9061	6078 : 9061
6039 : 9058		6039 : 9060		6039 : 9061	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9062	6040 : 9062	6000 : 9063	6040 : 9063	6000 : 9064	6040 : 9064
6001 : 9062	6041 : 9062	6001 : 9063	6041 : 9063	6001 : 9064	6041 : 9064
6002 : 9062	6042 : 9062	6002 : 9063	6042 : 9063	6002 : 9064	6042 : 9064
6003 : 9062	6043 : 9062	6003 : 9063	6043 : 9063	6003 : 9064	6043 : 9064
6004 : 9062	6044 : 9062	6004 : 9063	6044 : 9063	6004 : 9064	6044 : 9064
6005 : 9062	6045 : 9062	6005 : 9063	6045 : 9063	6005 : 9064	6045 : 9064
6006 : 9062	6046 : 9062	6006 : 9063	6046 : 9063	6006 : 9064	6046 : 9064
6007 : 9062	6047 : 9062	6007 : 9063	6047 : 9063	6007 : 9064	6047 : 9064
6008 : 9062	6048 : 9062	6008 : 9063	6048 : 9063	6008 : 9064	6048 : 9064
6009 : 9062	6049 : 9062	6009 : 9063	6049 : 9063	6009 : 9064	6049 : 9064
6010 : 9062	6050 : 9062	6010 : 9063	6050 : 9063	6010 : 9064	6050 : 9064
6011 : 9062	6051 : 9062	6011 : 9063	6051 : 9063	6011 : 9064	6051 : 9064
6012 : 9062	6052 : 9062	6012 : 9063	6052 : 9063	6012 : 9064	6052 : 9064
6013 : 9062	6053 : 9062	6013 : 9063	6053 : 9063	6013 : 9064	6053 : 9064
6014 : 9062	6054 : 9062	6014 : 9063	6054 : 9063	6014 : 9064	6054 : 9064
6015 : 9062	6055 : 9062	6015 : 9063	6055 : 9063	6015 : 9064	6055 : 9064
6016 : 9062	6056 : 9062	6016 : 9063	6056 : 9063	6016 : 9064	6056 : 9064
6017 : 9062	6057 : 9062	6017 : 9063	6057 : 9063	6017 : 9064	6057 : 9064
6018 : 9062	6058 : 9062	6018 : 9063	6058 : 9063	6018 : 9064	6058 : 9064
6019 : 9062	6059 : 9062	6019 : 9063	6059 : 9063	6019 : 9064	6059 : 9064
6020 : 9062	6060 : 9062	6020 : 9063	6060 : 9063	6020 : 9064	6060 : 9064
6021 : 9062	6061 : 9062	6021 : 9063	6061 : 9063	6021 : 9064	6061 : 9064
6022 : 9062	6062 : 9062	6022 : 9063	6062 : 9063	6022 : 9064	6062 : 9064
6023 : 9062	6063 : 9062	6023 : 9063	6063 : 9063	6023 : 9064	6063 : 9064
6024 : 9062	6064 : 9062	6024 : 9063	6064 : 9063	6024 : 9064	6064 : 9064
6025 : 9062	6065 : 9062	6025 : 9063	6065 : 9063	6025 : 9064	6065 : 9064
6026 : 9062	6066 : 9062	6026 : 9063	6066 : 9063	6026 : 9064	6066 : 9064
6027 : 9062	6067 : 9062	6027 : 9063	6067 : 9063	6027 : 9064	6067 : 9064
6028 : 9062	6068 : 9062	6028 : 9063	6068 : 9063	6028 : 9064	6068 : 9064
6029 : 9062	6069 : 9062	6029 : 9063	6069 : 9063	6029 : 9064	6069 : 9064
6030 : 9062	6070 : 9062	6030 : 9063	6070 : 9063	6030 : 9064	6070 : 9064
6031 : 9062	6071 : 9062	6031 : 9063	6071 : 9063	6031 : 9064	6071 : 9064
6032 : 9062	6072 : 9062	6032 : 9063	6072 : 9063	6032 : 9064	6072 : 9064
6033 : 9062	6073 : 9062	6033 : 9063	6073 : 9063	6033 : 9064	6073 : 9064
6034 : 9062	6074 : 9062	6034 : 9063	6074 : 9063	6034 : 9064	6074 : 9064
6035 : 9062	6075 : 9062	6035 : 9063	6075 : 9063	6035 : 9064	6075 : 9064
6036 : 9062	6076 : 9062	6036 : 9063	6076 : 9063	6036 : 9064	6076 : 9064
6037 : 9062	6077 : 9062	6037 : 9063	6077 : 9063	6037 : 9064	6077 : 9064
6038 : 9062	6078 : 9062	6038 : 9063	6078 : 9063	6038 : 9064	6078 : 9064
6039 : 9062		6039 : 9063		6039 : 9064	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9065	6040 : 9065	6000 : 9066	6040 : 9066	6000 : 9067	6040 : 9067
6001 : 9065	6041 : 9065	6001 : 9066	6041 : 9066	6001 : 9067	6041 : 9067
6002 : 9065	6042 : 9065	6002 : 9066	6042 : 9066	6002 : 9067	6042 : 9067
6003 : 9065	6043 : 9065	6003 : 9066	6043 : 9066	6003 : 9067	6043 : 9067
6004 : 9065	6044 : 9065	6004 : 9066	6044 : 9066	6004 : 9067	6044 : 9067
6005 : 9065	6045 : 9065	6005 : 9066	6045 : 9066	6005 : 9067	6045 : 9067
6006 : 9065	6046 : 9065	6006 : 9066	6046 : 9066	6006 : 9067	6046 : 9067
6007 : 9065	6047 : 9065	6007 : 9066	6047 : 9066	6007 : 9067	6047 : 9067
6008 : 9065	6048 : 9065	6008 : 9066	6048 : 9066	6008 : 9067	6048 : 9067
6009 : 9065	6049 : 9065	6009 : 9066	6049 : 9066	6009 : 9067	6049 : 9067
6010 : 9065	6050 : 9065	6010 : 9066	6050 : 9066	6010 : 9067	6050 : 9067
6011 : 9065	6051 : 9065	6011 : 9066	6051 : 9066	6011 : 9067	6051 : 9067
6012 : 9065	6052 : 9065	6012 : 9066	6052 : 9066	6012 : 9067	6052 : 9067
6013 : 9065	6053 : 9065	6013 : 9066	6053 : 9066	6013 : 9067	6053 : 9067
6014 : 9065	6054 : 9065	6014 : 9066	6054 : 9066	6014 : 9067	6054 : 9067
6015 : 9065	6055 : 9065	6015 : 9066	6055 : 9066	6015 : 9067	6055 : 9067
6016 : 9065	6056 : 9065	6016 : 9066	6056 : 9066	6016 : 9067	6056 : 9067
6017 : 9065	6057 : 9065	6017 : 9066	6057 : 9066	6017 : 9067	6057 : 9067
6018 : 9065	6058 : 9065	6018 : 9066	6058 : 9066	6018 : 9067	6058 : 9067
6019 : 9065	6059 : 9065	6019 : 9066	6059 : 9066	6019 : 9067	6059 : 9067
6020 : 9065	6060 : 9065	6020 : 9066	6060 : 9066	6020 : 9067	6060 : 9067
6021 : 9065	6061 : 9065	6021 : 9066	6061 : 9066	6021 : 9067	6061 : 9067
6022 : 9065	6062 : 9065	6022 : 9066	6062 : 9066	6022 : 9067	6062 : 9067
6023 : 9065	6063 : 9065	6023 : 9066	6063 : 9066	6023 : 9067	6063 : 9067
6024 : 9065	6064 : 9065	6024 : 9066	6064 : 9066	6024 : 9067	6064 : 9067
6025 : 9065	6065 : 9065	6025 : 9066	6065 : 9066	6025 : 9067	6065 : 9067
6026 : 9065	6066 : 9065	6026 : 9066	6066 : 9066	6026 : 9067	6066 : 9067
6027 : 9065	6067 : 9065	6027 : 9066	6067 : 9066	6027 : 9067	6067 : 9067
6028 : 9065	6068 : 9065	6028 : 9066	6068 : 9066	6028 : 9067	6068 : 9067
6029 : 9065	6069 : 9065	6029 : 9066	6069 : 9066	6029 : 9067	6069 : 9067
6030 : 9065	6070 : 9065	6030 : 9066	6070 : 9066	6030 : 9067	6070 : 9067
6031 : 9065	6071 : 9065	6031 : 9066	6071 : 9066	6031 : 9067	6071 : 9067
6032 : 9065	6072 : 9065	6032 : 9066	6072 : 9066	6032 : 9067	6072 : 9067
6033 : 9065	6073 : 9065	6033 : 9066	6073 : 9066	6033 : 9067	6073 : 9067
6034 : 9065	6074 : 9065	6034 : 9066	6074 : 9066	6034 : 9067	6074 : 9067
6035 : 9065	6075 : 9065	6035 : 9066	6075 : 9066	6035 : 9067	6075 : 9067
6036 : 9065	6076 : 9065	6036 : 9066	6076 : 9066	6036 : 9067	6076 : 9067
6037 : 9065	6077 : 9065	6037 : 9066	6077 : 9066	6037 : 9067	6077 : 9067
6038 : 9065	6078 : 9065	6038 : 9066	6078 : 9066	6038 : 9067	6078 : 9067
6039 : 9065		6039 : 9066		6039 : 9067	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9068	6040 : 9068	6000 : 9069	6040 : 9069	6000 : 9070	6040 : 9070
6001 : 9068	6041 : 9068	6001 : 9069	6041 : 9069	6001 : 9070	6041 : 9070
6002 : 9068	6042 : 9068	6002 : 9069	6042 : 9069	6002 : 9070	6042 : 9070
6003 : 9068	6043 : 9068	6003 : 9069	6043 : 9069	6003 : 9070	6043 : 9070
6004 : 9068	6044 : 9068	6004 : 9069	6044 : 9069	6004 : 9070	6044 : 9070
6005 : 9068	6045 : 9068	6005 : 9069	6045 : 9069	6005 : 9070	6045 : 9070
6006 : 9068	6046 : 9068	6006 : 9069	6046 : 9069	6006 : 9070	6046 : 9070
6007 : 9068	6047 : 9068	6007 : 9069	6047 : 9069	6007 : 9070	6047 : 9070
6008 : 9068	6048 : 9068	6008 : 9069	6048 : 9069	6008 : 9070	6048 : 9070
6009 : 9068	6049 : 9068	6009 : 9069	6049 : 9069	6009 : 9070	6049 : 9070
6010 : 9068	6050 : 9068	6010 : 9069	6050 : 9069	6010 : 9070	6050 : 9070
6011 : 9068	6051 : 9068	6011 : 9069	6051 : 9069	6011 : 9070	6051 : 9070
6012 : 9068	6052 : 9068	6012 : 9069	6052 : 9069	6012 : 9070	6052 : 9070
6013 : 9068	6053 : 9068	6013 : 9069	6053 : 9069	6013 : 9070	6053 : 9070
6014 : 9068	6054 : 9068	6014 : 9069	6054 : 9069	6014 : 9070	6054 : 9070
6015 : 9068	6055 : 9068	6015 : 9069	6055 : 9069	6015 : 9070	6055 : 9070
6016 : 9068	6056 : 9068	6016 : 9069	6056 : 9069	6016 : 9070	6056 : 9070
6017 : 9068	6057 : 9068	6017 : 9069	6057 : 9069	6017 : 9070	6057 : 9070
6018 : 9068	6058 : 9068	6018 : 9069	6058 : 9069	6018 : 9070	6058 : 9070
6019 : 9068	6059 : 9068	6019 : 9069	6059 : 9069	6019 : 9070	6059 : 9070
6020 : 9068	6060 : 9068	6020 : 9069	6060 : 9069	6020 : 9070	6060 : 9070
6021 : 9068	6061 : 9068	6021 : 9069	6061 : 9069	6021 : 9070	6061 : 9070
6022 : 9068	6062 : 9068	6022 : 9069	6062 : 9069	6022 : 9070	6062 : 9070
6023 : 9068	6063 : 9068	6023 : 9069	6063 : 9069	6023 : 9070	6063 : 9070
6024 : 9068	6064 : 9068	6024 : 9069	6064 : 9069	6024 : 9070	6064 : 9070
6025 : 9068	6065 : 9068	6025 : 9069	6065 : 9069	6025 : 9070	6065 : 9070
6026 : 9068	6066 : 9068	6026 : 9069	6066 : 9069	6026 : 9070	6066 : 9070
6027 : 9068	6067 : 9068	6027 : 9069	6067 : 9069	6027 : 9070	6067 : 9070
6028 : 9068	6068 : 9068	6028 : 9069	6068 : 9069	6028 : 9070	6068 : 9070
6029 : 9068	6069 : 9068	6029 : 9069	6069 : 9069	6029 : 9070	6069 : 9070
6030 : 9068	6070 : 9068	6030 : 9069	6070 : 9069	6030 : 9070	6070 : 9070
6031 : 9068	6071 : 9068	6031 : 9069	6071 : 9069	6031 : 9070	6071 : 9070
6032 : 9068	6072 : 9068	6032 : 9069	6072 : 9069	6032 : 9070	6072 : 9070
6033 : 9068	6073 : 9068	6033 : 9069	6073 : 9069	6033 : 9070	6073 : 9070
6034 : 9068	6074 : 9068	6034 : 9069	6074 : 9069	6034 : 9070	6074 : 9070
6035 : 9068	6075 : 9068	6035 : 9069	6075 : 9069	6035 : 9070	6075 : 9070
6036 : 9068	6076 : 9068	6036 : 9069	6076 : 9069	6036 : 9070	6076 : 9070
6037 : 9068	6077 : 9068	6037 : 9069	6077 : 9069	6037 : 9070	6077 : 9070
6038 : 9068	6078 : 9068	6038 : 9069	6078 : 9069	6038 : 9070	6078 : 9070
6039 : 9068		6039 : 9069		6039 : 9070	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9071	6040 : 9071	6000 : 9072	6040 : 9072	6000 : 9072	6040 : 9072
6001 : 9071	6041 : 9071	6001 : 9072	6041 : 9072	6001 : 9072	6041 : 9072
6002 : 9071	6042 : 9071	6002 : 9072	6042 : 9072	6002 : 9072	6042 : 9072
6003 : 9071	6043 : 9071	6003 : 9072	6043 : 9072	6003 : 9072	6043 : 9072
6004 : 9071	6044 : 9071	6004 : 9072	6044 : 9072	6004 : 9072	6044 : 9072
6005 : 9071	6045 : 9071	6005 : 9072	6045 : 9072	6005 : 9072	6045 : 9072
6006 : 9071	6046 : 9071	6006 : 9072	6046 : 9072	6006 : 9072	6046 : 9072
6007 : 9071	6047 : 9071	6007 : 9072	6047 : 9072	6007 : 9072	6047 : 9072
6008 : 9071	6048 : 9071	6008 : 9072	6048 : 9072	6008 : 9072	6048 : 9072
6009 : 9071	6049 : 9071	6009 : 9072	6049 : 9072	6009 : 9072	6049 : 9072
6010 : 9071	6050 : 9071	6010 : 9072	6050 : 9072	6010 : 9072	6050 : 9072
6011 : 9071	6051 : 9071	6011 : 9072	6051 : 9072	6011 : 9072	6051 : 9072
6012 : 9071	6052 : 9071	6012 : 9072	6052 : 9072	6012 : 9072	6052 : 9072
6013 : 9071	6053 : 9071	6013 : 9072	6053 : 9072	6013 : 9072	6053 : 9072
6014 : 9071	6054 : 9071	6014 : 9072	6054 : 9072	6014 : 9072	6054 : 9072
6015 : 9071	6055 : 9071	6015 : 9072	6055 : 9072	6015 : 9072	6055 : 9072
6016 : 9071	6056 : 9071	6016 : 9072	6056 : 9072	6016 : 9072	6056 : 9072
6017 : 9071	6057 : 9071	6017 : 9072	6057 : 9072	6017 : 9072	6057 : 9072
6018 : 9071	6058 : 9071	6018 : 9072	6058 : 9072	6018 : 9072	6058 : 9072
6019 : 9071	6059 : 9071	6019 : 9072	6059 : 9072	6019 : 9072	6059 : 9072
6020 : 9071	6060 : 9071	6020 : 9072	6060 : 9072	6020 : 9072	6060 : 9072
6021 : 9071	6061 : 9071	6021 : 9072	6061 : 9072	6021 : 9072	6061 : 9072
6022 : 9071	6062 : 9071	6022 : 9072	6062 : 9072	6022 : 9072	6062 : 9072
6023 : 9071	6063 : 9071	6023 : 9072	6063 : 9072	6023 : 9072	6063 : 9072
6024 : 9071	6064 : 9071	6024 : 9072	6064 : 9072	6024 : 9072	6064 : 9072
6025 : 9071	6065 : 9071	6025 : 9072	6065 : 9072	6025 : 9072	6065 : 9072
6026 : 9071	6066 : 9071	6026 : 9072	6066 : 9072	6026 : 9072	6066 : 9072
6027 : 9071	6067 : 9071	6027 : 9072	6067 : 9072	6027 : 9072	6067 : 9072
6028 : 9071	6068 : 9071	6028 : 9072	6068 : 9072	6028 : 9072	6068 : 9072
6029 : 9071	6069 : 9071	6029 : 9072	6069 : 9072	6029 : 9072	6069 : 9072
6030 : 9071	6070 : 9071	6030 : 9072	6070 : 9072	6030 : 9072	6070 : 9072
6031 : 9071	6071 : 9071	6031 : 9072	6071 : 9072	6031 : 9072	6071 : 9072
6032 : 9071	6072 : 9071	6032 : 9072	6072 : 9072	6032 : 9072	6072 : 9072
6033 : 9071	6073 : 9071	6033 : 9072	6073 : 9072	6033 : 9072	6073 : 9072
6034 : 9071	6074 : 9071	6034 : 9072	6074 : 9072	6034 : 9072	6074 : 9072
6035 : 9071	6075 : 9071	6035 : 9072	6075 : 9072	6035 : 9072	6075 : 9072
6036 : 9071	6076 : 9071	6036 : 9072	6076 : 9072	6036 : 9072	6076 : 9072
6037 : 9071	6077 : 9071	6037 : 9072	6077 : 9072	6037 : 9072	6077 : 9072
6038 : 9071	6078 : 9071	6038 : 9072	6078 : 9072	6038 : 9072	6078 : 9072
6039 : 9071		6039 : 9072		6039 : 9072	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9073	6040 : 9073	6000 : 9074	6040 : 9074	6000 : 9075	6040 : 9075
6001 : 9073	6041 : 9073	6001 : 9074	6041 : 9074	6001 : 9075	6041 : 9075
6002 : 9073	6042 : 9073	6002 : 9074	6042 : 9074	6002 : 9075	6042 : 9075
6003 : 9073	6043 : 9073	6003 : 9074	6043 : 9074	6003 : 9075	6043 : 9075
6004 : 9073	6044 : 9073	6004 : 9074	6044 : 9074	6004 : 9075	6044 : 9075
6005 : 9073	6045 : 9073	6005 : 9074	6045 : 9074	6005 : 9075	6045 : 9075
6006 : 9073	6046 : 9073	6006 : 9074	6046 : 9074	6006 : 9075	6046 : 9075
6007 : 9073	6047 : 9073	6007 : 9074	6047 : 9074	6007 : 9075	6047 : 9075
6008 : 9073	6048 : 9073	6008 : 9074	6048 : 9074	6008 : 9075	6048 : 9075
6009 : 9073	6049 : 9073	6009 : 9074	6049 : 9074	6009 : 9075	6049 : 9075
6010 : 9073	6050 : 9073	6010 : 9074	6050 : 9074	6010 : 9075	6050 : 9075
6011 : 9073	6051 : 9073	6011 : 9074	6051 : 9074	6011 : 9075	6051 : 9075
6012 : 9073	6052 : 9073	6012 : 9074	6052 : 9074	6012 : 9075	6052 : 9075
6013 : 9073	6053 : 9073	6013 : 9074	6053 : 9074	6013 : 9075	6053 : 9075
6014 : 9073	6054 : 9073	6014 : 9074	6054 : 9074	6014 : 9075	6054 : 9075
6015 : 9073	6055 : 9073	6015 : 9074	6055 : 9074	6015 : 9075	6055 : 9075
6016 : 9073	6056 : 9073	6016 : 9074	6056 : 9074	6016 : 9075	6056 : 9075
6017 : 9073	6057 : 9073	6017 : 9074	6057 : 9074	6017 : 9075	6057 : 9075
6018 : 9073	6058 : 9073	6018 : 9074	6058 : 9074	6018 : 9075	6058 : 9075
6019 : 9073	6059 : 9073	6019 : 9074	6059 : 9074	6019 : 9075	6059 : 9075
6020 : 9073	6060 : 9073	6020 : 9074	6060 : 9074	6020 : 9075	6060 : 9075
6021 : 9073	6061 : 9073	6021 : 9074	6061 : 9074	6021 : 9075	6061 : 9075
6022 : 9073	6062 : 9073	6022 : 9074	6062 : 9074	6022 : 9075	6062 : 9075
6023 : 9073	6063 : 9073	6023 : 9074	6063 : 9074	6023 : 9075	6063 : 9075
6024 : 9073	6064 : 9073	6024 : 9074	6064 : 9074	6024 : 9075	6064 : 9075
6025 : 9073	6065 : 9073	6025 : 9074	6065 : 9074	6025 : 9075	6065 : 9075
6026 : 9073	6066 : 9073	6026 : 9074	6066 : 9074	6026 : 9075	6066 : 9075
6027 : 9073	6067 : 9073	6027 : 9074	6067 : 9074	6027 : 9075	6067 : 9075
6028 : 9073	6068 : 9073	6028 : 9074	6068 : 9074	6028 : 9075	6068 : 9075
6029 : 9073	6069 : 9073	6029 : 9074	6069 : 9074	6029 : 9075	6069 : 9075
6030 : 9073	6070 : 9073	6030 : 9074	6070 : 9074	6030 : 9075	6070 : 9075
6031 : 9073	6071 : 9073	6031 : 9074	6071 : 9074	6031 : 9075	6071 : 9075
6032 : 9073	6072 : 9073	6032 : 9074	6072 : 9074	6032 : 9075	6072 : 9075
6033 : 9073	6073 : 9073	6033 : 9074	6073 : 9074	6033 : 9075	6073 : 9075
6034 : 9073	6074 : 9073	6034 : 9074	6074 : 9074	6034 : 9075	6074 : 9075
6035 : 9073	6075 : 9073	6035 : 9074	6075 : 9074	6035 : 9075	6075 : 9075
6036 : 9073	6076 : 9073	6036 : 9074	6076 : 9074	6036 : 9075	6076 : 9075
6037 : 9073	6077 : 9073	6037 : 9074	6077 : 9074	6037 : 9075	6077 : 9075
6038 : 9073	6078 : 9073	6038 : 9074	6078 : 9074	6038 : 9075	6078 : 9075
6039 : 9073		6039 : 9074		6039 : 9075	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9076	6040 : 9076	6000 : 9077	6040 : 9077	6000 : 9078	6040 : 9078
6001 : 9076	6041 : 9076	6001 : 9077	6041 : 9077	6001 : 9078	6041 : 9078
6002 : 9076	6042 : 9076	6002 : 9077	6042 : 9077	6002 : 9078	6042 : 9078
6003 : 9076	6043 : 9076	6003 : 9077	6043 : 9077	6003 : 9078	6043 : 9078
6004 : 9076	6044 : 9076	6004 : 9077	6044 : 9077	6004 : 9078	6044 : 9078
6005 : 9076	6045 : 9076	6005 : 9077	6045 : 9077	6005 : 9078	6045 : 9078
6006 : 9076	6046 : 9076	6006 : 9077	6046 : 9077	6006 : 9078	6046 : 9078
6007 : 9076	6047 : 9076	6007 : 9077	6047 : 9077	6007 : 9078	6047 : 9078
6008 : 9076	6048 : 9076	6008 : 9077	6048 : 9077	6008 : 9078	6048 : 9078
6009 : 9076	6049 : 9076	6009 : 9077	6049 : 9077	6009 : 9078	6049 : 9078
6010 : 9076	6050 : 9076	6010 : 9077	6050 : 9077	6010 : 9078	6050 : 9078
6011 : 9076	6051 : 9076	6011 : 9077	6051 : 9077	6011 : 9078	6051 : 9078
6012 : 9076	6052 : 9076	6012 : 9077	6052 : 9077	6012 : 9078	6052 : 9078
6013 : 9076	6053 : 9076	6013 : 9077	6053 : 9077	6013 : 9078	6053 : 9078
6014 : 9076	6054 : 9076	6014 : 9077	6054 : 9077	6014 : 9078	6054 : 9078
6015 : 9076	6055 : 9076	6015 : 9077	6055 : 9077	6015 : 9078	6055 : 9078
6016 : 9076	6056 : 9076	6016 : 9077	6056 : 9077	6016 : 9078	6056 : 9078
6017 : 9076	6057 : 9076	6017 : 9077	6057 : 9077	6017 : 9078	6057 : 9078
6018 : 9076	6058 : 9076	6018 : 9077	6058 : 9077	6018 : 9078	6058 : 9078
6019 : 9076	6059 : 9076	6019 : 9077	6059 : 9077	6019 : 9078	6059 : 9078
6020 : 9076	6060 : 9076	6020 : 9077	6060 : 9077	6020 : 9078	6060 : 9078
6021 : 9076	6061 : 9076	6021 : 9077	6061 : 9077	6021 : 9078	6061 : 9078
6022 : 9076	6062 : 9076	6022 : 9077	6062 : 9077	6022 : 9078	6062 : 9078
6023 : 9076	6063 : 9076	6023 : 9077	6063 : 9077	6023 : 9078	6063 : 9078
6024 : 9076	6064 : 9076	6024 : 9077	6064 : 9077	6024 : 9078	6064 : 9078
6025 : 9076	6065 : 9076	6025 : 9077	6065 : 9077	6025 : 9078	6065 : 9078
6026 : 9076	6066 : 9076	6026 : 9077	6066 : 9077	6026 : 9078	6066 : 9078
6027 : 9076	6067 : 9076	6027 : 9077	6067 : 9077	6027 : 9078	6067 : 9078
6028 : 9076	6068 : 9076	6028 : 9077	6068 : 9077	6028 : 9078	6068 : 9078
6029 : 9076	6069 : 9076	6029 : 9077	6069 : 9077	6029 : 9078	6069 : 9078
6030 : 9076	6070 : 9076	6030 : 9077	6070 : 9077	6030 : 9078	6070 : 9078
6031 : 9076	6071 : 9076	6031 : 9077	6071 : 9077	6031 : 9078	6071 : 9078
6032 : 9076	6072 : 9076	6032 : 9077	6072 : 9077	6032 : 9078	6072 : 9078
6033 : 9076	6073 : 9076	6033 : 9077	6073 : 9077	6033 : 9078	6073 : 9078
6034 : 9076	6074 : 9076	6034 : 9077	6074 : 9077	6034 : 9078	6074 : 9078
6035 : 9076	6075 : 9076	6035 : 9077	6075 : 9077	6035 : 9078	6075 : 9078
6036 : 9076	6076 : 9076	6036 : 9077	6076 : 9077	6036 : 9078	6076 : 9078
6037 : 9076	6077 : 9076	6037 : 9077	6077 : 9077	6037 : 9078	6077 : 9078
6038 : 9076	6078 : 9076	6038 : 9077	6078 : 9077	6038 : 9078	6078 : 9078
6039 : 9076		6039 : 9077		6039 : 9078	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9079	6040 : 9079	6000 : 9080	6040 : 9080	6000 : 9081	6040 : 9081
6001 : 9079	6041 : 9079	6001 : 9080	6041 : 9080	6001 : 9081	6041 : 9081
6002 : 9079	6042 : 9079	6002 : 9080	6042 : 9080	6002 : 9081	6042 : 9081
6003 : 9079	6043 : 9079	6003 : 9080	6043 : 9080	6003 : 9081	6043 : 9081
6004 : 9079	6044 : 9079	6004 : 9080	6044 : 9080	6004 : 9081	6044 : 9081
6005 : 9079	6045 : 9079	6005 : 9080	6045 : 9080	6005 : 9081	6045 : 9081
6006 : 9079	6046 : 9079	6006 : 9080	6046 : 9080	6006 : 9081	6046 : 9081
6007 : 9079	6047 : 9079	6007 : 9080	6047 : 9080	6007 : 9081	6047 : 9081
6008 : 9079	6048 : 9079	6008 : 9080	6048 : 9080	6008 : 9081	6048 : 9081
6009 : 9079	6049 : 9079	6009 : 9080	6049 : 9080	6009 : 9081	6049 : 9081
6010 : 9079	6050 : 9079	6010 : 9080	6050 : 9080	6010 : 9081	6050 : 9081
6011 : 9079	6051 : 9079	6011 : 9080	6051 : 9080	6011 : 9081	6051 : 9081
6012 : 9079	6052 : 9079	6012 : 9080	6052 : 9080	6012 : 9081	6052 : 9081
6013 : 9079	6053 : 9079	6013 : 9080	6053 : 9080	6013 : 9081	6053 : 9081
6014 : 9079	6054 : 9079	6014 : 9080	6054 : 9080	6014 : 9081	6054 : 9081
6015 : 9079	6055 : 9079	6015 : 9080	6055 : 9080	6015 : 9081	6055 : 9081
6016 : 9079	6056 : 9079	6016 : 9080	6056 : 9080	6016 : 9081	6056 : 9081
6017 : 9079	6057 : 9079	6017 : 9080	6057 : 9080	6017 : 9081	6057 : 9081
6018 : 9079	6058 : 9079	6018 : 9080	6058 : 9080	6018 : 9081	6058 : 9081
6019 : 9079	6059 : 9079	6019 : 9080	6059 : 9080	6019 : 9081	6059 : 9081
6020 : 9079	6060 : 9079	6020 : 9080	6060 : 9080	6020 : 9081	6060 : 9081
6021 : 9079	6061 : 9079	6021 : 9080	6061 : 9080	6021 : 9081	6061 : 9081
6022 : 9079	6062 : 9079	6022 : 9080	6062 : 9080	6022 : 9081	6062 : 9081
6023 : 9079	6063 : 9079	6023 : 9080	6063 : 9080	6023 : 9081	6063 : 9081
6024 : 9079	6064 : 9079	6024 : 9080	6064 : 9080	6024 : 9081	6064 : 9081
6025 : 9079	6065 : 9079	6025 : 9080	6065 : 9080	6025 : 9081	6065 : 9081
6026 : 9079	6066 : 9079	6026 : 9080	6066 : 9080	6026 : 9081	6066 : 9081
6027 : 9079	6067 : 9079	6027 : 9080	6067 : 9080	6027 : 9081	6067 : 9081
6028 : 9079	6068 : 9079	6028 : 9080	6068 : 9080	6028 : 9081	6068 : 9081
6029 : 9079	6069 : 9079	6029 : 9080	6069 : 9080	6029 : 9081	6069 : 9081
6030 : 9079	6070 : 9079	6030 : 9080	6070 : 9080	6030 : 9081	6070 : 9081
6031 : 9079	6071 : 9079	6031 : 9080	6071 : 9080	6031 : 9081	6071 : 9081
6032 : 9079	6072 : 9079	6032 : 9080	6072 : 9080	6032 : 9081	6072 : 9081
6033 : 9079	6073 : 9079	6033 : 9080	6073 : 9080	6033 : 9081	6073 : 9081
6034 : 9079	6074 : 9079	6034 : 9080	6074 : 9080	6034 : 9081	6074 : 9081
6035 : 9079	6075 : 9079	6035 : 9080	6075 : 9080	6035 : 9081	6075 : 9081
6036 : 9079	6076 : 9079	6036 : 9080	6076 : 9080	6036 : 9081	6076 : 9081
6037 : 9079	6077 : 9079	6037 : 9080	6077 : 9080	6037 : 9081	6077 : 9081
6038 : 9079	6078 : 9079	6038 : 9080	6078 : 9080	6038 : 9081	6078 : 9081
6039 : 9079		6039 : 9080		6039 : 9081	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9082	6040 : 9082	6000 : 9083	6040 : 9083	6000 : 9084	6040 : 9084
6001 : 9082	6041 : 9082	6001 : 9083	6041 : 9083	6001 : 9084	6041 : 9084
6002 : 9082	6042 : 9082	6002 : 9083	6042 : 9083	6002 : 9084	6042 : 9084
6003 : 9082	6043 : 9082	6003 : 9083	6043 : 9083	6003 : 9084	6043 : 9084
6004 : 9082	6044 : 9082	6004 : 9083	6044 : 9083	6004 : 9084	6044 : 9084
6005 : 9082	6045 : 9082	6005 : 9083	6045 : 9083	6005 : 9084	6045 : 9084
6006 : 9082	6046 : 9082	6006 : 9083	6046 : 9083	6006 : 9084	6046 : 9084
6007 : 9082	6047 : 9082	6007 : 9083	6047 : 9083	6007 : 9084	6047 : 9084
6008 : 9082	6048 : 9082	6008 : 9083	6048 : 9083	6008 : 9084	6048 : 9084
6009 : 9082	6049 : 9082	6009 : 9083	6049 : 9083	6009 : 9084	6049 : 9084
6010 : 9082	6050 : 9082	6010 : 9083	6050 : 9083	6010 : 9084	6050 : 9084
6011 : 9082	6051 : 9082	6011 : 9083	6051 : 9083	6011 : 9084	6051 : 9084
6012 : 9082	6052 : 9082	6012 : 9083	6052 : 9083	6012 : 9084	6052 : 9084
6013 : 9082	6053 : 9082	6013 : 9083	6053 : 9083	6013 : 9084	6053 : 9084
6014 : 9082	6054 : 9082	6014 : 9083	6054 : 9083	6014 : 9084	6054 : 9084
6015 : 9082	6055 : 9082	6015 : 9083	6055 : 9083	6015 : 9084	6055 : 9084
6016 : 9082	6056 : 9082	6016 : 9083	6056 : 9083	6016 : 9084	6056 : 9084
6017 : 9082	6057 : 9082	6017 : 9083	6057 : 9083	6017 : 9084	6057 : 9084
6018 : 9082	6058 : 9082	6018 : 9083	6058 : 9083	6018 : 9084	6058 : 9084
6019 : 9082	6059 : 9082	6019 : 9083	6059 : 9083	6019 : 9084	6059 : 9084
6020 : 9082	6060 : 9082	6020 : 9083	6060 : 9083	6020 : 9084	6060 : 9084
6021 : 9082	6061 : 9082	6021 : 9083	6061 : 9083	6021 : 9084	6061 : 9084
6022 : 9082	6062 : 9082	6022 : 9083	6062 : 9083	6022 : 9084	6062 : 9084
6023 : 9082	6063 : 9082	6023 : 9083	6063 : 9083	6023 : 9084	6063 : 9084
6024 : 9082	6064 : 9082	6024 : 9083	6064 : 9083	6024 : 9084	6064 : 9084
6025 : 9082	6065 : 9082	6025 : 9083	6065 : 9083	6025 : 9084	6065 : 9084
6026 : 9082	6066 : 9082	6026 : 9083	6066 : 9083	6026 : 9084	6066 : 9084
6027 : 9082	6067 : 9082	6027 : 9083	6067 : 9083	6027 : 9084	6067 : 9084
6028 : 9082	6068 : 9082	6028 : 9083	6068 : 9083	6028 : 9084	6068 : 9084
6029 : 9082	6069 : 9082	6029 : 9083	6069 : 9083	6029 : 9084	6069 : 9084
6030 : 9082	6070 : 9082	6030 : 9083	6070 : 9083	6030 : 9084	6070 : 9084
6031 : 9082	6071 : 9082	6031 : 9083	6071 : 9083	6031 : 9084	6071 : 9084
6032 : 9082	6072 : 9082	6032 : 9083	6072 : 9083	6032 : 9084	6072 : 9084
6033 : 9082	6073 : 9082	6033 : 9083	6073 : 9083	6033 : 9084	6073 : 9084
6034 : 9082	6074 : 9082	6034 : 9083	6074 : 9083	6034 : 9084	6074 : 9084
6035 : 9082	6075 : 9082	6035 : 9083	6075 : 9083	6035 : 9084	6075 : 9084
6036 : 9082	6076 : 9082	6036 : 9083	6076 : 9083	6036 : 9084	6076 : 9084
6037 : 9082	6077 : 9082	6037 : 9083	6077 : 9083	6037 : 9084	6077 : 9084
6038 : 9082	6078 : 9082	6038 : 9083	6078 : 9083	6038 : 9084	6078 : 9084
6039 : 9082		6039 : 9083		6039 : 9084	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9085	6040 : 9085	6000 : 9086	6040 : 9086	6000 : 9088	6040 : 9088
6001 : 9085	6041 : 9085	6001 : 9086	6041 : 9086	6001 : 9088	6041 : 9088
6002 : 9085	6042 : 9085	6002 : 9086	6042 : 9086	6002 : 9088	6042 : 9088
6003 : 9085	6043 : 9085	6003 : 9086	6043 : 9086	6003 : 9088	6043 : 9088
6004 : 9085	6044 : 9085	6004 : 9086	6044 : 9086	6004 : 9088	6044 : 9088
6005 : 9085	6045 : 9085	6005 : 9086	6045 : 9086	6005 : 9088	6045 : 9088
6006 : 9085	6046 : 9085	6006 : 9086	6046 : 9086	6006 : 9088	6046 : 9088
6007 : 9085	6047 : 9085	6007 : 9086	6047 : 9086	6007 : 9088	6047 : 9088
6008 : 9085	6048 : 9085	6008 : 9086	6048 : 9086	6008 : 9088	6048 : 9088
6009 : 9085	6049 : 9085	6009 : 9086	6049 : 9086	6009 : 9088	6049 : 9088
6010 : 9085	6050 : 9085	6010 : 9086	6050 : 9086	6010 : 9088	6050 : 9088
6011 : 9085	6051 : 9085	6011 : 9086	6051 : 9086	6011 : 9088	6051 : 9088
6012 : 9085	6052 : 9085	6012 : 9086	6052 : 9086	6012 : 9088	6052 : 9088
6013 : 9085	6053 : 9085	6013 : 9086	6053 : 9086	6013 : 9088	6053 : 9088
6014 : 9085	6054 : 9085	6014 : 9086	6054 : 9086	6014 : 9088	6054 : 9088
6015 : 9085	6055 : 9085	6015 : 9086	6055 : 9086	6015 : 9088	6055 : 9088
6016 : 9085	6056 : 9085	6016 : 9086	6056 : 9086	6016 : 9088	6056 : 9088
6017 : 9085	6057 : 9085	6017 : 9086	6057 : 9086	6017 : 9088	6057 : 9088
6018 : 9085	6058 : 9085	6018 : 9086	6058 : 9086	6018 : 9088	6058 : 9088
6019 : 9085	6059 : 9085	6019 : 9086	6059 : 9086	6019 : 9088	6059 : 9088
6020 : 9085	6060 : 9085	6020 : 9086	6060 : 9086	6020 : 9088	6060 : 9088
6021 : 9085	6061 : 9085	6021 : 9086	6061 : 9086	6021 : 9088	6061 : 9088
6022 : 9085	6062 : 9085	6022 : 9086	6062 : 9086	6022 : 9088	6062 : 9088
6023 : 9085	6063 : 9085	6023 : 9086	6063 : 9086	6023 : 9088	6063 : 9088
6024 : 9085	6064 : 9085	6024 : 9086	6064 : 9086	6024 : 9088	6064 : 9088
6025 : 9085	6065 : 9085	6025 : 9086	6065 : 9086	6025 : 9088	6065 : 9088
6026 : 9085	6066 : 9085	6026 : 9086	6066 : 9086	6026 : 9088	6066 : 9088
6027 : 9085	6067 : 9085	6027 : 9086	6067 : 9086	6027 : 9088	6067 : 9088
6028 : 9085	6068 : 9085	6028 : 9086	6068 : 9086	6028 : 9088	6068 : 9088
6029 : 9085	6069 : 9085	6029 : 9086	6069 : 9086	6029 : 9088	6069 : 9088
6030 : 9085	6070 : 9085	6030 : 9086	6070 : 9086	6030 : 9088	6070 : 9088
6031 : 9085	6071 : 9085	6031 : 9086	6071 : 9086	6031 : 9088	6071 : 9088
6032 : 9085	6072 : 9085	6032 : 9086	6072 : 9086	6032 : 9088	6072 : 9088
6033 : 9085	6073 : 9085	6033 : 9086	6073 : 9086	6033 : 9088	6073 : 9088
6034 : 9085	6074 : 9085	6034 : 9086	6074 : 9086	6034 : 9088	6074 : 9088
6035 : 9085	6075 : 9085	6035 : 9086	6075 : 9086	6035 : 9088	6075 : 9088
6036 : 9085	6076 : 9085	6036 : 9086	6076 : 9086	6036 : 9088	6076 : 9088
6037 : 9085	6077 : 9085	6037 : 9086	6077 : 9086	6037 : 9088	6077 : 9088
6038 : 9085	6078 : 9085	6038 : 9086	6078 : 9086	6038 : 9088	6078 : 9088
6039 : 9085		6039 : 9086		6039 : 9088	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9089	6040 : 9089	6000 : 9094	6040 : 9094	6000 : 9095	6040 : 9095
6001 : 9089	6041 : 9089	6001 : 9094	6041 : 9094	6001 : 9095	6041 : 9095
6002 : 9089	6042 : 9089	6002 : 9094	6042 : 9094	6002 : 9095	6042 : 9095
6003 : 9089	6043 : 9089	6003 : 9094	6043 : 9094	6003 : 9095	6043 : 9095
6004 : 9089	6044 : 9089	6004 : 9094	6044 : 9094	6004 : 9095	6044 : 9095
6005 : 9089	6045 : 9089	6005 : 9094	6045 : 9094	6005 : 9095	6045 : 9095
6006 : 9089	6046 : 9089	6006 : 9094	6046 : 9094	6006 : 9095	6046 : 9095
6007 : 9089	6047 : 9089	6007 : 9094	6047 : 9094	6007 : 9095	6047 : 9095
6008 : 9089	6048 : 9089	6008 : 9094	6048 : 9094	6008 : 9095	6048 : 9095
6009 : 9089	6049 : 9089	6009 : 9094	6049 : 9094	6009 : 9095	6049 : 9095
6010 : 9089	6050 : 9089	6010 : 9094	6050 : 9094	6010 : 9095	6050 : 9095
6011 : 9089	6051 : 9089	6011 : 9094	6051 : 9094	6011 : 9095	6051 : 9095
6012 : 9089	6052 : 9089	6012 : 9094	6052 : 9094	6012 : 9095	6052 : 9095
6013 : 9089	6053 : 9089	6013 : 9094	6053 : 9094	6013 : 9095	6053 : 9095
6014 : 9089	6054 : 9089	6014 : 9094	6054 : 9094	6014 : 9095	6054 : 9095
6015 : 9089	6055 : 9089	6015 : 9094	6055 : 9094	6015 : 9095	6055 : 9095
6016 : 9089	6056 : 9089	6016 : 9094	6056 : 9094	6016 : 9095	6056 : 9095
6017 : 9089	6057 : 9089	6017 : 9094	6057 : 9094	6017 : 9095	6057 : 9095
6018 : 9089	6058 : 9089	6018 : 9094	6058 : 9094	6018 : 9095	6058 : 9095
6019 : 9089	6059 : 9089	6019 : 9094	6059 : 9094	6019 : 9095	6059 : 9095
6020 : 9089	6060 : 9089	6020 : 9094	6060 : 9094	6020 : 9095	6060 : 9095
6021 : 9089	6061 : 9089	6021 : 9094	6061 : 9094	6021 : 9095	6061 : 9095
6022 : 9089	6062 : 9089	6022 : 9094	6062 : 9094	6022 : 9095	6062 : 9095
6023 : 9089	6063 : 9089	6023 : 9094	6063 : 9094	6023 : 9095	6063 : 9095
6024 : 9089	6064 : 9089	6024 : 9094	6064 : 9094	6024 : 9095	6064 : 9095
6025 : 9089	6065 : 9089	6025 : 9094	6065 : 9094	6025 : 9095	6065 : 9095
6026 : 9089	6066 : 9089	6026 : 9094	6066 : 9094	6026 : 9095	6066 : 9095
6027 : 9089	6067 : 9089	6027 : 9094	6067 : 9094	6027 : 9095	6067 : 9095
6028 : 9089	6068 : 9089	6028 : 9094	6068 : 9094	6028 : 9095	6068 : 9095
6029 : 9089	6069 : 9089	6029 : 9094	6069 : 9094	6029 : 9095	6069 : 9095
6030 : 9089	6070 : 9089	6030 : 9094	6070 : 9094	6030 : 9095	6070 : 9095
6031 : 9089	6071 : 9089	6031 : 9094	6071 : 9094	6031 : 9095	6071 : 9095
6032 : 9089	6072 : 9089	6032 : 9094	6072 : 9094	6032 : 9095	6072 : 9095
6033 : 9089	6073 : 9089	6033 : 9094	6073 : 9094	6033 : 9095	6073 : 9095
6034 : 9089	6074 : 9089	6034 : 9094	6074 : 9094	6034 : 9095	6074 : 9095
6035 : 9089	6075 : 9089	6035 : 9094	6075 : 9094	6035 : 9095	6075 : 9095
6036 : 9089	6076 : 9089	6036 : 9094	6076 : 9094	6036 : 9095	6076 : 9095
6037 : 9089	6077 : 9089	6037 : 9094	6077 : 9094	6037 : 9095	6077 : 9095
6038 : 9089	6078 : 9089	6038 : 9094	6078 : 9094	6038 : 9095	6078 : 9095
6039 : 9089		6039 : 9094		6039 : 9095	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9096	6040 : 9096	6000 : 9097	6040 : 9097	6000 : 9098	6040 : 9098
6001 : 9096	6041 : 9096	6001 : 9097	6041 : 9097	6001 : 9098	6041 : 9098
6002 : 9096	6042 : 9096	6002 : 9097	6042 : 9097	6002 : 9098	6042 : 9098
6003 : 9096	6043 : 9096	6003 : 9097	6043 : 9097	6003 : 9098	6043 : 9098
6004 : 9096	6044 : 9096	6004 : 9097	6044 : 9097	6004 : 9098	6044 : 9098
6005 : 9096	6045 : 9096	6005 : 9097	6045 : 9097	6005 : 9098	6045 : 9098
6006 : 9096	6046 : 9096	6006 : 9097	6046 : 9097	6006 : 9098	6046 : 9098
6007 : 9096	6047 : 9096	6007 : 9097	6047 : 9097	6007 : 9098	6047 : 9098
6008 : 9096	6048 : 9096	6008 : 9097	6048 : 9097	6008 : 9098	6048 : 9098
6009 : 9096	6049 : 9096	6009 : 9097	6049 : 9097	6009 : 9098	6049 : 9098
6010 : 9096	6050 : 9096	6010 : 9097	6050 : 9097	6010 : 9098	6050 : 9098
6011 : 9096	6051 : 9096	6011 : 9097	6051 : 9097	6011 : 9098	6051 : 9098
6012 : 9096	6052 : 9096	6012 : 9097	6052 : 9097	6012 : 9098	6052 : 9098
6013 : 9096	6053 : 9096	6013 : 9097	6053 : 9097	6013 : 9098	6053 : 9098
6014 : 9096	6054 : 9096	6014 : 9097	6054 : 9097	6014 : 9098	6054 : 9098
6015 : 9096	6055 : 9096	6015 : 9097	6055 : 9097	6015 : 9098	6055 : 9098
6016 : 9096	6056 : 9096	6016 : 9097	6056 : 9097	6016 : 9098	6056 : 9098
6017 : 9096	6057 : 9096	6017 : 9097	6057 : 9097	6017 : 9098	6057 : 9098
6018 : 9096	6058 : 9096	6018 : 9097	6058 : 9097	6018 : 9098	6058 : 9098
6019 : 9096	6059 : 9096	6019 : 9097	6059 : 9097	6019 : 9098	6059 : 9098
6020 : 9096	6060 : 9096	6020 : 9097	6060 : 9097	6020 : 9098	6060 : 9098
6021 : 9096	6061 : 9096	6021 : 9097	6061 : 9097	6021 : 9098	6061 : 9098
6022 : 9096	6062 : 9096	6022 : 9097	6062 : 9097	6022 : 9098	6062 : 9098
6023 : 9096	6063 : 9096	6023 : 9097	6063 : 9097	6023 : 9098	6063 : 9098
6024 : 9096	6064 : 9096	6024 : 9097	6064 : 9097	6024 : 9098	6064 : 9098
6025 : 9096	6065 : 9096	6025 : 9097	6065 : 9097	6025 : 9098	6065 : 9098
6026 : 9096	6066 : 9096	6026 : 9097	6066 : 9097	6026 : 9098	6066 : 9098
6027 : 9096	6067 : 9096	6027 : 9097	6067 : 9097	6027 : 9098	6067 : 9098
6028 : 9096	6068 : 9096	6028 : 9097	6068 : 9097	6028 : 9098	6068 : 9098
6029 : 9096	6069 : 9096	6029 : 9097	6069 : 9097	6029 : 9098	6069 : 9098
6030 : 9096	6070 : 9096	6030 : 9097	6070 : 9097	6030 : 9098	6070 : 9098
6031 : 9096	6071 : 9096	6031 : 9097	6071 : 9097	6031 : 9098	6071 : 9098
6032 : 9096	6072 : 9096	6032 : 9097	6072 : 9097	6032 : 9098	6072 : 9098
6033 : 9096	6073 : 9096	6033 : 9097	6073 : 9097	6033 : 9098	6073 : 9098
6034 : 9096	6074 : 9096	6034 : 9097	6074 : 9097	6034 : 9098	6074 : 9098
6035 : 9096	6075 : 9096	6035 : 9097	6075 : 9097	6035 : 9098	6075 : 9098
6036 : 9096	6076 : 9096	6036 : 9097	6076 : 9097	6036 : 9098	6076 : 9098
6037 : 9096	6077 : 9096	6037 : 9097	6077 : 9097	6037 : 9098	6077 : 9098
6038 : 9096	6078 : 9096	6038 : 9097	6078 : 9097	6038 : 9098	6078 : 9098
6039 : 9096		6039 : 9097		6039 : 9098	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9099	6040 : 9099	6000 : 9100	6040 : 9100	6000 : 9101	6040 : 9101
6001 : 9099	6041 : 9099	6001 : 9100	6041 : 9100	6001 : 9101	6041 : 9101
6002 : 9099	6042 : 9099	6002 : 9100	6042 : 9100	6002 : 9101	6042 : 9101
6003 : 9099	6043 : 9099	6003 : 9100	6043 : 9100	6003 : 9101	6043 : 9101
6004 : 9099	6044 : 9099	6004 : 9100	6044 : 9100	6004 : 9101	6044 : 9101
6005 : 9099	6045 : 9099	6005 : 9100	6045 : 9100	6005 : 9101	6045 : 9101
6006 : 9099	6046 : 9099	6006 : 9100	6046 : 9100	6006 : 9101	6046 : 9101
6007 : 9099	6047 : 9099	6007 : 9100	6047 : 9100	6007 : 9101	6047 : 9101
6008 : 9099	6048 : 9099	6008 : 9100	6048 : 9100	6008 : 9101	6048 : 9101
6009 : 9099	6049 : 9099	6009 : 9100	6049 : 9100	6009 : 9101	6049 : 9101
6010 : 9099	6050 : 9099	6010 : 9100	6050 : 9100	6010 : 9101	6050 : 9101
6011 : 9099	6051 : 9099	6011 : 9100	6051 : 9100	6011 : 9101	6051 : 9101
6012 : 9099	6052 : 9099	6012 : 9100	6052 : 9100	6012 : 9101	6052 : 9101
6013 : 9099	6053 : 9099	6013 : 9100	6053 : 9100	6013 : 9101	6053 : 9101
6014 : 9099	6054 : 9099	6014 : 9100	6054 : 9100	6014 : 9101	6054 : 9101
6015 : 9099	6055 : 9099	6015 : 9100	6055 : 9100	6015 : 9101	6055 : 9101
6016 : 9099	6056 : 9099	6016 : 9100	6056 : 9100	6016 : 9101	6056 : 9101
6017 : 9099	6057 : 9099	6017 : 9100	6057 : 9100	6017 : 9101	6057 : 9101
6018 : 9099	6058 : 9099	6018 : 9100	6058 : 9100	6018 : 9101	6058 : 9101
6019 : 9099	6059 : 9099	6019 : 9100	6059 : 9100	6019 : 9101	6059 : 9101
6020 : 9099	6060 : 9099	6020 : 9100	6060 : 9100	6020 : 9101	6060 : 9101
6021 : 9099	6061 : 9099	6021 : 9100	6061 : 9100	6021 : 9101	6061 : 9101
6022 : 9099	6062 : 9099	6022 : 9100	6062 : 9100	6022 : 9101	6062 : 9101
6023 : 9099	6063 : 9099	6023 : 9100	6063 : 9100	6023 : 9101	6063 : 9101
6024 : 9099	6064 : 9099	6024 : 9100	6064 : 9100	6024 : 9101	6064 : 9101
6025 : 9099	6065 : 9099	6025 : 9100	6065 : 9100	6025 : 9101	6065 : 9101
6026 : 9099	6066 : 9099	6026 : 9100	6066 : 9100	6026 : 9101	6066 : 9101
6027 : 9099	6067 : 9099	6027 : 9100	6067 : 9100	6027 : 9101	6067 : 9101
6028 : 9099	6068 : 9099	6028 : 9100	6068 : 9100	6028 : 9101	6068 : 9101
6029 : 9099	6069 : 9099	6029 : 9100	6069 : 9100	6029 : 9101	6069 : 9101
6030 : 9099	6070 : 9099	6030 : 9100	6070 : 9100	6030 : 9101	6070 : 9101
6031 : 9099	6071 : 9099	6031 : 9100	6071 : 9100	6031 : 9101	6071 : 9101
6032 : 9099	6072 : 9099	6032 : 9100	6072 : 9100	6032 : 9101	6072 : 9101
6033 : 9099	6073 : 9099	6033 : 9100	6073 : 9100	6033 : 9101	6073 : 9101
6034 : 9099	6074 : 9099	6034 : 9100	6074 : 9100	6034 : 9101	6074 : 9101
6035 : 9099	6075 : 9099	6035 : 9100	6075 : 9100	6035 : 9101	6075 : 9101
6036 : 9099	6076 : 9099	6036 : 9100	6076 : 9100	6036 : 9101	6076 : 9101
6037 : 9099	6077 : 9099	6037 : 9100	6077 : 9100	6037 : 9101	6077 : 9101
6038 : 9099	6078 : 9099	6038 : 9100	6078 : 9100	6038 : 9101	6078 : 9101
6039 : 9099		6039 : 9100		6039 : 9101	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9102	6040 : 9102	6000 : 9103	6040 : 9103	6000 : 9104	6040 : 9104
6001 : 9102	6041 : 9102	6001 : 9103	6041 : 9103	6001 : 9104	6041 : 9104
6002 : 9102	6042 : 9102	6002 : 9103	6042 : 9103	6002 : 9104	6042 : 9104
6003 : 9102	6043 : 9102	6003 : 9103	6043 : 9103	6003 : 9104	6043 : 9104
6004 : 9102	6044 : 9102	6004 : 9103	6044 : 9103	6004 : 9104	6044 : 9104
6005 : 9102	6045 : 9102	6005 : 9103	6045 : 9103	6005 : 9104	6045 : 9104
6006 : 9102	6046 : 9102	6006 : 9103	6046 : 9103	6006 : 9104	6046 : 9104
6007 : 9102	6047 : 9102	6007 : 9103	6047 : 9103	6007 : 9104	6047 : 9104
6008 : 9102	6048 : 9102	6008 : 9103	6048 : 9103	6008 : 9104	6048 : 9104
6009 : 9102	6049 : 9102	6009 : 9103	6049 : 9103	6009 : 9104	6049 : 9104
6010 : 9102	6050 : 9102	6010 : 9103	6050 : 9103	6010 : 9104	6050 : 9104
6011 : 9102	6051 : 9102	6011 : 9103	6051 : 9103	6011 : 9104	6051 : 9104
6012 : 9102	6052 : 9102	6012 : 9103	6052 : 9103	6012 : 9104	6052 : 9104
6013 : 9102	6053 : 9102	6013 : 9103	6053 : 9103	6013 : 9104	6053 : 9104
6014 : 9102	6054 : 9102	6014 : 9103	6054 : 9103	6014 : 9104	6054 : 9104
6015 : 9102	6055 : 9102	6015 : 9103	6055 : 9103	6015 : 9104	6055 : 9104
6016 : 9102	6056 : 9102	6016 : 9103	6056 : 9103	6016 : 9104	6056 : 9104
6017 : 9102	6057 : 9102	6017 : 9103	6057 : 9103	6017 : 9104	6057 : 9104
6018 : 9102	6058 : 9102	6018 : 9103	6058 : 9103	6018 : 9104	6058 : 9104
6019 : 9102	6059 : 9102	6019 : 9103	6059 : 9103	6019 : 9104	6059 : 9104
6020 : 9102	6060 : 9102	6020 : 9103	6060 : 9103	6020 : 9104	6060 : 9104
6021 : 9102	6061 : 9102	6021 : 9103	6061 : 9103	6021 : 9104	6061 : 9104
6022 : 9102	6062 : 9102	6022 : 9103	6062 : 9103	6022 : 9104	6062 : 9104
6023 : 9102	6063 : 9102	6023 : 9103	6063 : 9103	6023 : 9104	6063 : 9104
6024 : 9102	6064 : 9102	6024 : 9103	6064 : 9103	6024 : 9104	6064 : 9104
6025 : 9102	6065 : 9102	6025 : 9103	6065 : 9103	6025 : 9104	6065 : 9104
6026 : 9102	6066 : 9102	6026 : 9103	6066 : 9103	6026 : 9104	6066 : 9104
6027 : 9102	6067 : 9102	6027 : 9103	6067 : 9103	6027 : 9104	6067 : 9104
6028 : 9102	6068 : 9102	6028 : 9103	6068 : 9103	6028 : 9104	6068 : 9104
6029 : 9102	6069 : 9102	6029 : 9103	6069 : 9103	6029 : 9104	6069 : 9104
6030 : 9102	6070 : 9102	6030 : 9103	6070 : 9103	6030 : 9104	6070 : 9104
6031 : 9102	6071 : 9102	6031 : 9103	6071 : 9103	6031 : 9104	6071 : 9104
6032 : 9102	6072 : 9102	6032 : 9103	6072 : 9103	6032 : 9104	6072 : 9104
6033 : 9102	6073 : 9102	6033 : 9103	6073 : 9103	6033 : 9104	6073 : 9104
6034 : 9102	6074 : 9102	6034 : 9103	6074 : 9103	6034 : 9104	6074 : 9104
6035 : 9102	6075 : 9102	6035 : 9103	6075 : 9103	6035 : 9104	6075 : 9104
6036 : 9102	6076 : 9102	6036 : 9103	6076 : 9103	6036 : 9104	6076 : 9104
6037 : 9102	6077 : 9102	6037 : 9103	6077 : 9103	6037 : 9104	6077 : 9104
6038 : 9102	6078 : 9102	6038 : 9103	6078 : 9103	6038 : 9104	6078 : 9104
6039 : 9102		6039 : 9103		6039 : 9104	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9105	6040 : 9105	6000 : 9106	6040 : 9106	6000 : 9107	6040 : 9107
6001 : 9105	6041 : 9105	6001 : 9106	6041 : 9106	6001 : 9107	6041 : 9107
6002 : 9105	6042 : 9105	6002 : 9106	6042 : 9106	6002 : 9107	6042 : 9107
6003 : 9105	6043 : 9105	6003 : 9106	6043 : 9106	6003 : 9107	6043 : 9107
6004 : 9105	6044 : 9105	6004 : 9106	6044 : 9106	6004 : 9107	6044 : 9107
6005 : 9105	6045 : 9105	6005 : 9106	6045 : 9106	6005 : 9107	6045 : 9107
6006 : 9105	6046 : 9105	6006 : 9106	6046 : 9106	6006 : 9107	6046 : 9107
6007 : 9105	6047 : 9105	6007 : 9106	6047 : 9106	6007 : 9107	6047 : 9107
6008 : 9105	6048 : 9105	6008 : 9106	6048 : 9106	6008 : 9107	6048 : 9107
6009 : 9105	6049 : 9105	6009 : 9106	6049 : 9106	6009 : 9107	6049 : 9107
6010 : 9105	6050 : 9105	6010 : 9106	6050 : 9106	6010 : 9107	6050 : 9107
6011 : 9105	6051 : 9105	6011 : 9106	6051 : 9106	6011 : 9107	6051 : 9107
6012 : 9105	6052 : 9105	6012 : 9106	6052 : 9106	6012 : 9107	6052 : 9107
6013 : 9105	6053 : 9105	6013 : 9106	6053 : 9106	6013 : 9107	6053 : 9107
6014 : 9105	6054 : 9105	6014 : 9106	6054 : 9106	6014 : 9107	6054 : 9107
6015 : 9105	6055 : 9105	6015 : 9106	6055 : 9106	6015 : 9107	6055 : 9107
6016 : 9105	6056 : 9105	6016 : 9106	6056 : 9106	6016 : 9107	6056 : 9107
6017 : 9105	6057 : 9105	6017 : 9106	6057 : 9106	6017 : 9107	6057 : 9107
6018 : 9105	6058 : 9105	6018 : 9106	6058 : 9106	6018 : 9107	6058 : 9107
6019 : 9105	6059 : 9105	6019 : 9106	6059 : 9106	6019 : 9107	6059 : 9107
6020 : 9105	6060 : 9105	6020 : 9106	6060 : 9106	6020 : 9107	6060 : 9107
6021 : 9105	6061 : 9105	6021 : 9106	6061 : 9106	6021 : 9107	6061 : 9107
6022 : 9105	6062 : 9105	6022 : 9106	6062 : 9106	6022 : 9107	6062 : 9107
6023 : 9105	6063 : 9105	6023 : 9106	6063 : 9106	6023 : 9107	6063 : 9107
6024 : 9105	6064 : 9105	6024 : 9106	6064 : 9106	6024 : 9107	6064 : 9107
6025 : 9105	6065 : 9105	6025 : 9106	6065 : 9106	6025 : 9107	6065 : 9107
6026 : 9105	6066 : 9105	6026 : 9106	6066 : 9106	6026 : 9107	6066 : 9107
6027 : 9105	6067 : 9105	6027 : 9106	6067 : 9106	6027 : 9107	6067 : 9107
6028 : 9105	6068 : 9105	6028 : 9106	6068 : 9106	6028 : 9107	6068 : 9107
6029 : 9105	6069 : 9105	6029 : 9106	6069 : 9106	6029 : 9107	6069 : 9107
6030 : 9105	6070 : 9105	6030 : 9106	6070 : 9106	6030 : 9107	6070 : 9107
6031 : 9105	6071 : 9105	6031 : 9106	6071 : 9106	6031 : 9107	6071 : 9107
6032 : 9105	6072 : 9105	6032 : 9106	6072 : 9106	6032 : 9107	6072 : 9107
6033 : 9105	6073 : 9105	6033 : 9106	6073 : 9106	6033 : 9107	6073 : 9107
6034 : 9105	6074 : 9105	6034 : 9106	6074 : 9106	6034 : 9107	6074 : 9107
6035 : 9105	6075 : 9105	6035 : 9106	6075 : 9106	6035 : 9107	6075 : 9107
6036 : 9105	6076 : 9105	6036 : 9106	6076 : 9106	6036 : 9107	6076 : 9107
6037 : 9105	6077 : 9105	6037 : 9106	6077 : 9106	6037 : 9107	6077 : 9107
6038 : 9105	6078 : 9105	6038 : 9106	6078 : 9106	6038 : 9107	6078 : 9107
6039 : 9105		6039 : 9106		6039 : 9107	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9108	6040 : 9108	6000 : 9109	6040 : 9109	6000 : 9110	6040 : 9110
6001 : 9108	6041 : 9108	6001 : 9109	6041 : 9109	6001 : 9110	6041 : 9110
6002 : 9108	6042 : 9108	6002 : 9109	6042 : 9109	6002 : 9110	6042 : 9110
6003 : 9108	6043 : 9108	6003 : 9109	6043 : 9109	6003 : 9110	6043 : 9110
6004 : 9108	6044 : 9108	6004 : 9109	6044 : 9109	6004 : 9110	6044 : 9110
6005 : 9108	6045 : 9108	6005 : 9109	6045 : 9109	6005 : 9110	6045 : 9110
6006 : 9108	6046 : 9108	6006 : 9109	6046 : 9109	6006 : 9110	6046 : 9110
6007 : 9108	6047 : 9108	6007 : 9109	6047 : 9109	6007 : 9110	6047 : 9110
6008 : 9108	6048 : 9108	6008 : 9109	6048 : 9109	6008 : 9110	6048 : 9110
6009 : 9108	6049 : 9108	6009 : 9109	6049 : 9109	6009 : 9110	6049 : 9110
6010 : 9108	6050 : 9108	6010 : 9109	6050 : 9109	6010 : 9110	6050 : 9110
6011 : 9108	6051 : 9108	6011 : 9109	6051 : 9109	6011 : 9110	6051 : 9110
6012 : 9108	6052 : 9108	6012 : 9109	6052 : 9109	6012 : 9110	6052 : 9110
6013 : 9108	6053 : 9108	6013 : 9109	6053 : 9109	6013 : 9110	6053 : 9110
6014 : 9108	6054 : 9108	6014 : 9109	6054 : 9109	6014 : 9110	6054 : 9110
6015 : 9108	6055 : 9108	6015 : 9109	6055 : 9109	6015 : 9110	6055 : 9110
6016 : 9108	6056 : 9108	6016 : 9109	6056 : 9109	6016 : 9110	6056 : 9110
6017 : 9108	6057 : 9108	6017 : 9109	6057 : 9109	6017 : 9110	6057 : 9110
6018 : 9108	6058 : 9108	6018 : 9109	6058 : 9109	6018 : 9110	6058 : 9110
6019 : 9108	6059 : 9108	6019 : 9109	6059 : 9109	6019 : 9110	6059 : 9110
6020 : 9108	6060 : 9108	6020 : 9109	6060 : 9109	6020 : 9110	6060 : 9110
6021 : 9108	6061 : 9108	6021 : 9109	6061 : 9109	6021 : 9110	6061 : 9110
6022 : 9108	6062 : 9108	6022 : 9109	6062 : 9109	6022 : 9110	6062 : 9110
6023 : 9108	6063 : 9108	6023 : 9109	6063 : 9109	6023 : 9110	6063 : 9110
6024 : 9108	6064 : 9108	6024 : 9109	6064 : 9109	6024 : 9110	6064 : 9110
6025 : 9108	6065 : 9108	6025 : 9109	6065 : 9109	6025 : 9110	6065 : 9110
6026 : 9108	6066 : 9108	6026 : 9109	6066 : 9109	6026 : 9110	6066 : 9110
6027 : 9108	6067 : 9108	6027 : 9109	6067 : 9109	6027 : 9110	6067 : 9110
6028 : 9108	6068 : 9108	6028 : 9109	6068 : 9109	6028 : 9110	6068 : 9110
6029 : 9108	6069 : 9108	6029 : 9109	6069 : 9109	6029 : 9110	6069 : 9110
6030 : 9108	6070 : 9108	6030 : 9109	6070 : 9109	6030 : 9110	6070 : 9110
6031 : 9108	6071 : 9108	6031 : 9109	6071 : 9109	6031 : 9110	6071 : 9110
6032 : 9108	6072 : 9108	6032 : 9109	6072 : 9109	6032 : 9110	6072 : 9110
6033 : 9108	6073 : 9108	6033 : 9109	6073 : 9109	6033 : 9110	6073 : 9110
6034 : 9108	6074 : 9108	6034 : 9109	6074 : 9109	6034 : 9110	6074 : 9110
6035 : 9108	6075 : 9108	6035 : 9109	6075 : 9109	6035 : 9110	6075 : 9110
6036 : 9108	6076 : 9108	6036 : 9109	6076 : 9109	6036 : 9110	6076 : 9110
6037 : 9108	6077 : 9108	6037 : 9109	6077 : 9109	6037 : 9110	6077 : 9110
6038 : 9108	6078 : 9108	6038 : 9109	6078 : 9109	6038 : 9110	6078 : 9110
6039 : 9108		6039 : 9109		6039 : 9110	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9111	6040 : 9111	6000 : 9129	6040 : 9129	6000 : 9130	6040 : 9130
6001 : 9111	6041 : 9111	6001 : 9129	6041 : 9129	6001 : 9130	6041 : 9130
6002 : 9111	6042 : 9111	6002 : 9129	6042 : 9129	6002 : 9130	6042 : 9130
6003 : 9111	6043 : 9111	6003 : 9129	6043 : 9129	6003 : 9130	6043 : 9130
6004 : 9111	6044 : 9111	6004 : 9129	6044 : 9129	6004 : 9130	6044 : 9130
6005 : 9111	6045 : 9111	6005 : 9129	6045 : 9129	6005 : 9130	6045 : 9130
6006 : 9111	6046 : 9111	6006 : 9129	6046 : 9129	6006 : 9130	6046 : 9130
6007 : 9111	6047 : 9111	6007 : 9129	6047 : 9129	6007 : 9130	6047 : 9130
6008 : 9111	6048 : 9111	6008 : 9129	6048 : 9129	6008 : 9130	6048 : 9130
6009 : 9111	6049 : 9111	6009 : 9129	6049 : 9129	6009 : 9130	6049 : 9130
6010 : 9111	6050 : 9111	6010 : 9129	6050 : 9129	6010 : 9130	6050 : 9130
6011 : 9111	6051 : 9111	6011 : 9129	6051 : 9129	6011 : 9130	6051 : 9130
6012 : 9111	6052 : 9111	6012 : 9129	6052 : 9129	6012 : 9130	6052 : 9130
6013 : 9111	6053 : 9111	6013 : 9129	6053 : 9129	6013 : 9130	6053 : 9130
6014 : 9111	6054 : 9111	6014 : 9129	6054 : 9129	6014 : 9130	6054 : 9130
6015 : 9111	6055 : 9111	6015 : 9129	6055 : 9129	6015 : 9130	6055 : 9130
6016 : 9111	6056 : 9111	6016 : 9129	6056 : 9129	6016 : 9130	6056 : 9130
6017 : 9111	6057 : 9111	6017 : 9129	6057 : 9129	6017 : 9130	6057 : 9130
6018 : 9111	6058 : 9111	6018 : 9129	6058 : 9129	6018 : 9130	6058 : 9130
6019 : 9111	6059 : 9111	6019 : 9129	6059 : 9129	6019 : 9130	6059 : 9130
6020 : 9111	6060 : 9111	6020 : 9129	6060 : 9129	6020 : 9130	6060 : 9130
6021 : 9111	6061 : 9111	6021 : 9129	6061 : 9129	6021 : 9130	6061 : 9130
6022 : 9111	6062 : 9111	6022 : 9129	6062 : 9129	6022 : 9130	6062 : 9130
6023 : 9111	6063 : 9111	6023 : 9129	6063 : 9129	6023 : 9130	6063 : 9130
6024 : 9111	6064 : 9111	6024 : 9129	6064 : 9129	6024 : 9130	6064 : 9130
6025 : 9111	6065 : 9111	6025 : 9129	6065 : 9129	6025 : 9130	6065 : 9130
6026 : 9111	6066 : 9111	6026 : 9129	6066 : 9129	6026 : 9130	6066 : 9130
6027 : 9111	6067 : 9111	6027 : 9129	6067 : 9129	6027 : 9130	6067 : 9130
6028 : 9111	6068 : 9111	6028 : 9129	6068 : 9129	6028 : 9130	6068 : 9130
6029 : 9111	6069 : 9111	6029 : 9129	6069 : 9129	6029 : 9130	6069 : 9130
6030 : 9111	6070 : 9111	6030 : 9129	6070 : 9129	6030 : 9130	6070 : 9130
6031 : 9111	6071 : 9111	6031 : 9129	6071 : 9129	6031 : 9130	6071 : 9130
6032 : 9111	6072 : 9111	6032 : 9129	6072 : 9129	6032 : 9130	6072 : 9130
6033 : 9111	6073 : 9111	6033 : 9129	6073 : 9129	6033 : 9130	6073 : 9130
6034 : 9111	6074 : 9111	6034 : 9129	6074 : 9129	6034 : 9130	6074 : 9130
6035 : 9111	6075 : 9111	6035 : 9129	6075 : 9129	6035 : 9130	6075 : 9130
6036 : 9111	6076 : 9111	6036 : 9129	6076 : 9129	6036 : 9130	6076 : 9130
6037 : 9111	6077 : 9111	6037 : 9129	6077 : 9129	6037 : 9130	6077 : 9130
6038 : 9111	6078 : 9111	6038 : 9129	6078 : 9129	6038 : 9130	6078 : 9130
6039 : 9111		6039 : 9129		6039 : 9130	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9131	6040 : 9131	6000 : 9132	6040 : 9132	6000 : 9133	6040 : 9133
6001 : 9131	6041 : 9131	6001 : 9132	6041 : 9132	6001 : 9133	6041 : 9133
6002 : 9131	6042 : 9131	6002 : 9132	6042 : 9132	6002 : 9133	6042 : 9133
6003 : 9131	6043 : 9131	6003 : 9132	6043 : 9132	6003 : 9133	6043 : 9133
6004 : 9131	6044 : 9131	6004 : 9132	6044 : 9132	6004 : 9133	6044 : 9133
6005 : 9131	6045 : 9131	6005 : 9132	6045 : 9132	6005 : 9133	6045 : 9133
6006 : 9131	6046 : 9131	6006 : 9132	6046 : 9132	6006 : 9133	6046 : 9133
6007 : 9131	6047 : 9131	6007 : 9132	6047 : 9132	6007 : 9133	6047 : 9133
6008 : 9131	6048 : 9131	6008 : 9132	6048 : 9132	6008 : 9133	6048 : 9133
6009 : 9131	6049 : 9131	6009 : 9132	6049 : 9132	6009 : 9133	6049 : 9133
6010 : 9131	6050 : 9131	6010 : 9132	6050 : 9132	6010 : 9133	6050 : 9133
6011 : 9131	6051 : 9131	6011 : 9132	6051 : 9132	6011 : 9133	6051 : 9133
6012 : 9131	6052 : 9131	6012 : 9132	6052 : 9132	6012 : 9133	6052 : 9133
6013 : 9131	6053 : 9131	6013 : 9132	6053 : 9132	6013 : 9133	6053 : 9133
6014 : 9131	6054 : 9131	6014 : 9132	6054 : 9132	6014 : 9133	6054 : 9133
6015 : 9131	6055 : 9131	6015 : 9132	6055 : 9132	6015 : 9133	6055 : 9133
6016 : 9131	6056 : 9131	6016 : 9132	6056 : 9132	6016 : 9133	6056 : 9133
6017 : 9131	6057 : 9131	6017 : 9132	6057 : 9132	6017 : 9133	6057 : 9133
6018 : 9131	6058 : 9131	6018 : 9132	6058 : 9132	6018 : 9133	6058 : 9133
6019 : 9131	6059 : 9131	6019 : 9132	6059 : 9132	6019 : 9133	6059 : 9133
6020 : 9131	6060 : 9131	6020 : 9132	6060 : 9132	6020 : 9133	6060 : 9133
6021 : 9131	6061 : 9131	6021 : 9132	6061 : 9132	6021 : 9133	6061 : 9133
6022 : 9131	6062 : 9131	6022 : 9132	6062 : 9132	6022 : 9133	6062 : 9133
6023 : 9131	6063 : 9131	6023 : 9132	6063 : 9132	6023 : 9133	6063 : 9133
6024 : 9131	6064 : 9131	6024 : 9132	6064 : 9132	6024 : 9133	6064 : 9133
6025 : 9131	6065 : 9131	6025 : 9132	6065 : 9132	6025 : 9133	6065 : 9133
6026 : 9131	6066 : 9131	6026 : 9132	6066 : 9132	6026 : 9133	6066 : 9133
6027 : 9131	6067 : 9131	6027 : 9132	6067 : 9132	6027 : 9133	6067 : 9133
6028 : 9131	6068 : 9131	6028 : 9132	6068 : 9132	6028 : 9133	6068 : 9133
6029 : 9131	6069 : 9131	6029 : 9132	6069 : 9132	6029 : 9133	6069 : 9133
6030 : 9131	6070 : 9131	6030 : 9132	6070 : 9132	6030 : 9133	6070 : 9133
6031 : 9131	6071 : 9131	6031 : 9132	6071 : 9132	6031 : 9133	6071 : 9133
6032 : 9131	6072 : 9131	6032 : 9132	6072 : 9132	6032 : 9133	6072 : 9133
6033 : 9131	6073 : 9131	6033 : 9132	6073 : 9132	6033 : 9133	6073 : 9133
6034 : 9131	6074 : 9131	6034 : 9132	6074 : 9132	6034 : 9133	6074 : 9133
6035 : 9131	6075 : 9131	6035 : 9132	6075 : 9132	6035 : 9133	6075 : 9133
6036 : 9131	6076 : 9131	6036 : 9132	6076 : 9132	6036 : 9133	6076 : 9133
6037 : 9131	6077 : 9131	6037 : 9132	6077 : 9132	6037 : 9133	6077 : 9133
6038 : 9131	6078 : 9131	6038 : 9132	6078 : 9132	6038 : 9133	6078 : 9133
6039 : 9131		6039 : 9132		6039 : 9133	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9134	6040 : 9134	6000 : 9135	6040 : 9135	6000 : 9136	6040 : 9136
6001 : 9134	6041 : 9134	6001 : 9135	6041 : 9135	6001 : 9136	6041 : 9136
6002 : 9134	6042 : 9134	6002 : 9135	6042 : 9135	6002 : 9136	6042 : 9136
6003 : 9134	6043 : 9134	6003 : 9135	6043 : 9135	6003 : 9136	6043 : 9136
6004 : 9134	6044 : 9134	6004 : 9135	6044 : 9135	6004 : 9136	6044 : 9136
6005 : 9134	6045 : 9134	6005 : 9135	6045 : 9135	6005 : 9136	6045 : 9136
6006 : 9134	6046 : 9134	6006 : 9135	6046 : 9135	6006 : 9136	6046 : 9136
6007 : 9134	6047 : 9134	6007 : 9135	6047 : 9135	6007 : 9136	6047 : 9136
6008 : 9134	6048 : 9134	6008 : 9135	6048 : 9135	6008 : 9136	6048 : 9136
6009 : 9134	6049 : 9134	6009 : 9135	6049 : 9135	6009 : 9136	6049 : 9136
6010 : 9134	6050 : 9134	6010 : 9135	6050 : 9135	6010 : 9136	6050 : 9136
6011 : 9134	6051 : 9134	6011 : 9135	6051 : 9135	6011 : 9136	6051 : 9136
6012 : 9134	6052 : 9134	6012 : 9135	6052 : 9135	6012 : 9136	6052 : 9136
6013 : 9134	6053 : 9134	6013 : 9135	6053 : 9135	6013 : 9136	6053 : 9136
6014 : 9134	6054 : 9134	6014 : 9135	6054 : 9135	6014 : 9136	6054 : 9136
6015 : 9134	6055 : 9134	6015 : 9135	6055 : 9135	6015 : 9136	6055 : 9136
6016 : 9134	6056 : 9134	6016 : 9135	6056 : 9135	6016 : 9136	6056 : 9136
6017 : 9134	6057 : 9134	6017 : 9135	6057 : 9135	6017 : 9136	6057 : 9136
6018 : 9134	6058 : 9134	6018 : 9135	6058 : 9135	6018 : 9136	6058 : 9136
6019 : 9134	6059 : 9134	6019 : 9135	6059 : 9135	6019 : 9136	6059 : 9136
6020 : 9134	6060 : 9134	6020 : 9135	6060 : 9135	6020 : 9136	6060 : 9136
6021 : 9134	6061 : 9134	6021 : 9135	6061 : 9135	6021 : 9136	6061 : 9136
6022 : 9134	6062 : 9134	6022 : 9135	6062 : 9135	6022 : 9136	6062 : 9136
6023 : 9134	6063 : 9134	6023 : 9135	6063 : 9135	6023 : 9136	6063 : 9136
6024 : 9134	6064 : 9134	6024 : 9135	6064 : 9135	6024 : 9136	6064 : 9136
6025 : 9134	6065 : 9134	6025 : 9135	6065 : 9135	6025 : 9136	6065 : 9136
6026 : 9134	6066 : 9134	6026 : 9135	6066 : 9135	6026 : 9136	6066 : 9136
6027 : 9134	6067 : 9134	6027 : 9135	6067 : 9135	6027 : 9136	6067 : 9136
6028 : 9134	6068 : 9134	6028 : 9135	6068 : 9135	6028 : 9136	6068 : 9136
6029 : 9134	6069 : 9134	6029 : 9135	6069 : 9135	6029 : 9136	6069 : 9136
6030 : 9134	6070 : 9134	6030 : 9135	6070 : 9135	6030 : 9136	6070 : 9136
6031 : 9134	6071 : 9134	6031 : 9135	6071 : 9135	6031 : 9136	6071 : 9136
6032 : 9134	6072 : 9134	6032 : 9135	6072 : 9135	6032 : 9136	6072 : 9136
6033 : 9134	6073 : 9134	6033 : 9135	6073 : 9135	6033 : 9136	6073 : 9136
6034 : 9134	6074 : 9134	6034 : 9135	6074 : 9135	6034 : 9136	6074 : 9136
6035 : 9134	6075 : 9134	6035 : 9135	6075 : 9135	6035 : 9136	6075 : 9136
6036 : 9134	6076 : 9134	6036 : 9135	6076 : 9135	6036 : 9136	6076 : 9136
6037 : 9134	6077 : 9134	6037 : 9135	6077 : 9135	6037 : 9136	6077 : 9136
6038 : 9134	6078 : 9134	6038 : 9135	6078 : 9135	6038 : 9136	6078 : 9136
6039 : 9134		6039 : 9135		6039 : 9136	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9137	6040 : 9137	6000 : 9138	6040 : 9138	6000 : 9139	6040 : 9139
6001 : 9137	6041 : 9137	6001 : 9138	6041 : 9138	6001 : 9139	6041 : 9139
6002 : 9137	6042 : 9137	6002 : 9138	6042 : 9138	6002 : 9139	6042 : 9139
6003 : 9137	6043 : 9137	6003 : 9138	6043 : 9138	6003 : 9139	6043 : 9139
6004 : 9137	6044 : 9137	6004 : 9138	6044 : 9138	6004 : 9139	6044 : 9139
6005 : 9137	6045 : 9137	6005 : 9138	6045 : 9138	6005 : 9139	6045 : 9139
6006 : 9137	6046 : 9137	6006 : 9138	6046 : 9138	6006 : 9139	6046 : 9139
6007 : 9137	6047 : 9137	6007 : 9138	6047 : 9138	6007 : 9139	6047 : 9139
6008 : 9137	6048 : 9137	6008 : 9138	6048 : 9138	6008 : 9139	6048 : 9139
6009 : 9137	6049 : 9137	6009 : 9138	6049 : 9138	6009 : 9139	6049 : 9139
6010 : 9137	6050 : 9137	6010 : 9138	6050 : 9138	6010 : 9139	6050 : 9139
6011 : 9137	6051 : 9137	6011 : 9138	6051 : 9138	6011 : 9139	6051 : 9139
6012 : 9137	6052 : 9137	6012 : 9138	6052 : 9138	6012 : 9139	6052 : 9139
6013 : 9137	6053 : 9137	6013 : 9138	6053 : 9138	6013 : 9139	6053 : 9139
6014 : 9137	6054 : 9137	6014 : 9138	6054 : 9138	6014 : 9139	6054 : 9139
6015 : 9137	6055 : 9137	6015 : 9138	6055 : 9138	6015 : 9139	6055 : 9139
6016 : 9137	6056 : 9137	6016 : 9138	6056 : 9138	6016 : 9139	6056 : 9139
6017 : 9137	6057 : 9137	6017 : 9138	6057 : 9138	6017 : 9139	6057 : 9139
6018 : 9137	6058 : 9137	6018 : 9138	6058 : 9138	6018 : 9139	6058 : 9139
6019 : 9137	6059 : 9137	6019 : 9138	6059 : 9138	6019 : 9139	6059 : 9139
6020 : 9137	6060 : 9137	6020 : 9138	6060 : 9138	6020 : 9139	6060 : 9139
6021 : 9137	6061 : 9137	6021 : 9138	6061 : 9138	6021 : 9139	6061 : 9139
6022 : 9137	6062 : 9137	6022 : 9138	6062 : 9138	6022 : 9139	6062 : 9139
6023 : 9137	6063 : 9137	6023 : 9138	6063 : 9138	6023 : 9139	6063 : 9139
6024 : 9137	6064 : 9137	6024 : 9138	6064 : 9138	6024 : 9139	6064 : 9139
6025 : 9137	6065 : 9137	6025 : 9138	6065 : 9138	6025 : 9139	6065 : 9139
6026 : 9137	6066 : 9137	6026 : 9138	6066 : 9138	6026 : 9139	6066 : 9139
6027 : 9137	6067 : 9137	6027 : 9138	6067 : 9138	6027 : 9139	6067 : 9139
6028 : 9137	6068 : 9137	6028 : 9138	6068 : 9138	6028 : 9139	6068 : 9139
6029 : 9137	6069 : 9137	6029 : 9138	6069 : 9138	6029 : 9139	6069 : 9139
6030 : 9137	6070 : 9137	6030 : 9138	6070 : 9138	6030 : 9139	6070 : 9139
6031 : 9137	6071 : 9137	6031 : 9138	6071 : 9138	6031 : 9139	6071 : 9139
6032 : 9137	6072 : 9137	6032 : 9138	6072 : 9138	6032 : 9139	6072 : 9139
6033 : 9137	6073 : 9137	6033 : 9138	6073 : 9138	6033 : 9139	6073 : 9139
6034 : 9137	6074 : 9137	6034 : 9138	6074 : 9138	6034 : 9139	6074 : 9139
6035 : 9137	6075 : 9137	6035 : 9138	6075 : 9138	6035 : 9139	6075 : 9139
6036 : 9137	6076 : 9137	6036 : 9138	6076 : 9138	6036 : 9139	6076 : 9139
6037 : 9137	6077 : 9137	6037 : 9138	6077 : 9138	6037 : 9139	6077 : 9139
6038 : 9137	6078 : 9137	6038 : 9138	6078 : 9138	6038 : 9139	6078 : 9139
6039 : 9137		6039 : 9138		6039 : 9139	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9140	6040 : 9140	6000 : 9141	6040 : 9141	6000 : 9142	6040 : 9142
6001 : 9140	6041 : 9140	6001 : 9141	6041 : 9141	6001 : 9142	6041 : 9142
6002 : 9140	6042 : 9140	6002 : 9141	6042 : 9141	6002 : 9142	6042 : 9142
6003 : 9140	6043 : 9140	6003 : 9141	6043 : 9141	6003 : 9142	6043 : 9142
6004 : 9140	6044 : 9140	6004 : 9141	6044 : 9141	6004 : 9142	6044 : 9142
6005 : 9140	6045 : 9140	6005 : 9141	6045 : 9141	6005 : 9142	6045 : 9142
6006 : 9140	6046 : 9140	6006 : 9141	6046 : 9141	6006 : 9142	6046 : 9142
6007 : 9140	6047 : 9140	6007 : 9141	6047 : 9141	6007 : 9142	6047 : 9142
6008 : 9140	6048 : 9140	6008 : 9141	6048 : 9141	6008 : 9142	6048 : 9142
6009 : 9140	6049 : 9140	6009 : 9141	6049 : 9141	6009 : 9142	6049 : 9142
6010 : 9140	6050 : 9140	6010 : 9141	6050 : 9141	6010 : 9142	6050 : 9142
6011 : 9140	6051 : 9140	6011 : 9141	6051 : 9141	6011 : 9142	6051 : 9142
6012 : 9140	6052 : 9140	6012 : 9141	6052 : 9141	6012 : 9142	6052 : 9142
6013 : 9140	6053 : 9140	6013 : 9141	6053 : 9141	6013 : 9142	6053 : 9142
6014 : 9140	6054 : 9140	6014 : 9141	6054 : 9141	6014 : 9142	6054 : 9142
6015 : 9140	6055 : 9140	6015 : 9141	6055 : 9141	6015 : 9142	6055 : 9142
6016 : 9140	6056 : 9140	6016 : 9141	6056 : 9141	6016 : 9142	6056 : 9142
6017 : 9140	6057 : 9140	6017 : 9141	6057 : 9141	6017 : 9142	6057 : 9142
6018 : 9140	6058 : 9140	6018 : 9141	6058 : 9141	6018 : 9142	6058 : 9142
6019 : 9140	6059 : 9140	6019 : 9141	6059 : 9141	6019 : 9142	6059 : 9142
6020 : 9140	6060 : 9140	6020 : 9141	6060 : 9141	6020 : 9142	6060 : 9142
6021 : 9140	6061 : 9140	6021 : 9141	6061 : 9141	6021 : 9142	6061 : 9142
6022 : 9140	6062 : 9140	6022 : 9141	6062 : 9141	6022 : 9142	6062 : 9142
6023 : 9140	6063 : 9140	6023 : 9141	6063 : 9141	6023 : 9142	6063 : 9142
6024 : 9140	6064 : 9140	6024 : 9141	6064 : 9141	6024 : 9142	6064 : 9142
6025 : 9140	6065 : 9140	6025 : 9141	6065 : 9141	6025 : 9142	6065 : 9142
6026 : 9140	6066 : 9140	6026 : 9141	6066 : 9141	6026 : 9142	6066 : 9142
6027 : 9140	6067 : 9140	6027 : 9141	6067 : 9141	6027 : 9142	6067 : 9142
6028 : 9140	6068 : 9140	6028 : 9141	6068 : 9141	6028 : 9142	6068 : 9142
6029 : 9140	6069 : 9140	6029 : 9141	6069 : 9141	6029 : 9142	6069 : 9142
6030 : 9140	6070 : 9140	6030 : 9141	6070 : 9141	6030 : 9142	6070 : 9142
6031 : 9140	6071 : 9140	6031 : 9141	6071 : 9141	6031 : 9142	6071 : 9142
6032 : 9140	6072 : 9140	6032 : 9141	6072 : 9141	6032 : 9142	6072 : 9142
6033 : 9140	6073 : 9140	6033 : 9141	6073 : 9141	6033 : 9142	6073 : 9142
6034 : 9140	6074 : 9140	6034 : 9141	6074 : 9141	6034 : 9142	6074 : 9142
6035 : 9140	6075 : 9140	6035 : 9141	6075 : 9141	6035 : 9142	6075 : 9142
6036 : 9140	6076 : 9140	6036 : 9141	6076 : 9141	6036 : 9142	6076 : 9142
6037 : 9140	6077 : 9140	6037 : 9141	6077 : 9141	6037 : 9142	6077 : 9142
6038 : 9140	6078 : 9140	6038 : 9141	6078 : 9141	6038 : 9142	6078 : 9142
6039 : 9140		6039 : 9141		6039 : 9142	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9143	6040 : 9143	6000 : 9144	6040 : 9144	6000 : 9145	6040 : 9145
6001 : 9143	6041 : 9143	6001 : 9144	6041 : 9144	6001 : 9145	6041 : 9145
6002 : 9143	6042 : 9143	6002 : 9144	6042 : 9144	6002 : 9145	6042 : 9145
6003 : 9143	6043 : 9143	6003 : 9144	6043 : 9144	6003 : 9145	6043 : 9145
6004 : 9143	6044 : 9143	6004 : 9144	6044 : 9144	6004 : 9145	6044 : 9145
6005 : 9143	6045 : 9143	6005 : 9144	6045 : 9144	6005 : 9145	6045 : 9145
6006 : 9143	6046 : 9143	6006 : 9144	6046 : 9144	6006 : 9145	6046 : 9145
6007 : 9143	6047 : 9143	6007 : 9144	6047 : 9144	6007 : 9145	6047 : 9145
6008 : 9143	6048 : 9143	6008 : 9144	6048 : 9144	6008 : 9145	6048 : 9145
6009 : 9143	6049 : 9143	6009 : 9144	6049 : 9144	6009 : 9145	6049 : 9145
6010 : 9143	6050 : 9143	6010 : 9144	6050 : 9144	6010 : 9145	6050 : 9145
6011 : 9143	6051 : 9143	6011 : 9144	6051 : 9144	6011 : 9145	6051 : 9145
6012 : 9143	6052 : 9143	6012 : 9144	6052 : 9144	6012 : 9145	6052 : 9145
6013 : 9143	6053 : 9143	6013 : 9144	6053 : 9144	6013 : 9145	6053 : 9145
6014 : 9143	6054 : 9143	6014 : 9144	6054 : 9144	6014 : 9145	6054 : 9145
6015 : 9143	6055 : 9143	6015 : 9144	6055 : 9144	6015 : 9145	6055 : 9145
6016 : 9143	6056 : 9143	6016 : 9144	6056 : 9144	6016 : 9145	6056 : 9145
6017 : 9143	6057 : 9143	6017 : 9144	6057 : 9144	6017 : 9145	6057 : 9145
6018 : 9143	6058 : 9143	6018 : 9144	6058 : 9144	6018 : 9145	6058 : 9145
6019 : 9143	6059 : 9143	6019 : 9144	6059 : 9144	6019 : 9145	6059 : 9145
6020 : 9143	6060 : 9143	6020 : 9144	6060 : 9144	6020 : 9145	6060 : 9145
6021 : 9143	6061 : 9143	6021 : 9144	6061 : 9144	6021 : 9145	6061 : 9145
6022 : 9143	6062 : 9143	6022 : 9144	6062 : 9144	6022 : 9145	6062 : 9145
6023 : 9143	6063 : 9143	6023 : 9144	6063 : 9144	6023 : 9145	6063 : 9145
6024 : 9143	6064 : 9143	6024 : 9144	6064 : 9144	6024 : 9145	6064 : 9145
6025 : 9143	6065 : 9143	6025 : 9144	6065 : 9144	6025 : 9145	6065 : 9145
6026 : 9143	6066 : 9143	6026 : 9144	6066 : 9144	6026 : 9145	6066 : 9145
6027 : 9143	6067 : 9143	6027 : 9144	6067 : 9144	6027 : 9145	6067 : 9145
6028 : 9143	6068 : 9143	6028 : 9144	6068 : 9144	6028 : 9145	6068 : 9145
6029 : 9143	6069 : 9143	6029 : 9144	6069 : 9144	6029 : 9145	6069 : 9145
6030 : 9143	6070 : 9143	6030 : 9144	6070 : 9144	6030 : 9145	6070 : 9145
6031 : 9143	6071 : 9143	6031 : 9144	6071 : 9144	6031 : 9145	6071 : 9145
6032 : 9143	6072 : 9143	6032 : 9144	6072 : 9144	6032 : 9145	6072 : 9145
6033 : 9143	6073 : 9143	6033 : 9144	6073 : 9144	6033 : 9145	6073 : 9145
6034 : 9143	6074 : 9143	6034 : 9144	6074 : 9144	6034 : 9145	6074 : 9145
6035 : 9143	6075 : 9143	6035 : 9144	6075 : 9144	6035 : 9145	6075 : 9145
6036 : 9143	6076 : 9143	6036 : 9144	6076 : 9144	6036 : 9145	6076 : 9145
6037 : 9143	6077 : 9143	6037 : 9144	6077 : 9144	6037 : 9145	6077 : 9145
6038 : 9143	6078 : 9143	6038 : 9144	6078 : 9144	6038 : 9145	6078 : 9145
6039 : 9143		6039 : 9144		6039 : 9145	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9146	6040 : 9146	6000 : 9147	6040 : 9147	6000 : 9148	6040 : 9148
6001 : 9146	6041 : 9146	6001 : 9147	6041 : 9147	6001 : 9148	6041 : 9148
6002 : 9146	6042 : 9146	6002 : 9147	6042 : 9147	6002 : 9148	6042 : 9148
6003 : 9146	6043 : 9146	6003 : 9147	6043 : 9147	6003 : 9148	6043 : 9148
6004 : 9146	6044 : 9146	6004 : 9147	6044 : 9147	6004 : 9148	6044 : 9148
6005 : 9146	6045 : 9146	6005 : 9147	6045 : 9147	6005 : 9148	6045 : 9148
6006 : 9146	6046 : 9146	6006 : 9147	6046 : 9147	6006 : 9148	6046 : 9148
6007 : 9146	6047 : 9146	6007 : 9147	6047 : 9147	6007 : 9148	6047 : 9148
6008 : 9146	6048 : 9146	6008 : 9147	6048 : 9147	6008 : 9148	6048 : 9148
6009 : 9146	6049 : 9146	6009 : 9147	6049 : 9147	6009 : 9148	6049 : 9148
6010 : 9146	6050 : 9146	6010 : 9147	6050 : 9147	6010 : 9148	6050 : 9148
6011 : 9146	6051 : 9146	6011 : 9147	6051 : 9147	6011 : 9148	6051 : 9148
6012 : 9146	6052 : 9146	6012 : 9147	6052 : 9147	6012 : 9148	6052 : 9148
6013 : 9146	6053 : 9146	6013 : 9147	6053 : 9147	6013 : 9148	6053 : 9148
6014 : 9146	6054 : 9146	6014 : 9147	6054 : 9147	6014 : 9148	6054 : 9148
6015 : 9146	6055 : 9146	6015 : 9147	6055 : 9147	6015 : 9148	6055 : 9148
6016 : 9146	6056 : 9146	6016 : 9147	6056 : 9147	6016 : 9148	6056 : 9148
6017 : 9146	6057 : 9146	6017 : 9147	6057 : 9147	6017 : 9148	6057 : 9148
6018 : 9146	6058 : 9146	6018 : 9147	6058 : 9147	6018 : 9148	6058 : 9148
6019 : 9146	6059 : 9146	6019 : 9147	6059 : 9147	6019 : 9148	6059 : 9148
6020 : 9146	6060 : 9146	6020 : 9147	6060 : 9147	6020 : 9148	6060 : 9148
6021 : 9146	6061 : 9146	6021 : 9147	6061 : 9147	6021 : 9148	6061 : 9148
6022 : 9146	6062 : 9146	6022 : 9147	6062 : 9147	6022 : 9148	6062 : 9148
6023 : 9146	6063 : 9146	6023 : 9147	6063 : 9147	6023 : 9148	6063 : 9148
6024 : 9146	6064 : 9146	6024 : 9147	6064 : 9147	6024 : 9148	6064 : 9148
6025 : 9146	6065 : 9146	6025 : 9147	6065 : 9147	6025 : 9148	6065 : 9148
6026 : 9146	6066 : 9146	6026 : 9147	6066 : 9147	6026 : 9148	6066 : 9148
6027 : 9146	6067 : 9146	6027 : 9147	6067 : 9147	6027 : 9148	6067 : 9148
6028 : 9146	6068 : 9146	6028 : 9147	6068 : 9147	6028 : 9148	6068 : 9148
6029 : 9146	6069 : 9146	6029 : 9147	6069 : 9147	6029 : 9148	6069 : 9148
6030 : 9146	6070 : 9146	6030 : 9147	6070 : 9147	6030 : 9148	6070 : 9148
6031 : 9146	6071 : 9146	6031 : 9147	6071 : 9147	6031 : 9148	6071 : 9148
6032 : 9146	6072 : 9146	6032 : 9147	6072 : 9147	6032 : 9148	6072 : 9148
6033 : 9146	6073 : 9146	6033 : 9147	6073 : 9147	6033 : 9148	6073 : 9148
6034 : 9146	6074 : 9146	6034 : 9147	6074 : 9147	6034 : 9148	6074 : 9148
6035 : 9146	6075 : 9146	6035 : 9147	6075 : 9147	6035 : 9148	6075 : 9148
6036 : 9146	6076 : 9146	6036 : 9147	6076 : 9147	6036 : 9148	6076 : 9148
6037 : 9146	6077 : 9146	6037 : 9147	6077 : 9147	6037 : 9148	6077 : 9148
6038 : 9146	6078 : 9146	6038 : 9147	6078 : 9147	6038 : 9148	6078 : 9148
6039 : 9146		6039 : 9147		6039 : 9148	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9149	6040 : 9149	6000 : 9150	6040 : 9150	6000 : 9161	6040 : 9161
6001 : 9149	6041 : 9149	6001 : 9150	6041 : 9150	6001 : 9161	6041 : 9161
6002 : 9149	6042 : 9149	6002 : 9150	6042 : 9150	6002 : 9161	6042 : 9161
6003 : 9149	6043 : 9149	6003 : 9150	6043 : 9150	6003 : 9161	6043 : 9161
6004 : 9149	6044 : 9149	6004 : 9150	6044 : 9150	6004 : 9161	6044 : 9161
6005 : 9149	6045 : 9149	6005 : 9150	6045 : 9150	6005 : 9161	6045 : 9161
6006 : 9149	6046 : 9149	6006 : 9150	6046 : 9150	6006 : 9161	6046 : 9161
6007 : 9149	6047 : 9149	6007 : 9150	6047 : 9150	6007 : 9161	6047 : 9161
6008 : 9149	6048 : 9149	6008 : 9150	6048 : 9150	6008 : 9161	6048 : 9161
6009 : 9149	6049 : 9149	6009 : 9150	6049 : 9150	6009 : 9161	6049 : 9161
6010 : 9149	6050 : 9149	6010 : 9150	6050 : 9150	6010 : 9161	6050 : 9161
6011 : 9149	6051 : 9149	6011 : 9150	6051 : 9150	6011 : 9161	6051 : 9161
6012 : 9149	6052 : 9149	6012 : 9150	6052 : 9150	6012 : 9161	6052 : 9161
6013 : 9149	6053 : 9149	6013 : 9150	6053 : 9150	6013 : 9161	6053 : 9161
6014 : 9149	6054 : 9149	6014 : 9150	6054 : 9150	6014 : 9161	6054 : 9161
6015 : 9149	6055 : 9149	6015 : 9150	6055 : 9150	6015 : 9161	6055 : 9161
6016 : 9149	6056 : 9149	6016 : 9150	6056 : 9150	6016 : 9161	6056 : 9161
6017 : 9149	6057 : 9149	6017 : 9150	6057 : 9150	6017 : 9161	6057 : 9161
6018 : 9149	6058 : 9149	6018 : 9150	6058 : 9150	6018 : 9161	6058 : 9161
6019 : 9149	6059 : 9149	6019 : 9150	6059 : 9150	6019 : 9161	6059 : 9161
6020 : 9149	6060 : 9149	6020 : 9150	6060 : 9150	6020 : 9161	6060 : 9161
6021 : 9149	6061 : 9149	6021 : 9150	6061 : 9150	6021 : 9161	6061 : 9161
6022 : 9149	6062 : 9149	6022 : 9150	6062 : 9150	6022 : 9161	6062 : 9161
6023 : 9149	6063 : 9149	6023 : 9150	6063 : 9150	6023 : 9161	6063 : 9161
6024 : 9149	6064 : 9149	6024 : 9150	6064 : 9150	6024 : 9161	6064 : 9161
6025 : 9149	6065 : 9149	6025 : 9150	6065 : 9150	6025 : 9161	6065 : 9161
6026 : 9149	6066 : 9149	6026 : 9150	6066 : 9150	6026 : 9161	6066 : 9161
6027 : 9149	6067 : 9149	6027 : 9150	6067 : 9150	6027 : 9161	6067 : 9161
6028 : 9149	6068 : 9149	6028 : 9150	6068 : 9150	6028 : 9161	6068 : 9161
6029 : 9149	6069 : 9149	6029 : 9150	6069 : 9150	6029 : 9161	6069 : 9161
6030 : 9149	6070 : 9149	6030 : 9150	6070 : 9150	6030 : 9161	6070 : 9161
6031 : 9149	6071 : 9149	6031 : 9150	6071 : 9150	6031 : 9161	6071 : 9161
6032 : 9149	6072 : 9149	6032 : 9150	6072 : 9150	6032 : 9161	6072 : 9161
6033 : 9149	6073 : 9149	6033 : 9150	6073 : 9150	6033 : 9161	6073 : 9161
6034 : 9149	6074 : 9149	6034 : 9150	6074 : 9150	6034 : 9161	6074 : 9161
6035 : 9149	6075 : 9149	6035 : 9150	6075 : 9150	6035 : 9161	6075 : 9161
6036 : 9149	6076 : 9149	6036 : 9150	6076 : 9150	6036 : 9161	6076 : 9161
6037 : 9149	6077 : 9149	6037 : 9150	6077 : 9150	6037 : 9161	6077 : 9161
6038 : 9149	6078 : 9149	6038 : 9150	6078 : 9150	6038 : 9161	6078 : 9161
6039 : 9149		6039 : 9150		6039 : 9161	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9162	6040 : 9162	6000 : 9163	6040 : 9163	6000 : 9164	6040 : 9164
6001 : 9162	6041 : 9162	6001 : 9163	6041 : 9163	6001 : 9164	6041 : 9164
6002 : 9162	6042 : 9162	6002 : 9163	6042 : 9163	6002 : 9164	6042 : 9164
6003 : 9162	6043 : 9162	6003 : 9163	6043 : 9163	6003 : 9164	6043 : 9164
6004 : 9162	6044 : 9162	6004 : 9163	6044 : 9163	6004 : 9164	6044 : 9164
6005 : 9162	6045 : 9162	6005 : 9163	6045 : 9163	6005 : 9164	6045 : 9164
6006 : 9162	6046 : 9162	6006 : 9163	6046 : 9163	6006 : 9164	6046 : 9164
6007 : 9162	6047 : 9162	6007 : 9163	6047 : 9163	6007 : 9164	6047 : 9164
6008 : 9162	6048 : 9162	6008 : 9163	6048 : 9163	6008 : 9164	6048 : 9164
6009 : 9162	6049 : 9162	6009 : 9163	6049 : 9163	6009 : 9164	6049 : 9164
6010 : 9162	6050 : 9162	6010 : 9163	6050 : 9163	6010 : 9164	6050 : 9164
6011 : 9162	6051 : 9162	6011 : 9163	6051 : 9163	6011 : 9164	6051 : 9164
6012 : 9162	6052 : 9162	6012 : 9163	6052 : 9163	6012 : 9164	6052 : 9164
6013 : 9162	6053 : 9162	6013 : 9163	6053 : 9163	6013 : 9164	6053 : 9164
6014 : 9162	6054 : 9162	6014 : 9163	6054 : 9163	6014 : 9164	6054 : 9164
6015 : 9162	6055 : 9162	6015 : 9163	6055 : 9163	6015 : 9164	6055 : 9164
6016 : 9162	6056 : 9162	6016 : 9163	6056 : 9163	6016 : 9164	6056 : 9164
6017 : 9162	6057 : 9162	6017 : 9163	6057 : 9163	6017 : 9164	6057 : 9164
6018 : 9162	6058 : 9162	6018 : 9163	6058 : 9163	6018 : 9164	6058 : 9164
6019 : 9162	6059 : 9162	6019 : 9163	6059 : 9163	6019 : 9164	6059 : 9164
6020 : 9162	6060 : 9162	6020 : 9163	6060 : 9163	6020 : 9164	6060 : 9164
6021 : 9162	6061 : 9162	6021 : 9163	6061 : 9163	6021 : 9164	6061 : 9164
6022 : 9162	6062 : 9162	6022 : 9163	6062 : 9163	6022 : 9164	6062 : 9164
6023 : 9162	6063 : 9162	6023 : 9163	6063 : 9163	6023 : 9164	6063 : 9164
6024 : 9162	6064 : 9162	6024 : 9163	6064 : 9163	6024 : 9164	6064 : 9164
6025 : 9162	6065 : 9162	6025 : 9163	6065 : 9163	6025 : 9164	6065 : 9164
6026 : 9162	6066 : 9162	6026 : 9163	6066 : 9163	6026 : 9164	6066 : 9164
6027 : 9162	6067 : 9162	6027 : 9163	6067 : 9163	6027 : 9164	6067 : 9164
6028 : 9162	6068 : 9162	6028 : 9163	6068 : 9163	6028 : 9164	6068 : 9164
6029 : 9162	6069 : 9162	6029 : 9163	6069 : 9163	6029 : 9164	6069 : 9164
6030 : 9162	6070 : 9162	6030 : 9163	6070 : 9163	6030 : 9164	6070 : 9164
6031 : 9162	6071 : 9162	6031 : 9163	6071 : 9163	6031 : 9164	6071 : 9164
6032 : 9162	6072 : 9162	6032 : 9163	6072 : 9163	6032 : 9164	6072 : 9164
6033 : 9162	6073 : 9162	6033 : 9163	6073 : 9163	6033 : 9164	6073 : 9164
6034 : 9162	6074 : 9162	6034 : 9163	6074 : 9163	6034 : 9164	6074 : 9164
6035 : 9162	6075 : 9162	6035 : 9163	6075 : 9163	6035 : 9164	6075 : 9164
6036 : 9162	6076 : 9162	6036 : 9163	6076 : 9163	6036 : 9164	6076 : 9164
6037 : 9162	6077 : 9162	6037 : 9163	6077 : 9163	6037 : 9164	6077 : 9164
6038 : 9162	6078 : 9162	6038 : 9163	6078 : 9163	6038 : 9164	6078 : 9164
6039 : 9162		6039 : 9163		6039 : 9164	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9167	6040 : 9167	6000 : 9168	6040 : 9168	6000 : 9169	6040 : 9169
6001 : 9167	6041 : 9167	6001 : 9168	6041 : 9168	6001 : 9169	6041 : 9169
6002 : 9167	6042 : 9167	6002 : 9168	6042 : 9168	6002 : 9169	6042 : 9169
6003 : 9167	6043 : 9167	6003 : 9168	6043 : 9168	6003 : 9169	6043 : 9169
6004 : 9167	6044 : 9167	6004 : 9168	6044 : 9168	6004 : 9169	6044 : 9169
6005 : 9167	6045 : 9167	6005 : 9168	6045 : 9168	6005 : 9169	6045 : 9169
6006 : 9167	6046 : 9167	6006 : 9168	6046 : 9168	6006 : 9169	6046 : 9169
6007 : 9167	6047 : 9167	6007 : 9168	6047 : 9168	6007 : 9169	6047 : 9169
6008 : 9167	6048 : 9167	6008 : 9168	6048 : 9168	6008 : 9169	6048 : 9169
6009 : 9167	6049 : 9167	6009 : 9168	6049 : 9168	6009 : 9169	6049 : 9169
6010 : 9167	6050 : 9167	6010 : 9168	6050 : 9168	6010 : 9169	6050 : 9169
6011 : 9167	6051 : 9167	6011 : 9168	6051 : 9168	6011 : 9169	6051 : 9169
6012 : 9167	6052 : 9167	6012 : 9168	6052 : 9168	6012 : 9169	6052 : 9169
6013 : 9167	6053 : 9167	6013 : 9168	6053 : 9168	6013 : 9169	6053 : 9169
6014 : 9167	6054 : 9167	6014 : 9168	6054 : 9168	6014 : 9169	6054 : 9169
6015 : 9167	6055 : 9167	6015 : 9168	6055 : 9168	6015 : 9169	6055 : 9169
6016 : 9167	6056 : 9167	6016 : 9168	6056 : 9168	6016 : 9169	6056 : 9169
6017 : 9167	6057 : 9167	6017 : 9168	6057 : 9168	6017 : 9169	6057 : 9169
6018 : 9167	6058 : 9167	6018 : 9168	6058 : 9168	6018 : 9169	6058 : 9169
6019 : 9167	6059 : 9167	6019 : 9168	6059 : 9168	6019 : 9169	6059 : 9169
6020 : 9167	6060 : 9167	6020 : 9168	6060 : 9168	6020 : 9169	6060 : 9169
6021 : 9167	6061 : 9167	6021 : 9168	6061 : 9168	6021 : 9169	6061 : 9169
6022 : 9167	6062 : 9167	6022 : 9168	6062 : 9168	6022 : 9169	6062 : 9169
6023 : 9167	6063 : 9167	6023 : 9168	6063 : 9168	6023 : 9169	6063 : 9169
6024 : 9167	6064 : 9167	6024 : 9168	6064 : 9168	6024 : 9169	6064 : 9169
6025 : 9167	6065 : 9167	6025 : 9168	6065 : 9168	6025 : 9169	6065 : 9169
6026 : 9167	6066 : 9167	6026 : 9168	6066 : 9168	6026 : 9169	6066 : 9169
6027 : 9167	6067 : 9167	6027 : 9168	6067 : 9168	6027 : 9169	6067 : 9169
6028 : 9167	6068 : 9167	6028 : 9168	6068 : 9168	6028 : 9169	6068 : 9169
6029 : 9167	6069 : 9167	6029 : 9168	6069 : 9168	6029 : 9169	6069 : 9169
6030 : 9167	6070 : 9167	6030 : 9168	6070 : 9168	6030 : 9169	6070 : 9169
6031 : 9167	6071 : 9167	6031 : 9168	6071 : 9168	6031 : 9169	6071 : 9169
6032 : 9167	6072 : 9167	6032 : 9168	6072 : 9168	6032 : 9169	6072 : 9169
6033 : 9167	6073 : 9167	6033 : 9168	6073 : 9168	6033 : 9169	6073 : 9169
6034 : 9167	6074 : 9167	6034 : 9168	6074 : 9168	6034 : 9169	6074 : 9169
6035 : 9167	6075 : 9167	6035 : 9168	6075 : 9168	6035 : 9169	6075 : 9169
6036 : 9167	6076 : 9167	6036 : 9168	6076 : 9168	6036 : 9169	6076 : 9169
6037 : 9167	6077 : 9167	6037 : 9168	6077 : 9168	6037 : 9169	6077 : 9169
6038 : 9167	6078 : 9167	6038 : 9168	6078 : 9168	6038 : 9169	6078 : 9169
6039 : 9167		6039 : 9168		6039 : 9169	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9170	6040 : 9170	6000 : 9171	6040 : 9171	6000 : 9172	6040 : 9172
6001 : 9170	6041 : 9170	6001 : 9171	6041 : 9171	6001 : 9172	6041 : 9172
6002 : 9170	6042 : 9170	6002 : 9171	6042 : 9171	6002 : 9172	6042 : 9172
6003 : 9170	6043 : 9170	6003 : 9171	6043 : 9171	6003 : 9172	6043 : 9172
6004 : 9170	6044 : 9170	6004 : 9171	6044 : 9171	6004 : 9172	6044 : 9172
6005 : 9170	6045 : 9170	6005 : 9171	6045 : 9171	6005 : 9172	6045 : 9172
6006 : 9170	6046 : 9170	6006 : 9171	6046 : 9171	6006 : 9172	6046 : 9172
6007 : 9170	6047 : 9170	6007 : 9171	6047 : 9171	6007 : 9172	6047 : 9172
6008 : 9170	6048 : 9170	6008 : 9171	6048 : 9171	6008 : 9172	6048 : 9172
6009 : 9170	6049 : 9170	6009 : 9171	6049 : 9171	6009 : 9172	6049 : 9172
6010 : 9170	6050 : 9170	6010 : 9171	6050 : 9171	6010 : 9172	6050 : 9172
6011 : 9170	6051 : 9170	6011 : 9171	6051 : 9171	6011 : 9172	6051 : 9172
6012 : 9170	6052 : 9170	6012 : 9171	6052 : 9171	6012 : 9172	6052 : 9172
6013 : 9170	6053 : 9170	6013 : 9171	6053 : 9171	6013 : 9172	6053 : 9172
6014 : 9170	6054 : 9170	6014 : 9171	6054 : 9171	6014 : 9172	6054 : 9172
6015 : 9170	6055 : 9170	6015 : 9171	6055 : 9171	6015 : 9172	6055 : 9172
6016 : 9170	6056 : 9170	6016 : 9171	6056 : 9171	6016 : 9172	6056 : 9172
6017 : 9170	6057 : 9170	6017 : 9171	6057 : 9171	6017 : 9172	6057 : 9172
6018 : 9170	6058 : 9170	6018 : 9171	6058 : 9171	6018 : 9172	6058 : 9172
6019 : 9170	6059 : 9170	6019 : 9171	6059 : 9171	6019 : 9172	6059 : 9172
6020 : 9170	6060 : 9170	6020 : 9171	6060 : 9171	6020 : 9172	6060 : 9172
6021 : 9170	6061 : 9170	6021 : 9171	6061 : 9171	6021 : 9172	6061 : 9172
6022 : 9170	6062 : 9170	6022 : 9171	6062 : 9171	6022 : 9172	6062 : 9172
6023 : 9170	6063 : 9170	6023 : 9171	6063 : 9171	6023 : 9172	6063 : 9172
6024 : 9170	6064 : 9170	6024 : 9171	6064 : 9171	6024 : 9172	6064 : 9172
6025 : 9170	6065 : 9170	6025 : 9171	6065 : 9171	6025 : 9172	6065 : 9172
6026 : 9170	6066 : 9170	6026 : 9171	6066 : 9171	6026 : 9172	6066 : 9172
6027 : 9170	6067 : 9170	6027 : 9171	6067 : 9171	6027 : 9172	6067 : 9172
6028 : 9170	6068 : 9170	6028 : 9171	6068 : 9171	6028 : 9172	6068 : 9172
6029 : 9170	6069 : 9170	6029 : 9171	6069 : 9171	6029 : 9172	6069 : 9172
6030 : 9170	6070 : 9170	6030 : 9171	6070 : 9171	6030 : 9172	6070 : 9172
6031 : 9170	6071 : 9170	6031 : 9171	6071 : 9171	6031 : 9172	6071 : 9172
6032 : 9170	6072 : 9170	6032 : 9171	6072 : 9171	6032 : 9172	6072 : 9172
6033 : 9170	6073 : 9170	6033 : 9171	6073 : 9171	6033 : 9172	6073 : 9172
6034 : 9170	6074 : 9170	6034 : 9171	6074 : 9171	6034 : 9172	6074 : 9172
6035 : 9170	6075 : 9170	6035 : 9171	6075 : 9171	6035 : 9172	6075 : 9172
6036 : 9170	6076 : 9170	6036 : 9171	6076 : 9171	6036 : 9172	6076 : 9172
6037 : 9170	6077 : 9170	6037 : 9171	6077 : 9171	6037 : 9172	6077 : 9172
6038 : 9170	6078 : 9170	6038 : 9171	6078 : 9171	6038 : 9172	6078 : 9172
6039 : 9170		6039 : 9171		6039 : 9172	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9173	6040 : 9173	6000 : 9174	6040 : 9174	6000 : 9175	6040 : 9175
6001 : 9173	6041 : 9173	6001 : 9174	6041 : 9174	6001 : 9175	6041 : 9175
6002 : 9173	6042 : 9173	6002 : 9174	6042 : 9174	6002 : 9175	6042 : 9175
6003 : 9173	6043 : 9173	6003 : 9174	6043 : 9174	6003 : 9175	6043 : 9175
6004 : 9173	6044 : 9173	6004 : 9174	6044 : 9174	6004 : 9175	6044 : 9175
6005 : 9173	6045 : 9173	6005 : 9174	6045 : 9174	6005 : 9175	6045 : 9175
6006 : 9173	6046 : 9173	6006 : 9174	6046 : 9174	6006 : 9175	6046 : 9175
6007 : 9173	6047 : 9173	6007 : 9174	6047 : 9174	6007 : 9175	6047 : 9175
6008 : 9173	6048 : 9173	6008 : 9174	6048 : 9174	6008 : 9175	6048 : 9175
6009 : 9173	6049 : 9173	6009 : 9174	6049 : 9174	6009 : 9175	6049 : 9175
6010 : 9173	6050 : 9173	6010 : 9174	6050 : 9174	6010 : 9175	6050 : 9175
6011 : 9173	6051 : 9173	6011 : 9174	6051 : 9174	6011 : 9175	6051 : 9175
6012 : 9173	6052 : 9173	6012 : 9174	6052 : 9174	6012 : 9175	6052 : 9175
6013 : 9173	6053 : 9173	6013 : 9174	6053 : 9174	6013 : 9175	6053 : 9175
6014 : 9173	6054 : 9173	6014 : 9174	6054 : 9174	6014 : 9175	6054 : 9175
6015 : 9173	6055 : 9173	6015 : 9174	6055 : 9174	6015 : 9175	6055 : 9175
6016 : 9173	6056 : 9173	6016 : 9174	6056 : 9174	6016 : 9175	6056 : 9175
6017 : 9173	6057 : 9173	6017 : 9174	6057 : 9174	6017 : 9175	6057 : 9175
6018 : 9173	6058 : 9173	6018 : 9174	6058 : 9174	6018 : 9175	6058 : 9175
6019 : 9173	6059 : 9173	6019 : 9174	6059 : 9174	6019 : 9175	6059 : 9175
6020 : 9173	6060 : 9173	6020 : 9174	6060 : 9174	6020 : 9175	6060 : 9175
6021 : 9173	6061 : 9173	6021 : 9174	6061 : 9174	6021 : 9175	6061 : 9175
6022 : 9173	6062 : 9173	6022 : 9174	6062 : 9174	6022 : 9175	6062 : 9175
6023 : 9173	6063 : 9173	6023 : 9174	6063 : 9174	6023 : 9175	6063 : 9175
6024 : 9173	6064 : 9173	6024 : 9174	6064 : 9174	6024 : 9175	6064 : 9175
6025 : 9173	6065 : 9173	6025 : 9174	6065 : 9174	6025 : 9175	6065 : 9175
6026 : 9173	6066 : 9173	6026 : 9174	6066 : 9174	6026 : 9175	6066 : 9175
6027 : 9173	6067 : 9173	6027 : 9174	6067 : 9174	6027 : 9175	6067 : 9175
6028 : 9173	6068 : 9173	6028 : 9174	6068 : 9174	6028 : 9175	6068 : 9175
6029 : 9173	6069 : 9173	6029 : 9174	6069 : 9174	6029 : 9175	6069 : 9175
6030 : 9173	6070 : 9173	6030 : 9174	6070 : 9174	6030 : 9175	6070 : 9175
6031 : 9173	6071 : 9173	6031 : 9174	6071 : 9174	6031 : 9175	6071 : 9175
6032 : 9173	6072 : 9173	6032 : 9174	6072 : 9174	6032 : 9175	6072 : 9175
6033 : 9173	6073 : 9173	6033 : 9174	6073 : 9174	6033 : 9175	6073 : 9175
6034 : 9173	6074 : 9173	6034 : 9174	6074 : 9174	6034 : 9175	6074 : 9175
6035 : 9173	6075 : 9173	6035 : 9174	6075 : 9174	6035 : 9175	6075 : 9175
6036 : 9173	6076 : 9173	6036 : 9174	6076 : 9174	6036 : 9175	6076 : 9175
6037 : 9173	6077 : 9173	6037 : 9174	6077 : 9174	6037 : 9175	6077 : 9175
6038 : 9173	6078 : 9173	6038 : 9174	6078 : 9174	6038 : 9175	6078 : 9175
6039 : 9173		6039 : 9174		6039 : 9175	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9176	6040 : 9176	6000 : 9177	6040 : 9177	6000 : 9178	6040 : 9178
6001 : 9176	6041 : 9176	6001 : 9177	6041 : 9177	6001 : 9178	6041 : 9178
6002 : 9176	6042 : 9176	6002 : 9177	6042 : 9177	6002 : 9178	6042 : 9178
6003 : 9176	6043 : 9176	6003 : 9177	6043 : 9177	6003 : 9178	6043 : 9178
6004 : 9176	6044 : 9176	6004 : 9177	6044 : 9177	6004 : 9178	6044 : 9178
6005 : 9176	6045 : 9176	6005 : 9177	6045 : 9177	6005 : 9178	6045 : 9178
6006 : 9176	6046 : 9176	6006 : 9177	6046 : 9177	6006 : 9178	6046 : 9178
6007 : 9176	6047 : 9176	6007 : 9177	6047 : 9177	6007 : 9178	6047 : 9178
6008 : 9176	6048 : 9176	6008 : 9177	6048 : 9177	6008 : 9178	6048 : 9178
6009 : 9176	6049 : 9176	6009 : 9177	6049 : 9177	6009 : 9178	6049 : 9178
6010 : 9176	6050 : 9176	6010 : 9177	6050 : 9177	6010 : 9178	6050 : 9178
6011 : 9176	6051 : 9176	6011 : 9177	6051 : 9177	6011 : 9178	6051 : 9178
6012 : 9176	6052 : 9176	6012 : 9177	6052 : 9177	6012 : 9178	6052 : 9178
6013 : 9176	6053 : 9176	6013 : 9177	6053 : 9177	6013 : 9178	6053 : 9178
6014 : 9176	6054 : 9176	6014 : 9177	6054 : 9177	6014 : 9178	6054 : 9178
6015 : 9176	6055 : 9176	6015 : 9177	6055 : 9177	6015 : 9178	6055 : 9178
6016 : 9176	6056 : 9176	6016 : 9177	6056 : 9177	6016 : 9178	6056 : 9178
6017 : 9176	6057 : 9176	6017 : 9177	6057 : 9177	6017 : 9178	6057 : 9178
6018 : 9176	6058 : 9176	6018 : 9177	6058 : 9177	6018 : 9178	6058 : 9178
6019 : 9176	6059 : 9176	6019 : 9177	6059 : 9177	6019 : 9178	6059 : 9178
6020 : 9176	6060 : 9176	6020 : 9177	6060 : 9177	6020 : 9178	6060 : 9178
6021 : 9176	6061 : 9176	6021 : 9177	6061 : 9177	6021 : 9178	6061 : 9178
6022 : 9176	6062 : 9176	6022 : 9177	6062 : 9177	6022 : 9178	6062 : 9178
6023 : 9176	6063 : 9176	6023 : 9177	6063 : 9177	6023 : 9178	6063 : 9178
6024 : 9176	6064 : 9176	6024 : 9177	6064 : 9177	6024 : 9178	6064 : 9178
6025 : 9176	6065 : 9176	6025 : 9177	6065 : 9177	6025 : 9178	6065 : 9178
6026 : 9176	6066 : 9176	6026 : 9177	6066 : 9177	6026 : 9178	6066 : 9178
6027 : 9176	6067 : 9176	6027 : 9177	6067 : 9177	6027 : 9178	6067 : 9178
6028 : 9176	6068 : 9176	6028 : 9177	6068 : 9177	6028 : 9178	6068 : 9178
6029 : 9176	6069 : 9176	6029 : 9177	6069 : 9177	6029 : 9178	6069 : 9178
6030 : 9176	6070 : 9176	6030 : 9177	6070 : 9177	6030 : 9178	6070 : 9178
6031 : 9176	6071 : 9176	6031 : 9177	6071 : 9177	6031 : 9178	6071 : 9178
6032 : 9176	6072 : 9176	6032 : 9177	6072 : 9177	6032 : 9178	6072 : 9178
6033 : 9176	6073 : 9176	6033 : 9177	6073 : 9177	6033 : 9178	6073 : 9178
6034 : 9176	6074 : 9176	6034 : 9177	6074 : 9177	6034 : 9178	6074 : 9178
6035 : 9176	6075 : 9176	6035 : 9177	6075 : 9177	6035 : 9178	6075 : 9178
6036 : 9176	6076 : 9176	6036 : 9177	6076 : 9177	6036 : 9178	6076 : 9178
6037 : 9176	6077 : 9176	6037 : 9177	6077 : 9177	6037 : 9178	6077 : 9178
6038 : 9176	6078 : 9176	6038 : 9177	6078 : 9177	6038 : 9178	6078 : 9178
6039 : 9176		6039 : 9177		6039 : 9178	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9179	6040 : 9179	6000 : 9180	6040 : 9180	6000 : 9181	6040 : 9181
6001 : 9179	6041 : 9179	6001 : 9180	6041 : 9180	6001 : 9181	6041 : 9181
6002 : 9179	6042 : 9179	6002 : 9180	6042 : 9180	6002 : 9181	6042 : 9181
6003 : 9179	6043 : 9179	6003 : 9180	6043 : 9180	6003 : 9181	6043 : 9181
6004 : 9179	6044 : 9179	6004 : 9180	6044 : 9180	6004 : 9181	6044 : 9181
6005 : 9179	6045 : 9179	6005 : 9180	6045 : 9180	6005 : 9181	6045 : 9181
6006 : 9179	6046 : 9179	6006 : 9180	6046 : 9180	6006 : 9181	6046 : 9181
6007 : 9179	6047 : 9179	6007 : 9180	6047 : 9180	6007 : 9181	6047 : 9181
6008 : 9179	6048 : 9179	6008 : 9180	6048 : 9180	6008 : 9181	6048 : 9181
6009 : 9179	6049 : 9179	6009 : 9180	6049 : 9180	6009 : 9181	6049 : 9181
6010 : 9179	6050 : 9179	6010 : 9180	6050 : 9180	6010 : 9181	6050 : 9181
6011 : 9179	6051 : 9179	6011 : 9180	6051 : 9180	6011 : 9181	6051 : 9181
6012 : 9179	6052 : 9179	6012 : 9180	6052 : 9180	6012 : 9181	6052 : 9181
6013 : 9179	6053 : 9179	6013 : 9180	6053 : 9180	6013 : 9181	6053 : 9181
6014 : 9179	6054 : 9179	6014 : 9180	6054 : 9180	6014 : 9181	6054 : 9181
6015 : 9179	6055 : 9179	6015 : 9180	6055 : 9180	6015 : 9181	6055 : 9181
6016 : 9179	6056 : 9179	6016 : 9180	6056 : 9180	6016 : 9181	6056 : 9181
6017 : 9179	6057 : 9179	6017 : 9180	6057 : 9180	6017 : 9181	6057 : 9181
6018 : 9179	6058 : 9179	6018 : 9180	6058 : 9180	6018 : 9181	6058 : 9181
6019 : 9179	6059 : 9179	6019 : 9180	6059 : 9180	6019 : 9181	6059 : 9181
6020 : 9179	6060 : 9179	6020 : 9180	6060 : 9180	6020 : 9181	6060 : 9181
6021 : 9179	6061 : 9179	6021 : 9180	6061 : 9180	6021 : 9181	6061 : 9181
6022 : 9179	6062 : 9179	6022 : 9180	6062 : 9180	6022 : 9181	6062 : 9181
6023 : 9179	6063 : 9179	6023 : 9180	6063 : 9180	6023 : 9181	6063 : 9181
6024 : 9179	6064 : 9179	6024 : 9180	6064 : 9180	6024 : 9181	6064 : 9181
6025 : 9179	6065 : 9179	6025 : 9180	6065 : 9180	6025 : 9181	6065 : 9181
6026 : 9179	6066 : 9179	6026 : 9180	6066 : 9180	6026 : 9181	6066 : 9181
6027 : 9179	6067 : 9179	6027 : 9180	6067 : 9180	6027 : 9181	6067 : 9181
6028 : 9179	6068 : 9179	6028 : 9180	6068 : 9180	6028 : 9181	6068 : 9181
6029 : 9179	6069 : 9179	6029 : 9180	6069 : 9180	6029 : 9181	6069 : 9181
6030 : 9179	6070 : 9179	6030 : 9180	6070 : 9180	6030 : 9181	6070 : 9181
6031 : 9179	6071 : 9179	6031 : 9180	6071 : 9180	6031 : 9181	6071 : 9181
6032 : 9179	6072 : 9179	6032 : 9180	6072 : 9180	6032 : 9181	6072 : 9181
6033 : 9179	6073 : 9179	6033 : 9180	6073 : 9180	6033 : 9181	6073 : 9181
6034 : 9179	6074 : 9179	6034 : 9180	6074 : 9180	6034 : 9181	6074 : 9181
6035 : 9179	6075 : 9179	6035 : 9180	6075 : 9180	6035 : 9181	6075 : 9181
6036 : 9179	6076 : 9179	6036 : 9180	6076 : 9180	6036 : 9181	6076 : 9181
6037 : 9179	6077 : 9179	6037 : 9180	6077 : 9180	6037 : 9181	6077 : 9181
6038 : 9179	6078 : 9179	6038 : 9180	6078 : 9180	6038 : 9181	6078 : 9181
6039 : 9179		6039 : 9180		6039 : 9181	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9182	6040 : 9182	6000 : 9183	6040 : 9183	6000 : 9184	6040 : 9184
6001 : 9182	6041 : 9182	6001 : 9183	6041 : 9183	6001 : 9184	6041 : 9184
6002 : 9182	6042 : 9182	6002 : 9183	6042 : 9183	6002 : 9184	6042 : 9184
6003 : 9182	6043 : 9182	6003 : 9183	6043 : 9183	6003 : 9184	6043 : 9184
6004 : 9182	6044 : 9182	6004 : 9183	6044 : 9183	6004 : 9184	6044 : 9184
6005 : 9182	6045 : 9182	6005 : 9183	6045 : 9183	6005 : 9184	6045 : 9184
6006 : 9182	6046 : 9182	6006 : 9183	6046 : 9183	6006 : 9184	6046 : 9184
6007 : 9182	6047 : 9182	6007 : 9183	6047 : 9183	6007 : 9184	6047 : 9184
6008 : 9182	6048 : 9182	6008 : 9183	6048 : 9183	6008 : 9184	6048 : 9184
6009 : 9182	6049 : 9182	6009 : 9183	6049 : 9183	6009 : 9184	6049 : 9184
6010 : 9182	6050 : 9182	6010 : 9183	6050 : 9183	6010 : 9184	6050 : 9184
6011 : 9182	6051 : 9182	6011 : 9183	6051 : 9183	6011 : 9184	6051 : 9184
6012 : 9182	6052 : 9182	6012 : 9183	6052 : 9183	6012 : 9184	6052 : 9184
6013 : 9182	6053 : 9182	6013 : 9183	6053 : 9183	6013 : 9184	6053 : 9184
6014 : 9182	6054 : 9182	6014 : 9183	6054 : 9183	6014 : 9184	6054 : 9184
6015 : 9182	6055 : 9182	6015 : 9183	6055 : 9183	6015 : 9184	6055 : 9184
6016 : 9182	6056 : 9182	6016 : 9183	6056 : 9183	6016 : 9184	6056 : 9184
6017 : 9182	6057 : 9182	6017 : 9183	6057 : 9183	6017 : 9184	6057 : 9184
6018 : 9182	6058 : 9182	6018 : 9183	6058 : 9183	6018 : 9184	6058 : 9184
6019 : 9182	6059 : 9182	6019 : 9183	6059 : 9183	6019 : 9184	6059 : 9184
6020 : 9182	6060 : 9182	6020 : 9183	6060 : 9183	6020 : 9184	6060 : 9184
6021 : 9182	6061 : 9182	6021 : 9183	6061 : 9183	6021 : 9184	6061 : 9184
6022 : 9182	6062 : 9182	6022 : 9183	6062 : 9183	6022 : 9184	6062 : 9184
6023 : 9182	6063 : 9182	6023 : 9183	6063 : 9183	6023 : 9184	6063 : 9184
6024 : 9182	6064 : 9182	6024 : 9183	6064 : 9183	6024 : 9184	6064 : 9184
6025 : 9182	6065 : 9182	6025 : 9183	6065 : 9183	6025 : 9184	6065 : 9184
6026 : 9182	6066 : 9182	6026 : 9183	6066 : 9183	6026 : 9184	6066 : 9184
6027 : 9182	6067 : 9182	6027 : 9183	6067 : 9183	6027 : 9184	6067 : 9184
6028 : 9182	6068 : 9182	6028 : 9183	6068 : 9183	6028 : 9184	6068 : 9184
6029 : 9182	6069 : 9182	6029 : 9183	6069 : 9183	6029 : 9184	6069 : 9184
6030 : 9182	6070 : 9182	6030 : 9183	6070 : 9183	6030 : 9184	6070 : 9184
6031 : 9182	6071 : 9182	6031 : 9183	6071 : 9183	6031 : 9184	6071 : 9184
6032 : 9182	6072 : 9182	6032 : 9183	6072 : 9183	6032 : 9184	6072 : 9184
6033 : 9182	6073 : 9182	6033 : 9183	6073 : 9183	6033 : 9184	6073 : 9184
6034 : 9182	6074 : 9182	6034 : 9183	6074 : 9183	6034 : 9184	6074 : 9184
6035 : 9182	6075 : 9182	6035 : 9183	6075 : 9183	6035 : 9184	6075 : 9184
6036 : 9182	6076 : 9182	6036 : 9183	6076 : 9183	6036 : 9184	6076 : 9184
6037 : 9182	6077 : 9182	6037 : 9183	6077 : 9183	6037 : 9184	6077 : 9184
6038 : 9182	6078 : 9182	6038 : 9183	6078 : 9183	6038 : 9184	6078 : 9184
6039 : 9182		6039 : 9183		6039 : 9184	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9185	6040 : 9185	6000 : 9206	6040 : 9206	6000 : 9207	6040 : 9207
6001 : 9185	6041 : 9185	6001 : 9206	6041 : 9206	6001 : 9207	6041 : 9207
6002 : 9185	6042 : 9185	6002 : 9206	6042 : 9206	6002 : 9207	6042 : 9207
6003 : 9185	6043 : 9185	6003 : 9206	6043 : 9206	6003 : 9207	6043 : 9207
6004 : 9185	6044 : 9185	6004 : 9206	6044 : 9206	6004 : 9207	6044 : 9207
6005 : 9185	6045 : 9185	6005 : 9206	6045 : 9206	6005 : 9207	6045 : 9207
6006 : 9185	6046 : 9185	6006 : 9206	6046 : 9206	6006 : 9207	6046 : 9207
6007 : 9185	6047 : 9185	6007 : 9206	6047 : 9206	6007 : 9207	6047 : 9207
6008 : 9185	6048 : 9185	6008 : 9206	6048 : 9206	6008 : 9207	6048 : 9207
6009 : 9185	6049 : 9185	6009 : 9206	6049 : 9206	6009 : 9207	6049 : 9207
6010 : 9185	6050 : 9185	6010 : 9206	6050 : 9206	6010 : 9207	6050 : 9207
6011 : 9185	6051 : 9185	6011 : 9206	6051 : 9206	6011 : 9207	6051 : 9207
6012 : 9185	6052 : 9185	6012 : 9206	6052 : 9206	6012 : 9207	6052 : 9207
6013 : 9185	6053 : 9185	6013 : 9206	6053 : 9206	6013 : 9207	6053 : 9207
6014 : 9185	6054 : 9185	6014 : 9206	6054 : 9206	6014 : 9207	6054 : 9207
6015 : 9185	6055 : 9185	6015 : 9206	6055 : 9206	6015 : 9207	6055 : 9207
6016 : 9185	6056 : 9185	6016 : 9206	6056 : 9206	6016 : 9207	6056 : 9207
6017 : 9185	6057 : 9185	6017 : 9206	6057 : 9206	6017 : 9207	6057 : 9207
6018 : 9185	6058 : 9185	6018 : 9206	6058 : 9206	6018 : 9207	6058 : 9207
6019 : 9185	6059 : 9185	6019 : 9206	6059 : 9206	6019 : 9207	6059 : 9207
6020 : 9185	6060 : 9185	6020 : 9206	6060 : 9206	6020 : 9207	6060 : 9207
6021 : 9185	6061 : 9185	6021 : 9206	6061 : 9206	6021 : 9207	6061 : 9207
6022 : 9185	6062 : 9185	6022 : 9206	6062 : 9206	6022 : 9207	6062 : 9207
6023 : 9185	6063 : 9185	6023 : 9206	6063 : 9206	6023 : 9207	6063 : 9207
6024 : 9185	6064 : 9185	6024 : 9206	6064 : 9206	6024 : 9207	6064 : 9207
6025 : 9185	6065 : 9185	6025 : 9206	6065 : 9206	6025 : 9207	6065 : 9207
6026 : 9185	6066 : 9185	6026 : 9206	6066 : 9206	6026 : 9207	6066 : 9207
6027 : 9185	6067 : 9185	6027 : 9206	6067 : 9206	6027 : 9207	6067 : 9207
6028 : 9185	6068 : 9185	6028 : 9206	6068 : 9206	6028 : 9207	6068 : 9207
6029 : 9185	6069 : 9185	6029 : 9206	6069 : 9206	6029 : 9207	6069 : 9207
6030 : 9185	6070 : 9185	6030 : 9206	6070 : 9206	6030 : 9207	6070 : 9207
6031 : 9185	6071 : 9185	6031 : 9206	6071 : 9206	6031 : 9207	6071 : 9207
6032 : 9185	6072 : 9185	6032 : 9206	6072 : 9206	6032 : 9207	6072 : 9207
6033 : 9185	6073 : 9185	6033 : 9206	6073 : 9206	6033 : 9207	6073 : 9207
6034 : 9185	6074 : 9185	6034 : 9206	6074 : 9206	6034 : 9207	6074 : 9207
6035 : 9185	6075 : 9185	6035 : 9206	6075 : 9206	6035 : 9207	6075 : 9207
6036 : 9185	6076 : 9185	6036 : 9206	6076 : 9206	6036 : 9207	6076 : 9207
6037 : 9185	6077 : 9185	6037 : 9206	6077 : 9206	6037 : 9207	6077 : 9207
6038 : 9185	6078 : 9185	6038 : 9206	6078 : 9206	6038 : 9207	6078 : 9207
6039 : 9185		6039 : 9206		6039 : 9207	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9208	6040 : 9208	6000 : 9209	6040 : 9209	6000 : 9214	6040 : 9214
6001 : 9208	6041 : 9208	6001 : 9209	6041 : 9209	6001 : 9214	6041 : 9214
6002 : 9208	6042 : 9208	6002 : 9209	6042 : 9209	6002 : 9214	6042 : 9214
6003 : 9208	6043 : 9208	6003 : 9209	6043 : 9209	6003 : 9214	6043 : 9214
6004 : 9208	6044 : 9208	6004 : 9209	6044 : 9209	6004 : 9214	6044 : 9214
6005 : 9208	6045 : 9208	6005 : 9209	6045 : 9209	6005 : 9214	6045 : 9214
6006 : 9208	6046 : 9208	6006 : 9209	6046 : 9209	6006 : 9214	6046 : 9214
6007 : 9208	6047 : 9208	6007 : 9209	6047 : 9209	6007 : 9214	6047 : 9214
6008 : 9208	6048 : 9208	6008 : 9209	6048 : 9209	6008 : 9214	6048 : 9214
6009 : 9208	6049 : 9208	6009 : 9209	6049 : 9209	6009 : 9214	6049 : 9214
6010 : 9208	6050 : 9208	6010 : 9209	6050 : 9209	6010 : 9214	6050 : 9214
6011 : 9208	6051 : 9208	6011 : 9209	6051 : 9209	6011 : 9214	6051 : 9214
6012 : 9208	6052 : 9208	6012 : 9209	6052 : 9209	6012 : 9214	6052 : 9214
6013 : 9208	6053 : 9208	6013 : 9209	6053 : 9209	6013 : 9214	6053 : 9214
6014 : 9208	6054 : 9208	6014 : 9209	6054 : 9209	6014 : 9214	6054 : 9214
6015 : 9208	6055 : 9208	6015 : 9209	6055 : 9209	6015 : 9214	6055 : 9214
6016 : 9208	6056 : 9208	6016 : 9209	6056 : 9209	6016 : 9214	6056 : 9214
6017 : 9208	6057 : 9208	6017 : 9209	6057 : 9209	6017 : 9214	6057 : 9214
6018 : 9208	6058 : 9208	6018 : 9209	6058 : 9209	6018 : 9214	6058 : 9214
6019 : 9208	6059 : 9208	6019 : 9209	6059 : 9209	6019 : 9214	6059 : 9214
6020 : 9208	6060 : 9208	6020 : 9209	6060 : 9209	6020 : 9214	6060 : 9214
6021 : 9208	6061 : 9208	6021 : 9209	6061 : 9209	6021 : 9214	6061 : 9214
6022 : 9208	6062 : 9208	6022 : 9209	6062 : 9209	6022 : 9214	6062 : 9214
6023 : 9208	6063 : 9208	6023 : 9209	6063 : 9209	6023 : 9214	6063 : 9214
6024 : 9208	6064 : 9208	6024 : 9209	6064 : 9209	6024 : 9214	6064 : 9214
6025 : 9208	6065 : 9208	6025 : 9209	6065 : 9209	6025 : 9214	6065 : 9214
6026 : 9208	6066 : 9208	6026 : 9209	6066 : 9209	6026 : 9214	6066 : 9214
6027 : 9208	6067 : 9208	6027 : 9209	6067 : 9209	6027 : 9214	6067 : 9214
6028 : 9208	6068 : 9208	6028 : 9209	6068 : 9209	6028 : 9214	6068 : 9214
6029 : 9208	6069 : 9208	6029 : 9209	6069 : 9209	6029 : 9214	6069 : 9214
6030 : 9208	6070 : 9208	6030 : 9209	6070 : 9209	6030 : 9214	6070 : 9214
6031 : 9208	6071 : 9208	6031 : 9209	6071 : 9209	6031 : 9214	6071 : 9214
6032 : 9208	6072 : 9208	6032 : 9209	6072 : 9209	6032 : 9214	6072 : 9214
6033 : 9208	6073 : 9208	6033 : 9209	6073 : 9209	6033 : 9214	6073 : 9214
6034 : 9208	6074 : 9208	6034 : 9209	6074 : 9209	6034 : 9214	6074 : 9214
6035 : 9208	6075 : 9208	6035 : 9209	6075 : 9209	6035 : 9214	6075 : 9214
6036 : 9208	6076 : 9208	6036 : 9209	6076 : 9209	6036 : 9214	6076 : 9214
6037 : 9208	6077 : 9208	6037 : 9209	6077 : 9209	6037 : 9214	6077 : 9214
6038 : 9208	6078 : 9208	6038 : 9209	6078 : 9209	6038 : 9214	6078 : 9214
6039 : 9208		6039 : 9209		6039 : 9214	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9241	6040 : 9241	6000 : 9242	6040 : 9242	6000 : 9244	6040 : 9244
6001 : 9241	6041 : 9241	6001 : 9242	6041 : 9242	6001 : 9244	6041 : 9244
6002 : 9241	6042 : 9241	6002 : 9242	6042 : 9242	6002 : 9244	6042 : 9244
6003 : 9241	6043 : 9241	6003 : 9242	6043 : 9242	6003 : 9244	6043 : 9244
6004 : 9241	6044 : 9241	6004 : 9242	6044 : 9242	6004 : 9244	6044 : 9244
6005 : 9241	6045 : 9241	6005 : 9242	6045 : 9242	6005 : 9244	6045 : 9244
6006 : 9241	6046 : 9241	6006 : 9242	6046 : 9242	6006 : 9244	6046 : 9244
6007 : 9241	6047 : 9241	6007 : 9242	6047 : 9242	6007 : 9244	6047 : 9244
6008 : 9241	6048 : 9241	6008 : 9242	6048 : 9242	6008 : 9244	6048 : 9244
6009 : 9241	6049 : 9241	6009 : 9242	6049 : 9242	6009 : 9244	6049 : 9244
6010 : 9241	6050 : 9241	6010 : 9242	6050 : 9242	6010 : 9244	6050 : 9244
6011 : 9241	6051 : 9241	6011 : 9242	6051 : 9242	6011 : 9244	6051 : 9244
6012 : 9241	6052 : 9241	6012 : 9242	6052 : 9242	6012 : 9244	6052 : 9244
6013 : 9241	6053 : 9241	6013 : 9242	6053 : 9242	6013 : 9244	6053 : 9244
6014 : 9241	6054 : 9241	6014 : 9242	6054 : 9242	6014 : 9244	6054 : 9244
6015 : 9241	6055 : 9241	6015 : 9242	6055 : 9242	6015 : 9244	6055 : 9244
6016 : 9241	6056 : 9241	6016 : 9242	6056 : 9242	6016 : 9244	6056 : 9244
6017 : 9241	6057 : 9241	6017 : 9242	6057 : 9242	6017 : 9244	6057 : 9244
6018 : 9241	6058 : 9241	6018 : 9242	6058 : 9242	6018 : 9244	6058 : 9244
6019 : 9241	6059 : 9241	6019 : 9242	6059 : 9242	6019 : 9244	6059 : 9244
6020 : 9241	6060 : 9241	6020 : 9242	6060 : 9242	6020 : 9244	6060 : 9244
6021 : 9241	6061 : 9241	6021 : 9242	6061 : 9242	6021 : 9244	6061 : 9244
6022 : 9241	6062 : 9241	6022 : 9242	6062 : 9242	6022 : 9244	6062 : 9244
6023 : 9241	6063 : 9241	6023 : 9242	6063 : 9242	6023 : 9244	6063 : 9244
6024 : 9241	6064 : 9241	6024 : 9242	6064 : 9242	6024 : 9244	6064 : 9244
6025 : 9241	6065 : 9241	6025 : 9242	6065 : 9242	6025 : 9244	6065 : 9244
6026 : 9241	6066 : 9241	6026 : 9242	6066 : 9242	6026 : 9244	6066 : 9244
6027 : 9241	6067 : 9241	6027 : 9242	6067 : 9242	6027 : 9244	6067 : 9244
6028 : 9241	6068 : 9241	6028 : 9242	6068 : 9242	6028 : 9244	6068 : 9244
6029 : 9241	6069 : 9241	6029 : 9242	6069 : 9242	6029 : 9244	6069 : 9244
6030 : 9241	6070 : 9241	6030 : 9242	6070 : 9242	6030 : 9244	6070 : 9244
6031 : 9241	6071 : 9241	6031 : 9242	6071 : 9242	6031 : 9244	6071 : 9244
6032 : 9241	6072 : 9241	6032 : 9242	6072 : 9242	6032 : 9244	6072 : 9244
6033 : 9241	6073 : 9241	6033 : 9242	6073 : 9242	6033 : 9244	6073 : 9244
6034 : 9241	6074 : 9241	6034 : 9242	6074 : 9242	6034 : 9244	6074 : 9244
6035 : 9241	6075 : 9241	6035 : 9242	6075 : 9242	6035 : 9244	6075 : 9244
6036 : 9241	6076 : 9241	6036 : 9242	6076 : 9242	6036 : 9244	6076 : 9244
6037 : 9241	6077 : 9241	6037 : 9242	6077 : 9242	6037 : 9244	6077 : 9244
6038 : 9241	6078 : 9241	6038 : 9242	6078 : 9242	6038 : 9244	6078 : 9244
6039 : 9241		6039 : 9242		6039 : 9244	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9245	6040 : 9245	6000 : 9246	6040 : 9246	6000 : 9247	6040 : 9247
6001 : 9245	6041 : 9245	6001 : 9246	6041 : 9246	6001 : 9247	6041 : 9247
6002 : 9245	6042 : 9245	6002 : 9246	6042 : 9246	6002 : 9247	6042 : 9247
6003 : 9245	6043 : 9245	6003 : 9246	6043 : 9246	6003 : 9247	6043 : 9247
6004 : 9245	6044 : 9245	6004 : 9246	6044 : 9246	6004 : 9247	6044 : 9247
6005 : 9245	6045 : 9245	6005 : 9246	6045 : 9246	6005 : 9247	6045 : 9247
6006 : 9245	6046 : 9245	6006 : 9246	6046 : 9246	6006 : 9247	6046 : 9247
6007 : 9245	6047 : 9245	6007 : 9246	6047 : 9246	6007 : 9247	6047 : 9247
6008 : 9245	6048 : 9245	6008 : 9246	6048 : 9246	6008 : 9247	6048 : 9247
6009 : 9245	6049 : 9245	6009 : 9246	6049 : 9246	6009 : 9247	6049 : 9247
6010 : 9245	6050 : 9245	6010 : 9246	6050 : 9246	6010 : 9247	6050 : 9247
6011 : 9245	6051 : 9245	6011 : 9246	6051 : 9246	6011 : 9247	6051 : 9247
6012 : 9245	6052 : 9245	6012 : 9246	6052 : 9246	6012 : 9247	6052 : 9247
6013 : 9245	6053 : 9245	6013 : 9246	6053 : 9246	6013 : 9247	6053 : 9247
6014 : 9245	6054 : 9245	6014 : 9246	6054 : 9246	6014 : 9247	6054 : 9247
6015 : 9245	6055 : 9245	6015 : 9246	6055 : 9246	6015 : 9247	6055 : 9247
6016 : 9245	6056 : 9245	6016 : 9246	6056 : 9246	6016 : 9247	6056 : 9247
6017 : 9245	6057 : 9245	6017 : 9246	6057 : 9246	6017 : 9247	6057 : 9247
6018 : 9245	6058 : 9245	6018 : 9246	6058 : 9246	6018 : 9247	6058 : 9247
6019 : 9245	6059 : 9245	6019 : 9246	6059 : 9246	6019 : 9247	6059 : 9247
6020 : 9245	6060 : 9245	6020 : 9246	6060 : 9246	6020 : 9247	6060 : 9247
6021 : 9245	6061 : 9245	6021 : 9246	6061 : 9246	6021 : 9247	6061 : 9247
6022 : 9245	6062 : 9245	6022 : 9246	6062 : 9246	6022 : 9247	6062 : 9247
6023 : 9245	6063 : 9245	6023 : 9246	6063 : 9246	6023 : 9247	6063 : 9247
6024 : 9245	6064 : 9245	6024 : 9246	6064 : 9246	6024 : 9247	6064 : 9247
6025 : 9245	6065 : 9245	6025 : 9246	6065 : 9246	6025 : 9247	6065 : 9247
6026 : 9245	6066 : 9245	6026 : 9246	6066 : 9246	6026 : 9247	6066 : 9247
6027 : 9245	6067 : 9245	6027 : 9246	6067 : 9246	6027 : 9247	6067 : 9247
6028 : 9245	6068 : 9245	6028 : 9246	6068 : 9246	6028 : 9247	6068 : 9247
6029 : 9245	6069 : 9245	6029 : 9246	6069 : 9246	6029 : 9247	6069 : 9247
6030 : 9245	6070 : 9245	6030 : 9246	6070 : 9246	6030 : 9247	6070 : 9247
6031 : 9245	6071 : 9245	6031 : 9246	6071 : 9246	6031 : 9247	6071 : 9247
6032 : 9245	6072 : 9245	6032 : 9246	6072 : 9246	6032 : 9247	6072 : 9247
6033 : 9245	6073 : 9245	6033 : 9246	6073 : 9246	6033 : 9247	6073 : 9247
6034 : 9245	6074 : 9245	6034 : 9246	6074 : 9246	6034 : 9247	6074 : 9247
6035 : 9245	6075 : 9245	6035 : 9246	6075 : 9246	6035 : 9247	6075 : 9247
6036 : 9245	6076 : 9245	6036 : 9246	6076 : 9246	6036 : 9247	6076 : 9247
6037 : 9245	6077 : 9245	6037 : 9246	6077 : 9246	6037 : 9247	6077 : 9247
6038 : 9245	6078 : 9245	6038 : 9246	6078 : 9246	6038 : 9247	6078 : 9247
6039 : 9245		6039 : 9246		6039 : 9247	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9248	6040 : 9248	6000 : 9249	6040 : 9249	6000 : 9250	6040 : 9250
6001 : 9248	6041 : 9248	6001 : 9249	6041 : 9249	6001 : 9250	6041 : 9250
6002 : 9248	6042 : 9248	6002 : 9249	6042 : 9249	6002 : 9250	6042 : 9250
6003 : 9248	6043 : 9248	6003 : 9249	6043 : 9249	6003 : 9250	6043 : 9250
6004 : 9248	6044 : 9248	6004 : 9249	6044 : 9249	6004 : 9250	6044 : 9250
6005 : 9248	6045 : 9248	6005 : 9249	6045 : 9249	6005 : 9250	6045 : 9250
6006 : 9248	6046 : 9248	6006 : 9249	6046 : 9249	6006 : 9250	6046 : 9250
6007 : 9248	6047 : 9248	6007 : 9249	6047 : 9249	6007 : 9250	6047 : 9250
6008 : 9248	6048 : 9248	6008 : 9249	6048 : 9249	6008 : 9250	6048 : 9250
6009 : 9248	6049 : 9248	6009 : 9249	6049 : 9249	6009 : 9250	6049 : 9250
6010 : 9248	6050 : 9248	6010 : 9249	6050 : 9249	6010 : 9250	6050 : 9250
6011 : 9248	6051 : 9248	6011 : 9249	6051 : 9249	6011 : 9250	6051 : 9250
6012 : 9248	6052 : 9248	6012 : 9249	6052 : 9249	6012 : 9250	6052 : 9250
6013 : 9248	6053 : 9248	6013 : 9249	6053 : 9249	6013 : 9250	6053 : 9250
6014 : 9248	6054 : 9248	6014 : 9249	6054 : 9249	6014 : 9250	6054 : 9250
6015 : 9248	6055 : 9248	6015 : 9249	6055 : 9249	6015 : 9250	6055 : 9250
6016 : 9248	6056 : 9248	6016 : 9249	6056 : 9249	6016 : 9250	6056 : 9250
6017 : 9248	6057 : 9248	6017 : 9249	6057 : 9249	6017 : 9250	6057 : 9250
6018 : 9248	6058 : 9248	6018 : 9249	6058 : 9249	6018 : 9250	6058 : 9250
6019 : 9248	6059 : 9248	6019 : 9249	6059 : 9249	6019 : 9250	6059 : 9250
6020 : 9248	6060 : 9248	6020 : 9249	6060 : 9249	6020 : 9250	6060 : 9250
6021 : 9248	6061 : 9248	6021 : 9249	6061 : 9249	6021 : 9250	6061 : 9250
6022 : 9248	6062 : 9248	6022 : 9249	6062 : 9249	6022 : 9250	6062 : 9250
6023 : 9248	6063 : 9248	6023 : 9249	6063 : 9249	6023 : 9250	6063 : 9250
6024 : 9248	6064 : 9248	6024 : 9249	6064 : 9249	6024 : 9250	6064 : 9250
6025 : 9248	6065 : 9248	6025 : 9249	6065 : 9249	6025 : 9250	6065 : 9250
6026 : 9248	6066 : 9248	6026 : 9249	6066 : 9249	6026 : 9250	6066 : 9250
6027 : 9248	6067 : 9248	6027 : 9249	6067 : 9249	6027 : 9250	6067 : 9250
6028 : 9248	6068 : 9248	6028 : 9249	6068 : 9249	6028 : 9250	6068 : 9250
6029 : 9248	6069 : 9248	6029 : 9249	6069 : 9249	6029 : 9250	6069 : 9250
6030 : 9248	6070 : 9248	6030 : 9249	6070 : 9249	6030 : 9250	6070 : 9250
6031 : 9248	6071 : 9248	6031 : 9249	6071 : 9249	6031 : 9250	6071 : 9250
6032 : 9248	6072 : 9248	6032 : 9249	6072 : 9249	6032 : 9250	6072 : 9250
6033 : 9248	6073 : 9248	6033 : 9249	6073 : 9249	6033 : 9250	6073 : 9250
6034 : 9248	6074 : 9248	6034 : 9249	6074 : 9249	6034 : 9250	6074 : 9250
6035 : 9248	6075 : 9248	6035 : 9249	6075 : 9249	6035 : 9250	6075 : 9250
6036 : 9248	6076 : 9248	6036 : 9249	6076 : 9249	6036 : 9250	6076 : 9250
6037 : 9248	6077 : 9248	6037 : 9249	6077 : 9249	6037 : 9250	6077 : 9250
6038 : 9248	6078 : 9248	6038 : 9249	6078 : 9249	6038 : 9250	6078 : 9250
6039 : 9248		6039 : 9249		6039 : 9250	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9251	6040 : 9251	6000 : 9252	6040 : 9252	6000 : 9253	6040 : 9253
6001 : 9251	6041 : 9251	6001 : 9252	6041 : 9252	6001 : 9253	6041 : 9253
6002 : 9251	6042 : 9251	6002 : 9252	6042 : 9252	6002 : 9253	6042 : 9253
6003 : 9251	6043 : 9251	6003 : 9252	6043 : 9252	6003 : 9253	6043 : 9253
6004 : 9251	6044 : 9251	6004 : 9252	6044 : 9252	6004 : 9253	6044 : 9253
6005 : 9251	6045 : 9251	6005 : 9252	6045 : 9252	6005 : 9253	6045 : 9253
6006 : 9251	6046 : 9251	6006 : 9252	6046 : 9252	6006 : 9253	6046 : 9253
6007 : 9251	6047 : 9251	6007 : 9252	6047 : 9252	6007 : 9253	6047 : 9253
6008 : 9251	6048 : 9251	6008 : 9252	6048 : 9252	6008 : 9253	6048 : 9253
6009 : 9251	6049 : 9251	6009 : 9252	6049 : 9252	6009 : 9253	6049 : 9253
6010 : 9251	6050 : 9251	6010 : 9252	6050 : 9252	6010 : 9253	6050 : 9253
6011 : 9251	6051 : 9251	6011 : 9252	6051 : 9252	6011 : 9253	6051 : 9253
6012 : 9251	6052 : 9251	6012 : 9252	6052 : 9252	6012 : 9253	6052 : 9253
6013 : 9251	6053 : 9251	6013 : 9252	6053 : 9252	6013 : 9253	6053 : 9253
6014 : 9251	6054 : 9251	6014 : 9252	6054 : 9252	6014 : 9253	6054 : 9253
6015 : 9251	6055 : 9251	6015 : 9252	6055 : 9252	6015 : 9253	6055 : 9253
6016 : 9251	6056 : 9251	6016 : 9252	6056 : 9252	6016 : 9253	6056 : 9253
6017 : 9251	6057 : 9251	6017 : 9252	6057 : 9252	6017 : 9253	6057 : 9253
6018 : 9251	6058 : 9251	6018 : 9252	6058 : 9252	6018 : 9253	6058 : 9253
6019 : 9251	6059 : 9251	6019 : 9252	6059 : 9252	6019 : 9253	6059 : 9253
6020 : 9251	6060 : 9251	6020 : 9252	6060 : 9252	6020 : 9253	6060 : 9253
6021 : 9251	6061 : 9251	6021 : 9252	6061 : 9252	6021 : 9253	6061 : 9253
6022 : 9251	6062 : 9251	6022 : 9252	6062 : 9252	6022 : 9253	6062 : 9253
6023 : 9251	6063 : 9251	6023 : 9252	6063 : 9252	6023 : 9253	6063 : 9253
6024 : 9251	6064 : 9251	6024 : 9252	6064 : 9252	6024 : 9253	6064 : 9253
6025 : 9251	6065 : 9251	6025 : 9252	6065 : 9252	6025 : 9253	6065 : 9253
6026 : 9251	6066 : 9251	6026 : 9252	6066 : 9252	6026 : 9253	6066 : 9253
6027 : 9251	6067 : 9251	6027 : 9252	6067 : 9252	6027 : 9253	6067 : 9253
6028 : 9251	6068 : 9251	6028 : 9252	6068 : 9252	6028 : 9253	6068 : 9253
6029 : 9251	6069 : 9251	6029 : 9252	6069 : 9252	6029 : 9253	6069 : 9253
6030 : 9251	6070 : 9251	6030 : 9252	6070 : 9252	6030 : 9253	6070 : 9253
6031 : 9251	6071 : 9251	6031 : 9252	6071 : 9252	6031 : 9253	6071 : 9253
6032 : 9251	6072 : 9251	6032 : 9252	6072 : 9252	6032 : 9253	6072 : 9253
6033 : 9251	6073 : 9251	6033 : 9252	6073 : 9252	6033 : 9253	6073 : 9253
6034 : 9251	6074 : 9251	6034 : 9252	6074 : 9252	6034 : 9253	6074 : 9253
6035 : 9251	6075 : 9251	6035 : 9252	6075 : 9252	6035 : 9253	6075 : 9253
6036 : 9251	6076 : 9251	6036 : 9252	6076 : 9252	6036 : 9253	6076 : 9253
6037 : 9251	6077 : 9251	6037 : 9252	6077 : 9252	6037 : 9253	6077 : 9253
6038 : 9251	6078 : 9251	6038 : 9252	6078 : 9252	6038 : 9253	6078 : 9253
6039 : 9251		6039 : 9252		6039 : 9253	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9255	6040 : 9255	6000 : 9256	6040 : 9256	6000 : 9257	6040 : 9257
6001 : 9255	6041 : 9255	6001 : 9256	6041 : 9256	6001 : 9257	6041 : 9257
6002 : 9255	6042 : 9255	6002 : 9256	6042 : 9256	6002 : 9257	6042 : 9257
6003 : 9255	6043 : 9255	6003 : 9256	6043 : 9256	6003 : 9257	6043 : 9257
6004 : 9255	6044 : 9255	6004 : 9256	6044 : 9256	6004 : 9257	6044 : 9257
6005 : 9255	6045 : 9255	6005 : 9256	6045 : 9256	6005 : 9257	6045 : 9257
6006 : 9255	6046 : 9255	6006 : 9256	6046 : 9256	6006 : 9257	6046 : 9257
6007 : 9255	6047 : 9255	6007 : 9256	6047 : 9256	6007 : 9257	6047 : 9257
6008 : 9255	6048 : 9255	6008 : 9256	6048 : 9256	6008 : 9257	6048 : 9257
6009 : 9255	6049 : 9255	6009 : 9256	6049 : 9256	6009 : 9257	6049 : 9257
6010 : 9255	6050 : 9255	6010 : 9256	6050 : 9256	6010 : 9257	6050 : 9257
6011 : 9255	6051 : 9255	6011 : 9256	6051 : 9256	6011 : 9257	6051 : 9257
6012 : 9255	6052 : 9255	6012 : 9256	6052 : 9256	6012 : 9257	6052 : 9257
6013 : 9255	6053 : 9255	6013 : 9256	6053 : 9256	6013 : 9257	6053 : 9257
6014 : 9255	6054 : 9255	6014 : 9256	6054 : 9256	6014 : 9257	6054 : 9257
6015 : 9255	6055 : 9255	6015 : 9256	6055 : 9256	6015 : 9257	6055 : 9257
6016 : 9255	6056 : 9255	6016 : 9256	6056 : 9256	6016 : 9257	6056 : 9257
6017 : 9255	6057 : 9255	6017 : 9256	6057 : 9256	6017 : 9257	6057 : 9257
6018 : 9255	6058 : 9255	6018 : 9256	6058 : 9256	6018 : 9257	6058 : 9257
6019 : 9255	6059 : 9255	6019 : 9256	6059 : 9256	6019 : 9257	6059 : 9257
6020 : 9255	6060 : 9255	6020 : 9256	6060 : 9256	6020 : 9257	6060 : 9257
6021 : 9255	6061 : 9255	6021 : 9256	6061 : 9256	6021 : 9257	6061 : 9257
6022 : 9255	6062 : 9255	6022 : 9256	6062 : 9256	6022 : 9257	6062 : 9257
6023 : 9255	6063 : 9255	6023 : 9256	6063 : 9256	6023 : 9257	6063 : 9257
6024 : 9255	6064 : 9255	6024 : 9256	6064 : 9256	6024 : 9257	6064 : 9257
6025 : 9255	6065 : 9255	6025 : 9256	6065 : 9256	6025 : 9257	6065 : 9257
6026 : 9255	6066 : 9255	6026 : 9256	6066 : 9256	6026 : 9257	6066 : 9257
6027 : 9255	6067 : 9255	6027 : 9256	6067 : 9256	6027 : 9257	6067 : 9257
6028 : 9255	6068 : 9255	6028 : 9256	6068 : 9256	6028 : 9257	6068 : 9257
6029 : 9255	6069 : 9255	6029 : 9256	6069 : 9256	6029 : 9257	6069 : 9257
6030 : 9255	6070 : 9255	6030 : 9256	6070 : 9256	6030 : 9257	6070 : 9257
6031 : 9255	6071 : 9255	6031 : 9256	6071 : 9256	6031 : 9257	6071 : 9257
6032 : 9255	6072 : 9255	6032 : 9256	6072 : 9256	6032 : 9257	6072 : 9257
6033 : 9255	6073 : 9255	6033 : 9256	6073 : 9256	6033 : 9257	6073 : 9257
6034 : 9255	6074 : 9255	6034 : 9256	6074 : 9256	6034 : 9257	6074 : 9257
6035 : 9255	6075 : 9255	6035 : 9256	6075 : 9256	6035 : 9257	6075 : 9257
6036 : 9255	6076 : 9255	6036 : 9256	6076 : 9256	6036 : 9257	6076 : 9257
6037 : 9255	6077 : 9255	6037 : 9256	6077 : 9256	6037 : 9257	6077 : 9257
6038 : 9255	6078 : 9255	6038 : 9256	6078 : 9256	6038 : 9257	6078 : 9257
6039 : 9255		6039 : 9256		6039 : 9257	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9258	6040 : 9258	6000 : 9259	6040 : 9259	6000 : 9260	6040 : 9260
6001 : 9258	6041 : 9258	6001 : 9259	6041 : 9259	6001 : 9260	6041 : 9260
6002 : 9258	6042 : 9258	6002 : 9259	6042 : 9259	6002 : 9260	6042 : 9260
6003 : 9258	6043 : 9258	6003 : 9259	6043 : 9259	6003 : 9260	6043 : 9260
6004 : 9258	6044 : 9258	6004 : 9259	6044 : 9259	6004 : 9260	6044 : 9260
6005 : 9258	6045 : 9258	6005 : 9259	6045 : 9259	6005 : 9260	6045 : 9260
6006 : 9258	6046 : 9258	6006 : 9259	6046 : 9259	6006 : 9260	6046 : 9260
6007 : 9258	6047 : 9258	6007 : 9259	6047 : 9259	6007 : 9260	6047 : 9260
6008 : 9258	6048 : 9258	6008 : 9259	6048 : 9259	6008 : 9260	6048 : 9260
6009 : 9258	6049 : 9258	6009 : 9259	6049 : 9259	6009 : 9260	6049 : 9260
6010 : 9258	6050 : 9258	6010 : 9259	6050 : 9259	6010 : 9260	6050 : 9260
6011 : 9258	6051 : 9258	6011 : 9259	6051 : 9259	6011 : 9260	6051 : 9260
6012 : 9258	6052 : 9258	6012 : 9259	6052 : 9259	6012 : 9260	6052 : 9260
6013 : 9258	6053 : 9258	6013 : 9259	6053 : 9259	6013 : 9260	6053 : 9260
6014 : 9258	6054 : 9258	6014 : 9259	6054 : 9259	6014 : 9260	6054 : 9260
6015 : 9258	6055 : 9258	6015 : 9259	6055 : 9259	6015 : 9260	6055 : 9260
6016 : 9258	6056 : 9258	6016 : 9259	6056 : 9259	6016 : 9260	6056 : 9260
6017 : 9258	6057 : 9258	6017 : 9259	6057 : 9259	6017 : 9260	6057 : 9260
6018 : 9258	6058 : 9258	6018 : 9259	6058 : 9259	6018 : 9260	6058 : 9260
6019 : 9258	6059 : 9258	6019 : 9259	6059 : 9259	6019 : 9260	6059 : 9260
6020 : 9258	6060 : 9258	6020 : 9259	6060 : 9259	6020 : 9260	6060 : 9260
6021 : 9258	6061 : 9258	6021 : 9259	6061 : 9259	6021 : 9260	6061 : 9260
6022 : 9258	6062 : 9258	6022 : 9259	6062 : 9259	6022 : 9260	6062 : 9260
6023 : 9258	6063 : 9258	6023 : 9259	6063 : 9259	6023 : 9260	6063 : 9260
6024 : 9258	6064 : 9258	6024 : 9259	6064 : 9259	6024 : 9260	6064 : 9260
6025 : 9258	6065 : 9258	6025 : 9259	6065 : 9259	6025 : 9260	6065 : 9260
6026 : 9258	6066 : 9258	6026 : 9259	6066 : 9259	6026 : 9260	6066 : 9260
6027 : 9258	6067 : 9258	6027 : 9259	6067 : 9259	6027 : 9260	6067 : 9260
6028 : 9258	6068 : 9258	6028 : 9259	6068 : 9259	6028 : 9260	6068 : 9260
6029 : 9258	6069 : 9258	6029 : 9259	6069 : 9259	6029 : 9260	6069 : 9260
6030 : 9258	6070 : 9258	6030 : 9259	6070 : 9259	6030 : 9260	6070 : 9260
6031 : 9258	6071 : 9258	6031 : 9259	6071 : 9259	6031 : 9260	6071 : 9260
6032 : 9258	6072 : 9258	6032 : 9259	6072 : 9259	6032 : 9260	6072 : 9260
6033 : 9258	6073 : 9258	6033 : 9259	6073 : 9259	6033 : 9260	6073 : 9260
6034 : 9258	6074 : 9258	6034 : 9259	6074 : 9259	6034 : 9260	6074 : 9260
6035 : 9258	6075 : 9258	6035 : 9259	6075 : 9259	6035 : 9260	6075 : 9260
6036 : 9258	6076 : 9258	6036 : 9259	6076 : 9259	6036 : 9260	6076 : 9260
6037 : 9258	6077 : 9258	6037 : 9259	6077 : 9259	6037 : 9260	6077 : 9260
6038 : 9258	6078 : 9258	6038 : 9259	6078 : 9259	6038 : 9260	6078 : 9260
6039 : 9258		6039 : 9259		6039 : 9260	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9262	6040 : 9262	6000 : 9263	6040 : 9263	6000 : 9264	6040 : 9264
6001 : 9262	6041 : 9262	6001 : 9263	6041 : 9263	6001 : 9264	6041 : 9264
6002 : 9262	6042 : 9262	6002 : 9263	6042 : 9263	6002 : 9264	6042 : 9264
6003 : 9262	6043 : 9262	6003 : 9263	6043 : 9263	6003 : 9264	6043 : 9264
6004 : 9262	6044 : 9262	6004 : 9263	6044 : 9263	6004 : 9264	6044 : 9264
6005 : 9262	6045 : 9262	6005 : 9263	6045 : 9263	6005 : 9264	6045 : 9264
6006 : 9262	6046 : 9262	6006 : 9263	6046 : 9263	6006 : 9264	6046 : 9264
6007 : 9262	6047 : 9262	6007 : 9263	6047 : 9263	6007 : 9264	6047 : 9264
6008 : 9262	6048 : 9262	6008 : 9263	6048 : 9263	6008 : 9264	6048 : 9264
6009 : 9262	6049 : 9262	6009 : 9263	6049 : 9263	6009 : 9264	6049 : 9264
6010 : 9262	6050 : 9262	6010 : 9263	6050 : 9263	6010 : 9264	6050 : 9264
6011 : 9262	6051 : 9262	6011 : 9263	6051 : 9263	6011 : 9264	6051 : 9264
6012 : 9262	6052 : 9262	6012 : 9263	6052 : 9263	6012 : 9264	6052 : 9264
6013 : 9262	6053 : 9262	6013 : 9263	6053 : 9263	6013 : 9264	6053 : 9264
6014 : 9262	6054 : 9262	6014 : 9263	6054 : 9263	6014 : 9264	6054 : 9264
6015 : 9262	6055 : 9262	6015 : 9263	6055 : 9263	6015 : 9264	6055 : 9264
6016 : 9262	6056 : 9262	6016 : 9263	6056 : 9263	6016 : 9264	6056 : 9264
6017 : 9262	6057 : 9262	6017 : 9263	6057 : 9263	6017 : 9264	6057 : 9264
6018 : 9262	6058 : 9262	6018 : 9263	6058 : 9263	6018 : 9264	6058 : 9264
6019 : 9262	6059 : 9262	6019 : 9263	6059 : 9263	6019 : 9264	6059 : 9264
6020 : 9262	6060 : 9262	6020 : 9263	6060 : 9263	6020 : 9264	6060 : 9264
6021 : 9262	6061 : 9262	6021 : 9263	6061 : 9263	6021 : 9264	6061 : 9264
6022 : 9262	6062 : 9262	6022 : 9263	6062 : 9263	6022 : 9264	6062 : 9264
6023 : 9262	6063 : 9262	6023 : 9263	6063 : 9263	6023 : 9264	6063 : 9264
6024 : 9262	6064 : 9262	6024 : 9263	6064 : 9263	6024 : 9264	6064 : 9264
6025 : 9262	6065 : 9262	6025 : 9263	6065 : 9263	6025 : 9264	6065 : 9264
6026 : 9262	6066 : 9262	6026 : 9263	6066 : 9263	6026 : 9264	6066 : 9264
6027 : 9262	6067 : 9262	6027 : 9263	6067 : 9263	6027 : 9264	6067 : 9264
6028 : 9262	6068 : 9262	6028 : 9263	6068 : 9263	6028 : 9264	6068 : 9264
6029 : 9262	6069 : 9262	6029 : 9263	6069 : 9263	6029 : 9264	6069 : 9264
6030 : 9262	6070 : 9262	6030 : 9263	6070 : 9263	6030 : 9264	6070 : 9264
6031 : 9262	6071 : 9262	6031 : 9263	6071 : 9263	6031 : 9264	6071 : 9264
6032 : 9262	6072 : 9262	6032 : 9263	6072 : 9263	6032 : 9264	6072 : 9264
6033 : 9262	6073 : 9262	6033 : 9263	6073 : 9263	6033 : 9264	6073 : 9264
6034 : 9262	6074 : 9262	6034 : 9263	6074 : 9263	6034 : 9264	6074 : 9264
6035 : 9262	6075 : 9262	6035 : 9263	6075 : 9263	6035 : 9264	6075 : 9264
6036 : 9262	6076 : 9262	6036 : 9263	6076 : 9263	6036 : 9264	6076 : 9264
6037 : 9262	6077 : 9262	6037 : 9263	6077 : 9263	6037 : 9264	6077 : 9264
6038 : 9262	6078 : 9262	6038 : 9263	6078 : 9263	6038 : 9264	6078 : 9264
6039 : 9262		6039 : 9263		6039 : 9264	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9265	6040 : 9265	6000 : 9266	6040 : 9266	6000 : 9267	6040 : 9267
6001 : 9265	6041 : 9265	6001 : 9266	6041 : 9266	6001 : 9267	6041 : 9267
6002 : 9265	6042 : 9265	6002 : 9266	6042 : 9266	6002 : 9267	6042 : 9267
6003 : 9265	6043 : 9265	6003 : 9266	6043 : 9266	6003 : 9267	6043 : 9267
6004 : 9265	6044 : 9265	6004 : 9266	6044 : 9266	6004 : 9267	6044 : 9267
6005 : 9265	6045 : 9265	6005 : 9266	6045 : 9266	6005 : 9267	6045 : 9267
6006 : 9265	6046 : 9265	6006 : 9266	6046 : 9266	6006 : 9267	6046 : 9267
6007 : 9265	6047 : 9265	6007 : 9266	6047 : 9266	6007 : 9267	6047 : 9267
6008 : 9265	6048 : 9265	6008 : 9266	6048 : 9266	6008 : 9267	6048 : 9267
6009 : 9265	6049 : 9265	6009 : 9266	6049 : 9266	6009 : 9267	6049 : 9267
6010 : 9265	6050 : 9265	6010 : 9266	6050 : 9266	6010 : 9267	6050 : 9267
6011 : 9265	6051 : 9265	6011 : 9266	6051 : 9266	6011 : 9267	6051 : 9267
6012 : 9265	6052 : 9265	6012 : 9266	6052 : 9266	6012 : 9267	6052 : 9267
6013 : 9265	6053 : 9265	6013 : 9266	6053 : 9266	6013 : 9267	6053 : 9267
6014 : 9265	6054 : 9265	6014 : 9266	6054 : 9266	6014 : 9267	6054 : 9267
6015 : 9265	6055 : 9265	6015 : 9266	6055 : 9266	6015 : 9267	6055 : 9267
6016 : 9265	6056 : 9265	6016 : 9266	6056 : 9266	6016 : 9267	6056 : 9267
6017 : 9265	6057 : 9265	6017 : 9266	6057 : 9266	6017 : 9267	6057 : 9267
6018 : 9265	6058 : 9265	6018 : 9266	6058 : 9266	6018 : 9267	6058 : 9267
6019 : 9265	6059 : 9265	6019 : 9266	6059 : 9266	6019 : 9267	6059 : 9267
6020 : 9265	6060 : 9265	6020 : 9266	6060 : 9266	6020 : 9267	6060 : 9267
6021 : 9265	6061 : 9265	6021 : 9266	6061 : 9266	6021 : 9267	6061 : 9267
6022 : 9265	6062 : 9265	6022 : 9266	6062 : 9266	6022 : 9267	6062 : 9267
6023 : 9265	6063 : 9265	6023 : 9266	6063 : 9266	6023 : 9267	6063 : 9267
6024 : 9265	6064 : 9265	6024 : 9266	6064 : 9266	6024 : 9267	6064 : 9267
6025 : 9265	6065 : 9265	6025 : 9266	6065 : 9266	6025 : 9267	6065 : 9267
6026 : 9265	6066 : 9265	6026 : 9266	6066 : 9266	6026 : 9267	6066 : 9267
6027 : 9265	6067 : 9265	6027 : 9266	6067 : 9266	6027 : 9267	6067 : 9267
6028 : 9265	6068 : 9265	6028 : 9266	6068 : 9266	6028 : 9267	6068 : 9267
6029 : 9265	6069 : 9265	6029 : 9266	6069 : 9266	6029 : 9267	6069 : 9267
6030 : 9265	6070 : 9265	6030 : 9266	6070 : 9266	6030 : 9267	6070 : 9267
6031 : 9265	6071 : 9265	6031 : 9266	6071 : 9266	6031 : 9267	6071 : 9267
6032 : 9265	6072 : 9265	6032 : 9266	6072 : 9266	6032 : 9267	6072 : 9267
6033 : 9265	6073 : 9265	6033 : 9266	6073 : 9266	6033 : 9267	6073 : 9267
6034 : 9265	6074 : 9265	6034 : 9266	6074 : 9266	6034 : 9267	6074 : 9267
6035 : 9265	6075 : 9265	6035 : 9266	6075 : 9266	6035 : 9267	6075 : 9267
6036 : 9265	6076 : 9265	6036 : 9266	6076 : 9266	6036 : 9267	6076 : 9267
6037 : 9265	6077 : 9265	6037 : 9266	6077 : 9266	6037 : 9267	6077 : 9267
6038 : 9265	6078 : 9265	6038 : 9266	6078 : 9266	6038 : 9267	6078 : 9267
6039 : 9265		6039 : 9266		6039 : 9267	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9268	6040 : 9268	6000 : 9269	6040 : 9269	6000 : 9270	6040 : 9270
6001 : 9268	6041 : 9268	6001 : 9269	6041 : 9269	6001 : 9270	6041 : 9270
6002 : 9268	6042 : 9268	6002 : 9269	6042 : 9269	6002 : 9270	6042 : 9270
6003 : 9268	6043 : 9268	6003 : 9269	6043 : 9269	6003 : 9270	6043 : 9270
6004 : 9268	6044 : 9268	6004 : 9269	6044 : 9269	6004 : 9270	6044 : 9270
6005 : 9268	6045 : 9268	6005 : 9269	6045 : 9269	6005 : 9270	6045 : 9270
6006 : 9268	6046 : 9268	6006 : 9269	6046 : 9269	6006 : 9270	6046 : 9270
6007 : 9268	6047 : 9268	6007 : 9269	6047 : 9269	6007 : 9270	6047 : 9270
6008 : 9268	6048 : 9268	6008 : 9269	6048 : 9269	6008 : 9270	6048 : 9270
6009 : 9268	6049 : 9268	6009 : 9269	6049 : 9269	6009 : 9270	6049 : 9270
6010 : 9268	6050 : 9268	6010 : 9269	6050 : 9269	6010 : 9270	6050 : 9270
6011 : 9268	6051 : 9268	6011 : 9269	6051 : 9269	6011 : 9270	6051 : 9270
6012 : 9268	6052 : 9268	6012 : 9269	6052 : 9269	6012 : 9270	6052 : 9270
6013 : 9268	6053 : 9268	6013 : 9269	6053 : 9269	6013 : 9270	6053 : 9270
6014 : 9268	6054 : 9268	6014 : 9269	6054 : 9269	6014 : 9270	6054 : 9270
6015 : 9268	6055 : 9268	6015 : 9269	6055 : 9269	6015 : 9270	6055 : 9270
6016 : 9268	6056 : 9268	6016 : 9269	6056 : 9269	6016 : 9270	6056 : 9270
6017 : 9268	6057 : 9268	6017 : 9269	6057 : 9269	6017 : 9270	6057 : 9270
6018 : 9268	6058 : 9268	6018 : 9269	6058 : 9269	6018 : 9270	6058 : 9270
6019 : 9268	6059 : 9268	6019 : 9269	6059 : 9269	6019 : 9270	6059 : 9270
6020 : 9268	6060 : 9268	6020 : 9269	6060 : 9269	6020 : 9270	6060 : 9270
6021 : 9268	6061 : 9268	6021 : 9269	6061 : 9269	6021 : 9270	6061 : 9270
6022 : 9268	6062 : 9268	6022 : 9269	6062 : 9269	6022 : 9270	6062 : 9270
6023 : 9268	6063 : 9268	6023 : 9269	6063 : 9269	6023 : 9270	6063 : 9270
6024 : 9268	6064 : 9268	6024 : 9269	6064 : 9269	6024 : 9270	6064 : 9270
6025 : 9268	6065 : 9268	6025 : 9269	6065 : 9269	6025 : 9270	6065 : 9270
6026 : 9268	6066 : 9268	6026 : 9269	6066 : 9269	6026 : 9270	6066 : 9270
6027 : 9268	6067 : 9268	6027 : 9269	6067 : 9269	6027 : 9270	6067 : 9270
6028 : 9268	6068 : 9268	6028 : 9269	6068 : 9269	6028 : 9270	6068 : 9270
6029 : 9268	6069 : 9268	6029 : 9269	6069 : 9269	6029 : 9270	6069 : 9270
6030 : 9268	6070 : 9268	6030 : 9269	6070 : 9269	6030 : 9270	6070 : 9270
6031 : 9268	6071 : 9268	6031 : 9269	6071 : 9269	6031 : 9270	6071 : 9270
6032 : 9268	6072 : 9268	6032 : 9269	6072 : 9269	6032 : 9270	6072 : 9270
6033 : 9268	6073 : 9268	6033 : 9269	6073 : 9269	6033 : 9270	6073 : 9270
6034 : 9268	6074 : 9268	6034 : 9269	6074 : 9269	6034 : 9270	6074 : 9270
6035 : 9268	6075 : 9268	6035 : 9269	6075 : 9269	6035 : 9270	6075 : 9270
6036 : 9268	6076 : 9268	6036 : 9269	6076 : 9269	6036 : 9270	6076 : 9270
6037 : 9268	6077 : 9268	6037 : 9269	6077 : 9269	6037 : 9270	6077 : 9270
6038 : 9268	6078 : 9268	6038 : 9269	6078 : 9269	6038 : 9270	6078 : 9270
6039 : 9268		6039 : 9269		6039 : 9270	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9271	6040 : 9271	6000 : 9272	6040 : 9272	6000 : 9273	6040 : 9273
6001 : 9271	6041 : 9271	6001 : 9272	6041 : 9272	6001 : 9273	6041 : 9273
6002 : 9271	6042 : 9271	6002 : 9272	6042 : 9272	6002 : 9273	6042 : 9273
6003 : 9271	6043 : 9271	6003 : 9272	6043 : 9272	6003 : 9273	6043 : 9273
6004 : 9271	6044 : 9271	6004 : 9272	6044 : 9272	6004 : 9273	6044 : 9273
6005 : 9271	6045 : 9271	6005 : 9272	6045 : 9272	6005 : 9273	6045 : 9273
6006 : 9271	6046 : 9271	6006 : 9272	6046 : 9272	6006 : 9273	6046 : 9273
6007 : 9271	6047 : 9271	6007 : 9272	6047 : 9272	6007 : 9273	6047 : 9273
6008 : 9271	6048 : 9271	6008 : 9272	6048 : 9272	6008 : 9273	6048 : 9273
6009 : 9271	6049 : 9271	6009 : 9272	6049 : 9272	6009 : 9273	6049 : 9273
6010 : 9271	6050 : 9271	6010 : 9272	6050 : 9272	6010 : 9273	6050 : 9273
6011 : 9271	6051 : 9271	6011 : 9272	6051 : 9272	6011 : 9273	6051 : 9273
6012 : 9271	6052 : 9271	6012 : 9272	6052 : 9272	6012 : 9273	6052 : 9273
6013 : 9271	6053 : 9271	6013 : 9272	6053 : 9272	6013 : 9273	6053 : 9273
6014 : 9271	6054 : 9271	6014 : 9272	6054 : 9272	6014 : 9273	6054 : 9273
6015 : 9271	6055 : 9271	6015 : 9272	6055 : 9272	6015 : 9273	6055 : 9273
6016 : 9271	6056 : 9271	6016 : 9272	6056 : 9272	6016 : 9273	6056 : 9273
6017 : 9271	6057 : 9271	6017 : 9272	6057 : 9272	6017 : 9273	6057 : 9273
6018 : 9271	6058 : 9271	6018 : 9272	6058 : 9272	6018 : 9273	6058 : 9273
6019 : 9271	6059 : 9271	6019 : 9272	6059 : 9272	6019 : 9273	6059 : 9273
6020 : 9271	6060 : 9271	6020 : 9272	6060 : 9272	6020 : 9273	6060 : 9273
6021 : 9271	6061 : 9271	6021 : 9272	6061 : 9272	6021 : 9273	6061 : 9273
6022 : 9271	6062 : 9271	6022 : 9272	6062 : 9272	6022 : 9273	6062 : 9273
6023 : 9271	6063 : 9271	6023 : 9272	6063 : 9272	6023 : 9273	6063 : 9273
6024 : 9271	6064 : 9271	6024 : 9272	6064 : 9272	6024 : 9273	6064 : 9273
6025 : 9271	6065 : 9271	6025 : 9272	6065 : 9272	6025 : 9273	6065 : 9273
6026 : 9271	6066 : 9271	6026 : 9272	6066 : 9272	6026 : 9273	6066 : 9273
6027 : 9271	6067 : 9271	6027 : 9272	6067 : 9272	6027 : 9273	6067 : 9273
6028 : 9271	6068 : 9271	6028 : 9272	6068 : 9272	6028 : 9273	6068 : 9273
6029 : 9271	6069 : 9271	6029 : 9272	6069 : 9272	6029 : 9273	6069 : 9273
6030 : 9271	6070 : 9271	6030 : 9272	6070 : 9272	6030 : 9273	6070 : 9273
6031 : 9271	6071 : 9271	6031 : 9272	6071 : 9272	6031 : 9273	6071 : 9273
6032 : 9271	6072 : 9271	6032 : 9272	6072 : 9272	6032 : 9273	6072 : 9273
6033 : 9271	6073 : 9271	6033 : 9272	6073 : 9272	6033 : 9273	6073 : 9273
6034 : 9271	6074 : 9271	6034 : 9272	6074 : 9272	6034 : 9273	6074 : 9273
6035 : 9271	6075 : 9271	6035 : 9272	6075 : 9272	6035 : 9273	6075 : 9273
6036 : 9271	6076 : 9271	6036 : 9272	6076 : 9272	6036 : 9273	6076 : 9273
6037 : 9271	6077 : 9271	6037 : 9272	6077 : 9272	6037 : 9273	6077 : 9273
6038 : 9271	6078 : 9271	6038 : 9272	6078 : 9272	6038 : 9273	6078 : 9273
6039 : 9271		6039 : 9272		6039 : 9273	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9274	6040 : 9274	6000 : 9275	6040 : 9275	6000 : 9276	6040 : 9276
6001 : 9274	6041 : 9274	6001 : 9275	6041 : 9275	6001 : 9276	6041 : 9276
6002 : 9274	6042 : 9274	6002 : 9275	6042 : 9275	6002 : 9276	6042 : 9276
6003 : 9274	6043 : 9274	6003 : 9275	6043 : 9275	6003 : 9276	6043 : 9276
6004 : 9274	6044 : 9274	6004 : 9275	6044 : 9275	6004 : 9276	6044 : 9276
6005 : 9274	6045 : 9274	6005 : 9275	6045 : 9275	6005 : 9276	6045 : 9276
6006 : 9274	6046 : 9274	6006 : 9275	6046 : 9275	6006 : 9276	6046 : 9276
6007 : 9274	6047 : 9274	6007 : 9275	6047 : 9275	6007 : 9276	6047 : 9276
6008 : 9274	6048 : 9274	6008 : 9275	6048 : 9275	6008 : 9276	6048 : 9276
6009 : 9274	6049 : 9274	6009 : 9275	6049 : 9275	6009 : 9276	6049 : 9276
6010 : 9274	6050 : 9274	6010 : 9275	6050 : 9275	6010 : 9276	6050 : 9276
6011 : 9274	6051 : 9274	6011 : 9275	6051 : 9275	6011 : 9276	6051 : 9276
6012 : 9274	6052 : 9274	6012 : 9275	6052 : 9275	6012 : 9276	6052 : 9276
6013 : 9274	6053 : 9274	6013 : 9275	6053 : 9275	6013 : 9276	6053 : 9276
6014 : 9274	6054 : 9274	6014 : 9275	6054 : 9275	6014 : 9276	6054 : 9276
6015 : 9274	6055 : 9274	6015 : 9275	6055 : 9275	6015 : 9276	6055 : 9276
6016 : 9274	6056 : 9274	6016 : 9275	6056 : 9275	6016 : 9276	6056 : 9276
6017 : 9274	6057 : 9274	6017 : 9275	6057 : 9275	6017 : 9276	6057 : 9276
6018 : 9274	6058 : 9274	6018 : 9275	6058 : 9275	6018 : 9276	6058 : 9276
6019 : 9274	6059 : 9274	6019 : 9275	6059 : 9275	6019 : 9276	6059 : 9276
6020 : 9274	6060 : 9274	6020 : 9275	6060 : 9275	6020 : 9276	6060 : 9276
6021 : 9274	6061 : 9274	6021 : 9275	6061 : 9275	6021 : 9276	6061 : 9276
6022 : 9274	6062 : 9274	6022 : 9275	6062 : 9275	6022 : 9276	6062 : 9276
6023 : 9274	6063 : 9274	6023 : 9275	6063 : 9275	6023 : 9276	6063 : 9276
6024 : 9274	6064 : 9274	6024 : 9275	6064 : 9275	6024 : 9276	6064 : 9276
6025 : 9274	6065 : 9274	6025 : 9275	6065 : 9275	6025 : 9276	6065 : 9276
6026 : 9274	6066 : 9274	6026 : 9275	6066 : 9275	6026 : 9276	6066 : 9276
6027 : 9274	6067 : 9274	6027 : 9275	6067 : 9275	6027 : 9276	6067 : 9276
6028 : 9274	6068 : 9274	6028 : 9275	6068 : 9275	6028 : 9276	6068 : 9276
6029 : 9274	6069 : 9274	6029 : 9275	6069 : 9275	6029 : 9276	6069 : 9276
6030 : 9274	6070 : 9274	6030 : 9275	6070 : 9275	6030 : 9276	6070 : 9276
6031 : 9274	6071 : 9274	6031 : 9275	6071 : 9275	6031 : 9276	6071 : 9276
6032 : 9274	6072 : 9274	6032 : 9275	6072 : 9275	6032 : 9276	6072 : 9276
6033 : 9274	6073 : 9274	6033 : 9275	6073 : 9275	6033 : 9276	6073 : 9276
6034 : 9274	6074 : 9274	6034 : 9275	6074 : 9275	6034 : 9276	6074 : 9276
6035 : 9274	6075 : 9274	6035 : 9275	6075 : 9275	6035 : 9276	6075 : 9276
6036 : 9274	6076 : 9274	6036 : 9275	6076 : 9275	6036 : 9276	6076 : 9276
6037 : 9274	6077 : 9274	6037 : 9275	6077 : 9275	6037 : 9276	6077 : 9276
6038 : 9274	6078 : 9274	6038 : 9275	6078 : 9275	6038 : 9276	6078 : 9276
6039 : 9274		6039 : 9275		6039 : 9276	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9277	6040 : 9277	6000 : 9278	6040 : 9278	6000 : 9279	6040 : 9279
6001 : 9277	6041 : 9277	6001 : 9278	6041 : 9278	6001 : 9279	6041 : 9279
6002 : 9277	6042 : 9277	6002 : 9278	6042 : 9278	6002 : 9279	6042 : 9279
6003 : 9277	6043 : 9277	6003 : 9278	6043 : 9278	6003 : 9279	6043 : 9279
6004 : 9277	6044 : 9277	6004 : 9278	6044 : 9278	6004 : 9279	6044 : 9279
6005 : 9277	6045 : 9277	6005 : 9278	6045 : 9278	6005 : 9279	6045 : 9279
6006 : 9277	6046 : 9277	6006 : 9278	6046 : 9278	6006 : 9279	6046 : 9279
6007 : 9277	6047 : 9277	6007 : 9278	6047 : 9278	6007 : 9279	6047 : 9279
6008 : 9277	6048 : 9277	6008 : 9278	6048 : 9278	6008 : 9279	6048 : 9279
6009 : 9277	6049 : 9277	6009 : 9278	6049 : 9278	6009 : 9279	6049 : 9279
6010 : 9277	6050 : 9277	6010 : 9278	6050 : 9278	6010 : 9279	6050 : 9279
6011 : 9277	6051 : 9277	6011 : 9278	6051 : 9278	6011 : 9279	6051 : 9279
6012 : 9277	6052 : 9277	6012 : 9278	6052 : 9278	6012 : 9279	6052 : 9279
6013 : 9277	6053 : 9277	6013 : 9278	6053 : 9278	6013 : 9279	6053 : 9279
6014 : 9277	6054 : 9277	6014 : 9278	6054 : 9278	6014 : 9279	6054 : 9279
6015 : 9277	6055 : 9277	6015 : 9278	6055 : 9278	6015 : 9279	6055 : 9279
6016 : 9277	6056 : 9277	6016 : 9278	6056 : 9278	6016 : 9279	6056 : 9279
6017 : 9277	6057 : 9277	6017 : 9278	6057 : 9278	6017 : 9279	6057 : 9279
6018 : 9277	6058 : 9277	6018 : 9278	6058 : 9278	6018 : 9279	6058 : 9279
6019 : 9277	6059 : 9277	6019 : 9278	6059 : 9278	6019 : 9279	6059 : 9279
6020 : 9277	6060 : 9277	6020 : 9278	6060 : 9278	6020 : 9279	6060 : 9279
6021 : 9277	6061 : 9277	6021 : 9278	6061 : 9278	6021 : 9279	6061 : 9279
6022 : 9277	6062 : 9277	6022 : 9278	6062 : 9278	6022 : 9279	6062 : 9279
6023 : 9277	6063 : 9277	6023 : 9278	6063 : 9278	6023 : 9279	6063 : 9279
6024 : 9277	6064 : 9277	6024 : 9278	6064 : 9278	6024 : 9279	6064 : 9279
6025 : 9277	6065 : 9277	6025 : 9278	6065 : 9278	6025 : 9279	6065 : 9279
6026 : 9277	6066 : 9277	6026 : 9278	6066 : 9278	6026 : 9279	6066 : 9279
6027 : 9277	6067 : 9277	6027 : 9278	6067 : 9278	6027 : 9279	6067 : 9279
6028 : 9277	6068 : 9277	6028 : 9278	6068 : 9278	6028 : 9279	6068 : 9279
6029 : 9277	6069 : 9277	6029 : 9278	6069 : 9278	6029 : 9279	6069 : 9279
6030 : 9277	6070 : 9277	6030 : 9278	6070 : 9278	6030 : 9279	6070 : 9279
6031 : 9277	6071 : 9277	6031 : 9278	6071 : 9278	6031 : 9279	6071 : 9279
6032 : 9277	6072 : 9277	6032 : 9278	6072 : 9278	6032 : 9279	6072 : 9279
6033 : 9277	6073 : 9277	6033 : 9278	6073 : 9278	6033 : 9279	6073 : 9279
6034 : 9277	6074 : 9277	6034 : 9278	6074 : 9278	6034 : 9279	6074 : 9279
6035 : 9277	6075 : 9277	6035 : 9278	6075 : 9278	6035 : 9279	6075 : 9279
6036 : 9277	6076 : 9277	6036 : 9278	6076 : 9278	6036 : 9279	6076 : 9279
6037 : 9277	6077 : 9277	6037 : 9278	6077 : 9278	6037 : 9279	6077 : 9279
6038 : 9277	6078 : 9277	6038 : 9278	6078 : 9278	6038 : 9279	6078 : 9279
6039 : 9277		6039 : 9278		6039 : 9279	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9280	6040 : 9280	6000 : 9281	6040 : 9281	6000 : 9282	6040 : 9282
6001 : 9280	6041 : 9280	6001 : 9281	6041 : 9281	6001 : 9282	6041 : 9282
6002 : 9280	6042 : 9280	6002 : 9281	6042 : 9281	6002 : 9282	6042 : 9282
6003 : 9280	6043 : 9280	6003 : 9281	6043 : 9281	6003 : 9282	6043 : 9282
6004 : 9280	6044 : 9280	6004 : 9281	6044 : 9281	6004 : 9282	6044 : 9282
6005 : 9280	6045 : 9280	6005 : 9281	6045 : 9281	6005 : 9282	6045 : 9282
6006 : 9280	6046 : 9280	6006 : 9281	6046 : 9281	6006 : 9282	6046 : 9282
6007 : 9280	6047 : 9280	6007 : 9281	6047 : 9281	6007 : 9282	6047 : 9282
6008 : 9280	6048 : 9280	6008 : 9281	6048 : 9281	6008 : 9282	6048 : 9282
6009 : 9280	6049 : 9280	6009 : 9281	6049 : 9281	6009 : 9282	6049 : 9282
6010 : 9280	6050 : 9280	6010 : 9281	6050 : 9281	6010 : 9282	6050 : 9282
6011 : 9280	6051 : 9280	6011 : 9281	6051 : 9281	6011 : 9282	6051 : 9282
6012 : 9280	6052 : 9280	6012 : 9281	6052 : 9281	6012 : 9282	6052 : 9282
6013 : 9280	6053 : 9280	6013 : 9281	6053 : 9281	6013 : 9282	6053 : 9282
6014 : 9280	6054 : 9280	6014 : 9281	6054 : 9281	6014 : 9282	6054 : 9282
6015 : 9280	6055 : 9280	6015 : 9281	6055 : 9281	6015 : 9282	6055 : 9282
6016 : 9280	6056 : 9280	6016 : 9281	6056 : 9281	6016 : 9282	6056 : 9282
6017 : 9280	6057 : 9280	6017 : 9281	6057 : 9281	6017 : 9282	6057 : 9282
6018 : 9280	6058 : 9280	6018 : 9281	6058 : 9281	6018 : 9282	6058 : 9282
6019 : 9280	6059 : 9280	6019 : 9281	6059 : 9281	6019 : 9282	6059 : 9282
6020 : 9280	6060 : 9280	6020 : 9281	6060 : 9281	6020 : 9282	6060 : 9282
6021 : 9280	6061 : 9280	6021 : 9281	6061 : 9281	6021 : 9282	6061 : 9282
6022 : 9280	6062 : 9280	6022 : 9281	6062 : 9281	6022 : 9282	6062 : 9282
6023 : 9280	6063 : 9280	6023 : 9281	6063 : 9281	6023 : 9282	6063 : 9282
6024 : 9280	6064 : 9280	6024 : 9281	6064 : 9281	6024 : 9282	6064 : 9282
6025 : 9280	6065 : 9280	6025 : 9281	6065 : 9281	6025 : 9282	6065 : 9282
6026 : 9280	6066 : 9280	6026 : 9281	6066 : 9281	6026 : 9282	6066 : 9282
6027 : 9280	6067 : 9280	6027 : 9281	6067 : 9281	6027 : 9282	6067 : 9282
6028 : 9280	6068 : 9280	6028 : 9281	6068 : 9281	6028 : 9282	6068 : 9282
6029 : 9280	6069 : 9280	6029 : 9281	6069 : 9281	6029 : 9282	6069 : 9282
6030 : 9280	6070 : 9280	6030 : 9281	6070 : 9281	6030 : 9282	6070 : 9282
6031 : 9280	6071 : 9280	6031 : 9281	6071 : 9281	6031 : 9282	6071 : 9282
6032 : 9280	6072 : 9280	6032 : 9281	6072 : 9281	6032 : 9282	6072 : 9282
6033 : 9280	6073 : 9280	6033 : 9281	6073 : 9281	6033 : 9282	6073 : 9282
6034 : 9280	6074 : 9280	6034 : 9281	6074 : 9281	6034 : 9282	6074 : 9282
6035 : 9280	6075 : 9280	6035 : 9281	6075 : 9281	6035 : 9282	6075 : 9282
6036 : 9280	6076 : 9280	6036 : 9281	6076 : 9281	6036 : 9282	6076 : 9282
6037 : 9280	6077 : 9280	6037 : 9281	6077 : 9281	6037 : 9282	6077 : 9282
6038 : 9280	6078 : 9280	6038 : 9281	6078 : 9281	6038 : 9282	6078 : 9282
6039 : 9280		6039 : 9281		6039 : 9282	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9283	6040 : 9283	6000 : 9284	6040 : 9284	6000 : 9285	6040 : 9285
6001 : 9283	6041 : 9283	6001 : 9284	6041 : 9284	6001 : 9285	6041 : 9285
6002 : 9283	6042 : 9283	6002 : 9284	6042 : 9284	6002 : 9285	6042 : 9285
6003 : 9283	6043 : 9283	6003 : 9284	6043 : 9284	6003 : 9285	6043 : 9285
6004 : 9283	6044 : 9283	6004 : 9284	6044 : 9284	6004 : 9285	6044 : 9285
6005 : 9283	6045 : 9283	6005 : 9284	6045 : 9284	6005 : 9285	6045 : 9285
6006 : 9283	6046 : 9283	6006 : 9284	6046 : 9284	6006 : 9285	6046 : 9285
6007 : 9283	6047 : 9283	6007 : 9284	6047 : 9284	6007 : 9285	6047 : 9285
6008 : 9283	6048 : 9283	6008 : 9284	6048 : 9284	6008 : 9285	6048 : 9285
6009 : 9283	6049 : 9283	6009 : 9284	6049 : 9284	6009 : 9285	6049 : 9285
6010 : 9283	6050 : 9283	6010 : 9284	6050 : 9284	6010 : 9285	6050 : 9285
6011 : 9283	6051 : 9283	6011 : 9284	6051 : 9284	6011 : 9285	6051 : 9285
6012 : 9283	6052 : 9283	6012 : 9284	6052 : 9284	6012 : 9285	6052 : 9285
6013 : 9283	6053 : 9283	6013 : 9284	6053 : 9284	6013 : 9285	6053 : 9285
6014 : 9283	6054 : 9283	6014 : 9284	6054 : 9284	6014 : 9285	6054 : 9285
6015 : 9283	6055 : 9283	6015 : 9284	6055 : 9284	6015 : 9285	6055 : 9285
6016 : 9283	6056 : 9283	6016 : 9284	6056 : 9284	6016 : 9285	6056 : 9285
6017 : 9283	6057 : 9283	6017 : 9284	6057 : 9284	6017 : 9285	6057 : 9285
6018 : 9283	6058 : 9283	6018 : 9284	6058 : 9284	6018 : 9285	6058 : 9285
6019 : 9283	6059 : 9283	6019 : 9284	6059 : 9284	6019 : 9285	6059 : 9285
6020 : 9283	6060 : 9283	6020 : 9284	6060 : 9284	6020 : 9285	6060 : 9285
6021 : 9283	6061 : 9283	6021 : 9284	6061 : 9284	6021 : 9285	6061 : 9285
6022 : 9283	6062 : 9283	6022 : 9284	6062 : 9284	6022 : 9285	6062 : 9285
6023 : 9283	6063 : 9283	6023 : 9284	6063 : 9284	6023 : 9285	6063 : 9285
6024 : 9283	6064 : 9283	6024 : 9284	6064 : 9284	6024 : 9285	6064 : 9285
6025 : 9283	6065 : 9283	6025 : 9284	6065 : 9284	6025 : 9285	6065 : 9285
6026 : 9283	6066 : 9283	6026 : 9284	6066 : 9284	6026 : 9285	6066 : 9285
6027 : 9283	6067 : 9283	6027 : 9284	6067 : 9284	6027 : 9285	6067 : 9285
6028 : 9283	6068 : 9283	6028 : 9284	6068 : 9284	6028 : 9285	6068 : 9285
6029 : 9283	6069 : 9283	6029 : 9284	6069 : 9284	6029 : 9285	6069 : 9285
6030 : 9283	6070 : 9283	6030 : 9284	6070 : 9284	6030 : 9285	6070 : 9285
6031 : 9283	6071 : 9283	6031 : 9284	6071 : 9284	6031 : 9285	6071 : 9285
6032 : 9283	6072 : 9283	6032 : 9284	6072 : 9284	6032 : 9285	6072 : 9285
6033 : 9283	6073 : 9283	6033 : 9284	6073 : 9284	6033 : 9285	6073 : 9285
6034 : 9283	6074 : 9283	6034 : 9284	6074 : 9284	6034 : 9285	6074 : 9285
6035 : 9283	6075 : 9283	6035 : 9284	6075 : 9284	6035 : 9285	6075 : 9285
6036 : 9283	6076 : 9283	6036 : 9284	6076 : 9284	6036 : 9285	6076 : 9285
6037 : 9283	6077 : 9283	6037 : 9284	6077 : 9284	6037 : 9285	6077 : 9285
6038 : 9283	6078 : 9283	6038 : 9284	6078 : 9284	6038 : 9285	6078 : 9285
6039 : 9283		6039 : 9284		6039 : 9285	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9286	6040 : 9286	6000 : 9287	6040 : 9287	6000 : 9288	6040 : 9288
6001 : 9286	6041 : 9286	6001 : 9287	6041 : 9287	6001 : 9288	6041 : 9288
6002 : 9286	6042 : 9286	6002 : 9287	6042 : 9287	6002 : 9288	6042 : 9288
6003 : 9286	6043 : 9286	6003 : 9287	6043 : 9287	6003 : 9288	6043 : 9288
6004 : 9286	6044 : 9286	6004 : 9287	6044 : 9287	6004 : 9288	6044 : 9288
6005 : 9286	6045 : 9286	6005 : 9287	6045 : 9287	6005 : 9288	6045 : 9288
6006 : 9286	6046 : 9286	6006 : 9287	6046 : 9287	6006 : 9288	6046 : 9288
6007 : 9286	6047 : 9286	6007 : 9287	6047 : 9287	6007 : 9288	6047 : 9288
6008 : 9286	6048 : 9286	6008 : 9287	6048 : 9287	6008 : 9288	6048 : 9288
6009 : 9286	6049 : 9286	6009 : 9287	6049 : 9287	6009 : 9288	6049 : 9288
6010 : 9286	6050 : 9286	6010 : 9287	6050 : 9287	6010 : 9288	6050 : 9288
6011 : 9286	6051 : 9286	6011 : 9287	6051 : 9287	6011 : 9288	6051 : 9288
6012 : 9286	6052 : 9286	6012 : 9287	6052 : 9287	6012 : 9288	6052 : 9288
6013 : 9286	6053 : 9286	6013 : 9287	6053 : 9287	6013 : 9288	6053 : 9288
6014 : 9286	6054 : 9286	6014 : 9287	6054 : 9287	6014 : 9288	6054 : 9288
6015 : 9286	6055 : 9286	6015 : 9287	6055 : 9287	6015 : 9288	6055 : 9288
6016 : 9286	6056 : 9286	6016 : 9287	6056 : 9287	6016 : 9288	6056 : 9288
6017 : 9286	6057 : 9286	6017 : 9287	6057 : 9287	6017 : 9288	6057 : 9288
6018 : 9286	6058 : 9286	6018 : 9287	6058 : 9287	6018 : 9288	6058 : 9288
6019 : 9286	6059 : 9286	6019 : 9287	6059 : 9287	6019 : 9288	6059 : 9288
6020 : 9286	6060 : 9286	6020 : 9287	6060 : 9287	6020 : 9288	6060 : 9288
6021 : 9286	6061 : 9286	6021 : 9287	6061 : 9287	6021 : 9288	6061 : 9288
6022 : 9286	6062 : 9286	6022 : 9287	6062 : 9287	6022 : 9288	6062 : 9288
6023 : 9286	6063 : 9286	6023 : 9287	6063 : 9287	6023 : 9288	6063 : 9288
6024 : 9286	6064 : 9286	6024 : 9287	6064 : 9287	6024 : 9288	6064 : 9288
6025 : 9286	6065 : 9286	6025 : 9287	6065 : 9287	6025 : 9288	6065 : 9288
6026 : 9286	6066 : 9286	6026 : 9287	6066 : 9287	6026 : 9288	6066 : 9288
6027 : 9286	6067 : 9286	6027 : 9287	6067 : 9287	6027 : 9288	6067 : 9288
6028 : 9286	6068 : 9286	6028 : 9287	6068 : 9287	6028 : 9288	6068 : 9288
6029 : 9286	6069 : 9286	6029 : 9287	6069 : 9287	6029 : 9288	6069 : 9288
6030 : 9286	6070 : 9286	6030 : 9287	6070 : 9287	6030 : 9288	6070 : 9288
6031 : 9286	6071 : 9286	6031 : 9287	6071 : 9287	6031 : 9288	6071 : 9288
6032 : 9286	6072 : 9286	6032 : 9287	6072 : 9287	6032 : 9288	6072 : 9288
6033 : 9286	6073 : 9286	6033 : 9287	6073 : 9287	6033 : 9288	6073 : 9288
6034 : 9286	6074 : 9286	6034 : 9287	6074 : 9287	6034 : 9288	6074 : 9288
6035 : 9286	6075 : 9286	6035 : 9287	6075 : 9287	6035 : 9288	6075 : 9288
6036 : 9286	6076 : 9286	6036 : 9287	6076 : 9287	6036 : 9288	6076 : 9288
6037 : 9286	6077 : 9286	6037 : 9287	6077 : 9287	6037 : 9288	6077 : 9288
6038 : 9286	6078 : 9286	6038 : 9287	6078 : 9287	6038 : 9288	6078 : 9288
6039 : 9286		6039 : 9287		6039 : 9288	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9289	6040 : 9289	6000 : 9290	6040 : 9290	6000 : 9291	6040 : 9291
6001 : 9289	6041 : 9289	6001 : 9290	6041 : 9290	6001 : 9291	6041 : 9291
6002 : 9289	6042 : 9289	6002 : 9290	6042 : 9290	6002 : 9291	6042 : 9291
6003 : 9289	6043 : 9289	6003 : 9290	6043 : 9290	6003 : 9291	6043 : 9291
6004 : 9289	6044 : 9289	6004 : 9290	6044 : 9290	6004 : 9291	6044 : 9291
6005 : 9289	6045 : 9289	6005 : 9290	6045 : 9290	6005 : 9291	6045 : 9291
6006 : 9289	6046 : 9289	6006 : 9290	6046 : 9290	6006 : 9291	6046 : 9291
6007 : 9289	6047 : 9289	6007 : 9290	6047 : 9290	6007 : 9291	6047 : 9291
6008 : 9289	6048 : 9289	6008 : 9290	6048 : 9290	6008 : 9291	6048 : 9291
6009 : 9289	6049 : 9289	6009 : 9290	6049 : 9290	6009 : 9291	6049 : 9291
6010 : 9289	6050 : 9289	6010 : 9290	6050 : 9290	6010 : 9291	6050 : 9291
6011 : 9289	6051 : 9289	6011 : 9290	6051 : 9290	6011 : 9291	6051 : 9291
6012 : 9289	6052 : 9289	6012 : 9290	6052 : 9290	6012 : 9291	6052 : 9291
6013 : 9289	6053 : 9289	6013 : 9290	6053 : 9290	6013 : 9291	6053 : 9291
6014 : 9289	6054 : 9289	6014 : 9290	6054 : 9290	6014 : 9291	6054 : 9291
6015 : 9289	6055 : 9289	6015 : 9290	6055 : 9290	6015 : 9291	6055 : 9291
6016 : 9289	6056 : 9289	6016 : 9290	6056 : 9290	6016 : 9291	6056 : 9291
6017 : 9289	6057 : 9289	6017 : 9290	6057 : 9290	6017 : 9291	6057 : 9291
6018 : 9289	6058 : 9289	6018 : 9290	6058 : 9290	6018 : 9291	6058 : 9291
6019 : 9289	6059 : 9289	6019 : 9290	6059 : 9290	6019 : 9291	6059 : 9291
6020 : 9289	6060 : 9289	6020 : 9290	6060 : 9290	6020 : 9291	6060 : 9291
6021 : 9289	6061 : 9289	6021 : 9290	6061 : 9290	6021 : 9291	6061 : 9291
6022 : 9289	6062 : 9289	6022 : 9290	6062 : 9290	6022 : 9291	6062 : 9291
6023 : 9289	6063 : 9289	6023 : 9290	6063 : 9290	6023 : 9291	6063 : 9291
6024 : 9289	6064 : 9289	6024 : 9290	6064 : 9290	6024 : 9291	6064 : 9291
6025 : 9289	6065 : 9289	6025 : 9290	6065 : 9290	6025 : 9291	6065 : 9291
6026 : 9289	6066 : 9289	6026 : 9290	6066 : 9290	6026 : 9291	6066 : 9291
6027 : 9289	6067 : 9289	6027 : 9290	6067 : 9290	6027 : 9291	6067 : 9291
6028 : 9289	6068 : 9289	6028 : 9290	6068 : 9290	6028 : 9291	6068 : 9291
6029 : 9289	6069 : 9289	6029 : 9290	6069 : 9290	6029 : 9291	6069 : 9291
6030 : 9289	6070 : 9289	6030 : 9290	6070 : 9290	6030 : 9291	6070 : 9291
6031 : 9289	6071 : 9289	6031 : 9290	6071 : 9290	6031 : 9291	6071 : 9291
6032 : 9289	6072 : 9289	6032 : 9290	6072 : 9290	6032 : 9291	6072 : 9291
6033 : 9289	6073 : 9289	6033 : 9290	6073 : 9290	6033 : 9291	6073 : 9291
6034 : 9289	6074 : 9289	6034 : 9290	6074 : 9290	6034 : 9291	6074 : 9291
6035 : 9289	6075 : 9289	6035 : 9290	6075 : 9290	6035 : 9291	6075 : 9291
6036 : 9289	6076 : 9289	6036 : 9290	6076 : 9290	6036 : 9291	6076 : 9291
6037 : 9289	6077 : 9289	6037 : 9290	6077 : 9290	6037 : 9291	6077 : 9291
6038 : 9289	6078 : 9289	6038 : 9290	6078 : 9290	6038 : 9291	6078 : 9291
6039 : 9289		6039 : 9290		6039 : 9291	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9292	6040 : 9292	6000 : 9293	6040 : 9293	6000 : 9294	6040 : 9294
6001 : 9292	6041 : 9292	6001 : 9293	6041 : 9293	6001 : 9294	6041 : 9294
6002 : 9292	6042 : 9292	6002 : 9293	6042 : 9293	6002 : 9294	6042 : 9294
6003 : 9292	6043 : 9292	6003 : 9293	6043 : 9293	6003 : 9294	6043 : 9294
6004 : 9292	6044 : 9292	6004 : 9293	6044 : 9293	6004 : 9294	6044 : 9294
6005 : 9292	6045 : 9292	6005 : 9293	6045 : 9293	6005 : 9294	6045 : 9294
6006 : 9292	6046 : 9292	6006 : 9293	6046 : 9293	6006 : 9294	6046 : 9294
6007 : 9292	6047 : 9292	6007 : 9293	6047 : 9293	6007 : 9294	6047 : 9294
6008 : 9292	6048 : 9292	6008 : 9293	6048 : 9293	6008 : 9294	6048 : 9294
6009 : 9292	6049 : 9292	6009 : 9293	6049 : 9293	6009 : 9294	6049 : 9294
6010 : 9292	6050 : 9292	6010 : 9293	6050 : 9293	6010 : 9294	6050 : 9294
6011 : 9292	6051 : 9292	6011 : 9293	6051 : 9293	6011 : 9294	6051 : 9294
6012 : 9292	6052 : 9292	6012 : 9293	6052 : 9293	6012 : 9294	6052 : 9294
6013 : 9292	6053 : 9292	6013 : 9293	6053 : 9293	6013 : 9294	6053 : 9294
6014 : 9292	6054 : 9292	6014 : 9293	6054 : 9293	6014 : 9294	6054 : 9294
6015 : 9292	6055 : 9292	6015 : 9293	6055 : 9293	6015 : 9294	6055 : 9294
6016 : 9292	6056 : 9292	6016 : 9293	6056 : 9293	6016 : 9294	6056 : 9294
6017 : 9292	6057 : 9292	6017 : 9293	6057 : 9293	6017 : 9294	6057 : 9294
6018 : 9292	6058 : 9292	6018 : 9293	6058 : 9293	6018 : 9294	6058 : 9294
6019 : 9292	6059 : 9292	6019 : 9293	6059 : 9293	6019 : 9294	6059 : 9294
6020 : 9292	6060 : 9292	6020 : 9293	6060 : 9293	6020 : 9294	6060 : 9294
6021 : 9292	6061 : 9292	6021 : 9293	6061 : 9293	6021 : 9294	6061 : 9294
6022 : 9292	6062 : 9292	6022 : 9293	6062 : 9293	6022 : 9294	6062 : 9294
6023 : 9292	6063 : 9292	6023 : 9293	6063 : 9293	6023 : 9294	6063 : 9294
6024 : 9292	6064 : 9292	6024 : 9293	6064 : 9293	6024 : 9294	6064 : 9294
6025 : 9292	6065 : 9292	6025 : 9293	6065 : 9293	6025 : 9294	6065 : 9294
6026 : 9292	6066 : 9292	6026 : 9293	6066 : 9293	6026 : 9294	6066 : 9294
6027 : 9292	6067 : 9292	6027 : 9293	6067 : 9293	6027 : 9294	6067 : 9294
6028 : 9292	6068 : 9292	6028 : 9293	6068 : 9293	6028 : 9294	6068 : 9294
6029 : 9292	6069 : 9292	6029 : 9293	6069 : 9293	6029 : 9294	6069 : 9294
6030 : 9292	6070 : 9292	6030 : 9293	6070 : 9293	6030 : 9294	6070 : 9294
6031 : 9292	6071 : 9292	6031 : 9293	6071 : 9293	6031 : 9294	6071 : 9294
6032 : 9292	6072 : 9292	6032 : 9293	6072 : 9293	6032 : 9294	6072 : 9294
6033 : 9292	6073 : 9292	6033 : 9293	6073 : 9293	6033 : 9294	6073 : 9294
6034 : 9292	6074 : 9292	6034 : 9293	6074 : 9293	6034 : 9294	6074 : 9294
6035 : 9292	6075 : 9292	6035 : 9293	6075 : 9293	6035 : 9294	6075 : 9294
6036 : 9292	6076 : 9292	6036 : 9293	6076 : 9293	6036 : 9294	6076 : 9294
6037 : 9292	6077 : 9292	6037 : 9293	6077 : 9293	6037 : 9294	6077 : 9294
6038 : 9292	6078 : 9292	6038 : 9293	6078 : 9293	6038 : 9294	6078 : 9294
6039 : 9292		6039 : 9293		6039 : 9294	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9295	6040 : 9295	6000 : 9296	6040 : 9296	6000 : 9297	6040 : 9297
6001 : 9295	6041 : 9295	6001 : 9296	6041 : 9296	6001 : 9297	6041 : 9297
6002 : 9295	6042 : 9295	6002 : 9296	6042 : 9296	6002 : 9297	6042 : 9297
6003 : 9295	6043 : 9295	6003 : 9296	6043 : 9296	6003 : 9297	6043 : 9297
6004 : 9295	6044 : 9295	6004 : 9296	6044 : 9296	6004 : 9297	6044 : 9297
6005 : 9295	6045 : 9295	6005 : 9296	6045 : 9296	6005 : 9297	6045 : 9297
6006 : 9295	6046 : 9295	6006 : 9296	6046 : 9296	6006 : 9297	6046 : 9297
6007 : 9295	6047 : 9295	6007 : 9296	6047 : 9296	6007 : 9297	6047 : 9297
6008 : 9295	6048 : 9295	6008 : 9296	6048 : 9296	6008 : 9297	6048 : 9297
6009 : 9295	6049 : 9295	6009 : 9296	6049 : 9296	6009 : 9297	6049 : 9297
6010 : 9295	6050 : 9295	6010 : 9296	6050 : 9296	6010 : 9297	6050 : 9297
6011 : 9295	6051 : 9295	6011 : 9296	6051 : 9296	6011 : 9297	6051 : 9297
6012 : 9295	6052 : 9295	6012 : 9296	6052 : 9296	6012 : 9297	6052 : 9297
6013 : 9295	6053 : 9295	6013 : 9296	6053 : 9296	6013 : 9297	6053 : 9297
6014 : 9295	6054 : 9295	6014 : 9296	6054 : 9296	6014 : 9297	6054 : 9297
6015 : 9295	6055 : 9295	6015 : 9296	6055 : 9296	6015 : 9297	6055 : 9297
6016 : 9295	6056 : 9295	6016 : 9296	6056 : 9296	6016 : 9297	6056 : 9297
6017 : 9295	6057 : 9295	6017 : 9296	6057 : 9296	6017 : 9297	6057 : 9297
6018 : 9295	6058 : 9295	6018 : 9296	6058 : 9296	6018 : 9297	6058 : 9297
6019 : 9295	6059 : 9295	6019 : 9296	6059 : 9296	6019 : 9297	6059 : 9297
6020 : 9295	6060 : 9295	6020 : 9296	6060 : 9296	6020 : 9297	6060 : 9297
6021 : 9295	6061 : 9295	6021 : 9296	6061 : 9296	6021 : 9297	6061 : 9297
6022 : 9295	6062 : 9295	6022 : 9296	6062 : 9296	6022 : 9297	6062 : 9297
6023 : 9295	6063 : 9295	6023 : 9296	6063 : 9296	6023 : 9297	6063 : 9297
6024 : 9295	6064 : 9295	6024 : 9296	6064 : 9296	6024 : 9297	6064 : 9297
6025 : 9295	6065 : 9295	6025 : 9296	6065 : 9296	6025 : 9297	6065 : 9297
6026 : 9295	6066 : 9295	6026 : 9296	6066 : 9296	6026 : 9297	6066 : 9297
6027 : 9295	6067 : 9295	6027 : 9296	6067 : 9296	6027 : 9297	6067 : 9297
6028 : 9295	6068 : 9295	6028 : 9296	6068 : 9296	6028 : 9297	6068 : 9297
6029 : 9295	6069 : 9295	6029 : 9296	6069 : 9296	6029 : 9297	6069 : 9297
6030 : 9295	6070 : 9295	6030 : 9296	6070 : 9296	6030 : 9297	6070 : 9297
6031 : 9295	6071 : 9295	6031 : 9296	6071 : 9296	6031 : 9297	6071 : 9297
6032 : 9295	6072 : 9295	6032 : 9296	6072 : 9296	6032 : 9297	6072 : 9297
6033 : 9295	6073 : 9295	6033 : 9296	6073 : 9296	6033 : 9297	6073 : 9297
6034 : 9295	6074 : 9295	6034 : 9296	6074 : 9296	6034 : 9297	6074 : 9297
6035 : 9295	6075 : 9295	6035 : 9296	6075 : 9296	6035 : 9297	6075 : 9297
6036 : 9295	6076 : 9295	6036 : 9296	6076 : 9296	6036 : 9297	6076 : 9297
6037 : 9295	6077 : 9295	6037 : 9296	6077 : 9296	6037 : 9297	6077 : 9297
6038 : 9295	6078 : 9295	6038 : 9296	6078 : 9296	6038 : 9297	6078 : 9297
6039 : 9295		6039 : 9296		6039 : 9297	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9298	6040 : 9298	6000 : 9299	6040 : 9299	6000 : 9300	6040 : 9300
6001 : 9298	6041 : 9298	6001 : 9299	6041 : 9299	6001 : 9300	6041 : 9300
6002 : 9298	6042 : 9298	6002 : 9299	6042 : 9299	6002 : 9300	6042 : 9300
6003 : 9298	6043 : 9298	6003 : 9299	6043 : 9299	6003 : 9300	6043 : 9300
6004 : 9298	6044 : 9298	6004 : 9299	6044 : 9299	6004 : 9300	6044 : 9300
6005 : 9298	6045 : 9298	6005 : 9299	6045 : 9299	6005 : 9300	6045 : 9300
6006 : 9298	6046 : 9298	6006 : 9299	6046 : 9299	6006 : 9300	6046 : 9300
6007 : 9298	6047 : 9298	6007 : 9299	6047 : 9299	6007 : 9300	6047 : 9300
6008 : 9298	6048 : 9298	6008 : 9299	6048 : 9299	6008 : 9300	6048 : 9300
6009 : 9298	6049 : 9298	6009 : 9299	6049 : 9299	6009 : 9300	6049 : 9300
6010 : 9298	6050 : 9298	6010 : 9299	6050 : 9299	6010 : 9300	6050 : 9300
6011 : 9298	6051 : 9298	6011 : 9299	6051 : 9299	6011 : 9300	6051 : 9300
6012 : 9298	6052 : 9298	6012 : 9299	6052 : 9299	6012 : 9300	6052 : 9300
6013 : 9298	6053 : 9298	6013 : 9299	6053 : 9299	6013 : 9300	6053 : 9300
6014 : 9298	6054 : 9298	6014 : 9299	6054 : 9299	6014 : 9300	6054 : 9300
6015 : 9298	6055 : 9298	6015 : 9299	6055 : 9299	6015 : 9300	6055 : 9300
6016 : 9298	6056 : 9298	6016 : 9299	6056 : 9299	6016 : 9300	6056 : 9300
6017 : 9298	6057 : 9298	6017 : 9299	6057 : 9299	6017 : 9300	6057 : 9300
6018 : 9298	6058 : 9298	6018 : 9299	6058 : 9299	6018 : 9300	6058 : 9300
6019 : 9298	6059 : 9298	6019 : 9299	6059 : 9299	6019 : 9300	6059 : 9300
6020 : 9298	6060 : 9298	6020 : 9299	6060 : 9299	6020 : 9300	6060 : 9300
6021 : 9298	6061 : 9298	6021 : 9299	6061 : 9299	6021 : 9300	6061 : 9300
6022 : 9298	6062 : 9298	6022 : 9299	6062 : 9299	6022 : 9300	6062 : 9300
6023 : 9298	6063 : 9298	6023 : 9299	6063 : 9299	6023 : 9300	6063 : 9300
6024 : 9298	6064 : 9298	6024 : 9299	6064 : 9299	6024 : 9300	6064 : 9300
6025 : 9298	6065 : 9298	6025 : 9299	6065 : 9299	6025 : 9300	6065 : 9300
6026 : 9298	6066 : 9298	6026 : 9299	6066 : 9299	6026 : 9300	6066 : 9300
6027 : 9298	6067 : 9298	6027 : 9299	6067 : 9299	6027 : 9300	6067 : 9300
6028 : 9298	6068 : 9298	6028 : 9299	6068 : 9299	6028 : 9300	6068 : 9300
6029 : 9298	6069 : 9298	6029 : 9299	6069 : 9299	6029 : 9300	6069 : 9300
6030 : 9298	6070 : 9298	6030 : 9299	6070 : 9299	6030 : 9300	6070 : 9300
6031 : 9298	6071 : 9298	6031 : 9299	6071 : 9299	6031 : 9300	6071 : 9300
6032 : 9298	6072 : 9298	6032 : 9299	6072 : 9299	6032 : 9300	6072 : 9300
6033 : 9298	6073 : 9298	6033 : 9299	6073 : 9299	6033 : 9300	6073 : 9300
6034 : 9298	6074 : 9298	6034 : 9299	6074 : 9299	6034 : 9300	6074 : 9300
6035 : 9298	6075 : 9298	6035 : 9299	6075 : 9299	6035 : 9300	6075 : 9300
6036 : 9298	6076 : 9298	6036 : 9299	6076 : 9299	6036 : 9300	6076 : 9300
6037 : 9298	6077 : 9298	6037 : 9299	6077 : 9299	6037 : 9300	6077 : 9300
6038 : 9298	6078 : 9298	6038 : 9299	6078 : 9299	6038 : 9300	6078 : 9300
6039 : 9298		6039 : 9299		6039 : 9300	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9301	6040 : 9301	6000 : 9302	6040 : 9302	6000 : 9303	6040 : 9303
6001 : 9301	6041 : 9301	6001 : 9302	6041 : 9302	6001 : 9303	6041 : 9303
6002 : 9301	6042 : 9301	6002 : 9302	6042 : 9302	6002 : 9303	6042 : 9303
6003 : 9301	6043 : 9301	6003 : 9302	6043 : 9302	6003 : 9303	6043 : 9303
6004 : 9301	6044 : 9301	6004 : 9302	6044 : 9302	6004 : 9303	6044 : 9303
6005 : 9301	6045 : 9301	6005 : 9302	6045 : 9302	6005 : 9303	6045 : 9303
6006 : 9301	6046 : 9301	6006 : 9302	6046 : 9302	6006 : 9303	6046 : 9303
6007 : 9301	6047 : 9301	6007 : 9302	6047 : 9302	6007 : 9303	6047 : 9303
6008 : 9301	6048 : 9301	6008 : 9302	6048 : 9302	6008 : 9303	6048 : 9303
6009 : 9301	6049 : 9301	6009 : 9302	6049 : 9302	6009 : 9303	6049 : 9303
6010 : 9301	6050 : 9301	6010 : 9302	6050 : 9302	6010 : 9303	6050 : 9303
6011 : 9301	6051 : 9301	6011 : 9302	6051 : 9302	6011 : 9303	6051 : 9303
6012 : 9301	6052 : 9301	6012 : 9302	6052 : 9302	6012 : 9303	6052 : 9303
6013 : 9301	6053 : 9301	6013 : 9302	6053 : 9302	6013 : 9303	6053 : 9303
6014 : 9301	6054 : 9301	6014 : 9302	6054 : 9302	6014 : 9303	6054 : 9303
6015 : 9301	6055 : 9301	6015 : 9302	6055 : 9302	6015 : 9303	6055 : 9303
6016 : 9301	6056 : 9301	6016 : 9302	6056 : 9302	6016 : 9303	6056 : 9303
6017 : 9301	6057 : 9301	6017 : 9302	6057 : 9302	6017 : 9303	6057 : 9303
6018 : 9301	6058 : 9301	6018 : 9302	6058 : 9302	6018 : 9303	6058 : 9303
6019 : 9301	6059 : 9301	6019 : 9302	6059 : 9302	6019 : 9303	6059 : 9303
6020 : 9301	6060 : 9301	6020 : 9302	6060 : 9302	6020 : 9303	6060 : 9303
6021 : 9301	6061 : 9301	6021 : 9302	6061 : 9302	6021 : 9303	6061 : 9303
6022 : 9301	6062 : 9301	6022 : 9302	6062 : 9302	6022 : 9303	6062 : 9303
6023 : 9301	6063 : 9301	6023 : 9302	6063 : 9302	6023 : 9303	6063 : 9303
6024 : 9301	6064 : 9301	6024 : 9302	6064 : 9302	6024 : 9303	6064 : 9303
6025 : 9301	6065 : 9301	6025 : 9302	6065 : 9302	6025 : 9303	6065 : 9303
6026 : 9301	6066 : 9301	6026 : 9302	6066 : 9302	6026 : 9303	6066 : 9303
6027 : 9301	6067 : 9301	6027 : 9302	6067 : 9302	6027 : 9303	6067 : 9303
6028 : 9301	6068 : 9301	6028 : 9302	6068 : 9302	6028 : 9303	6068 : 9303
6029 : 9301	6069 : 9301	6029 : 9302	6069 : 9302	6029 : 9303	6069 : 9303
6030 : 9301	6070 : 9301	6030 : 9302	6070 : 9302	6030 : 9303	6070 : 9303
6031 : 9301	6071 : 9301	6031 : 9302	6071 : 9302	6031 : 9303	6071 : 9303
6032 : 9301	6072 : 9301	6032 : 9302	6072 : 9302	6032 : 9303	6072 : 9303
6033 : 9301	6073 : 9301	6033 : 9302	6073 : 9302	6033 : 9303	6073 : 9303
6034 : 9301	6074 : 9301	6034 : 9302	6074 : 9302	6034 : 9303	6074 : 9303
6035 : 9301	6075 : 9301	6035 : 9302	6075 : 9302	6035 : 9303	6075 : 9303
6036 : 9301	6076 : 9301	6036 : 9302	6076 : 9302	6036 : 9303	6076 : 9303
6037 : 9301	6077 : 9301	6037 : 9302	6077 : 9302	6037 : 9303	6077 : 9303
6038 : 9301	6078 : 9301	6038 : 9302	6078 : 9302	6038 : 9303	6078 : 9303
6039 : 9301		6039 : 9302		6039 : 9303	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9304	6040 : 9304	6000 : 9305	6040 : 9305	6000 : 9306	6040 : 9306
6001 : 9304	6041 : 9304	6001 : 9305	6041 : 9305	6001 : 9306	6041 : 9306
6002 : 9304	6042 : 9304	6002 : 9305	6042 : 9305	6002 : 9306	6042 : 9306
6003 : 9304	6043 : 9304	6003 : 9305	6043 : 9305	6003 : 9306	6043 : 9306
6004 : 9304	6044 : 9304	6004 : 9305	6044 : 9305	6004 : 9306	6044 : 9306
6005 : 9304	6045 : 9304	6005 : 9305	6045 : 9305	6005 : 9306	6045 : 9306
6006 : 9304	6046 : 9304	6006 : 9305	6046 : 9305	6006 : 9306	6046 : 9306
6007 : 9304	6047 : 9304	6007 : 9305	6047 : 9305	6007 : 9306	6047 : 9306
6008 : 9304	6048 : 9304	6008 : 9305	6048 : 9305	6008 : 9306	6048 : 9306
6009 : 9304	6049 : 9304	6009 : 9305	6049 : 9305	6009 : 9306	6049 : 9306
6010 : 9304	6050 : 9304	6010 : 9305	6050 : 9305	6010 : 9306	6050 : 9306
6011 : 9304	6051 : 9304	6011 : 9305	6051 : 9305	6011 : 9306	6051 : 9306
6012 : 9304	6052 : 9304	6012 : 9305	6052 : 9305	6012 : 9306	6052 : 9306
6013 : 9304	6053 : 9304	6013 : 9305	6053 : 9305	6013 : 9306	6053 : 9306
6014 : 9304	6054 : 9304	6014 : 9305	6054 : 9305	6014 : 9306	6054 : 9306
6015 : 9304	6055 : 9304	6015 : 9305	6055 : 9305	6015 : 9306	6055 : 9306
6016 : 9304	6056 : 9304	6016 : 9305	6056 : 9305	6016 : 9306	6056 : 9306
6017 : 9304	6057 : 9304	6017 : 9305	6057 : 9305	6017 : 9306	6057 : 9306
6018 : 9304	6058 : 9304	6018 : 9305	6058 : 9305	6018 : 9306	6058 : 9306
6019 : 9304	6059 : 9304	6019 : 9305	6059 : 9305	6019 : 9306	6059 : 9306
6020 : 9304	6060 : 9304	6020 : 9305	6060 : 9305	6020 : 9306	6060 : 9306
6021 : 9304	6061 : 9304	6021 : 9305	6061 : 9305	6021 : 9306	6061 : 9306
6022 : 9304	6062 : 9304	6022 : 9305	6062 : 9305	6022 : 9306	6062 : 9306
6023 : 9304	6063 : 9304	6023 : 9305	6063 : 9305	6023 : 9306	6063 : 9306
6024 : 9304	6064 : 9304	6024 : 9305	6064 : 9305	6024 : 9306	6064 : 9306
6025 : 9304	6065 : 9304	6025 : 9305	6065 : 9305	6025 : 9306	6065 : 9306
6026 : 9304	6066 : 9304	6026 : 9305	6066 : 9305	6026 : 9306	6066 : 9306
6027 : 9304	6067 : 9304	6027 : 9305	6067 : 9305	6027 : 9306	6067 : 9306
6028 : 9304	6068 : 9304	6028 : 9305	6068 : 9305	6028 : 9306	6068 : 9306
6029 : 9304	6069 : 9304	6029 : 9305	6069 : 9305	6029 : 9306	6069 : 9306
6030 : 9304	6070 : 9304	6030 : 9305	6070 : 9305	6030 : 9306	6070 : 9306
6031 : 9304	6071 : 9304	6031 : 9305	6071 : 9305	6031 : 9306	6071 : 9306
6032 : 9304	6072 : 9304	6032 : 9305	6072 : 9305	6032 : 9306	6072 : 9306
6033 : 9304	6073 : 9304	6033 : 9305	6073 : 9305	6033 : 9306	6073 : 9306
6034 : 9304	6074 : 9304	6034 : 9305	6074 : 9305	6034 : 9306	6074 : 9306
6035 : 9304	6075 : 9304	6035 : 9305	6075 : 9305	6035 : 9306	6075 : 9306
6036 : 9304	6076 : 9304	6036 : 9305	6076 : 9305	6036 : 9306	6076 : 9306
6037 : 9304	6077 : 9304	6037 : 9305	6077 : 9305	6037 : 9306	6077 : 9306
6038 : 9304	6078 : 9304	6038 : 9305	6078 : 9305	6038 : 9306	6078 : 9306
6039 : 9304		6039 : 9305		6039 : 9306	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9307	6040 : 9307	6000 : 9308	6040 : 9308	6000 : 9309	6040 : 9309
6001 : 9307	6041 : 9307	6001 : 9308	6041 : 9308	6001 : 9309	6041 : 9309
6002 : 9307	6042 : 9307	6002 : 9308	6042 : 9308	6002 : 9309	6042 : 9309
6003 : 9307	6043 : 9307	6003 : 9308	6043 : 9308	6003 : 9309	6043 : 9309
6004 : 9307	6044 : 9307	6004 : 9308	6044 : 9308	6004 : 9309	6044 : 9309
6005 : 9307	6045 : 9307	6005 : 9308	6045 : 9308	6005 : 9309	6045 : 9309
6006 : 9307	6046 : 9307	6006 : 9308	6046 : 9308	6006 : 9309	6046 : 9309
6007 : 9307	6047 : 9307	6007 : 9308	6047 : 9308	6007 : 9309	6047 : 9309
6008 : 9307	6048 : 9307	6008 : 9308	6048 : 9308	6008 : 9309	6048 : 9309
6009 : 9307	6049 : 9307	6009 : 9308	6049 : 9308	6009 : 9309	6049 : 9309
6010 : 9307	6050 : 9307	6010 : 9308	6050 : 9308	6010 : 9309	6050 : 9309
6011 : 9307	6051 : 9307	6011 : 9308	6051 : 9308	6011 : 9309	6051 : 9309
6012 : 9307	6052 : 9307	6012 : 9308	6052 : 9308	6012 : 9309	6052 : 9309
6013 : 9307	6053 : 9307	6013 : 9308	6053 : 9308	6013 : 9309	6053 : 9309
6014 : 9307	6054 : 9307	6014 : 9308	6054 : 9308	6014 : 9309	6054 : 9309
6015 : 9307	6055 : 9307	6015 : 9308	6055 : 9308	6015 : 9309	6055 : 9309
6016 : 9307	6056 : 9307	6016 : 9308	6056 : 9308	6016 : 9309	6056 : 9309
6017 : 9307	6057 : 9307	6017 : 9308	6057 : 9308	6017 : 9309	6057 : 9309
6018 : 9307	6058 : 9307	6018 : 9308	6058 : 9308	6018 : 9309	6058 : 9309
6019 : 9307	6059 : 9307	6019 : 9308	6059 : 9308	6019 : 9309	6059 : 9309
6020 : 9307	6060 : 9307	6020 : 9308	6060 : 9308	6020 : 9309	6060 : 9309
6021 : 9307	6061 : 9307	6021 : 9308	6061 : 9308	6021 : 9309	6061 : 9309
6022 : 9307	6062 : 9307	6022 : 9308	6062 : 9308	6022 : 9309	6062 : 9309
6023 : 9307	6063 : 9307	6023 : 9308	6063 : 9308	6023 : 9309	6063 : 9309
6024 : 9307	6064 : 9307	6024 : 9308	6064 : 9308	6024 : 9309	6064 : 9309
6025 : 9307	6065 : 9307	6025 : 9308	6065 : 9308	6025 : 9309	6065 : 9309
6026 : 9307	6066 : 9307	6026 : 9308	6066 : 9308	6026 : 9309	6066 : 9309
6027 : 9307	6067 : 9307	6027 : 9308	6067 : 9308	6027 : 9309	6067 : 9309
6028 : 9307	6068 : 9307	6028 : 9308	6068 : 9308	6028 : 9309	6068 : 9309
6029 : 9307	6069 : 9307	6029 : 9308	6069 : 9308	6029 : 9309	6069 : 9309
6030 : 9307	6070 : 9307	6030 : 9308	6070 : 9308	6030 : 9309	6070 : 9309
6031 : 9307	6071 : 9307	6031 : 9308	6071 : 9308	6031 : 9309	6071 : 9309
6032 : 9307	6072 : 9307	6032 : 9308	6072 : 9308	6032 : 9309	6072 : 9309
6033 : 9307	6073 : 9307	6033 : 9308	6073 : 9308	6033 : 9309	6073 : 9309
6034 : 9307	6074 : 9307	6034 : 9308	6074 : 9308	6034 : 9309	6074 : 9309
6035 : 9307	6075 : 9307	6035 : 9308	6075 : 9308	6035 : 9309	6075 : 9309
6036 : 9307	6076 : 9307	6036 : 9308	6076 : 9308	6036 : 9309	6076 : 9309
6037 : 9307	6077 : 9307	6037 : 9308	6077 : 9308	6037 : 9309	6077 : 9309
6038 : 9307	6078 : 9307	6038 : 9308	6078 : 9308	6038 : 9309	6078 : 9309
6039 : 9307		6039 : 9308		6039 : 9309	

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
6000 : 9310	6040 : 9310				
6001 : 9310	6041 : 9310				
6002 : 9310	6042 : 9310				
6003 : 9310	6043 : 9310				
6004 : 9310	6044 : 9310				
6005 : 9310	6045 : 9310				
6006 : 9310	6046 : 9310				
6007 : 9310	6047 : 9310				
6008 : 9310	6048 : 9310				
6009 : 9310	6049 : 9310				
6010 : 9310	6050 : 9310				
6011 : 9310	6051 : 9310				
6012 : 9310	6052 : 9310				
6013 : 9310	6053 : 9310				
6014 : 9310	6054 : 9310				
6015 : 9310	6055 : 9310				
6016 : 9310	6056 : 9310				
6017 : 9310	6057 : 9310				
6018 : 9310	6058 : 9310				
6019 : 9310	6059 : 9310				
6020 : 9310	6060 : 9310	--	--	--	--
6021 : 9310	6061 : 9310				
6022 : 9310	6062 : 9310				
6023 : 9310	6063 : 9310				
6024 : 9310	6064 : 9310				
6025 : 9310	6065 : 9310				
6026 : 9310	6066 : 9310				
6027 : 9310	6067 : 9310				
6028 : 9310	6068 : 9310				
6029 : 9310	6069 : 9310				
6030 : 9310	6070 : 9310				
6031 : 9310	6071 : 9310				
6032 : 9310	6072 : 9310				
6033 : 9310	6073 : 9310				
6034 : 9310	6074 : 9310				
6035 : 9310	6075 : 9310				
6036 : 9310	6076 : 9310				
6037 : 9310	6077 : 9310				
6038 : 9310	6078 : 9310				
6039 : 9310					

Table E: Example combinations of a compound X with a compound Y.

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9006	8000 : 9007	8000 : 9008	8000 : 9018	8000 : 9020	8000 : 9021
8001 : 9006	8001 : 9007	8001 : 9008	8001 : 9018	8001 : 9020	8001 : 9021
8002 : 9006	8002 : 9007	8002 : 9008	8002 : 9018	8002 : 9020	8002 : 9021
8003 : 9006	8003 : 9007	8003 : 9008	8003 : 9018	8003 : 9020	8003 : 9021
8004 : 9006	8004 : 9007	8004 : 9008	8004 : 9018	8004 : 9020	8004 : 9021
8005 : 9006	8005 : 9007	8005 : 9008	8005 : 9018	8005 : 9020	8005 : 9021
8006 : 9006	8006 : 9007	8006 : 9008	8006 : 9018	8006 : 9020	8006 : 9021
8007 : 9006	8007 : 9007	8007 : 9008	8007 : 9018	8007 : 9020	8007 : 9021
8008 : 9006	8008 : 9007	8008 : 9008	8008 : 9018	8008 : 9020	8008 : 9021
8009 : 9006	8009 : 9007	8009 : 9008	8009 : 9018	8009 : 9020	8009 : 9021
8010 : 9006	8010 : 9007	8010 : 9008	8010 : 9018	8010 : 9020	8010 : 9021
8011 : 9006	8011 : 9007	8011 : 9008	8011 : 9018	8011 : 9020	8011 : 9021
8012 : 9006	8012 : 9007	8012 : 9008	8012 : 9018	8012 : 9020	8012 : 9021
8013 : 9006	8013 : 9007	8013 : 9008	8013 : 9018	8013 : 9020	8013 : 9021
8014 : 9006	8014 : 9007	8014 : 9008	8014 : 9018	8014 : 9020	8014 : 9021
8015 : 9006	8015 : 9007	8015 : 9008	8015 : 9018	8015 : 9020	8015 : 9021
8016 : 9006	8016 : 9007	8016 : 9008	8016 : 9018	8016 : 9020	8016 : 9021
8000 : 9025	8000 : 9026	8000 : 9036	8000 : 9038	8000 : 9039	8000 : 9040
8001 : 9025	8001 : 9026	8001 : 9036	8001 : 9038	8001 : 9039	8001 : 9040
8002 : 9025	8002 : 9026	8002 : 9036	8002 : 9038	8002 : 9039	8002 : 9040
8003 : 9025	8003 : 9026	8003 : 9036	8003 : 9038	8003 : 9039	8003 : 9040
8004 : 9025	8004 : 9026	8004 : 9036	8004 : 9038	8004 : 9039	8004 : 9040
8005 : 9025	8005 : 9026	8005 : 9036	8005 : 9038	8005 : 9039	8005 : 9040
8006 : 9025	8006 : 9026	8006 : 9036	8006 : 9038	8006 : 9039	8006 : 9040
8007 : 9025	8007 : 9026	8007 : 9036	8007 : 9038	8007 : 9039	8007 : 9040
8008 : 9025	8008 : 9026	8008 : 9036	8008 : 9038	8008 : 9039	8008 : 9040
8009 : 9025	8009 : 9026	8009 : 9036	8009 : 9038	8009 : 9039	8009 : 9040
8010 : 9025	8010 : 9026	8010 : 9036	8010 : 9038	8010 : 9039	8010 : 9040
8011 : 9025	8011 : 9026	8011 : 9036	8011 : 9038	8011 : 9039	8011 : 9040
8012 : 9025	8012 : 9026	8012 : 9036	8012 : 9038	8012 : 9039	8012 : 9040
8013 : 9025	8013 : 9026	8013 : 9036	8013 : 9038	8013 : 9039	8013 : 9040
8014 : 9025	8014 : 9026	8014 : 9036	8014 : 9038	8014 : 9039	8014 : 9040
8015 : 9025	8015 : 9026	8015 : 9036	8015 : 9038	8015 : 9039	8015 : 9040
8016 : 9025	8016 : 9026	8016 : 9036	8016 : 9038	8016 : 9039	8016 : 9040

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9041	8000 : 9042	8000 : 9043	8000 : 9044	8000 : 9045	8000 : 9047
8001 : 9041	8001 : 9042	8001 : 9043	8001 : 9044	8001 : 9045	8001 : 9047
8002 : 9041	8002 : 9042	8002 : 9043	8002 : 9044	8002 : 9045	8002 : 9047
8003 : 9041	8003 : 9042	8003 : 9043	8003 : 9044	8003 : 9045	8003 : 9047
8004 : 9041	8004 : 9042	8004 : 9043	8004 : 9044	8004 : 9045	8004 : 9047
8005 : 9041	8005 : 9042	8005 : 9043	8005 : 9044	8005 : 9045	8005 : 9047
8006 : 9041	8006 : 9042	8006 : 9043	8006 : 9044	8006 : 9045	8006 : 9047
8007 : 9041	8007 : 9042	8007 : 9043	8007 : 9044	8007 : 9045	8007 : 9047
8008 : 9041	8008 : 9042	8008 : 9043	8008 : 9044	8008 : 9045	8008 : 9047
8009 : 9041	8009 : 9042	8009 : 9043	8009 : 9044	8009 : 9045	8009 : 9047
8010 : 9041	8010 : 9042	8010 : 9043	8010 : 9044	8010 : 9045	8010 : 9047
8011 : 9041	8011 : 9042	8011 : 9043	8011 : 9044	8011 : 9045	8011 : 9047
8012 : 9041	8012 : 9042	8012 : 9043	8012 : 9044	8012 : 9045	8012 : 9047
8013 : 9041	8013 : 9042	8013 : 9043	8013 : 9044	8013 : 9045	8013 : 9047
8014 : 9041	8014 : 9042	8014 : 9043	8014 : 9044	8014 : 9045	8014 : 9047
8015 : 9041	8015 : 9042	8015 : 9043	8015 : 9044	8015 : 9045	8015 : 9047
8016 : 9041	8016 : 9042	8016 : 9043	8016 : 9044	8016 : 9045	8016 : 9047
8000 : 9048	8000 : 9049	8000 : 9051	8000 : 9052	8000 : 9053	8000 : 9054
8001 : 9048	8001 : 9049	8001 : 9051	8001 : 9052	8001 : 9053	8001 : 9054
8002 : 9048	8002 : 9049	8002 : 9051	8002 : 9052	8002 : 9053	8002 : 9054
8003 : 9048	8003 : 9049	8003 : 9051	8003 : 9052	8003 : 9053	8003 : 9054
8004 : 9048	8004 : 9049	8004 : 9051	8004 : 9052	8004 : 9053	8004 : 9054
8005 : 9048	8005 : 9049	8005 : 9051	8005 : 9052	8005 : 9053	8005 : 9054
8006 : 9048	8006 : 9049	8006 : 9051	8006 : 9052	8006 : 9053	8006 : 9054
8007 : 9048	8007 : 9049	8007 : 9051	8007 : 9052	8007 : 9053	8007 : 9054
8008 : 9048	8008 : 9049	8008 : 9051	8008 : 9052	8008 : 9053	8008 : 9054
8009 : 9048	8009 : 9049	8009 : 9051	8009 : 9052	8009 : 9053	8009 : 9054
8010 : 9048	8010 : 9049	8010 : 9051	8010 : 9052	8010 : 9053	8010 : 9054
8011 : 9048	8011 : 9049	8011 : 9051	8011 : 9052	8011 : 9053	8011 : 9054
8012 : 9048	8012 : 9049	8012 : 9051	8012 : 9052	8012 : 9053	8012 : 9054
8013 : 9048	8013 : 9049	8013 : 9051	8013 : 9052	8013 : 9053	8013 : 9054
8014 : 9048	8014 : 9049	8014 : 9051	8014 : 9052	8014 : 9053	8014 : 9054
8015 : 9048	8015 : 9049	8015 : 9051	8015 : 9052	8015 : 9053	8015 : 9054
8016 : 9048	8016 : 9049	8016 : 9051	8016 : 9052	8016 : 9053	8016 : 9054

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9055	8000 : 9056	8000 : 9058	8000 : 9060	8000 : 9061	8000 : 9062
8001 : 9055	8001 : 9056	8001 : 9058	8001 : 9060	8001 : 9061	8001 : 9062
8002 : 9055	8002 : 9056	8002 : 9058	8002 : 9060	8002 : 9061	8002 : 9062
8003 : 9055	8003 : 9056	8003 : 9058	8003 : 9060	8003 : 9061	8003 : 9062
8004 : 9055	8004 : 9056	8004 : 9058	8004 : 9060	8004 : 9061	8004 : 9062
8005 : 9055	8005 : 9056	8005 : 9058	8005 : 9060	8005 : 9061	8005 : 9062
8006 : 9055	8006 : 9056	8006 : 9058	8006 : 9060	8006 : 9061	8006 : 9062
8007 : 9055	8007 : 9056	8007 : 9058	8007 : 9060	8007 : 9061	8007 : 9062
8008 : 9055	8008 : 9056	8008 : 9058	8008 : 9060	8008 : 9061	8008 : 9062
8009 : 9055	8009 : 9056	8009 : 9058	8009 : 9060	8009 : 9061	8009 : 9062
8010 : 9055	8010 : 9056	8010 : 9058	8010 : 9060	8010 : 9061	8010 : 9062
8011 : 9055	8011 : 9056	8011 : 9058	8011 : 9060	8011 : 9061	8011 : 9062
8012 : 9055	8012 : 9056	8012 : 9058	8012 : 9060	8012 : 9061	8012 : 9062
8013 : 9055	8013 : 9056	8013 : 9058	8013 : 9060	8013 : 9061	8013 : 9062
8014 : 9055	8014 : 9056	8014 : 9058	8014 : 9060	8014 : 9061	8014 : 9062
8015 : 9055	8015 : 9056	8015 : 9058	8015 : 9060	8015 : 9061	8015 : 9062
8016 : 9055	8016 : 9056	8016 : 9058	8016 : 9060	8016 : 9061	8016 : 9062
8000 : 9063	8000 : 9064	8000 : 9065	8000 : 9066	8000 : 9067	8000 : 9068
8001 : 9063	8001 : 9064	8001 : 9065	8001 : 9066	8001 : 9067	8001 : 9068
8002 : 9063	8002 : 9064	8002 : 9065	8002 : 9066	8002 : 9067	8002 : 9068
8003 : 9063	8003 : 9064	8003 : 9065	8003 : 9066	8003 : 9067	8003 : 9068
8004 : 9063	8004 : 9064	8004 : 9065	8004 : 9066	8004 : 9067	8004 : 9068
8005 : 9063	8005 : 9064	8005 : 9065	8005 : 9066	8005 : 9067	8005 : 9068
8006 : 9063	8006 : 9064	8006 : 9065	8006 : 9066	8006 : 9067	8006 : 9068
8007 : 9063	8007 : 9064	8007 : 9065	8007 : 9066	8007 : 9067	8007 : 9068
8008 : 9063	8008 : 9064	8008 : 9065	8008 : 9066	8008 : 9067	8008 : 9068
8009 : 9063	8009 : 9064	8009 : 9065	8009 : 9066	8009 : 9067	8009 : 9068
8010 : 9063	8010 : 9064	8010 : 9065	8010 : 9066	8010 : 9067	8010 : 9068
8011 : 9063	8011 : 9064	8011 : 9065	8011 : 9066	8011 : 9067	8011 : 9068
8012 : 9063	8012 : 9064	8012 : 9065	8012 : 9066	8012 : 9067	8012 : 9068
8013 : 9063	8013 : 9064	8013 : 9065	8013 : 9066	8013 : 9067	8013 : 9068
8014 : 9063	8014 : 9064	8014 : 9065	8014 : 9066	8014 : 9067	8014 : 9068
8015 : 9063	8015 : 9064	8015 : 9065	8015 : 9066	8015 : 9067	8015 : 9068
8016 : 9063	8016 : 9064	8016 : 9065	8016 : 9066	8016 : 9067	8016 : 9068

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9069	8000 : 9070	8000 : 9071	8000 : 9072	8000 : 9073	8000 : 9074
8001 : 9069	8001 : 9070	8001 : 9071	8001 : 9072	8001 : 9073	8001 : 9074
8002 : 9069	8002 : 9070	8002 : 9071	8002 : 9072	8002 : 9073	8002 : 9074
8003 : 9069	8003 : 9070	8003 : 9071	8003 : 9072	8003 : 9073	8003 : 9074
8004 : 9069	8004 : 9070	8004 : 9071	8004 : 9072	8004 : 9073	8004 : 9074
8005 : 9069	8005 : 9070	8005 : 9071	8005 : 9072	8005 : 9073	8005 : 9074
8006 : 9069	8006 : 9070	8006 : 9071	8006 : 9072	8006 : 9073	8006 : 9074
8007 : 9069	8007 : 9070	8007 : 9071	8007 : 9072	8007 : 9073	8007 : 9074
8008 : 9069	8008 : 9070	8008 : 9071	8008 : 9072	8008 : 9073	8008 : 9074
8009 : 9069	8009 : 9070	8009 : 9071	8009 : 9072	8009 : 9073	8009 : 9074
8010 : 9069	8010 : 9070	8010 : 9071	8010 : 9072	8010 : 9073	8010 : 9074
8011 : 9069	8011 : 9070	8011 : 9071	8011 : 9072	8011 : 9073	8011 : 9074
8012 : 9069	8012 : 9070	8012 : 9071	8012 : 9072	8012 : 9073	8012 : 9074
8013 : 9069	8013 : 9070	8013 : 9071	8013 : 9072	8013 : 9073	8013 : 9074
8014 : 9069	8014 : 9070	8014 : 9071	8014 : 9072	8014 : 9073	8014 : 9074
8015 : 9069	8015 : 9070	8015 : 9071	8015 : 9072	8015 : 9073	8015 : 9074
8016 : 9069	8016 : 9070	8016 : 9071	8016 : 9072	8016 : 9073	8016 : 9074
8000 : 9075	8000 : 9076	8000 : 9077	8000 : 9078	8000 : 9079	8000 : 9080
8001 : 9075	8001 : 9076	8001 : 9077	8001 : 9078	8001 : 9079	8001 : 9080
8002 : 9075	8002 : 9076	8002 : 9077	8002 : 9078	8002 : 9079	8002 : 9080
8003 : 9075	8003 : 9076	8003 : 9077	8003 : 9078	8003 : 9079	8003 : 9080
8004 : 9075	8004 : 9076	8004 : 9077	8004 : 9078	8004 : 9079	8004 : 9080
8005 : 9075	8005 : 9076	8005 : 9077	8005 : 9078	8005 : 9079	8005 : 9080
8006 : 9075	8006 : 9076	8006 : 9077	8006 : 9078	8006 : 9079	8006 : 9080
8007 : 9075	8007 : 9076	8007 : 9077	8007 : 9078	8007 : 9079	8007 : 9080
8008 : 9075	8008 : 9076	8008 : 9077	8008 : 9078	8008 : 9079	8008 : 9080
8009 : 9075	8009 : 9076	8009 : 9077	8009 : 9078	8009 : 9079	8009 : 9080
8010 : 9075	8010 : 9076	8010 : 9077	8010 : 9078	8010 : 9079	8010 : 9080
8011 : 9075	8011 : 9076	8011 : 9077	8011 : 9078	8011 : 9079	8011 : 9080
8012 : 9075	8012 : 9076	8012 : 9077	8012 : 9078	8012 : 9079	8012 : 9080
8013 : 9075	8013 : 9076	8013 : 9077	8013 : 9078	8013 : 9079	8013 : 9080
8014 : 9075	8014 : 9076	8014 : 9077	8014 : 9078	8014 : 9079	8014 : 9080
8015 : 9075	8015 : 9076	8015 : 9077	8015 : 9078	8015 : 9079	8015 : 9080
8016 : 9075	8016 : 9076	8016 : 9077	8016 : 9078	8016 : 9079	8016 : 9080

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9081	8000 : 9082	8000 : 9083	8000 : 9084	8000 : 9085	8000 : 9086
8001 : 9081	8001 : 9082	8001 : 9083	8001 : 9084	8001 : 9085	8001 : 9086
8002 : 9081	8002 : 9082	8002 : 9083	8002 : 9084	8002 : 9085	8002 : 9086
8003 : 9081	8003 : 9082	8003 : 9083	8003 : 9084	8003 : 9085	8003 : 9086
8004 : 9081	8004 : 9082	8004 : 9083	8004 : 9084	8004 : 9085	8004 : 9086
8005 : 9081	8005 : 9082	8005 : 9083	8005 : 9084	8005 : 9085	8005 : 9086
8006 : 9081	8006 : 9082	8006 : 9083	8006 : 9084	8006 : 9085	8006 : 9086
8007 : 9081	8007 : 9082	8007 : 9083	8007 : 9084	8007 : 9085	8007 : 9086
8008 : 9081	8008 : 9082	8008 : 9083	8008 : 9084	8008 : 9085	8008 : 9086
8009 : 9081	8009 : 9082	8009 : 9083	8009 : 9084	8009 : 9085	8009 : 9086
8010 : 9081	8010 : 9082	8010 : 9083	8010 : 9084	8010 : 9085	8010 : 9086
8011 : 9081	8011 : 9082	8011 : 9083	8011 : 9084	8011 : 9085	8011 : 9086
8012 : 9081	8012 : 9082	8012 : 9083	8012 : 9084	8012 : 9085	8012 : 9086
8013 : 9081	8013 : 9082	8013 : 9083	8013 : 9084	8013 : 9085	8013 : 9086
8014 : 9081	8014 : 9082	8014 : 9083	8014 : 9084	8014 : 9085	8014 : 9086
8015 : 9081	8015 : 9082	8015 : 9083	8015 : 9084	8015 : 9085	8015 : 9086
8016 : 9081	8016 : 9082	8016 : 9083	8016 : 9084	8016 : 9085	8016 : 9086
8000 : 9088	8000 : 9089	8000 : 9094	8000 : 9095	8000 : 9096	8000 : 9097
8001 : 9088	8001 : 9089	8001 : 9094	8001 : 9095	8001 : 9096	8001 : 9097
8002 : 9088	8002 : 9089	8002 : 9094	8002 : 9095	8002 : 9096	8002 : 9097
8003 : 9088	8003 : 9089	8003 : 9094	8003 : 9095	8003 : 9096	8003 : 9097
8004 : 9088	8004 : 9089	8004 : 9094	8004 : 9095	8004 : 9096	8004 : 9097
8005 : 9088	8005 : 9089	8005 : 9094	8005 : 9095	8005 : 9096	8005 : 9097
8006 : 9088	8006 : 9089	8006 : 9094	8006 : 9095	8006 : 9096	8006 : 9097
8007 : 9088	8007 : 9089	8007 : 9094	8007 : 9095	8007 : 9096	8007 : 9097
8008 : 9088	8008 : 9089	8008 : 9094	8008 : 9095	8008 : 9096	8008 : 9097
8009 : 9088	8009 : 9089	8009 : 9094	8009 : 9095	8009 : 9096	8009 : 9097
8010 : 9088	8010 : 9089	8010 : 9094	8010 : 9095	8010 : 9096	8010 : 9097
8011 : 9088	8011 : 9089	8011 : 9094	8011 : 9095	8011 : 9096	8011 : 9097
8012 : 9088	8012 : 9089	8012 : 9094	8012 : 9095	8012 : 9096	8012 : 9097
8013 : 9088	8013 : 9089	8013 : 9094	8013 : 9095	8013 : 9096	8013 : 9097
8014 : 9088	8014 : 9089	8014 : 9094	8014 : 9095	8014 : 9096	8014 : 9097
8015 : 9088	8015 : 9089	8015 : 9094	8015 : 9095	8015 : 9096	8015 : 9097
8016 : 9088	8016 : 9089	8016 : 9094	8016 : 9095	8016 : 9096	8016 : 9097

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9098	8000 : 9099	8000 : 9100	8000 : 9101	8000 : 9102	8000 : 9103
8001 : 9098	8001 : 9099	8001 : 9100	8001 : 9101	8001 : 9102	8001 : 9103
8002 : 9098	8002 : 9099	8002 : 9100	8002 : 9101	8002 : 9102	8002 : 9103
8003 : 9098	8003 : 9099	8003 : 9100	8003 : 9101	8003 : 9102	8003 : 9103
8004 : 9098	8004 : 9099	8004 : 9100	8004 : 9101	8004 : 9102	8004 : 9103
8005 : 9098	8005 : 9099	8005 : 9100	8005 : 9101	8005 : 9102	8005 : 9103
8006 : 9098	8006 : 9099	8006 : 9100	8006 : 9101	8006 : 9102	8006 : 9103
8007 : 9098	8007 : 9099	8007 : 9100	8007 : 9101	8007 : 9102	8007 : 9103
8008 : 9098	8008 : 9099	8008 : 9100	8008 : 9101	8008 : 9102	8008 : 9103
8009 : 9098	8009 : 9099	8009 : 9100	8009 : 9101	8009 : 9102	8009 : 9103
8010 : 9098	8010 : 9099	8010 : 9100	8010 : 9101	8010 : 9102	8010 : 9103
8011 : 9098	8011 : 9099	8011 : 9100	8011 : 9101	8011 : 9102	8011 : 9103
8012 : 9098	8012 : 9099	8012 : 9100	8012 : 9101	8012 : 9102	8012 : 9103
8013 : 9098	8013 : 9099	8013 : 9100	8013 : 9101	8013 : 9102	8013 : 9103
8014 : 9098	8014 : 9099	8014 : 9100	8014 : 9101	8014 : 9102	8014 : 9103
8015 : 9098	8015 : 9099	8015 : 9100	8015 : 9101	8015 : 9102	8015 : 9103
8016 : 9098	8016 : 9099	8016 : 9100	8016 : 9101	8016 : 9102	8016 : 9103
8000 : 9104	8000 : 9105	8000 : 9106	8000 : 9107	8000 : 9108	8000 : 9109
8001 : 9104	8001 : 9105	8001 : 9106	8001 : 9107	8001 : 9108	8001 : 9109
8002 : 9104	8002 : 9105	8002 : 9106	8002 : 9107	8002 : 9108	8002 : 9109
8003 : 9104	8003 : 9105	8003 : 9106	8003 : 9107	8003 : 9108	8003 : 9109
8004 : 9104	8004 : 9105	8004 : 9106	8004 : 9107	8004 : 9108	8004 : 9109
8005 : 9104	8005 : 9105	8005 : 9106	8005 : 9107	8005 : 9108	8005 : 9109
8006 : 9104	8006 : 9105	8006 : 9106	8006 : 9107	8006 : 9108	8006 : 9109
8007 : 9104	8007 : 9105	8007 : 9106	8007 : 9107	8007 : 9108	8007 : 9109
8008 : 9104	8008 : 9105	8008 : 9106	8008 : 9107	8008 : 9108	8008 : 9109
8009 : 9104	8009 : 9105	8009 : 9106	8009 : 9107	8009 : 9108	8009 : 9109
8010 : 9104	8010 : 9105	8010 : 9106	8010 : 9107	8010 : 9108	8010 : 9109
8011 : 9104	8011 : 9105	8011 : 9106	8011 : 9107	8011 : 9108	8011 : 9109
8012 : 9104	8012 : 9105	8012 : 9106	8012 : 9107	8012 : 9108	8012 : 9109
8013 : 9104	8013 : 9105	8013 : 9106	8013 : 9107	8013 : 9108	8013 : 9109
8014 : 9104	8014 : 9105	8014 : 9106	8014 : 9107	8014 : 9108	8014 : 9109
8015 : 9104	8015 : 9105	8015 : 9106	8015 : 9107	8015 : 9108	8015 : 9109
8016 : 9104	8016 : 9105	8016 : 9106	8016 : 9107	8016 : 9108	8016 : 9109

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9110	8000 : 9111	8000 : 9129	8000 : 9130	8000 : 9131	8000 : 9132
8001 : 9110	8001 : 9111	8001 : 9129	8001 : 9130	8001 : 9131	8001 : 9132
8002 : 9110	8002 : 9111	8002 : 9129	8002 : 9130	8002 : 9131	8002 : 9132
8003 : 9110	8003 : 9111	8003 : 9129	8003 : 9130	8003 : 9131	8003 : 9132
8004 : 9110	8004 : 9111	8004 : 9129	8004 : 9130	8004 : 9131	8004 : 9132
8005 : 9110	8005 : 9111	8005 : 9129	8005 : 9130	8005 : 9131	8005 : 9132
8006 : 9110	8006 : 9111	8006 : 9129	8006 : 9130	8006 : 9131	8006 : 9132
8007 : 9110	8007 : 9111	8007 : 9129	8007 : 9130	8007 : 9131	8007 : 9132
8008 : 9110	8008 : 9111	8008 : 9129	8008 : 9130	8008 : 9131	8008 : 9132
8009 : 9110	8009 : 9111	8009 : 9129	8009 : 9130	8009 : 9131	8009 : 9132
8010 : 9110	8010 : 9111	8010 : 9129	8010 : 9130	8010 : 9131	8010 : 9132
8011 : 9110	8011 : 9111	8011 : 9129	8011 : 9130	8011 : 9131	8011 : 9132
8012 : 9110	8012 : 9111	8012 : 9129	8012 : 9130	8012 : 9131	8012 : 9132
8013 : 9110	8013 : 9111	8013 : 9129	8013 : 9130	8013 : 9131	8013 : 9132
8014 : 9110	8014 : 9111	8014 : 9129	8014 : 9130	8014 : 9131	8014 : 9132
8015 : 9110	8015 : 9111	8015 : 9129	8015 : 9130	8015 : 9131	8015 : 9132
8016 : 9110	8016 : 9111	8016 : 9129	8016 : 9130	8016 : 9131	8016 : 9132
8000 : 9133	8000 : 9134	8000 : 9135	8000 : 9136	8000 : 9137	8000 : 9138
8001 : 9133	8001 : 9134	8001 : 9135	8001 : 9136	8001 : 9137	8001 : 9138
8002 : 9133	8002 : 9134	8002 : 9135	8002 : 9136	8002 : 9137	8002 : 9138
8003 : 9133	8003 : 9134	8003 : 9135	8003 : 9136	8003 : 9137	8003 : 9138
8004 : 9133	8004 : 9134	8004 : 9135	8004 : 9136	8004 : 9137	8004 : 9138
8005 : 9133	8005 : 9134	8005 : 9135	8005 : 9136	8005 : 9137	8005 : 9138
8006 : 9133	8006 : 9134	8006 : 9135	8006 : 9136	8006 : 9137	8006 : 9138
8007 : 9133	8007 : 9134	8007 : 9135	8007 : 9136	8007 : 9137	8007 : 9138
8008 : 9133	8008 : 9134	8008 : 9135	8008 : 9136	8008 : 9137	8008 : 9138
8009 : 9133	8009 : 9134	8009 : 9135	8009 : 9136	8009 : 9137	8009 : 9138
8010 : 9133	8010 : 9134	8010 : 9135	8010 : 9136	8010 : 9137	8010 : 9138
8011 : 9133	8011 : 9134	8011 : 9135	8011 : 9136	8011 : 9137	8011 : 9138
8012 : 9133	8012 : 9134	8012 : 9135	8012 : 9136	8012 : 9137	8012 : 9138
8013 : 9133	8013 : 9134	8013 : 9135	8013 : 9136	8013 : 9137	8013 : 9138
8014 : 9133	8014 : 9134	8014 : 9135	8014 : 9136	8014 : 9137	8014 : 9138
8015 : 9133	8015 : 9134	8015 : 9135	8015 : 9136	8015 : 9137	8015 : 9138
8016 : 9133	8016 : 9134	8016 : 9135	8016 : 9136	8016 : 9137	8016 : 9138

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9139	8000 : 9140	8000 : 9141	8000 : 9142	8000 : 9143	8000 : 9144
8001 : 9139	8001 : 9140	8001 : 9141	8001 : 9142	8001 : 9143	8001 : 9144
8002 : 9139	8002 : 9140	8002 : 9141	8002 : 9142	8002 : 9143	8002 : 9144
8003 : 9139	8003 : 9140	8003 : 9141	8003 : 9142	8003 : 9143	8003 : 9144
8004 : 9139	8004 : 9140	8004 : 9141	8004 : 9142	8004 : 9143	8004 : 9144
8005 : 9139	8005 : 9140	8005 : 9141	8005 : 9142	8005 : 9143	8005 : 9144
8006 : 9139	8006 : 9140	8006 : 9141	8006 : 9142	8006 : 9143	8006 : 9144
8007 : 9139	8007 : 9140	8007 : 9141	8007 : 9142	8007 : 9143	8007 : 9144
8008 : 9139	8008 : 9140	8008 : 9141	8008 : 9142	8008 : 9143	8008 : 9144
8009 : 9139	8009 : 9140	8009 : 9141	8009 : 9142	8009 : 9143	8009 : 9144
8010 : 9139	8010 : 9140	8010 : 9141	8010 : 9142	8010 : 9143	8010 : 9144
8011 : 9139	8011 : 9140	8011 : 9141	8011 : 9142	8011 : 9143	8011 : 9144
8012 : 9139	8012 : 9140	8012 : 9141	8012 : 9142	8012 : 9143	8012 : 9144
8013 : 9139	8013 : 9140	8013 : 9141	8013 : 9142	8013 : 9143	8013 : 9144
8014 : 9139	8014 : 9140	8014 : 9141	8014 : 9142	8014 : 9143	8014 : 9144
8015 : 9139	8015 : 9140	8015 : 9141	8015 : 9142	8015 : 9143	8015 : 9144
8016 : 9139	8016 : 9140	8016 : 9141	8016 : 9142	8016 : 9143	8016 : 9144
8000 : 9145	8000 : 9146	8000 : 9147	8000 : 9148	8000 : 9149	8000 : 9150
8001 : 9145	8001 : 9146	8001 : 9147	8001 : 9148	8001 : 9149	8001 : 9150
8002 : 9145	8002 : 9146	8002 : 9147	8002 : 9148	8002 : 9149	8002 : 9150
8003 : 9145	8003 : 9146	8003 : 9147	8003 : 9148	8003 : 9149	8003 : 9150
8004 : 9145	8004 : 9146	8004 : 9147	8004 : 9148	8004 : 9149	8004 : 9150
8005 : 9145	8005 : 9146	8005 : 9147	8005 : 9148	8005 : 9149	8005 : 9150
8006 : 9145	8006 : 9146	8006 : 9147	8006 : 9148	8006 : 9149	8006 : 9150
8007 : 9145	8007 : 9146	8007 : 9147	8007 : 9148	8007 : 9149	8007 : 9150
8008 : 9145	8008 : 9146	8008 : 9147	8008 : 9148	8008 : 9149	8008 : 9150
8009 : 9145	8009 : 9146	8009 : 9147	8009 : 9148	8009 : 9149	8009 : 9150
8010 : 9145	8010 : 9146	8010 : 9147	8010 : 9148	8010 : 9149	8010 : 9150
8011 : 9145	8011 : 9146	8011 : 9147	8011 : 9148	8011 : 9149	8011 : 9150
8012 : 9145	8012 : 9146	8012 : 9147	8012 : 9148	8012 : 9149	8012 : 9150
8013 : 9145	8013 : 9146	8013 : 9147	8013 : 9148	8013 : 9149	8013 : 9150
8014 : 9145	8014 : 9146	8014 : 9147	8014 : 9148	8014 : 9149	8014 : 9150
8015 : 9145	8015 : 9146	8015 : 9147	8015 : 9148	8015 : 9149	8015 : 9150
8016 : 9145	8016 : 9146	8016 : 9147	8016 : 9148	8016 : 9149	8016 : 9150

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9161	8000 : 9162	8000 : 9163	8000 : 9164	8000 : 9167	8000 : 9168
8001 : 9161	8001 : 9162	8001 : 9163	8001 : 9164	8001 : 9167	8001 : 9168
8002 : 9161	8002 : 9162	8002 : 9163	8002 : 9164	8002 : 9167	8002 : 9168
8003 : 9161	8003 : 9162	8003 : 9163	8003 : 9164	8003 : 9167	8003 : 9168
8004 : 9161	8004 : 9162	8004 : 9163	8004 : 9164	8004 : 9167	8004 : 9168
8005 : 9161	8005 : 9162	8005 : 9163	8005 : 9164	8005 : 9167	8005 : 9168
8006 : 9161	8006 : 9162	8006 : 9163	8006 : 9164	8006 : 9167	8006 : 9168
8007 : 9161	8007 : 9162	8007 : 9163	8007 : 9164	8007 : 9167	8007 : 9168
8008 : 9161	8008 : 9162	8008 : 9163	8008 : 9164	8008 : 9167	8008 : 9168
8009 : 9161	8009 : 9162	8009 : 9163	8009 : 9164	8009 : 9167	8009 : 9168
8010 : 9161	8010 : 9162	8010 : 9163	8010 : 9164	8010 : 9167	8010 : 9168
8011 : 9161	8011 : 9162	8011 : 9163	8011 : 9164	8011 : 9167	8011 : 9168
8012 : 9161	8012 : 9162	8012 : 9163	8012 : 9164	8012 : 9167	8012 : 9168
8013 : 9161	8013 : 9162	8013 : 9163	8013 : 9164	8013 : 9167	8013 : 9168
8014 : 9161	8014 : 9162	8014 : 9163	8014 : 9164	8014 : 9167	8014 : 9168
8015 : 9161	8015 : 9162	8015 : 9163	8015 : 9164	8015 : 9167	8015 : 9168
8016 : 9161	8016 : 9162	8016 : 9163	8016 : 9164	8016 : 9167	8016 : 9168
8000 : 9169	8000 : 9170	8000 : 9171	8000 : 9172	8000 : 9173	8000 : 9174
8001 : 9169	8001 : 9170	8001 : 9171	8001 : 9172	8001 : 9173	8001 : 9174
8002 : 9169	8002 : 9170	8002 : 9171	8002 : 9172	8002 : 9173	8002 : 9174
8003 : 9169	8003 : 9170	8003 : 9171	8003 : 9172	8003 : 9173	8003 : 9174
8004 : 9169	8004 : 9170	8004 : 9171	8004 : 9172	8004 : 9173	8004 : 9174
8005 : 9169	8005 : 9170	8005 : 9171	8005 : 9172	8005 : 9173	8005 : 9174
8006 : 9169	8006 : 9170	8006 : 9171	8006 : 9172	8006 : 9173	8006 : 9174
8007 : 9169	8007 : 9170	8007 : 9171	8007 : 9172	8007 : 9173	8007 : 9174
8008 : 9169	8008 : 9170	8008 : 9171	8008 : 9172	8008 : 9173	8008 : 9174
8009 : 9169	8009 : 9170	8009 : 9171	8009 : 9172	8009 : 9173	8009 : 9174
8010 : 9169	8010 : 9170	8010 : 9171	8010 : 9172	8010 : 9173	8010 : 9174
8011 : 9169	8011 : 9170	8011 : 9171	8011 : 9172	8011 : 9173	8011 : 9174
8012 : 9169	8012 : 9170	8012 : 9171	8012 : 9172	8012 : 9173	8012 : 9174
8013 : 9169	8013 : 9170	8013 : 9171	8013 : 9172	8013 : 9173	8013 : 9174
8014 : 9169	8014 : 9170	8014 : 9171	8014 : 9172	8014 : 9173	8014 : 9174
8015 : 9169	8015 : 9170	8015 : 9171	8015 : 9172	8015 : 9173	8015 : 9174
8016 : 9169	8016 : 9170	8016 : 9171	8016 : 9172	8016 : 9173	8016 : 9174

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9175	8000 : 9176	8000 : 9177	8000 : 9178	8000 : 9179	8000 : 9180
8001 : 9175	8001 : 9176	8001 : 9177	8001 : 9178	8001 : 9179	8001 : 9180
8002 : 9175	8002 : 9176	8002 : 9177	8002 : 9178	8002 : 9179	8002 : 9180
8003 : 9175	8003 : 9176	8003 : 9177	8003 : 9178	8003 : 9179	8003 : 9180
8004 : 9175	8004 : 9176	8004 : 9177	8004 : 9178	8004 : 9179	8004 : 9180
8005 : 9175	8005 : 9176	8005 : 9177	8005 : 9178	8005 : 9179	8005 : 9180
8006 : 9175	8006 : 9176	8006 : 9177	8006 : 9178	8006 : 9179	8006 : 9180
8007 : 9175	8007 : 9176	8007 : 9177	8007 : 9178	8007 : 9179	8007 : 9180
8008 : 9175	8008 : 9176	8008 : 9177	8008 : 9178	8008 : 9179	8008 : 9180
8009 : 9175	8009 : 9176	8009 : 9177	8009 : 9178	8009 : 9179	8009 : 9180
8010 : 9175	8010 : 9176	8010 : 9177	8010 : 9178	8010 : 9179	8010 : 9180
8011 : 9175	8011 : 9176	8011 : 9177	8011 : 9178	8011 : 9179	8011 : 9180
8012 : 9175	8012 : 9176	8012 : 9177	8012 : 9178	8012 : 9179	8012 : 9180
8013 : 9175	8013 : 9176	8013 : 9177	8013 : 9178	8013 : 9179	8013 : 9180
8014 : 9175	8014 : 9176	8014 : 9177	8014 : 9178	8014 : 9179	8014 : 9180
8015 : 9175	8015 : 9176	8015 : 9177	8015 : 9178	8015 : 9179	8015 : 9180
8016 : 9175	8016 : 9176	8016 : 9177	8016 : 9178	8016 : 9179	8016 : 9180
8000 : 9181	8000 : 9182	8000 : 9183	8000 : 9184	8000 : 9185	8000 : 9206
8001 : 9181	8001 : 9182	8001 : 9183	8001 : 9184	8001 : 9185	8001 : 9206
8002 : 9181	8002 : 9182	8002 : 9183	8002 : 9184	8002 : 9185	8002 : 9206
8003 : 9181	8003 : 9182	8003 : 9183	8003 : 9184	8003 : 9185	8003 : 9206
8004 : 9181	8004 : 9182	8004 : 9183	8004 : 9184	8004 : 9185	8004 : 9206
8005 : 9181	8005 : 9182	8005 : 9183	8005 : 9184	8005 : 9185	8005 : 9206
8006 : 9181	8006 : 9182	8006 : 9183	8006 : 9184	8006 : 9185	8006 : 9206
8007 : 9181	8007 : 9182	8007 : 9183	8007 : 9184	8007 : 9185	8007 : 9206
8008 : 9181	8008 : 9182	8008 : 9183	8008 : 9184	8008 : 9185	8008 : 9206
8009 : 9181	8009 : 9182	8009 : 9183	8009 : 9184	8009 : 9185	8009 : 9206
8010 : 9181	8010 : 9182	8010 : 9183	8010 : 9184	8010 : 9185	8010 : 9206
8011 : 9181	8011 : 9182	8011 : 9183	8011 : 9184	8011 : 9185	8011 : 9206
8012 : 9181	8012 : 9182	8012 : 9183	8012 : 9184	8012 : 9185	8012 : 9206
8013 : 9181	8013 : 9182	8013 : 9183	8013 : 9184	8013 : 9185	8013 : 9206
8014 : 9181	8014 : 9182	8014 : 9183	8014 : 9184	8014 : 9185	8014 : 9206
8015 : 9181	8015 : 9182	8015 : 9183	8015 : 9184	8015 : 9185	8015 : 9206
8016 : 9181	8016 : 9182	8016 : 9183	8016 : 9184	8016 : 9185	8016 : 9206

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9207	8000 : 9208	8000 : 9209	8000 : 9214	8000 : 9241	8000 : 9242
8001 : 9207	8001 : 9208	8001 : 9209	8001 : 9214	8001 : 9241	8001 : 9242
8002 : 9207	8002 : 9208	8002 : 9209	8002 : 9214	8002 : 9241	8002 : 9242
8003 : 9207	8003 : 9208	8003 : 9209	8003 : 9214	8003 : 9241	8003 : 9242
8004 : 9207	8004 : 9208	8004 : 9209	8004 : 9214	8004 : 9241	8004 : 9242
8005 : 9207	8005 : 9208	8005 : 9209	8005 : 9214	8005 : 9241	8005 : 9242
8006 : 9207	8006 : 9208	8006 : 9209	8006 : 9214	8006 : 9241	8006 : 9242
8007 : 9207	8007 : 9208	8007 : 9209	8007 : 9214	8007 : 9241	8007 : 9242
8008 : 9207	8008 : 9208	8008 : 9209	8008 : 9214	8008 : 9241	8008 : 9242
8009 : 9207	8009 : 9208	8009 : 9209	8009 : 9214	8009 : 9241	8009 : 9242
8010 : 9207	8010 : 9208	8010 : 9209	8010 : 9214	8010 : 9241	8010 : 9242
8011 : 9207	8011 : 9208	8011 : 9209	8011 : 9214	8011 : 9241	8011 : 9242
8012 : 9207	8012 : 9208	8012 : 9209	8012 : 9214	8012 : 9241	8012 : 9242
8013 : 9207	8013 : 9208	8013 : 9209	8013 : 9214	8013 : 9241	8013 : 9242
8014 : 9207	8014 : 9208	8014 : 9209	8014 : 9214	8014 : 9241	8014 : 9242
8015 : 9207	8015 : 9208	8015 : 9209	8015 : 9214	8015 : 9241	8015 : 9242
8016 : 9207	8016 : 9208	8016 : 9209	8016 : 9214	8016 : 9241	8016 : 9242
8000 : 9244	8000 : 9245	8000 : 9246	8000 : 9247	8000 : 9248	8000 : 9249
8001 : 9244	8001 : 9245	8001 : 9246	8001 : 9247	8001 : 9248	8001 : 9249
8002 : 9244	8002 : 9245	8002 : 9246	8002 : 9247	8002 : 9248	8002 : 9249
8003 : 9244	8003 : 9245	8003 : 9246	8003 : 9247	8003 : 9248	8003 : 9249
8004 : 9244	8004 : 9245	8004 : 9246	8004 : 9247	8004 : 9248	8004 : 9249
8005 : 9244	8005 : 9245	8005 : 9246	8005 : 9247	8005 : 9248	8005 : 9249
8006 : 9244	8006 : 9245	8006 : 9246	8006 : 9247	8006 : 9248	8006 : 9249
8007 : 9244	8007 : 9245	8007 : 9246	8007 : 9247	8007 : 9248	8007 : 9249
8008 : 9244	8008 : 9245	8008 : 9246	8008 : 9247	8008 : 9248	8008 : 9249
8009 : 9244	8009 : 9245	8009 : 9246	8009 : 9247	8009 : 9248	8009 : 9249
8010 : 9244	8010 : 9245	8010 : 9246	8010 : 9247	8010 : 9248	8010 : 9249
8011 : 9244	8011 : 9245	8011 : 9246	8011 : 9247	8011 : 9248	8011 : 9249
8012 : 9244	8012 : 9245	8012 : 9246	8012 : 9247	8012 : 9248	8012 : 9249
8013 : 9244	8013 : 9245	8013 : 9246	8013 : 9247	8013 : 9248	8013 : 9249
8014 : 9244	8014 : 9245	8014 : 9246	8014 : 9247	8014 : 9248	8014 : 9249
8015 : 9244	8015 : 9245	8015 : 9246	8015 : 9247	8015 : 9248	8015 : 9249
8016 : 9244	8016 : 9245	8016 : 9246	8016 : 9247	8016 : 9248	8016 : 9249

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9250	8000 : 9251	8000 : 9252	8000 : 9253	8000 : 9255	8000 : 9256
8001 : 9250	8001 : 9251	8001 : 9252	8001 : 9253	8001 : 9255	8001 : 9256
8002 : 9250	8002 : 9251	8002 : 9252	8002 : 9253	8002 : 9255	8002 : 9256
8003 : 9250	8003 : 9251	8003 : 9252	8003 : 9253	8003 : 9255	8003 : 9256
8004 : 9250	8004 : 9251	8004 : 9252	8004 : 9253	8004 : 9255	8004 : 9256
8005 : 9250	8005 : 9251	8005 : 9252	8005 : 9253	8005 : 9255	8005 : 9256
8006 : 9250	8006 : 9251	8006 : 9252	8006 : 9253	8006 : 9255	8006 : 9256
8007 : 9250	8007 : 9251	8007 : 9252	8007 : 9253	8007 : 9255	8007 : 9256
8008 : 9250	8008 : 9251	8008 : 9252	8008 : 9253	8008 : 9255	8008 : 9256
8009 : 9250	8009 : 9251	8009 : 9252	8009 : 9253	8009 : 9255	8009 : 9256
8010 : 9250	8010 : 9251	8010 : 9252	8010 : 9253	8010 : 9255	8010 : 9256
8011 : 9250	8011 : 9251	8011 : 9252	8011 : 9253	8011 : 9255	8011 : 9256
8012 : 9250	8012 : 9251	8012 : 9252	8012 : 9253	8012 : 9255	8012 : 9256
8013 : 9250	8013 : 9251	8013 : 9252	8013 : 9253	8013 : 9255	8013 : 9256
8014 : 9250	8014 : 9251	8014 : 9252	8014 : 9253	8014 : 9255	8014 : 9256
8015 : 9250	8015 : 9251	8015 : 9252	8015 : 9253	8015 : 9255	8015 : 9256
8016 : 9250	8016 : 9251	8016 : 9252	8016 : 9253	8016 : 9255	8016 : 9256
8000 : 9257	8000 : 9258	8000 : 9259	8000 : 9260	8000 : 9262	8000 : 9263
8001 : 9257	8001 : 9258	8001 : 9259	8001 : 9260	8001 : 9262	8001 : 9263
8002 : 9257	8002 : 9258	8002 : 9259	8002 : 9260	8002 : 9262	8002 : 9263
8003 : 9257	8003 : 9258	8003 : 9259	8003 : 9260	8003 : 9262	8003 : 9263
8004 : 9257	8004 : 9258	8004 : 9259	8004 : 9260	8004 : 9262	8004 : 9263
8005 : 9257	8005 : 9258	8005 : 9259	8005 : 9260	8005 : 9262	8005 : 9263
8006 : 9257	8006 : 9258	8006 : 9259	8006 : 9260	8006 : 9262	8006 : 9263
8007 : 9257	8007 : 9258	8007 : 9259	8007 : 9260	8007 : 9262	8007 : 9263
8008 : 9257	8008 : 9258	8008 : 9259	8008 : 9260	8008 : 9262	8008 : 9263
8009 : 9257	8009 : 9258	8009 : 9259	8009 : 9260	8009 : 9262	8009 : 9263
8010 : 9257	8010 : 9258	8010 : 9259	8010 : 9260	8010 : 9262	8010 : 9263
8011 : 9257	8011 : 9258	8011 : 9259	8011 : 9260	8011 : 9262	8011 : 9263
8012 : 9257	8012 : 9258	8012 : 9259	8012 : 9260	8012 : 9262	8012 : 9263
8013 : 9257	8013 : 9258	8013 : 9259	8013 : 9260	8013 : 9262	8013 : 9263
8014 : 9257	8014 : 9258	8014 : 9259	8014 : 9260	8014 : 9262	8014 : 9263
8015 : 9257	8015 : 9258	8015 : 9259	8015 : 9260	8015 : 9262	8015 : 9263
8016 : 9257	8016 : 9258	8016 : 9259	8016 : 9260	8016 : 9262	8016 : 9263

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9264	8000 : 9265	8000 : 9266	8000 : 9267	8000 : 9268	8000 : 9269
8001 : 9264	8001 : 9265	8001 : 9266	8001 : 9267	8001 : 9268	8001 : 9269
8002 : 9264	8002 : 9265	8002 : 9266	8002 : 9267	8002 : 9268	8002 : 9269
8003 : 9264	8003 : 9265	8003 : 9266	8003 : 9267	8003 : 9268	8003 : 9269
8004 : 9264	8004 : 9265	8004 : 9266	8004 : 9267	8004 : 9268	8004 : 9269
8005 : 9264	8005 : 9265	8005 : 9266	8005 : 9267	8005 : 9268	8005 : 9269
8006 : 9264	8006 : 9265	8006 : 9266	8006 : 9267	8006 : 9268	8006 : 9269
8007 : 9264	8007 : 9265	8007 : 9266	8007 : 9267	8007 : 9268	8007 : 9269
8008 : 9264	8008 : 9265	8008 : 9266	8008 : 9267	8008 : 9268	8008 : 9269
8009 : 9264	8009 : 9265	8009 : 9266	8009 : 9267	8009 : 9268	8009 : 9269
8010 : 9264	8010 : 9265	8010 : 9266	8010 : 9267	8010 : 9268	8010 : 9269
8011 : 9264	8011 : 9265	8011 : 9266	8011 : 9267	8011 : 9268	8011 : 9269
8012 : 9264	8012 : 9265	8012 : 9266	8012 : 9267	8012 : 9268	8012 : 9269
8013 : 9264	8013 : 9265	8013 : 9266	8013 : 9267	8013 : 9268	8013 : 9269
8014 : 9264	8014 : 9265	8014 : 9266	8014 : 9267	8014 : 9268	8014 : 9269
8015 : 9264	8015 : 9265	8015 : 9266	8015 : 9267	8015 : 9268	8015 : 9269
8016 : 9264	8016 : 9265	8016 : 9266	8016 : 9267	8016 : 9268	8016 : 9269
8000 : 9270	8000 : 9271	8000 : 9272	8000 : 9273	8000 : 9274	8000 : 9275
8001 : 9270	8001 : 9271	8001 : 9272	8001 : 9273	8001 : 9274	8001 : 9275
8002 : 9270	8002 : 9271	8002 : 9272	8002 : 9273	8002 : 9274	8002 : 9275
8003 : 9270	8003 : 9271	8003 : 9272	8003 : 9273	8003 : 9274	8003 : 9275
8004 : 9270	8004 : 9271	8004 : 9272	8004 : 9273	8004 : 9274	8004 : 9275
8005 : 9270	8005 : 9271	8005 : 9272	8005 : 9273	8005 : 9274	8005 : 9275
8006 : 9270	8006 : 9271	8006 : 9272	8006 : 9273	8006 : 9274	8006 : 9275
8007 : 9270	8007 : 9271	8007 : 9272	8007 : 9273	8007 : 9274	8007 : 9275
8008 : 9270	8008 : 9271	8008 : 9272	8008 : 9273	8008 : 9274	8008 : 9275
8009 : 9270	8009 : 9271	8009 : 9272	8009 : 9273	8009 : 9274	8009 : 9275
8010 : 9270	8010 : 9271	8010 : 9272	8010 : 9273	8010 : 9274	8010 : 9275
8011 : 9270	8011 : 9271	8011 : 9272	8011 : 9273	8011 : 9274	8011 : 9275
8012 : 9270	8012 : 9271	8012 : 9272	8012 : 9273	8012 : 9274	8012 : 9275
8013 : 9270	8013 : 9271	8013 : 9272	8013 : 9273	8013 : 9274	8013 : 9275
8014 : 9270	8014 : 9271	8014 : 9272	8014 : 9273	8014 : 9274	8014 : 9275
8015 : 9270	8015 : 9271	8015 : 9272	8015 : 9273	8015 : 9274	8015 : 9275
8016 : 9270	8016 : 9271	8016 : 9272	8016 : 9273	8016 : 9274	8016 : 9275


X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9276	8000 : 9277	8000 : 9278	8000 : 9279	8000 : 9280	8000 : 9281
8001 : 9276	8001 : 9277	8001 : 9278	8001 : 9279	8001 : 9280	8001 : 9281
8002 : 9276	8002 : 9277	8002 : 9278	8002 : 9279	8002 : 9280	8002 : 9281
8003 : 9276	8003 : 9277	8003 : 9278	8003 : 9279	8003 : 9280	8003 : 9281
8004 : 9276	8004 : 9277	8004 : 9278	8004 : 9279	8004 : 9280	8004 : 9281
8005 : 9276	8005 : 9277	8005 : 9278	8005 : 9279	8005 : 9280	8005 : 9281
8006 : 9276	8006 : 9277	8006 : 9278	8006 : 9279	8006 : 9280	8006 : 9281
8007 : 9276	8007 : 9277	8007 : 9278	8007 : 9279	8007 : 9280	8007 : 9281
8008 : 9276	8008 : 9277	8008 : 9278	8008 : 9279	8008 : 9280	8008 : 9281
8009 : 9276	8009 : 9277	8009 : 9278	8009 : 9279	8009 : 9280	8009 : 9281
8010 : 9276	8010 : 9277	8010 : 9278	8010 : 9279	8010 : 9280	8010 : 9281
8011 : 9276	8011 : 9277	8011 : 9278	8011 : 9279	8011 : 9280	8011 : 9281
8012 : 9276	8012 : 9277	8012 : 9278	8012 : 9279	8012 : 9280	8012 : 9281
8013 : 9276	8013 : 9277	8013 : 9278	8013 : 9279	8013 : 9280	8013 : 9281
8014 : 9276	8014 : 9277	8014 : 9278	8014 : 9279	8014 : 9280	8014 : 9281
8015 : 9276	8015 : 9277	8015 : 9278	8015 : 9279	8015 : 9280	8015 : 9281
8016 : 9276	8016 : 9277	8016 : 9278	8016 : 9279	8016 : 9280	8016 : 9281
8000 : 9282	8000 : 9283	8000 : 9284	8000 : 9285	8000 : 9286	8000 : 9287
8001 : 9282	8001 : 9283	8001 : 9284	8001 : 9285	8001 : 9286	8001 : 9287
8002 : 9282	8002 : 9283	8002 : 9284	8002 : 9285	8002 : 9286	8002 : 9287
8003 : 9282	8003 : 9283	8003 : 9284	8003 : 9285	8003 : 9286	8003 : 9287
8004 : 9282	8004 : 9283	8004 : 9284	8004 : 9285	8004 : 9286	8004 : 9287
8005 : 9282	8005 : 9283	8005 : 9284	8005 : 9285	8005 : 9286	8005 : 9287
8006 : 9282	8006 : 9283	8006 : 9284	8006 : 9285	8006 : 9286	8006 : 9287
8007 : 9282	8007 : 9283	8007 : 9284	8007 : 9285	8007 : 9286	8007 : 9287
8008 : 9282	8008 : 9283	8008 : 9284	8008 : 9285	8008 : 9286	8008 : 9287
8009 : 9282	8009 : 9283	8009 : 9284	8009 : 9285	8009 : 9286	8009 : 9287
8010 : 9282	8010 : 9283	8010 : 9284	8010 : 9285	8010 : 9286	8010 : 9287
8011 : 9282	8011 : 9283	8011 : 9284	8011 : 9285	8011 : 9286	8011 : 9287
8012 : 9282	8012 : 9283	8012 : 9284	8012 : 9285	8012 : 9286	8012 : 9287
8013 : 9282	8013 : 9283	8013 : 9284	8013 : 9285	8013 : 9286	8013 : 9287
8014 : 9282	8014 : 9283	8014 : 9284	8014 : 9285	8014 : 9286	8014 : 9287
8015 : 9282	8015 : 9283	8015 : 9284	8015 : 9285	8015 : 9286	8015 : 9287
8016 : 9282	8016 : 9283	8016 : 9284	8016 : 9285	8016 : 9286	8016 : 9287

X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9288	8000 : 9289	8000 : 9290	8000 : 9291	8000 : 9292	8000 : 9293
8001 : 9288	8001 : 9289	8001 : 9290	8001 : 9291	8001 : 9292	8001 : 9293
8002 : 9288	8002 : 9289	8002 : 9290	8002 : 9291	8002 : 9292	8002 : 9293
8003 : 9288	8003 : 9289	8003 : 9290	8003 : 9291	8003 : 9292	8003 : 9293
8004 : 9288	8004 : 9289	8004 : 9290	8004 : 9291	8004 : 9292	8004 : 9293
8005 : 9288	8005 : 9289	8005 : 9290	8005 : 9291	8005 : 9292	8005 : 9293
8006 : 9288	8006 : 9289	8006 : 9290	8006 : 9291	8006 : 9292	8006 : 9293
8007 : 9288	8007 : 9289	8007 : 9290	8007 : 9291	8007 : 9292	8007 : 9293
8008 : 9288	8008 : 9289	8008 : 9290	8008 : 9291	8008 : 9292	8008 : 9293
8009 : 9288	8009 : 9289	8009 : 9290	8009 : 9291	8009 : 9292	8009 : 9293
8010 : 9288	8010 : 9289	8010 : 9290	8010 : 9291	8010 : 9292	8010 : 9293
8011 : 9288	8011 : 9289	8011 : 9290	8011 : 9291	8011 : 9292	8011 : 9293
8012 : 9288	8012 : 9289	8012 : 9290	8012 : 9291	8012 : 9292	8012 : 9293
8013 : 9288	8013 : 9289	8013 : 9290	8013 : 9291	8013 : 9292	8013 : 9293
8014 : 9288	8014 : 9289	8014 : 9290	8014 : 9291	8014 : 9292	8014 : 9293
8015 : 9288	8015 : 9289	8015 : 9290	8015 : 9291	8015 : 9292	8015 : 9293
8016 : 9288	8016 : 9289	8016 : 9290	8016 : 9291	8016 : 9292	8016 : 9293
8000 : 9294	8000 : 9295	8000 : 9296	8000 : 9297	8000 : 9298	8000 : 9299
8001 : 9294	8001 : 9295	8001 : 9296	8001 : 9297	8001 : 9298	8001 : 9299
8002 : 9294	8002 : 9295	8002 : 9296	8002 : 9297	8002 : 9298	8002 : 9299
8003 : 9294	8003 : 9295	8003 : 9296	8003 : 9297	8003 : 9298	8003 : 9299
8004 : 9294	8004 : 9295	8004 : 9296	8004 : 9297	8004 : 9298	8004 : 9299
8005 : 9294	8005 : 9295	8005 : 9296	8005 : 9297	8005 : 9298	8005 : 9299
8006 : 9294	8006 : 9295	8006 : 9296	8006 : 9297	8006 : 9298	8006 : 9299
8007 : 9294	8007 : 9295	8007 : 9296	8007 : 9297	8007 : 9298	8007 : 9299
8008 : 9294	8008 : 9295	8008 : 9296	8008 : 9297	8008 : 9298	8008 : 9299
8009 : 9294	8009 : 9295	8009 : 9296	8009 : 9297	8009 : 9298	8009 : 9299
8010 : 9294	8010 : 9295	8010 : 9296	8010 : 9297	8010 : 9298	8010 : 9299
8011 : 9294	8011 : 9295	8011 : 9296	8011 : 9297	8011 : 9298	8011 : 9299
8012 : 9294	8012 : 9295	8012 : 9296	8012 : 9297	8012 : 9298	8012 : 9299
8013 : 9294	8013 : 9295	8013 : 9296	8013 : 9297	8013 : 9298	8013 : 9299
8014 : 9294	8014 : 9295	8014 : 9296	8014 : 9297	8014 : 9298	8014 : 9299
8015 : 9294	8015 : 9295	8015 : 9296	8015 : 9297	8015 : 9298	8015 : 9299
8016 : 9294	8016 : 9295	8016 : 9296	8016 : 9297	8016 : 9298	8016 : 9299






X : Y	X : Y	X : Y	X : Y	X : Y	X : Y
8000 : 9300	8000 : 9301	8000 : 9302	8000 : 9303	8000 : 9304	8000 : 9305
8001 : 9300	8001 : 9301	8001 : 9302	8001 : 9303	8001 : 9304	8001 : 9305
8002 : 9300	8002 : 9301	8002 : 9302	8002 : 9303	8002 : 9304	8002 : 9305
8003 : 9300	8003 : 9301	8003 : 9302	8003 : 9303	8003 : 9304	8003 : 9305
8004 : 9300	8004 : 9301	8004 : 9302	8004 : 9303	8004 : 9304	8004 : 9305
8005 : 9300	8005 : 9301	8005 : 9302	8005 : 9303	8005 : 9304	8005 : 9305
8006 : 9300	8006 : 9301	8006 : 9302	8006 : 9303	8006 : 9304	8006 : 9305
8007 : 9300	8007 : 9301	8007 : 9302	8007 : 9303	8007 : 9304	8007 : 9305
8008 : 9300	8008 : 9301	8008 : 9302	8008 : 9303	8008 : 9304	8008 : 9305
8009 : 9300	8009 : 9301	8009 : 9302	8009 : 9303	8009 : 9304	8009 : 9305
8010 : 9300	8010 : 9301	8010 : 9302	8010 : 9303	8010 : 9304	8010 : 9305
8011 : 9300	8011 : 9301	8011 : 9302	8011 : 9303	8011 : 9304	8011 : 9305
8012 : 9300	8012 : 9301	8012 : 9302	8012 : 9303	8012 : 9304	8012 : 9305
8013 : 9300	8013 : 9301	8013 : 9302	8013 : 9303	8013 : 9304	8013 : 9305
8014 : 9300	8014 : 9301	8014 : 9302	8014 : 9303	8014 : 9304	8014 : 9305
8015 : 9300	8015 : 9301	8015 : 9302	8015 : 9303	8015 : 9304	8015 : 9305
8016 : 9300	8016 : 9301	8016 : 9302	8016 : 9303	8016 : 9304	8016 : 9305
8000 : 9306	8000 : 9307	8000 : 9308	8000 : 9309	8000 : 9310	
8001 : 9306	8001 : 9307	8001 : 9308	8001 : 9309	8001 : 9310	
8002 : 9306	8002 : 9307	8002 : 9308	8002 : 9309	8002 : 9310	
8003 : 9306	8003 : 9307	8003 : 9308	8003 : 9309	8003 : 9310	
8004 : 9306	8004 : 9307	8004 : 9308	8004 : 9309	8004 : 9310	
8005 : 9306	8005 : 9307	8005 : 9308	8005 : 9309	8005 : 9310	
8006 : 9306	8006 : 9307	8006 : 9308	8006 : 9309	8006 : 9310	
8007 : 9306	8007 : 9307	8007 : 9308	8007 : 9309	8007 : 9310	
8008 : 9306	8008 : 9307	8008 : 9308	8008 : 9309	8008 : 9310	--
8009 : 9306	8009 : 9307	8009 : 9308	8009 : 9309	8009 : 9310	
8010 : 9306	8010 : 9307	8010 : 9308	8010 : 9309	8010 : 9310	
8011 : 9306	8011 : 9307	8011 : 9308	8011 : 9309	8011 : 9310	
8012 : 9306	8012 : 9307	8012 : 9308	8012 : 9309	8012 : 9310	
8013 : 9306	8013 : 9307	8013 : 9308	8013 : 9309	8013 : 9310	
8014 : 9306	8014 : 9307	8014 : 9308	8014 : 9309	8014 : 9310	
8015 : 9306	8015 : 9307	8015 : 9308	8015 : 9309	8015 : 9310	
8016 : 9306	8016 : 9307	8016 : 9308	8016 : 9309	8016 : 9310	


Compounds

[0173] Some embodiments disclosed herein relate to a method and/or use of a compound of Formula (I), or a pharmaceutically acceptable salt thereof:




(I)


wherein: B^{1A} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; -------- can be absent or a single bond, provided that both -------- are absent or both -------- are a single bond; when -------- are both absent, then Z^1 can be absent, O^1 can be OR^{1A}, R^{3A} can be selected from H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid, R^{4A} can be selected from H, OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$, or R^{3A} and R^{4A} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring; when -------- are each a single bond, then Z^1 can be  , O^1 can be O, R^{3A} can be O; R^{4A} can be selected from H, OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$; and R^{1B} can be selected from O^-, OH, an –O–optionally substituted C_{1-6} alkyl.  ,  ,  ,  , an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{a1} and R^{a2} can be independently hydrogen or deuterium; R^A can be hydrogen, deuterium, an unsubstituted C_{1-3} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-3} alkynyl or cyano; R^{1A} can be selected from hydrogen, an optionally substituted acyl, an optionally substituted O-linked




amino acid, , , and ; R^{2A} can be hydrogen, halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-CHF_2$, $-(CH_2)_{1-6}$ halogen,$-(CH_2)_{1-6}N_3$, $-(CH_2)_{1-6}NH_2$ or -CN; R^{5A} can be selected from H, halo, OH, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{6A}, R^{7A} and R^{8A} can be independently selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl, an optionally substituted *–$(CR^{17A}R^{18A})_q$–O–C_{1-24} alkenyl,




,




,




,




,




and




; or R^{6A} can be




and R^{7A} can be absent or hydrogen; or R^{6A} and R^{7A} can be taken together to form a moiety selected from an optionally substituted



and an optionally substituted



, wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system; R^{9A} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted


C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30A}R^{31A}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{10A} and R^{11A} can be independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative; R^{12A} and R^{13A} can be independently absent or hydrogen; R^{14A} can be O-, OH or methyl; each R^{15A}, each R^{16A}, each R^{17A} and each R^{18A} can be independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy; R^{19A}, R^{20A}, R^{22A}, R^{23A}, R^{2B}, R^{3B}, R^{5B} and R^{6B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{21A} and R^{4B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; R^{24A} and R^{7B} can be independently selected from of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ; R^{25A}, R^{26A}, R^{29A}, R^{8B} and R^{9B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{27A1} and R^{27A2} can be independently selected from -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl; R^{28A} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; R^{30A} and R^{31A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl); $R^{"A}$ and each $R^{"B}$ can be independently an optionally substituted C_{1-24} alkyl; each $R^{"B1}$ and each $R^{"B2}$ can be independently hydrogen or an optionally substituted C_{1-6} alkyl; m, v and w can be independently 0 or 1; p and q can be independently 1, 2 or 3; r and s can be independently 0,

1, 2 or 3; t can be 1 or 2; u and y can be independently 3, 4 or 5; and Z^{1A}, Z^{2A}, Z^{3A}, Z^{4A}, Z^{1B} and Z^{2B} can be independently oxygen (O) or sulfur (S).


[0174] A compound of Formula (I) can be a nucleoside, a nucleotide (including a monophosphate, a diphosphate, a triphosphate, thiomonophosphate, alpha-thiodiphosphate and/or alpha-thiotriphosphate) or a nucleotide prodrug. In some embodiments, -------- can be both absent, Z^1 can be absent, O^1 can be OR^{1A}, R^{3A} can be selected from H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid, R^{4A} can be selected from OH, halo, $-OC(=O)R^{"B}$ and an optionally substituted O-linked amino acid, or R^{3A} and R^{4A} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring.

[0175] Various substituents can be attached to the 5'-position of Formula (I) when both ------ are absent. In some embodiments, R^{1A} can be hydrogen. In some embodiments, R^{1A} can be an optionally substituted acyl. For example, R^{1A} can be $-C(=O)R^{39A}$, wherein R^{39A} can be selected from an optionally substituted C_{1-12} alkyl, an optionally substituted C_{2-12} alkenyl, an optionally substituted C_{2-12} alkynyl, an optionally substituted C_{3-8} cycloalkyl, an optionally substituted C_{5-8} cycloalkenyl, an optionally substituted C_{6-10} aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted heteroaryl(C_{1-6} alkyl) and an optionally substituted heterocyclyl(C_{1-6} alkyl). In some embodiments, R^{39A} can be a substituted C_{1-12} alkyl. In other embodiments, R^{39A} can be an unsubstituted C_{1-12} alkyl. In some embodiments, R^{1A} can be –C(=O)-unsubstituted C_{1-4} alkyl. In some embodiments, both R^{a1} and R^{a2} can be hydrogen. In other embodiments, R^{a1} can be hydrogen and R^{a2} can be deuterium. In still other embodiments, both R^{a1} and R^{a2} can be deuterium.

[0176] In still other embodiments, R^{1A} can be an optionally substituted O-linked amino acid. Examples of suitable O-linked amino acids include alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan and valine. Additional examples of suitable amino acids include, but are not limited to, ornithine, hypusine, 2-aminoisobutyric acid, dehydroalanine, gamma-aminobutyric acid, citrulline, beta-alanine, alpha-ethyl-glycine, alpha-propyl-glycine and norleucine. In some





embodiments, the O-linked amino acid can have the structure , wherein R^{40A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{41A} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{40A} and R^{41A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Those skilled in the art understand that when R^{1A} is an optionally substituted O-linked amino acid, the oxygen of $R^{1A}O$- of Formula (I) is part of the optionally substituted O-linked amino acid. For example, when R^{1A}




is , the oxygen indicated with "*" is the oxygen of $R^{1A}O$- of Formula (I).



[0177] When R^{40A} is substituted, R^{40A} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{40A} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{40A} can be hydrogen. In other embodiments, R^{40A} can be methyl. In some embodiments, R^{41A} can be hydrogen. In other embodiments, R^{41A} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{41A} can be methyl. Depending on the groups that are selected for R^{40A} and R^{41A}, the carbon to which R^{40A} and R^{41A} are attached may be a chiral center. In some embodiment, the carbon to which R^{40A} and R^{41A} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{40A} and R^{41A} are attached may be a (*S*)-chiral center.

[0178] Examples of suitable  include the following:




and

[0179] In some embodiments, R^{1A} can be  . In some embodiments, R^{6A} and R^{7A} can be both hydrogen. In other embodiments, R^{6A} and R^{7A} can be both absent. In still other embodiments, at least one R^{6A} and R^{7A} can be absent. In yet still other embodiments, at least one R^{6A} and R^{7A} can be hydrogen. Those skilled in the art understand that when R^{6A} and/or R^{7A} are absent, the associated oxygen(s) will have a negative charge. For example, when R^{6A} is absent, the oxygen associated with R^{6A} will have a negative charge. In some embodiments, Z^{1A} can be O (oxygen). In other embodiments, Z^{1A} can be S (sulfur). In some embodiments, R^{1A} can be a monophosphate. In other embodiments, R^{1A} can be a monothiophosphate.

[0180] In some embodiments, R^{1A} can be  ; R^{6A} can be  ; R^{7A} can be absent or hydrogen; R^{12A} and R^{13A} can be independently absent or hydrogen; R^{14A} can be O^-, OH or methyl; and m can be 0 or 1. In some embodiments, m can be 0, and R^{7A}, R^{12A} and R^{13A} can be independently absent or hydrogen. In other embodiments, m can be 1, and R^{7A}, R^{12A} and R^{13A} can be independently absent or hydrogen; and R^{14A} can be O^-, OH or methyl. In some embodiments, m can be 1,

and R^{7A}, R^{12A} and R^{13A} can be independently absent or hydrogen; and R^{14A} can be O^- or OH. In other embodiments, m can be 1, and R^{7A}, R^{12A} and R^{13A} can be independently absent or hydrogen; and R^{14A} can be methyl. Those skilled in the art understand that when m is 0, R^{6A} can be a diphosphate, when Z^{1A} is oxygen, or an alpha-thiodiphosphate, when Z^{1A} is sulfur. Likewise, those skilled in the art understand that when m is 1, R^{6A} can be a triphosphate, when Z^{1A} is oxygen, or an alpha-thiotriphosphate, when Z^{1A} is sulfur.









[0181] In some embodiments, when R^{1A} is , one of R^{6A} and R^{7A} can be hydrogen, and the other of R^{6A} and R^{7A} can be selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl; an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, one of R^{6A} and R^{7A} can be hydrogen, and the other of R^{6A} and R^{7A} can be an optionally substituted C_{1-24} alkyl. In other embodiments, both R^{6A} and R^{7A} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, both R^{6A} and R^{7A} can be an optionally substituted C_{1-24} alkyl. In other embodiments, both R^{6A} and R^{7A} can be an optionally substituted C_{2-24} alkenyl. In some embodiments, R^{6A} and R^{7A} can be independently an optionally substituted group selected from the following: myristoleyl, myristyl, palmitoleyl, palmityl, sapienyl, oleyl, elaidyl, vaccenyl, linoleyl, α-linolenyl, arachidonyl, eicosapentaenyl, erucyl, docosahexaenyl, caprylyl, capryl, lauryl, stearyl, arachidyl, behenyl, lignoceryl and cerotyl.

[0182] In some embodiments, at least one of R^{6A} and R^{7A} can be *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl. In other embodiments, R^{6A} and R^{7A} can be both *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl. In some embodiments, each R^{15A} and each R^{16A} can be hydrogen. In other embodiments, at least one of R^{15A} and R^{16A} can be an optionally substituted C_{1-24} alkyl. In other embodiments, at least one of R^{15A} and R^{16A} can be an alkoxy (for example, benzoxy).


In some embodiments, p can be 1. In other embodiments, p can be 2. In still other embodiments, p can be 3.

[0183] In some embodiments, at least one of R^{6A} and R^{7A} can be *–$(CR^{17A}R^{18A})_q$–O–C_{2-24} alkenyl. In other embodiments, R^{6A} and R^{7A} can be both *–$(CR^{17A}R^{18A})_q$–O–C_{2-24} alkenyl. In some embodiments, each R^{17A} and each R^{18A} can be hydrogen. In other embodiments, at least one of R^{17A} and R^{18A} can be an optionally substituted C_{1-24} alkyl. In some embodiments, q can be 1. In other embodiments, q can be 2. In still other embodiments, q can be 3. When at least one of R^{6A} and R^{7A} is *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl or *–$(CR^{17A}R^{18A})_q$–O–C_{2-24} alkenyl, the C_{1-24} alkyl can be selected from caprylyl, capryl, lauryl, myristyl, palmityl, stearyl, arachidyl, behenyl, lignoceryl, and cerotyl, and the C_{2-24} alkenyl can be selected from myristoleyl, palmitoleyl, sapienyl, oleyl, elaidyl, vaccenyl, linoleyl, α-linolenyl, arachidonyl, eicosapentaenyl, erucyl and docosahexaenyl.


[0184] In some embodiments, when R^{1A} is  , at least one of R^{6A} and R^{7A} can be selected from  ,  ,  and  ; and the other of R^{6A} and R^{7A} can be selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl).




[0185] In some embodiments, at least one of R^{6A} and R^{7A} can be



or . In some embodiments, both R^{6A} and R^{7A} can be




. When one or both of R^{6A} and R^{7A} are




, R^{19A} and R^{20A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; and R^{21A} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, R^{19A} and R^{20A} can be hydrogen. In other embodiments, at least one of R^{19A} and R^{20A} can be an optionally substituted C_{1-24} alkyl or an optionally substituted aryl. In some embodiments, R^{21A} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{21A} can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{21A} can be an optionally substituted aryl. In still other embodiments, R^{21A} can be an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, R^{21A} can be an unsubstituted –O–C_{1-4} alkyl.



[0186] In some embodiments, both R^{6A} and R^{7A} can be





. When one or both of R^{6A} and R^{7A} are



, R^{22A} and R^{23A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{24A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl,



an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; s can be 0, 1, 2 or 3; and Z^{4A} can be independently O (oxygen) or S (sulfur). In some embodiments, R^{22A} and R^{23A} can be hydrogen. In other embodiments, at least one of R^{22A} and R^{23A} can be an optionally substituted C_{1-24} alkyl or an optionally substituted aryl. In some embodiments, R^{24A} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{24A} can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{24A} can be an optionally substituted aryl. In still other embodiments, R^{24A} can be an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In yet still other embodiments, R^{24A} can be  . In some embodiments, R^{24A} can be an unsubstituted –O–C_{1-4} alkyl. In some embodiments, Z^{4A} can be O (oxygen). In other embodiments, Z^{4A} can be or S (sulfur). In some embodiments, s can be 0. In other embodiments, s can be 1. In still other embodiments, s can be 2. In yet still other embodiments, s can be 3. In some embodiments, s can be 0 and R^{24A} can be  . In some embodiments, one or both of R^{6A} and R^{7A} can be isopropyloxycarbonyloxymethyl (POC). In some embodiments, R^{6A} and R^{7A} can be both a isopropyloxycarbonyloxymethyl (POC) group, and form a bis(isopropyloxycarbonyloxymethyl) (bis(POC)) prodrug. In other embodiments, one or both of R^{6A} and R^{7A} can be pivaloyloxymethyl (POM). In some embodiments, R^{6A} and R^{7A} can be both a pivaloyloxymethyl (POM) group, and form a bis(pivaloyloxymethyl) (bis(POM)) prodrug.



[0187] In some embodiments, both R^{6A} and R^{7A} can be  . When one or both of R^{6A} and R^{7A} are  , R^{27A1} and R^{27A2} can be independently -C≡N or an optionally



substituted substituent selected from C_{2-8} organylcarbonyl, C_{2-8} alkoxycarbonyl and C_{2-8} organylaminocarbonyl; R^{28A} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; and t can be 1 or 2. In some embodiments, R^{27A1} can be -C≡N and R^{27A2} can be an optionally substituted C_{2-8} alkoxycarbonyl, such as $-C(=O)OCH_3$. In other embodiments, R^{27A1} can be -C≡N and R^{27A2} can be an optionally substituted C_{2-8} organylaminocarbonyl, for example, $-C(=O)NHCH_2CH_3$ and $-C(=O)NHCH_2CH_2$phenyl. In some embodiments, both R^{27A1} and R^{27A2} can be an optionally substituted C_{2-8} organylcarbonyl, such as $-C(=O)CH_3$. In some embodiments, both R^{27A1} and R^{27A2} can be an optionally substituted C_{1-8} alkoxycarbonyl, for example, $-C(=O)OCH_2CH_3$ and $-C(=O)OCH_3$. In some embodiments, including those described in this paragraph, R^{28A} can be an optionally substituted C_{1-4} alkyl. In some embodiment, R^{28A} can be methyl or tert-butyl. In some embodiments, t can be 1. In other embodiments, t can be 2.




[0188] In some embodiments, R^{6A} and R^{7A} can be both an optionally substituted aryl. In some embodiments, at least one of R^{6A} and R^{7A} can be an optionally substituted aryl. For example, both R^{6A} and R^{7A} can be an optionally substituted phenyl or an optionally substituted naphthyl. When substituted, the substituted aryl can be substituted with 1, 2, 3 or more than 3 substituents. When more the two substituents are present, the substituents can be the same or different. In some embodiments, when at least one of R^{6A} and R^{7A} is a substituted phenyl, the substituted phenyl can be a para-, ortho- or meta-substituted phenyl.



[0189] In some embodiments, R^{6A} and R^{7A} can be both an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, at least one of R^{6A} and R^{7A} can be an optionally substituted aryl(C_{1-6} alkyl). For example, both R^{6A} and R^{7A} can be an optionally substituted benzyl. When substituted, the substituted benzyl group can be substituted with 1, 2, 3 or more than 3 substituents. When more the two substituents are present, the substituents can be the same or different. In some embodiments, the aryl group of the aryl(C_{1-6} alkyl) can be a para-, ortho- or meta-substituted phenyl.







[0190] In some embodiments, R^{6A} and R^{7A} can be both  . In some embodiments, at least one of R^{6A} and R^{7A} can be  . In some embodiments, R^{25A} can be hydrogen. In other embodiments, R^{25A} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{25A} can be an optionally substituted aryl (for example, an optionally substituted phenyl). In some embodiments, R^{25A} can be a C_{1-6} alkyl, for example, methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, w can be 0. In other embodiments, w can be 1. In some embodiments, R^{6A} and R^{7A} can be both a S-acylthioethyl (SATE) group and form a SATE ester prodrug.

[0191] In some embodiments, R^{6A} and R^{7A} can be both  . In some embodiments, at least one of R^{6A} and R^{7A} can be  . In some embodiments, R^{26A} can be hydrogen. In other embodiments, R^{26A} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{26A} can be an optionally substituted aryl, for example, an optionally substituted phenyl. In some embodiments, R^{26A} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{26A} can be an unsubstituted C_{1-6} alkyl. In some embodiments, y can be 3. In other embodiments, y can be 4. In still other embodiments, y can be 5.

[0192] In some embodiments, R^{6A} and R^{7A} can be both  . In some embodiments, at least one of R^{6A} and R^{7A} can be  . In some embodiments, R^{29A} can be hydrogen. In other embodiments, R^{29A} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{29A} can be a C_{1-4} alkyl, such as methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl and t-butyl. In still other embodiments, R^{29A} can be an optionally substituted aryl, such as an optionally substituted phenyl or an optionally substituted naphthyl. In some embodiments, R^{6A} and R^{7A} can be both a dioxolenone group and form a dioxolenone prodrug.


[0193] In some embodiments, R^{6A} and R^{7A} can be taken together to form an optionally substituted  . For example, R^{1A} can be an optionally substituted  . When substituted, the ring can be substituted 1, 2, 3 or 3 or more times. When substituted with multiple substituents, the substituents can be the same or different. In some embodiments, when R^{1A} is  , the ring can be substituted with an optionally substituted aryl group and/or an optionally substituted heteroaryl. An example of a suitable heteroaryl is pyridinyl. In some embodiments, R^{6A} and R^{7A} can be taken together to form an

optionally substituted  such as  , wherein R^{32A} can be an optionally substituted aryl, an optionally substituted heteroaryl or an optionally substituted heterocyclyl. In some embodiments, R^{6A} and R^{7A} can form a cyclic 1-aryl-1,3-propanyl ester (HepDirect) prodrug moiety.

[0194] In some embodiments, R^{6A} and R^{7A} can be taken together to form an optionally substituted  , wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system. Example of an optionally substituted  include  ,  ,  and  . In some embodiments, R^{6A} and R^{7A} can form a cyclosaligenyl (cycloSal) prodrug.


[0195] In some embodiments, R^{6A} and R^{7A} can be the same. In some embodiments, R^{6A} and R^{7A} can be different.

[0196] In some embodiments, Z^{1A} can be oxygen. In other embodiments, Z^{1A} can be sulfur.

[0197] In some embodiments, R^{1A} can be  . In some embodiments, R^{8A} can be selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; and R^{9A} can be independently

selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl.




[0198] In some embodiments, R^{8A} can be hydrogen, and R^{9A} can be an optionally substituted C_{1-6} alkyl. Examples of suitable C_{1-6} alkyls include methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In other embodiments, R^{8A} can be hydrogen, and R^{9A} can be $NR^{30A}R^{31A}$, wherein R^{30A} and R^{31A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl). In some embodiments, one of R^{30A} and R^{31A} can be hydrogen and the other of R^{30A} and R^{31A} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted benzyl.



[0199] In some embodiments, R^{8A} can be absent or hydrogen; and R^{9A} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In other embodiments, R^{8A} can be an optionally substituted aryl; and R^{9A} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In still other embodiments, R^{8A} can be an optionally substituted heteroaryl; and R^{9A} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In some embodiments, R^{9A} can be selected from alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. Examples of an optionally substituted N-linked amino acid ester derivatives include optionally substituted versions of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{9A} can have the structure  wherein R^{33A} can be selected from hydrogen, an optionally

substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{34A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{35A} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{34A} and R^{35A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0200] When R^{34A} is substituted, R^{34A} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{34A} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{34A} can be hydrogen. In other embodiments, R^{34A} can be methyl. In some embodiments, R^{33A} can be an optionally substituted C_{1-6} alkyl. Examples of optionally substituted C_{1-6} alkyls include optionally substituted variants of the following: methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, R^{33A} can be methyl or isopropyl. In some embodiments, R^{33A} can be ethyl or neopentyl. In other embodiments, R^{33A} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{33A} can be an optionally substituted cyclohexyl. In still other embodiments, R^{33A} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{33A} can be an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, R^{33A} can be an optionally substituted benzyl. In some embodiments, R^{33A} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{35A} can be hydrogen. In other embodiments, R^{35A} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{35A} can be methyl. In some embodiments, R^{34A} and R^{35A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. Depending on the groups that are selected for R^{34A} and R^{35A}, the carbon to which R^{34A} and R^{35A} are attached may be a chiral




center. In some embodiment, the carbon to which R^{34A} and R^{35A} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{34A} and R^{35A} are attached may be a (*S*)-chiral center.


[0201] In some embodiments, when R^{1A} is  , Z^{2A} can be O (oxygen). In other embodiments, when R^{1A} is  , Z^{2A} can be S (sulfur). In some embodiments, when R^{1A} is  , a compound of Formula (I) can be a phosphoramidate prodrug, such as an aryl phosphoramidate prodrug.

[0202] In some embodiments, R^{1A} can be  . In some embodiments, R^{10A} and R^{11A} can be both an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In some embodiments, R^{10A} and R^{11A} can be independently selected from alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. In some embodiments, R^{10A} and R^{11A} can be an optionally substituted version of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{10A} and R^{11A} can independently have the structure  wherein R^{36A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{37A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an


optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{38A} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{37A} and R^{38A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0203] When R^{37A} is substituted, R^{37A} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{37A} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{37A} can be hydrogen. In other embodiments, R^{37A} can be methyl. In some embodiments, R^{36A} can be an optionally substituted C_{1-6} alkyl. Examples of optionally substituted C_{1-6} alkyls include optionally substituted variants of the following: methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, R^{36A} can be methyl or isopropyl. In some embodiments, R^{36A} can be ethyl or neopentyl. In other embodiments, R^{36A} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{36A} can be an optionally substituted cyclohexyl. In still other embodiments, R^{36A} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{36A} can be an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, R^{36A} can be an optionally substituted benzyl. In some embodiments, R^{36A} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{38A} can be hydrogen. In other embodiments, R^{38A} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{38A} can be methyl. In some embodiments, R^{37A} and R^{38A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. Depending on the groups that are selected for R^{37A} and R^{38A}, the carbon to which R^{37A} and R^{38A} are attached may be a chiral center. In some embodiment, the carbon to which R^{37A} and R^{38A} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{37A} and R^{38A} are attached may be a (*S*)-chiral center.

[0204] Examples of suitable  and  groups include the following: 




[0205] In some embodiments, R^{10A} and R^{11A} can be the same. In some embodiments, R^{10A} and R^{11A} can be different.

[0206] In some embodiments, Z^{3A} can be O (oxygen). In other embodiments, Z^{3A} can be S (sulfur). In some embodiments, when R^{1A} is  , a compound of Formula (I) can be a phosphonic diamide prodrug.


[0207] Various substituents can be present at the 4'-position of the pentose ring. In some embodiments, R^{2A} can be an unsubstituted C_{1-4} alkyl. Unsubstituted C_{1-4} alkyls include methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl and tert-butyl. In other embodiments, R^{2A} can be an unsubstituted C_{2-4} alkenyl, such as ethenyl, propenyl and butenyl. In still other embodiments, R^{2A} can be an unsubstituted C_{2-4} alkynyl, for example, ethynyl, propynyl and butynyl. In yet still other embodiments, R^{2A} can be a haloalkyl. Examples of a haloalkyls are $-(CH_2)_{1-6}$ halogen and $-CHF_2$. In some embodiments, the haloalkyl can be $-(CH_2)_{1-6}F$ or $-(CH_2)_{1-6}Cl$. In some embodiments, the haloalkyl can be fluoromethyl. In other embodiments, R^{2A} can be $-CHF_2$. In yet still other embodiments, R^{2A} can be a C_{1-6} azidoalkyl. For example, R^{2A} can be an azidomethyl, azidoethyl, azidopropyl, azidobutyl, azidopentyl or azidohexyl. In some embodiments, R^{2A} can be a C_{1-6} aminoalkyl. For example, R^{2A} can be an aminomethyl, aminoethyl, aminopropyl, aminobutyl, aminopentyl or aminohexyl. In other embodiments, R^{2A} can be halo. For example, R^{2A} can be fluoro (F) or chloro (Cl). In still other embodiments, R^{2A} can be hydrogen. In yet still other embodiments, R^{2A} can be -CN. In some embodiments, R^{2A} can be selected from halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted $-O-C_{1-6}$ alkyl, an optionally substituted $-O-C_{3-6}$ alkenyl, an optionally substituted $-O-C_{3-6}$ alkynyl and cyano.






[0208] A variety of substituents can also be present at the 2'-position of the pentose ring. In some embodiments, R^{4A} can be OH. In other embodiments, R^{4A} can be $-OC(=O)R^{"B}$, wherein $R^{"B}$ can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{4A} can be $-OC(=O)R^{"B}$, wherein $R^{"B}$ can be an unsubstituted C_{1-4} alkyl. In still other embodiments, R^{4A} can be halo. In some embodiments, R^{4A} can be F. In other embodiments, R^{4A} can be Cl. In some embodiments, R^{4A} can be N_3. In some embodiments, R^{4A} can be $NR^{"B1}R^{"B2}$. For example, R^{4A} can be NH_2. Other examples can be a mono-


substituted C_{1-6} alkyl-amine or a di-substituted C_{1-6} alkyl-amine. In other embodiments, R^{4A} can be hydrogen (H).

[0209] In still other embodiments, R^{4A} can be an optionally substituted O-linked amino acid, such as a O-linked alpha-amino acid. In some embodiments, the O-linked amino acid can have the structure  , wherein R^{42A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{43A} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{42A} and R^{43A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0210] When R^{42A} is substituted, R^{42A} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{42A} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{42A} can be hydrogen. In other embodiments, R^{42A} can be methyl. In some embodiments, R^{43A} can be hydrogen. In other embodiments, R^{43A} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{43A} can be methyl. Depending on the groups that are selected for R^{42A} and R^{43A}, the carbon to which R^{42A} and R^{43A} are attached may be a chiral center. In some embodiment, the carbon to which R^{42A} and R^{43A} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{42A} and R^{43A} are attached may be a (*S*)-chiral center.


[0211] Examples of suitable  include the following:


 ,  ,  ,  ,  ,




[0212] In some embodiments, R^{5A} can be H. In other embodiments, R^{5A} can be halo, including F and Cl. In still other embodiments, R^{5A} can be an optionally substituted C_{1-6} alkyl. For example, R^{5A} can be a substituted or unsubstituted version of the following: methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl, tert-butyl, pentyl (branched or straight) and hexyl (branched or straight). In some embodiments, R^{5A} can be a halo-substituted C_{1-6} alkyl, such as $-CH_2F$. In yet still other embodiments, R^{5A} can be an optionally substituted C_{2-6} alkenyl. In some embodiments, R^{5A} can be an optionally substituted C_{2-6} alkynyl. For example, R^{5A} can be ethynyl. In some embodiments, R^{5A} can be hydroxy (OH).






[0213] A variety of substituents can be present at the 1'-position of the pentose ring. In some embodiments, R^{A} can be hydrogen. In some embodiments, R^{A} can be deuterium. In still other embodiments, R^{A} can be an unsubstituted C_{1-3} alkyl (such as methyl, ethyl, n-propyl and iso-propyl). In yet still other embodiments, R^{A} can be an unsubstituted C_{2-4} alkenyl (for example, ethenyl, propenyl (branched or straight) and butenyl (branched or straight)). In some embodiments, R^{A} can be an unsubstituted C_{2-3} alkynyl (such as ethynyl and propynyl (branched or straight)). In other embodiments, R^{A} can be an unsubstituted cyano.


[0214] In some embodiments, -------- can be both absent such that a compound of Formula (I) has the structure:  . When -------- are both absent, the 3'-position can have various groups present. In some embodiments, R^{3A} can be H. In other embodiments, R^{3A} can be halo. For example, R^{3A} can be fluoro (F) or chloro (Cl). In still other embodiments, R^{3A} can be OH. In some embodiments, R^{3A} can be $-OC(=O)R''^{A}$, wherein R''^{A} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{3A} can be

$-OC(=O)R^{"A}$, wherein $R^{"A}$ can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{3A} can be an optionally substituted O-linked amino acid, such as an optionally substituted O-linked alpha-amino acid. The optionally substituted O-linked amino acid can have the structure:  , wherein R^{44A} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{45A} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{44A} and R^{45A} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0215] When R^{44A} is substituted, R^{44A} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{44A} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{44A} can be hydrogen. In other embodiments, R^{44A} can be methyl. In some embodiments, R^{45A} can be hydrogen. In other embodiments, R^{45A} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{45A} can be methyl. Depending on the groups that are selected for R^{44A} and R^{45A}, the carbon to which R^{44A} and R^{45A} are attached may be a chiral center. In some embodiment, the carbon to which R^{44A} and R^{45A} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{44A} and R^{45A} are attached may be a (*S*)-chiral center.


[0216] Examples of suitable  include the following:

 ,  ,  ,  ,  ,








[0217] In some embodiments, R^{3A} and R^{4A} can be each an oxygen atom connected via a carbonyl to form a 5-membered ring.

[0218] In some embodiments, R^{2A} can be fluoro and R^{3A} can be fluoro. In some embodiments, R^{2A} can be fluoro and R^{4A} can be fluoro. In some embodiments, R^{2A} can be fluoro, R^{3A} can be fluoro and R^{5A} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{2A} can be fluoro, R^{4A} can be fluoro and R^{5A} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{2A} can be fluoro, R^{3A} can be fluoro and R^{4A} can be OH or $-OC(=O)R^{"B}$. In some embodiments, R^{2A} can be fluoro, R^{3A} can be OH or $-OC(=O)R^{"A}$ and R^{4A} can be fluoro. In some embodiments, R^{4A} and R^{5A} can be each F. In some embodiments, R^{2A} can be *-$(CH_2)_{1-6}$halogen (for example, -CH_2F), R^{3A} can be OH, $-OC(=O)R^{"A}$ or an optionally substituted O-linked amino acid and R^{4A} can be OH. In some embodiments, R^{2A} can be -$(CH_2)_{1-6}$halogen (for example, -CH_2F), R^{3A} can be OH, $-OC(=O)R^{"A}$ or an optionally substituted O-linked amino acid, R^{4A} can be OH, and R^{5A} can be an unsubstituted C_{1-6} alkyl. In some embodiments, R^{2A} can be -$(CH_2)_{1-6}N_3$ (such as, -CH_2N_3), R^{3A} can be OH and R^{4A} can be fluoro.

[0219] In some embodiments, -------- can be each a single bond such that a compound of Formula (I) has the structure:  . When -------- are each a single bond, R^{3A} can be oxygen (O). In some embodiments, when -------- are each a single bond, R^{1B} can be O^- or OH. In other embodiments, when -------- are each a single


bond, R^{1B} can be an –O–optionally substituted C_{1-6} alkyl. For example, R^{1B} can be an –O–unsubstituted C_{1-6} alkyl.






[0220] In some embodiments, when -------- are each a single bond, R^{1B} can be  . In other embodiments, R^{1B} can be  . For example, R^{1B} can be a isopropyloxycarbonyloxymethyloxy or pivaloyloxymethyloxy group. In still some embodiments, R^{1B} can be  . A S-acylthioethyl (SATE) group is an example of a  group. In yet still other embodiments, R^{1B} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative, such as an optionally substituted N-linked alpha-amino acid or an optionally substituted N-linked alpha-amino acid ester derivative.


[0221] Examples of an optionally substituted N-linked amino acids and an optionally substituted N-linked amino acid ester derivatives are described herein. In some embodiments, R^{1B} can be selected from alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. In some embodiments, R^{1B} can be an optionally substituted version of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{1B} can have the structure  wherein R^{10B} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{11B} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally

substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{12B} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{11B} and R^{12B} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.


[0222] As described herein, R^{11B} can be substituted. Examples of substituents include one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{11B} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{11B} can be hydrogen. In other embodiments, R^{11B} can be methyl. In some embodiments, R^{10B} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{10B} can be methyl, ethyl, isopropyl or neopentyl. In other embodiments, R^{10B} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{10B} can be an optionally substituted cyclohexyl. In still other embodiments, R^{10B} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{10B} can be an optionally substituted aryl(C_{1-6} alkyl), for example, an optionally substituted benzyl. In some embodiments, R^{10B} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{12B} can be hydrogen. In other embodiments, R^{12B} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{12B} can be methyl. In some embodiments, R^{11B} and R^{12B} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Depending on the groups that are selected for R^{11B} and R^{12B}, the carbon to which R^{11B} and R^{12B} are attached may be a chiral center. In some embodiment, the carbon to which R^{11B} and R^{12B} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{11B} and R^{12B} are attached may be a (*S*)-chiral center.

[0223] Examples of suitable  groups include the following:

 ,  ,  ,  ,  ,



and




[0224] In some embodiments, R^{1B} can be . In some embodiments, R^{9B} can be hydrogen. In other embodiments, R^{9B} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{9B} can be an optionally substituted aryl, for example, an optionally substituted phenyl. In some embodiments, R^{9B} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{9B} can be an unsubstituted C_{1-6} alkyl. In some embodiments, u can be 3. In other embodiments, u can be 4. In still other embodiments, u can be 5.

[0225] In some embodiments, Z^{1B} can be oxygen (O). In other embodiments, Z^{1B} can be S (sulfur).

[0226] Various optionally substituted heterocyclic bases can be attached to the pentose ring. In some embodiments, one or more of the amine and/or amino groups of the optionally substituted heterocyclic base may be protected with a suitable protecting group.






For example, an amino group may be protected by transforming the amine and/or amino group to an amide or a carbamate. In some embodiments, an optionally substituted heterocyclic base or an optionally substituted heterocyclic base can include a group that improves the solubility of the compound (for example, $-(CH_2)_{1-2}-O-P(=O)(OW^{1A})_2$). In some embodiments, an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with one or more protected amino groups can have one of the following structures:










and ;


wherein: R^{A2} can be selected from hydrogen, halogen and NHR^{J2}, wherein R^{J2} can be selected from hydrogen, $-C(=O)R^{K2}$ and $-C(=O)OR^{L2}$; R^{B2} can be halogen or NHR^{W2}, wherein R^{W2} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{M2}$ and $-C(=O)OR^{N2}$; R^{C2} can be hydrogen or NHR^{O2}, wherein R^{O2} can be selected from hydrogen, $-C(=O)R^{P2}$ and $-C(=O)OR^{Q2}$; R^{D2} can be selected from hydrogen, deuterium, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{I2} can be selected from hydrogen, hydroxy, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{R2}$ and $-C(=O)OR^{S2}$; R^{F2} can be selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; Y^2 and Y^3 can be independently N (nitrogen) or CR^{I2}, wherein R^{I2} can be selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; W^1 can be NH, $-NCH_2-OC(=O)CH(NH_2)-CH(CH_3)_2$ or $-(CH_2)_{1-2}-$

O-P(=O)(OW^{1A})$_2$, wherein W^{1A} can be selected from absent hydrogen and an optionally substituted C$_{1-6}$ alkyl; R^{G2} can be an optionally substituted C$_{1-6}$ alkyl; R^{H2} can be hydrogen or NHR^{T2}, wherein R^{T2} can be independently selected from hydrogen, -C(=O)R^{U2} and –C(=O)OR^{V2}; and R^{K2}, R^{L2}, R^{M2}, R^{N2}, R^{P2}, R^{Q2}, R^{R2}, R^{S2}, R^{U2} and R^{V2} can be independently selected from hydrogen, C$_{1-6}$ alkyl, C$_{2-6}$ alkenyl, C$_{2-6}$ alkynyl, C$_{3-6}$ cycloalkyl, C$_{3-6}$ cycloalkenyl, C$_{6-10}$ aryl, heteroaryl, heterocyclyl, aryl(C$_{1-6}$ alkyl), heteroaryl(C$_{1-6}$ alkyl) and heterocyclyl(C$_{1-6}$ alkyl). In some embodiments, the structures shown above can be modified by replacing one or more hydrogens with substituents selected from the list of substituents provided for the definition of "substituted." Those skilled in the art understand that when W^{1A} is absent, the oxygen atom will have an associated negative charge. In some embodiments, the substituent on the base can result in the formation of a salt of a compound of Formula (I).


[0227] In some embodiments, B^{1A} can be an optionally substituted purine base. In other embodiments, B^{1A} can be an optionally substituted pyrimidine base. In some embodiments, B^{1A} can be  . In other embodiments, B^{1A} can be  . In still other embodiments, B^{1A} can be  , such as  . In yet still other embodiments, B^{1A} can be  , wherein W^{1} can be –NCH$_2$-OC(=O)CH(NH$_2$)-CH(CH$_3$)$_2$ or –(CH$_2$)$_{1-2}$–O-P(=O)(OW^{1A})$_2$. In some

embodiments, B^{1A} can be  , for example,  or  . In other embodiments, R^{D2} can be hydrogen. In still other embodiments, B^{1A} can be  . In some embodiments, R^{B2} can be NH_2. In other embodiments, R^{B2} can be NHR^{W2}, wherein R^{W2} can be $-C(=O)R^{M2}$ or $-C(=O)OR^{N2}$. In still other embodiments, B^{1A} can be  . In some embodiments, B^{1A} can be  .


[0228] In some embodiments, a compound of Formula (I), or a pharmaceutically acceptable salt thereof, can be used to ameliorate or treat a viral infection, wherein: B^{1A} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; -------- can be absent or a single bond, provided that both ---------- are absent or both -------- are a single bond; when -------- are both absent, then Z^1 can be absent, O^1 can be OR^{1A}, R^{3A} can be selected from H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid, R^{4A} can be selected from OH, halo, $-OC(=O)R^{"B}$ and an optionally substituted O-linked amino acid, or R^{3A} and R^{4A} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring; when -------- are each a single bond, then Z^1 can be  , O^1 can be O, R^{3A} can be O; R^{4A} can be selected from OH, halo, $-OC(=O)R^{"B}$ and an optionally substituted O-linked amino acid; and R^{1B} can be




selected from O^-, OH, an –O–optionally substituted C_{1-6} alkyl.




, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{1A} can be selected from hydrogen, an optionally substituted acyl, an optionally substituted O-linked amino acid,






; R^{2A} can be halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, $-(CH_2)_{1-6}$halogen or $-(CH_2)_{1-6}N_3$; R^{5A} can be selected from H, halo, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{6A}, R^{7A} and R^{8A} can be independently selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted $*-(CR^{15A}R^{16A})_p-O-C_{1-24}$ alkyl, an optionally substituted $*-(CR^{17A}R^{18A})_q-O-C_{1-24}$ alkenyl,




,







and R^{7A} can be absent or hydrogen; or R^{6A} and R^{7A} can be taken together to form a moiety












selected from an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system;. R^{9A} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30A}R^{31A}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{10A} and R^{11A} can be independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative; R^{12A} and R^{13A} can be independently absent or hydrogen; R^{14A} can be absent, hydrogen or methyl; each R^{15A}, each R^{16A}, each R^{17A} and each R^{18A} can be independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy; R^{19A}, R^{20A}, R^{22A}, R^{23A}, R^{2B}, R^{3B}, R^{5B} and R^{6B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{21A} and R^{4B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; R^{24A} and R^{7B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ; R^{25A}, R^{26A}, R^{29A}, R^{8B} and R^{9B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{27A1} and R^{27A2} can be independently selected from -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl; R^{28A} is selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an



optionally substituted C_{3-6} cycloalkenyl; R^{30A} and R^{31A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; $R^{"A}$ and $R^{"B}$ can be independently an optionally substituted C_{1-24} alkyl; m, v and w can be 0 or 1; p and q can be independently 1, 2 or 3; r and s can be independently 0, 1, 2 or 3; t is 1 or 2; u and y can be independently 3, 4 or 5; and Z^{1A}, Z^{2A}, Z^{3A}, Z^{4A}, Z^{1B} and Z^{2B} can be independently O or S; wherein the viral infection can be caused by a virus selected from a Picornaviridae virus and a *Flaviviridae* virus; and provided that when the *Flaviviridae* virus is hepatitis C virus, then the compound of Formula (I), or a pharmaceutically acceptable salt thereof, cannot be selected from a compound in paragraphs [0292] and [0295], or a pharmaceutically acceptable salt of the foregoing.

[0229] In some embodiments, a compound of Formula (I), or a pharmaceutically acceptable salt thereof, can be used to ameliorate or treat a viral infection, wherein: B^{1A} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; -------- can be absent or a single bond, provided that both ---------- are absent or both -------- are a single bond; when -------- are both absent, then Z^1 can be absent, O^1 can be OR^{1A}, R^{3A} can be selected from H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid, R^{4A} can be selected from OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$, or R^{3A} and R^{4A} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring; when ------ -- are each a single bond, then Z^1 can be  , O^1 can be O, R^{3A} can be O; R^{4A} can be selected from OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$; and R^{1B} can be selected from O^-, OH, an –O–optionally substituted C_{1-6} alkyl.












, an optionally substituted N-linked amino acid and an optionally


substituted N-linked amino acid ester derivative; R^{a1} and R^{a2} can be independently hydrogen or deuterium; R^A can be hydrogen, deuterium, an unsubstituted C_{1-3} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-3} alkynyl or cyano; R^{1A} can be selected from hydrogen, an optionally substituted acyl, an optionally substituted O-linked amino acid,  ,  and  ; R^{2A} can be hydrogen, halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, $-(CH_2)_{1-6}$ halogen,$-(CH_2)_{1-6}N_3$ or $-(CH_2)_{1-6}NH_2$; R^{5A} can be selected from the group consisting of H, halo, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{6A}, R^{7A} and R^{8A} can be independently selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted $*-(CR^{15A}R^{16A})_p-O-C_{1-24}$ alkyl, an optionally substituted $*-(CR^{17A}R^{18A})_q-O-C_{1-24}$ alkenyl,  ,  ,  ,  ,  and  ; or R^{6A} can be  and R^{7A} can be absent or hydrogen; or R^{6A} and R^{7A} can be taken together to form a moiety selected from an optionally substituted  and an optionally substituted

 , wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system; R^{9A} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30A}R^{31A}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{10A} and R^{11A} can be independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative; R^{12A} and R^{13A} can be independently absent or hydrogen; R^{14A} can be O^-, OH or methyl; each R^{15A}, each R^{16A}, each R^{17A} and each R^{18A} can be independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy; R^{19A}, R^{20A}, R^{22A}, R^{23A}, R^{2B}, R^{3B}, R^{5B} and R^{6B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{21A} and R^{4B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; R^{24A} and R^{7B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ; R^{25A}, R^{26A}, R^{29A}, R^{8B} and R^{9B} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{27A1} and R^{27A2} can be independently selected from -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl; R^{28A} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; R^{30A} and R^{31A} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally


substituted C_{3-6} cycloalkenyl; $R^{"A}$ and $R^{"B}$ can be independently an optionally substituted C_{1-24} alkyl; $R^{"B1}$ and $R^{"B2}$ can be independently hydrogen and an optionally substituted C_{1-6} alkyl; m, v and w can be 0 or 1; p and q can be independently 1, 2 or 3; r and s can be independently 0, 1, 2 or 3; t can be 1 or 2; u and y can be independently 3, 4 or 5; and Z^{1A}, Z^{2A}, Z^{3A}, Z^{4A}, Z^{1B} and Z^{2B} can be independently O or S; wherein the viral infection is caused by a virus selected from a Picornaviridae virus and a *Flaviviridae* virus; and provided that when the *Flaviviridae* virus is hepatitis C virus, then the compound of Formula (I), or a pharmaceutically acceptable salt thereof, cannot be selected from a compound in paragraphs [0292], [0293], [0294] and [0296], or a pharmaceutically acceptable salt of the foregoing.

[0230] In some embodiments, when R^{2A} is halo (such as fluoro); -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; B^{1A} is selected from an optionally substituted  , an optionally substituted  , an optionally substituted  , an optionally substituted  , an optionally substituted  , and an optionally substituted  , wherein R^{a2} is an optionally substituted C_{1-6} alkyl or an optionally substituted C_{3-6} cycloalkyl, R^{a3} and R^{a4} are independently selected from

hydrogen, an unsubstituted C_{1-6} alkyl, an unsubstituted C_{3-6} alkenyl, an unsubstituted C_{3-6} alkynyl and an unsubstituted C_{3-6} cycloalkyl, R^{a5} is NHR^{a8}, and R^{a6} is hydrogen, halogen or NHR^{a9}; R^{a7} is NHR^{a10}; R^{a8} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a11}$ and $-C(=O)OR^{a12}$; R^{a9} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a13}$ and $-C(=O)OR^{a14}$; R^{a10} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a15}$ and $-C(=O)OR^{a16}$; X^{a1} is N or $-CR^{a17}$; R^{a17} is selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{a11}, R^{a12}, R^{a13}, R^{a14}, R^{a15} and R^{a16} are independently selected from C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl); then R^{3A} is selected from H, halo, and an optionally substituted O-linked amino acid; and R^{4A} is selected from OH, halo, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid; or then R^{4A} is an optionally substituted O-linked amino acid; and R^{3A} is selected from H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid; or then R^{3A} and R^{4A} are both an oxygen atom connected via a carbonyl to form a 5-membered ring; or then R^{1A} is




, wherein R^{6A} and R^{7A} are independently




,


wherein s is 1, 2 or 3,




or




; or then R^{1A} is







, wherein R^{6A} and R^{7A} are taken together to form a moiety selected from an optionally substituted








and an optionally substituted








, wherein the





oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system. In some embodiments, when R^{2A} is halo (such as fluoro); -------- are each a single bond; then R^{4A} is $-OC(=O)R^{"B}$ or an optionally substituted O-linked amino acid. In some embodiments, when R^{2A} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; R^{3A} is OH, $-OC(=O)R"^A$ or an optionally substituted O-linked amino acid; and R^{4A} is halo; then R^{5A} is selected from an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, when R^{2A} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; R^{4A} is halo; and R^{5A} is H or halo; then R^{3A} is H or halo. In some embodiments, when R^{2A} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; R^{3A} is OH, $-OC(=O)R"^A$ or an optionally substituted O-linked amino acid; R^{4A} is halo; R^{5A} is H or halo; and R^{1A} is  then at least one of R^{6A} and R^{7A} is  , wherein R^{21A} is independently selected from an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then at least one of R^{6A} and R^{7A} is  , wherein s is 1, 2 or 3; or then at least one of R^{6A} and R^{7A} is  , wherein s is 0 and R^{24A} is an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, when R^{2A} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; R^{3A} is OH, $-OC(=O)R"^A$ or an optionally substituted O-linked amino


acid; R^{4A} is halo; R^{5A} is H or halo; and R^{1A} is  ; then R^{8A} is  , wherein R^{21A} is independently selected from an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then R^{8A} is  , wherein s is 1, 2 or 3; or then R^{8A} is  , wherein s is 0 and R^{24A} is an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl or  .


In some embodiments, when -------- are both absent; Z^1 is absent; O^1 is OH; R^{2A} is methyl; R^{3A} is OH; then R^{4A} is halo, $–OC(=O)R^{"B}$ or an optionally substituted O-linked amino acid.

In some embodiments, when -------- are both absent; Z^1 is absent; O^1 is OR^{1A}; R^{2A} is halo (for example, F); R^{3A} is OH or $–OC(=O)R^{"A}$; R^{4A} is halo (for example, F); and R^{5A} is methyl, ethyl or ethenyl; then R^{1A} cannot be selected from H,  and  , wherein R^{8A} is an unsubstituted aryl; R^{9A} is  and Z^{2A} is oxygen.


In some embodiments, R^{1A} is not hydrogen (H), for example, when R^{3A} is halo (such as fluoro) and R^{4A} is OH. In some embodiments, R^{1A} is not  , wherein Z^{1A} is O and R^{6A} is  , for example, when R^{4A} is halo (such as fluoro) and R^{3A} is OH.

In some embodiments, R^{2A} is not hydrogen (H). In some embodiments, R^{2A} is not halogen. In some embodiments, R^{2A} is not fluoro (F). In some embodiments, R^{2A} is not -CN. In some embodiments, R^{2A} is not $-CHF_2$. In some embodiments, R^{5A} is not hydrogen or halo. In some embodiments, R^{5A} is not -OH. In some embodiments, R^{4A} is not hydrogen (H). In some embodiments, R^{4A} is not halo. In some embodiments, R^{4A} is not fluoro (F). In some embodiments, R^{4A} is not chloro (Cl). In some embodiments, R^{2A} is not an unsubstituted C_{1-4} alkyl. In some embodiments, R^{2A} is not an unsubstituted C_{2-4} alkenyl. In some embodiments, R^{2A} is not an unsubstituted C_{2-4} alkynyl. In some embodiments, R^{2A} is not $-(CH_2)_{1-6}$ halogen. In some embodiments, R^{2A} is not $-(CH_2)_{1-6}N_3$. In some embodiments, R^{4A} is not hydrogen, when R^{5A} is fluoro. In some embodiments, R^{6A} is not an optionally substituted aryl. In some embodiments, R^{6A} is not an unsubstituted aryl. In some embodiments, R^{9A} is not N-alanine isopropyl ester. In some embodiments, R^{5A} is not an optionally substituted C_{1-6} alkyl. For example, R^{5A} is not an unsubstituted C_{1-6} alkyl, such as methyl. In some embodiments, B^{1A} is not an optionally substituted uracil, for example, a halo-substituted uracil. In some embodiments, when R^{1A} is hydrogen, an optionally substituted acyl,  , wherein R^{6A} can be  , or  , wherein R^{8A} is an unsubstituted or substituted phenyl or an unsubstituted or substituted naphthyl and R^{9A} is an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester; R^{2A} is fluoro, R^{3A} is OH or -C(=O)-unsubstituted or substituted phenyl; R^{4A} is fluoro; and R^{5A} is a C_{1-4} alkyl (such as methyl); then B^{1A} cannot be an optionally substituted pyrimidine base, such as  or








. In some embodiments, when R^{1A} is  , R^{2A} is H, R^{3A} is OH and R^{4A} is OH or halogen (such as F), then R^{5A} is not an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl or an optionally substituted C_{2-6} alkynyl.

[0231] Some embodiments disclosed herein relate to a compound of Formula (II), or a pharmaceutically acceptable salt thereof, and a use of a compound of Formula (II), or a pharmaceutically acceptable salt thereof:






(II)







wherein: B^{1C} can be an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group; -------- can be absent or a single bond, provided that both -------- are absent or both -------- are a single bond; when -------- are both absent, then Z^2 can be absent, O^2 can be OR^{1C}, R^{3C} can be selected from H, halo, OH, N_3, $-OC(=O)R^{"C}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$, R^{4C} can be selected from H, OH, halo, $-OC(=O)R^{"D}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$, or R^{3C} and R^{4C} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring; when -------- are each a single bond, then Z^2 can be  , O^2 can be O, R^{3C} can be O; R^{4C} can be selected from OH, halo, N_3, $-OC(=O)R^{"D}$ and an optionally substituted O-linked amino acid; and R^{1D} can be selected from O^-, OH, an –O–optionally substituted C_{1-6} alkyl.  ,  ,


, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{c1} and R^{c2} can be independently hydrogen or deuterium; R^{C} can be hydrogen, deuterium, an unsubstituted C_{1-3} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-3} alkynyl or cyano; R^{1C} can be selected from hydrogen, an optionally substituted acyl, an optionally substituted O-linked amino acid,




; R^{2C} can be halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-CHF_2$, $-(CH_2)_{1-6}$ halogen,$-(CH_2)_{1-6}N_3$, $-(CH_2)_{1-6}NH_2$ or -CN; R^{5C} can be selected from H, halo, OH, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{6C}, R^{7C} and R^{8C} can be independently selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted *–$(CR^{15C}R^{16C})_f$–O–C_{1-24} alkyl, an optionally substituted *–$(CR^{17C}R^{18C})_g$–O–C_{1-24} alkenyl,

and





and R^{7C} can be absent or hydrogen; or R^{6C} and R^{7C} can be

taken together to form a moiety selected from an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6C} and R^{7C}, the phosphorus and the moiety form a six-membered to ten-membered ring system; R^{9C} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30C}R^{31C}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative; R^{10C} and R^{11C} can be independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative; R^{12C} and R^{13C} can be independently absent or hydrogen; R^{14C} can be O^-, OH or methyl; each R^{15C}, each R^{16C}, each R^{17C} and each R^{18C} can be independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy; R^{19C}, R^{20C}, R^{22C}, R^{23C}, R^{2D}, R^{3D}, R^{5D} and R^{6D} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{21C} and R^{4D} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; R^{24C} and R^{7D} can be independently selected from of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ; R^{25C}, R^{26C}, R^{29C}, R^{8D} and R^{9D} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{27C1} and R^{27C2} can be independently selected from -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl; R^{28C} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and

an optionally substituted C_{3-6} cycloalkenyl; R^{30C} and R^{31C} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl); $R^{"C}$ and each $R^{"D}$ can be independently an optionally substituted C_{1-24} alkyl; each $R^{"D1}$ and each $R^{"D2}$ can be independently hydrogen or an optionally substituted C_{1-6} alkyl; c, d and e can be independently 0 or 1; f and g can be independently 1, 2 or 3; h and j can be independently 0, 1, 2 or 3; b can be 1 or 2; k and l can be independently 3, 4 or 5; and Z^{1C}, Z^{2C}, Z^{3C}, Z^{4C}, Z^{1D} and Z^{2D} can be independently oxygen (O) or sulfur (S).


[0232] A compound of Formula (II) can be a nucleoside, a nucleotide (including a monophosphate, a diphosphate, a triphosphate, thiomonophosphate, alpha-thiodiphosphate and/or alpha-thiotriphosphate) or a nucleotide prodrug. In some embodiments, -------- can be both absent, Z^2 can be absent, O^2 can be OR^{1C}, R^{3C} can be selected from H, halo, OH, $-OC(=O)R^{"C}$ and an optionally substituted O-linked amino acid, R^{4C} can be selected from OH, halo, $-OC(=O)R^{"D}$ and an optionally substituted O-linked amino acid, or R^{3C} and R^{4C} can be both an oxygen atom connected via a carbonyl to form a 5-membered ring.






[0233] A variety of substituents can be attached to the 5'-position of Formula (II) when both ------ are absent. In some embodiments, R^{1C} can be hydrogen. In some embodiments, R^{1C} can be an optionally substituted acyl. For example, R^{1C} can be $-C(=O)R^{39C}$, wherein R^{39C} can be selected from an optionally substituted C_{1-12} alkyl, an optionally substituted C_{2-12} alkenyl, an optionally substituted C_{2-12} alkynyl, an optionally substituted C_{3-8} cycloalkyl, an optionally substituted C_{5-8} cycloalkenyl, an optionally substituted C_{6-10} aryl, an optionally substituted heteroaryl, an optionally substituted heterocyclyl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted heteroaryl(C_{1-6} alkyl) and an optionally substituted heterocyclyl(C_{1-6} alkyl). In some embodiments, R^{39C} can be a substituted C_{1-12} alkyl. In other embodiments, R^{39C} can be an unsubstituted C_{1-12} alkyl. In some embodiments, R^{1C} can be –C(=O)-unsubstituted C_{1-4} alkyl. In some embodiments, both R^{c1} and R^{c2} can be hydrogen. In other embodiments, R^{c1} can be hydrogen and R^{c2} can be deuterium. In still other embodiments, both R^{c1} and R^{c2} can be deuterium.




[0234] In still other embodiments, R^{1C} can be an optionally substituted O-linked amino acid. Examples of suitable O-linked amino acids include alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan and valine. Additional examples of suitable amino acids include, but are not limited to, ornithine, hypusine, 2-aminoisobutyric acid, dehydroalanine, gamma-aminobutyric acid, citrulline, beta-alanine, alpha-ethyl-glycine, alpha-propyl-glycine and norleucine. In some embodiments, the O-linked amino acid can have the structure  , wherein R^{40C} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{41C} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{40C} and R^{41C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Those skilled in the art understand that when R^{1C} is an optionally substituted O-linked amino acid, the oxygen of $R^{1C}O$- of Formula (II) is part of the optionally substituted O-linked amino acid. For example, when R^{1C} is  , the oxygen indicated with "*" is the oxygen of $R^{1C}O$- of Formula (I).


[0235] When R^{40C} is substituted, R^{40C} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{40C} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{40C} can be hydrogen. In other embodiments, R^{40C} can be methyl. In some embodiments, R^{41C} can be hydrogen. In other embodiments, R^{41C} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{41C} can be methyl. Depending on the groups that are selected for R^{40C} and R^{41C}, the carbon to which R^{40C} and R^{41C} are attached may be a chiral center. In some embodiment, the carbon to which R^{40C} and R^{41C} are attached may be a (*R*)-chiral



center. In other embodiments, the carbon to which R^{40C} and R^{41C} are attached may be a (*S*)-chiral center.

[0236] Examples of suitable  include the following:


 ,  ,  ,  ,  ,

 ,  and  .

[0237] In some embodiments, R^{1C} can be  . In some embodiments, R^{6C} and R^{7C} can be both hydrogen. In other embodiments, R^{6C} and R^{7C} can be both absent. In still other embodiments, at least one R^{6C} and R^{7C} can be absent. In yet still other embodiments, at least one R^{6C} and R^{7C} can be hydrogen. Those skilled in the art understand that when R^{6C} and/or R^{7C} are absent, the associated oxygen(s) will have a negative charge. For example, when R^{6C} is absent, the oxygen associated with R^{6C} will have a negative charge. In some embodiments, Z^{1C} can be O (oxygen). In other embodiments, Z^{1C} can be S (sulfur). In some embodiments, R^{1C} can be a monophosphate. In other embodiments, R^{1C} can be a monothiophosphate.

[0238] In some embodiments, R^{1C} can be  ; R^{6C} can be  ; R^{7C} can be absent or hydrogen; R^{12C} and R^{13C} can be independently absent or hydrogen; R^{14C} can be O$^-$, OH or methyl; and e can be 0 or 1. In some embodiments, e can be 0, and R^{7C}, R^{12C} and R^{13C} can be independently absent or






hydrogen. In other embodiments, e can be 1, and R^{7C}, R^{12C} and R^{13C} can be independently absent or hydrogen; and R^{14C} can be O^-, OH or methyl. In some embodiments, e can be 1, and R^{7C}, R^{12C} and R^{13C} can be independently absent or hydrogen; and R^{14C} can be O^- or OH. In other embodiments, e can be 1, and R^{7C}, R^{12C} and R^{13C} can be independently absent or hydrogen; and R^{14C} can be methyl. Those skilled in the art understand that when e is 0, R^{6C} can be a diphosphate, when Z^{1C} is oxygen, or an alpha-thiodiphosphate, when Z^{1C} is sulfur. Likewise, those skilled in the art understand that when e is 1, R^{6C} can be a triphosphate, when Z^{1C} is oxygen, or an alpha-thiotriphosphate, when Z^{1C} is sulfur.


[0239] In some embodiments, when R^{1C} is  , one of R^{6C} and R^{7C} can be hydrogen, and the other of R^{6C} and R^{7C} can be selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, one of R^{6C} and R^{7C} can be hydrogen, and the other of R^{6C} and R^{7C} can be an optionally substituted C_{1-24} alkyl. In other embodiments, both R^{6C} and R^{7C} can be independently selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, both R^{6C} and R^{7C} can be an optionally substituted C_{1-24} alkyl. In other embodiments, both R^{6C} and R^{7C} can be an optionally substituted C_{2-24} alkenyl. In some embodiments, R^{6C} and R^{7C} can be independently an optionally substituted group selected from the following: myristoleyl, myristyl, palmitoleyl, palmityl, sapienyl, oleyl, elaidyl, vaccenyl, linoleyl, α-linolenyl, arachidonyl, eicosapentaenyl, erucyl, docosahexaenyl, caprylyl, capryl, lauryl, stearyl, arachidyl, behenyl, lignoceryl and cerotyl.

[0240] In some embodiments, at least one of R^{6C} and R^{7C} can be *–$(CR^{15C}R^{16C})_f$–O–C_{1-24} alkyl. In other embodiments, R^{6C} and R^{7C} can be both *–($CR^{15C}R^{16C})_f$–O–C_{1-24} alkyl. In some embodiments, each R^{15C} and each R^{16C} can be hydrogen. In other embodiments, at least one of R^{15C} and R^{16C} can be an optionally substituted C_{1-24} alkyl. In


other embodiments, at least one of R^{15C} and R^{16C} can be an alkoxy (for example, benzoxy). In some embodiments, f can be 1. In other embodiments, f can be 2. In still other embodiments, f can be 3.

[0241] In some embodiments, at least one of R^{6C} and R^{7C} can be *–$(CR^{17C}R^{18C})_g$–O–C_{2-24} alkenyl. In other embodiments, R^{6C} and R^{7C} can be both *–$(CR^{17C}R^{18C})_g$–O–C_{2-24} alkenyl. In some embodiments, each R^{17C} and each R^{18C} can be hydrogen. In other embodiments, at least one of R^{17C} and R^{18C} can be an optionally substituted C_{1-24} alkyl. In some embodiments, g can be 1. In other embodiments, g can be 2. In still other embodiments, g can be 3. When at least one of R^{6C} and R^{7C} is *–$(CR^{15C}R^{16C})_f$–O–C_{1-24} alkyl or *–$(CR^{17C}R^{18C})_g$–O–C_{2-24} alkenyl, the C_{1-24} alkyl can be selected from caprylyl, capryl, lauryl, myristyl, palmityl, stearyl, arachidyl, behenyl, lignoceryl, and cerotyl, and the C_{2-24} alkenyl can be selected from myristoleyl, palmitoleyl, sapienyl, oleyl, elaidyl, vaccenyl, linoleyl, α-linolenyl, arachidonyl, eicosapentaenyl, erucyl and docosahexaenyl.


[0242] In some embodiments, when R^{1C} is  , at least one of R^{6C} and R^{7C} can be selected from  ,  ,  and  ; and the other of R^{6C} and R^{7C} can be selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl and an optionally substituted aryl(C_{1-6} alkyl).




[0243] In some embodiments, at least one of R^{6C} and R^{7C} can be



or . In some embodiments, both R^{6C} and R^{7C} can be




. When one or both of R^{6C} and R^{7C} are




, R^{19C} and R^{20C} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; and R^{21C} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, R^{19C} and R^{20C} can be hydrogen. In other embodiments, at least one of R^{19C} and R^{20C} can be an optionally substituted C_{1-24} alkyl or an optionally substituted aryl. In some embodiments, R^{21C} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{21C} can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{21C} can be an optionally substituted aryl. In still other embodiments, R^{21C} can be an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, R^{21C} can be an unsubstituted –O–C_{1-4} alkyl.



[0244] In some embodiments, both R^{6C} and R^{7C} can be





. When one or both of R^{6C} and R^{7C} are



, R^{22C} and R^{23C} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl; R^{24C} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl,



an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; h can be 0, 1, 2 or 3; and Z^{4C} can be independently O (oxygen) or S (sulfur). In some embodiments, R^{22C} and R^{23C} can be hydrogen. In other embodiments, at least one of R^{22C} and R^{23C} can be an optionally substituted C_{1-24} alkyl or an optionally substituted aryl. In some embodiments, R^{24C} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{24C} can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{24C} can be an optionally substituted aryl. In still other embodiments, R^{24C} can be an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In yet still other embodiments, R^{24C} can be  . In some embodiments, R^{24C} can be an unsubstituted –O–C_{1-4} alkyl. In some embodiments, Z^{4C} can be O (oxygen). In other embodiments, Z^{4C} can be or S (sulfur). In some embodiments, h can be 0. In other embodiments, h can be 1. In still other embodiments, h can be 2. In yet still other embodiments, h can be 3. In some embodiments, h can be 0 and R^{24C} can be  . In some embodiments, one or both of R^{6C} and R^{7C} can be isopropyloxycarbonyloxymethyl (POC). In some embodiments, R^{6C} and R^{7C} can be both a isopropyloxycarbonyloxymethyl (POC) group, and form a bis(isopropyloxycarbonyloxymethyl) (bis(POC)) prodrug. In other embodiments, one or both of R^{6C} and R^{7C} can be pivaloyloxymethyl (POM). In some embodiments, R^{6C} and R^{7C} can be both a pivaloyloxymethyl (POM) group, and form a bis(pivaloyloxymethyl) (bis(POM)) prodrug.



[0245] In some embodiments, both R^{6C} and R^{7C} can be  . When one or both of R^{6C} and R^{7C} are  , R^{27C1} and R^{27C2} can be independently -C≡N or an optionally



substituted substituent selected from C_{2-8} organylcarbonyl, C_{2-8} alkoxycarbonyl and C_{2-8} organylaminocarbonyl; R^{28C} can be selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; and b can be 1 or 2. In some embodiments, R^{27C1} can be -C≡N and R^{27C2} can be an optionally substituted C_{2-8} alkoxycarbonyl, such as $-C(=O)OCH_3$. In other embodiments, R^{27C1} can be -C≡N and R^{27C2} can be an optionally substituted C_{2-8} organylaminocarbonyl, for example, $-C(=O)NHCH_2CH_3$ and $-C(=O)NHCH_2CH_2$phenyl. In some embodiments, both R^{27C1} and R^{27C2} can be an optionally substituted C_{2-8} organylcarbonyl, such as $-C(=O)CH_3$. In some embodiments, both R^{27C1} and R^{27C2} can be an optionally substituted C_{1-8} alkoxycarbonyl, for example, $-C(=O)OCH_2CH_3$ and $-C(=O)OCH_3$. In some embodiments, including those described in this paragraph, R^{28C} can be an optionally substituted C_{1-4} alkyl. In some embodiment, R^{28C} can be methyl or tert-butyl. In some embodiments, b can be 1. In other embodiments, b can be 2.




[0246] In some embodiments, R^{6C} and R^{7C} can be both an optionally substituted aryl. In some embodiments, at least one of R^{6C} and R^{7C} can be an optionally substituted aryl. For example, both R^{6C} and R^{7C} can be an optionally substituted phenyl or an optionally substituted naphthyl. When substituted, the substituted aryl can be substituted with 1, 2, 3 or more than 3 substituents. When more the two substituents are present, the substituents can be the same or different. In some embodiments, when at least one of R^{6C} and R^{7C} is a substituted phenyl, the substituted phenyl can be a para-, ortho- or meta-substituted phenyl.



[0247] In some embodiments, R^{6C} and R^{7C} can be both an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, at least one of R^{6C} and R^{7C} can be an optionally substituted aryl(C_{1-6} alkyl). For example, both R^{6C} and R^{7C} can be an optionally substituted benzyl. When substituted, the substituted benzyl group can be substituted with 1, 2, 3 or more than 3 substituents. When more the two substituents are present, the substituents can be the same or different. In some embodiments, the aryl group of the aryl(C_{1-6} alkyl) can be a para-, ortho- or meta-substituted phenyl.







[0248] In some embodiments, R^{6C} and R^{7C} can be both  . In some embodiments, at least one of R^{6C} and R^{7C} can be  . In some embodiments, R^{25C} can be hydrogen. In other embodiments, R^{25C} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{25C} can be an optionally substituted aryl (for example, an optionally substituted phenyl). In some embodiments, R^{25C} can be a C_{1-6} alkyl, for example, methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, d can be 0. In other embodiments, d can be 1. In some embodiments, R^{6C} and R^{7C} can be both a S-acylthioethyl (SATE) group and form a SATE ester prodrug.

[0249] In some embodiments, R^{6C} and R^{7C} can be both  . In some embodiments, at least one of R^{6C} and R^{7C} can be  . In some embodiments, R^{26C} can be hydrogen. In other embodiments, R^{26C} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{26C} can be an optionally substituted aryl, for example, an optionally substituted phenyl. In some embodiments, R^{26C} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{26C} can be an unsubstituted C_{1-6} alkyl. In some embodiments, l can be 3. In other embodiments, l can be 4. In still other embodiments, l can be 5.

[0250] In some embodiments, R^{6C} and R^{7C} can be both  . In some embodiments, at least one of R^{6C} and R^{7C} can be  . In some embodiments, R^{29C} can be hydrogen. In other embodiments, R^{29C} can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{29C} can be a C_{1-4} alkyl, such as methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl and t-butyl. In still other embodiments, R^{29C} can be an optionally substituted aryl, such as an optionally substituted phenyl or an optionally substituted naphthyl. In some embodiments, R^{6C} and R^{7C} can be both a dioxolenone group and form a dioxolenone prodrug.


[0251] In some embodiments, R^{6C} and R^{7C} can be taken together to form an optionally substituted  . For example, R^{1C} can be an optionally substituted  . When substituted, the ring can be substituted 1, 2, 3 or 3 or more times. When substituted with multiple substituents, the substituents can be the same or different. In some embodiments, when R^{1C} is  , the ring can be substituted with an optionally substituted aryl group and/or an optionally substituted heteroaryl. An example of a suitable heteroaryl is pyridinyl. In some embodiments, R^{6C} and R^{7C} can be taken together to form an

optionally substituted  such as  , wherein R^{32C} can be an optionally substituted aryl, an optionally substituted heteroaryl or an optionally substituted heterocyclyl. In some embodiments, R^{6C} and R^{7C} can form a cyclic 1-aryl-1,3-propanyl ester (HepDirect) prodrug moiety.

[0252] In some embodiments, R^{6C} and R^{7C} can be taken together to form an optionally substituted  , wherein the oxygens connected to R^{6C} and R^{7C}, the phosphorus and the moiety form a six-membered to ten-membered ring system. Example of an optionally substituted  include  ,  ,  and  . In some embodiments, R^{6C} and R^{7C} can form a cyclosaligenyl (cycloSal) prodrug.


[0253] In some embodiments, R^{6C} and R^{7C} can be the same. In some embodiments, R^{6C} and R^{7C} can be different.

[0254] In some embodiments, Z^{1C} can be oxygen. In other embodiments, Z^{1C} can be sulfur.

[0255] In some embodiments, R^{1C} can be  . In some embodiments, R^{8C} can be selected from absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl; and R^{9C} can be independently

selected from an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl.




[0256] In some embodiments, R^{8C} can be hydrogen, and R^{9C} can be an optionally substituted C_{1-6} alkyl. Examples of suitable C_{1-6} alkyls include methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In other embodiments, R^{8C} can be hydrogen, and R^{9C} can be $NR^{30C}R^{31C}$, wherein R^{30C} and R^{31C} can be independently selected from hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl). In some embodiments, one of R^{30C} and R^{31C} can be hydrogen and the other of R^{30C} and R^{31C} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{2-6} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted benzyl.



[0257] In some embodiments, R^{8C} can be absent or hydrogen; and R^{9C} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In other embodiments, R^{8C} can be an optionally substituted aryl; and R^{9C} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In still other embodiments, R^{8C} can be an optionally substituted heteroaryl; and R^{9C} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In some embodiments, R^{9C} can be selected from alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. Examples of an optionally substituted N-linked amino acid ester derivatives include optionally substituted versions of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{9C} can have the structure  wherein R^{33C} can be selected from hydrogen, an optionally

substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{34C} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{35C} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{34C} and R^{35C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0258] When R^{34C} is substituted, R^{34C} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{34C} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{34C} can be hydrogen. In other embodiments, R^{34C} can be methyl. In some embodiments, R^{33C} can be an optionally substituted C_{1-6} alkyl. Examples of optionally substituted C_{1-6} alkyls include optionally substituted variants of the following: methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, R^{33C} can be methyl or isopropyl. In some embodiments, R^{33C} can be ethyl or neopentyl. In other embodiments, R^{33C} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{33C} can be an optionally substituted cyclohexyl. In still other embodiments, R^{33C} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{33C} can be an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, R^{33C} can be an optionally substituted benzyl. In some embodiments, R^{33C} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{35C} can be hydrogen. In other embodiments, R^{35C} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{35C} can be methyl. In some embodiments, R^{34C} and R^{35C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. Depending on the groups that are selected for R^{34C} and R^{35C}, the carbon to which R^{34C} and R^{35C} are attached may be a chiral





center. In some embodiment, the carbon to which R^{34C} and R^{35C} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{34C} and R^{35C} are attached may be a (*S*)-chiral center.

[0259] In some embodiments, when R^{1C} is  , Z^{2C} can be O (oxygen). In other embodiments, when R^{1C} is  , Z^{2C} can be S (sulfur). In some embodiments, when R^{1C} is  , a compound of Formula (I) can be a phosphoramidate prodrug, such as an aryl phosphoramidate prodrug.


[0260] In some embodiments, R^{1C} can be  . In some embodiments, R^{10C} and R^{11C} can be both an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative. In some embodiments, R^{10C} and R^{11C} can be independently selected from alanine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. In some embodiments, R^{10C} and R^{11C} can be an optionally substituted version of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{10C} and R^{11C} can independently have the structure  wherein R^{36C} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{37C} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an

optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{38C} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{37C} and R^{38C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0261] When R^{37C} is substituted, R^{37C} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{37C} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{37C} can be hydrogen. In other embodiments, R^{37C} can be methyl. In some embodiments, R^{36C} can be an optionally substituted C_{1-6} alkyl. Examples of optionally substituted C_{1-6} alkyls include optionally substituted variants of the following: methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, pentyl (branched and straight-chained), and hexyl (branched and straight-chained). In some embodiments, R^{36C} can be methyl or isopropyl. In some embodiments, R^{36C} can be ethyl or neopentyl. In other embodiments, R^{36C} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{36C} can be an optionally substituted cyclohexyl. In still other embodiments, R^{36C} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{36C} can be an optionally substituted aryl(C_{1-6} alkyl). In some embodiments, R^{36C} can be an optionally substituted benzyl. In some embodiments, R^{36C} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{38C} can be hydrogen. In other embodiments, R^{38C} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{38C} can be methyl. In some embodiments, R^{37C} and R^{38C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. Depending on the groups that are selected for R^{37C} and R^{38C}, the carbon to which R^{37C} and R^{38C} are attached may be a chiral center. In some embodiment, the carbon to which R^{37C} and R^{38C} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{37C} and R^{38C} are attached may be a (*S*)-chiral center.


[0262] Examples of suitable  and  groups include the following:  ,  , and .

[0263] In some embodiments, R^{10C} and R^{11C} can be the same. In some embodiments, R^{10C} and R^{11C} can be different.

[0264] In some embodiments, Z^{3C} can be O (oxygen). In other embodiments, Z^{3C} can be S (sulfur). In some embodiments, when R^{1C} is  , a compound of Formula (I) can be a phosphonic diamide prodrug.


[0265] Various substituents can be present at the 4'-position of the pentose ring. In some embodiments, R^{2C} can be an unsubstituted C_{1-4} alkyl. Unsubstituted C_{1-4} alkyls include methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl and tert-butyl. In other embodiments, R^{2C} can be an unsubstituted C_{2-4} alkenyl, such as ethenyl, propenyl and butenyl. In other embodiments, R^{2C} can be an unsubstituted C_{2-4} alkynyl, for example, ethynyl, propynyl and butynyl. In still other embodiments, R^{2C} can be a haloalkyl. Examples of a haloalkyls are $-(CH_2)_{1-6}$ halogen and $-CHF_2$. In some embodiments, the haloalkyl can be $-(CH_2)_{1-6}F$ or $-(CH_2)_{1-6}Cl$. In some embodiments, the haloalkyl can be fluoromethyl. In other embodiments, R^{2C} can be $-CHF_2$. In yet still other embodiments, R^{2C} can be a C_{1-6} azidoalkyl. For example, R^{2C} can be an azidomethyl, azidoethyl, azidopropyl, azidobutyl, azidopentyl or azidohexyl. In some embodiments, R^{2C} can be halo. In some embodiments, R^{2C} can be fluoro. In other embodiments, R^{2C} can be chloro. In still other embodiments, R^{2C} can be -CN.






[0266] A variety of substituents can also be present at the 2'-position of the pentose ring. In some embodiments, R^{4C} can be OH. In other embodiments, R^{4C} can be $-OC(=O)R^{"D}$, wherein $R^{"D}$ can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{4C} can be $-OC(=O)R^{"D}$, wherein $R^{"D}$ can be an unsubstituted C_{1-4} alkyl. In still other embodiments, R^{4C} can be halo. In some embodiment, R^{4C} can be F. In other embodiments, R^{4C} can be Cl. In some embodiments, R^{4C} can be N_3. In some embodiments, R^{4C} can be $NR^{"D1}R^{"D2}$. For example, R^{4C} can be NH_2. Other examples can be a mono-substituted C_{1-6} alkyl-amine or a di-substituted C_{1-6} alkyl-amine.






[0267] In still other embodiments, R^{4C} can be an optionally substituted O-linked amino acid, such as a O-linked alpha-amino acid. In some embodiments, the O-linked amino acid can have the structure  , wherein R^{42C} can be selected from hydrogen,



an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{43C} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{42C} and R^{43C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.

[0268] When R^{42C} is substituted, R^{42C} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{42C} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{42C} can be hydrogen. In other embodiments, R^{42C} can be methyl. In some embodiments, R^{43C} can be hydrogen. In other embodiments, R^{43C} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{43C} can be methyl. Depending on the groups that are selected for R^{42C} and R^{43C}, the carbon to which R^{42C} and R^{43C} are attached may be a chiral center. In some embodiment, the carbon to which R^{42C} and R^{43C} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{42C} and R^{43C} are attached may be a (*S*)-chiral center.

[0269] Examples of suitable  include the following:



 ,  ,  ,  ,  ,

 ,  ,  ,  ,  ,

 and  .


[0270] In some embodiments, R^{5C} can be H. In other embodiments, R^{5C} can be halo, including F and Cl. In still other embodiments, R^{5C} can be an optionally substituted C_{1-}






$_{6}$ alkyl. For example, R^{5C} can be an substituted or unsubstituted version of the following: methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl, tert-butyl, pentyl (branched or straight) and hexyl (branched or straight). In some embodiments, R^{5C} can be a halo-substituted C_{1-6} alkyl, such as $-CH_2F$. In yet still other embodiments, R^{5C} can be an optionally substituted C_{2-6} alkenyl. In some embodiments, R^{5C} can be an optionally substituted C_{2-6} alkynyl. For example, R^{5C} can be ethynyl. In some embodiments, R^{5C} can be hydroxy (OH).






[0271] In some embodiments, -------- can be both absent such that a compound of Formula (I) has the structure:  . When -------- are both absent, the 3'-position can have various groups present. In some embodiments, R^{3C} can be H. In other embodiments, R^{3C} can be halo, such as fluoro (F) or chloro (Cl). In still other embodiments, R^{3C} can be OH. In some embodiments, R^{3C} can be $-OC(=O)R^{"C}$, wherein $R^{"C}$ can be an optionally substituted C_{1-24} alkyl. In some embodiments, R^{3C} can be $-OC(=O)R^{"C}$, wherein $R^{"C}$ can be an unsubstituted C_{1-4} alkyl. In other embodiments, R^{3C} can be an optionally substituted O-linked amino acid, such as a O-linked alpha-amino acid. The optionally substituted O-linked amino acid can have the structure:  , wherein R^{44C} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{45C} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{44C} and R^{45C} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.



[0272] When R^{44C} is substituted, R^{44C} can be substituted with one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{44C} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{44C} can be hydrogen. In other embodiments, R^{44C} can be methyl. In some

embodiments, R^{45C} can be hydrogen. In other embodiments, R^{45C} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments, R^{45A} can be methyl. Depending on the groups that are selected for R^{44C} and R^{45C}, the carbon to which R^{44C} and R^{45C} are attached may be a chiral center. In some embodiment, the carbon to which R^{44C} and R^{45C} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{44C} and R^{45C} are attached may be a (*S*)-chiral center.

[0273] Examples of suitable  include the following:

 ,  ,  ,  ,  ,


 ,  ,  ,  ,  ,





 and  .

[0274] In some embodiments, R^{3C} and R^{4C} can be each an oxygen atom connected via a carbonyl to form a 5-membered ring.

[0275] In some embodiments, R^{2C} can be fluoro and R^{3C} can be fluoro. In some embodiments, R^{2C} can be fluoro and R^{4C} can be fluoro. In some embodiments, R^{2C} can be fluoro, R^{3C} can be fluoro and R^{5C} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{2C} can be fluoro, R^{4C} can be fluoro and R^{5C} can be an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{2C} can be fluoro, R^{3C} can be fluoro and R^{4C} can be OH or $-OC(=O)R^{"D}$. In some embodiments, R^{2C} can be fluoro, R^{3C} can be OH or $-OC(=O)R^{"C}$ and R^{4C} can be fluoro. In some embodiments, R^{4C} and R^{5C} can be each F. In some embodiments, R^{2C} can be $*-(CH_2)_{1-6}$halogen (for example, $-CH_2F$), R^{3C} can be OH, $-OC(=O)R^{"C}$ or an optionally


substituted O-linked amino acid and R^{4C} can be OH. In some embodiments, R^{2C} can be -$(CH_2)_{1-6}$halogen (for example, -CH_2F), R^{3C} can be OH, -OC(=O)R^{7C} or an optionally substituted O-linked amino acid, R^{4C} can be OH, and R^{5C} can be an unsubstituted C_{1-6} alkyl. In some embodiments, R^{2C} can be -$(CH_2)_{1-6}N_3$ (such as, -CH_2N_3), R^{3C} can be OH and R^{4C} can be F.

[0276] In some embodiments, -------- can be each a single bond such that a compound of Formula (I) has the structure:  . When -------- are each a single bond, R^{3C} can be oxygen (O). In some embodiments, when -------- are each a single bond, R^{1D} can be O^- or OH. In other embodiments, when -------- are each a single bond, R^{1D} can be an –O–optionally substituted C_{1-6} alkyl. For example, R^{1D} can be an –O–unsubstituted C_{1-6} alkyl.

[0277] In some embodiments, when -------- are each a single bond, R^{1D} can be  . In other embodiments, R^{1D} can be  . For example, R^{1D} can be a isopropyloxycarbonyloxymethyloxy or pivaloyloxymethyloxy group. In still some embodiments, R^{1B} can be  . A S-acylthioethyl (SATE) group is an example of a  group. In yet still other embodiments, R^{1D} can be an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative.

[0278] Examples of an optionally substituted N-linked amino acids and an optionally substituted N-linked amino acid ester derivatives are described herein. In some embodiments, R^{1D} can be selected from alanine, asparagine, aspartate, cysteine, glutamate,


glutamine, glycine, proline, serine, tyrosine, arginine, histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, valine and ester derivatives thereof. In some embodiments, R^{1D} can be an optionally substituted version of the following: N-alanine isopropyl ester, N-alanine cyclohexyl ester, N-alanine neopentyl ester, N-valine isopropyl ester and N-leucine isopropyl ester. In some embodiments, R^{1D} can have the structure




wherein R^{10D} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{11D} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{12D} can be hydrogen or an optionally substituted C_{1-4} alkyl; or R^{11D} and R^{12D} can be taken together to form an optionally substituted C_{3-6} cycloalkyl.


[0279] As described herein, R^{11D} can be substituted. Examples of substituents include one or more substituents selected from N-amido, mercapto, alkylthio, an optionally substituted aryl, hydroxy, an optionally substituted heteroaryl, O-carboxy and amino. In some embodiments, R^{11D} can be an unsubstituted C_{1-6} alkyl, such as those described herein. In some embodiments, R^{11D} can be hydrogen. In other embodiments, R^{11D} can be methyl. In some embodiments, R^{10D} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{10D} can be methyl, ethyl, isopropyl or neopentyl. In other embodiments, R^{10D} can be an optionally substituted C_{3-6} cycloalkyl. Examples of optionally substituted C_{3-6} cycloalkyl include optionally substituted variants of the following: cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. In some embodiments, R^{10D} can be an optionally substituted cyclohexyl. In still other embodiments, R^{10D} can be an optionally substituted aryl, such as phenyl and naphthyl. In yet still other embodiments, R^{10D} can be an optionally substituted aryl(C_{1-6} alkyl), for example, an optionally substituted benzyl. In some embodiments, R^{10D} can be an optionally substituted C_{1-6} haloalkyl, for example, CF_3. In some embodiments, R^{12D} can be hydrogen. In other embodiments, R^{12D} can be an optionally substituted C_{1-4} alkyl, such as methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl and tert-butyl. In some embodiments,

R^{12D} can be methyl. In some embodiments, R^{11D} and R^{12D} can be taken together to form an optionally substituted C_{3-6} cycloalkyl. Depending on the groups that are selected for R^{11D} and R^{12D}, the carbon to which R^{11D} and R^{12D} are attached may be a chiral center. In some embodiment, the carbon to which R^{11D} and R^{12D} are attached may be a (*R*)-chiral center. In other embodiments, the carbon to which R^{11D} and R^{12D} are attached may be a (*S*)-chiral center.

[0280] Examples of suitable  groups include the following:




and

[0281] In some embodiments, R^{1D} can be  . In some embodiments, R^{9D} can be hydrogen. In other embodiments, R^{9D} can be an optionally substituted C_{1-24} alkyl. In still other embodiments, R^{9D} can be an optionally substituted aryl, for example, an optionally substituted phenyl. In some embodiments, R^{9D} can be an optionally substituted C_{1-6} alkyl. In some embodiments, R^{9D} can be an unsubstituted C_{1-6} alkyl. In some embodiments, k can be 3. In other embodiments, k can be 4. In still other embodiments, k can be 5.

[0282] A variety of substituents can be present at the 1'-position of the pentose ring. In some embodiments, R^C can be hydrogen. In some embodiments, R^C can be deuterium. In still other embodiments, R^C can be an unsubstituted C_{1-3} alkyl (such as methyl, ethyl, n-propyl and iso-propyl). In yet still other embodiments, R^C can be an unsubstituted C_{2-4} alkenyl (for example, ethenyl, propenyl (branched or straight) and butenyl (branched or straight)). In some embodiments, R^C can be an unsubstituted C_{2-3} alkynyl (such as ethynyl and propynyl (branched or straight)). In other embodiments, R^C can be an unsubstituted cyano.

[0283] In some embodiments, Z^{1D} can be oxygen (O). In other embodiments, Z^{1D} can be S (sulfur).









[0284] Various optionally substituted heterocyclic bases can be attached to the pentose ring. In some embodiments, one or more of the amine and/or amino groups of the optionally substituted heterocyclic base may be protected with a suitable protecting group. For example, an amino group may be protected by transforming the amine and/or amino group to an amide or a carbamate. In some embodiments, an optionally substituted heterocyclic base or an optionally substituted heterocyclic base can include a group that improves the solubility of the compound (for example, $-(CH_2)_{1-2}-O-P(=O)(OW^{2C})_2$). In some embodiments, an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with one or more protected amino groups can have one of the following structures:




and ;


wherein: R^{AA2} can be selected from hydrogen, halogen and NHR^{JJ2}, wherein R^{JJ2} can be selected from hydrogen, -C(=O)R^{KK2} and –C(=O)OR^{LL2}; R^{BB2} can be halogen or NHR^{WW2}, wherein R^{WW2} can be selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{3-8} cycloalkyl, -C(=O)R^{MM2} and –C(=O)OR^{NN2}; R^{CC2} can be hydrogen or NHR^{OO2}, wherein R^{OO2} can be selected from hydrogen, -C(=O)R^{PP2} and –C(=O)OR^{QQ2}; R^{DD2} can be selected from hydrogen, deuterium, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{EE2} can be selected from hydrogen, hydroxy, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-8} cycloalkyl, -C(=O)R^{RR2} and –C(=O)OR^{SS2}; R^{FF2} can be selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; Y^4 and Y^5 can be independently N (nitrogen) or CR^{II2}, wherein R^{II2} can be selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; W^2 can be NH, $–NCH_2$-OC(=O)CH(NH_2)-CH(CH_3)$_2$ or –$(CH_2)_{1-2}$–O-P(=O)(OW^{2C})$_2$, wherein W^{2C} can be selected from absent hydrogen and an optionally substituted C_{1-6} alkyl; R^{GG2} can be an optionally substituted C_{1-6} alkyl; R^{HH2} can be hydrogen or NHR^{TT2}, wherein R^{TT2} can be independently selected from hydrogen, -C(=O)R^{UU2} and –C(=O)OR^{VV2}; and R^{KK2}, R^{LL2}, R^{MM2}, R^{NN2}, R^{PP2}, R^{QQ2}, R^{RR2}, R^{SS2}, R^{UU2} and R^{VV2} can be independently selected from hydrogen, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl). In some embodiments, the structures

shown above can be modified by replacing one or more hydrogens with substituents selected from the list of substituents provided for the definition of "substituted." Those skilled in the art understand that when W^{2C} is absent, the oxygen atom will have an associated negative charge. In some embodiments, the substituent on the base can result in the formation of a salt of a compound of Formula (II).


[0285] In some embodiments, B^{1C} can be an optionally substituted purine base. In other embodiments, B^{1C} can be an optionally substituted pyrimidine base. In some embodiments, B^{1C} can be  . In other embodiments, B^{1C} can be  . In still other embodiments, B^{1C} can be  , such as  . In yet still other embodiments, B^{1C} can be  , wherein W^2 can be $-NCH_2\text{-}OC(=O)CH(NH_2)\text{-}CH(CH_3)_2$ or $-(CH_2)_{1\text{-}2}\text{–O-P(=O)(OW}^{2C})_2$. In some embodiments, B^{1C} can be  , for example,  or  . In other embodiments, R^{DD2} can be hydrogen. In still other embodiments, B^{1C} can be




. In some embodiments, R^{BB2} can be NH_2. In other embodiments, R^{BB2} can be NHR^{WW2}, wherein R^{WW2} can be $-C(=O)R^{MM2}$ or $-C(=O)OR^{NN2}$. In still other embodiments, B^{IC} can be




. In some embodiments, B^{IC} can be




[0286] In some embodiments, when R^{2C} is halo (such as fluoro); -------- are both absent; Z^2 is absent; O^2 is OR^{IC}; B^{IC} is selected from an optionally substituted




,




an optionally substituted , an optionally substituted




, an optionally substituted




, an optionally substituted




.




and an optionally substituted , wherein R^{a2} is an optionally substituted C_{1-6} alkyl or an optionally substituted C_{3-6} cycloalkyl, R^{a3} and R^{a4} are independently selected from hydrogen, an unsubstituted C_{1-6} alkyl, an unsubstituted C_{3-6} alkenyl, an unsubstituted C_{3-6} alkynyl and an unsubstituted C_{3-6} cycloalkyl, R^{a5} is NHR^{a8}, and R^{a6} is hydrogen, halogen or NHR^{a9}; R^{a7} is NHR^{a10}; R^{a8} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a11}$ and $-C(=O)OR^{a12}$; R^{a9} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a13}$ and $-C(=O)OR^{a14}$; R^{a10} is selected from hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a15}$ and $-C(=O)OR^{a16}$; X^{a1} is N or $-CR^{a17}$; R^{a17} is selected from hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{a11}, R^{a12}, R^{a13}, R^{a14}, R^{a15} and R^{a16} are independently selected from C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl); then R^{3C} is selected from H, halo and an optionally substituted O-linked amino acid; and R^{4C} is selected from OH, halo, N_3, $-OC(=O)R^{"D}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$; or then R^{4C} is an optionally substituted O-linked amino acid; and R^{3C} is selected from H, halo, OH, $-OC(=O)R^{"C}$ and an optionally substituted O-linked amino acid; or then R^{1C} is




, wherein R^{6C} and R^{7C} are independently




,

















wherein h is 1, 2 or 3,














or ; or then R^{1C} is




, wherein R^{6C} and R^{7C} are taken together to form a moiety selected from an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6C} and R^{7C}, the phosphorus and the moiety form a six-membered to ten-membered ring system. In some embodiments, when R^{2C} is halo (such as fluoro); -------- are each a single bond; then R^{4C} is $-OC(=O)R^{10}$ or an optionally substituted O-linked amino acid. In some embodiments, when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $-OC(=O)R^{9C}$ or an optionally substituted O-linked amino acid; and R^{4C} is halo; then R^{5C} is selected from an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{4C} is halo; and R^{5C} is H or halo; then R^{3C} is H or halo. In some embodiments, when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $-OC(=O)R^{9C}$ or an optionally substituted O-linked amino acid; R^{4C} is halo; R^{5C} is H or halo; and R^{1C} is  then at least one of R^{6C} and R^{7C} is  , wherein R^{21C} is independently selected from an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then at least one of R^{6C} and R^{7C} is  , wherein h is 1, 2 or 3; or then at least one of


R^{6C} and R^{7C} is  , wherein h is 0 and R^{24C} is an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl. In some embodiments, when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-(CH_2)_{1-6}$ halogen or $-(CH_2)_{1-6}N_3$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $-OC(=O)R^{"C}$ or an optionally substituted O-linked amino acid; R^{4C} is halo; R^{5C} is H or halo; and R^{1C} is  ; then R^{8C} is  , wherein R^{21C} is independently selected from an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then R^{8C} is  , wherein h is 1, 2 or 3; or then R^{8C} is  , wherein h is 0 and R^{24C} is an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl or  . In some embodiments, when -------- are both absent; Z^2 is absent; O^2 is OH; R^{2C} is methyl; R^{3C} is OH; then R^{4C} is halo, $-OC(=O)R^{"D}$ or an optionally substituted O-linked amino acid. In some embodiments, when -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{2C} is halo (for example, F); R^{3C} is OH or $-OC(=O)R^{"C}$; R^{4C} is halo (for example, F); and R^{5C} is methyl, ethyl or ethenyl; then R^{1C} cannot be selected from H,  , and  , wherein R^{8C} is an unsubstituted aryl; R^{9C} is  and Z^{2C} is oxygen. In some embodiments, when R^{2C} is halo (such as F), R^{3C} is OH, R^{4C} is NH_2, R^{4C} is an


unsubstituted C_{1-6} alkyl (such as CH_3) and -------- are both absent, then R^{1C} cannot be H. In some embodiments, when R^{1C} is  or  ; R^{6C} is  ; R^{8C} is an optionally substituted aryl, R^{9C} is an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester; then R^{5C} is H, halo, an optionally substituted C_{1-6} alkyl or an optionally substituted C_{2-6} alkenyl. In some embodiments, R^{1C} is not hydrogen (H), for example, when R^{3C} is halo (such as fluoro) and R^{4C} is OH. In some embodiments, R^{1C} is not  , wherein Z^{1C} is O and R^{6C} is  , for example, when R^{4C} is halo (such as fluoro) and R^{3C} is OH. In some embodiments, R^{2C} is not hydrogen (H). In some embodiments, R^{2C} is not fluoro (F). In some embodiments, R^{2C} is not -CN. In some embodiments, R^{2C} is not $-CHF_2$. In some embodiments, R^{5C} is not hydrogen or halo. In some embodiments, R^{4C} is not halo. In some embodiments, R^{4C} is not fluoro (F). In other embodiments, R^{4C} is not chloro (Cl). In some embodiments, R^{2C} is not an unsubstituted C_{1-4} alkyl. In some embodiments, R^{2C} is not an unsubstituted C_{2-4} alkenyl. In some embodiments, R^{2C} is not an unsubstituted C_{2-4} alkynyl. In some embodiments, R^{2C} is not $-(CH_2)_{1-6}$ halogen. In some embodiments, R^{2C} is not $-(CH_2)_{1-6}N_3$. In some embodiments, R^{2C} is not $-(CH_2)_{1-6}NH_2$. In some embodiments, R^{2C} is not halogen (for example, fluoro). In some embodiments, R^{4C} is not hydrogen, when R^{5C} is fluoro. In some embodiments, R^{5C} is not an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{5C} is not selected from an optionally substituted C_{2-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl. In some embodiments, R^{2C} is not hydrogen (H) when R^{5C} is an optionally substituted C_{2-6} alkynyl. In

some embodiments, R^{5C} is not -OH. In some embodiments, R^{4C} is not hydrogen (H). In some embodiments, R^{4A} is not N_3. In some embodiments, R^{4A} is not NH_2. In some embodiments, R^{6C} is not an optionally substituted aryl. In some embodiments, R^{6C} is not an unsubstituted aryl. In some embodiments, R^{9C} is not N-alanine isopropyl ester. In some embodiments, R^{5C} is not an optionally substituted C_{1-6} alkyl. For example, R^{5C} is not an unsubstituted C_{1-6} alkyl, such as methyl. In some embodiments, B^{1C} is not an optionally substituted uracil, for example, a halo-substituted uracil. In some embodiments, when R^{1C} is hydrogen, an optionally substituted acyl,  , wherein R^{6C} can be  , or  , wherein R^{8C} is an unsubstituted or substituted phenyl or an unsubstituted or substituted naphthyl and R^{9C} is an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester; R^{2C} is fluoro, R^{3C} is OH or -C(=O)-unsubstituted or substituted phenyl; R^{4C} is fluoro; and R^{5C} is a C_{1-4} alkyl (such as methyl); then B^{1C} cannot be an optionally substituted pyrimidine base, such as  or  . In some embodiments, when R^{1C} is  , R^{2C} is H, R^{3C} is OH and R^{4C} is OH or halogen (such as F), then R^{5C} is not an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl or an optionally substituted C_{2-6} alkynyl.

[0287] Examples of compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include, but are not limited to:









and


, or a pharmaceutically acceptable salt of the foregoing.


[0288] Additional examples of compounds of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, include, but are not limited to:
























































and


















, or a pharmaceutically acceptable salt of the foregoing.



[0289] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may be selected from:

























,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,






,

,

,

,

,

,

,

,

,

,

,

,

,


,

,

,
























and

, or a pharmaceutically acceptable salt of the foregoing.


[0290] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may be selected from:


















































,

,

,

,

,

,

,

,

,

,

,

,



























































































































































,




,




,




,




,




,





,





,















































































































































































,

,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.


[0291] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may be selected from:






















































































































































and




, or a pharmaceutically acceptable salt of the foregoing.


[0292] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may not be selected from:




,




,




,




,




,




,





,




,












,



,



and



, or a pharmaceutically acceptable salt of the foregoing.


[0293] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may not be selected from:



,

,

,

,

,

,

,

,

,

,














































































































and





, or a pharmaceutically acceptable salt of the foregoing.


[0294] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may not be selected from:














































































,

,

,

,

,

,

,

,

,



,

,

,








,

,

and

, or a pharmaceutically acceptable salt of the foregoing.


[0295] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may not be selected from:



,

,

,

,

,

,

,



and

, or a pharmaceutically acceptable salt of the foregoing.


[0296] In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, may not be selected from:



,

,

,

,

,

,




































,

,

,

,

,

,

,

,

and , or a pharmaceutically acceptable salt of the foregoing.

[0297] In some embodiments, a compound of Formula (I), or a pharmaceutically acceptable salt thereof, may not be selected from a compound of paragraphs [0289]-[0296] when the virus is HCV. In some embodiments, a compound of Formula (I), or a pharmaceutically acceptable salt thereof, may not be selected from a compound of paragraphs [0292]-[0296] when the virus is HCV. In some embodiments, a compound of

Formulae (II), or a pharmaceutically acceptable salt thereof, may not be selected from a compound of paragraphs [0289]-[0296]. In some embodiments, a compound of Formulae (II), or a pharmaceutically acceptable salt thereof, may not be selected from a compound of paragraphs [0292]-[0296]. In some embodiments, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, is not a compound in WO 2013/092481 (filed December 17, 2012), U.S. 2013/0164261 (filed December 20, 2012), WO 2014/100505 (filed December 19, 2013), WO 2013/096679 (filed December 20, 2012), WO 2013/142525 (filed March 19, 2013), or U.S. Application No. 14/312990 (filed June 24, 2014) or a pharmaceutically acceptable salt of the foregoing.

Pharmaceutical Compositions

[0298] Some embodiments described herein relates to a pharmaceutical composition, that can include an effective amount of one or more compounds described herein (e.g., a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing) and a pharmaceutically acceptable carrier, diluent, excipient or combination thereof. In some embodiments, the pharmaceutical composition can include a single diastereomer of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing, (for example, a single diastereomer is present in the pharmaceutical composition at a concentration of greater than 99% compared to the total concentration of the other diastereomers). In other embodiments, the pharmaceutical composition can include a mixture of diastereomers of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing. For example, the pharmaceutical composition can include a concentration of one diastereomer of > 50%, ≥ 60%, ≥ 70%, ≥ 80%, ≥ 90%, ≥ 95%, or ≥ 98%, as compared to the total concentration of the other diastereomers. In some embodiments, the pharmaceutical composition includes a 1:1 mixture of two diastereomers of a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing.

[0299] The term "pharmaceutical composition" refers to a mixture of one or more compounds disclosed herein with other chemical components, such as diluents or carriers. The pharmaceutical composition facilitates administration of the compound to an organism. Pharmaceutical compositions can also be obtained by reacting compounds with inorganic or

organic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid and salicylic acid. Pharmaceutical compositions will generally be tailored to the specific intended route of administration. A pharmaceutical composition is suitable for human and/or veterinary applications.

[0300] The term "physiologically acceptable" defines a carrier, diluent or excipient that does not abrogate the biological activity and properties of the compound.

[0301] As used herein, a "carrier" refers to a compound that facilitates the incorporation of a compound into cells or tissues. For example, without limitation, dimethyl sulfoxide (DMSO) is a commonly utilized carrier that facilitates the uptake of many organic compounds into cells or tissues of a subject.

[0302] As used herein, a "diluent" refers to an ingredient in a pharmaceutical composition that lacks pharmacological activity but may be pharmaceutically necessary or desirable. For example, a diluent may be used to increase the bulk of a potent drug whose mass is too small for manufacture and/or administration. It may also be a liquid for the dissolution of a drug to be administered by injection, ingestion or inhalation. A common form of diluent in the art is a buffered aqueous solution such as, without limitation, phosphate buffered saline that mimics the composition of human blood.

[0303] As used herein, an "excipient" refers to an inert substance that is added to a pharmaceutical composition to provide, without limitation, bulk, consistency, stability, binding ability, lubrication, disintegrating ability etc., to the composition. A "diluent" is a type of excipient.

[0304] The pharmaceutical compositions described herein can be administered to a human patient *per se*, or in pharmaceutical compositions where they are mixed with other active ingredients, as in combination therapy, or carriers, diluents, excipients or combinations thereof. Proper formulation is dependent upon the route of administration chosen. Techniques for formulation and administration of the compounds described herein are known to those skilled in the art.

[0305] The pharmaceutical compositions disclosed herein may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or tableting

processes. Additionally, the active ingredients are contained in an amount effective to achieve its intended purpose. Many of the compounds used in the pharmaceutical combinations disclosed herein may be provided as salts with pharmaceutically compatible counterions.

[0306] Multiple techniques of administering a compound exist in the art including, but not limited to, oral, rectal, topical, aerosol, injection and parenteral delivery, including intramuscular, subcutaneous, intravenous, intramedullary injections, intrathecal, direct intraventricular, intraperitoneal, intranasal and intraocular injections.

[0307] One may also administer the compound in a local rather than systemic manner, for example, via injection of the compound directly into the infected area, often in a depot or sustained release formulation. Furthermore, one may administer the compound in a targeted drug delivery system, for example, in a liposome coated with a tissue-specific antibody. The liposomes will be targeted to and taken up selectively by the organ.

[0308] The compositions may, if desired, be presented in a pack or dispenser device which may contain one or more unit dosage forms containing the active ingredient. The pack may for example comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. The pack or dispenser may also be accompanied with a notice associated with the container in form prescribed by a governmental agency regulating the manufacture, use, or sale of pharmaceuticals, which notice is reflective of approval by the agency of the form of the drug for human or veterinary administration. Such notice, for example, may be the labeling approved by the U.S. Food and Drug Administration for prescription drugs, or the approved product insert. Compositions that can include a compound described herein formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition.


Synthesis

[0309] Compounds of Formula (I), Formula (II) and those described herein may be prepared in various ways. General synthetic routes to the compound of Formula (I), Formula (II) and some examples of starting materials used to synthesize the compounds of Formulae (I) and (II) are shown in Scheme 1, 2, 3 and 4, and described herein. The routes

shown and described herein are illustrative only and are not intended, nor are they to be construed, to limit the scope of the claims in any manner whatsoever. Those skilled in the art will be able to recognize modifications of the disclosed syntheses and to devise alternate routes based on the disclosures herein; all such modifications and alternate routes are within the scope of the claims.

[0310] Compounds of Formulae (I) and (II) can be prepared using various methods known to those skilled in the art. Examples of methods are shown in Schemes 1, 2, 3 and 4. Suitable phosphorus containing precursors can be commercially obtained or prepared by synthetic methods known to those skilled in the art. Examples of general structures of phosphorus containing precursors are shown in Schemes 1, 2, 3 and 4, and include phosphorochloridates and thiophosphorochloridates. Suitable phosphorochloridates and thiophosphorochloridates are commercially available and/or can be synthetically prepared.


Scheme 1



[0311] As shown in Scheme 1, compounds of Formulae (I) and (II), wherein the 4'-position is a haloalkyl, can be prepared from a nucleoside, for example, a nucleoside of Formula (A). In Scheme 1, R^a, R^{3a}, R^{4a}, R^{5a}, and B^{1a} can be the same as R^A/R^C, R^{3A}/R^{3C}, R^{4A}/R^{4C}, R^{5A}/R^{5C}, and B^{1A}/B^{1C} as described herein for Formulae (I) and (II), respectively, and PG^1 is a suitable protecting group. A hydroxyalkyl group can be formed at the 4'-position of the pentose ring using suitable conditions known to those skilled in the art. Examples of suitable conditions for forming a hydroxyalkyl include the use of 2-

iodoxybenzoic acid (IBX) aqueous formaldehyde and sodium borohydride. A compound of Formula (B) can be transformed to a haloalkyl using a suitable agent(s), for example, to an iodide using imidazole, triphenylphosphine and iodine; to a fluoro using diethylaminosulfur trifluoride (DAST); or to a chloro using triphenylphosphine and carbontetrachloride in dichloroethylene (DCE).


Scheme 2




[0312] Compounds of Formulae (I) and (II), where R^{2A}/R^{2C} is a C_{1-6} azidoalkyl, can be prepared from a nucleoside, for example, a nucleoside of Formula (A). In Scheme 2, R^a, R^{3a}, R^{4a}, R^{5a} and B^{1a} can be the same as R^A/R^C, R^{3A}/R^{3C}, R^{4A}/R^{4C}, R^{5A}/R^{5C} and B^{1A}/B^{1C} as described herein for Formulae (I) and (II), respectively, PG^2 can be a suitable protecting group and LG^2 can be a suitable leaving group. The 5'-position of the nucleoside can be oxidized to an aldehyde using methods known to those skilled in the art. Suitable oxidation conditions include, but are not limited to, Moffatt oxidation, Swern oxidation and Corey-Kim oxidation; and suitable oxidizing agents include, but are not limited to, Dess-Martin periodinane, IBX (2-iodoxybenzoic acid), TPAP/NMO (tetrapropylammonium perruthenate/N-methylmorpholine N-oxide), Swern oxidation reagent, PCC (pyridinium

chlorochromate), and/or PDC (pyridinium dichromate), sodium periodate, Collin's reagent, ceric ammonium nitrate CAN, $Na_2Cr_2O_7$ in water, Ag_2CO_3 on celite, hot HNO_3 in aqueous glyme, O_2-pyridine CuCl, $Pb(OAc)_4$-pyridine and benzoyl peroxide-$NiBr_2$. A hydroxymethyl group can be added to the 4'-position of the pentose ring along with the reduction of the aldehyde to an alcohol. The hydroxymethyl group can be added via a condensation reaction using formaldehyde and a base, such as sodium hydroxide. After addition of the hydroxymethyl group, reduction of the intermediate compound with a 4'-hydroxymethyl group can be conducted using a reducing reagent. Examples of suitable reducing agents include, but are not limited to, $NaBH_4$ and $LiAlH_4$. A suitable leaving group, such as a triflate, can be formed by replacing the hydrogen of the hydroxymethyl group attached to the 4'-position, and the oxygen attached to the 5'-position can be protected with a suitable protecting group (for example, by cyclization with the base, B^{1a}, or with a separate protecting group). The leaving group can be replaced with an azido group using a metal azide reagent, for example, sodium azide. A C_{1-6} azidoalkyl at the 4'-position can be reduced to a C_{1-6} aminoalkyl. Various reduction agents/conditions known to those skilled in the art can be utilized. For example, the azido group can be reduced to an amino group via hydrogenation (for example, H_2-Pd/C or HCO_2NH_4-Pd/C), Staudinger Reaction, $NaBH_4/CoCl_2 \cdot 6\ H_2O$, Fe/NH_4Cl or Zn/NH_4Cl.


Scheme 3





(B)


Scheme 4



[0313] Compounds of Formulae (I) and (II) having a phosphorus containing group attached to the 5'-position of the pentose ring can be prepared using various methods known to those skilled in the art. Examples of methods are shown in Schemes 3 and 4. In Schemes 3 and 4, R^a, R^{2a}, R^{3a}, R^{4a}, R^{5a} and B^{1a} can be the same as R^A/R^C, R^{2A}/R^{2C}, R^{3A}/R^{3C}, R^{4A}/R^{4C}, R^{5A}/R^{5C} and B^{1A}/B^{1C} as described herein for Formulae (I) and (II), respectively. A phosphorus containing precursor can be coupled to the nucleoside, for example, a compound of Formula (B). Following the coupling of the phosphorus containing precursor, any leaving groups can be cleaved under suitable conditions, such as hydrolysis. Further phosphorus containing groups can be added using methods known to those skilled in the art, for example using a pyrophosphate. If desired, one or more bases can be used during the addition of each phosphorus-containing group. Examples of suitable bases are described herein.

[0314] In some embodiments, an alkoxide can be generated from a compound of Formula (C) using an organometallic reagent, such as a Grignard reagent. The alkoxide can be coupled to the phosphorus containing precursor. Suitable Grignard reagents are known to those skilled in the art and include, but are not limited to, alkylmagnesium chlorides and alkylmagnesium bromides. In some embodiments, an appropriate base can be used.

Examples of suitable bases include, but are not limited to, an amine base, such as an alkylamine (including mono-, di- and tri-alkylamines (e.g., triethylamine)), optionally substituted pyridines (e.g. collidine) and optionally substituted imidazoles (e.g., N-methylimidazole)). Alternatively, a phosphorus containing precursor can be added to the nucleoside and form a phosphite. The phosphite can be oxidized to a phosphate using conditions known to those skilled in the art. Suitable conditions include, but are not limited to, meta-chloroperoxybenzoic acid (MCPBA) and iodine as the oxidizing agent and water as the oxygen donor.

[0315] When compounds of Formulae (I) and (II) have Z^{1A}/ Z^{1C}, Z^{2A}/Z^{2C} or Z^{3A}/Z^{3C} being sulfur, the sulfur can be added in various manners known to those skilled in the art. In some embodiments, the sulfur can be part of the phosphorus containing precursor, for example,  . Alternatively, the sulfur can be added using a sulfurization reagent. Suitable sulfurization agents are known to those skilled in the art, and include, but are not limited to, elemental sulfur, Lawesson's reagent, cyclooctasulfur, 3H-1,2-Benzodithiole-3-one-1,1-dioxide (Beaucage's reagent), 3-((N,N-dimethylaminomethylidene)amino)-3H-1,2,4-dithiazole-5-thione (DDTT) and bis(3-triethoxysilyl)propyl-tetrasulfide (TEST).

[0316] As described herein, in some embodiments, $R^{3\Lambda}$ and $R^{4\Lambda}$ and/or R^{3C} and R^{4C} can be each an oxygen atom, wherein the oxygen atoms are linked together by a carbonyl groups. The -O-C(=O)-O- group can be formed using methods known to those skilled in the art. For example, a compound of Formula (I), wherein $R^{3\Lambda}$ and $R^{4\Lambda}$ are both hydroxy groups, can be treated with 1,1'-carbonyldiimidazole (CDI).

[0317] In some embodiments, the 2'-position and/or the 3'-position of the pentose ring can have an optionally substituted –O-acyl group attached, for example, $-OC(=O)R^{"\Lambda}$. The optionally substituted –O-acyl group can be formed at the 2'- and/or 3'-position using various methods known to those skilled in the art. As an example, a compound of Formulae (I) and/or (II), wherein the 2'-position and the 3'-position each have an hydroxy group attached, can be treated with an alkyl anhydride (e.g., acetic anhydride and propionic anhydride) or an alkyl acid chloride (e.g., acetylchloride). If desired, a catalyst can be used

to facilitate the reaction. An example of suitable catalyst is 4-dimethylaminopyridine (DMAP). Alternatively, the optionally substituted –O-acyl group group(s) can be formed at the 2'- and 3'-positions by reacting an alkyl acid (e.g. acetic acid and propionic acid) in the presences of a carbodiimide or a coupling reagent. Examples of carbodiimides include, but are not limited to, N,N'-dicyclohexylcarbodiimide (DCC), N,N'-diisopropylcarbodiimide (DIC) and 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide (EDC).


[0318] To reduce the formation of side products, one or more the groups attached to the pentose ring can be protected with one or more suitable protecting groups and/or any –NH and/or NH_2 groups present on the B^{1a}, can be protected with one or more suitable protecting groups. As an example, if 2'-position and/or the 3'-position is/are hydroxy group(s), the hydroxy group(s) can be protected with suitable protecting groups, such as triarylmethyl and/or silyl groups. Examples of triarylmethyl groups include but are not limited to, trityl, monomethoxytrityl (MMTr), 4,4'-dimethoxytrityl (DMTr), 4,4',4"-trimethoxytrityl (TMTr),. 4,4',4"-tris- (benzoyloxy) trityl (TBTr), 4,4',4"-tris (4,5-dichlorophthalimido) trityl (CPTr), 4,4',4"-tris (levulinyloxy) trityl (TLTr), p-anisyl-1-naphthylphenylmethyl, di-o-anisyl-1-naphthylmethyl, p-tolyldipheylmethyl, 3-(imidazolylmethyl)-4,4'-dimethoxytrityl, 9-phenylxanthen-9-yl (Pixyl), 9-(p-methoxyphenyl) xanthen-9-yl (Mox), 4-decyloxytrityl, 4- hexadecyloxytrityl, 4,4'-dioctadecyltrityl, 9-(4-octadecyloxyphenyl) xanthen-9-yl, 1,1'-bis-(4-methoxyphenyl)-1'-pyrenylmethyl, 4,4',4"-tris-(tert-butylphenyl) methyl (TTTr) and 4,4'-di-3,5-hexadienoxytrityl. Examples of suitable silyl groups are described herein and include trimethylsilyl (TMS), *tert*-butyldimethylsilyl (TBDMS), triisopropylsilyl (TIPS), tert-butyldiphenylsilyl (TBDPS), tri-*iso*-propylsilyloxymethyl and [2-(trimethylsilyl)ethoxy]methyl. Alternatively, R^{3A} and/or R^{4A} can be protected by a single achiral or chiral protecting group, for example, by forming an orthoester, a cyclic acetal or a cyclic ketal. Suitable orthoesters include methoxymethylene acetal, ethoxymethylene acetal, 2-oxacyclopentylidene orthoester, dimethoxymethylene orthoester, 1-methoxyethylidene orthoester, 1-ethoxyethylidene orthoester, methylidene orthoester, phthalide orthoester 1,2-dimethoxyethylidene orthoester, and alpha-methoxybenzylidene orthoester; suitable cyclic acetals include methylene acetal, ethylidene acetal, t-butylmethylidene acetal, 3-(benzyloxy)propyl acetal, benzylidene acetal, 3,4-dimethoxybenzylidene acetal and p-acetoxybenzylidene acetal; and suitable cyclic ketals

include . 1-t-butylethylidene ketal, 1-phenylethylidene ketal, isopropylidene ketal, cyclopentylidene ketal, cyclohexylidene ketal, cycloheptylidene ketal and 1-(4-methoxyphenyl)ethylidene ketal.

EXAMPLES

[0319] Additional embodiments are disclosed in further detail in the following examples, which are not in any way intended to limit the scope of the claims.

EXAMPLE 1
COMPOUND 1



[0320] To a solution of **1-1** (100.0 g, 378.7 mmol) in pyridine (750 mL) was added DMTrCl (164.9 g, 487.8 mmol). The solution was stirred at RT for 15 h. MeOH (300 mL) was added, and the mixture was concentrated to dryness under reduced pressure. The residue was dissolved in EA and washed with water. The organic layer was dried over Na_2SO_4 and concentrated. The residue was dissolved in DCM (500 mL). To this solution were added imidazole (44.3 g, 650.4 mmol) and TBSCl (91.9 g, 609.8 mmol). The mixture was stirred at RT for 14 h. The solution was washed with $NaHCO_3$ and brine. The organic layer was dried over Na_2SO_4, and concentrated to give the crude product as a light yellow solid. The crude (236.4 g, 347.6 mmol) was dissolved in 80% HOAc aqueous solution (500

mL). The mixture was stirred at RT for 15 h. The mixture was diluted with EA, and washed with $NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4 and purified on a silica gel column chromatography (1-2% MeOH in DCM) to give **1-2** (131.2 g, 91.9%) as a light yellow solid. ESI-MS: m/z 802 $[M + H]^+$.

[0321] To a solution of **1-2** (131.2 g, 346.9 mmol) in anhydrous CH_3CN (1200 mL) was added IBX (121.2 g, 432.8 mmol) at RT. The mixture was refluxed for 3 h and then cooled to 0 °C. The precipitate was filtered, and the filtrate was concentrated to give the crude aldehyde (121.3 g) as a yellow solid. The aldehyde was dissolved in 1,4-dioxane (1000 mL). 37% CH_2O (81.1 mL, 1.35 mmol) and 2M NaOH aqueous solution (253.8 mL, 507.6 mmol) were added. The mixture was stirred at RT for 2 h., and then neutralized with AcOH to pH = 7. To the solution were added EtOH (400 mL) and $NaBH_4$ (51.2 g, 1.35 mol). The mixture was stirred at RT for 30 mins, the reaction was quenched with sat. aq. NH_4Cl. The mixture was extracted with EA. The organic layer was dried over Na_2SO_4 and concentrated. The residue was purified by silica gel column chromatography (1-3% MeOH in DCM) to give **1-3** (51.4 g, 38.9%) as a white solid.

[0322] To a solution of **1-3** (51.4 g, 125.9 mmol) in anhydrous DCM (400 mL) were added pyridine (80 mL) and DMTrCl (49.1 g, 144.7 mmol) at 0 °C. The reaction was stirred at RT for 14 h, and then treated with MeOH (30 mL). The solvent was removed, and the residue was purified by silica gel column chromatography (1-3% MeOH in DCM) to give the mono-DMTr protected intermediate as a yellow foam (57.4 g, 62.9%). The intermediate (57.4 g, 82.8 mmol) was dissolved in CH_2Cl_2 (400 mL), and imidazole (8.4 g, 124.2 mmol), TBDPSCl (34.1 g, 124.2 mmol) were added. The mixture was stirred at RT for 14 h. The precipitate was filtered off, and the filtrate was washed with brine and dried with Na_2SO_4. The solvent was removed to give a residue (72.45 g) as a white solid. The residue was dissolved in 80% HOAc aqueous solution (400 mL). The mixture was stirred RT for 15 h. The mixture was diluted with EA and washed with $NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4 and purified by silica gel column chromatography (1-2% MeOH in DCM) to give **1-4** (37.6 g, 84.2%) as a white solid.

[0323] A solution of **1-4** (700 mg, 1.09 mmol) in anhydrous dichloromethane was added Dess-Martin reagent (919 mg, 2.16 mmol) at 0 °C. The mixture was stirred at RT for 30 mins. The reaction was quenched with sat. sodium hydrogen carbonate and sodium


thiosulfate solution, and extracted with EA. The organic layers were concentrated to give the crude aldehyde, which was used for next step without purification. A solution of $MePPh_3Br$ (3.88 g, 10.87 mmol) in anhydrous THF was treated with a solution of t-BuOK (9.81 mL, 9.81 mmol) in THF at 0 °C. The mixture was warmed to RT for 1 h. After cooling to 0 °C for 1 h, a solution of the aldehyde (700 mg, 1.09 mmol) in THF was added. The mixture was stirred overnight at RT. The reaction was quenched with sat. ammonium chloride solution, and extracted with EA. The organic layers were purified by column chromatography to give **1-5** (167 mg, 30%).

[0324] To a solution of **1-5** (450 mg, 0.69 mmol) in MeOH (10 mL) was added Pd/C (200 mg) at RT. The reaction mixture was stirred at RT for 1 h under H_2 (balloon). Then the mixture was filtered and the filtrate was concentrated to give the crude **1-6** (440 mg, 97.1%) as a white solid.

[0325] A solution of **1-6** (317 mg, 0.49 mmol), TPSCl (373 mg, 1.23 mmol), DMAP (150 mg, 1.23 mmol) and TEA (124 mg, 1.23 mmol) in anhydrous MeCN was stirred at RT overnight. The reaction was quenched with $NH_3 \cdot H_2O$, and then stirred at RT for 3 h. The solvent was removed under reduced pressure. The residue was purified by column chromatography to give **1-7** (200 mg, 63%).

[0326] To a solution of **1-7** (280 mg, 0.44 mmol) in MeOH (10 mL) was added NH_4F (1.0 g, 27.0 mmol) at RT. The mixture was refluxed for 12 h. The mixture was filtered, and the filtrate was concentrated. The residue was purified on a silica gel column (10% MeOH in DCM) to give compound **1** (81 mg, 63.3%) as a white solid. ESI-MS: m/z 291.8 $[M + H]^+$.

EXAMPLE 2
COMPOUND 2



[0327] To a solution of **2-1** (2.5 g, 4.04 mmol) in DMF was added NaH (170 mg, 4.24 mmol, 60% purity) at 0 °C. The mixture was stirred for 3 h at RT. NaI (6.1 g, 40.4 mmol) was added at RT and stirred for 3 h. The reaction was diluted with water and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure to give **2-2** (1.7 g, 94%) as a yellow solid.


[0328] To a solution of **2-2** (1.7 g, 3.81 mmol) in THF (5 mL) was added 2 M NaOH solution (4.5 mL) at 0 °C. The solution was stirred for 2 h at RT. The mixture was adjusted to pH = 7, and concentrated under reduced pressure. The mixture was partitioned between DCM and water. The DCM layer was dried with high vacuum to give **2-3** (1.2 g, 68%) as a white solid, which was used without further purification.

[0329] To a solution of **2-3** (1.2 g, 2.58 mmol) in EtOH (20 mL) was added NH_4COOH(650 mg, 7.75 mmol) and Pd/C (120 mg). The mixture was stirred under H_2 (30 psi) for 1.5 h at RT. The suspension was filtered, and the filtrate was concentrated at a low pressure. The residue was purified on silica gel column (0.5% TEA and 1% MeOH in DCM) to give **2-4** (545 mg, 62%). ESI-MS: m/z 361.2 $[M + 23]^+$.

[0330] Compound **2-4** was dissolved in 80% aq. HCOOH (20 mL) and kept at 20 °C for 18 h. After cooling to RT, the solvent was removed in vacuo, and the residue co-evaporated with toluene (3 x 25 mL). The residue was dissolved in water (3 mL) and concentrated aqueous NH_4OH (1 mL) was added. After 2 h at 20 °C, the solvent was

removed in vacuo. The residue was purified by flash chromatography using a 5 to 50% gradient of methanol in DCM to give purified compound **2** (14 mg) as a white solid.

EXAMPLE 3
COMPOUND 4



[0331] Compound **4-1** (5.0 g, 8.5 mmol) and 2-amino-6-chloropurine (3.0 g, 17.7 mmol) were co-concentrated with anhydrous toluene for 3 times. To a stirred suspension of the mixture in anhydrous MeCN (50 mL) was added DBU (7.5 g, 49 mmol) at 0 °C. The mixture was stirred at 0 °C for 15 mins, and TMSOTf (15 g, 67.6 mmol) was added dropwise at 0 °C. The mixture was stirred at 0 °C for 15 mins and then heated to 70 °C overnight. The mixture was cooled to RT, and diluted with EA (100 mL). The solution was washed with sat.

$NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4 and then concentrated at low pressure. The residue was purified by column on silica gel (PE/EA: from 15/1 to 3/1) to give **4-2** (2.5 g, 46.3%) as a white foam.

[0332] To a solution of **4-2** (10 g, 15.7 mmol), $AgNO_3$ (8.0g, 47 mmol) and collidine (10 mL) in anhydrous DCM (20 mL) was added MMTrCl (14.5 g, 47 mmol) in small portions under N_2. The mixture was stirred at RT overnight. The mixture was filtered, and the filtrate was washed with sat. $NaHCO_3$ aqueous and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/ME = 20/1 to 8/1) to give **4-3** (10 g, 70 %) as a yellow solid.

[0333] To a solution of 3-hydroxy-propionitrile (3.51 g, 49.4 mmol) in anhydrous THF (100 mL) was added NaH (2.8 g, 70 mmol) at 0 °C, and the mixture was stirred at RT for 30 mins. To the mixture was added a solution of **4-3** (8.5 g, 9.35 mmol) in anhydrous THF (100 mL) at 0 °C, and the reaction mixture was stirred at RT overnight. The reaction was quenched by water, and extracted with EA (100 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/1 to 20/1) to give **4-4** (4.5 g, 83%) as a white solid.

[0334] Compound **4-4** (1.5g, 2.6 mmol) was co-concentrated with anhydrous pyridine 3 times. To an ice cooled solution of **4-4** in anhydrous pyridine (30 mL) was added TsCl (1.086 g, 5.7 mmol), and the reaction mixture was stirred at 0 °C for 1 h. The reaction was quenched with water, and extracted with EA (80 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/1 to 15/1) to give **4-5** (1.4 g, 73%) as a white solid.

[0335] To a solution of **4-5** (4.22 g, 5.7 mmol) in acetone (60 mL) was added NaI (3.45 g, 23 mmol), and the mixture was refluxed overnight. The reaction was quenched by sat. $Na_2S_2O_3$ aqueous, and then extracted with EA (100 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/1 to 15/1) to give **4-6** (4 g, 73%) as a white solid.

[0336] To a solution of **4-6** (4.0 g, 5.8 mmol) in anhydrous THF (60 mL) was added DBU (3.67 g, 24 mmol), and the mixture was stirred at 60 °C overnight. The mixture was diluted with EA (80 mL). The solution was washed with brine. The organic layer was

dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/1 to 20/1) to give **4-7** (2 g, 61%) as a white solid.

[0337] To an ice cooled solution of **4-7** (500 mg, 0.89 mmol) in anhydrous DCM (20 mL) was added AgF (618 mg, 4.9 mmol) and a solution of I_2 (500 mg, 1.97 mmol) in anhydrous DCM (20 mL). The mixture was stirred at RT for 3 h. The reaction was quenched with sat $Na_2S_2O_3$ and $NaHCO_3$ aqueous, and the mixture was extracted with DCM (50 mL). The organic layer was separated, dried over anhydrous Na_2SO_4, and concentrated to give crude **4-8** (250 mg, crude) as a yellow solid.


[0338] To a solution of crude **4-8** (900 mg, 1.28 mmol) in anhydrous DCM (50 mL) was added DMAP (1.0g, 8.2 mmol) and BzCl (795 mg, 5.66 mmol). The mixture was stirred at RT overnight. The mixture was washed with sat. $NaHCO_3$ aq. and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by prep-TLC (DCM/MeOH = 15:1) to give **4-9** (300 mg, 26%) as a white solid.

[0339] To a solution of crude **4-9** (750 mg, 0.82 mmol) in anhydrous HMPA (20 mL) was added NaOBz (1.2 g, 8.3 mmol) and 15-crown-5 (1.8 g, 8.3 mmol). The mixture was stirred at 60 °C for 2 d. The mixture was diluted with EA, and the solution was washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by prep-TLC (PE/EA = 1:1) to give crude **4-10** (550 mg, 73%) as a white solid.

[0340] Crude **4-10** (550 mg, 0.6 mmol) was dissolved in NH_3/MeOH (7N, 50 mL). The mixture was stirred at RT overnight. The mixture was concentrated, and the residue was purified by silica gel column (DCM/MeOH from 100/1 to 20/1) to give **4-11** (62 mg, 17%) as white solid. ESI-MS: m/z 598.0 $[M + H]^+$.

[0341] A solution of **4-11** (12 mg) in 80% formic acid (0.5 mL) stood at RT for 3.5 h and then was concentrated. The residue was co-evaporated with MeOH/toluene 4 times in a vial, then triturated with EtOAc at 40 °C. The EtOAc solution removed with pippet, and the trituration step was repeated several times. The remaining solid was dissolved in MeOH. The solution was concentrated and dried to give compound **4** (4.7 mg) as an off white solid. ESI-MS: m/z 326.6 $[M + H]^+$.

EXAMPLE 4
COMPOUND 5




[0342] To a solution of **5-1** (1.2 g; 4.3 mmol) in dioxane (30 mL) were added p-toluenesulphonic acid monohydrate (820 mg; 1 eq.) and trimethyl orthoformate (14 mL; 30 eq.). The mixture was stirred overnight at RT. The mixture was then neutralized with methanolic ammonia and the solvent evaporated. Purification on silica gel column with CH_2Cl_2-MeOH solvent system (4-10% gradient) yielded **5-2** (1.18 g, 87%).

[0343] To an ice cooled solution of **5-2** (0.91 g; 2.9 mmol) in anhydrous THF (20 mL) was added iso-propylmagnesium chloride (2.1 mL; 2 M in THF). The mixture stirred at 0 °C for 20 mins. A solution of phosphorochloridate reagent (2.2 g; 2.5 eq.) in THF (2 mL) was added dropwise. The mixture stirred overnight at RT. The reaction was quenched with saturated aq. NH_4Cl solution and stirred at RT. for 10 mins. The mixture was then diluted with water and CH_2Cl_2, and the two layers were separated. The organic layer was washed with water, half saturated aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The evaporated residue was purified on silica gel column with CH_2Cl_2-iPrOH solvent system (4-10% gradient) to yield Rp/Sp-mixture of **5-3** (1.59 g; 93%).

[0344] A mixture of **5-3** (1.45 g; 2.45 mmol) and 80% aq. HCOOH (7 mL) was stirred at RT. for 1.5 h. The solvent was evaporated and coevaporated with toluene. The obtained residue was dissolved in MeOH, treated with Et_3N (3 drops) and the solvent was evaporated. Purification on silica gel column with CH_2Cl_2-MeOH solvent system (4-10%

gradient) yielded Rp/Sp-mixture of compound **5** (950 mg; 70%). ^{31}P-NMR (DMSO-d_6): δ 3.52, 3.37. MS: m/z = 544 [M-1].

EXAMPLE 5
COMPOUND 6



[0345] Compound **32-1** (5 g, 8.79 mmol) was co-evaporated with anhydrous pyridine. To an ice cooled solution of **32-1** in anhydrous pyridine (15 mL) was added TsCl (3.43 g, 17.58 mmol), and stirred for 1 h at 0 °C. The reaction was checked by LCMS and TLC. The reaction was quenched with H_2O, and extracted with EA. The organic phase was dried over anhydrous Na_2SO_4, and evaporated at low pressure. Compound **6-1** (6.35 g, 100%) was used for next step directly.

[0346] To a solution of **6-1** (31.77g, 43.94 mmol) in acetone (300 mL) was added NaI (65.86 g, 439.4 mmol), and heated to reflux overnight. The reaction was checked by LCMS. The reaction was quenched with sat. $Na_2S_2O_3$ solution, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 6%) to give **6-2** (11.5g, 38%) as a white solid.

[0347] To a solution of **6-2** (11.5 g, 16.94 mmol) in dry THF (120 mL) was added DBU (12.87 g, 84.68 mmol), and heated to 60 °C. The reaction was stirred overnight and checked by LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with EA. The organic phase was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give **6-3** (5.5 g, 54%) as a white solid.

[0348] To an ice cooled solution of **6-3** (500 mg, 0.90 mmol) in dry DCM (20 mL) was added AgF (618 mg, 4.9 mmol) and a solution of I_2 (500 mg, 1.97 mmol) in dry DCM (20 mL). The reaction was stirred for 3 h., and checked by LCMS. The reaction was quenched with sat $Na_2S_2O_3$ solution and sat. $NaHCO_3$ solution, and the mixture was extracted with DCM. The organic layer was dried by anhydrous Na_2SO_4, and evaporated at low pressure to give crude **6-4** (420 mg, 66%).


[0349] To a solution of crude **6-4** (250 mg, 0.36 mmol) in dry DCM (8 mL) was added DMAP (0.28 g, 2.33 mmol), TEA (145 mg, 1.44mmol) and BzCl (230 mg, 1.62 mmol) in a solution of DCM (2 mL). The reaction was stirred overnight, and checked by LCMS. The mixture was washed with sat. $NaHCO_3$ solution and brine. The organic layer was evaporated at low pressure. The residue was purified by prep-TLC to give crude **6-5** (150 mg, 46%).

[0350] To a solution of crude **6-5** (650 mg, 0.72 mmol) in dry HMPA (20 mL) was added NaOBz (1.03 g, 7.2 mmol) and 15-crown-5 (1.59 g, 7.2 mmol). The reaction was stirred for 2 d at 60 °C. The mixture was diluted with H_2O, and extracted with EA. The organic layer was evaporated at low pressure. The residue was purified by prep-TLC to give **6-6** (210 mg, 32.4%). ESI-MS: m/z: 900.4 $[M + H]^+$.

[0351] A mixture of **6-6** (25 mg) and $BuNH_2$ (0.8 mL) was stirred overnight at RT. The mixture was evaporated and purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-15% gradient) to yield **6-7** (15 mg, 91%).

[0352] A mixture of **6-7** (15 mg, 0.02 mmol) in ACN (0.25 mL) and 4 N HCL/dioxane (19 uL) was stirred at RT for 45 mins. The mixture was diluted with MeOH and evaporated. The crude residue was treated with MeCN, and the solid was filtered to yield compound **6** (7 mg). MS: m/z = 314 [M-1].

EXAMPLE 6
COMPOUND 7




[0353] A mixture of **7-1** (170 mg, 0.19 mmol) and methanolic ammonia (7 N; 3 mL) was stirred at RT for 8 h, concentrated and purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-11% gradient) to give **7-2** (100 mg, 90%).

[0354] Compound **7-2** was rendered anhydrous by co-evaporating with pyridine, followed by toluene. To a solution of **7-2** (24 mg, 0.04 mmol), and N-methylimidazole (17 μL, 5 eq.) in acetonitrile (1 mL) was added the phosphorochloridate (50 mg, 3.5 eq.) in 2 portions in 6 h intervals. The mixture was stirred at RT for 1 d and evaporated. Purification on silica (10 g column) with CH_2Cl_2/MeOH (4-12% gradient) yielded **7-3** (10 mg, 28%).

[0355] A solution of **7-3** (9 mg, 0.01 mmol) in 80% formic acid was stirred 3 h at R. T. The mixture was evaporated and purified on silica (10 g column) with CH_2Cl_2/MeOH (5-15% gradient) to give compound **7** (3 mg, 50%). MS: m/z = 624 [M-1].


EXAMPLE 7
COMPOUND 8



[0356] To an ice cooled solution of **8-1** (80 mg; 015 mmol) in anhydrous THF (2 mL) was added isopropylmagnesium chloride (0.22 mL; 2 M in THF). The mixture stirred at 0 °C for 20 mins. A solution of the phosphorochloridate reagent (0.16 g; 0.45 mmol) in THF (0.5 mL) was added dropwise. The mixture stirred overnight at RT. The reaction was quenched with saturated aq. NH_4Cl solution and stirred at RT for 10 mins. The mixture was diluted with water and CH_2Cl_2, and the two layers were separated. The organic layer was washed with water, half saturated aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The evaporated residue was purified on silica gel column with CH_2Cl_2-MeOH solvent system (2-10% gradient) to yield Rp/Sp-mixture of **8-2** (102 mg; 80%).

[0357] A mixture of **8-2** (100 mg; 0.12 mmol) in EtOH (3 mL) and 10% Pd/C (10 mg) was stirred under the H_2 atmosphere for 1.5 h. The mixture was filtered through a Celite pad, evaporated and purified on silica gel column with CH_2Cl_2-MeOH solvent system (4-10% gradient) to yield Rp/Sp-mixture of compound **8** (52 mg, 74%). MS: m/z = 584 [M-1].

EXAMPLE 8
COMPOUND 9




[0358] A mixture of **9-1** (1.2 g, 4.3 mmol), PTSA monohydrate (0.82 g, 1 eq.), and trimethyl orthoformate (14 mL, 30 eq.) in dioxane (30 mL) was stirred overnight at RT. The reaction was neutralized with 7 N NH_3/MeOH and a white solid removed by filtration. The residue was dissolved in THF (10 mL) and treated with 80% aq. AcOH (5 mL). The mixture was kept at RT for 45 mins and then evaporated. The residue was purified on silica gel (25 g column) with CH_2Cl_2/MeOH (4-10% gradient) to give **9-2** (1.18 g, 87%).

[0359] Compound **9-3** (137 mg, 75%) was prepared from **9-2** (93 mg, 0.29 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.44 mmol) with DIPEA (0.2 mL), BopCl (147 mg), and 3-nitro-1,2,4-triazole (66 mg) in THF (3 mL). Purification was done with CH_2Cl_2 /i-PrOH solvent system (3-10% gradient).

[0360] A solution of **9-3** (137 mg) in 80% aq. HCOOH was stirred at RT for 2 h, and then concentrated. The residue was co-evaporated with toluene and then MeOH containing a small amount of a small amount of Et_3N (2 drops). Purification on silica (25 g column) with CH_2Cl_2/MeOH (4-10% gradient) gave compound **9** (100 mg, 77%). MS: m/z = 1175 [2M-1].

EXAMPLE 9
COMPOUND 10



[0361] Compound **10-1** (50 g, 86.0 mmol) and 6-Cl-guanine (16.1 g, 98.2 mmol) were co-evaporated with anhydrous toluene 3 times. To a solution of **10-1** in MeCN (200 mL) was added DBU (39.5 g, 258.0 mmol) at 0 °C. The mixture was stirred at 0 °C for 30 mins, and then TMSOTf (95.5 g, 430.0 mmol) was added dropwise at 0 °C. The mixture was stirred at 0 °C for 30 mins. The mixture was heated to 70 °C, and stirred overnight. The solution was cooled to RT and diluted with EA (100 mL). The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4, and concentrated at low pressure. The residue was purified by column on silica gel (EA in PE from 10% to 40%) to give **10-2** (48.0 g, yield: 88.7%) as a yellow foam. ESI-MS: m/z 628 $[M + H]^+$.

[0362] To a solution of **10-2** (48.0 g, 76.4 mol), $AgNO_3$ (50.0 g, 294.1 mmol) and collidine (40 mL) in anhydrous DCM (200 mL) was added MMTrCl (46.0 g, 149.2 mmol) in small portions under N_2. The mixture was stirred at RT for 3 h under N_2. The reaction was monitored by TLC. The mixture was filtered, and the filter was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (EA in PE from 5% to 50%) to the give crude **10-3** (68 g, 98%). ESI-MS: m/z 900.1 $[M + H]^+$.

[0363] Sodium (8.7 g, 378.0 mmol) was dissolved in dry EtOH (100 mL) at 0 °C, and slowly warmed to RT. Compound **10-3** (68.0 g, 75.6 mmol) was treated with freshly prepared NaOEt solution, and stirred overnight at RT. The reaction was monitored by TLC, and the mixture was concentrated at low pressure. The mixture was diluted with H_2O (100 mL), and extracted with EA (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give **10-4** (34.0 g, 75.2%) as a yellow solid. ESI-MS: m/z 598 $[M + H]^+$.

[0364] Compound **10-4** (32.0 g, 53.5 mmol) was co-evaporated with anhydrous pyridine 3 times. To an ice cooled solution of **10-4** in anhydrous pyridine (100 mL) was added TsCl (11.2 g, 58.9 mmol) in pyridine (50 mL) dropwise at 0 °C. The mixture was stirred for 18 h. at 0 °C. The reaction was checked by LCMS (about 70% was the desired product). The reaction was quenched with H_2O, and the solution was concentrated at low pressure. The residue was dissolved in EA (100 mL), and washed with sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give crude **10-5** (25.0 g, 62.2%) as a yellow solid. ESI-MS: m/z 752 $[M + H]^+$.

[0365] To a solution of **10-5** (23.0 g, 30.6 mmol) in acetone (150 mL) was added NaI (45.9 g, 306.0 mmol) and TBAI (2.0 g), and refluxed overnight. The reaction was monitored by LCMS. After the reaction was complete, the mixture was concentrated at low pressure. The residue was dissolved in EA (100 mL), washed with brine, and dried over anhydrous Na_2SO_4. The organic solution was evaporated at low pressure. The residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 20:1) to give the

crude product. To a solution of the crude product in dry THF (200 mL) was added DBU (14.0 g, 91.8 mmol), and heated to 60 °C. The mixture was stirred overnight, and checked by LCMS. The reaction was quenched with sat. $NaHCO_3$, and the solution was extracted with EA (100 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give **10-6** (12.0 g, 67.4%) as a yellow solid. ESI-MS: m/z 580 $[M + H]^+$.

[0366] To an ice cooled solution of **10-6** (8.0 g, 13.8 mmol) in dry MeCN (100 mL) was added NIS (3.9 g, 17.2 mmol) and TEA•3HF (3.3 g, 20.7 mmol) at 0 °C. The mixture was stirred at RT for 18 h and checked by LCMS. After the reaction was complete, the reaction was quenched with sat Na_2SO_3 and sat. $NaHCO_3$ solution. The solution was extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 50%) to give **10-7**(7.2 g, 72.0%) as a solid. ESI-MS: m/z 726 $[M + H]^+$.

[0367] To a solution of crude **10-7** (7.2 g, 9.9 mmol) in dry DCM (100 mL) was added DMAP (3.6 g, 29.8 mmol), and BzCl (2.8 g, 19.8 mmol) at 0 °C. The mixture was stirred overnight, and checked by LCMS. The mixture was washed with sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 30%) to give **10-8** (8.0 g, 86.4%) as a solid. ESI-MS: m/z 934 $[M + H]^+$.


[0368] To a solution of **10-8** (7.5 g, 8.0 mmol) in dry DMF (100 mL) was added NaOBz (11.5 g, 80.0 mmol) and 15-crown-5 (15.6 mL). The mixture was stirred for 36 h. at 90 °C. The mixture was diluted with H_2O (100 mL), and extracted with EA (3x150 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 30%) to give crude **10-9** (6.0 g, 80.0%) as a solid. ESI-MS: m/z 928 $[M + H]^+$.

[0369] Compound **10-9** (4.0 g, 4.3 mmol) was co-evaporated with anhydrous toluene 3 times, and treated with NH_3/MeOH (50 mL, 4N) at RT. The mixture was stirred for 18 h at RT. The reaction was monitored by LCMS, and the mixture was concentrated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 30% to 50%) to give **10-10** (1.9 g, 71.7%) as a solid. ESI-MS: m/z 616 $[M + H]^+$.

[0370] Compound **10-10** (300.0 mg, 0.49 mmol) was co-evaporated with anhydrous toluene 3 times, and was dissolved in MeCN (2 mL). The mixture was treated with NMI (120.5 mg, 1.47 mmol) and the phosphorochloridate reagent (338.1 mg, 0.98 mmol) in MeCN (1 mL) at 0 °C. The mixture was stirred for 18 h at RT. The reaction was monitored by LCMS. The mixture was diluted with 10% $NaHCO_3$ solution, and extracted with EA. The residue was purified by silica gel column chromatography (EA in PE from 30% to 50%) to give **10-11** (240 mg, 53.3%) as a solid. ESI-MS: m/z 925 $[M + H]^+$.

[0371] Compound **10-11** (240.0 mg, 0.26 mmol) was treated with 80% AcOH (10 mL), and the mixture was stirred for 18 h at RT. The reaction was monitored by LCMS. The mixture was concentrated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 3%) to give compound **10** (87.6 mg, 51.7%) as a solid. ESI-MS: m/z 653 $[M + H]^+$.

EXAMPLE 10
COMPOUND 12



[0372] To a stirred suspension of **12-1** (20.0 g, 81.3 mmol), imidazole (15.9 g, 234.0 mmol), PPh_3 (53.5 g, 203.3 mmol) and pyridine (90 mL) in anhydrous THF (100 mL) was added a solution of I_2 (41.3 g, 162.6 mmol) in THF (150 mL) dropwise at 0 °C. The mixture was slowly warmed to RT and stirred for 14 h. The reaction was quenched with sat.

aq. $Na_2S_2O_3$ (150 mL) and extracted with THF/EA (1/1) (100 mL x 3). The organic layer was dried over Na_2SO_4, and concentrated at a low pressure. The residue was recrystallized from EtOH to afford pure **12-2** (23 g, 79%) as a white solid.

[0373] To a stirred solution of **12-2** (23 g, 65 mmol) in anhydrous MeOH (200 mL) was added $NaOCH_3$ (10.5 g, 195 mmol) in MeOH (50 mL) at RT. The mixture was stirred at 60 °C for 3 h, and quenched with dry ice. A solid precipitated and removed by filtration. The filtrate was concentrated at a low pressure. The residue was purified on column silica gel column (MeOH in DCM from 1% to 10%) to provide **12-3** (13.1 g, 92.5%) as a white foam solid.

[0374] To a stirred solution of **12-3** (12.0 g, 53 mmol) in anhydrous CH_3CN was added TEA•3HF (8.5 g, 53 mmol) and NIS (10.2 g, 63.6 mmol) at 0 °C. The mixture was stirred for 30 mins, and slowly warmed to RT. The mixture was stirred for another 30 mins. The solid was removed by filtration, and washed with DCM to give **12-4** (14 g, 73%) as a yellow solid. ESI-MS: m/z 373.0 $[M + H]^+$.

[0375] To a stirred solution of **12-4** (12.0 g, 32 mmol) and DMAP (1.2 g, 9.6 mmol) in pyridine (100 mL) was added Bz_2O (21.7 g, 96 mmol) at RT. The mixture was stirred at 50 °C for 16 h. The resulting solution was quenched with water, and concentrated to dryness at low pressure. The crude was purified on silica gel column (50% EA in PE) to give **12-5** (15 g, 81%) as a white solid. ESI-TOF-MS: m/z 581.0 $[M + H]^+$.

[0376] Tetra-butylammonium hydroxide (288 mL as 54-56% aqueous solution, 576 mmol) was adjusted to pH~4 by adding TFA (48 mL). The resulting solution was treated with a solution of **12-5** (14 g, 24 mmol) in DCM (200 mL). *m*-Chloroperbenzoic acid (30 g, 60-70%, 120 mmol) was added portion wise with vigorous stirring, and the mixture was stirred overnight. The organic layer was separated and washed with brine. The resulting solution was dried over magnesium sulfate and concentrated under reduced pressure. The residue was purified by column chromatography to give **12-6** (7.5 g, 68%)


[0377] Compound **12-6** (5.0 g, 10.6 mmol) was treated with 7N NH_3•MeOH (100 mL), and the mixture was stirred for 5 h. The mixture was then concentrated to dryness at low pressure. The residue was washed with DCM, and the solid was filtered to give **12-7** (2.1 g, 75%) as a white foam. ESI-MS: m/z 263.0 $[M + H]^+$.

[0378] To a solution of **12-7** (2.1 g, 8.0 mmol) in pyridine was added TIDPSCl (2.5 g, 8.0 mmol) dropwise at 0 °C, and stirred for 12 h. at RT. The solution was quenched with water, and concentrated to dryness at low pressure. The crude was purified by column chromatography (EA in PE from 10% to 50%) to give pure **12-8** (1.6 g, 40%) as a white foam.

[0379] A solution of **12-8** (1.5 g, 3.0 mmol) and IBX (1.69 g, 6.0 mmol) in anhydrous CH_3CN (10 mL) was stirred at 80 °C for 3 h. The mixture was cooled down to RT and filtered. The filtrate was concentrated to dryness at low pressure. The residue was purified by column chromatography (EA in PE from 2% to 50%) to give pure **12-9** (1.2 g, 80%) as a white foam. ESI-MS: m/z 503.0 $[M + H]^+$

[0380] Compound **12-9** (500 mg, 1 mmol) was dissolved in dry THF (8 mL). Ethynyl magnesium bromide (8 mL of 0.5M solution in cyclohexane) was added at RT. After 30 mins, additional ethynyl magnesium bromide (8 mL) was added. The mixture was left for 30 mins, and then quenched with sat. solution of ammonium chloride. The product was extracted with EA. The organic extracts were washed with brine, dried, and concentrated. The residue was purified by flash chromatography on silica gel in EA to remove the dark color. The yellow compound was dissolved in THF (3 mL) and treated with TBAF (1mL, 2M solution in THF) for 30 mins. The solvent was evaporated, and the residue was subjected to silica gel chromatography on a Biotage cartridge (25g). EA saturated with water was used for isocratic elution. Each fractions were analyzed by TLC in DCM:MeOH (9:1 v:v). Fractions containing only the isomer with a high Rf were concentrated to give pure compound **12** (110 mg). MS: 285.1 [M-1].


EXAMPLE 11
COMPOUND 13



[0381] Compound **12** (57 mg, 0.2 mmol) was dissolved in CH_3CN (2 mL), containing N-methylimidazole (40 uL). The phosphorochloridate reagent (207 mg, 0.6 mmol) was added, and the mixture was kept overnight at 40 °C. The mixture was distributed

between water and EA. The organic layer was separated, washed with brine, dried and evaporated. The product was isolated by silica gel chromatography in gradient of methanol in DCM from 0% to 15%. Compound **13** was obtained (46 mg, 39%). MS: m/z 593.9 [M-1].

EXAMPLE 12
COMPOUND 14



[0382] To a stirred solution of **14-1** (5.0 g, 19.53 mmol) in anhydrous MeCN was added IBX (7.66 g, 27.34 mmol) at RT. The mixture was heated at 80 °C for 12 h, and then slowly cooled to RT. After filtration, the filtrate was concentrated to give crude **14-2** (4.87 g, 98%).

[0383] To a solution of **14-2** (4.96 g, 19.53 mmol) in anhydrous THF at -78 °C under N_2 was added methyl magnesium bromide (19.53 mL, 58.59 mmol) by dropwise. The mixture was slowly warmed to RT, and stirred for 12 h. The mixture was quenched with sat. NH_4Cl solution, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-3** (4.37 g, 83%) as a white solid.

[0384] To a solution of **14-3** (4.37 g, 16.19 mmol) in anhydrous DCM (20 mL) was added DMAP (3.95 g, 32.38 mmol), TEA (4.91 g, 48.56 mmol), and BzCl (6.80 g, 48.56 mmol) at 0 °C. The mixture was stirred at RT overnight. The reaction was quenched with sat. $NaHCO_3$ solution (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give crude **14-4** (5.3 g, 87%) as a white solid.

[0385] To a solution of **14-4** (3.0 g, 8.02 mmol) and Ac_2O (4.91 g, 48.13 mmol) in acetic acid (10 mL) was added concentrated H_2SO_4 (98%, 2.41 g, 24.06 mmol) at 0 °C. The mixture was stirred at RT for 12 h. The solution was poured into ice water (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-5** (2.3 g, 81%)) as a white solid.

[0386] To a stirred solution of 6-Cl-guanine (560 mg, 3.31 mmol) and**14-5** (1.11 g, 2.76 mmol) in anhydrous MeCN (5 mL) was added DBU (1.27 g, 8.28 mmol) under N_2 at 0 °C. The mixture was stirred at RT for 30 mins. The mixture was cooled to 0 °C, and TMSOTf (2.45 g, 11.04 mmol) was added slowly in 15 mins. The mixture was then warmed RT in 30 mins. The mixture was heated at 60 °C for 4 h. The mixture was then poured into ice water (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4 and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-6** (800 mg, 70%) as a white solid.

[0387] To a solution of **14-6** (839 mg, 1.64 mmol), MMTrCl (1.46 g, 4.75 mmol) and $AgNO_3$ (697 mg, 4.1 mmol) in DCM (10 mL) was added collidine (794 mg, 6.56 mmol). The mixture was stirred for 12 h at RT. The reaction was quenched with sat. $NaHCO_3$ solution (20 mL). After filtration, the filtrate was extracted with DCM (3 x 20 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue

was purified by silica gel column chromatography to give **14-7** (1.3 g, 72.5%) as a white solid.

[0388] 3-hydroxyl acrylic nitrile (4.13 g, 5.82 mmol) was dissolved in anhydrous THF (10 mL). The solution was treated with NaH (464 mg, 11.6 mmol) at 0 °C, and slowly warmed to RT, and stirred for 30 mins. A solution of **14-7** (912 mg, 1.16 mmol) in anhydrous THF (5 mL) was added slowly. The mixture was stirred at RT overnight. The reaction was quenched with water (40 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-8** (600 mg, 85%) as a white solid.

[0389] To a solution of **14-8** (6.20 g, 10.86 mmol) in anhydrous pyridine (10 mL) at 0 °C was added a solution of TsCl (4.54 g, 23.89 mmol) in anhydrous pyridine (10 mL) dropwise. The mixture was stirred at RT for 30 mins. The mixture was quenched with water (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-9** (6.0 g, 76%) as a white solid.

[0390] To a solution of **14-9** (6.0 g, 8.28 mmol) in acetone (30 mL) was NaI (4.97 g, 33.12 mmol), and refluxed overnight. The mixture was evaporated under reduced pressure. The residue was dissolved in EA (50 mL), and washed with sat .$NaHCO_3$ solution (30 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-10** (5.43 g, 96.4%) as a white solid.

[0391] To a solution of **14-10** (5.0 g, 7.34 mmol) in anhydrous THF (20 mL) was added DBU (4.49 g, 29.37 mmol), and stirred at 60 °C overnight. The mixture was slowly cooled to RT. The mixture was quenched with water (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **14-11** (3.5 g, 85%) as a white solid.

[0392] To a solution of **14-11** (3.5 g, 6.33 mmol) and AgF (4.42 g, 34.81 mmol) in anhydrous DCM (20 mL) was added a solution of iodine (3.54 g, 13.93 mmol) in anhydrous DCM (5 mL) dropwise at 0 °C. The mixture was stirred for 3 h. The reaction mixture was washed with sat. $NaHCO_3$ solution (40 mL) and extracted with EA (3 x 50 mL).


The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give crude **14-12** (1.37g, 31%) as a white solid.


[0393] To a solution of **14-12** (1.37 g, 1.96 mmol) in anhydrous DMF (15 mL) was added sodium benzoate (2.82 g, 19.60 mmol) and 15-crown-5 (4.31 g, 19.60 mmol), and stirred at 90 °C for 3 d. The mixture was quenched with water (30 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by HPLC separation to give **14-13** (250 mg, 20%). ESI-MS: m/z: 694 $[M + H]^+$

[0394] A mixture of **14-13** (250 mg, 0.36 mmol) in liquid ammonia was kept overnight at RT in high pressure glass vessel. Ammonia was then evaporated, and the residue purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) to give **14-14** (180 mg, 85%).

[0395] Compound **14** (85 mg, 56%) was prepared from **14-14** (99 mg) with i-PrMgCl (0.11 mL) and the phosphorochloridate reagent (94 mg) in THF (2 mL) followed by deprotection. MS: m/z = 627 [M+1].

EXAMPLE 13
COMPOUND 15





[0396] To a solution of **15-1** (260 mg, 1 mmol), PPh_3 (780 mg, 3 mmol) and pyridine (0.5 mL) in anhydrous THF (8 mL) were added I_2 (504 mg, 2 mmol) at RT, and the mixture was stirred at RT for 12 h. The mixture was diluted with EtOAc and washed with 1M HCl solution. The organic layer was dried over Na_2SO_4, filtered and concentrated at low

pressure. The residue was purified by silica gel column (5% MeOH in DCM) to give **15-2** (190 mg, 85%) as a white solid.

[0397] To a solution of **15-2** (190 mg, 0.52 mmol) in THF (4 mL) was added DBU (760 mg, 5 mmol) at RT, and the mixture was heated at 50 °C overnight. The mixture was diluted with EtOAc, and washed with water. The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **15-3** (75 mg, 52%) as a white solid.


[0398] To a solution of **15-3** (200 mg, 0.82 mmol) in MeCN (anhydrous, 4 mL) was added NIS (337 mg, 1.5 mmol) and TEA•3HF (213 mg, 1.25 mmol) at RT, and the mixture was stirred at RT for 7 h. The reaction was quenched with sat. Na_2SO_3 solution and sat. aq. $NaHCO_3$ solution. The mixture was extracted with EA. The organic layer was separated, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **15-4** (300 mg, 62%) as a white solid.

[0399] To a solution of **15-4** (194 mg, 0.5 mmol) in pyridine(5 mL) was added BzCl (92 mg, 0.55 mmol) at 0 °C. The mixture was stirred at RT for 5 h, and the reaction was quenched with water. The mixture was concentrated at low pressure, and the residue was purified by silica gel column (20% EA in PE) to give **15-5** (397 mg, 81%) as a white solid.

[0400] To a solution of **15-5** (1.05 g, 2.13 mmol) in DCM (12 mL) was added a mixture of TFA (0.5 mL) and Bu_4NOH (1 mL), followed by addition of *m*-CPBA (1.3 g, 6 mmol) at RT. The mixture was stirred at RT for 5 h. The mixture was washed with sat. Na_2SO_3 solution and aq. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **15-6** (450 mg, 63%) as a white solid.

[0401] Compound **15-6** (250 mg, 0.65 mmol) was dissolved in NH_3/MeOH (5 mL). The mixture was stirred at RT for 5 h, and then concentrated at low pressure. The residue was purified by silica gel column (5% MeOH in DCM) to give compound **15** (120 mg, 66%) as a white powder. ESI-MS: m/z 279.0 $[M+H]^+$.

EXAMPLE 14
COMPOUND 16



[0402] Sodium (6.0 g, 261.2 mmol) was dissolved in dry EtOH (400 mL) at 0 °C, and slowly warmed to RT. Compound **14-7** (32.0 g, 43.5 mmol) was treated with a freshly prepared NaOEt solution at 0 °C, and the mixture was stirred at RT overnight. The reaction was monitored by TLC and LCMS. After completion of the reaction, the mixture was concentrated at low pressure. The mixture was quenched with H_2O (40 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 0.5% to 2%) to give **16-1** (20.0 g, 76.6%) as a white solid.

[0403] Compound **16-1** (20.0 g, 33.3 mmol) was co-evaporated with anhydrous pyridine 3 times. To an ice cooled solution of **16-1** in anhydrous pyridine (100 mL) was added TsCl (9.5 g, 49.9 mmol) at 0 °C. After addition, the reaction was stirred for 12 h at 20 °C, and monitored by LCMS. The reaction was quenched with H_2O, and concentrated at low pressure. The residue was dissolved in EA (50 mL). The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 0.5% to 2%) to give **16-2** (20.0 g, 80%) as a yellow solid.

[0404] To a solution of **16-2** (20.0 g, 26.5 mmol) in acetone (100 mL) was added NaI (31.8 g, 212 mmol), and heated to reflux overnight. The reaction was checked by LCMS. After the reaction was complete, the mixture was concentrated at low pressure. The

residue was dissolved in EA (50 mL). The solution was washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 0.5% to 2%) to give a crude product. To a solution of the crude product in dry THF (60 mL) was added DBU (16.2 g, 106 mmol), and heated to 60 °C. The mixture was stirred overnight and checked by LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with EA (3 x 50 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 0.5% to 2%) to give **16-3** (12.0 g, 77.9%) as a yellow solid.

[0405] To an ice-clod solution of **16-3** (11.0 g, 18.9 mmol) in dry MeCN (100 mL) was added NIS (5.4 g, 23.7 mmol) and NEt_3•3HF (3.0 g, 18.9 mmol) at 0 °C. The mixture was stirred at RT for 4 h., and checked by LCMS. After the reaction was complete, the reaction was quenched with sat. Na_2SO_3 solution and sat. $NaHCO_3$ solution. The solution was extracted with EA (3 x 100 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 12% to 50%) to give **16-4** (11.0 g, 79.9%).


[0406] To a solution of **16-4** (10.0 g, 13.7 mmol) in dry DMF (100 mL) was added NaOBz (19.8 g, 137 mmol) and 15-crown-5 (30.2 g, 137 mmol). The reaction was stirred for 48 h at 90 °C, and diluted with EA. The solution was washed with water and brine, and dried over $MgSO_4$. The organic layer was evaporated at low pressure, and the residue was purified by silica gel column chromatography (EA in PE from 12% to 50%) to give **16-5** (8.0 g, 80.0%).

[0407] Compound **16-5** (6.0 g, 8.3 mmol) was co-evaporated with anhydrous toluene 3 times, and treated with NH_3 in MeOH (4N, 50 mL) at RT. The reaction was stirred for 18 h at RT. The reaction was monitored by LCMS. After the reaction was complete, the mixture was concentrated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 20% to 50%) to give **16-6** (4.5 g, 87.8%). ESI-MS: m/z 617.9 $[M + H]^+$.

[0408] To an ice cooled mixture of **16-6** (25 mg, 0.07 mmol) and NMI (46 μL, 8 eq.) in acetonitrile (0.7 mL) was added the phosphorochloridate reagent (73 mg, 3 eq.) and stirred overnight at RT. Additional amounts of NMI (46 uL) and the phosphorochloridate

reagent (73 mg) were added and stirring continued for 1 d. The reaction was quenched with sat. aq. NH_4Cl, diluted with EtOAc and water. The organic layer was separated and washed with aq. $NaHCO_3$, water, and brine, and then dried (Na_2SO_4). The residue was purified on silica gel (10 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) to yield compound **16** (18 mg, 40%). MS: m/z = 655 [M+1].

EXAMPLE 15
COMPOUND 18




[0409] To a solution of compound **15** (139 mg, 0.5 mmol) in pyridine (5 mL) was added BzCl (92 mg, 0.55 mmol) at 0 °C. The mixture was stirred at RT for 5 h, diluted with EtOAc and washed with 1N HCl solution. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **18-1** (274 mg, 79%) as a white solid.

[0410] To a solution of **18-1** (490 mg, 1 mmol), DMAP (244 mg, 2 mmol) and TEA (205 mg, 2.1 mmol) in MeCN (10 mL) were added TPSCl (604 mg, 2 mmol) at 0 °C. The mixture was stirred at RT for 2 h., and then NH_4OH aq. was added at RT. The mixture was stirred for 0.5 h, diluted with EtOAc and washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **18-2** (250 mg, 41%) as a white solid.

[0411] Compound **18-2** (250 mg, 0.51 mmol) was dissolved in NH_3/MeOH (15 mL). The mixture was stirred at RT for 5 h. and then concentrated at low pressure. The residue was purified by silica gel column (5% DCM in DCM) to give compound **18** (95 mg, 66%) as a white powder. ESI-MS: m/z 278.1 $[M + H]^+$.

EXAMPLE 16
COMPOUND 20



[0412] To a solution of compound **20-1** (30 g, 0.08 mol) in anhydrous THF (300 mL) was added a solution of lithium tri-tert-butoxyaluminohydride (120 mL, 0.12 mol) dropwise at -78 °C under N_2. The mixture was stirred at -20 °C for 1 h. The reaction was quenched with sat. aq. NH_4Cl and then filtered. The filtrate was extracted with EA (3 x 300 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (10% EA in PE) to give **20-2** (26 g, 86%) as a colorless oil.

[0413] To a stirred solution of PPh_3 (37.7 g, 0.144 mol) in DCM (100 mL) was added compound **20-2** (27 g, 0.072 mol) at -20 °C under N_2. After the mixture was stirred at RT for 15 mins, CBr_4 (42 g, 0.129 mol) was added while maintaining the reaction temperature between -25 and -20 °C under N_2. The mixture was then stirred below -17 °C for 20 mins. Silica gel was added into the solution, and then purified by flash silica gel column separation to give the crude oil product. The crude was purified by silica gel column (EA in PE from 2% to 20%) to give **20-3** (α-isomer, 17 g, 55%) as a colorless oil.

[0414] A mixture of 6-Cl-guanine (11.6 g, 68.8 mmol) and t-BuOK (8.2 g, 73 mmol) in t-BuOH (200 mL) and MeCN (150 mL) was stirred at 35 °C for 30 mins, and then **20-3** (10 g, 22.9 mmol) in MeCN 100 mL) was added at RT. The mixture was heated at 50

°C overnight. The reaction was quenched with a solution of NH_4Cl (5 g) in water (40 mL), and the mixture was filtered. The filtrate was evaporated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **20-4** (6 g, 42%) as a yellow solid.

[0415] To a solution of **20-4** (12.5 g, 23.8 mol) in DCM (50 mL) was added $AgNO_3$ (8.1 g, 47.6 mmol), collidine (5.77 g, 47.6 mmol) and MMTrCl (11 g, 35.7 mmol). The mixture was stirred at RT overnight. The reaction was quenched with MeOH (5 mL), filtered and concentrated at low pressure. The residue was purified by silica gel column (5% MeOH in DCM) to give the intermediate (16 g, 86%) as a yellow solid. To a solution of $HOCH_2CH_2CN$ (4.7 g, 66 mmol) in THF (200 mL) was added NaH (3.7 g, 92 mmol) at 0 °C. The mixture was stirred at RT for 30 mins. A solution of the intermediate (10.5 g, 13 mmol) in THF (50 mL) was added, and the reaction mixture was stirred at RT for 12 h. The reaction was quenched with MeOH (2 mL), diluted with EA (100 mL), and washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (5% MeOH in DCM) to give **20-5** (5.8 g, 77%) as a yellow solid.

[0416] To a solution of PPh_3 (7.0 g, 26.6 mmol) in anhydrous pyridine (100 mL) was added I_2 (6.3 g, 24.9 mmol), and stirred at RT for 30 mins. The mixture was treated with a solution of **20-5** (9.5 g, 16.6 mmol) in pyridine (40 mL). The mixture was stirred at RT overnight. The reaction was quenched with sat. $Na_2S_2O_3$ solution, and the mixture was extracted with EA. The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **20-6** (7 g, 66%) as a yellow solid.

[0417] To a solution of **20-6** (7.5 g, 11 mmol) in dry THF (50 mL) was added DBU (5.4 g, 33 mmol), and the mixture was heated to reflux for 4 h. The mixture was diluted with EA (3 x 100 mL), and washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **20-7** (4.0 g, 67%) as a white solid.

[0418] To an ice-cooled solution of **20-7** (3.0 g, 5.4 mmol) in anhydrous MeCN (20 mL) was added TEA•3HF (0.65 g, 4.1 mmol) and NIS (1.53 g, 6.78 mmol) at RT, and the reaction mixture was stirred at RT for 2 h. The mixture was diluted with EA (50 mL), and washed with sat. $Na_2S_2O_3$ solution and $NaHCO_3$ aq. The organic layer was dried over

anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to separate the two isomers (about 1:1). NOE showed the polar one was **20-8** (0.6 g, 16%) as a white solid.


[0419] To a solution of **20-8** (0.7 g, 1 mmol) in dry pyridine (10 mL) was added BzCl (147 mg, 1.05 mmol) at 0 °C. The mixture was stirred at RT for 3 h. The mixture was then diluted with EA, and washed with sat. $NaHCO_3$ aq. and brine. The organic layer was dried over Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **20-9** (0.65 g, 81%) as a white solid.

[0420] To a solution of **20-9** (0.65 g, 0.8 mmol) in dry DMF (40 mL) was added NaOBz (1.15 g, 8 mmol) and 15-crown-5 (1.77 g, 8 mmol). The mixture was stirred at 100 °C for 48 h. The solvent was evaporated at low pressure, and the residue was dissolved in EA (30 mL), and washed with water and brine. The organic layer was dried over Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **20-10** (500 mg, 78%) as a white solid.

[0421] Compound **20-10** (400 mg, 0.5 mmol) in NH_3/MeOH (7N, 100 mL) was stirred at RT for 18 h. The mixture was concentrated at low pressure, and the residue was purified by silica gel column (5% MeOH in DCM) to give **20-11** (220 mg, 63%) as a white solid. ESI-MS: m/z 590.3 $[M + H]^+$.


[0422] Compound **20-11** (59 mg, 0.1 mmol) was dissolved in 50% TFA in methanol (10 mL), and the mixture was kept at RT for 2 h. The solvent was evaporated and co-evaporated with a methanol/toluene mixture to remove traces of the acid. The residue was suspended in CH_3CN (1 mL) and centrifuged. The precipitate was washed with CH_3CN (1mL) and dried. Compound **20** was obtained as a colorless solid (21 mg, 65%. MS: m/z 316.2 [M-1].

EXAMPLE 17
COMPOUND 21



[0423] Compound **21** (15 mg, 16%) was prepared from **21-1** (50 mg) in acetonitrile (2 mL) with the phosphorochloridate reagent (0.14 g) and NMI (0.1 mL) in the same manner as compound **7**. MS: m/z = 643 [M+1].


EXAMPLE 18
COMPOUND 22



22-1 **22**

[0424] Compound **22** (30 mg, 32%) was prepared from **22-1** (50 mg) in acetonitrile (2 mL) with the phosphorochloridate reagent (0.14 g) and NMI (0.1 mL) in the same manner as compound **7**. MS: m/z = 615 [M+1].

EXAMPLE 19
COMPOUND 23




15 **23**

[0425] To a stirred solution of compound **15** (60 mg, 0.22 mmol) in anhydrous THF (2.0 mL) was added N-methylimidazole (0.142 mL, 1.73 mmol) at 0 ^{0}C (dry ice/acetone bath) followed by solution of phenyl (cyclohexanoxy-L-alaninyl) phosphorochloridate (235 mg, 0.68 mmol, dissolved in THF (2 mL). The resulting solution was stirred at 0 ^{o}C for 1 h, and the temperature was raised up-to 10 ^{o}C over the next 1 h. The reaction left at 10 ^{o}C for 3 h. The mixture was cooled to 0 to 5 ^{0}C, diluted with EA, and water (5 mL) was added. The solution was washed with H_2O and brine. The organic layer was separated, dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to give a residue, which dissolved in 25% CH_3CN/H_2O. The compound was purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization gave a white foam. The produce was re-dissolved in EtOAc, washed with 50 % aqueous citric acid solution, dried


over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum, and lyophilized to give two isomers (*Rp/Sp*) of compound **23** (6.3 mg). MS *m/z* 586.05 [M-H].

EXAMPLE 20
COMPOUND 24



[0426] To a stirred solution of compound **15** (100 mg, 0.36 mmol) in anhydrous THF (3.0 mL) was added N-methylimidazole (236 µL, 2.87 mmol) at 0 ^{0}C (dry ice/acetone bath) followed by a solution of the phosphorochloridate (329 mg, 1.08 mmol, dissolved in 2 mL of THF). The solution was stirred at 0 ^{0}C for 1 h, the reaction temperature was raised up-to 10 ^{0}C during the next 1 h, and the solution was left at 10 ^{0}C for the next 4 h. The mixture was cooled to 0 to 5 ^{0}C, diluted with EA, and water was added (15 mL). The solution was washed H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which dissolved in 25% CH_3CN/ H_2O. The residue was purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give a mixture of two isomers of compound **24** (17.5 mg). MS *m/z* 546.05 [M-H].

EXAMPLE 21
COMPOUNDS 25 AND 26



[0427] To a solution of **25-1** (0.47 g, 0.65 mol) in DCM (3 mL) was added $AgNO_3$ (0.22 g, 1.29 mmol), collidine (0.15 g, 1.29 mmol) and MMTrCl (0.3 g, 0.974 mmol) at 0 °C. The mixture was stirred at RT overnight. The mixture was filtered, and the filter was washed with sat. aq. $NaHCO_3$ solution and brine. The organic layer was separated, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column to give **25-2** (0.55, 85%) as a white solid.

[0428] To a solution of **25-2** (0.5 g, 0.5 mmol) in dry DMF (10 mL) was added NaOBz (0.72 g, 5 mmol) and 15-crown-5 (0.9 mL). The mixture was stirred at 95 °C for 72 h. The mixture was diluted with EA, and washed with water and brine. The organic phase was dried over $MgSO_4$ and concentrated at low pressure. The residue was purified by silica gel column (10% EA in PE) to give **25-3** (0.3 g, 60%) as a white solid.

[0429] Compound **25-3** (0.3 g, 0.3 mmol) in NH_3/MeOH (30 mL) was stirred at RT for 18 h. The mixture was concentrated at low pressure, and the residue was purified by


silica gel column (20% EA in PE) to give **25-4** (145 mg, 56%) as a white solid. ESI-LCMS: m/z 890.5 $[M + H]^+$.


[0430] To a stirred solution of **25-4** (161 mg, 0.16 mmol) in anhydrous CH_3CN (2.0 mL) was added N-methylimidazole (118 μL, 2.87 mmol) at 0 to 5 ^0C (ice/water bath) followed by solution of **25-5** (186 mg, 0.54 mmol, dissolved in 2mL of CH_3CN). The solution was stirred at 0 to 5 °C for 4 h. The mixture was diluted with EA, and water was added (15 mL). The solution was washed H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 40% EA/hexanes to give as **25-6** (82.6 mg) as the faster eluting isomer and **25-7** (106 mg) as the slower eluting isomer.

[0431] Compound **25-6** (82.6 mg, 0.07 mmol) was dissolved in_anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (35 μL) was added at 0 to 5 °C. The mixture was stirred at RT for 1 h, and anhydrous EtOH (100 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/H_2O, and purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give compound **25** (19.4 mg). ^1H NMR (CD_3OD-d_4, 400 MHz) δ 7.9 (s, 1H), 7.32-7.28 (t, J = 8.0 Hz, 2H), 7.2-7.12 (m, 3H), 6.43 (d, J = 17.6 Hz, 1H), 4.70-4.63 (m, 2H), 4.55-4.4 (m, 3H), 3.94-3.9 (m, 1H), 1.79-1.67 (m, 4H), 1.53-1.49 (m, 1H), 1.45-1.22 (m, 15H);^{31}P NMR (CD_3OD-d_4) δ 4.06 (s); ESI-LCMS: m/z = 655.2 $[M + H]^+$, 653.15 $[M - H]^-$.

[0432] Compound **25-7** (100 mg, 0.083 mmol) was dissolved in_anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (50 μL) was added at 0 to 5 °C. Following the procedure for obtaining compound **25**, compound **26** (31.8 mg) was obtained. ^1H NMR (CD_3OD-d_4, 400 MHz) δ 7.93 (s, 1H), 7.33-7.29 (m, 2H), 7.24-7.14 (m, 3H), 6.41 (d, J = 17.6 Hz, 1H), 4.70-4.60 (m, 2H), 4.54-4.49 (m, 2H), 4.44-4.39 (m, 1H), 3.92-3.89 (m, 1H), 1.77-1.66 (m, 4H), 1.54-1.24 (m, 16H);^{31}P NMR (CD_3OD-d_4) δ 3.91 (s); ESI-LCMS: m/z = 655.2 $[M + H]^+$, 653.1 $[M - H]^-$.

EXAMPLE 22
COMPOUNDS 27 AND 28





[0433] To a stirred suspension of **4-1** (50 g, 84.8 mmol) and 2-amino-6-chloropurine (28.6 g, 169.2 mmol) in anhydrous MeCN (500 mL) was added DBU (77.8 g, 508 mmol) at 0 °C. The mixture was stirred at 0 °C for 30 mins, and TMSOTf (150.5 g, 678 mmol) was added dropwise at 0 °C. The mixture was stirred at RT for 20 mins until a clear solution was formed. The mixture was stirred at 90-110 °C overnight. The mixture was cooled to RT, and diluted with EA. The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4 and then concentrated at low pressure. The residue was purified by silica gel column (PE/EA = 2/1) to give **27-1** (30 g, 55.5%) as a white solid.

[0434] To a solution of **27-1** (30 g, 47.1 mmol) in anhydrous DCM (300 mL) was added collidine (30 mL), $AgNO_3$ (24 g, 141.4 mmol) and MMTrCl (43.6 g, 141.4 mmol). The mixture was stirred at RT overnight. The mixture was filtered, and the filtrate was washed with water and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 4/1) to give **27-2** (35 g, 82%) as a white solid.

[0435] To a stirred solution of **27-2** (35 g, 38.5 mmol) in anhydrous EtOH (150 mL) was added a solution of EtONa in EtOH (2N, 150 mL). The mixture was stirred at RT overnight, and then concentrated at low pressure. The residue was dissolved in EA (200 mL) and the solution was washed with water and brine. The organic layer was dried over Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/2) to give **27-3** (19 g, 81%) as a white solid.

[0436] Compound **27-3** (19 g, 31.3 mmol) was co-concentrated with anhydrous pyridine for 3 times. To an ice cooled solution of **27-3** in anhydrous pyridine (120 mL) was

added a solution of TsCl (6.6 g, 34.6 mmol) in pyridine (40 mL) dropwise at 0 °C. The mixture was stirred at 0 °C for 16 h. The mixture was quenched with water, and the reaction mixture was concentrated. The residue was re-dissolved in EA (200 mL). The solution was washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered, and the filtrate was concentrated. The residue was purified by silica gel column (DCM/MeOH = 100/1) to give **27-4** (16 g, 67 %) as a yellow solid.

[0437] To a solution of **27-4** (15 g, 19.7 mmol) in acetone (100 mL) was added NaI (30 g, 197 mmol). The mixture was refluxed overnight, and then concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 100/1) to give **27-5** (9 g, 63.7%) as a white solid.

[0438] To a solution of **27-5** (8 g, 11.2 mmol) in anhydrous THF (60 mL) was added DBU (5.12 g, 33.5 mmol), and the mixture was heated at 60 °C overnight. The mixture was diluted with EA, and washed with water and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered, and the filtrate was concentrated. The residue was purified by silica gel column (PE/acetone = 4/1) to give **27-6** (5.7 g, 86%) as a white solid. ^{1}H-NMR (CD_3OH, 400MHz) δ = 8.18 (s, 1H), 7.17-7.33 (m, 12H), 6.80 (d, J = 8.8 Hz, 2H), 5.98 (s, 1H), 5.40 (d, J = 8.6 Hz, 1H), 3.87 (m, 5H), 3.75 (s, 3H), 2.69 (s, 1H), 1.05 (s, 3H).

[0439] To an ice cooled solution of **27-6** (4.44 g, 7.5 mmol) in anhydrous MeCN (45 mL) was added TEA•3HF (1.23 g, 7.6 mmol) and NIS (2.16 g, 9.5 mmol). The mixture was stirred at RT for 2-3 h. The reaction was quenched with sat. Na_2SO_3 and $NaHCO_3$ solution. The mixture was extracted with EA (3 x 100 mL). The organic layer was separated, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column (DCM/acetone = 100/2) to give **27-7** (4.4 g, 79.8%) as a white solid.

[0440] To a solution of **27-7** (5.36 g, 7.3 mmol) in anhydrous DCM (50 mL) was added DMAP (3.6 g, 29.8 mmol) and BzCl (3.1 g, 22.1 mmol) at 0 °C. The mixture was stirred at RT overnight. The mixture was washed with sat. aq. $NaHCO_3$ and brine. The organic layer was concentrated, and the residue was purified by silica gel column (PE/EA= 5/1) to give**27-8** (5.6 g, 81.3%) as a white solid.

[0441] To a solution of **27-8** (5.0 g, 5.3 mmol) in anhydrous DMF (150 mL) was added NaOBz (7.64 g, 53 mmol) and 15-crown-5 (14 g, 68 mmol). The mixture was stirred

at 90-100 °C for 48 h. The mixture was diluted with EA, and washed with water and brine. The organic layer was concentrated, and the residue was purified by silica gel column (PE/EA = 5/1) to give **27-9** (3.9 g, 78.5%) as a white solid.

[0442] Compound **27-9** in NH_3 in MeOH (7N, 60 mL) was stirred at RT for 18 h. The mixture was concentrated at low pressure. The residue was purified by silica gel column (DCM/acetone = 50/1) to give **27-10** (500 mg, 74.7%) as a white solid. ESI-MS: m/z 626.3 $[M + H]^+$.

[0443] To a solution of **27-10** (350 mg, 0.56 mmol) in anhydrous pyridine (4 mL) was added imidazole (50 mg, 0.72 mmol) and TBSCl (108 mg, 0.72 mmol) at 0 to 5 °C, and stirred at RT for 15 h. The reaction was quenched with absolute EtOH (0.5 mL). The solution was concentrated to dryness under reduced pressure. The residue was dissolved in EA (150 mL), and washed with water, sat. $NaHCO_3$ and brine. The combined organic layers were dried over Na_2SO_4, filtered and evaporated at low pressure. The residue was purified by silica gel column (10-30% EA in hexanes) to give **27-11** (338 mg, 81.8%) as a white solid.

[0444] To a solution of compound **27-11**(328 mg, 0.44 mmol), $AgNO_3$ (226 mg, 1.33 mmol) and collidine (0.59 mL, 4.84 mmol) in anhydrous DCM (4 mL) was added MMTrCl (410 mg, 1.33 mmol) under N_2. The mixture was stirred at RT overnight under N_2, and monitored by TLC to completion. The mixture was filtered through pre-packed Celite filter, and the filtrate was washed with water, 50% aqueous citric acid, and brine. The organic layer was separated, dried over anhydrous Na_2SO_4, filtered and concentrated at low pressure. The residue was purified by silica gel column (EA in hexanes from 0% to 30%) to give **27-12** (337 mg).

[0445] To a solution of **27-12** (337 mg, 0.33 mmol) in anhydrous THF (4 mL) was added 1.0 M solution of TBAF (0.66 ML, 0.66 mmol) at 0 to 5°C. The reaction was slowly warmed to RT, and stirred for 1 h. The mixture was quenched with silica gel, and filtered. The solvents were evaporated to give the crude product, which was purified by silica gel column (EA in hexanes from 0% to 50%) to give **27-13** (188 mg).


[0446] To a stirred solution of **27-13** (180 mg, 0.16 mmol) in anhydrous CH_3CN (2.5 mL) was added N-methylimidazole (132 μL, 1.6 mmol) at 0-5 °C (ice/water bath) followed by solution of phenyl (cyclohexanoxy-L-alaninyl) phosphorochloridate (207 mg,


0.6 mmol, dissolved in 2mL of CH_3CN). The solution was stirred at RT for 2.5 h, and the mixture was diluted with EA followed by addition of water (15 mL). The solution was washed H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 40% EA/hexanes to give **27-14** (75.8 mg) and **27-15** (108 mg) as a slower eluting isomer.

[0447] Compound **27-14** (76 mg, 0.063 mmol) was dissolved in_anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (47 μL) was added at 0 to 5 °C (ice/ water bath). The mixture was stirred at RT for 40 mins, and anhydrous EtOH (200 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/ H_2O, purified on a reverse-phase HPLC (C18) using acetonitrile and water, and lyophilized to give compound **27** (26.6 mg). ESI-LCMS: m/z = 663.3 $[M+H]^+$.

[0448] Compound **27-15** (108 mg, 0.089 mmol) was dissolved in_anhydrous CH_3CN (0.7 mL), and 4N HCl in dioxane (67 μL) was added at 0 to 5 °C (ice/ water bath). The mixture was stirred at RT for 60 mins, and anhydrous EtOH (200 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/ H_2O, purified on a reverse-phase HPLC (C18) using acetonitrile and water, and lyophilized to give compound **28** (40.3 mg). ESI-LCMS: m/z = 663.2 $[M+H]^+$.

EXAMPLE 23
COMPOUNDS 30 AND 31





[0449] To a mixture of pre-silylated 6-Cl-guanine (using HMDS and $(NH_4)_2SO_4$) (25.2 g, 150 mmol) in DCE (300 mL) was added **30-1** (50 g, 100 mmol) and TMSOTf (33.3 g, 150 mmol) at 0 °C. The mixture was stirred at 70 °C for 16 h, and then concentrated at low pressure. The residue was re-dissolved in EA, and washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (PE/EA = 2/1) to give pure **30-2** (45 g, 73%) as a white solid.

[0450] To a solution of **30-2** (45 g, 73.4 mmol) in EtOH (73 mL) was added with EtONa (1N in EtOH, 360 mL). The mixture was stirred at RT for 16 h. The mixture was then concentrated to give a residue, which was purified by silica gel column (DCM/MeOH = 10/1) to give pure **30-3** (19 g, 83%) as a white solid.

[0451] To a solution of **30-3** (19 g, 61.1 mmol) in pyridine (120 mL) was added with $TIPDSCl_2$ (19.2 g, 61 mmol) dropwise at 0 °C. The mixture was stirred at RT for 16 h, and then concentrated at low pressure. The residue was re-dissolved in EA, and washed with sat. aq. $NaHCO_3$. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at

low pressure. The residue was purified by silica gel column (DCM/MeOH = 20/1) to give pure **30-4** (22 g, 65%) as a white solid.

[0452] To a solution of **30-4** (22 g, 39.8 mmol) in DMF/pyridine (5/1, 100 mL) was added TMSCl (12.9 g, 119 mmol) dropwise at 0 °C. The mixture was stirred at RT for 1 h and then treated with isobutyryl chloride (5.4 g, 50 mmol). The mixture was stirred at RT for 3 h and then quenched by NH_4OH. The mixture was concentrated at low pressure. The residue was dissolved in EA (200 mL). The solution was washed with sat. aq. $NaHCO_3$, and then the organic layer was dried and concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 50/1) to give pure **30-5** (15 g, 60%) as a white solid.

[0453] To a solution of **30-5** (15 g, 24.1 mmol) in DCM (100 mL) was added PDC (13.5 g, 26 mmol) and Ac_2O (9.8 g, 96 mmol) at 0 °C. The mixture was stirred at RT for 16 h. The reaction was quenched by sat. aq. $NaHCO_3$, and then extracted with EA. The organic layer was dried over anhydrous Na2SO4, and concentrated at low pressure. The residue was dissolved in anhydrous THF (100 mL). To a solution of TMSCCH (12 g, 112 mmol) in THF (200 mL) was added n-BuLi (2.5 N, 44 mL) at -78 °C. The mixture was stirred at -78 °C for 15 mins and 0 °C for 15 mins. The mixture was treated with a solution of crude ketone in THF at -78 °C and stirred at -30 °C for 2 h. The reaction was quenched by sat. aq. NH_4Cl, and then extracted by EA. The combined organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 10/1) to give pure **30-6** (3.1 g, 18%) as a white solid.

[0454] To a solution of **30-6** (7 g, 7.5 mmol) and pyridine (1.4 g, 17 mmol) in DCM (35 mL) was added with DAST (5.6 g, 35 mmol) at -78 °C. The mixture was stirred at -78 °C for 3 h. The reaction was quenched by sat. aq. $NaHCO_3$, and then extracted with EA. The combined organic layer was dried over anhydrous, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 10/1) to give pure **30-7** (3.1 g, 18%) as a white solid.

[0455] Compound **30-7** (4.1 g, 5.7 mmol) in sat. NH_3/MeOH (100 mL) was stirred at RT for 16 h, and concentrated at low pressure. The residue was re-dissolved in anhydrous DCM (300 mL), and was treated with $AgNO_3$ (27.0 g, 160 mmol), collidine (22 mL) and MMTrCl (23.0 g, 75.9 mmol) in small portions under N_2. The mixture was stirred at RT for 16 h. The mixture was filtered, and the filtrate was washed with sat. $NaHCO_3$

solution and brine. The organic layer was separated, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA = 10/1) to give the pure intermediate. The intermediate was dissolved in a solution of TBAF/THF (1N, 20 mL). The mixture was stirred at RT for 2 h and then concentrated at low pressure. The residue was purified by silica gel column (DCM/MeOH = 50/1) to give pure **30-8** (3.0 g, 86%) as a white solid.

[0456] To a solution of **30-8** (3.0 g, 4.9 mmol) in THF (50 mL) was added imidazole (840 mg, 12 mmol), PPh_3 (3.2 g, 12 mmol), and I_2 (2.4 g, 9.2 mmol) at 0 °C. The mixture was stirred at RT for 16 h. The reaction was quenched by sat. aq. $Na_2S_2O_3$, and then extracted with EA. The combined organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 2/1) to give crude **30-9** (4.2 g, >100%, containing TPPO) as a white solid.

[0457] To a solution of crude **30-9** in anhydrous THF (30 mL) was added DBU (2.7 g, 18 mmol), and heated to 80 °C. The mixture was stirred for 1 h and checked by LCMS. The mixture was quenched by water, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4 and filtered, and the filtrate was concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 2/1) to give **30-10** (2.0 g, 69%) as a white solid.

[0458] To an ice cooled solution of **30-10** (2.0 g, 3.38 mmol) in anhydrous MeCN (15 mL) was added NIS (777 mg, 3.5 mmol) and NEt_3•3HF (536 g, 3.3 mmol) at 0 °C. The mixture was stirred at RT for 16 h and checked by LCMS. After completion, the mixture was quenched by sat. Na_2SO_3 and sat. $NaHCO_3$ solution, and extracted with EA. The organic layer was separated, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column chromatography (PE/EA=10/1 to 3/1) to give **30-11** (2.1 g, 84.0%) as a white solid.

[0459] To a solution of crude **30-11** (2.1 g, 2.85 mmol) in anhydrous DCM (100 mL) was added DMAP (490 mg, 4 mmol), and BzCl (580 mg, 4 mmol) at 0 °C. The mixture was stirred overnight and checked by LCMS. The reaction was washed with sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column chromatography (PE/EA = 8/1 to 3/1) to give **30-12** (2.0 g, 83.4%) as a white solid.

[0460] To a solution of **30-12** (2.0 g, 2.4 mmol) in anhydrous DMF (60 mL) was added NaOBz (3.3 g, 23.0 mmol) and 15-crown-5 (5.11 g, 23 mmol). The mixture was stirred at 110 °C for 36 h. The reaction was quenched by water, and the mixture was extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE/EA= 5/1 to 3/1) to give **30-13** (830 mg, 42.0%) as a white solid. ESI-MS: m/z 836.11 $[M + H]^+$.

[0461] A solution of **30-13** (831mg, 1.0 mmol) in anhydrous n-butylamine (4 mL) was stirred at RT for 3 h under N_2 atmosphere. The reaction was monitored by TLC. The solvent was evaporated in vacuo, and the residue was purified by silica gel column (MeOH in DCM from 0% to 10%) to give the crude product, which as re-purified using silica gel column to give **30-14** as a light pink solid (563 mg).

[0462] To a solution of **30-14** (560 mg, 0.89 mmol) in anhydrous pyridine (5 mL) was added imidazole (78.6 mg, 1.16 mmol) and TBSCl (202 mg, 1.34 mmol) at 0 to 5 °C. The mixture was stirred at RT for 15 h. The reaction was quenched by adding absolute EtOH (0.3 mL). The solution was concentrated to dryness under reduced pressure, and co-evaporated with toluene 3 times. The residue was dissolved in EA (150 mL), and washed with water, sat. $NaHCO_3$, and brine. The combined organic layer was dried over Na_2SO_4, filtered and evaporated at low pressure. The residue was purified by silica gel column (0-20% EA in hexanes) to give **30-15** (303 mg) as a white solid.

[0463] To a solution of **30-15** (303 mg, 0.41 mmol), $AgNO_3$ (208 mg, 1.23 mmol) and collidine (0.55 mL, 4.51 mmol) in anhydrous DCM (4 mL) was added MMTrCl (378 mg, 1.3 mmol) under N_2. The mixture was stirred at RT overnight under N_2 and monitored by TLC. The mixture was filtered through pre-packed celite filter, and the filtrate was washed with water and, 50% aqueous citric acid, and brine. The organic layer was separated, dried over anhydrous Na_2SO_4, filtered and concentrated at low pressure. The residue was purified by silica gel column (EA in hexanes from 0% to 30%) to give **30-16** (374 mg, 90%).


[0464] To a solution of **30-16** (374 mg, 0.37 mmol) in anhydrous THF (4 mL) was added 1.0 M solution of TBAF (0.74 mL, 0.74 mmol) at 0 to 5°C. The mixture was stirred at RT for 1 h. The mixture was quenched with silica gel, and filtered. The solvents were evaporated to give the crude product, which was purified by silica gel column (EA in hexanes from 0% to 50%) to give **30-17** (265 mg).

[0465] To a stirred solution of **30-17** (187.5 mg, 0.16 mmol) in anhydrous CH_3CN (2.5 mL) was added N-methylimidazole (136 μL, 1.66 mmol) at 0-5 ^0C (ice/water bath) followed by solution of phenyl (cyclohexanoxy-L-alaninyl) phosphorochloridate (214 mg, 0.62 mmol, dissolved in 0.5 mL of CH_3CN). The solution was stirred at RT for 3 h, and then diluted with EA followed by the addition of water (15 mL). The solution was washed with H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 40% EA/hexanes to give (single isomers) of **30-18** (108 mg) Elution of the latter fraction gave (single isomers) of **30-19** (120 mg) as glassy solid.

[0466] Compound **30-18** (108mg, 0.089 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (67 μL) was added at 0 to 5 ^oC (ice/ water bath). The mixture was stirred at RT for 40 mins, and anhydrous EtOH (200 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/H_2O, was purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give compound **30** (26.6 mg) as a white foam. ^1H NMR (CD_3OD-d_4, 400 MHz) δ 7.89 (s, 1H), 7.33-7.29 (m, 2H), 7.20-7.13 (m, 3H), 7.17 (m, 1H), 6.62 (d, J = 15.6 Hz, 1H), 5.39 (t, J = 25.2 Hz, 1H), 4.75-4.42 (m, 6H), 3.92 (t, J = 8.8 Hz, 1H), 3.24 (d, J = 5.6 Hz, 1H), 1.76-1.51 (m, 5H), 1.45-1.25 (m, 12H); ^{31}P NMR (CD_3OD-d_4) δ 4.04 (s); ESI-LCMS: m/z = 665.2 $[M + H]^+$.

[0467] Compound **31** (44.4 mg, single isomer) was obtained according to the procedure described for compound **30** using **30-19.** ESI-LCMS: m/z = 665.15 $[M+H]^+$.

EXAMPLE 24
COMPOUND 32



[0468] To a solution of 3-hydroxypropanenitrile (27 g, 0.15 mol) in THF (150 mL) was added NaH (8.4 g, 0.21 mol) at 0 °C, and the mixture was stirred for 1 h. at RT. Compound **10-3** (27 g, 0.03 mol) in THF (100 mL) was treated with this mixture at 0 °C. The combined mixture was stirred for 6 h. at RT. The reaction was quenched with H_2O, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **32-1** (9.38 g, 55%).

[0469] To a solution of **32-1** (1 g, 1.76 mmol) and TsOH (1 g, 5.28 mmol) in DMF (4 mL) and acetone (8 mL) was added 2,2-dimethoxypropane (1.8 g, 17.6 mmol) at RT. The mixture was heated to 50 °C for 3 h. The reaction was quenched with H_2O (50 mL), and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **32-2** (520 mg, 87%).

[0470] To a stirred solution of **32-2** (10.0 g, 29.6 mmol) in pyridine (100 mL) was added TBSCl (53.4 g, 35.6 mmol) at RT, and the mixture was stirred for 5 h. The mixture

was concentrated at low pressure, and the residue was dissolved in EA (100 mL). The solution was washed with water and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The crude product was co-evaporated with toluene 3 times. To a solution of anhydrous crude product (2.0 g, 4.43 mmol) in DCM (30 mL) was added DMTrCl (2.24 g, 6.65 mmol), 2,4,6-trimethylpyridine (1.07 g, 8.86 mmol) and $AgNO_3$ (1.5 g, 8.86 mmol). The mixture was stirred for 1.5 h. The mixture was filtered, and the filtrate was washed with 0.5 N HCl solution. The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure to give the crude yellow solid. The crude yellow solid (7.2 g, 10 mmol) was treated with a solution of NH_4F (7.2 g, 200 mmol) in MeOH (50 mL), and the mixture was heated to 50 °C for 8 h. The mixture was concentrated at low pressure. The residue was purified by silica gel column to give **32-3** (4.8 g, 80%).

[0471] To a solution of **32-3** (200 mg, 0.33 mmol) in DCM (5 mL) was added TFA•Py (40 mg, 0.328 mmol), DMSO (0.15 mL), and DCC (191 mg, 0.99 mmol) at RT. The mixture was stirred for 6 h, and concentrated at low pressure. The residue was purified by silica gel column to give the product. To a solution of the product (0.2 g, 0.328 mmol) and HCHO (0.2 mL) in 1,4-dioxane (2 mL) was added NaOH (0.4 mL, 2 M) at RT. The mixture was stirred for 5 h. The mixture was then treated with $NaBH_4$ (24 mg, 0.66 mmol), and stirred for 3 h. The mixture was diluted with EA (20 mL), and washed with brine. The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give **32-4** (125 mg, 60%).

[0472] To a solution of **32-4** (4 g, 6.25 mmol) in DCM (40 mL) was added pyridine (10 mL) and BzCl (920 mg, 15.6 mmol) at -78 °C. The mixture was slowly warmed up to RT. The reaction was monitored by LCMS. The mixture was quenched with H_2O (40 mL), and extracted with DCM (3 x 50 mL). The organic layer was washed brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give **32-5** (3.25 g, 70%).

[0473] To a solution of **32-5** (5.75 g, 7.7 mmol) in DCM (20 mL) was added DMTrCl (3.58 g, 11.1 mmol), 2,4,6-trimethyl- pyridine (1.87 g,15.4 mmol) and $AgNO_3$ (2.63 g,15.4 mmol), and stirred for 3 h. The mixture was filtered, and the filtrate was washed with 0.5 N HCl solution. The organic phase was washed with brine, dried over anhydrous


Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give **32-6** (6.25 g, 80%).

[0474] To a solution of **32-6** (4.3 g, 4.23 mmol) in MeOH (40 mL) was added NaOMe (0.82 g, 12.6 mmol) at RT, and stirred for 3 h. The mixture was concentrated at low pressure. The residue was dissolved in EA (30 mL), and washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give **32-7** (2.89 g, 75%).

[0475] To a solution of **32-7** (0.5 g, 0.54 mmol) and pyridine (0.478 g, 5.4 mmol) in DCM (4 mL) was slowly added a solution of Tf_2O (0.201 g, 0.713 mmol) in DCM (3 mL) at -35 ^oC. The mixture was warmed up to -5 ^0C slowly. The reaction was monitored by LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with DCM (3 x 20 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give the product. To a solution of the product was added TBAF in THF (25 mL, 1N), and the mixture was stirred for 5 h at RT. The reaction was monitored by LCMS. The mixture was concentrated at low pressure, and the residue was purified by prep-HPLC to give **32-8** (221 mg, 45%). ESI-MS: m/z 914.4 $[M + H]^+$.

[0476] Compound **32-8** (2.14 g) was dissolved in 80% HCOOH (10 mL) and was at RT overnight. The solvent was evaporated to dryness, and the residue crystallized from methanol twice. The crystals were dissolved in a mixture of THF and 36% HCl 4:1 v/v and left overnight. The solvent was evaporated, and the nucleoside was isolated by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 60% with 0.1 % HCOOH was used for elution. Compound **32** was obtained (370 mg, 48%). MS: m/z 316.2 [M-1].


EXAMPLE 25
COMPOUND 17



[0477] A solution of **17-1** (25 mg, 0.04 mmol) in 80% aq. HCOOH was kept at RT for 3 h. The mixture was concentrated and coevaporated with toluene. The crude residue was purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) to yield **17-2** (8 mg, 54%).

[0478] A mixture of **17-2** (8 mg, 0.02 mmol) in acetonitrile (0.4 mL) was stirred with NMI (15 mL, 8 eq.) and the phosphorochloridate reagent overnight at RT. The reaction was quenched with sat. aq. NH_4Cl, diluted with EtOAc and water. The organic layer was separated, washed with aq. $NaHCO_3$, water and brine, and dried (Na_2SO_4). The residue was purified on silica gel (10 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) to yield compound **17** (9 mg, 66%). MS: m/z = 683 [M+1].

EXAMPLE 26
COMPOUND 35



[0479] To a stirred solution of **32-2** (5.0 g, 14.83 mmol) in anhydrous pyridine (50 mL) was added TBSCl (3.33 g, 22.24 mmol) at RT under N_2. The mixture was stirred at RT for 12 h and concentrated at low pressure. The residue was purified by silica gel column chromatography to give **35-1** (5.69 g, 85.1%).

[0480] To a solution of PPh_3 (2.76 g, 10.6 mmol) and DIAD (2.15 g, 10.6 mmol) in dioxane (20 mL) was added EtOH (0.49 g, 10.6 mmol) at RT. After stirring for 30 mins, a solution of **35-1** (2.4 g, 5.3 mmol) in dioxane (10 mL) was added. The solution was stirred overnight at RT. After the reaction was complete, the reaction was quenched with sat. $NaHCO_3$ solution. The solution was extracted with EA (3 x 40 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (10% EA in PE) to give **35-2** (2 g, 78.4%) as a white solid.

[0481] To a solution of **35-2** (8 g, 16.9 mmol) in dichloride methane (60 mL) was added $AgNO_3$ (5.67 g, 33.4 mmol), collidine (4.03 g, 33.4 mmol) and MMTrCl (7.7 g, 25

mmol) in small portions under N_2 at 0 °C. The mixture was stirred at RT overnight. The reaction was monitored by TLC. After completion, the mixture was filtered. The filtrate was washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give **35-3** (10 g, 80%) as a white solid.

[0482] To a solution of **35-3** (10 g, 13.3 mmol) in methanol (100 mL) was added NH_4F (10 g, 270 mmol), and heated to reflux overnight. The mixture was concentrated at low pressure. The residue was purified by silica gel chromatography (50% PE in EA) to give **35-4** as a white solid (5 g, 59%).

[0483] To a solution of **35-4** (4 g, 6.27 mmol) and DCC (3.65 g, 18.8 mmol) in anhydrous DMSO (40 mL) was added TFA•Py (1.21 g, 6.27 mmol) at RT under N_2. The mixture was stirred at RT overnight. The reaction was quenched with water (100 mL), and diluted with EA (200 mL). After filtration, the filter was washed with sat. $NaHCO_3$ solution. The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue (4 g, 6.27 mmol) was dissolved in dioxane (40 mL), and 37% formaldehyde (4 mL) followed by addition of 2N NaOH solution (8 mL) at RT. The mixture was stirred at 30 °C overnight. $NaBH_4$ (0.7 g, 18.9 mmol) was added in portions at 5 °C, and the mixture was stirred at RT for 30 mins. The reaction was quenched with water, and the mixture was extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on a silica gel column (20% EA in PE) to give **35-5** (2.5 g, 60%) as a white solid.

[0484] To a solution of **35-5** (2.29 g, 3.43 mmol) in pyridine (5 mL) and DCM (20 mL) was added BzCl (0.53g, 3.77 mmol) at -78 °C, and stirred overnight at RT. The mixture was quenched with water, and extracted with DCM (3 x 40 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to give the **35-6** (1.62 mg, 62%).

[0485] To a solution of **35-6** (1.62 g, 2.1 mmol) in dichloride methane (20 mL) was added $AgNO_3$ (714 mg, 4.2 mmol), collidine (508 mg, 4.2 mmol) and MMTrCl (970 mg, 3.2 mmol) in small portions under N_2 at 0 °C. The mixture was stirred at RT overnight. The reaction was monitored by TLC. After filtration, the filter was washed with sat. aq. $NaHCO_3$ and brine. The combined organic layer was dried over anhydrous Na_2SO_4, and concentrated


at low pressure. The residue was purified by silica gel column to give **35-7** (2 g, 91.3%) as a white solid.

[0486] To a solution of **35-7** (2.1 g, 2 mmol) in MeOH (30 mL) was added NaOMe (220 mg, 4 mmol) at RT and stirred for 1 h. After all starting material disappeared as indicated by TLC, the reaction was quenched with dry ice, and evaporated at low pressure. The residue was purified by silica gel column chromatography to give **35-8** (1.3 g, 69%) as a white solid.

[0487] To a solution of **35-8** (1.3 g, 1.38 mmol) in anhydrous DCM (15 mL) and pyridine (1 mL) was added dropwise Tf_2O (585 mg, 2.07 mmol) at -20 °C. The mixture was stirred at RT for 3 h, and diluted with DCM (150 mL). The solution was washed successively with water and brine. The organic solution was dried over Na_2SO_4 and concentrated at low pressure. The residue (1.48 g) was dissolved in anhydrous THF (15 mL), and treated with TBAF (3 mL, 1M in THF) at RT. The mixture was stirred overnight. The reaction was quenched with sat. aq. $NaHCO_3$, and extracted with EA (3 x 60 mL). The combined organic layer was dried over Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column (30% EA in PE) to give **35-9** (1.25 g, 96%) as a white solid. ESI-LCMS: m/z 942.4 $[M + H]^+$.

[0488] Compound **35-9** (0.55g, 0.58 mmol) was added into ice cooled 80% aq. TFA (5 mL) and kept overnight at 5 °C. The mixture was concentrated under reduced pressure at 5 °C. Thick oily residue was coevaporated several times with toluene and purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-15% gradient) to yield compound **35** (75 mg, 36%). MS: m/z = 358 [M+1].


EXAMPLE 27
COMPOUND 36



[0489] Compound **36** (8 mg, 10%) was prepared from compound **15** (48 mg) in acetonitrile (1.5 mL) with the phosphorochloridate reagent (0.14 g) and NMI (0.17 mL) in

the same manner as compound **7**. Purification was done by RP-HPLC (30-100% B, A: 50 mM TEAA in water, B: 50 mM TEAA in MeCN). MS: m/z = 665 [M-1].

EXAMPLE 28
COMPOUND 38



[0490] To a solution of **38-1** (17 g, 65.9 mmol) and 2,2-dimethoxypropane (34.27 g, 329.5 mmol, 5 eq.) in acetone (200 mL) was added *p*-toluenesulfonic acid monohydrate (11.89 g, 62.6 mmol, 0.95 eq.). The = mixture was allowed to stir overnight at RT. The reaction was quenched with sat. aq. $NaHCO_3$. The mixture was filtered, and dried over anhydrous Na_2SO_4. The filtrate was concentrated to give **38-2** (19 g, 97%).

[0491] To a solution of **38-2** (6 g, 20.1 mmol) in anhydrous CH_3CN (80 mL) was added IBX (7.05 g, 25.2 mmol, 1.25 eq.) at RT. The mixture was refluxed for 1 h., and cooled to 0 °C. The precipitate was filtered, and the filtrate was concentrated to give crude **38-3** (6 g 100%) as a yellow solid.

[0492] Compound **38-3** (6 g 20.1 mmol) was dissolved in 1,4-dioxane (60 mL). 37% HCHO (6 mL, 69 mol) and 2M NaOH aqueous solution (12 mL, 24 mmol, 1.2 eq.) were

added at 10 °C. The mixture was stirred at RT overnight and neutralized with AcOH to pH = 7. The mixture was treated with $NaBH_4$ (1.53 g, 40.2 mmol, 2 eq.) at 10 °C. The mixture was stirred at RT for 30 mins, and then quenched with sat. aq. NH_4Cl. The mixture was extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness. The residue was purified on silica gel column (1-3% MeOH in DCM) to give **38-4** (3.5 g, 53 %) as a white solid.

[0493] To a solution of **38-4** (3.5 g, 10.7 mmol) in anhydrous pyridine (60 mL) was added DMTrCl (3.6 g, 10.7 mmol, 1 eq.) in anhydrous DCM (8 mL) dropwise at -30 °C. The mixture was stirred at RT overnight. The solution was treated with MeOH, and concentrated to dryness at low pressure. The residue was purified by column chromatography (0.5-2% MeOH in DCM) to give **38-5** (3 g, 45%) as a yellow solid.

[0494] To a solution of **38-5** (2.5 g, 4 mmol) in anhydrous CH_2Cl_2 (30 mL) was added $AgNO_3$ (0.816 g, 4.8 mmol, 1.2 eq.), imidazole (0.54 g, 8 mmol, 2 eq.) and TBDPSCl (1.18 g, 4.8 mmol, 1.2 eq.) under N_2 atmosphere. The mixture was stirred at RT for 14 h. The precipitate removed via filtration, and the filtrate was washed with brine and dried over Na_2SO_4. The solvent was removed under reduced pressure to give crude **38-6** (3.4 g, 100%) as a yellow solid.

[0495] Compound **38-6** (4 g, 4.6 mmol) was dissolved in 80% HOAc aqueous solution (50 mL). The mixture was stirred at RT for 3 h. The solution was treated with MeOH, and concentrated to dryness. The residue was purified by column chromatography (1-2% MeOH in DCM) to give **38-7** (1.2 g, 45%) as a white solid.

[0496] To a solution of **38-7** (1 g, 1.77 mmol) in anhydrous DCM (15 mL) was added Dess-Martin periodinane reagent (1.12 g, 2.65 mmol, 1.5 eq.) at 0 °C under nitrogen atmosphere. The reaction was stirred at RT for 2.5 h. The solution was quenched by addition of 4% $Na_2S_2O_3$ and washed with 4% sodium bicarbonate aqueous solution (50 mL). The mixture was stirred for another 15 mins. The organic layer was washed with brine, and concentrated under reduced pressure. The residue was purified by silica gel column chromatography (20% EtOAc in hexane) to give **38-8** (0.7 g, 70%) as a white solid.

[0497] To a solution of methyltriphenylphosphonium chloride (2.95 g, 8.51 mmol, 4 eq.) in anhydrous THF (20 mL) was added n-BuLi (3.2 mL, 8.1 mmol, 3.8 eq.) dropwise at -70 °C under nitrogen atmosphere. The mixture was stirred at 0 °C for 1 h. A


solution of **38-8** (1.2 g, 2.13 mmol) in anhydrous THF (3 mL) was added dropwise at 0 °C under nitrogen atmosphere. The solution was stirred 0 °C for 2 h. The reaction was quenched with NH_4Cl and extracted with EtOAc. The organic layer was washed with brine and concentrated under reduced pressure. The crude product was purified by silica gel column chromatography (20% EtOAc in hexane) to give **38-9** (0.9 g, 75%) as a white solid.

[0498] To a solution of **38-9** (0.85 g, 1.43 mmol) in anhydrous THF (50 mL) was added n-BuLi (5.7 mL, 14.3 mmol,10 eq.) at -70 °C under nitrogen atmosphere. The mixture was stirred at -70 °C for 2 h. The reaction was quenched with NH_4Cl and extracted with EtOAc. The organic layer was washed with brine and concentrated under reduced pressure. The crude product was purified by silica gel column chromatography (20% EtOAc in hexane) to give **38-10** (0.4 g, 50%) as a white solid.

[0499] To a solution of **38-10** (0.4 g, 0.714 mmol) in anhydrous CH_3CN (30 mL) were added TPSCl (0.433 g, 1.43 mmol, 2 eq.), DMAP (0.174 g, 1.43 mmol, 2 eq.) and TEA (1.5 mL) at RT. The mixture was stirred at RT for 3 h. NH_4OH (3 mL) was added, and the mixture was stirred for 1 h. The mixture was diluted with EA (150 mL), and washed with water, 0.1 M HCl and saturated aqueous $NaHCO_3$. The organic layer was washed with brine and concentrated under reduced pressure. The crude product was purified by silica gel column chromatography (2% MeOH in DCM) to give **38-11** (0.2 g, 50%) as a yellow solid.

[0500] Compound **38-11** (1.35 g, 1.5 mmol) was dissolved in 80% HOAc aqueous solution (40 mL). The mixture was stirred at 60 °C for 2 h and concentrated to dryness. The crude was purified on silica gel column (5% MeOH in DCM) to give compound **38** (180 mg, 35%) as a white solid. ESI-MS: m/z 282.1 $[M+H]^+$.

EXAMPLE 29
COMPOUND 39



[0501] To a solution of cyclopentanone (6.0 g, 71 mmol) in MeOH (60 mL) was added TsOH•H_2O (1.35 g, 7.1 mmol) and trimethoxymethane (8 mL) at RT. The solution was stirred at RT for 2 h. The reaction was quenched with NaOMe, and the mixture was extracted with hexane (30 mL). The organic layer was dried and concentrated to give crude 1,1-dimethoxycyclopentane (9.2 g), which was dissolved in 1,2-dichloroethane (50 mL). To the above solution was added **38-1** (5.0 g, 19.38 mmol) and TsOH•H_2O (0.36 g, 1.9 mmol) at RT. The mixture was stirred at 60 °C for 4 h. The reaction was quenched with TEA and concentrated at low pressure. The residue was purified on silica gel column (1% MeOH in DCM) to give **39-1** (4.77 g, 76%) as a white solid.

[0502] To a solution of **39-1** (4.77 g, 14.73 mmol) in anhydrous DCM (50 mL) was added DMP (6.56 g, 15.6 mmol) at 0 °C. The solution was stirred at RT for 10 h and concentrated to dryness. The residue was suspended in PE (30 mL) and DCM (5 mL), and

the solid was precipitated. After filtration, the filtrate was concentrated to give the crude **39-2** (4.78 g, 100%) as a foam.

[0503] Crude **39-2** (4.77 g, 14.73 mmol) was re-dissolved in anhydrous 1,4-dioxane (50 mL). To the solution was added CH_2O aq. (37%, 3.6 mL) and NaOH aq. (2M, 11.3 mL) at 0 °C. The mixture was stirred at RT for 16 h. The mixture was treated with $NaBH_4$ (1.48 g, 40 mmol) at 0 °C and stirred for 0.5 h. The reaction was quenched with water, and the mixture was extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness. The residue was purified on silica gel column (40% EA in PE) to give **39-3** (2.6 g, 49.9%) as a white solid.

[0504] To a stirred solution of **39-3** (5.0 g, 14.1 mmol) in pyridine (5.6 g, 71 mmol) and DCM (100 mL) was added Tf_2O (8.7 g, 31.2 mmol) dropwise at -35 °C. The mixture was allowed to warm to 0 °C slowly and stirred for 2 h. The mixture was quenched with 0.5M aq. HCl and the DCM layer was separated. The organic phase was dried over anhydrous Na_2SO_4, and concentrated to dryness. The crude was purified on silica gel column (20% EA in PE) to give **39-4** (4.5 g, 52%).

[0505] **39-4** (4.5 g, 7.28 mmol) was dissolved in anhydrous THF (50 mL) at 0 °C. The solution was treated with NaH (60% in mineral oil, 0.32 g, 8 mmol, 1.1 eq.) in portions, and the mixture was stirred at RT for 8 h. The reaction was quenched with water, and extracted with EA (3 x 60 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure to give the crude product used directly for next step. To a solution of the crude product (2.0 g, 3.6 mmol) in MeCN (10 mL) was added LiCl (4.0 g, 13 mmol). The reaction was allowed to proceed overnight. Aqueous NaOH (1N, ~ 2 eq.) was added, and the mixture was stirred for 1 h. The mixture was partitioned between sat. NH_4Cl solution and EA. The organic layer was concentrated under reduced pressure, and the crude was purified on silica gel column (20% EA in PE) to give **39-6** (0.6 g, 46 %) as a white solid. ESI-MS: m/z 395.0 $[M+Na]^+$.


[0506] Compound **39-6** (3.0 g, 8.06 mmol) was co-evaporated with toluene (30 mL). To a solution of **39-6** (3.0 g, 8.06 mmol), DMAP (98 mg, 0.80 mmol) and TEA (2.3 mL, 2 eq.) in DCM (30 mL) was added Bz_2O (1.82 g, 8.06 mmol) at 0 °C and stirred for 3 h. The reaction was quenched with 1.0 M HCl and extracted with DCM. The DCM layer was dried over high vacuum pump to give crude **39-7** (3.3 g, 80.9%).

[0507] To a solution of **39-7** (400 mg, 0.84 mmol) in anhydrous CH_3CN (3 mL) was added TPSCl (507 mg, 1.68 mmol), TEA (169 mg, 1.68 mmol) and DMAP (207 mg, 1.68 mmol), and the mixture was stirred for 2 h. at RT. Completion of the reaction was determined by TLC. Ammonium solution (3.0 mL) was added at RT, and the solution was stirred for 2 h. The mixture was washed with 1.0 M HCl solution and extracted with DCM. The DCM layer was dried over Na_2SO_4 and concentrated to dryness. The crude was purified by column chromatography to provide **39-8** (250 mg, 63%).

[0508] Compound **39-8** (250 mg, 0.53 mmol) in 80% formic acid (3 mL) was stirred at RT for 3 h. Completion of the reaction was determined by TLC. The mixture was concentrated at a low pressure. The crude was purified by column chromatography to give **39-9** (130 mg, 66%).

[0509] Compound **39-9** (270 mg, 0.73 mmol) was dissolved in $MeOH/NH_3$ (10 mL), and the solution was stirred for 6 h. The mixture was concentrated at low pressure. The crude product was washed with DCM, and the solution was lyophilized to give compound **39** (118 mg, 52%). ESI-MS: m/z 328.3 $[M+H+Na]^+$.

EXAMPLE 30
COMPOUND 40



[0510] Compound **40-1** (3.0 g, 8.42 mmol) was co-evaporated with toluene (30 mL). To a solution of **40-1** (3.0 g, 8.42 mmol), DMAP (103 mg, 0.84 mmol) and TEA (2.5 mL, 2 eq.) in DCM (30 mL) was added Bz_2O (2.01 g, 8.42 mmol) at 0 °C and stirred for 3 h. The solution was quenched with 1.0 M HCl and extracted with DCM. The DCM layer was dried over high vacuum pump to give crude **40-2** (3.3 g, 85%).


[0511] To a solution of **40-2** (200 mg, 0.43 mmol) in anhydrous CH_3CN (2 mL) was added TPSCl (260 mg, 0.86 mmol), TEA (95 mg, 0.94 mmol) and DMAP (106.4 mg,

0.86 mmol), and the mixture was stirred for 2 h at RT. Completion of the reaction was determined by TLC. Ammonium solution (1.33 mL) was added at RT, and left to stir for 2 h. The mixture was washed with 1.0 M HCl solution, and extracted with DCM. The DCM layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified by column chromatography to provide **40-3** (150 mg, 75%).

[0512] Compound **40-3** (100 mg, 0.21 mmol) in 80% formic acid (2 mL) was stirred at RT for 3 h. Completion of the reaction was determined by TLC. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **40-4** (50 mg, 58%).

[0513] Compound **40-4** (270 mg, 0.68 mmol) was dissolved in MeOH/NH_3 (10 mL), and the resulting solution was stirred for 6 h. The mixture was concentrated at low pressure. The crude product was washed with DCM, and the solution was lyophilized to give compound **40** (105 mg, 53.8%). ESI-MS: m/z 290:4 $[M+H]^+$.

EXAMPLE 31
COMPOUND 41



[0514] Compound **41-1** (3.0 g, 8.87 mmol) was co-evaporated with toluene (30 mL). To a solution of **41-1** (3.0 g, 8.87 mmol), DMAP (108mg, 0.88 mmol) and TEA (2.5 mL, 2 eq.) in DCM (30 mL) was added Bz_2O (2.01 g, 8.87 mmol) at 0 °C. The solution was stirred for 3 h. The reaction was quenched with 1.0 M HCl solution, and extracted with DCM. The DCM layer was dried over high vacuum pump to give crude **41-2** (3.5 g, 85%) as a solid.


[0515] To a solution of **41-2** (200 mg, 0.45 mmol) in anhydrous CH_3CN (2 mL) was added TPSCl (260 mg, 0.90 mmol), TEA (99 mg, 0.99 mmol) and DMAP (106.4 mg, 0.90 mmol). The mixture was stirred at RT for 2 h. Completion of the reaction was

determined by TLC. An ammonium solution (1.33 mL) was added at RT, and the mixture was stirred for 2 h. The mixture was washed with 1.0 M HCl solution, and extracted with DCM. The DCM layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The crude product was purified by column chromatography to provide **41-3** (150 mg, 75%).

[0516] Compound **41-3** (100 mg, 0.23 mmol) in 80% formic acid (2 mL) was stirred at RT for 3 h. Completion of the reaction was determined by TLC. The mixture was concentrated at a low pressure. The crude product was purified by column chromatography to give **41-4** (50 mg, 58%).

[0517] Compound **41-4** (270 mg, 0.72 mmol) was dissolved in MeOH/NH_3 (10 mL), and the solution was stirred for 6 h. The mixture was concentrated at low pressure. The crude product was washed with DCM, and the solution was lyophilized to give compound **41** (105 mg, 53.8%). ESI-MS: m/z 675.4 $[2M+H]^+$.


EXAMPLE 32
COMPOUND 42



[0518] To a solution of **42-1** (600 mg, 1.29 mmol) in anhydrous CH_3CN (4 mL) was added DMAP (315 mg, 2.59 mmol), TEA (391 mg, 3.87 mmol) and TPSCl (782 mg, 2.58 mmol). The mixture was stirred for 3 h. under N_2. A solution of NH_3 in THF (2 mL) was added, and stirred for 1 h. The reaction was quenched with sat. NH_4Cl solution, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified by column chromatography to provide **42-2** (370 mg, 62%) as a white foam solid.

[0519] Compound **42-2** (370 mg, 1.48 mmol) in methanolic ammonium was stirred at RT for 4 h. The solution was concentrated to dryness to give compound **42** (200 mg, 91%) as a white solid. ESI-MS: m/z 275.9 $[M+H]^+$.


EXAMPLE 33
COMPOUND 43



[0520] To a solution of triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.6 mmol, prepared from bis(POC)phosphate (0.2 g) and Et_3N (83 μL)) in THF was added **43-1** (74 mg, 0.2 mmol). The mixture evaporated and rendered anhydrous by co-evaporating with pyridine follow by toluene. The residue was dissolved in anhydrous THF (2 mL). Diisopropylethylamine (0.35 mL; 10 eq.) was added, followed by BOP-Cl (0.25 g; 5 eq.) and 3-nitro-1,2,4-triazole (0.11 g; 5 eq.). The mixture was stirred at RT for 90 mins, diluted with EtOAc, washed with sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The residue was purified on silica (10 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) to yield 50 mg (37%) of give **43-2**.

[0521] A solution of **43-2** (40 mg; 0.06 mmol) in 80% aq. HCOOH was heated at 45°C for 8 h. The mixture was evaporated, co-evaporated with toluene and purified on silica (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) to yield compound **43**(35 mg ,91%). MS: m/z = 619 [M+1].


EXAMPLE 34
COMPOUND 44



[0522] Compound **44-2** was prepared from **40-1** following a similar procedure for the preparation of **43-2**. The residue was purified on silica (10 g column) with hexanes/EtOAc (35-100% gradient) to yield **44-2** (0.45 g, 75%).

[0523] A solution of **44-2** (0.40 g; 0.6 mmol) in 80% aq. HCOOH (15 mL) was heated at 45°C for 8 h. The mixture was evaporated, co-evaporated with toluene and purified on silica (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) to yield compound **44** (0.27 g, 75%). MS: m/z = 603 [M+1].

EXAMPLE 35
COMPOUND 45



[0524] To a solution of **45-1** (3.0 g, 4.7 mmol) in CH_3CN/pyridine (15 mL/20 mL) was added BzCl (0.67g, 4.7 mmol) at 0 °C slowly. The mixture was stirred at 10 °C for 12 h. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with DCM. The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 2% to 50%) to afford **45-2** (2.6 g, 72%) as a solid.

[0525] To a solution of **45-2** (1.0 g, 1.35 mmol) in pyridine (8 mL) was added DMTrCl (0.64 g, 1.9 mmol). The mixture was stirred at 20-35°C overnight. The reaction was monitored by LCMS and TLC. The reaction was quenched with MeOH, and concentrated at low pressure. The residue was purified by silica gel column to give **45-3** (1.5 g), which was used without further purification.

[0526] To a solution of **45-3** (1.5 g, 1.35 mmol) in MeOH/THF (1/1, 10 mL) was added NaOMe (0.11 g, 2.0 mmol), and stirred at 40 °C for 3 h. The reaction was monitored by TLC. The reaction was quenched with dry ice, and concentrated to dryness at low


pressure. The residue was dissolved in DCM (100 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 2% to 50%) to provide **45-4** (1.0 g, 79%).

[0527] To a solution of **45-4** (950 mg, 1.02 mmol) in DCM (5 mL) was added pyridine (241 mg, 3.05 mmol) and Tf_2O (344 mg, 1.22 mmol) at 0 °C slowly. The mixture was stirred at RT for 12 h. Completion of the reaction was determined by TLC and LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with DCM (3 x 60 mL). The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure to give crude **45-5** (1.08 g, 1.02 mmol), which was used without further purification.

[0528] To a solution of **45-5** (1.08 g, 1.02 mmol) in THF (6 mL) was added TBAF (0.8 g, 3 mmol), and stirred at 30-40 °C for 12 h. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with EA (3 x 60 mL). The solution was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (EA in PE from 2% to 50%) to afford **45-6** (0.62 g, 65%).

[0529] A mixture of **45-6** (0.55 g, 0.59 mmol) in TFA (90%, 5 mL) was stirred at 50-60 °C for 16 h. The mixture was treated with MeOH, and concentrated at low pressure. The residue was purified by prep-HPLC to afford compound **45** (60 mg, 31%). ESI-MS: m/z 324.0 $[M+H]^+$.

EXAMPLE 36
COMPOUND 46




[0530] To a solution of triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.33 mmol, prepared from 110 mg of bis(POC)phosphate and 46 μL of Et_3N) in THF was added **46-1** (91 mg, 0.11 mmol). The mixture evaporated and rendered anhydrous by co-evaporating with pyridine follow by toluene. The residue was dissolved in anhydrous THF (1.5 mL) and cooled in an ice-bath. Diisopropylethylamine (0.19 mL, 10 eq.) was added, followed by BOP-Cl (0.14 g, 5 eq.), and 3-nitro-1,2,4-triazole (63 mg, 5 eq.). The mixture was stirred 0 °C for 90 mins, diluted with EtOAc (30 mL), washed with sat. aq. $NaHCO_3$, brine, and dried (Na_2SO_4). The residue was purified on silica (10 g column) with CH_2Cl_2/i-PrOH solvent system (2-10% gradient) to obtain **46-2** (13 mg, 10%) and **46-3** (95 mg, 58%).

[0531] A solution of **46-2** and **46-3** (13 mg and 95 mg, respectively) in 80% aq. HCOOH (3 mL) was stirred at RT for 3 h, then evaporated and co-evaporated with toluene.


The residue was purified on silica (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) to obtain compound **46** in (42 mg, 94%) yield. MS: m/z=628 [M+1].

EXAMPLE 37
COMPOUND 47



[0532] Compound **47-1** (320 mg, 0.51 mmol) was dissolved in a mixture of $CH_3COOH/THF/H_2O$ (4/2/1) (7 mL), and the mixture was stirred at 50 °C for 2 h. The solution was concentrated to dryness, and the residue was purified by prep-HPLC to give compound **47** (38mg, 31 %) as a white solid. ESI-MS: m/z 296.9 $[M+H+Na]^+$.

EXAMPLE 38
COMPOUND 48



[0533] To a stirred solution of **48-1** (30.0 g, 116 mmol) in anhydrous pyridine (240 mL) was added TIPDSCl (54.98 g, 174 mmol) in portions at 0 °C. The mixture was stirred at RT for 16 h. The reaction was quenched with water, and concentrated to dryness at low pressure. The residue was diluted with EA, and washed with water and brine. The organic phase was dried over sodium sulfate, and concentrated at low pressure. The residue was purified on a silica gel column (50% EA in PE) to give **48-2** (58 g, 99%).

[0534] To a stirred solution of **48-2** (20.0 g, 40 mmol) in anhydrous DCM (200 mL) at 0 °C was added DHP(33.6 g, 400 mmol) and TFA(6.84 g, 60 mmol) dropwise. The mixture was stirred at RT for 16 h. The solution was adjusted to pH = 8 by addition of 2 N NaOH solution. The mixture was washed with sat. aq. $NaHCO_3$, and extracted with DCM (100 mL). The organic phase was dried over anhydrous sodium sulfate, and concentrated to dryness at low pressure. The residue was purified on a silica gel column (20% EA in PE) to give **48-3** (16 g, 68%).

[0535] To a solution of **48-3** (41 g, 70 mmol) in anhydrous MeOH (400 mL) was added NH_4F (51.88 g, 140 mmol). The mixture was refluxed for 1 h, and then concentrated in vacuum. The residue was purified on a silica gel column (10% MeOH in DCM) to give **48-4** (23.1 g, 96%)

[0536] To a stirred solution of **48-4** (23.1 g, 67.54 mmol) in anhydrous pyridine (200 mL) was added imidazole (6.89g, 101.32 mmol) and TBSCl (10.92 g, 74.29 mmol) in portions at 0 °C. The mixture was stirred at RT for 16 h. The solution was quenched with water, and concentrated to dryness. The residue was diluted with EA, and washed with water and brine. The organic phase was dried over anhydrous sodium sulfate, and concentrated at low pressure. The residue was purified on a silica gel column to give **48-5** (23 g, 74%).

[0537] To a solution of **48-5** (27.56 g, 60.44 mmol) in anhydrous MeCN (560 mL) was added DMAP (18.43 g, 151.1 mol) and PhOCSCl (14.55 g, 84.61 mmol) at 0 °C under N_2. The mixture was stirred at RT overnight, and the reaction was quenched with water. The mixture was extracted with EA. The organic phase was dried with anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on a silica gel column eluted with 30% EA in PE to provide **48-6** (23 g, 64%).

[0538] To a solution of **48-6** (14.5 g, 24.5 mmol) in anhydrous toluene (700 mL) was added AIBN (1.21 g, 7.3 mmol) and Bu_3SnH (10.73 g, 36.74 mmol) in toluene (10 mL).

N_2 was bubbled into the solution for 30 mins. The mixture was warmed to 135 °C for 2 h. Saturated aqueous CsF was added, and the mixture was stirred for 1 h. The mixture was diluted with EA (150 mL), and washed successively with water, sat. aq. $NaHCO_3$ and brine. The organic layer was removed at low pressure. The residue was purified on a silica gel column (30% EA in PE) to provide **48-7** (10.5 g, 97%).

[0539] To a solution of **48-7** (21 g, 47.73 mmol) in anhydrous MeOH (200 mL) was added NH_4F (35.32 g, 950 mmol). The mixture was refluxed for 1 h and concentrated in vacuum. The residue was purified on a silica gel column (20% MeOH in DCM) to give **48-8** (14 g, 90%).

[0540] TFA•Py (2.37g, 12.27mmol) was added to a mixture of **48-8** (4 g, 12.27 mmol) and DCC (7.58 g, 36.81 mmol) in anhydrous DMSO (40 mL) at RT under N_2 atmosphere. The mixture was stirred at RT for 2 h. 37% formaldehyde (10 mL, 115 mmol) was added at RT, and stirred for 15 mins, followed by treatment with 2N NaOH (20 mL, 40 mmol). The mixture was stirred at 30 °C overnight and neutralized with AcOH to pH = 7. $NaBH_4$ (1.87 g, 49.08 mmol) was added in portions at 5 °C, and the mixture was stirred at RT for 30 mins. The mixture was extracted with EtOAc (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give **48-9** (2 g, 46%) as a white solid.

[0541] To a solution of **48-9** (2 g, 5.62 mmol) in anhydrous CH_3CN (8 mL) was added pyridine (10 mL) and BzCl (0.79 g, 5.62 mmol) in a solution of DCM (2 mL) at 0 °C under N_2. The mixture was stirred at RT overnight. The reaction was quenched with water, and concentrated at low pressure. The residue was diluted with EA (50 mL), and washed successively with water and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at a low pressure. The residue was purified on a silica gel column (3% MeOH in DCM) to provide **48-10** (1.6 g, 62%)

[0542] To a solution of **48-10** (1.6 g, 3.48 mmol) in anhydrous pyridine (16 mL) was added MMTrCl (1.61 g, 5.22 mmol) at 0 °C under N_2. The mixture was stirred at RT overnight. The reaction was quenched with water, and concentrated in vacuo. The residue was diluted with EA (50 mL) and washed successively with water and brine. The organic layer was dried over Na_2SO_4 and concentrated at a low pressure to give crude **48-11** (2.55 g, 100%), which used without further purification.

[0543] To a solution of **48-11** (2.55 g, 3.48 mmol) in anhydrous MeOH (50 mL) was added $NaOCH_3$ (0.28 g, 5.23 mmol). The mixture was stirred at 45 °C for 2 h, bubbled to pH = 7 by using dry ice and concentrated to dryness. The residue was purified on a silica gel column (2% MeOH in DCM) to give **48-12** (0.93 g, 42%).


[0544] To a solution of **48-12** (0.93 g, 1.48 mmol) in anhydrous DCM (10 mL) was added pyridine (1.17 g, 14.8 mmol) at -30 °C. Tf_2O (0.63 g, 2.22 mmol) in DCM (3 mL) was added dropwise. The mixture was stirred at -30 °C-0 °C for 20 mins and at 0 °C for 10 mins. The reaction was quenched with water, and the mixture was extracted with DCM (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure to provide crude **48-13** (1.13 g, 100%), which was used without further purification.

[0545] To a solution of **48-13** (1.13 g, 1.48 mmol) in anhydrous THF (10 mL) was added TBAF (3.86 g, 14.8 mmol). The mixture was stirred at 30 °C for 2 h. The reaction was quenched with water, and the mixture was extracted with EtOAc (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified on a silica gel column (3% MeOH in DCM) to give **47-1** (0.42 g, 45%).

[0546] To a solution of **47-1** (50 mg, 0.079 mmol) in anhydrous CH_3CN (1 mL) was added TPSCl (48.07 mg, 0.16 mmol), DMAP (19.36 mg, 0.16 mmol) and NEt_3 (0.2 mL) at RT. The mixture was stirred at RT for 3 h. 28% aqueous ammonia (0.4 mL) was added, and the mixture was stirred for 1 h. The mixture was diluted with EA (150 mL), and washed successively with water, sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at a low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give **48-14** (40 mg, 80%).

[0547] Compound **48-14** (320 mg, 0.51 mmol) was dissolved in 80% HCOOH (6 mL), and the mixture was stirred at 10 °C for 1 h. The mixture was concentrated at low pressure, and the residue was purified by prep-HPLC to give compound **48** (43mg, 31 %)as a white solid. ESI-MS: m/z 273.9 $[M+H]^+$, 547.1 $[2M+H]^+$.

EXAMPLE 39
COMPOUND 49



[0548] To a solution of **49-1** (20.0 g, 70.2 mmol) in anhydrous pyridine (200 mL) was added imidazole (19.1 g, 280 mmol) and TBSCl (42.1 g, 281 mmol) at 25°C. The solution was stirred at 25°C for 15 h, and then concentrated to dryness under reduced pressure. The residue was dissolved in EtOAc and then filtered. The filtrate was concentrated to dryness to give the TBS protected derivative (36.4 g, 99%). The TBS protected derivative (36.5 g, 71.1 mmol) was dissolved in THF (150 mL). H_2O (100 mL), and then AcOH (300 mL) were added. The solution was stirred at 80 °C for 13 h. The reaction was cooled to RT, and then concentrated to dryness under reduced pressure to give **49-2** (31.2 g, 61%) as a white solid.

[0549] To a solution of **49-2** (31.2 g, 78.2 mmol) in anhydrous pyridine (300 mL) was added Ac_2O (11.9 g, 117.3 mmol). The mixture was stirred at 25°C for 18 h. MMTrCl (72.3 g, 234.6 mmol) and $AgNO_3$ (39.9 g, 234.6 mmol) were added, and the solution was stirred at 25°C for 15 h. H_2O was added to quench the reaction and the solution was concentrated to dryness under reduced pressure. The residue was dissolved in EtOAc and washed with water. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified by silica gel (DCM:MeOH = 200:1 to 50:1) to give the MMTr protected amine derivative (35.2 g, 63%). The MMTr protected amine derivative (35.2 g, 49.3 mmol) was dissolved in NH_3/MeOH (300 mL). The mixture was stirred at 25°C for 20 h. The solution was evaporated to dryness, and purified

by a silica gel column (DCM: MeOH = 100:1 to 50:1) to give **49-3** as a yellow solid (28.6 g, 87%).


[0550] To a solution of **49-3** (12.0 g, 17.9 mmol) in anhydrous DCM (200 mL) was added Dess-Martin periodinane (11.3 g, 26.8 mmol) at 0 °C. The mixture was stirred at 0 °C for 2 h, and then at RT for 2 h. The mixture was quenched with a saturated $NaHCO_3$ and $Na_2S_2O_3$ solution. The organic layer was washed with brine (2X) and dried over anhydrous Na_2SO_4. The solvent was evaporated to give the aldehyde (12.6 g), which was used directly in the next step. To a solution of the aldehyde (12.6 g, 18.0 mmol) in 1,4-dioxane (120 mL) was added 37% HCHO (11.6 g, 144 mmol) and 2N NaOH aqueous solution (13.5 mL, 27 mmol). The mixture was stirred at 25°C overnight. EtOH (60 mL) and $NaBH_4$ (10.9 g, 288 mmol) were added, and the reaction was stirred for 30 mins. The mixture was quenched with saturated aqueous NH_4Cl, and then extracted with EA. The organic layer was dried over Na_2SO_4, and purified by silica gel column chromatography (DCM: MeOH = 200:1 to 50:1) to give **49-4** (7.5g, 59%) as a yellow solid.

[0551] To a solution of **49-4** (3.8 g, 5.4 mmol) in DCM (40 mL) was added pyridine (10 mL) and DMTrCl (1.8 g, 5.4 mmol) at 0°C. The solution was stirred at 25°C for 1 h. MeOH (15 mL) was added, and the solution was concentrated. The residue was purified by silica gel column chromatography (DCM: MeOH = 200:1 to 50:1) to give the MMTr protected derivative (3.6 g, 66%) as a yellow solid. To a solution of the MMTr protected derivative (3.6 g, 3.6 mmol) in anhydrous pyridine (30 mL) was added TBDPSCl (2.96 g, 10.8 mmol) and $AgNO_3$ (1.84 g, 10.8 mmol). The mixture was stirred at 25°C for 15 h. The mixture was filtered and concentrated. The mixture was dissolved in EtOAc and washed with brine. The organic layer was dried over Na_2SO_4, and then purified by silica gel column chromatography (DCM: MeOH = 200:1 to 50:1) to give the TBDPS protected derivative (3.8 g, 85.1%) as a solid. To a solution of the TBDPS protected derivative (3.6 g, 2.9 mmol) in anhydrous DCM (50 mL) was added $Cl_2CHCOOH$ (1.8 mL) in anhydrous DCM (18 mL). The mixture was stirred at -78°C for 1 h. $Cl_2CHCOOH$ (3.6 mL) was added at -78°C. The mixture was stirred at -10°C for 30 mins. The mixture was quenched with saturated aqueous $NaHCO_3$ and extracted with DCM. The organic layer was dried over Na_2SO_4, and then purified by silica gel column chromatography (DCM: MeOH = 200:1 to 50:1) to give **49-5** (2.2 g, 80%).

[0552] To an ice cooled solution of **49-5** (800 mg, 0.85 mmol) in anhydrous DCM (20 mL) was added pyridine (336 mg, 4.25 mmol) and Tf_2O (360 mg, 1.28 mmol) dropwise. The reaction mixture was stirred at 0°C for 15 mins. The reaction was quenched by ice water and stirred for 30 mins. The mixture was extracted with EtOAc, washed with brine (50 mL) and dried over $MgSO_4$. The solvent was evaporated to give the crude bis(triflate) derivative. To the bis(triflate) derivative (790 mg, 0.73 mmol) in anhydrous DMF (35 mL) was added LiCl (302 mg, 7.19 mmol). The mixture was heated to 40°C and stirred overnight. Completion of the reaction was determined by LCMS. The solution was washed with brine and extracted with EtOAc. The combined organic layers were dried over $MgSO_4$, and the residue was purified on a silica gel column (DCM/MeOH = 100:1) to give **49-6** (430 mg, 61%).

[0553] To **49-6** (470 mg, 0.49 mmol) in MeOH (85 mL) was added NH_4F (8.1 g, 5.92 mmol), and the solution was heated to reflux overnight. The mixture was filtered, and the filtrate was concentrated to dryness. The residue was purified on a silica gel column (DCM/MeOH = 20:1) to give the diol (250 mg, 84%) as a white solid. The diol (130 mg, 0.21 mmol) in formic acid (5 mL) was stirred at 25°C overnight. The solution was concentration to dryness, and the residue in MeOH (30 mL) was stirred at 70°C overnight. Completion of the reaction was determined by LCMS and HPLC. The solvent was removed, and the crude product was washed with EtOAc to give compound **49** (58 mg, 81%) as a white solid. ESI-MS: *m/z* 333.8 $[M+H]^+$, 666.6 $[2M+H]^+$.

EXAMPLE 40
COMPOUND 50



[0554] Compound **50-1** (5.0g, 8.5 mmol) and 6-chloropurine (3.0 g, 17.7mmol) were co-evaporated with anhydrous toluene 3 times. To a stirred suspension of **50-1** and 6-chloropurine in anhydrous MeCN (50 mL) was added DBU (7.5 g, 49 mmol) at 0 °C. The mixture was stirred at 0 °C for 15 mins, and TMSOTf (15 g, 67.6 mmol) was added dropwise at 0 °C. The mixture was stirred at 0 °C for 15 mins until a clear solution formed. The mixture was heated to 70 °C, and stirred overnight. The reaction was monitored by LCMS.

The mixture was cooled to RT, and diluted with EA (100 mL). The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 6% to 50%) to afford **50-2** (2.5 g, 46.3%) as a white foam.

[0555] Compound **50-2** (3.0 g, 4.8 mmol) was treated with NH_3 in MeOH (8 N, 20 mL) in autoclave at 40-60 °C for 12 h. The mixture was evaporated at low pressure, and the residue was purified on silica gel column (MeOH in EA from 0 to 10%) to give **50-3** (1.0 g, 71%) as a white foam.

[0556] To a solution of **50-3** (4.3 g, 14.8 mmol) in acetone/DMF (4/1, 40 mL) was added $TsOH•H_2O$ (8.4 g, 0.044 mol) and 2,2-dimethoxypropane (30 g, 0.296 mol), and the mixture stirred at 60-70 °C for 12 h. The mixture was concentrated at low pressure, and the residue was purified on silica gel column (EA in PE from 50% to 100%) to give **50-4** (5.0 g, 83%).

[0557] To a solution of **50-4** (10.5 g, 31.7 mmol) in pyridine (50 mL) was added TBSCl (5.3 g, 34.9 mmol), and the mixture stirred at RT for 12 h. The solvent was removed at low pressure, and the residue was dissolved in DCM (100 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column to provide **50-5** (8.4 g, 60%), which used without further purification.

[0558] Compound **50-5** (8.4 g, 18.8 mmol) was co-evaporated with pyridine. To a stirred solution of **50-5** (8.4 g, 18.8 mmol) in pyridine (35 mL) was added MMTrCl (8.1 g, 26.4 mmol). The mixture was stirred at 30-40 °C for 12 h under N_2. The mixture was concentrated at a low pressure, and the residue was dissolved in DCM (150 mL). The solution was washed with saturated $NaHCO_3$ solution, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 10% to 20%) to provide **50-6** (10.8 g, 80%) as a solid

[0559] To a solution of **50-6** (11.5 g, 0.016 mol) in THF (100 mL) was added TBAF (4.62 g, 0.018 mol) at RT, and the mixture stirred for 4 h. The solvent was evaporated at low pressure, and the mixture was dissolved in DCM (150 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was

purified on silica gel column (EA in PE from 50% to 100%) to afford **50-7** (8.8 g, 91%). ESI-MS: m/z 604.4 $[M + H]^+$.

[0560] To a solution of **50-7** (4.4 g, 7.3 mmol) in dioxane (50 mL) was added DCC (4.5 g, 21.9 mmol), DMSO (2.5 mL), TFA•Py (1.48 g, 7.65 mmol) at 0 °C. The mixture was slowly warm to RT and stirred for 4 h. Completion of the reaction was determined by LCMS. The mixture was concentrated at low pressure. The residue was purified on silica gel column to give **50-8** (4.4 g, 7.3 mmol), which was used without further purification.

[0561] To a solution of **50-8** in dioxane (40 mL) was added water (20 mL), HCHO (37 %, 7 mL) and NaOH (1N, 15 mL). The solution was stirred at RT overnight. The mixture was treated with $NaBH_4$ (1.1 g, 29.2 mmol) slowly, and stirred for 30 mins. The mixture was adjusted to pH = 7-8 by slow addition of HCl (1M) solution, and extracted with EA (150 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column to give **45-1** (3.0 g, 65%). ESI-MS: m/z 633.9 $[M + H]^+$.

[0562] To a solution of **45-1** (1.5 g, 2.37 mmol) in anhydrous pyridine (30 mL) was added DMTrCl (3.6 g, 10.7 mmol) at -30 °C. The mixture was stirred at RT overnight. The solution was quenched with MeOH, and concentrated at low pressure. The residue was purified by column chromatography to give **50-9** (3 g, 45%) as a yellow solid

[0563] To a solution of **50-9** (1.1 g, 1.18 mmol) in pyridine (10 mL) was added imidazole (0.24 g, 3.53 mmol) and TBSCl (0.35 g, 2.35 mmol). The mixture was stirred at RT for 12 h. The solvent was evaporated at low pressure, and the residue was dissolved in EA (50 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (30% EA in PE) to afford **50-10** (0.83 g, 67%)

[0564] To a solution of **50-10** (1.1 g, 1.05 mmol) in DCM (12 mL) was added $Cl_2CHCOOH$ (0.5 mL) at -70 °C, and stirred for 1 h. The solution was treated with $Cl_2CHCOOH$ (1 mL) in DCM (10 mL) at -70 °C, and the mixture was stirred at -70~-10 °C for 20 mins. Completion of the reaction was determined by LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with DCM (3 x 40 mL). The organic

phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 15% to 30%) to afford **50-11** (0.58 g, 74%).


[0565] To a solution of **50-11** (200 mg, 0.268 mmol) and pyridine (53 mg, 0.67 mmol) in anhydrous DCM (5 mL) was added Tf_2O (90 mg, 0.32 mmol) at -30 °C. The mixture was stirred for 1 h, and slowly warmed to RT. Completion of the reaction was determined by TLC. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with DCM (3 x 30 mL). The organic phase was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. Crude **50-12** (200 mg, 0.27 mmol) was used without further purification.

[0566] To a solution of **50-12** (200 mg, 0.27 mmol) in DMF (5 mL) was added LiCl (45 mg, 1.07 mmol), and stirred at 30-40 °C for 12 h. The solvent was evaporated at low pressure, and the residue was dissolved in DCM (10 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. Crude **50-13** was used without further purification.

[0567] A mixture of **50-13** (245 mg, 0.32 mmol) and TBAF (200 mg, 0.7 mmol) in THF was stirred at 30 °C for 1 h. The mixture was concentrated at a low pressure, and the residue was dissolved in DCM (15 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel column (EA in PE from 2% to 50%) to provide **50-14** (150 mg, 72%). ESI-MS: m/z 652.3 $[M + H]^+$.

[0568] Compound **50-14** (0.2 mmol) was dissolved in 50% TFA (10 mL) in methanol, and the mixture was kept at RT overnight. The solvent was evaporated and co-evaporated with methanol/toluene mixture to remove traces of acid. The residue was dissolved in 20% triethylamine in methanol, kept for 15 mins and evaporated. The product was isolated by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 60% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess buffer. Compound **50** was obtained (45 mg, 67%). MS: m/z 338.0 [M-1].

EXAMPLE 41
COMPOUND 51




[0569] To a solution of **51-1** (12.3 g, 19.9 mmol) in DMF (50 mL) was added NaH (800 mg, 20 mmol) at 0 °C. The mixture was stirred at RT for 3 h. The mixture was treated with CsF (30.4 g, 200 mmol), and then stirred at RT for 3 h. The reaction was quenched with water, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified on silica gel column (20% EA in PE) to give **51-2** (4.1 g, 61%) as a white solid.

[0570] To a solution of **51-2** (4.1 g, 12.1 mmol) in THF (120 mL) was added NaOH solution (1N, 13 mL) at 0 °C.. The mixture was stirred at RT for 3 h. The solution was neutralized with 0.5 M HCl aq. to pH ~7. The mixture was partitioned between EA and water. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified on silica gel column (30% EA in PE) to give **51-3** (3.1 g, 72%) as a white solid. ESI-MS:m/z 379.1 $[M + Na]^+$.

[0571] Compound **51-3** (0.2 mmol) was dissolved in 80% HCOOH (10 mL), and the mixture was heated at 45 °C for 24 h. The solvent was evaporated and co-evaporated with methanol/toluene mixture to remove traces of acid. The residue was dissolved in 20% triethylamine in methanol, kept for 15 mins and evaporated. Compound **51** (68%) was isolated by silica gel chromatography in gradient of methanol in DCM from 5% to 20%. MS: m/z 289.0 [M-1].

EXAMPLE 42
COMPOUND 52



[0572] A mixture of **52-2** (1.2 g; 4 mmol) and NaI (0.6 g; 4 mmol) in acetone (13 mL) was stirred at RT for 1 h. Compound **52-1** (1 g; 3 mmol) and K_2CO_3 (2.07 g; 45 mmol) were added. The mixture was stirred at RT for 24 h. The precipitate was filtered, and the filtrate was evaporated. Purification of the residue on silica (25 g column) with hexanes/EtOAc (30-100% gradient) yielded **52-3** as a colorless foam (1.14 g; 64%).


[0573] To a solution of triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (2.3 mmol, prepared from of bis(POC)phosphate (0.75 g) and Et_3N (0.32 mL)) in THF was added **52-3** (1.14 g; 1.9 mmol). The mixture evaporated and rendered anhydrous by co-evaporating with pyridine follow by toluene. The residue was dissolved in anhydrous THF (20 mL) and cooled down in an ice-bath. Diisopropylethylamine (1.0 mL; 2 eq.) was added, followed by BOP-Cl (0.72 g; 1.5 eq.) and 3-nitro-1,2,4-triazole (0.32 g; 1.5 eq.). The n mixture was stirred at 0 °C for 90 mins, diluted with EtOAc, washed with sat. aq. $NaHCO_3$ and brine, and dried (Na_2SO_4). The

residue was purified on silica (25 g column) with CH_2Cl_2/i-PrOH (3-10% gradient) to yield (1.2 g, 70%) of **52-4**.

[0574] A solution of **52-4** (1.2 g; 1.3 mmol) in 80% aq. HCOOH was stirred at RT for 2 h, and then concentrated. The residue was co-evaporated with toluene and then with MeOH containing small amount of Et_3N (2 drops). Purification on silica (25 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) yielded **52-5** (0.96 g, 85%).

[0575] To a solution of **52-5** (0.52 g; 0.57 mmol) in EtOH (25 mL) were added HCl (4 N/dioxane; 0.29 mL, 2 eq.) and 10% Pd/C (25 mg). The mixture was stirred under H_2 (normal pressure) for 1 h. The catalyst was removed by filtration through a Celite pad, and the filtrate was evaporated to yield compound **52** as its HCl salt (4.2 g; 96%). MS: m/z = 732 [M+1].

EXAMPLE 43
COMPOUND 53




[0576] Compound **53-2** (0.20 g, 64%) was prepared in the same manner from **53-1** (0.16 g; 0.49 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.74 mmol) with DIPEA (0.34 mL), BopCl (250 mg), and 3-nitro-1,2,4-triazole (112 mg) in THF (5 mL) following the procedure for the preparation of **52-4**.

[0577] A solution of **53-2** (0.20 g; 0.31 mmol) in 80% aq. HCOOH was stirred at RT for 2 h, and then concentrated. The residue was co-evaporated with toluene and then with MeOH containing small amount of Et_3N (2 drops). Purification on silica gel (10 g column) with CH_2Cl_2/MeOH (4-10% gradient) was followed by RP-HPLC purification in 5 runs on a Synergi Hydro RP column 250 x 30 mm (Phenomenex P/N 00G-4375-U0-AX) using H_2O and ACN both 50 mM TEAA. Gradient was 25-75% ACN in 20 mins at 24mL/mins, 254nM detection. The product eluted at 16.0 mins. Pure fractions were pooled and lyophilized. TEAA was removed by dissolving the product in DMSO (2 mL) and

injecting the product on the same column using only H_2O and ACN. Pure fractions were pooled and lyophilized to produce compound **53** (18 mg). MS: m/z = 1197 [2M+1].

EXAMPLE 44
COMPOUND 54



[0578] Chloromethyl chloroformate (112 mmol; 10.0 mL) was added to an ice cooled solution of 2-methoxyethanol (97 mmol; 7.7 mL) in dichloromethane (DMC) (100 mL) followed by pyridine (9.96 mL) at 0 °C. After stirring overnight at RT, the mixture was washed twice with 0.5 M HCl, followed by water and aqueous sodium bicarbonate. The mixture was dried over magnesium sulfate, filtered, evaporated in vacuo and distillation in vacuo to afford **54-2** as a colorless oil (13.0 g).

[0579] Compound **54-2** (5.7 g) was added to a solution of sodium iodide (21.07 g) in acetone (45 mL). After 20 stirring at 40 °C for 2.5 h, the mixture was cooled in ice, filtered and evaporated in vacuo. The residue was taken up in dichloromethane, washed with aqueous sodium bicarbonate and sodium thiosulfate, dried over magnesium sulfate, filtered

and evaporated in vacuo to give **54-3** as a light yellow oil of **54-3** (8.5 g), which was used without further purification.

[0580] A mixture of phosphoric acid (crystal, 2.4 g) and triethylamine (6.6 mL) in benzyl alcohol (13 g; 12.5 mL) was stirred at RT until the phosphoric acid was completely dissolved. Trichloroacetonitrile (17 .2 g; 11.94 mL) was added, and the mixture was stirred at RT for 18 h. The solvent and excess trichloroacetonitrile were removed under reduced pressure. The residue was dissolved in water (about 200 mL), and the aqueous solution washed with ether (3 x 50 mL). Benzylphosphoric acid (triethylamine salt) was obtained after lyophilization as a yellowish semi-solid (7.15 g). A solution of benzylphosphoric acid (TEA salt, 1.6 g) in MeOH (90 mL) and water (30 mL) was treated with Dowex 50WX2-400 ("153 mL" settled resin) at RT for 18 h. The resin was removed by filtration, and silver carbonate powder (1.25 g) was added to the filtrate. After the suspension was heated at 80°C for 1 h, all solvent was removed under reduced pressure to dryness. The solid was used without further purification.

[0581] Dry acetonitrile (25 mL) was added to benzylphosphoric acid (silver salt) followed by addition of **54-3** (3.12 g; 12 mmol). The suspension was stirred at RT overnight. After the solid was removed by filtration, the product was purified by silica gel chromatography using hexane/ethyl acetate (3:1 v/v) as the eluent to give **54-4** as a colorless liquid (860 mg, 50%).


[0582] Compound **54-4** (750 mg; 1.65 mmol) was dissolved in methanol (10 mL). Pd-on-carbon (85 mg) and TEA (1 eq.) were added. The flask was charged with hydrogen gas for 1 h. The catalyst was filtered, and the solvent removed in vacuo to give **54**-5 (triethylammonium salt) (510 mg) which was used immediately without further purification.

[0583] Compound **54-6** (320 mg; 0.9 mmol) and **54-5** (510 mg, 1.35 mmol; 1.5x) were co-evaporated twice with pyridine and twice with toluene. Compounds **54-5** and **54-6** were dissolved in THF (8 mL) at 0 °C. Diisopropylethylamine (DIPEA) (0.62 mL; 4 eq.), bis(2-oxo-3-oxazolidinyl) phosphinic chloride (Bop-Cl) (0.45 g; 2 eq.), nitrotriazole (0.2 g, 2 eq.) were added. The mixture was kept at 0 °C for 2 h and then diluted with EA (50 mL). The mixture was then extracted with sat. sodium bicarbonate (2 x 50 mL) and dried over sodium sulfate. The solvents were removed in vacuo. The residue was purified by flash

chromatography using a 10 to 100% gradient of EA in hexane to give purified **54-7** (430 mg, 0.6 mmol).

[0584] Purified **54-7** was dissolved in 80% aq. HCOOH (20 mL) and kept at 45°C for 18 h. After cooling to RT, the solvent was removed in vacuo. The residue co-evaporated with toluene (3 x 25 mL). The residue was purified by flash chromatography using a 0 to 20% gradient of methanol in DCM to give purified compound **54** (200 mg , 0.3 mmol). ^{1}H-NMR ($CDCl_3$): δ 9.28 (s, 1H), 7.54 (d, 1H), 5.95 (s, 1H), 5.65-5.81 (m, 5H), (d, 2H), 4.76 (dd, 2H), 4.44-4.46 (m, 1H), 4.35-4.40 (m, 5H), 4.22 (2H), 4.04 (1H), 3.65 (t, 4H), 3.39 (6H), 1.8 (s, 1H), 1.24 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 4.09 ppm.


EXAMPLE 45
COMPOUND 55



[0585] Compound **55-2** (158 mg, 50%) was prepared from **55-1** (0.21 g; 0.35 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.54 mmol) with DIPEA (0.18 mL), BopCl (178 mg), and 3-nitro-1,2,4-triazole (80 mg) in THF (4 mL).

[0586] A solution of **55-2** (158 mg) in acetonitrile (1 mL) and HCl (4 N/dioxane; 85 µL) was stirred at RT for 30 mins. The reaction was quenched with MeOH and concentrated. The residue was purified on silica gel (10 g column) with CH_2Cl_2/i-PrOH (3-10% gradient) to give compound **55** (85 mg, 76%). MS: m/z = 656 [M+1].

EXAMPLE 46
COMPOUND 56



[0587] To a solution of **49-3** (300 mg, 0.4 mmol) and pyridine (80 mg, 1.0 mmol) in DCM (5 mL) was added Tf_2O (136 mg, 0.48 mol) in a solution of DCM (1mL) dropwise at -30 °C. The mixture was stirred at -30 °C to 0 °C for 20 mins. The reaction was quenched with water, and extracted with DCM (20 mL). The organic phase was dried over anhydrous Na_2SO_4, and evaporated to give crude **56-1** (352.8 mg, 0.4 mmol), which was used without further purification.


[0588] To a solution of **56-1** (352.8 mg, 0.4 mmol) in DMF (5 mL) was added NaI (480 mg, 3.2 mmol). The mixture was stirred at 30 °C for 10 h. The reaction was quenched with water, and extracted with DCM (20 mL). The organic phase was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified by prep-TLC (30% EA in PE) to give **56-2** (270 mg, 31%).

[0589] To a solution of **56-2** (600 mg, 0.7 mmol) in anhydrous toluene (30 mL) was added AIBN (34 mg, 0.21 mmol) and Bu_3SnH (307.7 mg, 1.05 mmol) in toluene (10 mL). The mixture was bubbled with N_2 for 30 mins, and heated to 135 °C for 2 h. The mixture was treated with sat. aq. CsF, and then stirred for 2 h. The mixture was diluted with EA (100 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (10% EA in PE) to give **56-3** and a by-product (400 mg, 72%).

[0590] A mixture of **56-3** (400 mg, 0.55 mmol) in 90 % TFA (10 mL) was stirred at 50 °C for 4 h. The reaction was monitored by LCMS. The mixture was treated with

MeOH (5 mL), and concentrated under reducing pressure. The residue was purified by prep-HPLC to give compound **56** (46 mg, 27%). ESI-MS: m/z 306.1 $[M+H]^+$.


EXAMPLE 47
COMPOUND 57



[0591] Compound **57-2** (120 mg, 72%) was prepared in the same manner from **57-1** (0.11 g; 0.18 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.35 mmol) with DIPEA (0.15 mL), BopCl (114 mg), and 3-nitro-1,2,4-triazole (51 mg) in THF (2.5 mL) using the method as described for **52-4** from **52-3**.

[0592] Compound **57** (14 mg, 77%) was prepared from **57-2** (25 mg) in acetonitrile (0.1 mL) and 4 N HCl/dioxane (8 μL) using the method as described for compound **55**. MS: m/z = 658 [M+1].

EXAMPLE 48
COMPOUND 60



[0593] To a stirred solution of uracil (21 g, 188 mmol) in anhydrous MeCN (200 mL) was added BSA (110 g, 541 mmol), and the mixture was refluxed for 2 h. The mixture was then cooled to RT and treated with **60-1**(55 g, 93.2 mmol) and TMSOTf (145 g, 653 mmol). The mixture was refluxed overnight. After the starting material disappeared, the reaction was quenched with sat. $NaHCO_3$ solution, and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified on silica column gel (20% EA in PE) to give **60-2** (38 g, 70%) as a white sold.

[0594] Compound **60-2** (35 g, 0.06 mol) was treated with NH_3 in MeOH (7N, 200 mL) at RT. The mixture was stirred for 24 h at RT. Completion of the reaction was determined by LCMS. The mixture was concentrated at a low pressure, and the residue was washed with DCM to give **60-3** (13 g, 81%) as a white solid.

[0595] To a solution of cyclopentanone (6 g, 8.33 mmol), and trimethoxymethane (8 mL) in MeOH (60 mL) was added TsOH (1.35 g, 7.1 mmol) at RT, and the mixture was stirred 2 h. The resulting was quenched with NaOMe (0.385 g, 7.12 mmol), and extracted with n-hexane (30 mL). The organic layer was dried over anhydrous Na_2SO_4, and

concentrated at low pressure to give 1,1-dimethoxycyclopentane. To a solution of **60-3** (30 g, 0.11mol) and 1,1-dimethoxy cyclopentane (57 g, 0.44 mol) in 1,2-dichloroethane (200 mL) was added TsOH (2.1 g, 0.011 mol), and the mixture was heated to 60 °C overnight. The reaction was quenched with triethylamine, and concentrated to dryness at low pressure. The residue was washed with MeOH to give **60-4** (30 g, 82%).

[0596] To a solution of **60-4** (10 g, 30 mmol) in anhydrous CH_3CN (100 mL) was added IBX (8.4 g, 30 mmol, 1.05 eq.) at RT. The mixture was refluxed for 12 h., and then cooled to 0 °C. The precipitate was removed by filtration, and the filtrate was concentrated to give crude **60-5** (10 g, 100%) as a yellow solid.

[0597] Crude **60-5** (10 g, 30 mmol) was dissolved in 1,4-dioxane (100 mL). 37% HCHO (10 mL) and 2N NaOH aqueous solution (20 mL) were added at RT. The mixture was stirred at RT overnight, and adjusted to pH = 7. The mixture was treated with $NaBH_4$ (4.44 g, 120 mmol) at 0 °C. The reaction was stirred at RT for 30 mins and then quenched with sat. aq. NH_4Cl. The mixture was extracted with EA. The organic layer was dried over Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified by silica gel column chromatography (1-3% MeOH in DCM) to give **60-6** (5.5 g, 50 %) as a white solid.


[0598] To a stirred solution of **60-6** (5.0 g, 13.8 mmol) and pyridine (5 mL) in DCM (20 mL) was added Tf_2O (8.5 g, 30.3 mmol) dropwise at -70 °C. The solution was warmed to 0 °C slowly, stirred at 0 °C for 0.5 h, and washed with HCl (0.5 M). The DCM layer was concentrated to dryness at low pressure, and the residue was purified on silica gel column to give **60-7** (4.5 g, 52 %) as a white solid.

[0599] To a solution of **60-7** (3.0 g, 4.8 mmol) in MeCN (10 mL) was added TBAF (5.0 g, 19.2 mmol). The reaction was allowed to proceed overnight. The reaction was monitored by HPLC and LCMS. Aqueous sodium hydroxide (1N ~2eq.) was added, and the solution was stirred for 1 h. The mixture was partitioned between sat. ammonium chloride solution and EA. The organic layer was separated, and concentrated under reduced pressure. The crude product was purified on silica gel column to give **60-8** (0.8 g, 46 %) as a white solid. ESI-MS: m/z 367.0 $[M + H]^+$, 389.0 $[M + Na]^+$.

[0600] Compound **60-8** (0.2 mmol) was dissolved in 80% HCOOH (10 mL), and the mixture was heated at 45°C for 24 h. The solvent was evaporated and co-evaporated with methanol/toluene mixture to remove traces of acid. The residue was dissolved in 20%

triethylamine in methanol, kept for 15 mins and evaporated. Compound **60** (65-68%) was isolated by silica gel chromatography in gradient of methanol in DCM from 5% to 20%. MS: m/z 321.0 [M-1].

EXAMPLE 49
COMPOUND 63




[0601] A mixture of compound **45** (30 mg, 0.09 mmol), PTSA monohydrate (18 mg, 1 eq.), and trimethyl orthoformate (0.3 mL; 30 eq.) in dioxane (1 mL) was stirred 1 d at RT. The reaction was neutralized with NH_3/MeOH and then filtered. The filtrate was dissolved in a mixture of THF (0.5 mL) and 80% aq. AcOH (0.25 mL). The solution kept for 1 h at RT, and then evaporated. The residue was purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-15% gradient) to yield **63-1** (30 mg, 91%).

[0602] Compound **63-2** (28 mg, 52%) was prepared in the same manner from **63-1** (30 mg, 0.08 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.12 mmol) with DIPEA (56 μL), BopCl (40 mg), and 3-nitro-1,2,4-triazole (18 mg) in THF (1 mL) using the method for preparing **52-4** from **52-3**. Purification was done with CH_2Cl_2/MeOH (4-10% gradient).

[0603] Compound **63** (15 mg, 67%) was prepared from **63-2** (24 mg) using the method for preparing **52-5**. Purification was done with CH_2Cl_2/MeOH (4-10% gradient). MS: m/z = 636 [M+1].

EXAMPLE 50
COMPOUND 64




[0604] Compound **64-1** (8 mg, 40%) was prepared from compound **50** (17 mg) and trimethylorthoformate (0.15 mL) with PTSA monohydrate (9 mg) in dioxane (0.5 mL) in the same manner as **63-1.**

[0605] Compound **64-2** (10 mg, 72%) was prepared in the same manner from **64-1** (8 mg, 0.02 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.036 mmol) with DIPEA (14 μL), BopCl (10 mg), and 3-nitro-1,2,4-triazole (5 mg) in THF (0.4 mL) in the same manner as **63-2.**

[0606] Compound **64** (15 mg, 67%) was prepared from **64-2** (24 mg) in the same manner as **63**. MS: m/z = 652 [M+1].


EXAMPLE 51
COMPOUND 65



[0607] Commercially available chloromethyl methyl carbonate (5.0 g) was treated with NaI to give **65a** (5.38 g). Benzylphosphate (silver salt) and **65a** were reacted to yield purified **65b** (1.5 g) as described for compound **54**. ^{1}H-NMR (CD_3CN): δ 7.39-7.42

(m, 5H), 5.60 (d, 4H), 5.11 (d, 2H), 3.8 (s, 6H). ^{31}P-NMR (CD_3CN): δ - 4.47 ppm. Compound **65b** (415 mg; 1.7 mmol) was deprotected to give **65-1** (triethylammonium salt) (510 mg), which was used immediately without further purification. Compound **54-6** (320 mg; 0.9 mmol) and **65-1** (510 mg) were reacted to purified **65-2** (400 mg). Compound **65-2** (230 mg) was deprotected to give purified compound **65** (250 mg). The aforementioned reactions were conducted using a method described in the preparation of compound **54**. ^{1}H-NMR ($CDCl_3$): δ 9.00 (s, 1H), 7.55 (d, 1H), 5.93 (s, 1H), 5.81 (d, 1H), 5.66-5.75 (m, 4H), 4.76 (dd, 2H), 4.37-4.46 (m, 2H), 4.15 (d, 2H), 3.86 (t, 6H), 3.70 (d, 6H), 1.65 (s, 6H), 1.25 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 4.13 ppm.


EXAMPLE 52
COMPOUND 66



[0608] Compound **66a** was prepared from 1,3-dimethoxypropan-2-ol. ^{1}H-NMR ($CDCl_3$) δ 5.73 (s,2H) , 5.03-5.06 (m,1H), 3.59 (d,4H), 3.38 (s,6H). Dry ACN (25 mL) was added to benzylphosphate (silver salt) (5 mmol) followed by addition of **66a** (3.12 g; 12 mmol). The suspension was heated at 60 °C for 18 h. After the solid was removed by filtration, the product was purified by silica gel chromatography using hexane/EA (3: 1) as the eluent to provide **66b** as a colorless liquid (540 mg, 50%). ^{1}H-NMR (CD_3CN): δ 7.39-7.42 (m, 5H), 5.61 (d, 4H), 5.10 (d, 2H), 4.97-5.01 (m, 2H), 3.50-3.52 (m, 8H), 3.30 (s, 6H), 3.28 (s, 6H). ^{31}P-NMR (CD_3CN): δ - 4.42 ppm. Compound **66b** (540 mg; 1.0 mmol) was deprotected to give **66-1** (triethylammonium salt), which was used immediately without further purification. Compound **54-6** (285 mg; 0.8 mmol) and **66-1** were reacted to give purified **66-2** (300 mg). Compound **66-2** (300 mg) was deprotected to give purified compound **66** (290 mg). The aforementioned reactions were conducted using a method described in the preparation of compound **54**. ^{1}H-NMR ($CDCl_3$): δ 9.35 (s, 1H), 7.56 (d, 1H), 6.1 (s, 1H), 5.66-5.82 (m, 5H), 5.04 (s, 1H), 4.76 (dd, 2H), 4.60 (d, 1/2H), 4.37-4.48 (m,

2H), 4.22 (d, 2H), 4.06 (s, 1H), 3.58 (s, 8H), 3.57 (s, 12H), 1.93 (s, 1H), 1.23 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 4.08 ppm.


EXAMPLE 53
COMPOUND 67



[0609] Compound **67-1** (180 mg, 62%) was prepared in the same manner from **54-6** (0.18 g, 0.5 mmol) and triethylammonium bis(acetyloxymethyl)phosphate (1.0 mmol) with DIPEA (0.35 mL), BopCl (0.25 g), and 3-nitro-1,2,4-triazole (0.11 g) in THF (1 mL) using a method as described for compound **44**. Purification was done with CH_2Cl_2/i-PrOH (4-10% gradient).

[0610] Compound **67** (60 mg, 78%) was prepared from **67-1** (85 mg) using a method as described for compound **44**. MS: m/z = 1027 [2M-1].

EXAMPLE 54
COMPOUND 68



[0611] To a solution of **68-1** (15 g, 50.2 mmol) in anhydrous pyridine (180 mL) was added BzCl (23.3 g, 165.5 mmol) at 0 °C under nitrogen. The mixture was stirred overnight at RT. The mixture was diluted with EA and washed with $NaHCO_3$ aq. solution. The organic layer was dried with anhydrous Na_2SO_4, and concentrated to dryness. The organic layer was dried and concentrated to give a residue, which was purified by silica gel column chromatography (15 % EtOAc in PE) to give **68-2** (27 g, 93.5%) as a white solid.

[0612] Compound **68-2** (27g, 47 mmol) was dissolved in 90% HOAc (250 mL) and heated to 110 °C. The mixture was stirred overnight at 110 °C. The solvent was removed and diluted with EA. The mixture was washed with $NaHCO_3$ aq. solution and brine. The organic layer was dried and concentrated to give crude **68-3.**

[0613] Compound **68-3** was dissolved in NH_3/MeOH (600 mL) and stirred overnight. The solvent was concentrated to give the residue, which was purified by silica gel column chromatography (5% MeOH in DCM) to give **68-4** (12 g, 99%) as a white solid.

[0614] To a solution of **68-4** (15 g, 56.8 mmol) in anhydrous pyridine (200 mL) was added imidazole (7.7g, 113.6 mmol) and TBSCl (9.4 g, 62.5 mmol) at RT. The mixture was stirred overnight. And the solvent was removed and diluted with EA. The mixture was washed with $NaHCO_3$ aq. solution and brine. The organic layer was dried and concentrated to give crude **68-5.**

[0615] To a solution of **68-5** in anhydrous DCM (200 mL) was added collidine (6.8 g, 56.8 mmol), MMTrCl (17.8 g, 56.8 mmol) and $AgNO_3$ (9.6 g, 56.8 mmol) at RT. The mixture was stirred overnight. The mixture was filtered, and the filtrate was washed with $NaHCO_3$ aq. solution and brine. The organic layer was dried over Na_2SO_4, and concentrated at low pressure to give the residue, which was purified by silica gel column chromatography (5% EA in PE) to give **68-6** (32 g, 87%).

[0616] Compound **68-6** (32 g, 49.2 mmol) was dissolved in a solution of TBAF in THF (1M, 4 eq.) at RT. The mixture was stirred overnight, and the solvent was removed. The mixture was diluted with EA and washed with water. The organic layer was dried and concentrated to give the crude product, which was purified by silica gel column chromatography (33% EA in PE) to give **68-7** (21 g, 79%).

[0617] To a solution of **68-7** (21 g, 38.8 mmol) in DCM (200 mL) was added pyridine (9.2 mL, 116.4 mmol). The solution was cooled to 0 °C and Dess-Martin periodinane (49 g, 116.4 mmol) was added in a single portion. The mixture was stirred for 4 h at RT. The reaction was quenched with $Na_2S_2O_3$ solution and sodium bicarbonate aqueous solution. The mixture was stirred for 15 mins. The organic layer was separated, washed with diluted brine and concentrated under reduced pressure. The residue was dissolved in dioxane (200 mL), and the solution was treated with 37% aqueous formaldehyde (20 mL, 194 mmol) and 2 N aqueous sodium hydroxide (37.5 mL, 77.6 mmol). The mixture was stirred at RT overnight and $NaBH_4$ (8.8 g, 232.8 mmol) was added. After stirring for 0.5 h at RT, the excess of aqueous sodium hydroxide was removed with ice water. The mixture was diluted with EA. The organic phase was washed with brine, dried over magnesium sulfate and concentrated at low pressure. The residue was purified by column chromatography (4% MeOH in DCM) to give **68-8** (10 g, 50.5%) as a white foam.

[0618] Compound **68-8** (4.8 g, 8.5 mmol) was co-evaporated with toluene twice. The residue was dissolved in anhydrous DCM (45 mL) and pyridine (6.7 g, 85 mmol). The

solution was cooled to 0 °C and triflic anhydride (4.8 g, 18.7 mmol) was added dropwise over 10 mins. At this temperature, the reaction was stirred for 40 mins. TLC (50% EA in PE) showed that the reaction was complete. The mixture was purified by column chromatography (EA in PE from 0 to 20%) to give **68-9** (6.1 g, 86.4%) as a brown foam.


[0619] Compound **68-9** (6.1 g, 7.3 mmol) was dissolved in MeCN (25 mL). The mixture was treated with a solution of TBAF in THF (1M, 25 mL) at RT. The mixture was stirred overnight. TBAF in THF (1M, 15 mL) was added and stirred for 4 h. The mixture was treated with aqueous sodium hydroxide (1N, 14.6 mmol) and stirred for 1 h. The reaction was quenched with water (50 mL) at 0 °C and extracted with EA. The organic layer was dried and concentrated to give the crude product, which was purified by silica gel column chromatography (50% EA in PE) to give **68-10** (2.1 g, 50.6%).

[0620] To a solution of **68-10** (1.5 g, 2.6 mmol) in anhydrous pyridine (15 mL) was added imidazole (530 mg, 7.8 mmol) and TBSCl (585 mg, 3.9 mmol) at RT. The mixture was stirred for 2 h. The solvent was removed and diluted with EA. The mixture was washed with $NaHCO_3$ aq. solution and brine. The organic layer was dried and concentrated to give the residue, which was purified by silica gel column chromatography (10% EA in PE) to give **68-11**(1.5 g, 84.5%).

[0621] To a solution of **68-11** (1.5 g, 2.2 mmol) in anhydrous CH_3CN (11 mL) were added DMAP (671 mg, 5.5 mmol), TEA (555 mg, 5.5 mmol) and TPSCl (1.66 g, 5.5 mmol) at RT. The reaction was stirred overnight at RT. NH_4OH (10 mL) was added, and the mixture was stirred for 2 h. The mixture was diluted with EA and washed with $NaHCO_3$ solution. The organic layer was dried and concentrated at low pressure. The residue was purified by silica gel column chromatography (2% MeOH in DCM) to give crude **68-12,** which was purified by prep-TLC to give **68-12** (1.2 g, 80%) as a white solid.

[0622] A solution of **68-12** (1.2 g, 1.76 mmol) in 80% HCOOH (60 mL) was stirred for 4 h. The solvent was removed at low pressure. The crude product was dissolved in MeOH (40 mL) and stirred overnight. The solvent was concentrated to give the crude product, which was purified by column chromatography on silica gel (MeOH in DCM 10%) to give compound **68** (480 mg, 92%) as a white solid. ESI-MS: m/z 591 $[2M + H]^+$.

EXAMPLE 55
COMPOUND 69



[0623] A solution of **68-8** (2.63 g, 4.64 mmol) in anhydrous pyridine/DCM at 0 °C was added Tf_2O (3.27 g, 11.59 mmol). The mixture was stirred at RT for 40 mins. The solvent was removed at reduced pressure, and the residue was purified by column chromatography to give **69-1** (2.60 g, 67%).

[0624] A solution of **69-1** (2.65 g, 3.19 mmol) in anhydrous DMF was added sodium hydride (153 mg, 3.82 mmol) at 0 °C for 1 h. The solution was used for the next step without purification. The solution was treated with LiCl (402 mg, 9.57 mmol) at RT. The mixture was stirred at RT for 12 h. The reaction was quenched with saturated ammonium chloride solution, and extracted with EA. The organic layers were dried over Na_2SO_4, and concentrated at low pressure to give crude **69-2**.


[0625] To a solution **69-2** (1.81 g, 3.19 mmol) in anhydrous THF (20 mL) was added 1 N NaOH (4 mL, 3.83 mmol) at RT. The mixture was stirred at RT for 2 h. The reaction was quenched with saturated sodium bicarbonate solution, and extracted with EA. The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **69-3**. (1.34 g, 72%).

[0626] A solution of **69-3** (925 mg, 1.58 mmol) in dichloromethane (10 mL) was added TBSCl (713 mg, 4.75 mmol) and imidazole (323 mg, 4.74 mmol), and stirred at RT overnight. The mixture was diluted with EA (20 mL), and washed with brine. T he organic phase was concentrated at low pressure to give the crude product. The residue was purified by column chromatography to give **69-4** (1.0 g, 90%).

[0627] A solution of **69-4** (1.24 g, 1.78 mmol) in anhydrous acetonitrile (10 mL) was added TPSCl(1.34 g, 4.45 mmol), DMAP (543 mg, 4.45 mmol) and TEA (450 mg, 4.45 mmol), and the mixture was stirred at RT for 3 h. The solvent was removed under reduced pressure, and the residue was dissolved in EA (30 mL). The solution was washed with brine, dried with anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on silica gel to give **69-5** (1.0 g, 81%) as a white solid.


[0628] Compound **69-5** (1.0 g, 1.43 mmol) was treated with 80% HCOOH (10 mL), and stirred at RT overnight. The solvent was removed under reduced pressure, and the residue was purified on silica gel using 5% MeOH in CH_2Cl_2 to give compound **69** (264 mg, 60%). ESI-MS: m/z 311.9 $[M + H]^+$.

EXAMPLE 56
COMPOUND 70



[0629] Benzylphosphate (silver salt) and commercially available chloromethyl isobutylrate (5.0 g) yielded purified **70a** (3.84 g). ^{1}H-NMR (CD_3CN): δ 7.39-7.42 (m, 5H), 5.60 (d, 4H), 5.09 (d, 2H), 1.94-1.96 (m, 2H), 1.12-1.17 (m, 12H). ^{31}P-NMR (CD_3CN): δ - 4.03 ppm. Compound **70a** (780 mg; 2.0 mmol) was deprotected to give **70-1** (triethylammonium salt), which was used immediately without further purification. Compound **54-6** (356 mg; 1.0 mmol) and **70-1** were reacted to give purified **70-2** (230 mg). Compound **70-2** (230 mg) was deprotected to yield purified compound **70** (80 mg, 0.14 mmol). The aforementioned reactions were conducted using a method described in the preparation of compounds **54** and **66**. ^{1}H-NMR ($CDCl_3$): δ 8.25 (s, 1H), 7.55 (d, 1H), 5.93 (s, 1H), 5.81 (d, 1H), 5.66-5.75 (m, 4H), 4.76 (dd, 2H), 4.37-4.46 (m, 2H), 4.15 (d, 2H), 3.86 (t, 6H), 3.70 (d, 6H), 1.65 (s, 6H), 1.25 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 4.41 ppm.

EXAMPLE 57
COMPOUND 71



[0630] Compound **71-2** (0.34 g, 60%) was prepared from **52-1** (0.33 g) and **71-1** (0.34 g) in acetone (6 mL) with NaI (0.19 g) and K_2CO_3 (0.69 g).


[0631] Compound **71-3** (0.28 g, 74%) was prepared in the same manner from **71-2** (0.25 g, 0.45 mmol) and triethylammonium bis(ethoxycarbonyloxymethyl)phosphate (0.9 mmol) with DIPEA (0.35 mL), BopCl (0.25 g), and 3-nitro-1,2,4-triazole (0.11 g) in THF (5 mL). Purification was done with hexanes/EtOAc (30-100% gradient).

[0632] A solution of **71-3** (0.28 g, 0.33 mmol) in 80% aq. AcOH was heated at 45 °C for 4 h and then concentrated. The residue was coevaporated with toluene and then with MeOH containing small amount of Et_3N (2 drops). Purification on silica gel (10 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) yielded **71-4** (0.22 g, 84%).

[0633] To a solution of **71-4** (148 mg, 0.18 mmol) in EtOAc (0.6 mL) at 0 °C was added 4 N HCl/dioxane (0.5 mL), and the mixture kept at RT for 1 h. Ether was added and compound **71** precipitated. The mixture was filtered and washed with ether to give

compound **71** (100 mg, 75%). The aforementioned reactions were conducted using a method described in the preparation of compound **52**. MS: m/z=704 [M+1].

EXAMPLE 58
COMPOUND 33



[0634] Compound **33-1** (50 g, 86.0 mmol) and 6-Cl-guanine (16.1 g, 98.2 mmol) were co-evaporated with anhydrous toluene 3 times. To a solution of **33-1** (50 g, 86.0 mmol) and 6-Cl-guanine (16.1 g, 98.2 mmol) in MeCN (200 mL) was added DBU (39.5 g, 258.0 mmol) at 0 °C. The mixture was stirred at 0 °C for 30 mins, and TMSOTf (95.5 g, 430.0 mmol) was added dropwise at 0 °C. The mixture was stirred at 0 °C for 30 mins until a clear solution was observed. The mixture was heated to 70 °C, and stirred overnight. The solution was cooled to RT, and diluted with EA (100 mL). The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over Na_2SO_4, and concentrated at low pressure. The residue was purified by column on silica gel (EA in PE from 10% to 40%) to give **33-2** (48.0 g, 88.7%) as a yellow foam. ESI-MS: m/z 628 $[M + H]^+$.

[0635] To a solution of **33-2** (48.0 g, 76.4 mol), $AgNO_3$ (50.0 g, 294.1 mmol) and collidine (40 mL) in anhydrous DCM (200 mL) was added MMTrCl (46.0 g, 149.2 mmol) in small portions under N_2. The mixture was stirred at RT for 3 h under N_2. Completion of the reaction was determined by TLC. After filtration, the filtrate was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (EA in PE from 5% to 50%) to the give crude **33-3** (68 g, 98%). ESI-MS: m/z 900.1 $[M + H]^+$.

[0636] Sodium (8.7 g, 378.0 mmol) was dissolved in dry EtOH (100 mL) at 0 °C, and slowly warmed to RT. Compound **33-3** (68.0 g, 75.6 mmol) was treated with freshly prepared NaOEt solution, and stirred overnight at RT. Completion of the reaction was determined by TLC and LCMS. The mixture was concentrated at a low pressure, diluted with H_2O (100 mL), and extracted with EA (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give **33-4** (34.0 g, 75.2%) as a yellow solid. ESI-MS: m/z 598 $[M + H]^+$.

[0637] Compound **33-4** (32.0 g, 53.5 mmol) was co-evaporated with anhydrous pyridine 3 times. To an ice cooled solution of **33-4** (32.0 g, 53.5 mmol) in anhydrous pyridine (100 mL) was added a solution of TsCl (11.2 g, 58.9 mmol) in pyridine (50 mL) dropwise at 0 °C. The mixture was stirred for 18 h. at 0 °C. The reaction was monitored by LCMS, and quenched with H_2O. The solution was concentrated at low pressure, and the residue was dissolved in EA (100 mL), and washed with sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at a low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give crude **33-5** (25.0 g, 62.2%) as a yellow solid. ESI-MS: m/z 752 $[M + H]^+$.

[0638] To a solution of **33-5** (23.0 g, 30.6 mmol) in acetone (150 mL) was added NaI (45.9 g, 306.0 mmol) and TBAI (2.0 g), and the mixture was refluxed overnight. Completion of the reaction was determined by LCMS. The mixture was concentrated at low pressure, and the residue was dissolved in EA (100 mL). The solution was washed with brine, and dried over anhydrous Na_2SO_4. The organic solution was evaporated at low pressure, and the residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 20:1) to give a crude product. To a solution of the crude product in dry

THF (200 mL) was added DBU (14.0 g, 91.8 mmol), and the mixture was heated to 60 °C and stirred overnight. The reaction was monitored by LCMS. The reaction was quenched with sat. $NaHCO_3$ solution, and the solution was extracted with EA (100 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 5%) to give **33-6** (12.0 g, 67.4%) as a yellow solid. ESI-MS: m/z 580 $[M + H]^+$.

[0639] To an ice cooled solution of **33-6** (8.0 g, 13.8 mmol) in anhydrous MeCN (100 mL) was added NIS (3.9 g, 17.2 mmol) and TEA•3HF (3.3 g, 20.7 mmol) at 0 °C. The mixture was stirred at RT for 18 h, and the reaction was checked by LCMS. After the reaction was completed, the reaction was quenched with sat. Na_2SO_3 solution and sat. $NaHCO_3$ solution. The solution was extracted with EA (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 50%) to give **33-7** (7.2 g, 72.0%) as a solid. ESI-MS: m/z 726 $[M + H]^+$.

[0640] To a solution of **33-7** (7.2 g, 9.9 mmol) in dry DCM (100 mL) was added DMAP (3.6 g, 29.8 mmol), and BzCl (2.8 g, 19.8 mmol) at 0 °C. The mixture was stirred overnight, and checked by LCMS. The mixture was washed with sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 30%) to give **33-8** (8.0 g, 86.4%) as a solid. ESI-MS: m/z 934 $[M + H]^+$.

[0641] To a solution of **33-8** (7.5 g, 8.0 mmol) in dry DMF (100 mL) was added NaOBz (11.5 g, 80.0 mmol) and 15-crown-5 (15.6 mL). The mixture was stirred for 36 h. at 90 °C. The mixture was diluted with H_2O (100 mL), and extracted with EA (3 x 150 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (EA in PE from 10% to 30%) to give crude **33-9** (6.0 g, 80.0%) as a solid. ESI-MS: m/z 928 $[M + H]^+$.


[0642] Compound **33-9** (4.0 g, 4.3 mmol) was co-evaporated with anhydrous toluene 3 times, and treated with NH_3/MeOH (50 mL, 4N) at RT. The mixture was stirred for 18 h. at RT. Completion of the reaction was determined by LCMS. The mixture was concentrated at low pressure, and the residue was purified by silica gel column

chromatography (EA in PE from 30% to 50%) to give product **33-10** (1.9 g, 71.7%) as a solid. ESI-MS: m/z 616 $[M + H]^+$.

[0643] Compound **33-10** (300.0 mg, 0.49 mmol) was co-evaporated with anhydrous toluene 3 times, and was dissolved in MeCN (2 mL). The mixture was treated with NMI (120.5 mg, 1.47 mmol) and the phosphorochloridate reagent (326.3 mg, 0.98 mmol) in MeCN (1 mL) at 0 °C. The mixture was stirred for 18 h at RT and monitored by LCMS. The mixture was diluted with 10% $NaHCO_3$ solution, and extracted with EA (3 x 30 mL). The residue was purified by silica gel column chromatography (EA in PE from 30% to 50%) to give **33-11** (210 mg, 47.5%) as a solid. ESI-MS: m/z 913.0 $[M + H]^+$.

[0644] Compound **33-11** (210 mg, 0.26 mmol) was treated with 80% of AcOH (15 mL), and the mixture was stirred for 18 h at RT. Completion of the reaction was determined by LCMS. The mixture was concentrated at low pressure, and the residue was purified by silica gel column chromatography (MeOH in DCM from 1% to 3%) to give compound **33** (71.8 mg, 48.7%) as a solid. ESI-MS: m/z 641.3 $[M+H]^+$.


EXAMPLE 59
COMPOUND 75



[0645] A mixture solution of **1-5** (317 mg, 0.49 mmol), TPSCl (373 mg, 1.23 mmol), DMAP (150 mg, 1.23 mmol) and TEA (124 mg, 1.23 mmol) in anhydrous MeCN was stirred at RT overnight. The mixture was treated with ammonium solution, and then stirred at RT for 3 h. The solvent was removed under reduced pressure, and the residue was purified by column chromatography to give **75-1** (200 mg, 63%).


[0646] A solution of **75-1** (286 mg, 0.45 mmol) and ammonium fluoride (500 mg, 13.5 mmol) in methanol (10 mL) was refluxed overnight. The solvent was removed under reduced pressure and the residue was purified on silica gel to give compound **75** (75 mg, 57%). ESI-MS: m/z 289.9 $[M+H]^+$.

EXAMPLE 60
COMPOUND 76



[0647] Compound **76-1** (0.44 g, 34%) was prepared from **52-3** (0.88 g, 1.48 mmol) and triethylammonium bis(isobutyryloxymethyl)phosphate (3 mmol) with DIPEA (1.05 mL), BopCl (0.76 g), and 3-nitro-1,2,4-triazole (0.34 g) in THF (10 mL). Purification was done with hexanes/EtOAc (5-100 % gradient). Compound **76-2** (0.43 g, 85%) was prepared from **76-1** (0.44 g); and compound **76** (0.19 g, 98%) was prepared from **76-2** (0.22 g) in EtOH (10 mL) with 10% Pd/C (10 mg), 4 N HCl/dioxane (132 μL), and under the H_2 atmosphere. The aforementioned reactions were conducted using a method described in the preparation of compound **52**. MS: m/z = 700 [M+1].

EXAMPLE 61
COMPOUND 77



[0648] To a stirred solution of **77-1** (2.0 g, 7.12 mmol) in pyridine (20 mL) was added TMSCl (3.86 g, 35.58 mmol) at 0 °C under N_2. The mixture was slowly warmed to RT and stirred for 2 h. PivCl (1.71 g, 14.23 mmol) was added, and the mixture was stirred for 24 h. The solvent was evaporated at low pressure, and the residue was dissolved in EA (50 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure to give the crude product. The crude product was dissolved in MeOH (20 mL) and NH_4F (1.4 g, 37.86 mmol) was added. The mixture was refluxed for 2

h. The solvent was removed, and the residue was purified by column chromatography to give **77-2** (2.2 g, 85%).

[0649] To a solution of **77-2** (8.5 g, 23.28mmol) and 1,1-dimethoxycyclopentane (2 mL) in a mixture of DMF (15 mL) and cyclopentanone (6 mL) was added TsOH (6.63 g, 34.93mmol). The mixture was stirred at RT for 12 h. The reaction was quenched with triethylamine, and concentrated at low pressure. The residue was purified by column chromatography to give **77-3** (6.5 g, 65%).

[0650] To a stirred solution of **77-3** (6.0 g, 13.92 mmol) in anhydrous MeOH (60 mL) was added MeONa (2.25 g, 41.76 mmol) at RT. The mixture was stirred for 12 h and then neutralized with HOAc. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **77-4** (4.4 g, 92%).

[0651] To a stirred solution of **77-4** (5.0 g, 14.40 mmol) in anhydrous pyridine (50 mL) was added TBSCl (3.24 g, 21.61 mmol) at RT under N_2, and the mixture was stirred overnight. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **77-5** (5.44 g, 82%).

[0652] To a stirred solution of **77-5** (5.0 g, 10.84 mmol) in anhydrous DCM (50 mL) was added MMTrCl (5.01g, 16.26 mmol), collidine (5 mL), and $AgNO_3$ (2.76 g, 16.26 mmol) at RT under N_2, and the mixture was stirred for 2 h. The precipitate was removed by filtration, and the filtrate was concentrated at low pressure. The residue was purified by column chromatography to give **77-6** (7.1 g, 89%).

[0653] To a stirred solution of **77-6** (7.1 g, 9.68 mmol) in anhydrous THF (70 mL) was added TBAF (5.05 g, 19.37 mmol) at RT under N_2, and the mixture was stirred for 4 h. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **77-7** (5.1 g, 87%).

[0654] To a stirred solution of **77-7** (3.2 g, 5.17 mmol) and pyridine (2.04 g, 25.85 mmol) in anhydrous DCM (30 mL) was added DMP (3.28 g, 7.75 mmol) at RT under N_2. The mixture was stirred at RT for 3 h. The reaction was quenched with sat. $Na_2S_2O_3$ solution, and washed with sat. $NaHCO_3$ solution and brine. The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give the aldehyde (1.8 g). To a stirred solution of the aldehyde (1.8 g, 2.92 mmol) in dioxane (29.2 mL) was added 37% HCHO (2.36 g, 29.17 mmol) and 1N

LiOH (1.6 mL, 2.34 mmol) at RT. The mixture was stirred at RT for 1.5 h. The solution was neutralized with HOAc. The mixture was treated with EtOH (15 mL) and $NaBH_4$ (1.66 g, 43.8 mmol), and stirred at RT for 2 h. The mixture was quenched with water, and concentrated at low pressure. The residue was purified by column chromatography to give **77-8** (2.01 g, 61%).

[0655] To a stirred solution of **77-8** (200 mg, 0.31 mmol) in anhydrous DCM (2 mL) was added TBDPSCl (170 mg, 0.62 mmol) and imidazole (42 mg, 0.62 mmol) at RT under N_2. The mixture was stirred at RT for 2 h. The mixture was diluted with DCM (10 mL), and washed with brine. The organic phase was concentrated at low pressure, and the residue was purified by column chromatography to give **77-9** (175 mg, 64%).

[0656] To a stirred solution of **77-9** (270 mg, 0.304 mmol) in anhydrous DCM (2 mL) was added BzCl (63 mg, 0.61 mmol), DMAP (74 mg, 0.61 mmol) and TEA (61 mg, 0.61 mmol) at RT under N_2. The mixture was stirred at RT until the starting material disappeared. The = mixture was evaporated at low pressure, and the residue was purified by column chromatography to give **77-10** (250 mg, 83.3%).

[0657] Compound **77-10** (300 mg, 0.302 mmol) in THF (5 mL) was treated with a solution of TBAF (0.61 mL, 0.61 mmol, 1M in THF) and HOAc (0.2 mL) at RT. The mixture was stirred at RT for 12 h. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **77-11** (170 mg, 75%).


[0658] To a stirred solution of **77-11** (400 mg, 0.531 mmol) in anhydrous DCM (4 mL) was added Tf_2O (299 mg, 1.06 mmol) and pyridine (84 mg, 1.06 mmol) at RT under N_2. The mixture was stirred at RT until the starting material disappeared. The mixture was concentrated at low pressure, and the residue was purified by column chromatography to give **77-12** (401 mg, 85%).

[0659] Compound **77-12** (500 mg, 0.564 mmol) was treated with TBAF in THF (1.0 M, 2 mL) at RT under N_2. The mixture was diluted with water (20 mL), and extracted with DCM. The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **77-13** (150 mg, 40.8%) as a white solid. ESI-MS: m/z 652.1 $[M + H]^+$.

[0660] Compound **77-13** (50 mg) was dissolved in 80% HCOOH (10 mL), and the mixture was heated at 45^0C for 24 h. The solvent was evaporated and co-evaporated with


methanol/toluene to remove traces of acid. The residue was dissolved in 20% triethylamine in methanol, kept for 15 mins and then evaporated. Compound **77** (18 mg, 75%) was isolated by silica gel chromatography in a gradient of methanol in DCM from 0% to 15%. MS: m/z 312.5 [M-1].

EXAMPLE 62
COMPOUND 78



[0661] Compound **78a** was prepared from commercially available 3-hydroxyoxetane (5.0 g). ^{1}H-NMR ($CDCl_3$) δ 5.73 (s,2H) , 5.48-5.51 (m,1H), 4.90 (d,2H), 4.72 (d, 2H). Compound **78b** (8.0 g) was prepared from **78a**. ^{1}H-NMR ($CDCl_3$) δ 5.95 (s,2H) , 5.48-5.51 (m,1H), 4.90 (d,2H), 4.72 (d, 2H). Benzylphosphate (silver salt) and **78b** (8.0 g) were reacted to yield purified **78c** (1.92 g). ^{1}H-NMR (CD_3CN): δ 7.39-7.42 (m, 5H), 5.62 (d, 4H), 5.39-5.42 (m, 2H), 5.15 (d, 2H), 4.80-4.83 (m, 4H), 4.56-4.60 (m, 4H). ^{31}P-NMR (CD_3CN): δ - 4.55 ppm. Compound **78c** was deprotected to give **78-1** (triethylammonium salt), which was used immediately without further purification. Compound **54-6** (356 mg; 1.0 mmol) and **78-1** were reacted to give purified **78-2** (230 mg). Compound **78-2** (230 mg) was deprotected to yield purified compound **78** (12.5 mg, 0.02 mmol). The aforementioned reactions were conducted using a method described in the preparation of compound **54**. ^{1}H-NMR ($CDCl_3$): δ 8.25 (s, 1H), 7.54 (d, 1H), 5.90 (s, 1H), 5.81 (d, 1H), 5.66-5.75 (m, 4H), 5.44-5.49 (m, 2H), 4.88-4.92 (m, 5H), 4.61-4.78 (m, 5H), 4.37-4.46 (m, 2H), 4.21 (s, 1H), 3.49 (s, 1H), 1.25 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 4.28 ppm.


EXAMPLE 63
COMPOUND 83



[0662] Compound **83-2** (70 mg, 58%) was prepared in the same manner from compound **83-1** (90 mg; 0.1 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.2 mmol) with DIPEA (87 μL), BopCl (44 mg), and 3-nitro-1,2,4-triazole (29 mg) in THF (2 mL) as described in the preparation of compound **44**. Purification was done with hexanes/EtOAc with a 20-80% gradient.

[0663] Compound **83** (25 mg, 64%) was prepared from **83-2** (70 mg) in acetonitrile (0.6 mL) and 4 N HCl/dioxane (50 μL) as described in the preparation of compound **55**. MS: m/z = 658 [M+1].


EXAMPLE 64
COMPOUND 84



[0664] Compound **84-2** (69 mg, 90%) was prepared from **84-1** (52 mg; 0.08mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.16 mmol) with DIPEA (74 μL), BopCl (51 mg), and 3-nitro-1,2,4-triazole (23 mg) in THF (1 mL) as described in the preparation of compound **44**. Purification was done with hexanes/EtOAc with a 20-100% gradient.

[0665] Compound **84** (27 mg, 62%) was prepared from **84-2** (65 mg) as described in the preparation of compound **44**. MS: m/z = 626 [M+1].


EXAMPLE 65
COMPOUND 85



[0666] A mixture of **76-2** and acetic anhydride in pyridine was stirred overnight at RT, then concentrated and purified on silica gel (10 g column) with CH_2Cl_2/i-PrOH (4-10% gradient) to yield **85-1** (12 mg, 69%).

[0667] Compound **85** (10 mg, 92%) was prepared from **85-1** (12 mg) in EtOH (0.5 mL) with 10% Pd/C (1 mg), 4 N HCl/dioxane (7 μL), and under the H_2 atmosphere in the same manner compound **52**. MS: m/z=742 [M+1].

EXAMPLE 66
COMPOUNDS 86 AND 87



[0668] A freshly prepared EtONa in dry EtOH (2N, 150 mL) was added to a solution of **20-4** (13.67 g, 17.15 mmol) in EtOH (50 mL) at 0 °C. The mixture was stirred at RT for 1 h, and then concentrated at low pressure. The residue was purified by silica gel column (5% MeOH in DCM) to give **86-1** (10 g, 98%) as a yellow solid.

[0669] To a solution of PPh_3 (2.73 g, 10.4 mol) in anhydrous pyridine (60 mL) was added I_2 (2.48 g, 9.76 mmol) at RT, and the reaction mixture was stirred RT for 30 mins. A solution of **86-1** (3.9 g, 6.51 mmol) in pyridine (10 mL) was added. The mixture was stirred at RT overnight. The reaction was quenched with sat. $Na_2S_2O_3$ solution and $NaHCO_3$ aq., and then extracted with EA (100 mL). The organic layer was dried over anhydrous

Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column (2% MeOH in DCM) to give **86-2** (3.0 g, 75%) as a yellowed solid.

[0670] To a solution of **86-2** in dry THF (300 mL) was added DBU (14.0 g, 91.8 mmol), and the mixture was heated to reflux for 3 h. The mixture was concentrated at low pressure. The residue was dissolved in EA (100 mL), and washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **86-3** (0.6 g, 37.5%) as a white solid.

[0671] To an ice-cooled solution of **86-3** (2.0 g, 3.44 mmol) in anhydrous MeCN (20 mL) was added NIS (0.975 g, 4.3 mmol) and TEA•3HF (0.82 g, 5.16 mmol) at 0 °C. The mixture was stirred at RT for 2 h. The reaction was quenched with sat. Na_2SO_3 and $NaHCO_3$ aqueous solution, and then concentrated at low pressure. The residue was dissolved in EA (50 mL), washed with brine, dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column (20% EA in PE) to give **86-4** (1.5 g, 60%) as a white solid.

[0672] To a solution of **86-4** (1 g, 1.37 mmol) in dry pyridine (100 mL) was added BzCl (0.23 g, 1.65 mmol) at 0 °C. The reaction was stirred for 30 mins and checked by LCMS. The mixture was concentrated at low pressure, and the residue was dissolved in EA (50 mL). The solution was washed with brine. The organic layer was dried over $MgSO_4$, and evaporated at low pressure. The residue was purified by silica gel column chromatography (10% EA in PE) to give **86-5** (0.9 g, 78%) as a white solid.

[0673] To a solution of **86-5** (2 g, 2.4 mmol) in dry DMF (40 mL) was added NaOBz (3.46 g, 24 mmol) and 15-crown-5 (4.5 mL). The mixture was stirred at 95 °C for 72 h. The mixture was then diluted with EA (100 mL), and washed with water and brine. The organic phase was dried over $MgSO_4$, and concentrated at low pressure. The residue was purified by silica gel column (15% EA in PE) to give **86-6** (1.5 g, 75%) as a white solid.

[0674] Compound **86-6** (1.35 g, 1.64 mmol) in NH_3/MeOH (150 mL) was stirred at RT for 18 h. The mixture was concentrated at low pressure, and the residue was purified by silica gel column (5% MeOH in DCM) to give **86-7** (0.9 g, 90%) as a white solid. ESI-MS: m/z 618.3 $[M + H]^+$.


[0675] To a solution of **86-7** (99 mg, 0.16 mmol) in DCM (1.0 mL), triethylamine (92.7 μL, 0.64 mmol) was added at RT. The mixture was cooled to 0 to 5°C (ice/ water

bath), and freshly prepared and distilled isopropyl phosphorodichloridate (36.6 μL, 0.2 mmol, prepared according to a procedure , Reddy *et al. J. Org. Chem.* **2011**, *76 (10)*, 3782-3790) was added to the mixture. The mixture was stirred 0 to 5°C (ice/ water bath) for 15 mins, followed by addition of N-methylimidazole (26.3 μL, 0.32 mmol). The mixture was then stirred for 1 h at 0 to 5°C. TLC showed absence of **86-7.** EA (100 mL) was added, followed by water. The organic layer was washed H_2O, saturated aqueous NH_4Cl solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 10% iPrOH/ DCM to give a mixture of **86-a** and **86-b** (61.5 mg).

[0676] A mixture of **86-a** and **86-b** (61.5mg, 0.085 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (64 μL) was added at 0 to 5 °C (ice/ water bath). The mixture was stirred at RT for 40 mins, and anhydrous EtOH (200 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/H_2O, was purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give compound **86** (1.8 mg) and compound **87** (14.5 mg).

[0677] Compound **86:** ^{1}H NMR (CD_3OD-d_4, 400 MHz) δ 8.0 (s, 1H), 6.69 (d, J = 16.0 Hz, 1H),5.9-5.6 (br s, 1H), 4.94-4.85 (m, 1H), 4.68-4.52 (m, 3H), 1.49-1.3 (m, 12H); ^{19}F NMR (CD_3OD-d_4) δ -122.8 (s), -160.06 (s);; ^{31}P NMR (CD_3OD-d_4) δ -7.97 (s). ESI-LCMS: m/z = 450.1 $[M + H]^+$; Compound **87:** ^{1}H NMR (CD_3OD-d_4, 400 MHz) δ 7.96 (s, 1H), 6.68 (s, 1H), 6.69 (d, J = 16.8 Hz, 1H), 6.28-6.1 (br s, 1H), 4.81-4.5 (m, 4H), 1.45-1.39 (m, 12H); ^{31}P NMR (CD_3OD-d_4) δ -5.84 (s). ESI-LCMS: m/z = 450. $[M+H]^+$.

EXAMPLE 67
COMPOUNDS 88 AND 89




[0678] To a solution of **88-1** (150 mg, 0.24 mmol) in DCM (2.0 mL), triethylamine (141 μL, 2.0 mmol) was added at RT. The mixture was cooled to 0 to 5°C (ice/water bath), and freshly prepared and distilled isopropyl phosphorodichloridate (45 μL, 0.26 mmol, prepared according to a procedure , Reddy *et al. J. Org. Chem.* **2011**, *76 (10)*, 3782-3790) was added. The mixture was stirred at 0 to 5°C (ice/water bath) for 15 mins, followed by N-methylimidazole (40 μL, 0.49 mmol). The mixture was stirred for 1 h at 0 to 5°C. TLC showed the absence of starting material **88-1.** EA (100 mL) was added, followed by water. The organic layer was washed with H_2O, sat. aq. NH_4Cl solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 10% iPrOH/ DCM to give **88-2a** (16.9 mg, faster eluting isomer) and **88-2b** (72.7 mg, slower eluting isomer).

[0679] Compounds **88-2a** and **88-2b** were deprotected using a procedure described herein. Compound **88** (7.3 mg, single isomers from **88-2a** (16.5 mg, 0.0235 mmol)) and compound **89** (29.0 mg. single isomers from **88-2b** (72.7 mg, 0.1 mmol)) were obtained.

[0680] Compound **88**: ^{1}H NMR (CD_3OD-d_4, 400 MHz) δ 7.94 (s, 1H), 6.32 (s, 1H), 6.00-5.9 (br s, 1H), 4.9-4.487 (m, 1H), 4.83-4.77 (m, 1H), 4.65-4.50 (m, 3H), 1.45-1.39 (s, 9H), 1.2 (s, 3H),; ^{19}F NMR (CD_3OD-d_4) δ -120.3 (s); ^{31}P NMR (CD_3OD-d_4) δ -5.19 (s); ESI-LCMS: m/z = 448.05 $[M + H]^+$. Compound **89**: ^{1}H NMR (CD_3OD-d_4, 400 MHz) δ 7.98

(s, 1H), 6.34 (s, 1H), 5.78-5.64 (br s, 1H), 4.95-4.48 (m, 2H), 4.62-4.52 (m, 3H), 1.48-1.42 (s, 9H), 1.1 (s, 3H),; ^{19}F NMR (CD_3OD-d_4) δ -121.3 (s); ^{31}P NMR (CD_3OD-d_4) δ -7.38 (s); ESI-LCMS: m/z = 448.05 $[M + H]^+$.


EXAMPLE 68
COMPOUND 90



90-1 90

[0681] To a stirred solution of **90-1** (532 mg, 1.84 mmol) in anhydrous CH_3CN (8.0 mL) was added N-methylimidazole (2.0 mL, 24.36 mmol) at 0 to 5 ^{0}C (ice/water bath) followed by a solution of freshly prepared and distilled isopropyl phosphorodichloridate (0.5 mL, 2.84 mmol). The solution was stirred at RT for 15 h. The mixture was diluted with EA, followed by water (15 mL). The solution was washed with H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 8% MeOH/ DCM to give the crude product (72 mg). The crude product was re-purified purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give compound **90** (43.6 mg). MS: m/z = 395.05 $[M + H]^+$, 393.0 $[M - H]^-$, 787.05.0 $[2M-H]^-$.


EXAMPLE 69
COMPOUND 96



[0682] Dry **51** (0.05 mmol) was dissolved in the mixture of $PO(OMe)_3$ (0.7 mL) and pyridine (0.3 mL). The mixture was evaporated in vacuum for 15 mins at bath temperature 42 ^{0}C, and then cooled to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $POCl_3$ (9 µL, 0.11 mmol), and the mixture was kept at RT for 20-40 mins. The reaction was controlled by LCMS and monitored by the appearance of **96**. Isolation was

performed by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 30% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer to yield compound **96**. MS: m/z 369.0 [M-1].


EXAMPLE 70
COMPOUNDS 97 AND 98



97 **98**

[0683] Dry **51** (0.05 mmol) was dissolved in the mixture of $PO(OMe)_3$ (0.7 mL) and pyridine (0.3 mL). The mixture was evaporated in vacuum for 15 mins at bath temperature 42 ^{0}C, than cooled to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $PSCl_3$ (9 uL, 0.11 mmol), and the mixture was kept at RT for 20-40 mins. The reaction was controlled by LCMS and monitored by the appearance of the nucleoside 5'-thiophosphate. After completion of the reaction, tetrabutylammonium salt of pyrophosphate (150 mg) was added, followed by DMF (0.5 mL) to get a homogeneous solution. After 1.5 hours at ambient temperature, the reaction was quenched with water (10 mL). The 5'-triphosphate as mixture of diastereomers was isolated by IE chromatography on AKTA Explorer using column HiLoad 16/10 with Q Sepharose High Performance. Separation was done in linear gradient of NaCl from 0 to 1N in 50 mM TRIS-buffer (pH 7.5). Fractions containing thiotriphosphate were combined, concentrated and desalted by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). Linear gradient of methanol from 0 to 30% in 50 mM triethylammonium buffer was used for elution over 20 mins, flow 10 mL/mins. Compounds **97** and **98** were collected. Analytical RP HPLC was done in 50 mM triethylammonium acetate buffer, pH 7.5 containing linear gradient of acetonitrile from 0% to 25% in 7 mins on Synergy 4 micron Hydro-RP column (Phenominex). Compound **97**: RT 5.50 mins. ^{31}P NMR: δ +42.45(1P, d), -6.80 (1P, d), -23.36 (1P, q). MS: m/z 544.9 [M-1]. Compound **98**: RT 6.01 mins. ^{31}P NMR: δ +41.80(1P, d), -6.57 (1P, d), -23.45 (1P, q). MS: m/z 544.9 [M-1].

EXAMPLE 71
COMPOUND 99




[0684] To a solution of **99a** (0.31 g, 0.8 mmol) in anhydrous methanol (2 mL), was added 10 % Pd/C (30 mg), and the mixture was stirred under H_2 atmosphere for 1 h. After completion, the mixture was filtered, and the catalyst cake was washed with methanol. The washing and filtrate were combined. The solvent was removed under vacuum to give **99b** as a semi-solid (252 mg), which was used without further purification. ^{1}H NMR ($CDCl_3$, 400 MHz) δ 5.57 (d, J = 13.6 Hz, 4H), 4.23 (q, J = 7.2 Hz, 4H), 1.30 (t, J = 7.2 Hz, 6H), ^{31}P NMR ($CDCl_3$) δ 4.64 (s).

[0685] To a solution of triethylammonium bis (EOC) phosphate (0.7 mmol, prepared from 213 mg of **99b** and 0.2 mL of TEA) in THF (3 mL) was added **99-1** (160 mg, 0.45 mmol) followed by diisopropylethylamine (0.33 mL, 1.8 mmol), BOP-Cl (229 mg, 0.9 mmol), and 3-nitro-1,2,4-triazole (103 mg, 0.9 mmol). The mixture was stirred at RT for 90 mins. The mixture was diluted with EtOAc, and washed with water and brine. The organic layer was separated, dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to a white solid, which was purified on silica gel column (CH_3OH:DCM; 9.5:0.5) to give **99-2** (189 mg, 66 %).

[0686] To a solution of **99-2** (180 mg, 0.28 mmol) in 80% HCOOH (7 mL), was heated for 6 h at 45 ^{0}C. The solvents were evaporated, and then co-evaporated with toluene 3 times. The residue was purified on silica gel column using 0 to 10% MeOH in DCM to


obtain compound **99** (97.3 mg) as a white foam after lypholization. MS: m/z = 575.1 $[M+H]^+$.

EXAMPLE 72
COMPOUND 100




[0687] Compound **100a** was prepared from commercially available 2-(2-methoxyethoxy)-ethanol (11.56 mL). Compound **100a** (13.5 g) was obtained as a clear colorless oil. ^{1}H-NMR ($CDCl_3$) δ 5.73 (s, 2H), 4.38-4.40 (m, 2H), 3.74-3.77 (m, 2H), 3.64-3.67 (m, 2H), 3.54-3.57 (m, 2H), 3.39 (s, 3H). Compound **100b** (9.6 g) was prepared from **100a**, and was obtained as a clear, slightly colored oil. ^{1}H-NMR ($CDCl_3$) δ 5.96 (s, 2H), 4.38-4.40 (m, 2H), 3.74-3.77 (m, 2H), 3.64-3.67 (m, 2H), 3.54-3.57 (m, 2H), 3.39 (s, 3H). Benzylphosphate (silver salt) and **100b** (2.4 g) were reacted and yielded purified **100c** (1.02 g). ^{1}H-NMR (CD_3CN): δ 7.39-7.42 (m, 5H), 5.60 (d, 4H), 5.11 (d, 2H), 4.27-4.29 (m, 4H), 3.65-3.67 (m, 4H), 3.56 (t, 4H), 3.46 (t, 4H), 3.30 (s, 6H). ^{31}P-NMR (CD_3CN): δ - 4.55 ppm. Compound **100c** (620 mg; 1.15 mmol) was deprotected to give **100-1** (triethylammonium salt), which was used immediately without further purification. Compound **54-6** (356 mg; 1.0 mmol) and **100-1** were reacted to give purified **100-2** (250 mg). Compound **100-2** (250 mg) was deprotected to yield purified compound **100** (110 mg , 0.14 mmol). The aforementioned reactions were conducted using a method described in the preparation of compound **54**. ^{1}H-NMR ($CDCl_3$): δ 8.62 (s, 1H), 7.54 (d, 1H), 5.96 (s, 1H), 5.64-5.79 (m, 5H), 4.76 (dd, 2H), 4.37-4.46 (m, 6H), 4.25 (d, 2H), 3.86 (s, 1H), 3.75 (t, 4H), 3.70 (t, 4H), 3.58 (t, 4H), 3.38 (s, 6H), 1.65 (s, 6H), 1.25 (s, 3H). ^{31}P-NMR ($CDCl_3$): δ - 3.90 ppm.

EXAMPLE 73
COMPOUND 104



[0688] Compound **44** (0.010g, 0.016mmol) was added to normal saline solution (3 mL, pH 7.3), and stored in a heat block at 37°C for 6 days. The mixture was purified by preparative HPLC using a Synergi 4u Hydro-RP column (Phenomenex, 00G-4375-U0-AX), with H_2O (0.1% formic acid) and ACN (0.1% formic acid) solvents (0-65% gradient in 20 minutes). The compound eluted at 13.0 mins. Pure fractions were pooled and lyophilized to yield compound **104** (0.005g, 63%). MS: m/z = 487 [M+1].


EXAMPLE 74
COMPOUND 102



[0689] A mixture of **102-1** (45 mg, 0.06 mmol) and butylamine (0.4 mL) was kept overnight at RT and then evaporated. The crude residue was purified on silica gel (10 g column) with CH_2Cl_2/MeOH (4-12% gradient) to yield **102-2** as a colorless glass (20 mg, 56%).

[0690] To a solution of **102-2** (20 mg, 0.03 mmol) in ACN (0.5 mL) was added 4N HCl in dioxane (35 μL). The mixture was stirred at RT for 4 h and then quenched with MeOH. The residue was treated with ACN to yield compound **102** as an off-white solid (9 mg, 80%). MS m/z = 328 [M+1].

EXAMPLE 75
COMPOUND 105



[0691] To a solution of **105-1** (50 g, 203 mmol) in anhydrous pyridine (200 mL) was added TBDPS-Cl (83.7 g, 304 mmol). The reaction was allowed to proceed overnight at RT. The solution was concentrated under low pressure to give a residue, which was partitioned between ethyl acetate and water. The organic layer was separated, washed with brine, dried over magnesium sulfate and concentrated under reduced pressure to give 5'-OTBDPS ether as a white foam (94 g).

[0692] To a solution of the 5'-OTBDPS ether (94.0 g, 194.2 mmol) in anhydrous DCM (300 mL) were added silver nitrate (66.03 g, 388.4 mmol) and collidine (235 mL, 1.94 mol). The mixture was stirred at RT. After 15 mins, the mixture was cooled to 0°C, and monomethoxytrityl chloride (239.3 g, 776.8 mmol) was added as a single portion. After being stirred overnight at RT., the mixture was filtered through Celite and the filtrate was diluted with TBME. The solution was washed successively with 1M citric acid, diluted brine and 5% sodium bicarbonate. The organic solution was dried over sodium sulfate and concentrated under vacuum to give the fully protected intermediate as a yellow foam.

[0693] This fully protected intermediate was dissolved in toluene (100 mL) and the solution was concentrated under reduced pressure. The residue was dissolved in anhydrous THF (250 mL) and treated with TBAF (60 g, 233 mmol). The mixture was stirred for 2 h at RT., and the solvent was removed under reduced pressure. The residue was taken

into ethyl acetate and the solution was washed first with saturated sodium bicarbonate and then with brine. After being dried over magnesium sulfate, the solvent was removed in vacuum and the residue was purified by column chromatography (50% EA in PE) to give **105-2** (91 g, 86.4%) as a white foam.

[0694] To a solution of **105-2** (13.5 g, 26 mmol) in DCM (100 mL) was added pyridine (6.17 mL, 78 mmol). The solution was cooled to 0°C, and Dess-Martin periodinane (33.8 g, 78 mmol) was added as a single portion. The reaction mixture was stirred for 4 h at RT., and quenched by the addition of $Na_2S_2O_3$ solution (4%) and sodium bicarbonate aqueous solution (4%) (the solution was adjusted to pH 6, ~150 mL). The mixture was stirred for 15 mins. The organic layer was separated, washed with diluted brine and concentrated under reduced pressure. The residue was dissolved in dioxane (100 mL) and the solution was treated with 37% aqueous formaldehyde (21.2 g, 10 eq.) and 2N aqueous sodium hydroxide (10 eq.). The reaction mixture was stirred at RT., overnight. After stirring for 0.5 h at RT., the excess of aqueous sodium hydroxide was removed with saturated NH_4Cl (~150 mL). The mixture was concentrated under reduced pressure, and the residue was partitioned between ethyl acetate and 5% sodium bicarbonate. The organic phase was separated, washed with brine, dried over magnesium sulfate and concentrated. The residue was purified by column chromatography (2% MeOH in DCM) to give **105-3** (9.2 g, 83.6%) as a white foam.

[0695] Compound **105-3** (23 g, 42.0 mmol) was co-evaporated with toluene twice. The residue was dissolved in anhydrous DCM (250 mL) and pyridine (20 mL). The solution was cooled to 0 °C, and triflic anhydride (24.9 g, 88.1 mmol) was added dropwise over 10 mins. At this temperature, the reaction was stirred for 40 mins. The reaction was monitored by TLC (PE: EA= 2:1 and DCM: MeOH= 15:1). After completion, the reaction mixture was quenched with water (50 mL) at 0 °C. The mixture was stirred for 30 mins, and extracted with EA. The organic phase was dried over Na_2SO_4 and filtered through a silica gel pad. The filtrate was concentrated under reduced pressure, and the residue was purified by column chromatography (50% EA in PE) to give **105-4** (30.0 g, 88.3%) as a brown foam.

[0696] To a stirred solution of **105-4** (4.4 g, 5.42mmol) in anhydrous DMF (50 mL) was added NaH (260 mg, 6.5 mmol) at 0 °C under nitrogen atmosphere. The solution


was stirred at RT., for 1.5 h. The solution was used for the next step without any further workup.

[0697] To the stirred solution was added NaN_3 (1.5 g, 21.68 mmol) at 0 °C under nitrogen atmosphere, and the resulting solution was stirred at RT. for 1.5 h. The reaction was quenched with water, extracted with EA, washed with brine, and dried over $MgSO_4$. The concentrated organic phase was used for the next step without further purification.

[0698] To a solution of **105-6** (3.0 g, 5.4 mmol) in anhydrous 1,4-dioxane (18 mL) was added NaOH (5.4 mL, 2M in water) at RT. The reaction mixture was stirred at RT. for 3 h. The reaction was diluted with EA, washed with brine, and dried over $MgSO_4$. The concentrated organic phase was purified on a silica gel column (30% EA in PE) to give **105-7** (2.9 g, 93%) as a white foam.

[0699] Compound **105-7** (520 mg, 0.90 mmol) was dissolved in 80% of HCOOH (20 mL) at RT. The mixture was stirred for 3 h, and monitored by TLC. The solvent was removed and the residue was treated with MeOH and toluene for 3 times. NH_3/MeOH was added, and the reaction mixture was stirred at RT., for 5 mins. The solvent was concentrated to dryness and the residue was purified by column chromatography to give compound **105** (120 mg, 44.4%) as a white solid. ESI-LCMS: m/z 302.0 $[M + H]^+$, 324.0$[M + Na]^+$.

EXAMPLE 76
COMPOUND 106




[0700] To a stirred solution of **105-7** (1.1 g, 2.88 mmol) in anhydrous DCM (10 mL) was added MMTrCl (1.77 g, 5.76 mmol), $AgNO_3$ (1.47 g, 8.64 mmol) and collidine (1.05 g, 8.64 mmol) at 25°C under a N_2 atmosphere. The reaction was refluxed for 12 h.

MeOH (20 mL) was added and the solvent was removed to dryness. The residue was purified on a silica gel column (20% EA in PE) to give **106-1** (1.6 g, 85.1%) as a white foam.

[0701] To a stirred solution of **106-1** (800 mg, 0.947 mmol) in anhydrous MeCN (10 mL) were added TPSCl (570 mg, 1.89 mmol), DMAP (230 mg, 1.89 mmol) and TEA (190 mg, 1.89 mmol) at RT. The mixture was stirred for 12 h. NH_4OH (25 mL) was added and the mixture was stirred for 2 h. The solvent was removed, and the residue was purified on a silica gel column as a yellow foam. Further purification by prep-TLC gave **106-2** (700 mg, 87.1%) as a white solid.

[0702] Compound **106-2** (300 mg, 0.355 mmol) was dissolved in 80% of HCOOH (5 mL) at RT. The mixture was stirred for 3 h, and monitored by TLC. The solvent was then removed and the residue was treated with MeOH and toluene (3 times). NH_3/MeOH was added and the mixture was stirred at RT, for 5 mins. The solvent was removed and the residue was purified by column chromatography to give compound **106** (124 mg, 82.6%) as a white solid. ESI-LCMS: m/z 301.0 $[M + H]^+$, 601.0$[2M + H]^+$.

EXAMPLE 77
COMPOUND 108



[0703] To a stirred suspension of **108-1** (20 g, 77.5 mmol), PPh_3 (30 g, 114.5 mmol), imidazole (10 g, 147 mmol) and pyridine (90 mL) in anhydrous THF (300 mL) was added a solution of I_2 (25 g, 98.4 mmol) in THF (100 mL) dropwise at 0 °C. The mixture was warmed to room temperature (RT) and stirred at RT for 10 h. The reaction was quenched by MeOH (100 mL). The solvent was removed, and the residue was re-dissolved in a mixture ethyl acetate (EA) and THF (2 L, 10:1). The organic phase was washed with saturated $Na_2S_2O_3$ aq., and the aqueous phase was extracted with a mixture of EA and THF (2 L, 10:1). The organic layer was combined and concentrated to give a residue, which was purified on a

silica gel column (0-10% MeOH in DCM) to give **108-2** (22.5 g, 78.9%) as a white solid. ^{1}H NMR: (DMSO-d_6, 400 MHz) δ 11.42 (s, 1H), 7.59 (d, J = 8.4 Hz, 1H), 5.82 (s, 1H), 5.63 (d, J = 8.0 Hz, 1H), 5.50 (s, 1H), 5.23 (s, 1H), 3.77-3.79 (m, 1H), 3.40-3.62 (m, 3H), 0.97 (s, 3H).

[0704] To a stirred solution of **108-2** (24.3 g, 66.03 mmol) in anhydrous MeOH (240 mL) was added NaOMe (10.69 g, 198.09 mmol) at RT under N_2. The mixture was refluxed for 3 h. The solvent was removed, and the residue was re-dissolved in anhydrous pyridine (200 mL). To the mixture was added Ac_2O (84.9 g, 833.3 mmol) at 0 °C. The mixture was warmed to 60 °C and stirred for 10 h. The solvent was removed, and the residue was diluted with DCM, washed with saturated $NaHCO_3$ and brine. The organic layer was concentrated and purified on a silica gel column (10-50% EA in PE) to give **108-3** (15 g, 70.1%) as a white solid. ^{1}H NMR: ($CDCl_3$, 400 MHz) δ 8.82 (s, 1H), 7.23 (d, J = 2.0 Hz, 1H), 6.54 (s, 1H), 5.85 (s, 1H), 5.77 (dd, J = 8.0, 2.0 Hz, 1H), 4.69 (d, J = 2.4 Hz, 1H), 4.58 (d, J = 2.8Hz, 1H), 2.07 (d, J = 5.2Hz, 6H), 1.45 (s, 3H).


[0705] To an ice cooled solution of **108-3** (15 g, 46.29 mmol) in anhydrous DCM (300 mL) was added AgF (29.39 g, 231.4 mmol). I_2 (23.51 g, 92.58 mmol) in anhydrous DCM (1.0 L) was added dropwise to the solution. The reaction mixture was stirred at RT for 5 h. The reaction was quenched with saturated $Na_2S_2O_3$ and $NaHCO_3$, and extracted with DCM. The organic layer was separated, dried and evaporated to dryness. The residue was purified on a silica gel column (10-30% EA in PE) to give **108-4** (9.5 g, 43.6%) as a white solid. ^{1}H NMR: (Methanol-d_4, 400 MHz) δ 7.52 (d, J = 8.0 Hz, 1H), 6.21 (s, 1H), 5.80 (d, J = 17.2 Hz, 1H), 5.73 (d, J = 8.0 Hz, 1H), 3.58 (s, 1H), 3.54 (d, J = 6.8 Hz, 1H), 2.17 (s, 3H), 2.09 (s, 3H), 1.58 (s, 3H).

[0706] To a solution of **108-4** (7.0 g, 14.89 mmol) in anhydrous DMF (400 mL) were added NaOBz (21.44 g, 148.9 mmol) and 15-crown-5 (32.75 g, 148.9 mmol). The reaction mixture was stirred at 130 °C for 6 h. The solvent was removed, diluted with EA and washed with water and brine. The organic layer was evaporated and purified on a silica gel column (10-30% EA in PE) to give **108-5** (2.8 g, 40.5%). ESI-MS: m/z 444.9 $[M - F + H]^+$.

[0707] A mixture of **108-5** (4.0 g; 8.6 mmol) and liquid ammonia was kept overnight at RT in a high-pressure stainless-steel vessel. Ammonia was then evaporated, and


the residue purified on silica (50g column) with a CH_2Cl_2/MeOH solvent mixture (4-12% gradient) to yield compound **108** as a colorless foam (2.0 g; 84% yield). ESI-MS: m/z 275.1 $[M - H]^-$.

EXAMPLE 78
COMPOUNDS 109 AND 110



[0708] Dry compound **108** (14 mg, 0.05 mmol) was dissolved in the mixture of $PO(OMe)_3$ (0.750 mL) and pyridine (0.5 mL). The mixture was evaporated in vacuum for 15 mins at bath temperature 42 ^{0}C, and then cooled down to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $POCl_3$ (0.009 mL, 0.1 mmol). The mixture was kept at RT for 45 mins. Tributylamine (0.065 mL, 0.3 mmol) and N-tetrabutyl ammonium salt of pyrophosphate (100 mg) was added. Dry DMF (about 1 mL) was added to get a homogeneous solution. In 1 h, the reaction was quenched with 2M ammonium acetate buffer (1 mL, pH = 7.5), diluted water (10 mL) and loaded on a column HiLoad 16/10 with Q Sepharose High Performance. The separation was done in linear gradient of NaCl from 0 to 1N in 50 mM TRIS-buffer (pH7.5). The fractions eluted at 60% buffer B contained Compound **109** and at 80% buffer B contained Compound **110**. The corresponding fractions were concentrated, and the residue purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 30% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer. Compound **109**: P^{31}-NMR (D_2O): -3.76 (s); MS: 378.2 [M-1]. Compound **110**: P^{31}-NMR (D_2O): -9.28(d, 1H, Pα), -12.31(d, 1H, Pγ), -22.95(t, 1H, Pβ); MS 515.0 [M-1].


EXAMPLE 79
COMPOUND 112



112

[0709] Compound **112** (36 mg, 63%) was synthesized as described for compound **2** using a neopentyl ester phosphorochloridate reagent. MS: 572.6 [M-1].

EXAMPLE 80
COMPOUNDS 116 AND 117




108 116 & 117

[0710] Dry compound **108** (14 mg, 0.05 mmol) was dissolved in the mixture of $PO(OMe)_3$ (0.750 mL) and pyridine (0.5 mL). The mixture was evaporated in vacuum for 15 mins at bath temperature 42 ^{0}C, and then cooled down to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $PSCl_3$ (0.01 mL, 0.1 mmol). The mixture was kept at RT for 1 h. Tributylamine (0.065 mL, 0.3 mmol) and N-tetrabutyl ammonium salt of pyrophosphate (200 mg) was added. Dry DMF (about 1 mL) was added to get a homogeneous solution. In 2 h, the reaction was quenched with 2M ammonium acetate buffer (1 mL, pH = 7.5), diluted with water (10 mL) and loaded on a column HiLoad 16/10 with Q Sepharose High Performance. Separation was done in linear gradient of NaCl from 0 to 1N in 50 mM TRIS-buffer (pH7.5). The fractions eluted at 80% buffer B contained compounds **116** and **117.** The corresponding fractions were concentrated, and the residue purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 20% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. Two peaks were collected. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer. Peak 1 (more polar): ^{31}P-NMR (D_2O): +42.68(d, 1H, Pα), -9.05(d, 1H, Pγ), -22.95(t, 1H, Pβ); MS 530.9.0 [M-1]. Peak 2 (less

polar): ^{31}P-NMR (D_2O): +42.78(d, 1H, Pα), -10.12(bs, 1H, Pγ), -23.94(t, 1H, Pβ); and MS 530.9.0 [M-1].


EXAMPLE 81
COMPOUNDS 118 AND 121



118 121

[0711] The diastereomers of compound **5** were separated by RP-HPLC. A gradient of 10-43%ACN in H_2O over 26 mins on a Synergi Hydro RP 30 x 250 m 4u particle column (Phenomenex PN 00G-4375-U0-AX) eluted compound **121** (29.5 mins) and compound **118** (30.1 mins). Pure fractions were lyophilized to produce a white powder. Compound **121**: ^{31}P-NMR (DMSO-d6) 3.448 ppm; MS: m/z: 544 M-1; Compound **118**: ^{31}P-NMR (DMSO-d6) 3.538 ppm; MS: m/z: 544 M-1.


EXAMPLE 82
COMPOUNDS 120 AND 119



120 119

[0712] The diastereomers of compound **8** were separated by RP-HPLC. A gradient of 25-52%ACN in H_2O over 26 minutes on a Synergi Hydro RP 30x250 m 4u particle column (Phenomenex PN 00G-4375-U0-AX) eluted compound **119** (24.8 mins) and compound **120** (25.3 mins). Pure fractions were lyophilized to produce a white powder. Compound **119**: ^{31}P-NMR (DMSO-d6) 3.492 ppm; MS: m/z: 584 M-1. Compound **120**: ^{31}P-NMR (DMSO-d6) 3.528 ppm; MS: m/z: 584 M-1.


EXAMPLE 83
COMPOUND 122, Bis-lithium Salt



[0713] Compound **122-1** was synthesized using a procedure similar for preparing compound **2** using alanine benzyl ester hydrochloride. LCMS: m/z 592 $[M-1]^-$.

[0714] To a solution of **122-1** (1.1 g, 1.85 mmol) in dioxane (15 mL) and water (3 mL) was added aqueous triethylammonium acetate (2M, 2 mL, 4 mmol) followed by Pd-C (10%, 100 mg). The mixture was hydrogenated (balloon) for 2 h, and monitored by HPLC. The catalyst was filtered off, and the filtrate was concentrated to dryness. The residue was suspended in 3% solution of lithium perchlorate in acetone (25 mL). The solid was isolated by filtration, rinsed with acetone and dried under vacuum to give compound **122** (bis-lithium salt) (731 mg, 90%). LCMS: m/z 426 $[M-1]^-$.


EXAMPLE 84
COMPOUND 151



[0715] Compound **108** (40 mg, 0.14 mmol) and triethylammonium bis(pivaloyloxymethyl)phosphate (0.21 mmol, prepared from 80 mg of bis(pivaloyloxymethyl)phosphate and 30 μL of Et_3N) were rendered anhydrous by coevaporating with pyridine, followed by toluene. The evaporated residue was dissolved in anhydrous THF (2 mL) and cooled in an ice-bath. Diisopropylethyl amine (73 μL, 3 eq.), BopCl (71 mg, 2 eq.), and 3-nitro-1,2,4-triazole (32 mg, 2 eq.) were added. The mixture was

stirred at 0 °C for 90 mins. The mixture was then diluted with EtOAc, washed with sat. aq. $NaHCO_3$ and brine, and dried (Na_2SO_4). Purification on silica gel column with CH_2Cl_2 /i-PrOH (4-10% gradient) followed by RP-HPLC purification (A: water, B: MeCN) yielded compound **151** (13 mg, 16%). MS: m/z = 1167 [2M-1].


EXAMPLE 85
COMPOUND 159



[0716] To a solution of triethylammonium bis(isopropyloxycarbonyloxyethyl-1)phosphate (0.28 mmol, prepared from 100 mg of bis(isopropyloxycarbonyloxyethyl-1)phosphate and 40 μL of Et_3N) in THF was added **159-1** (60 mg, 0.18 mmol). The mixture was evaporated and rendered anhydrous by coevaporating with pyridine follow by toluene. The evaporated residue was dissolved in anhydrous THF (2.5 mL) and cooled in an ice-bath. Diisopropylethyl amine (94 μL, 3 eq.) was added, followed by BOP-Cl (92 mg, 2 eq.) and 3-nitro-1,2,4-triazole (41 mg, 2 eq.). The mixture was stirred at 0 °C for 90 mins., diluted with EtOAc and washed with sat. aq. $NaHCO_3$ and brine, and dried (Na_2SO_4). The residue was purified on a silica gel column with CH_2Cl_2/i-PrOH (3-10% gradient) to yield **159-2** (19 mg, 17%).

[0717] A solution of **159-2** (19 mg, 0.03 mmol) in 80% aq. HCOOH was stirred at RT for 90 mins., and then concentrated. The residue was coevaporated with toluene and then with MeOH containing small amount of Et_3N (1 drop). Purification on a silica gel column with CH_2Cl_2/MeOH (4-10% gradient) yielded compound **159** (5 mg, 26%). MS: m/z = 629 [M-1].


EXAMPLE 86
COMPOUND 160



[0718] A mixture of benzyloxycarbonyl-L-valine (55 mg, 0.22 mmol) in THF (1 mL) and CDI (36 mg, 0.22 mmol) was stirred at RT for 1.5 h and then at 40 °C for 20 mins. The solution was added to a mixture of compound **44** (122 mg, 0.2 mmol) and DMAP (3 mg, 0.03 mmol) in DMF (1.5 mL) and TEA (0.75 mL) at 80 °C. The mixture was stirred at 80 °C for 1 h. After cooling, the mixture was concentrated, and the residue partitioned between *tert*-butyl methyl ether and water. The organic layer was washed with 0.1 N citric acid, sat. aq. $NaHCO_3$ and brine, and dried (Na_2SO_4). The residue was purified on a silica gel column with CH_2Cl_2/i-PrOH (4-10% gradient) to yield **160-1** (83 mg, 50%) as a colorless foam.

[0719] To a solution of **160-1** (83 mg, 0.1 mmol) in EtOH were added HCl (4 N in dioxane; 50 μL, 2 eq.) and 10% Pd/C (5 mg). The mixture was stirred under H_2 atmosphere (normal pressure) for 1 h. The catalyst was removed by filtration through a Celite pad, and the filtrate evaporated to yield compound **160** (50 mg) as a white solid. MS: m/z = 702 [M+1].


EXAMPLE 87
COMPOUND 113



[0720] Compound **5-2** (32 mg, 0.1 mmol) was dissolved in dry THF (3 mL) and 2M solution of isopropylmagnesium bromide in THF (0.1 mL) was added at 0 °C. The reaction was left for 1 h at RT, and phenyl(isopropyl-L-alaninyl) thiophosphorochloridate was added (0.3 mmol). The mixture was left overnight at RT. LSMS analysis showed about


20% of unreacted starting material. The same amount of Grignard reagent and thiophosphorochloridate were added, and the mixture was heated at 37 ^{0}C for 4 h. The reaction was quenched with NH_4Cl. The product was extracted with EA, washed with brine, dried over Na_2SO_4, and evaporated. The resulting oil was dissolved in 80% formic acid (4 mL) and in 1 h evaporated. Compound **113** was purified by RP HPLC in gradient of methanol in water from 30% to 95% on Synergy 4u Hydro-RP column (Phenominex) yielding a colorless solid. Compound **113** (7 mg, yield 12.5%). MS: m/z = 560.0 [M-H].

EXAMPLE 88
COMPOUND 125



[0721] Compound **125-1** (109 mg) was dissolved in 80% HCOOH (15 mL) and kept for 3 h at RT, then evaporated. The residue was treated with NH_3/MeOH for 1 h at RT to remove formyl-containing side-products. After evaporation compound **125** was purified by crystallization using methanol to yield compound **125** (52 mg, 86%). MS: 339.6 [M-1], 679.7 [2M-1].

EXAMPLE 89
COMPOUND 148



[0722] Compound **148-1** (15.0 g, 25.55 mmol) was treated with 90% HOAc (150 mL) at RT. The mixture was stirred at 110 ^{0}C for 12 h, and then concentrated at a low pressure. The residue was dissolved in DCM, and the solution was washed with brine. The

organic phase was dried over anhydrous Na_2SO_4, and then concentrated at a low pressure. The residue was purified by column chromatography (5% MeOH in DCM) to give **148-2** (11.0 g, 88.9%) as a white solid.

[0723] Compound **148-2** (12.0 g, 24.79 mmol) was treated with NH_3 in MeOH (200 mL, 7 M) at RT. The solution was stirred at RT for 12 h, and then concentrated at a low pressure. The residue was purified by column chromatography (10% MeOH in DCM) to give **148-3** (6.5 g, 95.0%) as a white solid.

[0724] To a stirred suspension of **148-3** (4.3 g, 15.58 mmol), PPh_3 (8.16 g, 31.15 mmol), imidazole (2.11 g, 31.15 mmol) and pyridine (15 mL) in anhydrous THF (45 mL) was added a solution of I_2 (7.91 g, 31.15 mmol) in THF (100 mL) dropwise at 0 °C. The mixture was slowly warmed to RT and stirred overnight. The mixture was quenched with MeOH (100 mL). The solvent was removed at a low pressure, and the residue was re-dissolved in a mixture of EA and THF (0.2 L, 10:1). The organic phase was washed with sat. $Na_2S_2O_3$ aq. (2x). The aqueous phase was extracted with a mixture of EA and THF (0.2 L, 10:1, 2x). The concentrated organic phase was dried over anhydrous Na_2SO_4. The residue was purified on a silica gel column (0-10% MeOH in DCM) to afford **148-4** (5.1 g, 85.0%) as a white solid.

[0725] Compound **148-4** (800 mg, 2.07 mmol) was dissolved in a mixture of DBU (4 mL) and THF (4 mL) at RT under N_2. The solution was stirred at RT for 1 h. The mixture was neutralized with HOAc, and extracted with a mixture of EA and THF (10:1, 40 mL). The organic phase was washed with brine, and dried over anhydrous Na_2SO_4. The concentrated organic phase was purified by column chromatography (0-10% MeOH in DCM) to give **148-5** (240 mg, 44.9%) as a white solid.

[0726] To an ice-cooled solution of **148-5** (1.20 g, 4.65 mmol) in anhydrous MeCN (12 mL) was added NIS (1.57 g, 6.97 mmol) and TEA•3HF (1.12 g, 6.97 mmol) under N_2. The mixture was stirred at RT for 5 h. The reaction was quenched with sat. $NaHCO_3$ solution, and extracted with EA (3 x 100 mL). The organic phase was dried over anhydrous Na_2SO_4, and evaporated to dryness at low pressure. The residue was purified on a silica gel column (0-5% MeOH in DCM) to give **148-6** (0.91 g, 48.6%) as a white solid.


[0727] To a stirred solution of **148-6** (1.2 g, 2.97 mmol) in anhydrous DCM (12 mL) was added BzCl (0.83 g, 5.94 mmol), TEA (0.6 g, 5.94 mmol) and DMAP (0.72 g, 5.94

mmol) successively at RT. The mixture was stirred at RT for 12 h. The reaction was quenched with water, and extracted with EA (3 x 60 mL). The organic phase was concentrated at low pressure. The residue was purified by column chromatography (0-5% MeOH in DCM) to give **148-7** (1.2 g, 66.2%) as a white solid.

[0728] Tetra-butyl ammonium hydroxide (25.78 mL, 51.78 mmol) was neutralized with TFA (4.3 mL) to pH=4, and the solution was added to a solution of **148-7** (1.09 g, 2.14 mmol) in DCM (30 mL). *m*-CPBA (1.85 g, 10.74 mmol) was added portion-wise under vigorous stirring, and the mixture was stirred for 12 h. The mixture was diluted with EA (100 mL), and washed with sat. sodium bicarbonate. The organic phase was concentrated at low pressure. The residue was purified by column chromatography (50% EA in PE) to give **148-8** (350 mg, 41.1%) as a white solid.

[0729] Compound **148-8** (280 mg, 0.704 mmol) was treated with NH_3 in MeOH (10 mL, 7 M) at RT. The mixture was stirred at RT for 2 h. The mixture was concentrated at a low pressure. The residue was purified by column chromatography (0-10% MeOH in DCM) to give compound **148** (110 mg, 53.1%) as a white solid. ESI-LCMS: m/z 295.1 $[M+H]^+$.

EXAMPLE 90
COMPOUND 150



[0730] To an ice-cooled solution of **150-1** (10 g, 42 mmol) in anhydrous MeCN (200 mL) was added TEA•3HF (10 g, 62.5 mmol) and NIS (28 g, 126 mmol). The mixture was stirred at RT for 1.5 h, and monitored by LCMS. After the reaction was completed, the mixture was concentrated at a low pressure. The residue was purified by silica gel column chromatography (15% MeCN in DCM) to give **150-2** (12 g, 74%) as a yellow solid.

[0731] To a solution of **150-2** (22 g, 57 mmol) in anhydrous DCM (200 mL) was added DMAP (21 g, 171 mmol) and BzCl (17.6 g, 125 mol). The mixture was stirred for 5 h at RT, and monitored by LCMS. The solution was washed with sat. $NaHCO_3$ solution and brine, and extracted with EA. The organic phase was dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated at low pressure. The residue was purified by silica gel column chromatography (20% EA in PE) to give **150-3** (30 g, 88%) as a white foam.

[0732] To a solution of **150-3** (6.5 g, 11 mmol) in anhydrous DMF (270 mL) was added NaOBz (15.8 g, 110 mmol) and 15-crown-5 (29 g, 132 mmol). The mixture was stirred at 95 ^{o}C for 48 h. The precipitate was removed by filtration, and the organic solvent was removed at low pressure. The residue was dissolved in EA (200 mL), and the solution was washed with sat. $NaHCO_3$ solution, and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated at low pressure. The residue was purified by silica gel column chromatography (20% EA in PE) to give **150-4** (3 g crude, 46.1%) as an oil.


[0733] Compound **150-4** (3 g, crude) was treated with NH_3 in MeOH (120 mL, 7 M). The mixture was stirred for 3 h and monitored by TLC. The solution was concentrated at low pressure. The residue was purified by silica gel column chromatography (10% isopropanol in DCM) to give **150-5** (1.0 g, 67%) as a white solid. ^{1}H-NMR (CD_3OD, 400MHz) δ = 1.19(s, 3H), 3.76-3.82 (m, 2H), 4.02 (d, J = 19.8 Hz, 1H), 5.70 (d, J = 8.07 Hz, 1H), 6.27 (s, 1H), 7.89 (d, J = 8.07 Hz, 1H).

[0734] Compound **150-5** (100 mg, 0.36 mmol) was co-evaporated with toluene 3 times. To a stirred solution of **150-5** (100 mg, 0.36 mmol) in a mixture of MeCN (1.0 mL) and NMI (295 mg, 3.6 mmol) was added a solution of **150-C** (255.6 mg, 0.72 mmol, preparation described below) in MeCN (0.5 mL) at 0 ^{0}C. The mixture was stirred at RT overnight. The reaction was quenched with water, and diluted with EA (20 mL). The organic layer was washed with water and brine. The organic layer was dried over anhydrous

Na_2SO_4. The organic phase was concentrated at low pressure. The residue was purified on a silica gel column (5% *i*-PrOH in DCM) to give the crude product. The product was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give compound **150** (46.7 mg, 23.3%) as a white solid. ESI-LCMS: m/z 618 $[M + Na]^+$.

[0735] To a stirred solution of **150-A** (2.0 g, 13.16 mmol) and naphthalen-1-ol (1.89 g, 13.16 mmol) in anhydrous DCM (100 mL) was added a solution of TEA (1.33 g, 13.16 mmol) in DCM (20 mL) dropwise at -78 °C. After addition, the mixture was gradually warmed to RT, and stirred for 2 h. The solution was cooled to -78 °C, and (S)-isopropyl 2-aminopropanoate hydrochloride (2.20 g, 13.16 mmol) in DCM (20 mL) was added, followed by TEA (2.66 g, 26.29 mmol) in DCM (20 mL) dropwise. The mixture was gradually warmed to RT, and stirred for 2 h. The organic solvent was removed at low pressure. The residue was dissolved in methyl-butyl ether. The precipitate was filtered, and the filtrate was concentrated at low pressure. The residue was purified on a silica gel column (anhydrous DCM) to give **150-C** (1.0 g, 24.8%) as a colorless oil.

EXAMPLE 91
COMPOUNDS 152 AND 153




[0736] To a solution of **150-5** (300 mg, 1.08 mmol) and NMI (892 mg, 10 mmol) in anhydrous MeCN (4 mL) was added a solution of **152-C** (736 mg, 2 .17 mmol, preparation described below) in anhydrous MeCN (1 mL) dropwise at 0 °C. The mixture was stirred at RT overnight. The reaction was quenched with water, and diluted with EA (30 mL). The organic layer was washed with water and brine. The organic phase was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by a silica gel column (iPrOH in DCM from 1% to 5%) to give crude compound **152** (276 mg, crude). Crude

compound **152** (96 mg) was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give pure compound **152** (46 mg, 47.9%) as a white solid. ESI-LCMS: m/z 560 $[M - F]^+$.

[0737] To a solution of compound **152** (180 mg, 0.31 mmol) in anhydrous pyridine (6 mL) was added acetic anhydride (158 mg, 1.54 mmol) dropwise at 0 °C. The mixture was stirred at RT overnight. The solution was quenched with water and concentrated at a low pressure. The residue was dissolved in EA (10 mL), and washed with brine. The organic layer was dried over anhydrous Na_2SO_4. The organic phase was concentrated at low pressure. The residue was purified by silica gel column (*i*-PrOH in DCM from 1% to 3%) to give crude compound **153** (172 mg). Crude compound **153** was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give pure compound **153** (46 mg, 23.8%) as a white solid. ESI-LCMS: m/z 602.3 $[M - F]^+$.

[0738] Compound **152-C** (1.02 g, 23%, a colorless oil) was prepared using a procedure similar to the preparation of **150-C** using **150-A** (2.00 g, 13.16 mmol) and 4-chlorophenol (1.68 g, 13.16 mmol).

EXAMPLE 92
COMPOUND 165



[0739] To a solution of **165-1** (5 g, 0.02 mol), cyclopentanone (5.25 g, 0.06 mol, 4.5 eq.) and trimethoxymethane (6.52 g, 0.06 mol, 3 eq.) in MeCN (80 mL) was added $TSOH•H_2O$ (1.95 g, 0.01 mol). The mixture was heated at 80 °C overnight. The mixture was concentrated at low pressure. The residue was purified by column chromatography (20% EA in PE) to give **165-2** (3.8 g, 60%) as a white oil.

[0740] To a solution of **165-2** (5 g, 0.16 mol) in MeCN (50 mL, anhydrous) was added IBX (5.33 g, 0.019 mol, 1.11 eq.) at RT. The mixture was heated at 80 °C for 5 h. The mixture was cooled to R.T and filtered. The filtrate was concentrated to give **165-3** (4.5 g, purity: 90 %).

[0741] To a solution of **165-3** (5 g, 0.016 mol) and CH_2O (3.6 mL) in 1,4-dioxane (50 mL) was added NaOH solution (11.3 mL, 2 N) at RT. The mixture was stirred for 5 h at RT. $NaBH_4$ (1.48 g, 0.038 mol) was added at 0 °C, and stirred for 1 h. The reaction was quenched with H_2O (30 mL) and extracted with EA (3 x 30 mL). The organic layer was washed by brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatograph (50% EA in PE) to give **165-4** (2.1 g, 38%) as a white oil.

[0742] To a stirred solution of **165-4** (3 g, 0.0088 mol) and pyridine (3.51 mL, 5 eq.) in DCM (27 mL) was added Tf_2O (3.27 mL, 0.019 mol) at -35 °C. The mixture was slowly warmed to 0 °C and stirred for 2 h at 0 °C. The mixture was washed with sat. $NaHCO_3$ solution and extracted with DCM (3 x 30 mL). The organic layer was separated and washed by brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (5% EA in PE) to give **165-5** (2.65 g, 39%) as a white oil.

[0743] To a solution of **165-5** (12.3 g, 0.02 mol) in DMF (20 mL) was added NaH (0.977 g, 0.024 mol) at 0 °C. The mixture was stirred for 3 h at RT. The mixture was treated with LiCl (2.6 g, 0.062 mol), and then stirred for 2 h. The reaction was quenched with H_2O (20 mL) and extracted with EA (3 x 30 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (20% EA in PE) to give **165-6** (3.11 g, 45%) as a white oil.

[0744] To a solution of **165-6** (12 g, 0.035 mol) in THF (120 mL) was added NaOH solution (38.8 mL, 0.038 mol) at 0 °C, and stirred for 3 h. at RT. The mixture was

adjusted to pH=7 with HCl (1.0 N) solution, and extracted with EA (3 x 80 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **165-7** (7.58 g, 60%) as a white solid.

[0745] **165-7** (3 g, 8.0 mmol) was co-evaporated with toluene (30 mL). To a solution of **165-7** (3 g), DMAP (100 mg) and TEA (2.5 mL, 2 eq.) in DCM (30 mL) was added Bz_2O (2.01 g, 1 eq.) at 0 °C. The mixture was stirred for 3 h at RT. The reaction was quenched with H_2O, and extracted with DCM (3 x 30 mL). The DCM layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (5% EA in PE) to give **165-8** (3.1 g, 80%) as a white solid.


[0746] To a solution of **165-8** (200 mg, 0.43 mmol) in CH_3CN (2 mL, anhydrous) was added TPSCl (260 mg, 2 eq.), TEA (0.13 mL) and DMAP (106.4 mg, 2 eq.). The mixture was stirred for 2 h at RT.

[0747] The mixture was treated with $NH_3 \cdot H_2O$ (33%, 1.33 mL), and stirred for 2 h at RT. The reaction was quenched with 1 N HCl (30 mL), and extracted with DCM (3 x 30 mL). The DCM layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography to give **165-9** (85 mg, 50%) as a white solid.

[0748] **165-9** (100 mg, 0.216 mmol) was treated with HCOOH (7 mL, 80%), and stirred for 3 h at RT. The mixture was concentrated at low pressure. The residue was purified by column chromatography (90% EA in PE) to give **165-10** (51 mg, 60%) as a white solid.

[0749] **165-10** (270 mg, 0.68 mmol) was treated with NH_3 in MeOH (10 mL) at -60 °C. The mixture was warmed to RT. The mixture was stirred for 6 h. at RT. The mixture was concentrated at low pressure. The residue was purified by reverse HPLC to give **165** (60 mg, 30%) as a white solid.

EXAMPLE 93
COMPOUND 169



[0750] To a solution of **106** (200 mg, 0.67 mmol) in anhydrous pyridine (5 mL) was added TBSCl (120 mg, 0.8 mmol) at RT. The mixture was stirred overnight, and the reaction mixture was diluted with EA. The mixture was washed with $NaHCO_3$ aq. solution and brine. The organic layer was dried, filtered and concentrated to give residue, which was purified by silica gel column chromatography (5% MeOH in DCM to 25% MeOH in DCM to give **169-1** (153 mg, 55%) as a white solid.

[0751] To a solution of **169-1** (54 mg, 0.13 mmol) in anhydrous DCM (2 mL) was added collidine (95 μL, 0.78 mmol), DMTrCl (262 mg, 0.78 mmol) and $AgNO_3$ (66 mg, 0.39 mmol) at RT. The mixture was stirred overnight, and then diluted with DCM (5 mL). The mixture was filtered through a pre-packed celite funnel, and the filtrate was washed with $NaHCO_3$ aq. solution, 1.0 M citric acid solution and then brine. The organic layer was dried over Na_2SO_4, and concentrated at low pressure to give a residue. The residue was purified by silica gel column chromatography (25% EA in PE to 100 %EA) to give **169-2** (83.5 mg, 63.6%).


[0752] To a solution of **169-2** (83 mg, 0.081 mmol) in THF (1 mL), was added a 1M solution of TBAF in THF (0.122 mL, 0.122 mmol) at ice bath temperature. The mixture was stirred for 1.5 h. The mixture was diluted with EA, and washed with water and brine. The organic layer was dried and concentrated to give the crude product, which was purified

by silica gel column chromatography (DCM to 5% MeOH in DCM) to give **169-3** (66.6 mg, 91%) as a white foam.

[0753] **169-3** (66.6 mg, 0.074 mmol) was co-evaporated with toluene and THF (3x). Bis(POC)phosphate (33 mg, 0.96 mmol) was added, and then co-evaporated with toluene (3x). The mixture was dissolved in anhydrous THF (1.5 mL) and cooled in an ice bath (0 to 5 0C). 3-nitro-1,2,4-triazole (13 mg, 0.11 mmol), diisopropylethyl amine (54 μL, 0.3 mmol), and BOP-Cl (28 mg, 0.11 mmol) were added successively. The mixture was stirred 2 h at 0 to 5 ^{0}C, diluted with EtOAc, washed with 1.0M citric acid, sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The residue was purified on silica (10 g column) with CH_2Cl_2:i-PrOH (4-10% gradient) to give **169-4** (68 mg, 76%) as a white solid.

[0754] **169-4** (68 mg, 0.07 mmol) was dissolved in 80% HCOOH. The mixture was stirred at RT for 2 h. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was dissolved in 50% CH_3CN/H_2O, was purified on a reverse-phase HPLC (C18) using CH_3CN and H_2O. The product was lyophilization to give **169** (4.8 mg, 14%) as a white foam. ESI-LCMS: m/z = 613.1 $[M+H]^+$, 1225.2 $[2M+H]^+$.

EXAMPLE 94
COMPOUND 145



[0755] **AA-1** (2.20 g, 3.84 mmol) was dissolved in 80% HCOOH (40 mL) at RT (18 ^{0}C). The mixture was stirred at RT for 12 h. The solvent was removed at low pressure.

The residue was purified by column chromatography using 50% EA in Hexane to give **AA-2** (1.05 g, 91.3%) as a white solid.

[0756] To a stirred solution of **AA-2** (1 g, 3.32 mmol) in anhydrous pyridine (20 mL) was added TBSCl (747 mg, 4.98 mmol) and imidazole (451 mg, 6.64 mmol) at RT (16 °C) under N_2 atmosphere. The mixture was stirred at RT for 4 h. The resulting solution was concentrated to dryness under reduced pressure, and the residue was dissolved in EA (100 mL). The solution was washed with sat. $NaHCO_3$ solution and brine, and dried over anhydrous $MgSO_4$. The solution was concentrated to dryness, and the residue was purified on a silica gel column using 20% EA in Hexane to give **AA-3** (1.4 g, 79.5%) as a white solid.

[0757] To a stirred solution of **AA-3** (1.50 g, 2.83 mmol, 1.00 eq.) in anhydrous CH_3CN (28 mL) was added TPSCl (1.71 g, 5.80 mmol, 2.05 eq.), DMAP (691.70 mg, 5.66 mmol, 2.00 eq.) and TEA (573.00 mg, 5.66 mmol, 2.00 eq.) at RT (15 °C). The mixture was stirred for 2 h. $NH_3.H_2O$ (20 mL) was added, and the mixture was stirred for 3 h. The mixture was extracted with EA (3 x 60 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (30% EA in PE) to give **AA-4** (2.3 g, crude) as a yellow foam.

[0758] To a stirred solution of **AA-4** (1.90 g, 2.34 mmol) in anhydrous DCM (20 mL) was added DMTrCl (1.82 g, 3.49 mmol) and 2,4,6-trimethylpyridine (1.00 g, 8.25 mmol) at RT (15 °C) under N_2 atmosphere. The mixture was stirred at RT for 12 h. MeOH (20 mL) was added. The mixture was filtered, and the filtrate was concentrated to dryness. The residue was dissolved in EA (80 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give **AA-5** (1.4 g, crude) as a white solid.


[0759] **AA-5** (2.40 g, 2.60 mmol) was dissolved in TBAF (10 mL, 1M in THF). The mixture was stirred at RT (15 °C) for 30 mins. The mixture was concentrated to dryness, and the residue was dissolved in EA (60 mL). The solution was washed with brine, dried over $MgSO_4$ and concentrated under reduced pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give **AA** (1.50 g, 95.8%) as a white solid. ESI-MS: m/z 625.3 $[M + Na]^+$.

[0760] To a solution of **AA** (60.0 mg, 99.57 μmol, 1.00 eq.) in pyridine (1 mL) was added isobutyric anhydride (31.50 mg, 199.13 μmol, 2.00 eq.) in 1 portion at RT (15 °C)

under N_2 atmosphere. The mixture was stirred at RT for 12 h. The mixture was concentrated, and the residue was partitioned between EA and water. The combined organic phases were washed with water and brine, and dried over anhydrous Na_2SO_4. The mixture was filtered, and the filtrate was concentrated to dryness. The residue was purified by silica gel chromatography (30% EA in PE) to afford **145-1** (59.00 mg, 79.77%) as a white solid.

[0761] **145-1** (57.00 mg, 76.74 μmol, 1.00 eq.) was dissolved in 80% CH_3COOH (8 mL). The solution was stirred at RT (15 °C) for 12 h. The mixture was concentrated to dryness. The residue was purified on a silica gel column (2.5% MeOH in DCM) to give **145** (23.00 mg, 68.05%) as a white foam. ESI-MS: m/z 441.2 $[M+H]^+$, 463.2$[M+Na]^+$.


EXAMPLE 95
COMPOUND 170



[0762] **170-1** was prepared in similar manner as **145-1** using **AA** (60.00 mg, 99.57 μmol, 1.00 eq.) in pyridine (1 mL) and propionic anhydride (25.92 mg, 199.13 μmol, 2.00 eq.). **170-1** (white solid, 56.00 mg, 78.69%).

[0763] **170** was prepared in similar manner as **145** using **170-1** (54.00 mg, 75.55 μmol, 1.00 eq.) **170** (white foam, 18.00 mg, 57.78%). ESI-MS: m/z 413.1 $[M+H]^+$.


EXAMPLE 96
COMPOUND 171



[0764] **171-1** was prepared in similar manner as **145-1** using **AA** (62.00 mg, 102.89 μmol, 1.00 eq.) in pyridine (1 mL) and pentanoic anhydride (38.32 mg, 205.77 μmol, 2.00 eq.). **171-1** (white solid, 60.00 mg, 75.65%).

[0765] **171** was prepared in similar manner as **145** using **171-1** (75.00 mg, 97.30 μmol, 1.00 eq.) **171** (white foam, 28.00 mg, 61.43%). ESI-MS: m/z 469.2 $[M+H]^+$.


EXAMPLE 97
COMPOUND 146



[0766] **146-2** (40.7 mg, 53%) was prepared in the same manner from **146-1** (50 mg, 0.087 mmol) and bis(isopropyloxycarbonyloxymethyl)phosphate (58 mg,0.175 mmol) with DIPEA (75 μL, 0.52 mmol), BOP-Cl (66.2 mg, 0.26 mmol), and 3-nitro-1,2,4-triazole (30 mg, 0.26 mmol) in THF (0.4 mL) in a similar manner as **169-4**.

[0767] **146-2** (40 mg, 0.045 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (34 μL, 0.135 mmol) was added at 0 to 5 °C. The mixture was stirred at RT for 3 h. Anhydrous EtOH (200 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was purified on silica (10 g column) with $MeOH/CH_2Cl_2$ (5-7% gradient) and lypholized give **146** (15.4 mg, 76%) as a white foam. ESI-LCMS: m/z = 614.15 $[M+H]^+$, 1227.2 $[2M+H]^+$.

EXAMPLE 98
COMPOUND 172




[0768] **172-1** (100 mg, 0.174 mmol) was co-evaporated with anhydrous pyridine (3x), toluene (3x) and CH_3CN (3x), and dried under high vacuum overnight. **172-1** was

dissolved in CH_3CN (2 mL). A proton sponge (112 mg, 0.52 mmol), $POCl_3$ (49 uL, 0.52 mmol) were added at 0 to 5 ^{0}C. The mixture was stirred for 3 h at 0 to 5 ^{0}C to give intermediate **172-2**. To this solution, L-alanine isopropyl ester hydrochloride (146 mg, 0.87 mmol), and TEA (114 uL, 1.74 mmol) were added. The mixture was stirred for 4 h at 0 to 5 ^{0}C. The mixture was stirred 2 h at 0 to 5 ^{0}C, then diluted with EtOAc. The mixture was washed with 1.0M citric acid, sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The residue was purified on silica (10 g column) with CH_2Cl_2/MeOH (0-7% gradient) to give **172-3** (67 mg, 43.7%) as a white solid.

[0769] **172-3** (65 mg, 0.074 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (55 μL, 0.22 mmol) was added at 0 to 5 ^{o}C. The mixture was stirred at RT for 1.5 h. A second portion of 4N HCl in dioxane (15 μL) was added, and the mixture stirred at RT for 2 h. Anhydrous EtOH (300 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was dissolved in 50% CH_3CN/H_2O, was purified on a reverse-phase HPLC (C18) with CH_3CN and water, and lyophilized to give **172** (9 mg, 20%) as a white foam. ESI-LCMS: m/z = 608.15 $[M+H]^+$, 1215.3 $[2M+H]^+$.

EXAMPLE 99
COMPOUND 173




[0770] A solution of **173-1** (4.7 g, 11.2 mmol; prepared according to the procedure Villard *et al.*, *Bioorg. Med. Chem.* (2008) 16:7321-7329) and Et_3N (3.4 mL, 24.2 mmol) in THF (25 mL) was added dropwise over 1 h to a stirred solution of *N,N*-diisopropylphosphorodichloridite (1.0 mL, 5.5 mmol) in THF (35 mL) at -75 °C. The mixture was stirred at RT for 4 h. The mixture was filtered, and the filtrate concentrated. The oily residue was purified on silica gel column with EtOAc/hexanes (2-20% gradient) to give **173-3** (1.4 g, 26%).

[0771] To a solution of **173-2** (50 mg, 0.08 mmol) and **173-3** (110 mg, 0.11 mmol) in CH_3CN (1.0 mL) was added 5-(ethylthio)tetrazole (0.75 mL, 0.16 mmol; 0.25 M in CH_3CN). The mixture was stirred at RT for 1 h. The mixture was cooled to -40 °C, and a solution of 3-chloroperoxybenzoic acid (37 mg, 0.16 mmol) in CH_2Cl_2 (0.3 mL) was added. The mixture was warmed to RT over 1 h. The reaction was quenched with 7% $Na_2S_2O_3$ solution in sat aq. $NaHCO_3$. The mixture was diluted with EtOAc, and the layers were separated. The organic layer was washed with brine and dried with Na_2SO_4. The solvent was evaporated, and the residue was purified on a silica gel column with EtOAc/hexanes (30-100% gradient) to give **173-4** (52 mg, 45%).

[0772] A solution of **173-4** (52 mg, 0.036 mmol) in MeCN (0.5 mL) and HCl (45 μL; 4 N in dioxane) was stirred 20 h at RT. The reaction was quenched with MeOH, and the solvents were evaporated. The residue was co-evaporated with toluene and purified on a silica gel column with MeOH/CH_2Cl_2 (4-10% gradient) to give **173** (14 mg, 51%). ESI-LCMS: m/z = 702 $[M+H]^+$.

EXAMPLE 100
COMPOUND 174




[0773] A mixture of **174-1** (0.14 g, 0.24 mmol; prepared according to the procedure described in WO 2008/082601, filed Dec. 28, 2007) and **173-2** (120 mg, 0.2 mmol) was rendered anhydrous by evaporating with pyridine and then dissolved in pyridine (3 mL). Pivaloyl chloride (48 μL) was added dropwise at -15 °C. The mixture was stirred at -15 °C for 2 h. The reaction was quenched with sat. aq. NH_4Cl solution and diluted with CH_2Cl_2. The organic layer was washed with brine and dried with Na_2SO_4. The solvents were evaporated, and the residue was purified on a silica gel column with EtOAc/hexanes (30-100% gradient) to give **174-2** (50 mg, 24%).

[0774] A mixture of **174-2** (43 mg; 0.04 mmol) in CCl_4 (0.8 mL), L-valine isopropyl ester hydrochloride (20 mg, 0.12 mmol) and Et_3N (33 μl, 0.24 mmol) was stirred at RT for 2 h. The mixture was diluted with EtOAc. The mixture was washed with sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The solvents were evaporated, and the residue was purified on a silica gel column with i-PrOH/CH_2Cl_2 (2-10% gradient) to **174-3** (35 mg, 75%).

[0775] A solution of **174-3** (35 mg, 0.03 mmol) in MeCN (0.4 mL) and HCl (40 μL; 4 N in dioxane) was stirred 4 h at RT. The reaction was quenched with the addition of MeOH, and the solvents were evaporated. The residue was co-evaporated with toluene and purified on a silica gel column with MeOH/CH_2Cl_2 (4-10% gradient) to give **174** (11 mg, 56%). ESI-LCMS: m/z = 655 $[M+H]^+$.

EXAMPLE 101
COMPOUND 175




[0776] To a stirred solution of **AA** (300.0 mg, 497.83 μmol) in anhydrous pyridine (0.5 mL) was added DMTrCl (337.36 mg, 995.66 μmol) at RT (17 °C) under N_2 atmosphere. The solution was stirred at 50 °C~60 °C for 12 h. The mixture was concentrated to dryness under reduced pressure, and the residue was dissolved in EA (40 mL). The solution was washed with brine, dried over anhydrous $MgSO_4$, and concentrated to dryness at low pressure. The residue was purified on a silica gel column using 20% EA in PE to give **175-1** (300 mg, 66.59%) as a white solid.

[0777] To a stirred solution of **175-1** (100.00 mg, 110.50 μmol) in anhydrous pyridine (0.5 mL) was added DMAP (6.75 mg, 55.25 μmol), DCC (22.80 mg, 110.50 μmol) and n-octanoic acid (31.87 mg, 221.00 μmol) at RT (18 °C) under N_2 atmosphere. The solution was stirred at RT for 12 h. The solution was concentrated to dryness under reduced pressure. The residue was purified on a silica gel column using 15% EA in PE to give **175-2** (98.00 mg, 86.0%) as a white foam.

[0778] **175-2** (90.00 mg, 87.28 μmol) was dissolved in 80% CH_3COOH (20 mL) at RT (16 °C). The mixture was stirred RT for 12 h. The reaction was quenched with MeOH, and the mixture was concentrated to dryness. The residue was purified on a silica gel column (5% MeOH in DCM) to give **175** (33.00 mg, 88.7%) as a white solid. ESI-MS: m/z 427.2 $[M+H]^+$.

EXAMPLE 102
COMPOUND 176



[0779] To a stirred solution of **BB-1** (500.00 mg, 0.87 mmol) in anhydrous pyridine (1 mL) was added TBSCl (236.5 mg, 1.57 mmol) at 20 °C under N_2. The solution was stirred at 50 °C~60 °C for 12 h. The solution was concentrated to dryness under reduced pressure. The residue was dissolved in EA (50 mL). The solution was washed with sat. $NaHCO_3$ solution and brine, and dried over anhydrous $MgSO_4$. The solution was filtered, and the filtrate was concentrated to dryness. The residue was purified on a silica gel column to give **BB-2** (510.00 mg, 85.06%) as a white solid.

[0780] To a stirred solution of **BB-2** (430.00 mg, 625.15 mmol) in anhydrous MeCN (6 mL) was added TPSCl (368.65 mg, 1.25 mmol), DMAP (152.75 mg, 1.25 mmol) and TEA (126.52 mg, 1.25 mmol) at RT. The mixture was stirred for 2 h. NH_4OH (8 mL) was added, and the mixture stirred for 3 h. The mixture was extracted with EA (3 x 40 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (25% EA in PE) to give **BB-3** (500 mg of crude) as a yellow foam.

[0781] To a stirred solution of **BB-3** (500 mg of crude, 0.72 mmol) in anhydrous DCM (7 mL) was added DMTrCl (365 mg, 1.0 mmol) and collidine (305 mg, 2.5 mmol) and $AgNO_3$ (184 mg, 1.08 mmol) at RT (15 °C) under N_2 atmosphere. The mixture was stirred at RT for 12 h. MeOH (5 mL) was added. The mixture was filtered, and the filtrate was


concentrated to dryness. The residue was dissolved in EA (50 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give **BB-4** (500 mg, 70.3%) as a white solid.

[0782] **BB-4** (1.00 g, 1.01 mmol) was dissolved in TBAF (5 mL, 1M in THF) and stirred at RT for 30 mins. The mixture was diluted with EA (100 mL). The mixture was washed with water and brine, and dried over anhydrous $MgSO_4$. The organic phase was concentrated to dryness. The residue was purified on the silica gel column (30% EA in PE) to give **BB** (0.80 g, 91.5%) as a white solid. ESI-MS: m/z 873.7 $[M+1]^+$.

[0783] To a solution of **BB** (100.00 mg, 114.29 μmol) in anhydrous pyridine (1.5 mL) was added DMAP (2.79 mg, 22.86 μmol), DCC (70.75 mg, 342.88 μmol) and n-octanoic acid (49.45 mg, 342.88 μmol) at RT (18 °C) under N_2 atmosphere. The solution was stirred at RT for 12 h. The solution was concentrated to dryness under reduced pressure. The residue was purified on a silica gel column using 15% EA in PE to give **176-1** (95.00 mg, 83.03%) as a white foam.

[0784] **176-1** (110.00 mg, 109.87 μmol) was dissolved in 80% CH_3COOH (25 mL) at RT (15°C). The mixture was stirred for 12 h. The reaction was quenched with MeOH, and the solution was concentrated to dryness. The residue was purified on a silica gel column (5% MeOH in DCM) to give **176** (30.00 mg, 64.03%) as a white solid. ESI-MS: m/z 427.2 $[M+H]^+$.

EXAMPLE 103
COMPOUND 177




[0785] **177-1** was prepared in similar manner as **143-1** using **BB** (250.0 mg, 276.25 μmol), (2S)-2-(tert-butoxycarbonylamino)-3-methyl-butanoic acid (360.11 mg, 1.66 mmol) and TEA (83.86 mg, 828.75 μmol). **177-1** (white foam, 220.0 mg, 72.12%).

[0786] **177-2** was prepared in similar manner as **143-2** using **177-1** (230.00 mg, 208.29 μmol, 1.00 eq.). **177-2** (white foam, 80.00 mg, 77.66%).

[0787] **177** was prepared in similar manner as **143** using **177-2** (100.00 mg, 200.20 μmol, 1.00 eq.). **177** (white solid, 56 mg, 59.57 %). ESI-MS: m/z 400.0 $[M+H]^+$, 422.1$[M+Na]^+$; 799.1 $[2M+H]^+$, 821.2$[2M+Na]^+$.


EXAMPLE 104
COMPOUND 178



[0788] To a stirred solution of **178-1** (100 mg, 0.175 mmol) in anhydrous CH_3CN (2.0 mL) was added N-methylimidazole (0.14 mL, 1.4 mmol) at 0 ^{0}C (ice/water bath). A solution of **178-2** (220 mg, 0.53 mmol, dissolved in 0.5 mL of CH_3CN), (prepared according to a general procedure described in Bondada, L. et al., *ACS Medicinal Chemistry Letters*,(**2013**) 4(8):747-751) was added. The solution was stirred at 0 to 5 ^{0}C for 1 h and then stirred at RT for 16 h. The mixture was cooled to 0 to 5 ^{0}C, diluted with EA followed by addition of water (5 mL). The solution was washed with 1.0M citric acid, sat. aq. $NaHCO_3$ and brine, and dried with $MgSO_4$. The residue was purified on silica (10 g column) with EA/hexanes (25-100% gradient) to give **178-3** (56.4 mg, 33.7 %) as a white foam.

[0789] **178-3** (56mg, 0.0585 mmol) was dissolved in anhydrous CH_3CN (0.7 mL), and 4N HCl in dioxane (44 µL, 0.176 mmol) was added at 0 to 5 ^{0}C. The mixture was stirred at RT for 2 h. 4N HCl in dioxane (20µL) was added. The mixture was stirred at RT for 2 h. Anhydrous EtOH (100 µL) was added. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was purified on silica (10 g column) with MeOH/CH_2Cl_2 (1-7% gradient) and lypholized to give **178** (27.6 mg, 69%) as a white foam ESI-LCMS: m/z = 685.2$[M+H]^+$.

EXAMPLE 105
COMPOUND 179



[0790] To a stirred solution of **179-1** (1.92 g, 27.3 mmol), PPh_3 (1.43 g, 54.7 mmol), EtOH (0.25 g, 54.7 mmol) in anhydrous dioxane (20 mL) was added DIAD (1.11 g, 54.7 mmol) dropwise at 0 °C. The solution was stirred at 25 °C for 15 h. The reaction was quenched with water and extracted with EA. The mixture was washed with water and brine. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to dryness, and the residue was purified on a silica gel column (2% to 5% MeOH in DCM) to give **179-2** (1.43 g, 71%) as a white foam.

[0791] To a stirred solution of **179-2** (1.43 g, 19.6 mmol) in DMF (15 mL) was added TEA (0.59 g, 58.8 mmol) and DMTrCl (0.99 g, 29.4 mmol) at 0 °C. The solution was stirred at 25 °C for 12 h. The mixture was treated with MeOH (1 mL), and diluted with EA. The solution was washed with water and brine. The organic layer was dried over anhydrous

$NaSO_4$, and concentrated to dryness. The residue was purified on a silica gel column (2% MeOH in DCM) to give **179-3** (1.13 g, 56%) as a yellow solid.

[0792] To a stirred solution of **179-3** (1.13 g, 1.1mmol) in anhydrous pyridine (10 mL) was added TBDPSCl (0.91 g, 3.3 mmol) and $AgNO_3$ (0.61 g, 3.3 mmol). The mixture was stirred at 25 °C for 15 h. The solid was removed by filtration, and the filtrate was diluted with EA (50 mL). The solution was washed with brine. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified on a silica gel column (2% MeOH in DCM) to give **179-4** (1.22 g, 88 %) as a white foam.

[0793] To a stirred solution of **179-4** (1.22 g, 1.0 mmol) in anhydrous DCM (15 mL) was added $Cl_2CHCOOH$ (0.6 mL) at -78 °C. The mixture was stirred at -20 °C for 1 h. The reaction was quenched with sat. aq. $NaHCO_3$ and extracted with DCM. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (2% MeOH in DCM) to give **179-5** (0.52 g, 56%) as a white foam.

[0794] To a stirred solution of **179-5** (0.52 g, 0.5 mmol) in anhydrous DCM (15 mL) and pyridine (0.21 g, 2.5 mmol) was added Tf_2O (0.30 g, 1.0 mmol) in DCM (1 mL) dropwise at 0°C. The mixture was stirred at 0 °C for 15 mins. The reaction was quenched with ice water. The organic layer was separated and washed with water. The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure to give **179-6** (442 mg crude) as a yellow foam.

[0795] To a stirred solution of **179-6** (442 mg, 0.4 mmol) in anhydrous DMF (5 mL) was added NaN_3 (131 mg, 2.0 mmol). The mixture was stirred at RT for 12 h. The reaction was quenched with water and extracted by EA (20 mL, 2x). The organic layer was washed with water and dried over Na_2SO_4. The organic phase was evaporated to dryness under reduced pressure. The residue was purified on a silica gel column (1%MeOH in DCM) to give **179-7** (352 mg, 88%) as a white foam.


[0796] A mixture of **179-7** (352 mg, 0.35 mmol) and NH_4F (392 mg, 10.6 mmol) in MeOH (10 mL) was stirred at 80 °C for 12 h. The mixture was cooled to RT. The solid was removed by filtration. The solvent was concentrated under reduced pressure. The residue was purified on a silica gel column (2% to 5%MeOH in DCM) to give crude **179-8**

(151 mg). The crude product was purified by prep-HPLC (0.1% NH_4HCO_3 in water and CH_3CN) to give **179-8** (71.5 mg, 32%) as a white solid. MS: m/z 641[M+H]$^+$.

[0797] A mixture of **179-8** (64 mg, 0.1 mmol) and bis(pivaloyloxymethyl)phosphate, after rendered anhydrous by evaporating with toluene, was dissolved in CH_3CN (1 mL) and cooled to 0 °C. BopCl (40 mg, 0.15 mmol) and NMI (40 μL, 0.5 mmol) were added. The mixture was stirred at 0 °C for 2 h. EtOAc was added, and the mixture was washed with 0.5 N aq. citric acid, sat. aq. $NaHCO_3$ and brine, and then dried with Na_2SO_4. The solvents were removed, and the residue was purified on a silica gel column with 3% *i*-PrOH in CH_2Cl_2 to **179-9** (38 mg, 40%).

[0798] A solution of **179-9** (30 mg, 0.03 mmol) in CH_3CN (0.3 mL) and HCl (30 μL; 4 N dioxane) was stirred at RT for 100 mins. The reaction was quenched with EtOH, and the mixture was evaporated. The crude residue was purified on a silica gel column with *i*-PrOH/CH_2Cl_2 (3-10% gradient) to yield **179** (10 mg, 50%). ESI-LCMS: m/z = 681 [M+H]$^+$.

EXAMPLE 106
COMPOUND 180




[0799] To a solution of **BB** (100 mg, 0.114 mmol) in anhydrous CH_3CN (2 mL) were added a solution of bis-SATE-phosphoramidate (62.2 mg, 0.14 mmol) in CH_3CN (1 mL) followed by 5-ethylthio-1H-tetrazole in CH_3CN (0.25M; 0.56 mL, 0.14 mmol) at 0 to 5 °C dropwise. The mixture was stirred 2 h at 0 to 5 °C under Ar. A solution of 77% m-CPBA

(49 mg, 0.22 mmol) in DCM (1 mL) was added, and the mixture was stirred 2 h at 0 to 5 ^{0}C under Ar. The mixture was diluted with EtOAc (50 mL), washed with 1.0M citric acid, sat. $NaHCO_3$, and brine, and dried with $MgSO_4$. The mixture was filtered and the solvents were evaporated in vacuo. The residue was purified on silica (10 g column) with EA/hexanes (10-100% gradient) to give **180-1** (72 mg, 50.8 %) as a white solid.

[0800] **180-1** (72 mg, 0.056 mmol) was dissolved in anhydrous CH_3CN (1.0 mL), and 4N HCl in dioxane (87 µL, 0.35 mmol) was added at 0 to 5 ^{o}C. The mixture was stirred at RT for 2 h. Intermediate **180-2** was observed by LCMS. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue obtained was re-dissolved in 80% HCOOH (2 mL). The mixture was stirred at RT for 4.5 h. The solvents were evaporated at RT and co-evaporated with toluene (3x). Anhydrous EtOH (3 x 5 mL) was added. The residue was dissolved in 50% CH_3CN/H_2O, purified on a reverse-phase HPLC (C18) using CH_3CN and H_2O, and lyophilized to give **180** (19.2 mg) as a white foam. ESI-LCMS: m/z = 669.2 $[M+H]^+$, 1337.25 $[2M+H]^+$.


EXAMPLE 107
COMPOUND 181





[0801] **181-1** (98 mg, 72.6 %) was prepared in the same manner from **BB** (100 mg, 0.114 mmol) and bis(tert-butoxycarbonyloxymethyl)phosphate (83mg, 0.35 mmol) with DIPEA (126 µL, 0.69 mmol), BOP-Cl (87 mg, 0.34 mmol), and 3-nitro-1,2,4-triazole (39 mg, 0.34 mmol) in THF (1.5 mL) in the same manner as **169-4**.

[0802] **181** (30.2 mg, 60%) was prepared from **181-1** (98 mg, 0.083 mmol) in the same manner as **146**. ESI-LCMS: m/z = 609.15 $[M+H]^+$, 1217.3 $[2M+H]^+$.

EXAMPLE 108
COMPOUNDS 182 and 183









[0803] Compounds **182**, **182aa**, **182ab** and **183** were prepared as described in PCT Publication No. WO 2014/96680, published June 27, 2014. **182**: ESI-LCMS: m/z 554.0 $[M+H]^+$; **182aa** and **182ab**: Faster eluting diastereomer - ^{31}P NMR 67.1, LC/MS 552 [M–1]· Slower eluting diastereomer - ^{31}P NMR 67.9, LC/MS 552 [M–1]. **183**: ESI-MS: m/z 576.9 $[M+H]^+$.


EXAMPLE 109
COMPOUNDS 186-201




186




187





188





189



190



191



192



193



194



195



196


197


198



199


200


201

[0804] Compounds **186-201** were prepared as described in PCT Publication No. WO 2014/96680, published June 27, 2014. **186**: ESI-LCMS: m/z 593.0 $[M+H]^+$. **187:** ESI-LCMS: m/z 614.1 $[M+H]^+$. **188:** ESI-LCMS: m/z 582.1 $[M+H]^+$. **189:** ESI-LCMS: m/z 596.1 $[M+H]^+$. **190:** ESI-LCMS: m/z 672.0 $[M+H]^+$. **191:** ESI-LCMS: m/z 589.0 $[M+H]^+$. **192:** ESI-LCMS: m/z 606.0 $[M+H]^+$. **193:** ESI-LCMS: m/z 604.1 $[M+H]^+$. **194:** ESI-LCMS: m/z 568 $[M+H]^+$, 590 $[M+Na]^+$. **195:** ESI-LCMS: m/z 680 $[M+H]^+$. **196:** ESI-LCMS: m/z 578.0 $[M+Na]^+$. **197:** ESI-MS: m/z 633.1 $[M + H]^+$. **198:** ESI-LCMS: m/z 604 $[M+Na]^+$, 582 $[M+H]^+$. **199:** ESI-LCMS: m/z 582.0 $[M+H]^+$. **200:** ESI-LCMS: m/z 618 $[M+Na]^+$. **201:** ESI-LCMS: m/z 568.1 $[M+H]^+$.


EXAMPLE 110
COMPOUND 204



204

[0805] A method for preparing compound **204** is provided in WO 2010/015643, filed August 4, 2009.

EXAMPLE 111
COMPOUND 206



[0806] **206-1** (1.0 g, 3.53 mmol) was coevaporated with anhydrous pyridine 3 times to remove H_2O. To an ice-cold solution of **206-1** in anhydrous pyridine (9 mL) was added TsCl (808 mg, 4.24 mmol) in pyridine (3 mL) drop-wise at 0 °C, and the mixture was stirred for 18 h. at 0 °C. The reaction was monitored by LCMS, and then quenched with H_2O. After concentration at low pressure, the residue was dissolved in EA (50 mL). The solution was washed with sat. $NaHCO_3$ solution and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was evaporated at low pressure, and the residue was purified by silica gel column chromatography (1% MeOH in DCM) to give **206-2** (980 mg, 63 %) as a white solid.

[0807] To a solution of **206-2** (980 mg, 2.24 mmol) in acetone (10 mL) was added NaI (1.01 g, 6.73 mmol), and the mixture was heated to reflux overnight. The reaction was monitored by LCMS. After the reaction was completed, the mixture was concentrated at low pressure. The residue was dissolved in EA (50 mL). The solution was washed with brine, and dried over anhydrous Na_2SO_4. The solution was evaporated at low pressure, and the residue was purified by silica gel column chromatography (1% MeOH in DCM) to give **206-3** (700 mg, 79 %) as a solid.

[0808] To a solution of **206-3** (700 mg, 1.78 mmol) in dry THF (9 mL) was added DBU (817 mg, 5.34 mmol), and the mixture was heated to 60 °C. The mixture was stirred overnight, and monitored by LCMS. The reaction was quenched with sat. $NaHCO_3$ and extracted with EA (3 x 50 mL). The organic phase was dried over anhydrous Na_2SO_4, and filtered. The filtrate was evaporated at low pressure, and the residue was purified by silica gel column chromatography (1% MeOH in DCM) to give **206-4** (250 mg, 53 %) as a white solid.

[0809] To an ice-clod solution of **206-4** (250 mg, 0.94 mmol) in dry MeCN (5mL) was added $NEt_3 \cdot 3HF$ (151 mg, 0.94 mmol) and NIS (255 mg, 1.13 mmol). The mixture was stirred at RT, for 3 h., and checked by LCMS. The reaction was quenched with sat $Na_2S_2O_3$ and sat. $NaHCO_3$ solution, and extracted with EA (3 x 50 mL). The organic layer was separated, dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (2% acetone in DCM) to give **206-5** (170 mg, 44 %).


[0810] To a solution of **206-5** (270 mg, 0.65 mmol) in dry DCM (4 mL) was added DMAP (158.6 mg, 1.3 mmol), and BzCl (137 mg, 0.98 mmol). The mixture was stirred for 4-5 h. at RT, and checked by LCMS. The mixture was diluted with CH_2Cl_2, and washed with sat. $NaHCO_3$ solution and brine. The organic layer was evaporated at low pressure, and the residue was purified by silica gel column chromatography (20% EA in PE) to give **206-6** (290 mg, 86 %) as a solid.

[0811] To a solution of **206-6** (900 mg, 1.74 mmol) in dry DMF (45 mL) was added NaOBz (2.5 g, 17.4 mmol) and 15-crown-5 (4.5 g, 20.9 mmol). The mixture was stirred for 48 h at 90-100 °C. The mixture was diluted with EA (100 mL), and washed with brine. The organic layer was evaporated at low pressure, and the residue was purified by silica gel column chromatography (20% EA in PE) to give **206-7** (500 mg, 56 %) as a solid.

[0812] To a solution of **206-7** (500 mg, 0.98 mmol) in anhydrous CH_3CN (5 mL) was added TPSCl (741 mg, 2.45 mmol), DMAP (299.6 mg, 2.45 mmol) and NEt_3 (248 mg, 2.45 mmol) at RT, and the mixture was stirred overnight. The mixture was then treated with NH_3 in THF (5 mL) and then stirred for another 30 mins. The mixture was diluted with EA (100 mL). The solution was washed with 0.5% AcOH solution. The organic solvent was dried over anhydrous MgSO4, and concentrated at low pressure. The crude product was purified by silica gel column chromatography (2% Acetone in DCM) to give **206-8** (257 mg, 51.6 %) as a white solid. ESI-MS: m/z 509 $[M+H]^+$.


[0813] **206-8** (80 mg, 0.16 mmol) was dissolved in n-butylamine (3 mL). The mixture was kept overnight at RT and evaporated. The residue was crystallized from methanol to give **206** (30 mg). The mother liquor was purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 30% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer to yield additional **206** (13 mg). **206** (total yield 43 mg, 73%). MS: m/z 299.7 $[M-1]^-$.

EXAMPLE 112
COMPOUND 207



[0814] **207-1** (30 mg, 0.1 mmol) was dissolved in a mixture of CH_3CN (2 mL) and N-methylimidazole (200 uL). Phosphorochloridate (100 mg, 0.3 mmol) was added, and the mixture was kept for 5 d at RT. The mixture was distributed between water and EA. The organic layer was separated, washed with brine, dried and evaporated. The phosphoroamidate was isolated by silica gel chromatography in a gradient of methanol in DCM from 3% to 10%. The corresponding fractions were concentrated and re-purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol in DCM from 3% to 95% containing 0.1% formic acid was used for elution. **207** was obtained as a mixture Rp and Rs isomers (9 mg, 16%). MS: m/z 562.1[M-1]$^-$.

EXAMPLE 113
COMPOUND 211



[0815] To a solution of **211-1** (23.0 g, 39.5 mmol) in anhydrous toluene (200 mL) was added DAST (31.9 g, 198 mmol) dropwise at -78°C, and the solution was stirred at -78

°C for 3 h. The mixture was quenched with sat. $NaHCO_3$, extracted with EA (2 x 200 mL) and dried over with anhydrous Na_2SO_4. The solution was concentrated to dryness under low pressure. The residue was purified on a silica gel column (50% EA in PE) to give **211-2** (16.5 g, 71%) as a yellow foam.

[0816] A mixture of **211-2** (16.0 g, 27.4 mmol) and NH_4F (3.0 g, 82.2 mmol) in methanol (100 mL) was stirred at 70 °C for 12 h. The reaction was cooled, and the salt was removed by filtration. The filtrate was concentrated to dryness at low pressure. The residue was purified on a silica gel column (3% MeOH in DCM) to give **211-3** (5.1 g, 69.0%) as a white foam.

[0817] To a stirred suspension of **211-3** (4.1 g, 15.2 mmol), PPh_3 (8.0 g, 30.4 mmol), imidazole (2.1 g, 30.4 mmol) and pyridine (18.2 mL) in anhydrous THF (40 mL) was added dropwise a solution of I_2 (5.8 g, 22.8 mmol) in THF (20 mL) at 0 °C. The mixture was stirred at RT for 12 h. The reaction was quenched with MeOH (100 mL), and the solvent was removed under reduced pressure. The residue was purified on a silica gel column (4% MeOH in DCM) to give pure **211-4** (4.4 g, 77%) as a white solid. ESI-MS: m/z 381.1 $[M+1]^+$.

[0818] To a stirred solution of **211-4** (2.5 g, 0.7 mmol) in anhydrous THF (3 mL) was added DBU (2.1 g, 14 mmol) at RT, and the mixture was stirred at RT for 1 h. The reaction was quenched with HOAc, and diluted with 2-Me-tetrahydrofuran. The solution was washed with brine, dried over with anhydrous Na_2SO_4 and concentrated to dryness at low pressure. The residue was purified on a silica gel column (MeOH 5% in DCM) to give **211-5** (1.1 g, 68.9%) as a white foam.

[0819] To a stirred solution of **211-5** (800 mg, 3.17 mmol) in anhydrous CH_3CN (10 mL) was added TEA•3HF (510 mg, 3.17 mmol) and NIS (785 mg, 3.49 mmol) at 0 °C. The mixture was stirred for 30 mins, gradually warmed to RT, and stirred for 1 h. The mixture was quenched with sat. $NaHCO_3$ solution and $Na_2S_2O_3$ solution, and extracted with EA (2 x 20 mL). The organic layer was dried over with anhydrous Na_2SO_4, and concentrated to dryness at low pressure. The residue was purified on a silica gel column to give pure **211-6** (695 mg, 57.9%) as a yellow solid.


[0820] To a stirred solution of **211-6** (650 mg, 1.63 mmol) in pyridine (3 mL) was added BzCl (507 mg, 3.59 mmol) at 0 °C, and stirred at RT for 12 h. The mixture was

quenched with water, and concentrated to dryness under reducing pressure. The residue was purified on a silica gel column (EA 50% in PE) to yield **211-7** (550 mg, 67%) as a white foam.

[0821] Tetra-butylammonium hydroxide (9 mL as 54-56% aqueous solution, 72 mmol) was neutralized with TFA to pH~4 (1.5 mL), and the mixture was added to a solution of **211-7** (375 mg, 0.75 mmol) in DCM (9 mL). *m*-Chloroperbenzoic acid (924 mg, 60-70%, 3.75 mmol) was added in portions with vigorous stirring, and the mixture was stirred overnight. The mixture was washed with brine, dried over magnesium sulfate and concentrated under reduced pressure. The residue was purified by column chromatography (EA 50% in PE) to give **211-8** (230 mg, 78.8%) as a white foam. ESI-MS: m/z 393.1 $[M+1]^+$.

[0822] **211-8** (120 mg, 0.24 mmol) was treated with 7N NH_3•MeOH (20 mL), and stirred for 5 h. The mixture was concentrated to dryness at low pressure. The residue was purified on a silica gel column (propan-2-ol 15% in DCM) to yield **211** (53 mg, 60.2%) as a white solid. ESI-MS: m/z 288.8 $[M+1]^+$.

EXAMPLE 114
COMPOUNDS 212a AND 212b



[0823] To a solution of **212-1** (0.47 g, 0.65 mol) in DCM (3 mL) was added $AgNO_3$ (0.22 g, 1.29 mmol), collidine (0.15 g, 1.29 mmol) and MMTrCl (0.3 g, 0.974 mmol) at 0 °C. The mixture was stirred at RT overnight. The mixture was filtered, and the filter was washed with sat. aq. $NaHCO_3$ solution and brine. The organic layer was separated, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column to give **212-2** (0.55, 85%) as a white solid.

[0824] To a solution of **212-2** (0.5 g, 0.5 mmol) in dry DMF (10 mL) was added NaOBz (0.72 g, 5 mmol) and 15-crown-5 (0.9 mL). The mixture was stirred at 95 °C for 72 h. The mixture was diluted with EA, and washed with water and brine. The organic phase was dried over $MgSO_4$ and concentrated at low pressure. The residue was purified by silica gel column (10% EA in PE) to give **212-3** (0.3 g, 60%) as a white solid.

[0825] **212-3** (0.3 g, 0.3 mmol) in NH_3/MeOH (30 mL) was stirred at RT for 18 h. The mixture was concentrated at low pressure, and the residue was purified by silica gel


column (20% EA in PE) to give **212-4** (145 mg, 56%) as a white solid. ESI-LCMS: m/z 890.5 $[M+H]^+$.

[0826] To a stirred solution of **212-4** (161 mg, 0.16 mmol) in anhydrous CH_3CN (2.0 mL) was added N-methylimidazole (118 μL, 2.87 mmol) at 0 to 5 °C (ice/water bath) followed by solution of **212-5** (186 mg, 0.54 mmol, dissolved in 2mL of CH_3CN). The solution was stirred at 0 to 5 °C for 4 h. The mixture was diluted with EA, and water was added (15 mL). The solution was washed H_2O, 50 % aqueous citric acid solution and brine. The organic layer was separated, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated in vacuum to give a residue, which was purified on silica gel with 0 to 40% EA/hexanes to give as **212-6** (82.6 mg) as the faster eluting isomer and **212-7** (106 mg) as the slower eluting isomer.

[0827] **212-6** (82.6 mg, 0.07 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (35 μL) was added at 0 to 5 °C. The mixture was stirred at RT for 1 h, and anhydrous EtOH (100 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene 3 times. The residue was dissolved in 50% CH_3CN/H_2O, and purified on a reverse-phase HPLC (C18) using acetonitrile and water, followed by lyophilization to give **212a** (19.4 mg). ESI-LCMS: m/z = 655.2 $[M+H]^+$, 653.15 $[M-H]^-$.

[0828] **212-7** (100 mg, 0.083 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (50 μL) was added at 0 to 5 °C. Following the procedure for obtaining **212a**, **212b** (31.8 mg) was obtained. ESI-LCMS: m/z = 655.2 $[M+H]^+$, 653.1 $[M-H]^-$.


EXAMPLE 115
COMPOUND 213



[0829] To a solution of the nucleoside (300 mg, 1.09 mmol) and proton-sponge (467 mg, 2.18 mmol) in anhydrous CH_3CN (5 mL) at 0 °C under N_2 was added dropwise a solution of phosphorus oxychloride (330 mg, 2.18 mmol) in anhydrous CH_3CN (1 mL). The mixture was stirred at 0 °C for 30 mins, and the hydrogen chloride salt of (S)-ethyl 2-


aminopropanoate (998 mg, 6.52 mmol) and triethylamine (1.5 mL, 10.87 mmol) at 0 °C were added. The mixture was stirred overnight at 30 °C. The reaction was quenched with water, and extracted with EA (3 x 20 mL). The organic layer was concentrated at low pressure, and the residue was purified by reverse phase HPLC to give **213** (20 mg, 3%) as a white solid. ESI-LCMS: m/z 535 $[M-F]^+$.

EXAMPLE 116
COMPOUND 214



[0830] The nucleoside (140 mg, 0.42 mmol) was dissolved in n-butylamine (0.5 mL). The mixture was kept for 2 h at RT, and the amine was then evaporated. The residue was dissolved in EtOAc, and the organic layer was washed twice with 10% citric acid, dried over Na_2SO_4, and evaporated. The residue purified by column chromatography on silica gel in linear gradient of methanol in DCM from 0% to 12% over 10 column volumes. The fractions containing the product were concentrated and treated with 80% HCOOH for 1 h at RT. The mixture was evaporated to dryness, and suspended in CH_3CN. The precipitate was separated, washed with CH_3CN (1 mL) and dried to yield **214** (27 mg, 50%). MS: m/z 326.5 $[M-1]^-$.

EXAMPLE 117
COMPOUND 216




[0831] To a solution of **216-1** (3.0 g, 18.0 mmol) and $POCl_3$ (1.35 g, 9.0 mmol) in DCM (80 mL) was added TEA (3.6 g, 36.0 mmol) in DCM (20 mL) dropwise at 0 °C. The mixture was stirred at 0 °C for 2 h. A solution of pentafluorophenol (1.65 g, 9.0 mmol) and

TEA (0.9 g, 9.0 mmol) in DCM (20 mL) was added dropwise at 0 °C, and the mixture was stirred at 0 °C for 15 h. After the reaction was completed, the mixture was concentrated under reduced pressure. The residue was washed by TBME and filtered. The filtrate was concentrated under reduced pressure, and the residue was purified by silica gel chromatography (20% EA in PE) to give **216-2** (2.7 g, 62.7%) as a white solid. ESI-MS: m/z 491.1 $[M+1]^+$.

[0832] To a stirred solution of 1-((3aR,4R,6S,6aS)-6-fluoro-6-(hydroxymethyl)-2-methoxy-3a-methyltetrahydrofuro[3,4-d][1,3]dioxol-4-yl)pyrimidine-2,4(1H,3H)-dione (150 mg, 0.47 mmol) in anhydrous THF (2 mL) was added a solution of t-BuMgCl (0.46 mL, 1M in THF) dropwise at 0 °C. The mixture was stirred at RT for 40 mins, and re-cooled to 0 °C. A solution of **216-2** (462 mg, 0.94 mmol) was added, and the mixture was stirred at RT for 4 h. The mixture was quenched with H_2O, and extracted with EA. The organic layer was dried over Na_2SO_4 and concentrated under reducing pressure. The residue was purified on a silica gel column (50% EA in PE) to give **216-3** as a white foam (230 mg, 78%).

[0833] **216-3** (230 mg, 0.37 mmol) was dissolved in 80% HCOOH aqueous solution (20 mL), and the mixture was stirred at RT for 24 h. The solvent was removed at low pressure. The residue was purified on a silica gel column to give the crude product, which was purified by RP HPLC (HCOOH system) to give **216** as a mixture of two P-isomers (75 mg, 33%). ESI-TOF-MS: m/z 583.0 $[M+H]^+$.


EXAMPLE 118
COMPOUND 218



[0834] **218-1** (30 mg, 0.1 mmol) was dissolved in a mixture of CH_3CN (2 mL) and N-methylimidazole (200 uL). Phosphorochloridate (100 mg, 0.3 mmol) was added, and the mixture was kept overnight at 40°C. The temperature was increased to 65°C and heated for 1 h. The mixture was distributed between water and EA. The organic layer was separated, washed with brine, dried and evaporated. The azido-phosphoramidate was purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear

gradient of methanol from 30% to 100% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The azido-phosphoramidate (8 mg) was dissolved in pyridine/Et_3N (3 mL, 8:1 v/v) and cooled to 0^0C. H_2S gas was bubbled through the solution for 10 mins, and the reaction was kept for 1 h at RT. The solvents were evaporated, and the residue isolated by RP HPLC. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer, to provide **218** (1.2 mg) as mixture Rp and Rs isomers. MS: m/z 544.1 $[M+1]^+$.

EXAMPLE 119
COMPOUND 219



[0835] To a solution of IBX (133.33 g, 476 mmol) in dry CH_3CN (2 L) was added **219-1** (100.0 g, 216 mol) at RT. The mixture was refluxed and stirred for 12 h. The mixture was filtered, and the filtrate was concentrated at low pressure to give **219-2** as a yellow oil (90.0 g, 90.4%).

[0836] **219-2** (50.0 g, 108.70 mmol) was coevaporated with anhydrous toluene twice to remove H_2O. Ethynyl magnesium bromide, (800 mL, 400.0 mmol) was added dropwise into a solution of **73-2** in THF (500 mL) over 20 mins at -78°C. The mixture was stirred for about 10 mins at -78°C. When the starting material was consumed, the ice–acetone cooling bath was removed. The mixture was quenched with a sat. NH_4Cl solution with stirring, and then warmed to RT. The mixture was extracted with EA, filtered through Celite and washed with brine. The combined organic phase was dried over anhydrous Na_2SO_4, filtered and concentrated at low pressure to give crude **219-3** as a deep yellow oil (48.0g, yield: 90.8%).

[0837] **219-3** (200.0 g, 411.52 mmol) was dissolved in anhydrous CH_2Cl_2 (2000 mL) and then DMAP (100.41 g, 823.05 mmol) and Et_3N (124.94 g, 1.23 mol) were added at RT. The mixture was treated with benzoyl chloride (173.46 g, 1.23 mol) at 0 °C. After stirring for 12 h at RT, the reaction was quenched with H_2O. The combined aq. phase was extracted with DCM. The combined organic phase was dried over anhydrous Na_2SO_4, filtered and evaporated to dryness under reduced pressure to give a black oil. The oil was purified by column chromatography using 7%-20% EA in PE as the eluent to give a yellow oil. The residue triturated with CH_3OH and filtered. The filter cake was concentrated in vacuo to give **219-4** as a white solid (30.0 g, 36.4%).

[0838] Uracil (34.17 g, 305.08 mmol) were coevaporated with anhydrous toluene twice to remove H_2O. To a stirred suspension of uracil in anhydrous MeCN (150 mL) was added N,O-BSA (123.86 g, 610.17 mmol) at RT. The mixture was refluxed for 1.5 h and then cooled to RT. **219-4** (90 g, 152.54 mmol, which were coevaporated with anhydrous toluene twice to remove H_2O) was added. TMSOTf (237.05 g, 1.07 mol) was then added at RT. The mixture was heated to 70 °C, and then stirred overnight and then monitored by LCMS. The mixture was cooled to RT, and quenched with a sat. $NaHCO_3$ solution. The solution was extracted with EA. The organic layer was dried over Na_2SO_4, and then concentrated at low pressure. The residue was purified using a silica gel column eluted with 10%-50% EA in PE to give **219-5** as a white solid (45 g, 50.9%).

[0839] **219-5** (50 g, 86.21 mmol) was treated with NH_3 in MeOH (1 L) at RT, and then stirred for 48 h. The mixture was concentrated at low pressure, and the residue was

purified by column chromatography (10% MeOH in DCM) to give **219-6** (12.6 g, 54.55%) as a white solid.

[0840] To a solution of cyclopentanone (100 g, 1.189 mmol) and trimethyl orthoformate (150 mL) in MeOH (600 mL) was added $TsOH \cdot H_2O$ (1.13 g, 5.9 mmol), and the mixture was stirred at RT for 30 mins. The reaction was quenched with NaOMe (0.32 g, 5.9 mmol) and H_2O, and the solution was extracted by n-hexane. The organic layer was dried over anhydrous Na_2SO_4, and then concentrated at low pressure. The cyclopentyl dimethoxy acetal and **219-6** (20 g, 74.63 mmol) was dissolved in DCE (200 mL), and then treated with $TsOH \cdot H_2O$ (0.71 g, 3.73 mmol). The mixture was stirred at 50 °C for 12 h, and then concentrated at low pressure. The residue was purified by silica gel column chromatography (1-10% MeOH in DCM) to give **219-7** (15.4 g, 61.8%) as a white solid.

[0841] **219-7** (20.0 g, 0.06 mol) was coevaporated with anhydrous pyridine three times to remove H_2O. To an ice-cold solution of **219-7** in anhydrous pyridine (100 mL) was added TsCl (22.8 g, 0.12 mol) at 0 °C, and the mixture was stirred overnight and monitored by LCMS and TLC. The reaction was quenched with H_2O and extracted with EA. The organic phase was dried over anhydrous $NaSO_4$ and evaporated at low pressure. The residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 15:1) to give **219-8** (20.0 g, 69.0%) as a white solid.

[0842] To a solution of **219-8** (20.0 g, 0.04 mol) in acetone (200 mL) was added NaI (31.0 g, 0.2 mol) and heated to reflux overnight and monitored by LCMS. The mixture was quenched with a sat. $Na_2S_2O_3$ solution, and extracted with EA. The organic phase was dried over anhydrous Na_2SO_4 and evaporated at low pressure. The residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 15:1) to give **219-9** (15.0 g, 83.3%) as a white solid.

[0843] To **219-9** (30.0 g, 0.068 mol) in dioxane (60 mL) in sealed tube was added CuBr (4.9 g, 0.034 mol), *i*-Pr_2NH(13.6 g, 0.135 mol) and $(CH_2O)_n$(5.1 g, 0.17 mol) under N_2. The mixture was heated at reflux for 16 h. The mixture was diluted with EtOAc, and washed with a sat. NH_4Cl solution and brine. The solution was dried over anhydrous $MgSO_4$, and concentrated under reduced pressure. The residue was purified by column chromatography (DCM: MeOH=100:1 to 15:1) to give **219-10** (10.0 g, 32.3%) as a white solid.

[0844] **219-10** (10 g, 21.83 mmol) was treated with HCOOH (80%) in H_2O at RT. The solution was stirred at 60 °C for 2 h, and then concentrated at a low pressure. The residue was purified by column chromatography (1%-10% MeOH in DCM) to give **219-11** (5.1 g, 58.55%) as a white solid.

[0845] **219-11** (5 g, 12.79 mmol) was dissolved in anhydrous MeOH (100 mL) and treated with NaOMe (4.83 g, 89.5 mmol) at RT. The solution was stirred at 60 °C for 36 h. The mixture was quenched with CO_2 and then concentrated at low pressure. The residue was purified by column chromatography (0-10% MeOH in DCM) to give **219-12** (2.3 g, 68.05%) as a yellow solid. ^{1}H-NMR ($CDCl_3$, 400 MHz) δ = 7.29 (d, J = 8 Hz 1H), 6.10 (s, 1H), 5.71 (d, J = 8 .0 Hz 1H), 5.18 (t, J = 6.4 Hz, 1H), 4.79-4.84 (m, 1H), 4.61 (d, J = 8.0 Hz, 2H), 4.39 (s, 1H), 3.45 (s, 1H).

[0846] To an ice-cold solution of **219-12** (1.5 g, 5.68 mmol) in anhydrous MeCN (15 mL) was added NIS (1.66 g, 7.39 mmol) and TEA•3HF (0.73 g, 4.55 mmol) under N_2. The mixture was stirred at RT for 1 h. The reaction was quenched with sat. $NaHCO_3$ and sat. Na_2SO_3 solution, and extracted with EA (3 x 100 mL). The organic phase was dried over anhydrous Na_2SO_4, and evaporated to dryness at low pressure. The residue was purified on a silica gel column (0-5% MeOH in DCM) to give **219-13** (1.08 g, 46.2%) as a yellow solid.

[0847] To a stirred solution of **219-13** (1 g, 2.44 mmol) in anhydrous DCM (10 mL) was added DMAP (0.60 g, 4.88 mmol) and Et_3N (0.74g, 7.32 mmol) at RT. The mixture was treated with benzoyl chloride (0.79 g, 5.61 mmol) at 0 °C and then stirred at RT for 3 h. The reaction was quenched with water, and extracted with EA (3 x 60 mL). The organic phase was concentrated at low pressure, and the residue was purified by column chromatography (0-10% MeOH in DCM) to give **219-14** (0.9 g, 59.6%) as a white solid.


[0848] Bu_4NOH (55% in H_2O, 13.74 mL) was treated with TFA (to adjust pH=3-4). The mixture was cooled to RT. To a solution of **219-14** (0.9 g, 1.46 mmol) in DCM (9 mL) was added m-CPBA (80%, 1.57 g, 7.28 mmol) at RT. The mixture was stirred at 25°C for 48 h. The mixture was washed with sat. aq. $NaHCO_3$. The organic layer was passed through an anhydrous Al_2O_3 column, and the solution was concentrated at low pressure. The residue was purified by a silica gel column (30% EA in PE) to give **219-15** (0.26 g, 35.1%) as a yellow solid.

[0849] **219-15** (0.25 g, 0.49 mmol) was dissolved in NH_3/MeOH (5 mL, 7 M), and the mixture was stirred at RT for 24 h under N_2. The mixture was concentrated at low pressure at RT, and the residue was purified by a silica gel column (5% MeOH in DCM) to give **219-16** (100 g, 67.75%) as a white solid. ^{1}H-NMR (CD_3OD, 400 MHz) δ = 7.83 (d, J = 8 Hz 1H), 6.29 (s, 1H), 5.67 (d, J = 6 .0 Hz 1H), 5.12 (t, J = 6.8 Hz, 1H), 4.99-5.01 (m, 1H), 4.38 (d, J = 19.6 Hz 1H), 3.74-3.81 (m, 2H), 3.35 (s, 1H).

[0850] **219-16** (100 mg, 0.33 mmol) was co-evaporated with toluene three times to remove H_2O. To a stirred solution of **219-16** (100 mg, 0.33 mmol) in a mixture of MeCN (1.0 mL) and NMI (271 mg, 3.3 mmol) was added a solution of **219-C** (216.5 mg, 0.66 mmol) in MeCN (0.5 mL) at 0 ^{0}C. The mixture was stirred at RT overnight and then reaction was quenched with water. The mixture was diluted with EA (20 mL), and the organic layer was washed with water and brine, and dried over anhydrous Na_2SO_4. The organic phase was concentrated at low pressure, and the residue was purified on a silica gel column (5% *i*-PrOH in DCM) to give the crude product. The crude product was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give **219** (35.6 mg, 19.0%) as a white solid. ESI-LCMS: m/z 592 $[M+Na]^+$.


[0851] To a stirred solution of **219-A** (2.0 g, 13.16 mmol) and phenol (1.22 g, 13.16 mmol) in anhydrous DCM (100 mL) was added a solution of TEA (1.33 g, 13.16 mmol) in DCM (20 mL) dropwise at -78°C. The mixture was warmed gradually to RT, and then stirred for 2 h. The solution was re-cooled to -78°C, and (S)-isopropyl 2-aminopropanoate hydrochloride (2.20 g, 13.16 mmol) in DCM (20 mL) was added, followed by the dropwise addition of TEA (2.66 g, 26.29 mmol) in DCM (20 mL). The mixture was warmed gradually to RT, and then stirred for 2 h. The organic solvent was removed at low pressure, and the residue was dissolved in methyl-butyl ether. The precipitate was filtered, and the filtrate was concentrated at low pressure. The residue was purified on a silica gel column (anhydrous DCM) to give **219-C** (0.9 g, 22.3%) as a colorless oil.

EXAMPLE 120
COMPOUND 220



[0852] Dry nucleoside (0.05 mmol) was dissolved in a mixture of $PO(OMe)_3$ (0.7 mL) and pyridine (0.3 mL). The mixture was evaporated in vacuum for 15 mins. at 42^0C, then cooled to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $POCl_3$ (0.009 mL, 0.11 mmol). The mixture was kept at RT for 20-40 mins and monitored for the formation of **220** by LCMS. The reaction was quenched with water and isolated by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 30% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer. MS: m/z 396.5 $[M-1]^-$.

EXAMPLE 121
COMPOUND 223



223-1 223-2 223-3 223


[0853] A solution of **223-1** (16.70 g, 0.363 mol) and TEA (36.66 g, 0.363 mol) in CH_2Cl_2 (150 mL) was added dropwise to a stirred solution of $POCl_3$ (55.65 g, 0.363 mol) in DCM (100 mL) over 25 mins at -78°C. After the mixture was stirred for 2 h. at RT, the triethylamine hydrochloride salt was filtered, and washed with CH_2Cl_2 (100 mL). The filtrate was concentrated at low pressure, and the residue was distilled under high vacuum (~10 mm Hg) with a cow-head fraction collector. **223-2** was collected between 45°C (distillation head temperature) as a colorless liquid (30.5 g, 50% yield). ^{1}H-NMR (400 MHz, $CDCl_3$) δ = 4.44 (dq, J=10.85, 7.17 Hz, 2 H), 1.44 - 1.57 (m, 3 H); ^{31}P-NMR (162 MHz, $CDCl_3$) δ = 6.75 (br. s., 1 P).

[0854] To a stirred suspension of **227-A** (93 mg, 0.15 mmol) in CH_2Cl_2 (1 mL) was added TEA (61 mg, 0.15 mmol) at RT. The mixture was cooled to -20 °C, and then was treated with a **223-2** (35 mg, 0.21 mmol) solution dropwise over a period of 10 mins. The mixture was stirred at this temperature for 15 mins., and then was treated with NMI (27 mg, 0.33 mmol). The mixture was stirred at -20°C, and then slowly warmed to RT. The mixture was stirred overnight. The mixture was suspended in EA (15 mL), washed with brine (10 mL) and dried over anhydrous sodium sulfate. The solution was concentrated at low

pressure, and the residue was purified by chromatography (DCM: MeOH=100:1) to give **223-3** (60 mg, yield: 56%) as a solid.

[0855] A solution of **223-3** (60 mg, 0.085 mmol) in 80% AcOH aqueous (2 mL) was stirred at RT for 2 h. The mixture was concentrated under reduced pressure, and the residue was purified by a silica gel column eluting DCM/MeOH = 50/1and prep-HPLC to give **223** (23 mg, 62%) as a white solid. ESI-MS: m/z 436.3 $[M+H]^+$.

EXAMPLE 122
COMPOUND 224




[0856] **224-2** was prepared using a similar procedure as for the preparation of **223-2** using a solution of iso-butanol (23.9 g, 322.98 mmol) and $POCl_3$ (49.5 g, 322.98 mmol). **224-2** (26 g, 42% yield) was obtained as a colorless liquid. ^{1}H-NMR (400 MHz, $CDCl_3$) δ = 4.10 (dd, *J*=9.04, 6.39 Hz, 2 H), 2.09 (dq, *J*=13.24, 6.67, 6.67, 6.67, 6.67 Hz, 1 H), 1.01 (d, *J*=6.62 Hz, 6 H); ^{31}P-NMR (162 MHz, $CDCl_3$) δ = 7.06 (br. s., 1 P).

[0857] To a stirred suspension of **227-A** (310 mg, 0.5 mmol) in CH_2Cl_2 (3 mL) was added TEA (202 mg, 2 mmol) at RT. The mixture was cooled to -20 °C, and then was treated with **224-2** (134 mg, 0.7 mmol). The mixture was stirred at this temperature for 15 mins and then was treated with NMI (90 mg, 1.1 mmol). The mixture was stirred at -20°C for 1 h., and then slowly warmed to RT overnight. The mixture was suspended in EA (15 mL), washed with brine (10 mL), and dried over anhydrous sodium sulfate. The organic phase was concentrated at low pressure, and the residue was purified by silica column gel (DCM: MeOH=100:1) to give **224-3** (310 mg, yield: 84%) as a solid.

[0858] A solution of **224-3** (310 mg, 0.43 mmol) in 80% AcOH aqueous (4 mL) was stirred at RT for 2 h. The mixture was concentrated at low pressure, and the residue was purified by a silica gel column eluting DCM/MeOH = 50/1 and prep-HPLC to give **224** (79 mg, 50%) as a white solid. ESI-MS: m/z 464.0 $[M+H]^+$.

EXAMPLE 123
COMPOUND 225




[0859] **225-2** was prepared using a similar procedure as for the preparation of **223-2** using a solution of isopropyl alcohol (21 g, 350 mmol) and $POCl_3$ (53.6 g, 350 mmol). **225-2** (40.5 g, 65% yield) was obtained as a colorless liquid. ^{1}H-NMR (400 MHz, $CDCl_3$) δ = 4.94 - 5.10 (m, 1 H), 1.48 (d, *J*=6.17 Hz, 6 H); ^{31}P- NMR (162 MHz, $CDCl_3$) δ = 5.58 (br. s., 1 P).

[0860] **225-3** was prepared using a similar procedure as for the preparation of **224-3** using **225-2** (124 mg, 0.7 mmol) and **227-A** (310 mg, 0.5 mmol). **225-3** (300 mg, 83%) was obtained as a solid.

[0861] **225** was prepared using a similar procedure as for the preparation of **224** using **225-3** (300 mg, 0.41 mmol) in 80% AcOH aqueous (4 mL). **225** (80 mg, 43%) was obtained as a white solid. ESI-MS: m/z 450.0 $[M+H]^+$.

EXAMPLE 124
COMPOUND 227



[0862] To a stirred solution of $POCl_3$ (2.0 g, 13 mmol) in anhydrous DCM (10 mL) was added 1-naphthol (1.88 g, 13 mmol) at -70 °C, and TEA (1.31 g, 13 mmol) in DCM


(3 mL) dropwise at -70 °C. The mixture was gradually warmed to RT and stirred for 1 h. Crude **227-1** was obtained.

[0863] To a stirred solution of (S)-isopropyl 2-aminopropanoate hydrochloride (2.17 g, 13 mmol) in DCM (10 mL) was added crude **227-1** at -70 °C. TEA (2.63 g, 26 mmol) was added to the stirred solution dropwise at -70 °C. The mixture was gradually warmed to RT and stirred for 2 h. The reaction was monitored by LCMS and quenched with n-propylamine. The mixture was concentrated at low pressure, and the residue was purified by a silica gel column (PE:MTBE = 5:1~1:1) to give pure **227-2** (1.6 g, 35%).

[0864] To a solution of **227-A** (300 mg, 0.337 mmol) and NMI (276 mg, 3.37 mmol) in anhydrous CH_3CN (4 mL) was added **227-2** (240 mg, 0.674 mol, in DCM (5 mL)) at 0 °C. The mixture was stirred at RT for 10 h. The reaction was monitored by LCMS. The reaction was quenched with water, and extracted with CH_2Cl_2 (3 x 20 mL). The organic phase was dried over anhydrous MgSO4, and concentrated at low pressure. The residue was purified by sil-gel (PE:EA = 5:1~2:1) to give **227-3** (380 mg, 93%).

[0865] **227-3** (380 mg, 0.314 mmol) was dissolved in CH_3COOH (80%, 8 mL), and stirred at 40-50 °C for 2.5 h. The reaction was monitored by LCMS. The mixture was concentrated at low pressure, and the residue was purified by chromatography (PE:EA = 1:1~EA) to give crude **227**. The crude product was purified by prep-HPLC (neutral system, NH_4HCO_3) to give pure **227** (70 mg, 80%) as a white solid. ESI-MS: m/z 665.1 $[M+H]^+$.

EXAMPLE 125
COMPOUND 228



[0866] To a stirred solution of $POCl_3$ (2.0 g, 13 mmol) in anhydrous DCM (10 mL) was added 1-naphthol (1.88 g, 13 mmol) at -70 °C and TEA (1.31 g, 13 mmol) in DCM


(3 mL) dropwise at -70 °C. The mixture was gradually warmed to RT, and stirred for 1 h. A crude solution of **228-1** was obtained.

[0867] To a stirred solution of (S)-isobutyl 2-aminopropanoate hydrochloride (2.35 g, 13 mmol) in DCM (20 mL) was added TEA (2.63 g, 26 mmol) and a crude solution of **228-1** at -70 °C. The mixture was gradually warmed to RT, and stirred for 2 h. The reaction was monitored by LCMS and quenched with n-propylamine. The solvent was evaporated at low pressure, and the residue was purified by chromatography (PE:MTBE = 5:1~1:1) to give pure **228-2** (1.8 g, 37%).

[0868] To a solution of **227-A** (300 mg, 0.337 mmol) and NMI (276 mg, 3.37 mmol) in anhydrous CH_3CN (4 mL) was added **228-2** (249 mg, 0.674 mol, in DCM (5 mL)) at 0 °C. The mixture was stirred at RT for 10 h. The reaction was monitored by LCMS, and then quenched with H_2O. The mixture was extracted with CH_2Cl_2 (3 x 20 mL). The organic phase was dried over anhydrous MgSO4, and concentrated at low pressure. The residue was purified by chromatography using PE:EA = 5:1~2:1 as the eluent to give **228-3** (360 mg, 87%).

[0869] **228-3** (360 mg, 0.294 mmol) was dissolved in CH_3COOH (80%, 8 mL), and stirred at 40-50 °C for 2.5 h. The reaction was monitored by LCMS and then quenched with MeO. The mixture was concentrated at low pressure, and the residue was purified by chromatography using PE:EA = 1:1 as the eluent to generate crude **228**. The product purified by prep-HPLC (neutral system, NH_4HCO_3) to give **228** (70 mg, 75%) as a white solid. ESI-MS: m/z 679.2 $[M+H]^+$.


EXAMPLE 126
COMPOUND 229



[0870] To a stirred solution of $POCl_3$ (2.0 g, 13 mmol) in anhydrous DCM (10 mL) was added phenol (1.22 g, 13 mmol) at -70 °C and TEA (1.31 g, 13 mmol) in DCM (3 mL) dropwise at -70 °C. The mixture was gradually warmed to RT, and stirred for 1 h. A crude solution of **229-1** was obtained.


[0871] **229** was prepared using a similar procedure as for the preparation of **228** using **229-2** (205 mg, 0.674 mol, in DCM (5 mL) obtained from (S)-isopropyl 2-aminopropanoate hydrochloride and **229-1**) and **227-A** (300 mg, 0.337 mmol). **229** (50 mg, 74%) was obtained as a white solid. ESI-MS: m/z 615.2 $[M+H]^+$.

EXAMPLE 127
COMPOUND 230




[0872] **230** was prepared using a similar procedure as for the preparation of **228** using **230-2** (214 mg, 0.674 mol, in DCM (5 mL) obtained from (S)-isobutyl 2-aminopropanoate hydrochloride and **230-1**) and **227-A** (300 mg, 0.337 mmol). **230** (70 mg, 87%) was obtained as a white solid. ESI-MS: m/z 629.2 $[M+H]^+$.

EXAMPLE 128
COMPOUND 231




[0873] **231** was prepared using a similar procedure as for the preparation of **228** using **231-2** (223 mg, 0.674 mol, DCM (5 mL) obtained from (S)-cyclopentyl 2-aminopropanoate hydrochloride and **231-1**) and **227-A** (300 mg, 0.337 mmol). **231** (62 mg, 71%) was obtained as a white solid. ESI-MS: m/z 641.2 $[M+H]^+$.

EXAMPLE 129
COMPOUND 232



[0874] **232** was prepared using a similar procedure as for the preparation of **228** using **232-2** (223 mg, 0.674 mol, DCM (5 mL), obtained from (S)-3-pentyl 2-aminopropanoate hydrochloride and **232-1**) and **227-A** (300 mg, 0.337 mmol). **232** (42 mg, 60%) was obtained as a white solid. ESI-MS: m/z 643.2 $[M+H]^+$.

EXAMPLE 130
COMPOUND 233




[0875] A stirred solution of phosphoryl trichloride (1.00 g, 6.58 mmol) and 5-quinoline (955 mg, 6.58 mmol) in anhydrous DCM (50 mL) was treated with a solution of TEA (665 mg, 6.58 mmol) in DCM (10 mL) at -78°C. The mixture was gradually warmed to

RT, and stirred for 2 h. The solution was cooled to -78°C and then treated with (*S*)-neopentyl 2-aminopropanoate hydrochloride (1.28 g, 6.58 mmol). TEA (1.33 g, 13.16 mmol) was added dropwise at -78°C. The mixture was gradually warmed to RT, and stirred for 2 h. The mixture was concentrated at low pressure, and the residue was dissolved in methyl-butyl ether. The precipitate was filtered off, and the filtrate was concentrated at low pressure. The residue was purified by a silica gel column (pure AcOEt) to give **233-1** as colorless oil (500 mg, 20%).

[0876] To a solution of **233-2** (300 mg, 0.337mmol) and NMI (276.6 mg, 3.37 mmol) in anhydrous CH_3CN (0.9 mL) was added **233-1** (388 mg, 1.011 mmol) in CH_3CN (0.3 mL) dropwise at 0 °C. The mixture was stirred at RT overnight. The reaction was quenched with water, and extracted with AcOEt. The organic phase was washed with brine, dried over anhydrous sodium sulfate, and concentrated at low pressure. The residue was purified by silica gel column (33% EA in PE) to give **233-3** as a yellow powder (300 mg, 71.9%).

[0877] **233-3** (300 mg, 0.243 mmol) was dissolved in 80% CH_3COOH (3 mL), and the mixture was stirred at 60 °C for 2.5 h. The mixture was partitioned between AcOEt and water. The organic layer phase was washed by brine, dried over sodium sulfate and concentrated at low pressure. The residue was purified by silica gel column (50% EA in PE) to give **233** as a yellow powder (81 mg, crude product). The crude product (81 mg) was purified by RP HPLC to give **233** as a white solid. (28.7 mg, 17.1%). ESI-LCMS: m/z 694.1 $[M+H]^+$.

EXAMPLE 131
COMPOUND 234




[0878] **234-1** was prepared using a similar procedure as for the preparation of **233-1** using phosphoryl trichloride (2.00 g, 13.16 mmol), 1-naphthol (1.882 g, 13.16 mmol) and (*S*)-neopentyl 2-aminopropanoate hydrochloride (2.549 g, 13.16 mmol). **234-1** (600 mg, 12%) was obtained as a colorless oil.

[0879] A solution of **234-2** (230 mg 0.26 mmol) and NMI (212 mg 2.60 mmol) in anhydrous CH_3CN (1 mL) was treated with a solution of **234-1** (300 mg 0.78 mmol) in anhydrous CH_3CN (0.5 mL) at RT. The mixture was stirred at RT overnight. The reaction was quenched with water, and extracted with EA (3 x 20 mL). The organic layer was washed with brine, dried by anhydrous sodium sulfate, and concentrated at low pressure. The residue was purified by a silica gel column (CH_3OH in CH_2Cl_2 from 1% to 5%) to give **234-3** (300 mg, 93%) as a white solid.

[0880] **234-3** (300 mg, 0.24 mmol) was dissolved in CH_3COOH (80%, 5 mL). The mixture was stirred at 60 °C for 2.5 h. The mixture was diluted with EA (30 mL) and washed with brine. The organic phase was dried over anhydrous sodium sulfate, and concentrated at low pressure. The residue was purified by a silica gel column (CH_3OH in CH_2Cl_2 from 1% to 5%) to give crude **234** (105 mg). The crude product was purified by HPLC (0.1% NH_4HCO_3 in water and CH_3CN) to give **234** (45 mg, 26%) as a white solid. ESI-LCMS: m/z 693.2 $[M+H]^+$.

EXAMPLE 132
COMPOUND 235




[0881] A stirred solution of **235-1** (2.00 g, 13.99 mmol) and **235-2** (2.00 g, 13.99 mmol) in anhydrous DCM (8 mL) was treated with a solution of TEA (3.11 g, 30.8 mmol) in DCM (20 mL) dropwise at -78°C. The mixture was stirred for 2 h. at -78 °C and then gradually warmed to RT. The organic solvent was removed at low pressure, and the residue was dissolved in methyl-butyl ether. The precipitate was filtered off, and the filtrate was concentrated at low pressure. The residue was purified on a silica gel column (dry DCM) to give **235-3** as colorless oil (1 g, 20.96%).

[0882] **235-4** (260 mg, 0.29 mmol) was coevaporated with toluene 3 times to remove H_2O. Dried **235-4** was treated with MeCN (0.8 mL) and NMI (240 mg, 2.9 mmol) and then stirred for 10 mins. The mixture was treated with a solution of **235-3** (291 mg, 0.87 mmol) in MeCN (0.4 mL), and then concentrated at low pressure. The residue was purified on a silica gel column (75% EA in PE)) to give **235-5** (300 mg, 86%) as a white solid.


[0883] **235-5** (300 mg, 0.25 mmol) was treated with CH_3COOH (5 mL, 80%), and stirred at 50 °C for 3 h. The mixture was diluted with EA. The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column chromatography (67% EA in PE) to give crude **235**, which was purified by HPLC. The product was dried by lyophilization to give **235** (30 mg, 18.5%) as a white solid. ESI-LCMS: m/z 643 $[M+H]^+$.

EXAMPLE 133
COMPOUND 247



[0884] **247-1** (50 mg, 0.13 mmol) was dissolved in 80% formic acid (3 mL) and heated at 50 ^{0}C overnight. The solvent was evaporated, co-evaporated with water to remove the acid. The residue was dissolved in a mixture of methanol and triethylamine (3 mL, 4:1 v:v). After 0.5 h, the solvent was evaporated. The nucleoside was lyophilized from water to yield **247** (40 mg, 97%). MS: mz 315.5 [M-1].

EXAMPLE 134
COMPOUND 248



[0885] To a stirred solution of **248-1** (15.0 g, 50.2 mmol) in anhydrous pyridine (180 mL) was added BzCl (23.3 g, 165.5 mmol) at 0 °C under N_2 atmosphere. The mixture was stirred for 12 h at RT. The mixture was diluted with EA and washed with sat.$NaHCO_3$ aq. solution and brine. The organic layer was dried with anhydrous Na_2SO_4 and filtered. The organic phase was concentrated to dryness at low pressure. The residue was purified by column chromatography (15% EtOAc in PE) to give **248-2** (27 g, 93.5%) as a white solid.

[0886] **248-2** (27.0 g, 47 mmol) was dissolved in 90% HOAc (250 mL). The mixture was stirred at 110 °C for 12 h. The solvent was removed under reduced pressure. The residue was diluted with EA and washed with sat. $NaHCO_3$ aq. solution and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The organic phase was concentrated at low pressure to give crude **248-3** (21.7 g, crude) as a light yellow solid.

[0887] **248-3** (21.7 g, 45.9 mmol) was treated with NH_3/MeOH (600 mL) and stirred at RT for 12 h. The solvent was concentrated under reduced pressure to give the crude product. The crude product was purified by column chromatography (5% MeOH in DCM) to give **248-4** (12 g, 99%) as a white solid.

[0888] To a stirred solution of **248-4** (15.0 g, 56.8 mmol) in anhydrous pyridine (200 mL) was added imidazole (7.7g, 113.6 mmol) and TBSCl (9.4 g, 62.5 mmol) at RT. The mixture was stirred at RT for 12 h. The solvent was removed under reduced pressure. The residue was diluted with EA and washed with sat. $NaHCO_3$ aq. solution and brine. The organic phase was dried over anhydrous Na_2SO_4 and filtered. The organic phase was concentrated at a low pressure to give crude **248-5** (21.3 g, crude) as a light yellow solid.

[0889] To a stirred solution of **248-5** (21.3 g, crude) in anhydrous DCM (200 mL) was added collidine (6.8 g, 56.8 mmol), MMTrCl (17.8 g, 56.8 mmol) and $AgNO_3$ (9.6 g, 56.8 mmol) at RT. The mixture was stirred at RT for 12 h. The solid was removed by filtration, and the filtrate was washed with sat.$NaHCO_3$ aq. solution and brine. The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (5% EA in PE) to give **248-6** (32 g, 87%) as a light yellow solid.

[0890] **248-6** (32 g, 49.2 mmol) was dissolved in a solution of TBAF in THF (1M, 4.0 eq.) at RT. The mixture was stirred at RT for 12 h. The solvent was removed under reduced pressure. The residue was diluted with EA and washed with brine. The organic

layer was dried over anhydrous Na_2SO_4 and concentrated at low procedure. The residue was purified by column chromatography (33% EA in PE) to give **248-7** (21.0 g, 79%) as a white solid.

[0891] To a stirred solution of **248-7** (21.0 g, 38.8 mmol) in anhydrous DCM (200 mL) was added pyridine (9.2 mL, 116.4 mmol) and Dess-Martin periodinane (49 g, 116.4 mmol) at 0 °C. The mixture was stirred at RT for 4 h. The reaction was quenched with sat. $Na_2S_2O_3$ solution and sat. $NaHCO_3$ aq. solution. The organic layer was washed with brine, dried over anhydrous Na_2SO_4 and concentrated under reduced pressure to give a crude product (21.0 g).

[0892] The crude product (21.0 g, crude) was dissolved in dioxane (200 mL) and treated with 37% aqueous formaldehyde (20 mL, 194 mmol) and 2.0 N aqueous sodium hydroxide (37.5 mL, 77.6 mmol). The mixture was stirred at RT for 12 h. The solution was treated with $NaBH_4$ (8.8 g, 232.8 mmol). After stirring for 0.5 h at RT, the reaction was quenched with ice water. The mixture was diluted with EA and washed with brine. The organic phase was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (4% MeOH in DCM) to give **248-8** (10.0 g, 50.5%) as a white foam.


[0893] **248-8** (4.8 g, 8.5 mmol) was co-evaporated with toluene (2x). The residue was dissolved in anhydrous DCM (45 mL) and pyridine (6.7 g, 85 mmol). The solution was cooled to 0 °C. Triflic anhydride (4.8 g, 18.7 mmol) was added dropwise over 10 mins. At 0 °C, the mixture was stirred over 40 mins and monitored by TLC (PE: EA= 1:1). The mixture was diluted with CH_2Cl_2 (50 mL). The solution was washed with sat. $NaHCO_3$ solution. The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (PE: EA = 100:0-4:1) to give **248-9** (6.1 g, 86.4%) as a brown foam.

[0894] **248-9** (6.1 g, 7.3 mmol) was dissolved in MeCN (25 mL). A solution of TBAF in THF (1M, 25 mL) was added at RT. The mixture was stirred at RT for 12 h. A solution of TBAF in THF (1M, 15 mL) was added, and the mixture was stirred for 4 h. The mixture was treated with aq. NaOH (1N, 14.6 mmol) and the mixture was stirred for 1 h. The reaction was quenched with water and extracted with EA. The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The

residue was purified by column chromatography (50% EA in PE) to give **248-10** (2.1 g, 50.6%) as a white solid.

[0895] **248-10** (700 mg, 1.23 mmol) was dissolved in 80% HCOOH (40 mL) at RT. The mixture was stirred at RT for 2 h. The reaction was quenched with MeOH (40 mL) and stirred for 12 h. The solvent was concentrated at low pressure, and the residue was purified by column chromatography (5% MeOH in DCM) to give **248** (210 mg, 57.7%) as a white solid. ESI-MS: m/z 296.9 $[M + H]^+$.

EXAMPLE 135
COMPOUND 250



[0896] A mixture of **250-1** (120 g, 0.26 mol) and IBX (109 g, 0.39 mol) in CH_3CN (2.0 L) was heated to refluxed and stirred for 12 h. After cooling down to RT, the mixture was filtered. The filtrate was concentrated to dryness at low pressure.

[0897] **250-2** (130 g, crude, 0.26 mol) was co-evaporated with anhydrous toluene (3x). Vinyl magnesium bromide (700 mL, 0.78 mol, 1.0 N in THF) was added dropwise into a solution of **250-2** in THF (300 mL) over 30 mins at -78 °C, and the mixture was stirred for about 1 h at RT. When the starting material was consumed as determined by TLC, the mixture was poured into a sat. NH_4Cl solution. The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure.

[0898] To a solution of the above residue (170 g, crude, 0.346 mol) in anhydrous CH_2Cl_2 was added TEA (105 g, 1.04 mol), DMAP (84 g, 0.69 mol), and benzoyl chloride (146 g, 1.04 mol), and stirred for 12 h at RT. The mixture was diluted with CH_2Cl_2 and washed with sat. aq. $NaHCO_3$. The combined aq. phase was extracted with DCM (100 mL). The combined organic phase was dried over anhydrous Na_2SO_4, filtered and evaporated to dryness under reduced pressure. The residue was purified by column chromatography using EA in PE (10% to 50%) to get **250-3** (107 g, 52%).

[0899] A mixture of uracil (co-evaporated with toluene (2x)) and NOBSA (81.4 g, 0.4 mol) and CH_3CN (150 mL) was stirred to reflux for 1.5 h. After cooling to RT, the mixture was treated with **250-3** (59 g, 0.1 mol) and TMSOTf (155 g, 0.7 mol). The mixture was heated to 60-70 °C, and stirred for 12 h. After cooling to RT, the mixture was poured into a sat. $NaHCO_3$ solution, and a solid precipitated. After filtration, pure **250-4** was obtained as a white solid (40 g, 69%) was obtained.

[0900] To a solution of **250-4** (50 g, 0.086 mol), K_2CO_3 (17.8 g, 0.13 mol) in DMF (50 mL) was added PMBCl (16 g, 0.1 mol) at 0 °C, and stirred at RT for 12 h. The reaction was quenched with water, and extracted with EA (3 x 100 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure to give **250-5** (65 g).

[0901] A mixture of **250-5** (65 g, 0.086 mol) and NaOMe (16.8 g, 0.3 mol) in MeOH:DCM (500 mL, v:v = 4:1) was stirred at RT for 2.5 h. The reaction was quenched with CO_2 (solid) and concentrated at low pressure. The residue was dissolved in EA (200 mL). The solution was washed with water, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (4% MeOH in DCM) to give **250-6** as a yellow foam (25 g, 75%).

[0902] To a mixture of **250-6** (25.5 g, 0.065 mol) in DMF (60 mL) was added NaH (10.5 g, 0.26 mol, 60% in coal oil) BnBr (36.3 g, 0.21 mol) in an ice bath, and stirred at RT for 12 h. The reaction was quenched with NH_4Cl (aq.), and the mixture was diluted with EA (150 mL). The solution was washed with brine, dried over anhydride Na_2SO_4, and concentrated at low pressure. The residue was purified by sil-gel (15% EA in PE) to give **250-7** (20 g, 46%).

[0903] To a solution of **250-7** (20 g, 0.03 mol) and NMMO (7 g, 0.06 mol) in THF:H_2O (100 mL, v:v = 5:1) was added OsO_4 (2.6 g, 0.01 mol) at RT, and stirred at RT for 24 h. The reaction was quenched with sat. $Na_2S_2O_3$ solution, and extracted with EA (3 x 80 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure.

[0904] To a solution of diol-product (0.03 mol) in MeOH:H_2O:THF (v:v:v = 170 mL:30 mL:50 mL) was added $NaIO_4$ (9.6 g, 0.045 mol) at RT, and stirred at RT for 2 h. After filtration, the filter was used directly for the next step.

[0905] The previous solution was treated with $NaBH_4$ (1.8 g, 0.048 mol) at 0 °C, and stirred at RT for 30 mins. The reaction was quenched with HCl (1 N) solution. The mixture was extracted with EA (3 x 60 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by sil-gel (25 % EA in PE, TLC: PE:EA = 2:1, Rf = 0.6) to give **250-8** (12 g, 61% over 3 steps).

[0906] To a solution of **250-8** (14 g, 21 mmol) and DMAP (5.1 g, 42 mmol) in DCM (60 mL) was added MsCl (3.1 g, 27 mmol) at 0 °C, and stirred at RT for 40 mins. The reaction was quenched with sat. $NaHCO_3$ solution. The organic phase was washed with HCl (0.2 N) solution, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by sil-gel (25% EA in PE) to give the Ms-product (14 g, 90%) as a white solid.

[0907] Ms-product (41 g, 55 mmol) was treated with TBAF (Alfa, 1 N in THF, 500 mL), and stirred at 70-80 °C for 3 days. The mixture was concentrated at low pressure. The residue was dissolved in EA (200 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by sil-gel column (25% EA in PE) to give **250-9** (9.9 g, 27%).

[0908] To a solution of **250-9** (6.3 g, 9.45 mmol) in CAN:H_2O (v:v = 3:1, 52 mL) was added CAN (15.5 g, 28.3 mmol), and stirred at RT overnight. The reaction was quenched with water, and extracted with EA (3 x 80 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (25% EA in PE) to give **250-10** (3.6 g, 71 %) as a yellow oil.

[0909] To a solution of **250-10** (2.4 g, 4.4 mmol) in anhydrous DCM (10 mL) was added BCl_3 (1 N, 30 mL) at -70 °C, and stirred for 2 h at -70 °C. The reaction was quenched with MeOH at -70 °C. The mixture was concentrated directly under 35 °C at low pressure. The residue was purified by column chromatography (50% EA in PE to 100% EA) to give **250-11** (1.2 g, 86%). ESI-MS: m/z 277.1 $[M+H]^+$.

[0910] To a solution of PPh_3 (3.37 g, 12.8 mmol) in pyridine (15 mL) was added I_2 (3.06 g, 12 mmol) at 0 °C, and stirred at RT for 30 mins until the orange color appeared. The mixture was cooled to 0 °C, and treated with **250-11** (2.2 g, 8 mmol) in pyridine (5 mL), and stirred at RT under N_2 for 12 h. The reaction was quenched with $Na_2S_2O_3$ (sat., 30 mL), and extracted with EA (3 x 60 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (1% to 2% MeOH in DCM) to give **250-12** (1.8 g, 58%) as a light yellow foam.

[0911] A mixture of **250-12** (1.35 g, 3.5 mmol) and DBU (1.06 g, 7 mmol) in THF:CH_3CN (v:v = 10 mL:5 mL) was stirred at 60-70 °C for 2 h. The mixture was diluted with EA (50 mL), and adjusted to pH=7-8 with HCl (0.2 N) solution. The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography to give **250-13** (0.5 g, 55%).


[0912] To a solution of **250-13** (670 mg, 2.6 mmol) in CH_3CN (6 mL) was added NIS (730 mg, 3.25 mmol) and 3HF·TEA (335 mg, 2.1 mmol) at 0 °C, and stirred at RT for 2 h. The reaction was quenched with $NaHCO_3$ (sat.) solution and $Na_2S_2O_3$ (sat.) solution, and extracted with EA (3 x 30 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (50% EA in PE and 2% MeOH in DCM) to give **250-14** (1.2 g, 80%) as a brown oil.

[0913] To a solution of **250-14** (1.0 g, 2.47 mmol), DMAP (0.75 g, 6.2 mmol) and TEA (0.75 g, 7.42 mmol) in DCM (10 mL) was added BzCl (1.15 g, 8.16 mmol) in DCM (1 mL) at 0 °C, and stirred at RT for 12 h. The reaction was quenched with $NaHCO_3$ (aq.) solution. The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (30% EA in PE) to give **250-15** (850 mg, 85%).

[0914] A mixture of **250-15** (600 mg, 1 mmol), BzONa (1.45 g, 10 mmol), and 15-crown-5 (2.2 g, 10 mmol) in DMF (25 mL) was stirred at 90-100 °C for 24 h. The mixture was diluted with EA (20 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by column chromatography (30% EA in PE) to give **250-16** (275 mg, 37%) as a light yellow foam.

[0915] A mixture of **250-16** (250 mg, 0.41 mmol) in NH_3·MeOH (7 N, 5 mL) was stirred at RT for 15 h. The mixture was concentrated at low pressure directly. The residue was purified by column chromatography (50% EA in PE) and re-purified by prep-HPLC to give **250** (33 mg, 25%) as a white solid. ESI-MS: m/z 295.1 $[M+H]^+$.

EXAMPLE 136
COMPOUND 126



[0916] To a solution of **126-1** (3.0 g, 11.15 mmol) in anhydrous pyridine (90 mL) was added imidazole (3.03 g, 44.59 mmol) and TBSCl (6.69 g, 44.59 mmol) at 25 °C under N_2 atmosphere. The solution was stirred at 25 °C for 15 h. The solution was concentrated to

dryness under reduced pressure. The residue was dissolved in EA. The solution was washed with sat. $NaHCO_3$ and brine, and dried over anhydrous $MgSO_4$. The solvent was removed at low pressure to give crude **126-2** (4.49 g, 90 %) as a white solid.

[0917] To a stirred solution of **126-2** (3.5 g, 7.04 mmol) in a mixture of EA and EtOH (1:1, 55 mL) was added TsOH (10.7 g, 56.34 mmol) at 0 °C. The mixture was stirred at 30 °C for 8 h. Water (30 mL) was added, and the solution was removed to dryness. The residue was purified on a silica gel column (10% MeOH in DCM) to give **126-3** (1.75 g, 65%) as a white foam.

[0918] To a solution of **126-3** (3.4 g, 8.88 mmol) in anhydrous pyridine (17 mL) was added collidine (4.3 g, 35.51 mmol), $AgNO_3$ (5.50 g, 35.51 mmol) and MMTrCl (8.02 g, 26.63 mmol) at 25 °C under N_2. The mixture was stirred at 25 °C for 12 h. MeOH (20 mL) was added, and the solvent was removed to dryness at low pressure. The residue was purified on a silica gel column (10% EA in PE) to give **126-4** (5.76 g, 70%) as a white foam.

[0919] To a solution of **126-4** (2.0 g, 2.16 mmol) in anhydrous DCM (10 mL) was added $Cl_2CHCOOH$ (2.8 g, 21.57 mmol) dropwise at -78 °C. The mixture was warmed to -10 °C and stirred at this temperature for 20 mins. The reaction was quenched with sat.$NaHCO_3$ at -10 °C. The mixture was extracted with DCM, washed with brine, and dried over anhydrous $MgSO_4$. The solution was concentrated at low pressure. The residue was purified on silica gel column (10% EA in PE) to give **126-5** (0.99 g, 70%) as a white foam.

[0920] To a stirred solution of **126-5** (3.5 g, 5.34 mmol) in anhydrous DMSO (35 mL) was added DCC (3.30 g, 16.03 mmol) and Py·TFA (1.03 g, 5.34 mmol). The mixture was stirred at 30 °C for 1 h. The reaction was quenched with cold water at 0 °C, and extracted with EA (3 x 60 mL). The precipitate was filtered. The organic layers were washed with brine (3x) and dried over anhydrous $MgSO_4$. The organic phase was concentrated at low pressure to give crude **126-6** (3.5 g) as a yellow oil.

[0921] To a stirred solution of **126-6** (3.5 g, 5.34 mmol) in MeCN (35 mL) was added 37% HCHO (11.1 mL) and TEA (4.33 g, 42.7 mmol). The mixture was stirred at 25 °C for 12 h. The mixture was treated with EtOH (26 mL) and $NaBH_4$ (3.25 g, 85.5 mmol) and then stirred for 30 mins. The reaction was quenched with sat. aq. NH_4Cl and extracted with EA (3 x 60 mL). The organic layer was dried over anhydrous $MgSO_4$, and concentrated

at low pressure. The residue was purified by column chromatography (from 10% EA in PE to 50% DCM in PE) to give **126-7** (1.46 g, 40%) as a white solid.

[0922] To a stirred solution of **126-7** (1.85 g, 2.7 mmol) in pyridine (24 mL) and DCM (9.6 mL) was added DMTrCl (1.3 g, 3.9 mmol) at -35 °C under N_2 atmosphere. The solution was stirred at 25 °C for 16 h. The mixture was treated with MeOH (15 mL) and concentrated at low pressure. The residue was purified by column chromatography (EA in PE from 10% to 30%) to give **126-8** (1.60 g, 60 %) as a white solid.

[0923] To a solution of **126-8** (1.07 g, 1.08 mmol) in anhydrous pyridine (5 mL) was added $AgNO_3$ (0.65 g, 3.79 mmol) and TBDPSCl (1.04 g, 3.79 mmol). The mixture was stirred at 25 °C for 16 h. The solvent was removed under reduced pressure. The residue was dissolved in EA (50 mL). The resulting solution was washed with brine. The organic layer was dried over anhydrous $MgSO_4$, and concentrated at low pressure. The residue was purified on a silica gel column (10% EA in PE) to give **126-9** (0.93 g, 70%) as a white foam.

[0924] To a stirred solution of **126-9** (1 g, 0.82 mmol) in anhydrous DCM (13.43 mL) was added $Cl_2CHCOOH$ (2.69 mL) at -78 °C. The mixture was stirred at -10 °C for 20 mins. The reaction was quenched with sat. aq. $NaHCO_3$ and extracted with DCM. The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The organic phase was purified by column chromatography (MeOH in DCM form 0.5% to 2%) to give **126-10** (0.48 g, 65%) as a solid.

[0925] To an ice cold solution of **126-10** (0.4 g, 0.433 mmol) in anhydrous DCM (2.7 mL) was added pyridine (171 mg, 2.17 mmol) and Tf_2O (183 mg, 0.65 mmol) by dropwise at -35 °C. The mixture was stirred at -10 °C for 20 mins. The reaction was quenched with ice water and stirred for 30 mins. The mixture was extracted with DCM (3 x 20 mL). The organic phase was washed with brine (100 mL), dried over anhydrous Na_2SO_4, and concentrated at low pressure to give crude **126-11** (0.46 g), which was used for next step without further purification.


[0926] To a solution of **126-11** (0.46 g, 0.43 mmol) in anhydrous DMF (2.5 mL) was added NaN_3 (42 mg, 0.65 mmol). The mixture was stirred at 30 °C for 16 h. The solution was diluted with water and extracted with EA (3 x 30 mL). The combined organic layers were dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue

was purified on a silica gel column (EA in PE from 5% to 15%) to give **126-12** (0.31 g, 70%) as a solid.

[0927] To a solution of **126-12** (0.31 g, 0.33 mmol) in MeOH (5 mL) was added NH_4F (0.36 g, 9.81 mmol) at 70 °C. The mixture was stirred at this temperature for 24 h. The mixture was evaporated to dryness. The residue was purified on silica gel column (MeOH in DCM from 0.5% to 2.5%) to give **126-13** (117 mg, 60%) as a white solid.

[0928] **126-13** (300 mg, 0.50 mmol) was dissolved in 80% of HOAc (20 mL). The mixture was stirred at 55 °C for 1 h. The reaction was quenched with MeOH and concentrated at low pressure. The residue was purified by prep-HPLC to give **126** (100 mg, 61.3 %) as a white solid. ESI-LCMS: m/z 325.1 $[M+H]^+$.

EXAMPLE 137
COMPOUND 137




[0929] To a stirred solution of **146-1** (80 mg, 0.14 mmol) in anhydrous CH_3CN (2.0 mL) was added N-methylimidazole (0.092 mL, 1.12 mmol) at 0 °C (ice/water bath). A solution of phenyl (isopropoxy-L-alaninyl) phosphorochloridate (128 mg, 0.42 mmol, dissolved in CH_3CN (0.5 mL)) was then added (prepared according to a general procedure as described in McGuigan et al., *J. Med. Chem.* (2008) 51:5807-5812). The solution was stirred at 0 to 5 °C for h and then stirred at RT for 16 h. The mixture was cooled to 0 to 5 °C, diluted with EA followed by the addition of water (5 mL). The solution was washed with 1.0M citric acid, sat. aq. $NaHCO_3$ and brine, and dried with $MgSO_4$. The residue was purified on silica (10 g column) with EA/hexanes (25-100% gradient) to give **137-1** (57.3 mg, 49 %) as a foam.

[0930] **137-1** (57.3 mg, 0.07 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (68 μL, 0.27 mmol) was added at 0 to 5 °C. The mixture was stirred at RT for 2 h, and anhydrous EtOH (100 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was purified on silica (10

g column) with MeOH/CH_2Cl_2 (1-7% gradient) and lypholized to give **137** (27.8 mg, 72%) as a white foam. ESI-LCMS: m/z = 571.1 $[M+H]^+$, 1141.2 $[2M+H]^+$.


EXAMPLE 138
COMPOUND 138



[0931] **138-1** (68.4 mg, 44.7 %) was prepared from **146-1** (100 mg, 0.174 mmol) and bis(tert-butoxycarbonyloxymethyl)phosphate (126 mg, 0.35 mmol) with DIPEA (192 µL, 1.04 mmol), BOP-Cl (133 mg, 0.52 mmol), and 3-nitro-1,2,4-triazole (59 mg, 0.52 mmol) in THF (1.5 mL) in the same manner as **169-4**.

[0932] **138** (31.4 mg, 67%) was prepared from **138-1** (68 mg, 0.077 mmol) in the same manner as **146**. ESI-LCMS: m/z = 627.15 $[M+Na]^+$, 1219.25 $[2M+H]^+$.


EXAMPLE 139
COMPOUND 139



[0933] To a solution of **146-1** (100 mg, 0.175 mmol) in anhydrous CH_3CN (2 mL) was added 5-ethylthio-1H-tetrazole in CH_3CN (0.25M; 0.84 mL, 0.21 mmol). Bis-SATE-phosphoramidate (95 mg, 0.21 mmol) in CH_3CN (1 mL) was added at 0 to 5 ^{0}C dropwise. The mixture was stirred 2 h at 0 to 5 ^{0}C under Ar. A solution of 77% *m*-CPBA (78 mg, 0.35 mmol) in DCM (1 mL) was added, and the mixture stirred 2 h at 0 to 5 ^{0}C under Ar. The mixture was diluted with EtOAc (50 mL), washed with 1.0M citric acid, sat. $NaHCO_3$ and brine, and dried with $MgSO_4$. The mixture was filtered, and the solvents were evaporated in vacuo. The residue was purified on silica (10 g column) with EA/hexanes (20-100% gradient) to give **139-1** (105 mg, 63.6 %) as a white foam.

[0934] **139-1** (105 mg, 0.112 mmol) was dissolved in anhydrous CH_3CN (0.8 mL), and 4N HCl in dioxane (84 µL, 0.334 mmol) was added at 0 to 5 °C. The mixture was stirred at RT for 2 h. Anhydrous EtOH (100 µL) was added. The solvents were evaporated at RT, and co-evaporated with toluene (3x). The residue was purified on silica (10 g column) with MeOH/CH_2Cl_2 (1-7% gradient) and lypholized to give **139** (42.7 mg, 57%) as a white foam ESI-LCMS: m/z = 692.15 $[M+Na]^+$, 1339.30 $[2M+H]^+$.

EXAMPLE 140
COMPOUND 143




[0935] To a solution of N-Boc-L-Valine (620.78 mg, 2.86 mmol) and TEA (144.57 mg, 1.43 mmol) in anhydrous THF (2.5 mL) was added **BB** (250.00 mg, 285.73 µmol). The mixture was co-evaporated with pyridine and toluene to remove water. The residue was dissolved in THF (2.5 mL). DIPEA (369.28 mg, 2.86 mmol) was added, followed by addition of BOP-Cl (363.68 mg, 1.43 mmol) and 3-nitro-1H-1,2,4-triazole (162.95 mg, 1.43 mmol) at RT (18 °C). The mixture was stirred at RT for 12 h and then diluted with EA (40 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated to dryness at low pressure. The residue was purified on a silica gel column (30% EA in PE) to give **143-1** (220 mg, crude) as a white foam.

[0936] **143-1** (250.0 mg, 232.73 µmol) was dissolved in 80% CH_3COOH (30 mL). The solution was heated to 50 °C and stirred for 12 h. The reaction was quenched with MeOH, and the solution was concentrated to dryness. The residue was purified on a silica gel column (5% MeOH in DCM) to give **143-2** (80.00 mg, 68.82%) as a white foam.

[0937] **143-2** (78.00 mg, 156.16 µmol) was dissolved in HCl/dioxane (1.5 mL) and EA (1.5 mL) at RT (19 °C). The mixture was stirred at RT for 30 mins. The solution

was concentrated to dryness at low pressure. The residue was purified by prep-HPLC to give **143** (23 mg, 31.25%) as a white solid. ESI-MS: m/z 400.20 $[M+H]^+$,799.36$[2M+H]^+$.


EXAMPLE 141
COMPOUND 154




[0938] **154-1** was prepared according to the procedure described in Lefebre et al. J. Med. Chem. (1995) 38:3941-3950, which is hereby incorporated by reference for the limited purpose of its description of the preparation of **154-1**.

[0939] **154-2** (0.33 g, 0.5 mmol) was prepared using a similar procedure to the one used to prepare **155-6** using **155-5** and **154-1**. **154-2** was obtained as a white solid. Using a similar procedure to the one used to prepare **155**, **154-2** was used to prepare **154** (130 mg). ^{1}H-NMR ($CDCl_3$): 7.40 (d, 1H), 6.1 (s, 1H), 5.83 (d, 1H), 4.3 (t, 2H), 4.1-4.2 (m, 6H), 3.2 (t, 4H), 1.69 (s, 4H), 1.3 (s, 3H), 1.23 (s, 18H); ^{31}P-NMR ($CDCl_3$): -2.4 ppm.

EXAMPLE 142
COMPOUND 155






[0940] To a solution of sodium hydrosulfide (4.26 g, 76.0 mmol) in EtOH (100 mL) was added t-butyryl chloride (76.2 mmol; 9.35 mL) dropwise at 0 °C, and the mixture was stirred at RT for 1 h. A solution of 2-(2-chloroethoxy)ethanol (57 mmol; 6.0 mL) and TEA (21 mL, 120 mmol) was added, and the mixture was heated at reflux for 60 h. The mixture was filtered, and then concentrated to a small volume. The residue was dissolved in EA, and then washed with water, sat. aq. $NaHCO_3$ and brine. The organic phase was dried over Na_2SO_4, filtered and concentrated in vacuo. The crude product (10.0 g) was isolated and 5 grams were purified by silica gel flash column chromatography using a gradient of 0 to 100% EA in hexane to give **155-3** (4.5 g, 22 mmol) as a clear, colorless oil. ^{1}H-NMR ($CDCl_3$): 3.70-3.74 (m, 2H), 3.5-3.65 (m, 4H), 3.1 (t, 2H), 1.25 (s, 9H).

[0941] A solution **155-3** (4.5 g; 21.8 mmol) and triethylamine (6.7 mL, 87.2 mmol) in tetrahydrofuran (50 mL) was added dropwise over 1 h to a stirred solution of N,N-diisopropylphosphorodichloridite (2.0 mL, 10.9 mmol) in THF (50 mL) under argon at -78°C. The mixture was stirred at RT for 2 h, and then diluted with EA (200 mL). The mixture was washed with sat. aq. NaCl and dried over Na_2SO_4. After filtration, the filtrate was evaporated under reduced pressure to give a pale yellow oil. Purification by flash column chromatography using a gradient of EA (0-5%) in hexane containing 5% triethylamine afforded **155-4** (2.5 g, 4.25 mmol) as a clear, colorless oil. ^{1}H-NMR ($CDCl_3$): 3.70-3.82 (m, 4H), 3.57-3.65 (m, 10H), 3.1 (t, 4H), 1.25 (s, 18H), 1.17 (t, 12H); ^{31}P-NMR ($CDCl_3$): 148.0 ppm.

[0942] **155-5** (285 mg, 0.9 mmol) and DCI (175 mg, 1.5 mmol) were coevaporated twice with ACN and then dissolved in ACN (5 mL). **155-4** (790 mg, 1.35 mmol) in ACN (4 mL) was added, and the reaction was monitored by TLC. After 15 mins, tert-butylhydroperoxide (0.5 mL of 5.5M solution in decane) was added, and the mixture was stirred for 10 mins. The mixture was diluted with EA (25 mL), washed with sat. aq. $NaHCO_3$ and sat. aq. NaCl solution, dried over Na_2SO_4, filtered and concentrated. Purification by flash column chromatography using a gradient of EA (0-100%) in hexane afforded **155-6** (0.17 g, 0.22 mmol) as a white solid. **155-6** was dissolved in 80% aq. HCOOH (5 mL). After 30 mins at RT, the solvent was removed and coevaporated twice with toluene. The residue was dissolved in methanol (10 mL) and TEA (0.2 mL) was added. After 2 mins at RT, the solvent was removed in vacuo. Purification by flash column chromatography using a gradient of methanol (0-15%) in DCM afforded **155** (90 mg). ^{1}H-NMR ($CDCl_3$): 7.40 (d, 1H), 6.1 (s, 1H), 5.83 (d, 1H), 4.3 (t, 2H), 4.1-4.2 (m, 6H), 3.70-3.82 (m, 4H), 3.57-3.65 (m, 4H), 3.1 (t, 4H) 1.61 (s, 8H), 1.3 (s, 3H), 1.23 (s, 18H). ^{31}P-NMR ($CDCl_3$): -1.55 ppm.

EXAMPLE 143
COMPOUND 156




[0943] **156-1** (6.0 g, 31.6 mmol) was prepared using a similar procedure to the one used to prepare **155-3** using 4-chlorobutanol. **156-1** was obtained as a clear, colorless oil. ^{1}H-NMR ($CDCl_3$): 3.67 (s, 2H), 2.86 (m, 2H), 1.65 (m, 4H), 1.25 (s, 9H).

[0944] **156-2** (2.14 g, 4.0 mmol) was prepared using a similar procedure to the one used to prepare **155-4**. **156-2** was obtained as a clear, colorless oil. ^{1}H-NMR ($CDCl_3$):

3.67 (m, 6H), 2.86 (t, 4H), 1.65 (m, 8H), 1.25 (s, 18H), 1.17 (t, 12H). ^{31}P-NMR ($CDCl_3$): 143.7 ppm.


[0945] **156-3** (0.23 g, 0.22 mmol) was prepared using a similar procedure to the one used to prepare **155-6** using **155-5** and **156-2**. **156-3** was obtained as a white solid. Using a similar procedure to the one used to prepare **155**, **156-3** was used to prepare **156** (170 mg). ^{1}H-NMR ($CDCl_3$): 7.40 (d, 1H), 6.1 (s, 1H), 5.83 (d, 1H), 4.3 (t, 2H), 4.1-4.2 (m, 6H), 2.8 (t, 4H), 1.78 (m, 4H), 1.69 (s, 8H), 1.3 (s, 3H), 1.23 (s, 18H). ^{31}P-NMR ($CDCl_3$): -1.56 ppm.

EXAMPLE 144
COMPOUND 161



[0946] **161-1** (109 mg, 0.39 mmol) and triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (0.6 mmol, prepared from 195 mg of bis(isopropyloxycarbonyloxymethyl)phosphate and 85 µL of Et_3N) were rendered anhydrous by coevaporating with pyridine, followed by toluene. The residue was dissolved in anhydrous THF (3 mL) and cooled in an ice-bath. Diisopropylethyl amine (0.2 mL, 3 eq.), BopCl (190 mg, 2 eq.), and 3-nitro-1,2,4-triazole (81 mg, 2 eq.) were added, and the mixture was stirred at 0 °C for 90 mins. The mixture was diluted with EtOAc, washed with sat. aq. $NaHCO_3$ and brine, and dried (Na_2SO_4). Purification on silica gel column with CH_2Cl_2/i-PrOH (4-10% gradient) followed by RP-HPLC purification (A: 0.1% HCOOH in water, B: 0.1% HCOOH in MeCN) yielded **161** (28 mg, 12%). ^{1}H-NMR ($CDCl_3$): δ 7.24 (d, 1H), 6.6 (br, 1H), 5.84 (d, 1H), 5.65-5.73 (m, 4H), 4.94 (m, 2H), 4.38 (m, 2H), 4.1 (b, 1H), 2.88 (d, 1H), 1.47 (d, 3H), 1.33 (m, 12H).

EXAMPLE 145
COMPOUND 157



[0947] Compound **157-1** was prepared from commercially available 3-hydroxyoxetane (5.0 g) using the procedure described for preparing **54-2** (5.6 g). ^{1}H-NMR ($CDCl_3$) δ 5.73 (s,2H) , 5.48-5.51 (m,1H), 4.90 (d,2H), 4.72 (d, 2H).

[0948] Compound **157-2** was prepared from **157-1** using the procedure described for preparing **54-3** (8.0 g). ^{1}H-NMR ($CDCl_3$) δ 5.95 (s,2H) , 5.48-5.51 (m,1H), 4.90 (d,2H), 4.72 (d, 2H).

[0949] Benzylphosphate (silver salt) and **157-2** (8.0 g) were reacted as described for preparing **54-4** to yield purified **157-3** (1.92 g). ^{1}H-NMR (CD_3CN): δ 7.39-7.42 (m, 5H), 5.62 (d, 4H), 5.39-5.42 (m, 2H), 5.15 (d, 2H), 4.80-4.83 (m, 4H), 4.56-4.60 (m, 4H). ^{31}P-NMR (CD_3CN): δ - 4.55 ppm.


[0950] Compound **157-3** (970 mg, 2.16 mmol) was dissolved in methanol containing triethylamine (0.3 mL, 2.16 mmol). After 3 h at R.T, the solvents were removed in vacuo to give crude **157-4** that was used without further purification.

[0951] Compound **157-5** (400 mg; 1.2 mmol) and **157-4** (900 mg, 2.16 mmol; 1.5x) were coevaporated with pyridine (2x) and toluene (2x), and then dissolved in THF (8

mL) at 0 °C. Diisopropylethylamine (DIPEA) (0.82 mL; 4 eq.), bis(2-oxo-3-oxazolidinyl) phosphinic chloride (Bop-Cl) (0.6 g; 2 eq.), nitrotriazole (0.266 g, 2 eq.) were added. The mixture kept at 0 °C for 2 h. The mixture was diluted with EA (50 mL) and extracted with saturated sodium bicarbonate (2 x 50 mL) and dried over sodium sulfate. The solvents were removed in vacuo. The residue was purified by flash chromatography using a 10 to 100% gradient of EA in hexane to give purified **157-6** (175 mg, 0.6 mmol).

[0952] Purified **157-6** was dissolved in 80% aq. HCOOH (20 mL) and kept at 20 °C for 1 h. After cooling to RT, the solvent was removed in vacuo, and the residue coevaporated with toluene (3 x 25 mL). The residue was purified by flash chromatography using a 0 to 20% gradient of MeOH in DCM to give purified **157** (26 mg). ESI-LCMS: m/z 589.6 [M-H]⁻.

EXAMPLE 146
COMPOUND 158




[0953] Nucleoside **158-1** (from Wuxi) (44 mg, 0.15 mmol) was dissolved in a mixture of trimethyl phosphate (2 mL) and dry pyridine (0.5 mL). The mixture was evaporated in vacuum for 15 mins at 42°C, than cooled to RT. N-Methylimidazole (0.027 mL, 0.33 mmol) was added followed by $POCl_3$ (0.027 mL, 0.3 mmol). The mixture was kept at RT. The reaction was monitored by LC/MS in 0-50% gradient. After 4 h, the reaction was complete. The reaction was quenched with 2M triethylammonium acetate buffer (2 mL), pH7.5 (TEAA). **158-2** was isolated on prep-HPLC (Phenomenex Synergi 4u Hydro-RP 250x21.2 mm) using a gradient of 0 – 30% ACN in 50 mM TEAA.

[0954] Compound **158-2** (triethylammonium salt; 45 mg, 0.1 mmol) was dried by repeated co-evaporation with dry pyridine (3x). **158-2** was dissolved in dry pyridine (1 mL) and the solution added dropwise into a boiling solution of diisopropylcarbodiimide (63 mg, 0.5 mmol) in pyridine (4 mL) over 2.5 h. The mixture was heated under reflux for 1 h. After

being cooled to 25°C, the reaction was quenched with 2M TEAA buffer (2 mL) and kept at 25°C for 1 h. The solution was concentrated to dryness, and the residual pyridine removed by coevaporated with toluene (3 x 2 mL). **158-3** was isolated on prep-HPLC (Phenomenex Synergi 4u Hydro-RP 250x21.2 mm) using a gradient of 0 – 30% ACN in 50 mM TEAA.

[0955] Compound **158-3** (triethylammonium salt; 26 mg, 0.045 mmol) was dissolved in dry DMF (0.5 mL) at RT under argon. To the stirred solution was added N,N-diisopropylethylamine (40 uL; 0.22 mmol) followed by chloromethyl isopropyl carbonate (35 mg, 0.22 mmol). The mixture was stirred at 65 °C for 18 h. The mixture was evaporated to dryness, and the residue was purified by silica column using a 0-15% gradient of MeOH in CH_2Cl_2. The fractions having **158** were pooled, and the mixture was concentrated to dryness to give **158** (2.3 mg). ESI-LCMS: m/z 467.5 $[M-H]^-$.

EXAMPLE 147
COMPOUND 221



[0956] To a solution of 1,1-dimethoxycyclopentane (19.3 g, 148.52 mmol) and **221-1** (10.0 g, 37.13 mmol) in DCE (100 mL) was added $TsOH \cdot H_2O$ (0.7 g, 3.71 mmol).

The mixture was stirred at 50 °C for 12 h. The mixture was neutralized with Et_3N, and concentrated at low pressure. The residue was purified by silica gel column chromatography (1-10% MeOH in DCM) to give **221-2** (8.7 g, 70.1%) as a white solid.

[0957] Compound **221-2** (20.0 g, 0.06 mol) was coevaporated with anhydrous pyridine 3 times to remove H_2O. To an ice-cold solution of **221-2** in anhydrous pyridine (100 mL) was added TsCl (22.8 g, 0.12 mol) at 0 °C, and the mixture was stirred overnight. The reaction was monitored by LCMS and TLC. The reaction was quenched with H_2O, and the mixture extracted with EA (3 x 200 mL). The solution was dried over anhydrous Na_2SO_4 and evaporated at low pressure. The residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 15:1) to give **221-3** (20.0 g, 69.0%) as a white solid.

[0958] To a solution of **221-3** (20.0 g, 0.04 mol) in acetone (200 mL) was added NaI (31.0 g, 0.2 mol), and the mixture was heated to reflux overnight. The reaction was monitored by LCMS. The reaction was quenched with a sat. $Na_2S_2O_3$ solution. The solution was extracted with EA (3 x 200 mL). The organic layer was dried over anhydrous Na_2SO_4, and evaporated at low pressure. The residue was purified by silica gel column chromatography (DCM: MeOH=100:1 to 15:1) to give **221-4** (15.0 g, 83.3%) as a white solid.

[0959] Compound **221-4** (13.4 g, 30.16 mmol) was treated with HCOOH (80%) in H_2O at RT. The solution was stirred at 60 °C for 2 h. The mixture was concentrated at low pressure. The residue was purified by column chromatography (1%-10% MeOH in DCM) to give **221-5** (9.1 g, 80.0%) as a white solid.

[0960] To a solution of **221-5** (5.0 g, 13.22 mmol) in anhydrous CH_3CN/THF (50 mL, 1:1, v:v) was added DBU (6.0 g, 39.66 mmol) at RT. The solution was stirred at 50 °C for 1.5 h. The reaction was quenched with HCOOH at 0 °C, and then concentrated at low pressure. The residue was purified by column chromatography (50%-70% EA in PE) to give **221-6** (3.3 g, 48.1%) as a white solid.

[0961] To an ice-cold solution of **221-6** (2.1 g, 8.39 mmol) in anhydrous MeCN (21 mL) was added NIS (2.4 g, 10.49 mmol) and TEA•3HF (1.0 g, 6.29 mmol) under N_2. The mixture was stirred at RT for 1 h. The reaction was quenched with sat. $NaHCO_3$ and sat. Na_2SO_3 solution, and extracted with EA (3 x 100 mL). The organic phase was dried over

anhydrous Na_2SO_4, and evaporated to dryness at low-pressure. The residue was purified on a silica gel column (30%-50% EA in PE) to give **221-7** (1.3 g, 39.3%) as a light yellow solid.

[0962] To a stirred solution of **221-7** (3.2 g, 8.08 mmol) in anhydrous DCM (32 mL) was added DMAP (2.5 g, 20.20 mmol) and Et_3N (2.5 g, 24.24 mmol) at RT. The mixture was treated with BzCl (3.7 g, 26.66 mmol) at 0 °C and then stirred at RT overnight. The reaction was quenched with water, and extracted with EA (3 x 60 mL). The organic phase was concentrated at low pressure, and the residue was purified by column chromatography (20%-30% EA in PE) to give **221-8** (1.8 g, 31.6 %) as a white solid.

[0963] Bu_4NOH (8.0 g, 13.74 mL, 55% in H_2O) was adjusted to pH=3-4 with TFA, and then cooled to RT. To a solution of **221-8** (600 mg, 0.85 mmol) in DCM (10 mL) was added the Bu_4NOH solution and *m*-CPBA (917 mg, 4.25 mmol, 80%) at RT. The mixture was stirred at 25 °C for 48 h and then washed with a sat. $NaHCO_3$ solution. The organic layer was directly passed through basic Al_2O_3 column, and the solvent was concentrated at low pressure. The residue was purified by a silica gel column (20%-30% EA in PE) to give **221-9** (123 mg, 24.3%) as a white solid.


[0964] To a solution of **221-9** (300 mg, 0.50 mmol) in EA/hexane (20 mL, 1:1, v:v) was added Lindlar catalyst (200 mg) under N_2. The mixture was stirred under H_2 (40 Psi) at 2 °C for 1.5 h. The suspension was filtered, and the filtrate was treated with Lindlar catalyst (200 mg) under N_2, and stirred under H_2 (40 Psi) at 25 °C for 1.5 h. The mixture was filtered, and the filtrate was concentrated at low pressure to give crude **221-10** (287 mg) as a white solid.

[0965] Compound **221-10** (287 mg, 0.48 mmol) was dissolved in NH_3/MeOH (30 mL, 7 M). The mixture was stirred at RT for 24 h under N_2 and then concentrated at low pressure. The residue was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give **221-11** (50 mg, 34.7% over two steps) as a white solid. ^{1}H-NMR (CD_3OD, 400 MHz) δ = 7.86 (d, J = 8.0 Hz 1H), 6.26 (s, 1H), 5.62-5.86 (m, 1H), 5.49 (d, J = 17.1 Hz, 1 H), 5.30 (d, J = 10.5 Hz, 1H), 4.41 (d, J = 19.3 Hz, 1 H), 3.71-3.86 (m, 1H).

[0966] Compound **221-11** (113 mg, 0.39 mmol) was co-evaporated with toluene 3 times to remove H_2O. To a stirred solution of **221-11** (113 mg, 0.39 mmol) in a mixture of MeCN (0.5 mL) and NMI (320 mg, 3.90 mmol) was added a solution of **73-C** (256 mg, 0.66 mmol) in MeCN (0.5 mL) at 0°C. The mixture was stirred at RT overnight and then

concentrated at low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to give crude **221**, which purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give **221** (45 mg, 20.1%) as a white solid. ESI-MS: m/z 538.2 $[M-F]^+$ ESI-MS: m/z 580.2 $[M+Na]^+$.

EXAMPLE 148
COMPOUND 222





[0967] To a solution of **221-9** (300 mg, 0.50 mmol) in MeOH (30 mL) was added wet Pd/C (300 mg, 10%) under N_2. The mixture was stirred under H_2 (1 atm) at 25°C for 1.5 h. The suspension was filtered, and then concentrated at low pressure to give crude **222-1** (307 mg) as a white solid.

[0968] Compound **222-1** (307 mg, 0.48 mmol) was dissolved in NH_3/MeOH (30 mL, 7 M). The mixture was stirred at RT for 24 h under N_2 then concentrated at low pressure. The residue was purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give **222-2** (30 mg, 21% over two steps) as a white solid.

[0969] Compound **222-2** (91 mg, 0.31 mmol) was co-evaporated with toluene 3 times to remove H_2O. To a stirred solution of **222-2** (91 mg, 0.31 mmol) in a mixture of MeCN (0.5 mL) and NMI (254 mg, 3.90 mmol) was added a solution **222-C** (203 mg, 0.66 mmol) in MeCN (0.5 mL) at 0^0C. The mixture was stirred at RT overnight and then concentrated at low pressure. The residue was purified on a silica gel column (5% MeOH in DCM) to the crude **222**, which purified by prep-HPLC (0.1% HCOOH in water and MeCN) to give **222** (30 mg, 17%) as a white solid. ESI-MS: m/z 540.1 $[M-F]^+$.

EXAMPLE 149
COMPOUND 226





[0970] To an ice cooled solution of **226-1** (50 g, 204.9 mmol) in dry Py (400 mL) was added TIPDSCl (70.78 g, 225.4 mmol) dropwise. The mixture was stirred at RT for 16 h, and then concentrated at low pressure. The residue was purified by chromatography using 20% EA in PE to generate **226-2** (111.5 g, 100%) as a white solid.

[0971] To a solution of **226-2** (50 g, 103 mmol) in anhydrous CH_3CN (400 mL) was added IBX (43 g, 153 mmol) at RT. The mixture was refluxed overnight and monitored by TLC (PE:EA=1:1). The precipitate was filtered off, and the filtrate was concentrated to give the crude **226-3** (50 g, 99%) as a white solid.

[0972] To a solution of trimethylsilylacetylene (20 g, 200 mmol) in anhydrous THF (400 mL) was added dropwise *n*-BuLi (80 mL, 200 mL) at -78°C. The mixture was stirred at -78°C for 30 mins, and then warmed to R.T for 10 mins. Compound **226-3** (30 g, 60 mmol) in THF (100 mL) was added to the mixture dropwise at -78°C. The mixture was stirred at -78°C for 1 h and then slowly warmed to RT. The mixture was stirred for 20 mins, and then the reaction was quenched with a sat. NH_4Cl solution at -78°C. The mixture was diluted with EA. The organic phase was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column chromatography (15% EA in PE) to give **226-4** as a white solid (14 g, 50 %).

[0973] Compound **226-4** (14 g, 24 mmol) was dissolved in anhydrous toluene (100 mL) under N_2 and cooled to -78°C. DAST (19 g, 120 mmol) was added dropwise at -78°C and stirring was continued for 1.5 h. The mixture was diluted with EA and poured into a sat. $NaHCO_3$ solution. The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel chromatography (20% EA in PE) to give **226-5** as a white solid (12 g, 81 %).

[0974] A mixture of **226-5** (12 g, 20 mmol) and NH_4F (11 g, 30 mmol) in MeOH (150 mL) was refluxed for 2 h. After cooling to R.T, the mixture was concentrated at low pressure, and the residue was purified by silica gel column chromatography (5% MeOH in DCM) to give **226-6** (3.1 g, 58%) as a white solid.

[0975] To a solution of **226-6** (3.1 g, 11.6 mmol) in dry Py (50 mL) was added imidazole (3.1 g, 46.4 mmol) and TBSCl (5.2 g, 34.8 mmol). The mixture was stirred at 50-60 °C for 3 h. The mixture was concentrated at low pressure, and the residue was dissolved in EA (100 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel chromatography (20% EA in PE) to give **226-7** as a white solid (5 g, 86%).

[0976] To a solution of **226-7** (4.5 g, 9 mmol) in 1,4-dioxane (45 mL) was added CuBr (643 mg, 4.5 mmol), dicyclohexylamine (3.3 g, 18 mmol) and paraformaldehyde (675 mg, 22.5 mmol). The mixture was refluxed for 24 h and then cooled to RT. The reaction was quenched with a sat. NH_4Cl solution. The mixture was extracted with EA (3 x 100 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column chromatography (15% EA in PE) to give **226-8** as a white solid (2.0 g, 43%).

[0977] A mixture of **226-8** (2 g, 4 mmol) and NH_4F (2.2 g, 60 mmol) in MeOH (20 mL) was refluxed overnight. After cooling to RT, the mixture was concentrated at low pressure, and the residue was purified by silica gel column chromatography (5% MeOH in DCM) to give **226-9** (946 mg, 83%) as a white solid.

[0978] To a stirred suspension of **226-9** (946 mg, 3.33 mmol), PPh_3 (1.3 g, 5 mmol), imidazole (453 mg, 6.66 mmol) and pyridine (3 mL) in anhydrous THF (12 mL) was added a solution of I_2 (1 g, 4.33 mmol) in THF (4 mL) dropwise at 0 °C. The mixture was warmed to RT and stirred for 16 h. The reaction was quenched with a sat. $Na_2S_2O_3$ aq. solution and extracted with EA (3 x 60 mL). The organic layer was dried over Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (2% MeOH in DCM to 5% MeOH in DCM) to afford **226-10** (2.1 g, crude) as a white solid.

[0979] To a solution of **226-10** (2.1 g, 5.3 mmol) in THF (15 mL) was added DBU (15 g, 100 mmol) and the mixture stirred for 30 mins. The mixture was diluted with EA and neutralized with acetic acid. The solution was washed with brine, dried over

anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column chromatography (1.5% MeOH in DCM) to give **226-11** as a white solid (800 mg, 90%).

[0980] To an ice-cooled solution of **226-11** (800 mg, 3 mmol) in dry MeCN (1.5 mL) was added $NEt_3 \cdot 3HF$ (484 mg, 3 mmol) and NIS (1.68 g, 7.5 mmol). The mixture was stirred at RT for 30 mins., and the reaction was monitored by LCMS. The reaction was quenched with sat. $Na_2S_2O_3$ and sat. $NaHCO_3$ solution, and extracted with EA (3 x 50 mL). The organic layer was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by a silica gel column (25% EA in PE) to afford **226-12** (850 mg, 68%) as a white solid.

[0981] To a solution of **226-12** (850 mg, 2 mmol) in dry DCM (10 mL) was added DMAP (488 mg, 4 mmol) and BzCl (422 mg, 3 mol). The mixture was stirred for 4-5 h at RT, and the reaction was monitored by LCMS. The mixture was diluted with CH_2Cl_2 (40 mL), and washed with a sat. $NaHCO_3$ solution. The organic layer was dried over anhydrous Na_2SO_4, and filtered. The filtrate was evaporated at low pressure, and the residue was purified by silica gel column chromatography (20% EA in PE) to give **226-13** (900 mg, 87%) as a white foam.

[0982] Tetra-butylammonium hydroxide (21 mL as 54-56% aqueous solution, ~ 42 mmol, 24 eq.) was adjusted with TFA to pH ~ 4 (~ 3.5 mL), and the solution was treated with a solution of **226-13** (900 mg, 1.7 mmol) in DCM (21 mL). *m*-Chloroperbenzoic acid (2.1 g, 60-70%, ~ 8.75 mmol, ~ 5 eq.) was added portionwise under vigorous stirring, and the mixture was stirred overnight. The mixture was diluted with CH_2Cl_2 (30 mL), and washed with a saturated $NaHCO_3$ solution. The organic layer was washed with brine, dried over anhydrous magnesium sulfate and concentrated under reduced pressure. The residue was purified by column chromatography in (40-70% EA in PE) to give **226-14** as an oil. The residue was purified by TLC (50% EA in PE) to give pure **226-14** (350 mg 50%).


[0983] Compound **226-14** (350 mg, 0.86 mg) was treated with 7N NH_3 in MeOH (15 mL). The mixture was stirred for 2-3 h and monitored by TLC. The mixture was concentrated at low pressure, and the residue was purified by silica gel column chromatography (5% isopropanol in DCM) to give **226-15** (250 mg, 96%) as a white solid. ^1H NMR (CD_3OD, 400 M Hz) δ = 7.75 (d, J = 7.9 Hz, 1H), 6.60-6.35 (m, 1H), 5.72 (d, J =

8.2 Hz, 1H), 5.37-5.25 (m, 1H), 5.17-5.06 (m, 1H), 5.04-4.94 (m, 1H), 4.59-4.29 (m, 1H), 3.87-3.70 (m, 2H) .

[0984] To a stirred solution of **226-16** (3.79 g, 18 mmol) and **226-17** (3 g, 18 mmol) in anhydrous DCM (60 mL) was added with a solution of TEA (4 g, 39 mmol) in DCM (40 mL) dropwise at -78°C, and the mixture was stirred for 2 h. The mixture was concentrated at low pressure, and the residue was dissolved in methyl-butyl ether. The precipitate was removed by filtration, and the filtrate was concentrated to give the crude product. The residue was purified by dry column chromatography (anhydrous DCM) to give pure **226-18** as a colorless oil (3 g, 54 %).

[0985] Compound **226-15** (200 mg, 0.66 mmol) was coevaporated with toluene 3 times to remove H_2O. Compound **226-15** was treated with MeCN (1.5 mL) and NMI (541 mg, 6.6 mmol). The mixture was stirred at RT, and then **226-18** (403 mg, 1.32 mmol) in MeCN (0.5 mL) was added. The residue was purified by a silica gel column (5% iPrOH in DCM) to give the crude product, which was purified by HPLC (0.1% HCOOH in water and MeCN) to give **226** (33 mg, 9%). ESI-LCMS: m/z 594 $[M+Na]^+$.

EXAMPLE 150
COMPOUNDS 265 and 266



[0986] Into a 2000-mL round-bottom flask, was placed a solution of **266-1** (100 g, 384.20 mmol, 1.00 eq.) in N,N-dimethylformamide (1000 mL) at RT. NaH (11.8 g, 491.67 mmol, 1.20 eq.) was added in several batches and the mixture was stirred at 0 °C for 0.5 h. (bromomethyl)benzene (78.92 g, 461.44 mmol, 1.20 eq.) was added at 0 °C and the solution was stirred overnight at RT. The reaction was quenched with water. The solution was diluted with EA (2000 mL), washed with aq. NaCl (3 x 500 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with EA:PE (1:10) to yield **266-2** (105 g, 78%).

[0987] Into a 1000-mL round-bottom flask, was placed **266-2** (100 g, 285.38 mmol, 1.00 eq.), acetic acid (300 mL) and water (100 mL). The solution was stirred

overnight at RT. The mixture was then diluted with EA (2000 mL), washed with aq. NaCl (2 x 500 mL) and aq. sodium bicarbonate (3 x 500 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. Crude **266-3** (64 g) was obtained as light yellow oil. ESI MS m/z: 333 $[M+Na]^+$.

[0988] Into a 5000-mL round-bottom flask, was placed a solution of **266-3** (140 g, 451.11 mmol, 1.00 eq.) in MeOH (500 mL). A solution of sodium periodate (135.2 g, 632.10 mmol, 1.40 eq.) in water (1000 mL) was added. The solution was stirred at RT for 1 h, then diluted with EA (2000 mL), washed with sat. NaCl solution (3 x 500 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The solid was dried in an oven under reduced pressure to yield crude **266-4** (97 g) as yellow oil

[0989] Into a 3000-mL round-bottom flask, was placed a solution of **266-4** (100 g, 359.32 mmol, 1.00 eq.) in tetrahydrofuran (500 mL) at RT. Water (500 mL) was added. To the mixture was added a NaOH solution (600 mL, 2 N in water) at 0 °C followed by aq. formaldehyde (240 mL, 37%). The solution was stirred overnight at RT. The mixture was diluted with EA (1500 mL), washed with sat. NaCl solution (3 x 500 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with EA:PE (1:1) to give **266-5** (52.5 g, 47%) as a white solid. ESI MS m/z: 333 $[M+Na]^+$.

[0990] Into a 3000-mL round-bottom flask, was placed a solution of **266-5** (76 g, 244.89 mmol, 1.00 eq.) in acetonitrile (1500 mL) at RT. NaH (6.76 g, 281.67 mmol, 1.15 eq.) was added in several batches at 0 °C. The solution was stirred at 0 °C for 15 mins, then (bromomethyl)benzene (48.2 g, 281.82 mmol, 1.15 eq.) was added. The solution was stirred overnight at RT. The reaction was quenched with water, diluted with EA (3000 mL), washed with aq. NH_4Cl (3 x 500 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with EA:PE (1:5) to yield **266-6** (50 g, 51%) as a yellow oil. ESI MS m/z: 423 $[M+Na]^+$.

[0991] Into a 250-mL round-bottom flask, was placed a solution of diethylaminosulfur trifluoride (6.6 mL, 2.00 eq.) in toluene (10 mL) at RT. **266-6** (10 g, 24.97 mmol, 1.00 eq.) in toluene (120 mL) was added at 0 °C. The solution was stirred for 3 h at 60 °C in an oil bath. The mixture was cooled to 0 °C, diluted with EA (300 mL), washed with sat. NaCl solution (3 x 50 mL), dried over anhydrous sodium sulfate , filtered and

concentrated under reduce pressure. The crude product was purified by a silica gel column with EA:PE (1:5) ti give **266-7** (5000 mg, 50%) as a yellow oil. ESI MS m/z: 425 $[M+Na]^+$.

[0992] Into a 250-mL 3-necked round-bottom flask purged and maintained with an inert atmosphere of N_2, was placed **266-7** (10 g, 23.61 mmol, 1.00 eq., 95%) in acetic acid (80 mL). Acetic anhydride (6 mL) and sulfuric acid (0.05 mL) were added. The solution was stirred for 2 h at RT. The mixture was then diluted with EA (500 mL), washed with water (3 x 200 mL) and aq. sodium bicarbonate (3 x 200 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with EA:PE (1:10~1:5) to yield **266-8** (6 g, 54%) as a yellow oil. ESI MS m/z: 469 $[M+Na]^+$.

[0993] Into a 50-mL round-bottom flask purged, was placed a solution of **266-8** (4 g, 8.96 mmol, 1.00 eq.), 10% Pd-C catalyst (4 g) in MeOH/DCM (25 mL/25 mL). To this mixture was introduced H_2 (gas) in, ~ 3 atmospheric pressure. The solution was stirred for 48 h at RT. The solids were collected by filtration, and the solution was concentrated under reduced pressure to give **266-9** (0.7 g, 29%) of as a colorless oil.

[0994] Into a 25-mL round-bottom flask, was placed **266-9** (2000 mg, 7.51 mmol, 1.00 eq.), Ac_2O (8 mL), 4-dimethylaminopyridine (183.2 mg, 0.20 eq.) in pyridine (8 mL). The solution was stirred for 3 h at RT. The reaction was a sat. sodium bicarbonate solution. The solution was diluted with EA (200 mL), washed with sat. NaCl solution (3 x 50 mL), dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with EA:PE (1:7) to yield (1500 mg, 57%) of **266-10** as a white solid. ESI MS m/z: 373 $[M+Na]^+$.

[0995] Into a 25-mL round-bottom flask, was placed a solution of **266-10** (300 mg, 0.86 mmol, 1.00 eq.) in dichloromethane (3 mL) at RT. Trimethylsilanecarbonitrile (169 mg, 1.70 mmol, 2.00 eq.) was added at RT, followed by tetrachlorostannane (223 mg, 0.86 mmol, 1.00 eq.) at 0 °C. The solution was stirred at 0 °C for 3 h. The reaction was quenched with sat. sodium bicarbonate solution. The solution was diluted with DCM (50 mL), washed with sat. NaCl solution (2 x 10 mL), dried over sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with PE:EA (5:1) to give **266-11** (110 mg, 40%) as a yellow oil. ^{1}H-NMR (400MHz, $CDCl_3$): δ ppm 5.67~5.75(m, 2H), 4.25~4.78(m, 5H), 2.19(s, 3H), 2.14(s, 3H), 2.10(s, 3HI

[0996] Into a 25-mL round-bottom flask, was placed **266-11** (200 mg, 0.63 mmol, 1.00 eq.), NBS (223 mg, 1.25 mmol, 2.00 eq.) in tetrachloromethane (5 mL). The solution was heated under reflux for 3 h over a 250 W tungsten lamp, and then cooled to RT. The reaction was quenched sat. sodium bicarbonate solution. The solution was EA (100 mL), washed with sat. NaCl solution (3 x 20 mL), dried over sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with PE:EA (7:1) to give **266-12** (120 mg, 48%) as a yellow oil. ^{1}H-NMR (400MHz, $CDCl_3$): δ ppm 6.03(d, *J*=4.8Hz, 1H), 5.90(d, *J*=4.8Hz, 1H), 4.29-4.30(m, 4H), 2.25(s, 3H), 2.15(s, 3H), 2.25(s, 3H).

[0997] Into a 25-mL round-bottom flask purged and maintained with an inert atmosphere of argon, was placed a solution of N-(2-oxo-1,2-dihydropyrimidin-4-yl)benzamide (54.3 mg, 2.00 eq.) and $(NH_4)_2SO_4$ (5 mg) in HMDS (3 mL). The solution was stirred overnight at 120 °C in an oil bath. The solution was concentrated under vacuum, and the residue was dissolved DCE (1 mL) under Ar. A solution of **266-12** (50 mg, 0.13 mmol, 1.00 eq.) in MeCN (1 mL) was added followed by AgOTf (32.5 mg, 1.00 eq.). The solution was stirred for 3 h at 80 °C in a 10-mL sealed tube. After cooling to RT, the solution was diluted with EA (50 mL), washed with sat. sodium bicarbonate solution (3 x 10 mL) and sat. NaCl (2 x 10 mL) solution, dried over anhydrous sodium sulfate, filtered and concentrated under reduced pressure. The crude product was purified by a silica gel column with DCM:MeOH (15:1) to yield **266-13** (30 mg, 45%) as a yellow oil. ESI MS m/z: 428 $[M+H]^+$.


[0998] Into a 25-mL round-bottom flask, was placed a solution of **266-13** (100 mg, 0.23 mmol, 1.00 eq.) in ACN (3 mL). 4-dimethylaminopyridine (28.5 mg, 0.23 mmol, 1.00 eq.) and TEA (71 mg, 0.70 mmol, 3.00 eq.) was added followed by TPSCl (212.8 mg, 0.70 mmol, 3.00 eq.). The solution was stirred for 3 h at RT, and then concentrated under vacuum. Crude **266-14** (200 mg) was obtained as a yellow oil.

[0999] Into a 25-mL round-bottom flask, was placed a solution of **266-14** (140 mg, 0.10 mmol, 1.00 eq.) in ACN (3 mL) and ammonium oxidanide (3 mL). The solution was stirred for 4 h at 35 °C in an oil bath. The mixture was concentrated under vacuum. The crude product was purified by Prep-HPLC (Prep-HPLC-020): Column, XBridge Prep C18 OBD Column, 19*150 mm 5um 13nm; mobile phase, WATER WITH 0.05%TFA and ACN

(35.0% ACN up to 48.0% in 8 mins); Detector, nm to yield **266** (21.3 mg, 25%) as a white solid. ESI MS m/z: 301.1 $[M+1]^+$.


[1000] Into a 25-mL round-bottom flask, was placed a solution of **266-13** (50 mg, 0.12 mmol, 1.00 eq.), sat. NH_4OH (2 mL) and 1,4-dioxane (2 mL). The solution was stirred for 2 h at RT. After concentrated under reduced pressure, the crude product was purified by Prep-HPLC [(Prep-HPLC-020): Column, XBridge Prep C18 OBD Column, 19*150 mm 5um 13nm; mobile phase, WATER WITH 0.05% TFA and ACN (35.0% ACN up to 48.0% in 8 mins); Detector, nm] to yield **265** (13.6 mg, 39%) as a white solid ESI MS m/z: 299.9 $[M-1]^-$

EXAMPLE 151
COMPOUND 267




[1001] Nucleoside **267-1** (100 mg, 0.26 mmol) was dissolved in n-butylamine (2 mL) and left for 2 h at RT. The solvent was evaporated, and the residue was purified by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of MeOH from 10 to 60% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized (3x) to remove excess of buffer and yield **267** (20 mg, 25%). MS: m/z 308 [M-1].

EXAMPLE 152
COMPOUND 268



[1002] Compound **268-3** was prepared according to the scheme provided above. Compound **268** can be obtained using methods known to those skilled in the art, including those described in U.S. Publication No. 2012/0071434, filed September 19, 2011.

EXAMPLE 153
COMPOUND 269



[1003] To a stirred solution of **269-1** (43.6 % in dichloromethane, 345.87 g, 1.16 mol) in anhydrous DCM (1.0 L) was added ethyl-2-(triphenylphosphoranylidene) propanoate (400 g, 1.100 mol) dropwise over a period of 30 mins at -40 °C. The mixture was allowed to warm to 25 °C and stirred for 12 h. The mixture was concentrated under reduced pressure. The residue was suspended in TMBE (2.0 L). The solid was removed by filtration. The filtrate was concentrated under reduced pressure. The residue was purified on silica gel column (1.2% EA in PE) to give **269-2** (191.3 g, 80.26%) as a white foam. ^{1}H-NMR (400 Hz, $CDCl_3$), δ = 6.66 (dd, J = 6.8, 8.0 Hz, 1H), 4.81-4.86 (m, 1H), 4.11-4.21 (m, 3H), 3.60 (t, J = 8.4 Hz, 1H), 1.87 (d, J = 1.2 Hz, 3H), 1.43 (s, 3H), 1.38 (s, 3H), 1.27 (t, J = 6.8 Hz, 3H).

[1004] To a stirred solution of **269-2** (100 g, 0.47 mol) in acetone (2.0 L) was added $KMnO_4$ (90 g, 0.57 mol) in portions at 0-5 °C. The mixture was stirred at 0-5 °C for 2 h. The reaction was quenched using sat. sodium sulfite solution (600 mL). After 2 h, a colorless suspension was formed. The solid was removed by filtration. The filter cake was washed with EA (300 mL). The filtrate was extracted with EA (3 x 300 mL). The organic

phase was dried over anhydrous Na_2SO_4. The organic phase was concentrated under reduced pressure to give crude **269-3** (50 g, 43.4%) as a solid.

[1005] To a stirred solution of **269-3** (50.0 g, 0.20 mol) and triethylamine (64.0 g, 0.63 mol) in anhydrous DCM (1.0 L) was added thionyl chloride (36.0 g, 0.31 mol) at 0 °C. After 30 mins, the mixture was diluted with dichloromethane (500 mL) and washed with cold water (1.0 L) and brine (600 mL). The organic phase was dried over anhydrous Na_2SO_4. The organic phase was concentrated under reduced pressure to give the crude as a brown oil. To crude in anhydrous acetonitrile were added TEMPO catalyst (500 mg) and $NaHCO_3$ (33.87 g, 0.40 mol) at 0 °C. A sodium hypochlorite solution (10-13%, 500 mL) was added dropwise at 0 °C for 20 mins. The solution was stirred at 25 °C for 1 h. The organic phase was concentrated, and the aqueous phase was extracted with dichloromethane (3x). The organic phase was dried over anhydrous Na_2SO_4. The solvent was removed under reduced pressure to give **269-4** (53.0 g, 85.48 %) as a yellow oil.

[1006] To a stirred solution of **269-4** (62.0 g, 0.20 mol) in anhydrous dioxane (1.5 L) was added TBACl (155.4 g, 0.50 mol) at 25 °C. The solution was stirred at 100 °C for 10 h. The mixture was cooled to 25 °C, and treated with 2, 2-dimethoxypropane (700 mL), followed by conc. HCl (12 N, 42 mL). The mixture was stirred at 25 °C for 3 h and then concentrated under reduced pressure to give crude **269-5** as a brown oil (45.5 g, crude), which was used for next step without further purification.

[1007] Crude **269-5** (45.5 g, 171 mmol) was dissolved in a mixture of EtOH (500 mL) and conc. HCl (12 N, 3.0 mL). The mixture was stirred at 25 °C for 16 h. The solvent was removed under reduced pressure. The residue was co-evaporated with toluene (3x) to give crude **269-6** (24.6 g, crude) as a brown oil, which was used for the next step.

[1008] To a stirred solution of crude **269-6** (24.6 g, crude) and DMAP (4.8 g, 40.0 mmol) in anhydrous pyridine (800 mL) was added benzoyl chloride (84.0 g, 0.60 mol) dropwise over a period of 40 mins at 0 °C. The mixture was stirred at 25 °C for 12 h and then concentrated at low pressure. The residue was dissolved in EA (1.5 L). The solution was washed with 1.0 M HCl solution (400 mL) and brine (800 mL). The organic phase was dried over anhydrous Na_2SO_4. The solvent was removed under reduced pressure to give a brown solid. The solid was suspended in MeOH (600 mL). After filtration, the filter cake was

washed with MeOH. The filter cake was dried under reduced pressure to give **269-7** (40.0 g, 75.0%) as a white solid.

[1009] To a stirred solution of **269-7** (7.0 g, 18.04 mmol) in anhydrous THF (70 mL) was added a solution of lithium tri-tert-butoxyaluminohydride (27 mL, 1.0 M, 27.06 mmol) dropwise over a period of 30 mins at -78 ^{0}C under N_2. The mixture was stirred at -20 ^{0}C for 1 h. The reaction was quenched with sat. NH_4Cl aq. and diluted with EA. After filtration, the filtrate was extracted with EA. The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica column gel (5% EA in PE) to give **269-8** (6.8 g, 96.7%) as a colorless oil.


[1010] To a stirred solution of PPh_3 (1.34 g, 5.12 mmol) in CH_2Cl_2 (5 mL) was added **269-8** (1.0 g, 2.56 mmol) at -20 ^{0}C under N_2. After the mixture was stirred for 15 mins, CBr_4 (1.96 g, 5.89 mmol) was added in portions while maintaining the reaction temperature between -25 and -20 ^{0}C under N_2 flow. After completion of the addition, the mixture was stirred below -17 ^{0}C for 20 mins. The reaction was treated with silica gel. After filtration, the pad of silica gel was washed with CH_2Cl_2. The combined filtrates were purified by silica column gel (EA in PE from 2% to 25%) to give **269-9** (α-isomer, 0.5 g, 43.4%) as a colorless oil.

[1011] A 0.25 L three-neck round-bottomed flask was charged with 6-chloro-9H-purin-2-amine (5.5 g, 34.75 mmol) followed by anhydrous t-BuOH (45 mL) with stirring. To this solution was added potassium tert-butoxide (3.89 g, 32.58 mmol) in portions at RT under N_2 flow. After 30 mins, a solution of **269-9** (4.92 g, 10.86 mmol) in anhydrous acetonitrile (30 mL) was added over a period of 5 mins at 25 ^{0}C. The mixture was slowly heated to 50 ^{0}C and stirred for 12 h. The mixture was treated with solid NH_4Cl and water, and then filtered through a short pad of Celite. The pad was washed with EA, and the filtrates were neutralized with aqueous 1.0 M HCl. The combined organic layers were dried over anhydrous Na_2SO_4. The organic phase was concentrated under reduced pressure. The residue was purified by silica column gel (EA in PE from 2% to 20%) to give **269-10** (1.7 g, 28.9%) as a white foam. ^{1}H-NMR (400MHz, DMSO-d_6) δ = 8.37 (s, 1H), 8.07-8.01 (m, 2H), 7.93-7.87 (m, 2H), 7.75-7.69 (m, 1H), 7.65-7.53 (m, 3H), 7.41 (t, *J*=7.8 Hz, 2H), 7.13 (s, 2H), 6.37(d, *J*=19.3 Hz, 1H), 6.26-6.13 (m, 1H), 4.86-4.77 (m, 1H), 4.76-4.68 (m, 2H), 1.3 (d, *J*=20 Hz, 3 H).

[1012] Compound **269-10** (700 mg, 1.29 mmol) was dissolved in 4% HCl in MeOH (25 mL) at 25 ^{0}C. The mixture was stirred at 50 ^{0}C for 12 h. The solvent was removed under reduced pressure. The residue was purified by column chromatography to give **269-11** (401 mg, 59.2%) as a white solid.


[1013] Compound **269-11** (250 mg, 0.477 mmol) was treated with 7.0 M NH_3 in MeOH (25 mL) at 25 ^{0}C and stirred for 18 h. The solvent was removed at low pressure. The residue was purified by prep-HPLC (NH_4HCO_3 system) to give **269** (85 mg, 56.4%) as a white solid. MS: m/z 315.7 $[M+H]^+$, 630.5 $[2M+H]^+$.


EXAMPLE 154
COMPOUND 270



[1014] To an ice cold solution of **269** (50 mg, 0.16 mmol) and N-methylimidazole (50 μL, 0.64 mmol) in acetonitrile (1.5 mL) was added a solution of **270-1** (0.1 g, 0.28 mmol) in acetonitrile (0.15 mL). The mixture stirred at 5 °C for 1 h. The reaction was quenched with EtOH, and the mixture concentrated. The evaporated residue was partitioned between EtOAc and citric acid (0.5 N). The organic layer was washed with sat. aq. $NaHCO_3$ and brine, and then dried with Na_2SO_4. Purification by RP-HPLC (A: water, B: MeCN) yielded **270** (30 mg, 30%) as a white powder. MS: m/z 625 [M+1].

EXAMPLE 155
COMPOUND 271





[1015] To a stirred solution of **271-1** (180 mg, 0.16 mmol) in anhydrous CH_3CN (2.0 mL) was added N-methylimidazole (53.4 μL, 0.65 mmol) at 0 ^{0}C (ice/water bath). A solution of phenyl (cyclohexyloxy-L-alaninyl) phosphorochloridate (101 mg, 0.29 mmol) dissolved in CH_3CN (0.5 mL), prepared according to a general procedure (McGuigan *et al. J. Med. Chem.* **2008**, *51*, 5807), was added. The solution was stirred at 0 to 5 ^{0}C for 3 h. N-methylimidazole (50 μL) at 0 ^{0}C (ice/water bath) followed by solution of phenyl (cyclohexyloxy-L-alaninyl) phosphorochloridate (52 mg, dissolved in 0.5 mL of CH_3CN) were added. The mixture was stirred at RT for 16 h. The mixture was cooled to 0 to 5 ^{0}C and diluted with EA. Water (5 mL) was added. The solution was washed with 1.0M citric acid, sat. aq. $NaHCO_3$ and brine, and dried with $MgSO_4$. The residue was purified on silica (10 g column) with DCM/MeOH (0-10% gradient) to give **271-2** (96.8 mg, 64 %) as foam.

[1016] Compound **271-2** (95 mg, 0.11 mmol) was dissolved in anhydrous CH_3CN (0.5 mL), and 4N HCl in dioxane (77 μL, 0.3 mmol) was added at 0 to 5 ^{0}C. The mixture was stirred at RT for 30 mins, and anhydrous EtOH (100 μL) was added. The solvents were evaporated at RT and co-evaporated with toluene (3x). The residue was purified on RP-HPLC with H_2O/CH_3CN (50-100% gradient) and lypholized to give **271** (37.7 mg, 52.5%) as a white foam. ESI-LCMS: m/z = 653.2 $[M+H]^+$, 1305.4 $[2M+H]^+$.

[1017] To a solution of **271-A** (56 g, 0.144 mol) in anhydrous THF (600 mL) was added a solution of lithium tri-tert-butoxyaluminohydride (216 mL, 1M, 0.216 mol) dropwise at -78 ^{0}C under N_2 for 30 mins. The solution was stirred between -78 ^{0}C to 0 ^{0}C for 1 h. The reaction was quenched with sat.NH_4Cl solution and extracted with EA (3 x 200 mL). The combined organic layers were dried over anhydrous Na_2SO_4, filtrated and concentrated to give **271-B** (52 g, 92%) as a colorless oil.

[1018] To a stirred solution of PPh_3 (45.7 g, 0.174 mol) in CH_2Cl_2 (200 mL) was added **271-B** (34 g, 0.087 mol) at -20 ^{0}C under N_2. The mixture was stirred for 15 mins.


CBr_4 (58 g, 0.174 mol) was added dropwise while maintaining the temperature between -25 °C and -20 °C under N_2 flow. The mixture was then stirred below -17 °C for 20 mins. The mixture was treated with silica gel. The solution was filtered through cold silica column gel and washed with cold elute (PE:EA=50:1 to 4:1). The combined filtrates were concentrated under reduced pressure at RT to give the crude oil product. The residue was purified by silica column gel (PE:EA=50:1 to 4:1) to give **271-C** (α-isomer, 24 g, 61%) as a colorless oil. ^{1}H-NMR ($CDCl_3$, 400 MHz), δ = 8.16 (d, J = 6.8 Hz, 2H), 8.01 (d, J = 7.6 Hz, 2H), 7.42-7.62 (m, 6H), 6.43 (s, 1H), 5.37 (d, J = 4.4 Hz, 1H), 4.68-4.86 (m, 3H), 1.88 (s, 3H).

[1019] A mixture of 6-Cl-guanosine (80.8 g, 0.478 mol) and *t*-BuOK (57 g, 0.509 mol) in t-BuOH (1 L) was stirred at 30-35 °C for 30 mins. **271-C** (72 g, 0.159 mol, in MeCN 500 mL) was added at RT and the mixture was heated to 70 °C and stirred for 3 h. The reaction was quenched with sat. NH_4Cl solution, and extracted with EA (3 x 300 mL). The combined organic layers were dried over anhydrous Na_2SO_4 and evaporated at low pressure. The residue was purified by silica gel column (PE:EA = 4:1 to 2:1) to give **271-D** (14 g, 16%).^{1}H-NMR ($CDCl_3$, 400 MHz) δ 7.93-8.04 (m, 4H), 7.90 (s, 1H), 7.30-7.50 (m, 6H), 6.53 (d, J = 8.8 Hz, 1H), 6.36 (s, 1H), 5.35 (s, 2H), 5.06-5.10 (m, 1H), 4.81-4.83 (m, 1H), 4.60-4.64 (m, 1H), 1.48 (s, 3H).

[1020] To a solution of **271-D** (14 g, 25.9 mmol) in DCM (15 mL) was added $AgNO_3$ (8.8 g, 51.8 mmol) and collidine (6.3 g, 51.8 mmol) and MMTrCl (12.1 g, 38.9 mmol). The mixture was stirred at RT for 1 h. The reaction was quenched with MeOH (5 mL). After filtration, the filter was washed with brine, dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel column (PE:EA = 10:1 to 3:1) to give **271-E** (16 g, 80%). ^{1}H-NMR ($CDCl_3$, 400 MHz) δ = 8.05-8.07 (m, 4H), 7.93 (s, 1H), 7.18-7.57 (m, 18H), 6.77 (d, J = 8.8 Hz, 2H), 6.71 (s, 1H), 5.86 (s, 1H), 5.6 (s, 1H), 4.77 (d, J =10.0 Hz, 1H), 4.67-4.76 (m, 1H), 4.55-4.59 (m, 1H), 3.75 (s, 1H), 1.06 (s, 3H).

[1021] Sodium (170 mg, 7.38 mmol) was dissolved in dry EtOH (5 mL) at 70 °C, and the solution was cooled to 0 °C. **271-E** (1 g, 1.23 mmol) was added in portions at 0 °C. The mixture was stirred for 8 h at RT. The mixture was neutralized with CO_2 to pH 7.0, and concentrated at low pressure. The residue was purified by prep-HPLC(10% CH_3CN/H_2O) to give **271-1** (0.4 g, 53%) as a yellow solid. ESI-MS: m/z 616 $[M+H]^+$.


EXAMPLE 156
COMPOUND 272



[1022] To an ice-cold solution of triethylammonium bis(POM)phosphate (7 mmol, prepared from 2.3 g of bis(POM)phosphate and 1 mL of Et_3N) and **272-1** (1.36 g; 4.2 mmol) were added diisopropylethyl amine (3.6 mL; 21 mmol), BOP-Cl (2.68 g; 10.5 mmol) and 3-nitro-1,2,4-triazole (1.20 g; 10.5 mmol). The mixture was stirred at 0 °C for 2 h. The mixture was then diluted with EtOAc, washed with 1 M citric acid, sat. aq. $NaHCO_3$ and brine and dried with Na_2SO_4. The evaporated residue was purified on silica gel column with i-PrOH/CH_2Cl_2 solvent system (2-12% gradient) to yield **272-2** (2.13 g, 80%).

[1023] A solution of **272-2** (2.13 g) in 80% aq. HCOOH (10 mL) was stirred at 45 °C for 8 h. The mixture was cooled and concentrated to obtain a residue. The residue was coevaporated with toluene and MeOH containing few drops of Et_3N. The evaporated residue was purified on silica gel column with MeOH:CH_2Cl_2 (3-10% gradient) to yield **272** as a white foam (1.1 g, 56%). MS: m/z = 565 [M-1].

EXAMPLE 157
COMPOUND 280




[1024] **40-1** (1.78 g, 5 mmol) and Compound **A** (3.22 g, 5.5 mmol; prepared according to the procedure provided in WO 2008/82601 A2) were coevaporated with pyridine and then dissolved in pyridine (70 mL). Pivaloyl chloride (1.22 mL; 10 mmol) was added dropwise at -15 °C, and the mixture stirred at -15 °C for 2 h. The mixture was diluted with CH_2Cl_2, washed with 0.5 M aq. NH_4Cl and brine, and dried with Na_2SO_4. The evaporated residue was purified on a silica column with CH_2Cl_2:i-PrOH (4-10% B gradient) to afford **280-2** (2.1 g, 50%).

[1025] To a solution of **280-2** (0.51 g, 0.62 mmol) in CCl_4 (6 mL) was added benzylamine (0.34 mL, 3.1 mmol) dropwise, and the mixture was stirred at RT for 1 h. The mixture was diluted with EtOAc, washed with 0.5 M aq. citric acid, sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The evaporated residue was purified on a silica column with CH_2Cl_2:i-PrOH (4-10% B gradient) to afford **280-3** (0.46 g, 80%).

[1026] A mixture of **280-3** (130 mg, 0.14 mmol) and 80% aq. TFA (1.5 mL) was stirred at RT for 2 h. The mixture was evaporated and coevaporated with toluene. The residue was purified on a silica column with CH_2Cl_2:MeOH (4-12% B gradient) to afford **280** (32 mg (37%). MS: m/z = 620 $[M+1]^+$.


EXAMPLE 158
COMPOUND 281



[1027] A solution of Z-Ala-OH (111.6 mg, 0.5 mmol) in anhydrous THF (2 mL) was treated with carbonyldiimidazole (81 mg, 0.5 mmol). The mixture was stirred for 1 h at 40 ^{0}C under an Ar atmosphere. This solution was added to a solution of **44** (200 mg, 0.33 mmol), Et_3N (72 µL, 0.5 mmol) and DMAP (4 mg) in DMF (2 mL). The mixture was stirred at RT for 2.5 h. The reaction was quenched by the addition of 1M citric acid (2 mL) at 0 to 5 ^{0}C (ice/water bath) and diluted with EA. The organic layer was separated, washed with sodium bicarbonate and brine, dried over $MgSO_4$, filtered and concentrated. The residue was purified by column chromatography in 40 to 90% EA-hexane to give **281-1** (202 mg, 76%) as a white foam.

[1028] To a solution of **281-1** (50 mg, 0.062 mmol) in anhydrous EtOH (2 mL), was added 10 % Pd/C (5 mg), followed by addition of 4N HCl (31 µL, 0.124 mmol), and the mixture was stirred under H_2 atmosphere for 1 h. After completion of the reaction, the mixture was filtered through celite. The catalyst cake was washed with anhydrous EtOH. The washings and the filtrate were combined, and the solvent was removed under vacuum to give **281** (33.3 mg, 79.7%) as an off white foam. MS:m/z = 674.1$[M+H]^+$, 1347.2$[2M+H]^+$.


EXAMPLE 159
COMPOUND 282



[1029] A solution of Z-Gly-OH (105 mg, 0.5 mmol) in anhydrous THF (2 mL) was treated with carbonyldiimidazole (81 mg, 0.5 mmol). The mixture was stirred for 2 h at 40 °C, followed by 30 mins at 80 °C under an Ar atmosphere. This solution was added to a solution of **44** (200 mg, 0.33 mmol), Et_3N (72 µL, 0.5 mmol) and DMAP (4 mg) in DMF (2 mL). The mixture was stirred at RT for 3 h. The reaction was quenched by the addition of 1M citric acid (2 mL) at 0 to 5 ^{0}C (ice/water bath) and diluted with EA. The organic layer was separated, washed with sodium bicarbonate and brine, dried over $MgSO_4$, filtered and concentrated. The residue was purified by column chromatography in 40 to 90% EA-hexane to give **282-1** (208.5 mg, 79.6%) as an off white foam.

[1030] To a solution of **282-1** (75 mg, 0.094 mmol) in anhydrous EtOH (3 mL), was added 10% Pd/C (10 mg), followed by the addition of 4N HCl (47 µL, 0.19 mmol). The mixture was stirred under H_2 atmosphere for 3 h. After completion of reaction, the mixture was filtered through celite. The catalyst cake was washed with anhydrous EtOH. The washings and the filtrate were combined, and the solvent was removed under vacuum to give **282** (44.3 mg, 71.5%) as an off white foam. MS:m/z = 658.05$[M+H]^+$, 1317.05$[M+H]^+$.

EXAMPLE 160
COMPOUND 283




[1031] To a solution of **280-2** (223 mg, 0.27 mmol) in CCl_4 (3 mL) were added L-alanine isopropyl ester hydrochloride (135 mg, 0.8 mmol) and dropwise Et_3N (0.22 mL, 1.6 mmol). The mixture was stirred at RT for 1 h. The mixture was then diluted with CH_2Cl_2, washed with sat aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The evaporated residue was purified on a silica column with CH_2Cl_2:i-PrOH (3-10% B gradient) to afford **283-1** (0.16 g, 62%).

[1032] A mixture of **283-1** (100 mg, 0.11 mmol) and 80% aq. TFA (3 mL) was stirred at RT for 2 h. The mixture was then evaporated and coevaporated with toluene. The

residue was purified on a silica column with CH_2Cl_2:MeOH (4-10% B gradient) to afford **283** (31 mg, 46%). MS:m/z = 644 $[M+1]^+$.

EXAMPLE 161
COMPOUNDS 284 and 306



[1033] To a solution of **40-1** (1.08 g, 3.0 mmol) in *N,N*-dimethylacetamide (15 mL) was added $CsCO_3$ (1.22 g, 3.7 mmol), and the mixture was stirred at RT for 15 mins. Dibenzyl chloromethylphosphate (1g, 3.0 mmol) was added, and the mixture was stirred overnight at 40 °C. After cooling, the mixture was diluted with methyl tert-butylether and washed with water (3X) and brine, and dried with Na_2SO_4. The crude evaporated residue was purified on a silica column with CH_2Cl_2:i-PrOH (3-10% B gradient) to yield **284-1** (580 mg, 30%).


[1034] To a solution of triethylammonium bis(isopropyloxycarbonyloxymethyl)phosphate (1.8 mmol, prepared from 0.60 g of bis(isopropyloxycarbonyloxymethyl)phosphate and Et_3N) in THF was added **284-1** (0.58 g, 0.9 mmol). The mixture was evaporated and rendered anhydrous by coevaporating with pyridine follow by toluene. The evaporated residue was dissolved in anhydrous THF (9 mL) and cooled in an ice-bath. Diisopropylethyl amine (0.94 mL, 5.4 mmol) was added, followed by BOP-Cl (0.69 g, 2.7 mmol) and 3-nitro-1,2,4-triazole (0.31 g, 2.7 mmol). The mixture was stirred at 0-5 °C for 2 h, diluted with EtOAc, washed with sat. aq. $NaHCO_3$ and brine,

and dried with Na_2SO_4. The evaporated residue was purified on a silica column with CH_2Cl_2:i-PrOH (3-10% B gradient) to yield **284-2** (0.77 g, 89%).

[1035] To a solution of **284-2** (50 mg; 0.05 mmol) in EtOH (2.5 mL) was added 10% Pd/C (8 mg), and the mixture was stirred under H_2 (atmospheric pressure) for 1 h. The mixture was filtered through a Celite pad, and the filtrate was evaporated. The residue was treated with 80% aq. HCOOH (2.5 mL) for 3 h, then evaporated and purified by RP-HPLC (A: 50 mM aq. TEAA, B: 50 mM TEAA in MeCN) to afford **284** (22 mg, 44%) as a white solid. MS:m/z = 713 $[M+1]^+$.

[1036] To a solution of **284** (14 mg, 0.02 mmol) in EtOH (0.3 mL) at 0 °C was added dropwise 0.1 M EtONa in EtOH (0.4 mL; 0.04 mmol). The mixture was allowed to warm to RT and the resulting white solid centrifuged. The supernatant was discarded. The solid was treated with EtOH (0.3 mL) and centrifuged to yield **306** (8 mg). MS:m/z = 713 $[M+1]^+$.

EXAMPLE 162
COMPOUND 285



[1037] To a stirred suspension of **285-1** (300 g, 1.86 mol) in acetone (4 L) was added conc.H_2SO_4 (56 mL) dropwise at RT. The mixture was stirred at RT for 3 h. The mixture was neutralized with solid $NaHCO_3$ and filtered. The filtrate was evaporated under reduced pressure to give **285-2** (381 g, crude) as a colorless oil, which was used for the next step without further purification.

[1038] To a stirred solution of **285-2** (380 g, crude, 1.88 mol) in anhydrous DCM (2 L) was added imidazole (191 g, 2.82 mol) and TBSCl (564 g, 3.76 mol) at 0 °C. The mixture was stirred at RT for 12 h, and then filtered. The filtrate was concentrated to dryness, and the residue was purified by silica gel column (2% EA in PE) to give **285-3** (569 g, 97% in 2 steps) as a white solid.

[1039] To a solution of **285-3** (150 g, 0.47 mol) in anhydrous THF (2 L) was added DIBAL-H (710 mL, 0.71 mol, 1.0 M in toluene) at -78 °C for 3 h. The reaction was quenched with sat. aq. NH_4Cl and then filtered. The filtrate was extracted with EA and washed with brine. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was concentrated to dryness. The residue was purified by silica gel column (11% EA in PE) to give **285-4** (121 g, 80.5%) as a white solid.

[1040] Isopropyltriphenylphosphonium iodide (422.8 g, 0.98 mol) was suspended in anhydrous THF (1 L) and cooled to 0 °C. A BuLi solution (2.5M in THF, 391 mL, 0.98 mol) was added dropwise over 0.5 h. The deep red solution was maintained at 0 °C for 0.5 h and **285-4** (207.5 g, 0.65 mol) in THF (1 L) was added slowly over 2 h. The mixture was warmed to ambient temperature and stirred for 12 h. The reaction was quenched with sat. aq. $NaHCO_3$. The precipitated solid was removed by filtration. The filtrate was diluted with EA and washed with brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated at low pressure, and the residue was purified by chromatography on silica gel (10% to 30% EA in PE) to give **285-5** (104.7 g, 47%) as a colorless oil.

[1041] To a stirred solution of **285-5** (4.9 g, 14.2 mmol) in anhydrous MeCN (70 mL) was added IBX (7.9 g, 28.4 mmol). The mixture was refluxed for 2 h. The mixture was filtered, and the filtrate was concentrated to dryness. The residue was purified by column chromatography (1% EA in PE) to give **285-6** (4.6 g, 94.8%) as a colorless oil.

[1042] To a stirred solution of **285-6** (2.0 g, 5.8 mmol) and difluoromethyl phenyl sulfone (2.24 g, 11.7 mmol) in anhydrous DMF (50 mL) was added LiHMDS (1.0 M in THF, 11.7 mL) dropwise at -78 °C. After stirring at -78 °C for 2 h, the reaction was quenched with sat. aq. NH_4Cl. The mixture was then stirred at 0 °C for 30 mins. The organic phase was separated, and the aqueous phase was extracted with EA. The combined organic phase was washed with brine, dried over Na_2SO_4 and filtered. The filtrate was concentrated to dryness. The residue was purified on a silica gel chromatography (0.25% EA in PE) to give **285-7** (1.1 g, 32.1%) as a colorless oil. ^{1}H-NMR ($CDCl_3$, 400 MHz) δ = 8.01-7.97 (m, 2H), 7.74-7.70 (m, 1H), 7.61-7.57 (m, 2H), 5.80 (d, J=1.6 Hz, 1H), 4.26 (d, J=11.2 Hz, 1H), 4.08 (s, 1H), 4.03 (d, J=11.2 Hz, 1H), 3.86 (s, 1H), 1.82 (s, 3H), 1.69 (s, 3H), 1.54 (s, 3H), 1.41 (d, J=12.4 Hz, 6H), 0.89 (s, 9H), 0.09 (d, J=9.6 Hz, 6H).

[1043] To a stirred solution of **285-7** (4.0 g, 7.5 mmol) in DMF (80 mL) and H_2O (16 mL) was added Mg (3.6 g, 149.8 mmol) followed by the addition of HOAc (13.5 g, 224.7 mmol). The mixture was stirred at RT for 6 h. The mixture was poured into ice water and filtered. The filtrate was extracted with EA. The combined organic phase was washed with brine, dried over Na_2SO_4 and filtered. The filtrate was concentrated to dryness, and the residue was purified on the silica gel chromatography (0.2% EA in PE) to give **285-8** (1.12 g, 38%) as a colorless oil. ^{1}H-NMR ($CDCl_3$, 400 MHz) δ = 5.88-5.74 (m, 2H), 3.98-3.78 (m, 3H), 3.30 (s, 1H), 3.08 (s, 1H), 1.83 (s, 3H), 1.70 (s, 3H), 1.41(s, 3H), 1.35 (d, J=23.2 Hz, 6H), 0.90 (d, J=4.4 Hz, 9H), 0.08 (d, J=7.6 Hz, 6H).

[1044] To a solution of **285-8** (1.12 g, 2.84 mmol) was added a solution (6 mL, 1.0 M) of TBAF in THF, and the mixture was stirred at RT for 30 mins. The mixture was concentrated to dryness, and the residue was purified by silica gel column chromatography (3% EA in PE) to give **285-9** (332 mg, 41.7%) as a colorless oil.

[1045] To a solution of **285-9** (415 mg, 1.5 mmol) in anhydrous DCM (7.5 mL) was added Et_3N (224 mg, 2.2 mmol) and BzCl (248 mg, 1.7 mmol) at 0 °C. The mixture was stirred at RT for 4 h. After the reaction was completed, the reaction was quenched with sat. aq. $NaHCO_3$ and extracted with DCM. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was evaporated, and the residue was purified by silica gel column chromatography (1% EA in PE) to give **285-10** (441 mg, 77.4%) as colorless oil.

[1046] To a stirred solution of **285-10** (440 mg, 1.2 mmol) in anhydrous DCM (10 mL) was bubbled O_3 at -78 °C until the solution turned blue. The reaction was then bubbled with O_2 until the solution turned to colorless. The organic layer was evaporated to give **285-11**(430 mg, crude), which was used for next step without further purification.


[1047] **285-11** (441 mg, 1.2 mmol) in 90% TFA (6 mL) was stirred at RT for 12 h. The mixture was concentrated under reduced pressure. The residue was purified via silica gel chromatography (50% EA in PE) to give **285-12** (404 mg, 97%) as a colorless oil.

[1048] To a solution of **285-12** (404 mg, 1.3 mmol) in anhydrous DCM (6 mL) was added Et_3N (1.0 g, 10.2 mmol), DMAP (44 mg, 0.4 mmol) and BzCl (1.0 g, 7.6 mmol) at 0 °C. The mixture was stirred at RT for 4 h. The reaction was quenched with sat. aq. $NaHCO_3$ and extracted with DCM. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was evaporated, and the residue was purified by silica gel column chromatography (1% EA in PE) to give **285-13** (530 mg, 66.2%) as a light yellow foam.

[1049] To a stirred solution of uracil (190 mg, 1.7 mmol) in chlorobenzene (2.6 mL) was added N, O-bis (trimethylsilyl) acetamide (680 mg, 3.3 mmol). The solution was stirred at 130 °C for 30 mins, and then cooled to ambient temperature. To a solution of **285-13** (536 mg, 0.8 mmol) in chlorobenzene was added $SnCl_4$ (770 mg, 3.5 mmol) slowly dropwise. The mixture was heated to reflux for 30 mins. The reaction was quenched by sat. aq. $NaHCO_3$ and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was evaporated, and the residue was purified by silica gel column chromatography (20% EA in PE) to give **285-14** (336 mg, 64.6%) as a white solid.

[1050] **285-14** (80 mg, 0.1 mmol) was treated with 7.0 M NH_3 in MeOH. The mixture was stirred at RT for 12 h. The solvent was removed at low pressure. The residue was purified by silica gel column chromatography (5% MeOH in DCM) to give **285** (36 mg, 90.6%) as a white solid. ESI-LCMS:m/z 309.09 $[M+H]^+$; 331.07 $[M+Na]^+$.


EXAMPLE 163
COMPOUND 286



[1051] To a mixture of **51** (240 mg, 0.8 mmol) in trimethyl phosphate (4 mL) at 0 °C was added $POCl_3$ (0.18 mL, 1.6 mmol), and the mixture was stirred at 0 °C for 90 mins. L-alanine isopropyl ester hydrochloride (0.24 g, 1.4 mmol) and Et_3N (0.6 mL, 4.3 mmol) were added. The mixture was warmed to RT and stirring was continued for 1.5 h. The reaction was quenched with 0.5 M aq. TEAA, and the mixture purified by RP-HPLC (A: 50 mM aq. TEAA, B: 50 mM TEAA in MeCN) to yield **286-1** (75 mg).

[1052] A mixture of **286-1** (52 mg, 0.1 mmol), DIPEA (0.11 mL, 0.6 mmol) and isopropyloxycarbonyloxymethyl iodide (77 mg, 0.3 mmol) in NMP (1.1 mL) was stirred at RT for 1 h. The mixture was diluted with tert-butyl methylether, washed with sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. The evaporated residue was purified on a silica column with CH_2Cl_2:MeOH (4-10% B gradient) to yield **286** (12 mg, 20%). MS:m/z = 600 $[M+1]^+$.

EXAMPLE 164
COMPOUND 287




[1053] To a solution of **44** (200 mg, 0.33 mmol) in anhydrous DCM (6 mL) was added DMAP (4 mg, 0.033 mmol), N-Cbz-O-benzyl-L-serine (164 mg, 0.5 mmol) and EDC (100 mg, 0.52 mmol) at 0 to 5 °C (ice/water bath). The mixture was stirred for 40 h at RT. The mixture was cooled using ice/water bath, diluted with DCM (10 mL), washed sat. NH_4Cl, dried over $MgSO_4$, filtered and concentrated. The residue was purified by column chromatography in 50 to 90% EA-hexane to give **287-1** (187 mg, 62%) as a white foam.

[1054] To a solution of **287-1** (68.7 mg, 0.075 mmol) in anhydrous EtOH (2.5 mL), was added 10 % Pd/C (11.4 mg), followed by the addition of 4N HCl (38 µL, 0.15 mmol), and the mixture was stirred under H_2 atmosphere for 3 h. After completion of reaction, the mixture was filtered through celite. The catalyst cake was washed with

anhydrous EtOH. The washings and filtrate were combined, and the solvent was removed under vacuum to give **287** (40.1 mg, 77.6%) as an off white foam. MS:m/z = 690.1[M+H]$^+$.

EXAMPLE 165
COMPOUND 288




[1055] To a mixture of **Compound B** (0.84 g, 2 mmol; prepared according to Villard *et al. Bioorg. Med. Chem.* (2008) 16:7321-7329) and Et_3N (0.61 mL, 4.4 mmol) in THF (5 mL) at -78 °C was added dropwise a solution of *N,N*-diisopropyl dichlorophosphoramidite (184 μL, 1 mmol) in THF (7 mL). The mixture was allowed to warm up and stirred at RT for 2 h. The solids were filtered off. The filtrate was concentrated and purified on a silica gel column with hexanes + 1% Et_3N:EtOAc (1-20% B gradient) to yield **Compound C** (0.38 g).

[1056] To a mixture of **40-1** (53 mg, 0.15 mmol) and **Compound C** (0.17 g, 0.17 mmol) in MeCN (1 mL) was added 5-ethylthio-1*H*-tetrazole (0.25 M in MeCN; 1.2 mL, 0.3 mmol). The mixture was stirred for 1 h at RT and then cooled to -40 °C. A solution of MCPBA (77%; 42 mg, 0.19 mmol) in CH_2Cl_2 (0.5 mL) was added. The mixture was allowed to warm up and stirred at RT for 30 mins. The reaction was quenched with 4% aq. $Na_2S_2O_3$ in 4% aq. $NaHCO_3$ (1 mL) and diluted with CH_2Cl_2. The organic layer was washed with sat. aq. $NaHCO_3$ and brine, and dried with Na_2SO_4. Purification of the evaporated

residue on a silica gel column with hexanes:EtOAc (30-100% B gradient) yielded **288-1** (150 mg, 81%).

[1057] A solution of **288-1** (120 mg, 0.1 mmol) in 80% aq. TFA (5 mL) was kept at RT for 3 h. The mixture was concentrated, and the residue coevaported with toluene. The crude material was purified on a silica column with CH_2Cl_2:MeOH (4-10% B gradient) to give **288** (25 mg, 36%). MS:m/z = 691 $[M+1]^+$.


EXAMPLE 166
COMPOUND 289



[1058] To a mixture of DCC (412 mg, 1.98 mmol) in DMF (1 mL), DMAP (244 mg, 1.98 mmol) and Z-Val-OH (502 mg, 1.98 mmol) were added successively, followed by the addition of **44** (200 mg, 0.183 mmol). The mixture was stirred at RT for 1 h. The mixture was filtered, and the filtrate was concentrated with a rotary evaporator until ½ of its original volume. EA was added, and the mixture was washed with water and brine, dried over anhydrous Na_2SO_4 and concentrated in vacuo to give a residue. The residue was purified by silica gel with 35-95% EA:hexanes to give **289-1** (107 mg, 31.2 %) as a white foam.


[1059] To a solution of **289-1** (68 mg, 0.064 mmol) in anhydrous EtOH (2.0 mL) was added 10 % Pd/C (12 mg), followed by the addition of 4N HCl (67 µl, 0.25 mmol). The mixture was stirred under H_2 atmosphere for 1.5 h. The mixture was filtered through celite, and the catalyst cake was washed with anhydrous EtOH. The washings and the filtrate were combined. The solvent was removed under vacuum to give **289** (41.6 mg, 82%) as a light yellow foam. MS:m/z = 801.25 $[M+H]^+$.

EXAMPLE 167
COMPOUND 290




[1060] To a solution of **290-1** (40 mg, 0.144 mmol) in DMF (2 mL) were added DCC (65 mg, 0.32 mmol), isobutyric acid (28 µl, 0.32 mmol) and DMAP (18 mg, 0.144 mmol). The mixture was stirred at RT overnight. The mixture was filtered, and the filtrate was concentrated with a rotary evaporator to ½ of its original volume. The mixture was then diluted with 25% DMF/H_2O and purified on a reverse-phase HPLC (C18) using CH_3CN and water. Lyophilization gave **290** (17.5 mg, 29%) as a white powder. MS:m/z 416.1 $[M+H]^+$.

EXAMPLE 168
COMPOUND 291




[1061] To a solution of **290-1** (50 mg, 0.18 mmol) in DMF (1.5 mL) were added DCC (93 mg, 0.45 mmol), propanoic acid (33.4 µl, 0.45 mmol) and DMAP (22 mg, 0.18 mmol). The mixture was stirred at RT overnight. The mixture was filtered, and then filtrate was concentrated with a rotary evaporator to ½ of its original volume. The mixture was then diluted with 25% DMF/H_2O , and purified on a reverse-phase HPLC (C18) using CH_3CN and water. Lyophilization gave **291** (30.2 mg, 43%) as a white powder. MS:m/z 390.1 $[M+H]^+$, 388.05 $[M-H]^-$.

EXAMPLE 169
COMPOUND 292




[1062] To a solution of **75** (20 mg, 0.073 mmol) in DMF (0.7 mL) were added DCC (37.6 mg, 0.183 mmol), isobutyric acid (16 µl, 0.183 mmol) and DMAP (9 mg, 0.073 mmol). The mixture was stirred at RT overnight. The mixture was filtered, and the filtrate was concentrated with a rotary evaporator to ½ of its original volume. The mixture was then diluted with 25% DMF/H_2O, and purified on a reverse-phase HPLC (C18) using 25-95% CH_3CN:water. Lyophilization gave **292** (12.1 mg, 38.7%) as a white powder. MS:m/z 430.15 $[M+H]^+$, 428.10 $[M-H]^-$.

EXAMPLE 170
COMPOUND 293



[1063] To a solution of **75** (20 mg, 0.073 mmol) in DMF (0.7 mL) were added DCC (37.6 mg, 0.183 mmol), propanoic acid (13.5 µl, 0.183 mmol) and DMAP (9 mg, 0.073 mmol). The mixture was stirred at RT overnight. The mixture was filtered, and then filtrate was concentrated with a rotary evaporator to ½ of its original volume. The mixture was then diluted with 25% DMF/H_2O, and purified on a reverse-phase HPLC (C18) using 25-95% CH_3CN:water Lyophilization gave **293** (14.1 mg, 48%) as a white powder. MS:m/z 402.1 $[M+H]^+$.

EXAMPLE 171
COMPOUND 294



[1064] To a mixture of **Compound D** (0.9 g, 6.0 mmol; prepared according to Qing *et al. Org. Lett.* (2008) 10:545-548) and $POCl_3$ (0.55 mL, 6.0 mmol) in diethyl ether (9 mL) at -78 °C was added Et_3N (0.84 mL, 6.0 mmol). The mixture was allowed to warm to RT in 2 h. The mixture was then filtered, and the solids were washed with Et_2O. The combined filtrates were evaporated, and the crude **Compound E** was used without purification.

[1065] To a solution of crude **Compound E** and L-alanine isopropyl ester hydrochloride (1.0 g, 6.0 mmol) in CH_2Cl_2 (15 mL) at -20 °C was added Et_3N (1.67 mL, 1.2 mmol). The mixture was allowed to warm up and stirring at RT for 2 h. The mixture was diluted with hexanes and filtered through a silica pad which was thoroughly washed with CH_2Cl_2:hexanes 1:1. The combined filtrates were concentrated and purified on a silica column with hexanes:EtOAc (5-50% B gradient) to yield **Compound F** (0.78 g, 38% for 2 steps).


[1066] To a solution of **40-1** (0.36 g, 1.0 mmol) in THF (7.5 mL) at 0 °C was added isopropyl magnesium chloride (2 M in THF; 0.65 mL, 1.3 mmol), and the mixture was

stirred at 0 °C for 30 mins. A solution of **Compound F** (0.78 g, 2.2 mmol) in THF (2 mL) was added, and the mixture stirred at RT for 2 h. The reaction was quenched with sat. aq. NH_4Cl, and then diluted with EtOAc. The two layers were separated. The organic layer was washed with water and brine, and dried over Na_2SO_4. Purification of the evaporated residue on a silica gel column with CH_2Cl_2:i-PrOH (3-10% B gradient) yielded **294-1** (0.50 g, 74%).

[1067] A solution of **294-1** (0.28 g, 0.4 mmol) in 80 aq. TFA (4 mL) was stirred at RT for 4 h. The mixture was evaporated and coevaporated with toluene. The residue was purified on a silica column with CH_2Cl_2:MeOH (4-10% B gradient) to give **294-2** (0.17 g, 68%).

[1068] To a solution of **294-2** (85 mg, 0.14 mmol) in EtOH (3 mL) and HCl (4 N in dioxane; 35 μL, 0.14 mmol) was added 10% Pd/C (8 mg). The mixture was stirred under H_2 (atmospheric pressure) for 105 mins. The mixture was then filtered through a Celite pad. The evaporated residue was treated with Et_2O to yield **294** (55 mg, 63%) as a white solid. MS:m/z = 589 $[M+1]^+$.

EXAMPLE 172
COMPOUND 295



[1069] A mixture of **295-1** (120 g, 0.26 mol) and IBX (109 g, 0.39 mol) in CH_3CN (2.0 L) was heated to reflux and stirred for 12 h. After cooling to RT, the mixture was filtered. The filtrate was concentrated at low pressure and used directly for the next step.

[1070] **295-2** (130 g, crude, 0.26 mol) was co-evaporated with anhydrous toluene (3X) to remove H_2O. Vinyl magnesium bromide (700 mL, 0.78 mol, 1.0 N in THF) was added dropwise into a solution of **295-2** in THF (300 mL) over 30 mins at -78 °C. The mixture was stirred for about 1 h. at 25 °C and checked by LCMS trace. When the starting material was consumed, the mixture was poured into a sat. NH_4Cl solution, and extracted with EA (3 x 300 mL). The organic layer was washed with brine, dried with anhydrous Na_2SO_4, filtered and concentrated at low pressure to give the crude intermediate without further purification.

[1071] To a solution of this crude intermediate (170 g, 0.346 mol) in anhydrous CH_2Cl_2 was added TEA (105 g, 1.04 mol) and DMAP (84 g, 0.69 mol), and the mixture was stirred at RT. Benzoyl chloride (146 g, 1.04 mol) was added slowly at RT. After stirring for 12 h at RT, the mixture was diluted with CH_2Cl_2 and then washed with sat. aq. $NaHCO_3$. The combined aqueous phase was extracted with DCM (100 mL). The combined organic phase was dried with anhydrous Na_2SO_4, filtered and evaporated to dryness under reduced pressure. The residue was purified by column chromatography (PE:EA=10:1 to 5:1) to give **295-3** (107 g, 52%).

[1072] A mixture of uracil (treated by toluene twice) and NOBSA (81.4 g, 0.4 mol) in CH_3CN (200 mL) was stirred to reflux for 1.5 h. After the mixture was cooled to RT, **295-3** (59 g, 0.1 mol, treated by toluene) in CH_3CN (100 mL) was added. The mixture was treated with TMSOTf (155 g, 0.7 mol), and then warmed to 60-70 °C for 12 h. LCMS showed that no starting material remained. The mixture was poured into a $NaHCO_3$ (sat.) solution. The desired product precipitated. After filtration, pure **295-4** (40 g, 69%) was obtained as a white solid.

[1073] To a solution of **295-4** (50 g, 0.086 mol), K_2CO_3 (17.8 g, 0.13 mol) in DMF (500 mL) was added PMBCl (16 g, 0.1 mol) at 0 °C, and the mixture stirred at 25 °C for 12 h. The reaction was quenched with water, and the mixture was extracted with EtOAc (3 x 150 mL). The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. Crude **295-5** (65 g) was obtained and used directly for the next step.

[1074] A mixture of **295-5** (65 g, 0.086 mol) and NaOMe (16.8 g, 0.3 mol) in MeOH:DCM (4:1, 200 mL) was stirred at RT for 2.5 h. LCMS showed that no starting

material remained. The reaction was quenched with dry ice. The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (DCM:MeOH=50:1 to 20:1) to give **295-6** as a yellow foam (25 g, 75%).

[1075] To a solution of **295-6** (25.5 g, 0.065 mol) in DMF was added NaH (10.5 g, 0.26 mol) slowly at ice bath, and the mixture was stirred for 30 mins. BnBr (36.3 g, 0.21 mol) was added, and the mixture was stirred at 25 °C for 12 h. TLC showed that the starting material disappeared. The reaction was quenched by sat. aq. NH_4Cl and extracted with EtOAc (3 x 100 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (PE:EA=5:1 to 3:1 to 1:1) to give **295-7** (20 g, 46%).

[1076] To a solution of **295-7** (20 g, 0.03 mol), NMMO (7 g, 0.06 mol) in THF:H_2O (5:1, 100 mL) was added OsO_4 (2.6 g, 0.01 mol) at 25 °C, and the mixture was stirred at 25 °C for 24 h. The reaction was quenched with a sat. $Na_2S_2O_3$ solution, and extracted with EtOAc (3 x 100 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The diol product residue was used directly for next step.

[1077] To a solution of diol product (0.03 mol) in MeOH:H_2O:THF (170 mL:30 mL:50 mL) was added $NaIO_4$ (9.6 g, 0.045 mol), and the mixture was stirred at 25 °C for 2 h. After the white solid was filtered, the filtrate was used directly for the next step.

[1078] The previous solution was treated with $NaBH_4$ (1.8 g, 0.048 mol) at 0 °C, and stirred at 25 °C for 30 mins. The reaction was quenched with HCl (1 N) solution and adjusted pH to 7-8. The solution was extracted by EtOAc (3 x 50 mL). The organic phase was washed with brine washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (PE:EA=6:1 to 4:1) to give **295-8** (12 g, 61% over 3 steps).

[1079] To a solution of **295-8** (14 g, 21 mmol), DMAP (5.1 g, 42 mmol) in DCM (50 mL) was added MsCl (3.1 g, 27 mmol) at 0 °C, and the mixture was stirred at 25 °C for 40 mins. LCMS shows that no starting material remained. The reaction was quenched by sat. aq. $NaHCO_3$ and extracted with DCM (3 x 100 mL). The solution was washed with HCl (0.2 N) solution, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The

residue was purified by column chromatography (PE:EA=10:1 to 5:1) to give the OMs-product (14 g, 90%).


[1080] The OMs-product (6.1 g, 8.21 mmol) was dissolved in TBAF (Alfa, 1 N in THF, 120 mL), and the mixture was stirred at 70-80 °C over 3 days. LCMS shows that 50% of the starting material was converted to the desired product. The mixture was concentrated at low pressure. The residue was dissolved in EtOAc (100 mL). The solution was washed by brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatography (PE:EA=10:1 to 5:1) to give **295-9** (1.3 g, 24%).

[1081] To a solution of **295-9** (6.3 g, 9.45 mmol) in CAN:H_2O (v:v = 3:1, 52 mL) was added CAN (15.5 g, 28.3 mmol), and the mixture was stirred at RT overnight. The reaction was quenched with water, and extracted with EA (3 x 80 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by column chromatograph (25% EA in PE) to give **295-10** (3.6 g, 71 %) as a yellow oil.

[1082] To a solution of **295-10** (566 mg, 1.04 mmol), DMAP (253 mg, 2.07 mmol) and TEA (209 mg, 2.07 mmol) in anhydrous MeCN (6 mL) was added TPSCl (627 mg, 2.07 mmol) at 0°C. The mixture was stirred at RT for 2 h. The mixture was treated with $NH_3 \cdot H_2O$ (10 mL), and stirred at RT overnight. TLC showed that the reaction was completed. The solution was concentrated at low pressure. The residue was purified by silica gel column chromatography (DCM:MeOH=50:1 to 20:1) to give **295-11** (300 mg, 49%) as a white solid.

[1083] To a solution of **295-11** (200 mg, 0.37 mmol) in anhydrous DCM (0.5 mL) was added BCl_3 (2.5 mL, 1 N in DCM) at -70 °C, and the mixture was stirred for 2 h at -70 °C. TLC showed that no materials remained. The reaction was quenched with MeOH at -70 °C, and concentrated at low pressure directly under 40 °C. The residue was dissolved in H_2O, and washed with EtOAc over 3 times. The aqueous phase was lyophilized to give **295** (91 mg, 89%) as a white solid. ESI-LCMS:m/z 276.1 $[M+H]^+$.

EXAMPLE 173
COMPOUND 296



[1084] To a stirred solution of **296-1** (8.2 g, 15.3 mmol) in anhydrous CH_3CN (150 mL) was added IBX (4.7 g, 16.8 mmol) at 20 °C under N_2. The suspension was heated to 90 °C~100 °C and stirred at this temperature for 1 h. The mixture was filtered, and the filtrate was concentrated under reduced pressure. The residue, **296-2**, (8.2 g, crude) was used in the next step without further purification.

[1085] To a solution of **296-2** (8.2 g, 15.4 mmol) in 1,4-dioxane (150 mL) was added aq. NaOH (15.4 mL, 2 M, 30.8 mmol) at 20 °C. The mixture was stirred at this temperature for 10 h. The solution was neutralized with AcOH to pH=7, followed by addition of EtOH (50 mL) and $NaBH_4$ (5.8 g, 154.3 mmol) at 0 °C. The mixture was stirred at this temperature for 1 h. The reaction was quenched with water (20 mL), extracted with EA (2 x 40 mL). The combined organic phase was washed with brine, dried over anhydrous $MgSO_4$ and concentrated at low pressure. The residue was purified via silica gel chromatography (50% EA in PE) to give **296-3** (5.5 g, 62.92%) as a white solid.

[1086] **296-3** (480 mg, 0.8 mmol) was co-evaporated with toluene (2x). The residue was dissolved in anhydrous DCM (5 mL) and pyridine (671 mg, 85 mmol). Tf_2O (481 mg, 187 mmol) was added dropwise at 0 °C over 10 mins. The mixture was stirred at

this temperature for 40 mins. The mixture was purified by column chromatography (20% EA in PE) to give **296-4** (602 mg, 86.1%) as a brown foam.

[1087] To a solution of **296-4** (602.0 mg, 0.72 mmol) in anhydrous DMF (8 mL) was added NaH (34.8 mg, 0.87 mmol) at 0 °C under N_2 atmosphere. The reaction was stirred at 20 °C for 1 h, and then NaN_3 (1.59 g, 2.5 mmol) was added at 0 °C under N_2 atmosphere. The mixture was stirred at 20 °C for 2 h. The reaction was quenched with water at the same temperature, extracted with EA (2 x 20 mL). The combined organic layer was washed with brine, dried over Na_2SO_4 and filtered. The filtrate was concentrated to dryness under reduced pressure. The residue, **296-5**, (431 mg, crude) was used in next step without further purification.

[1088] To a solution of **296-5** (431 mg, crude) in 1,4-dioxane (14 mL) was added aq. NaOH (114.4 mg, 2 M, 2.9 mmol) at 18 °C. The mixture was stirred at the same temperature for 3 h. The mixture was diluted with EA (20 mL). The organic layer was washed with brine, dried over $MgSO_4$ and concentrated at low pressure. The residue was purified via silica gel chromatography (30% EA in PE) to give **296-6** (406.0 mg, 47.9%) as a white foam.


[1089] To a solution of **296-6** (406.0 mg, 0.68 mmol) in anhydrous DMF (8 mL) was added TBSCl (198.7 mg, 1.3 mmol) and imidazole (119.7 mg, 1.8 mmol) at 30 °C under N_2 atmosphere. The solution was stirred at this temperature for 3 h. The solution was diluted with EA (20 mL) and washed with water and brine. The organic phase was dried over $MgSO_4$ and concentrated at low pressure. The residue was purified via silica gel chromatography (50% EA in PE) to give **296-7** (405.0 mg, 65.28%) as a white solid.

[1090] To a solution of **296-7** (405.0 mg, 0.57 mmol) in anhydrous CH_3CN (6 mL) was added 2,4,6-triisopropylbenzene-1-sulfonyl chloride (343.3 mg, 1.13 mmol), DMAP (138.5 mg, 1.1 mmol) and TEA (114.7 mg, 1.1 mmol) at 30 °C. The mixture was stirred at this temperature for 9 h. $NH_3 \cdot H_2O$ (4 mL) was added, and the mixture was stirred for 3 h. The mixture was diluted with EA (20 mL) and washed with brine. The organic layer was dried over Na_2SO_4 and concentrated at low pressure. The residue was purified via silica gel chromatography (50% EA in PE) to give **296-8** (401.0 mg, crude) as a yellow foam.

[1091] **296-8** (380.0 mg, 0.54 mmol) was dissolved in 80%HCOOH (25 mL), and the mixture was stirred at 30°C for 12 h. The reaction was quenched with MeOH and

concentrated under reduced pressure. The residue was purified by silica gel chromatography (10% MeOH in DCM) to give **296** (144.0 mg, 83.93%) as a white foam. ESI-MS:m/z 319.1 $[M+H]^+$; 637.2 $[2M+H]^+$.

EXAMPLE 174
COMPOUND 297



[1092] To a solution of **297-1** (30 g, 122.85 mmol) and 1,1-dimethoxycyclopentane (86 g, 660.93 mmol) in DCE (200 mL) was added $TsOH \cdot H_2O$ (2.34 g, 12.29 mmol) in one portion at RT. The mixture was heated to 70 °C and stirred for 14 h. TLC showed that the reaction was completed. The mixture was cooled to RT and

concentrated under reduced pressure. The residue was purified by column chromatography (1-10% MeOH in DCM) to give **297-2** (25 g, 65.6%) as a white solid.

[1093] To a solution of **297-2** (20 g, 64.45 mmol) in anhydrous CH_3CN (200 mL) was added IBX (19.85 g, 70.9 mmol) at RT. The mixture was refluxed for 18 h. and then cooled to 0 °C. The precipitate was filtered-off, and the filtrate was concentrated to give crude **297-3** (20 g, 100%) as a yellow solid.

[1094] To a solution of **297-3** (20 g, 64.87 mmol) in 1,4-dioxane (200 mL) were added 37% HCHO (20 mL) and 2.0 M NaOH aq. solution (40 mL) at 0 °C. The mixture was stirred at RT overnight and then neutralized with AcOH to pH = 7. The solution was treated with $NaBH_4$ (4.91 g, 129.74 mmol) at 20 °C. The mixture was stirred at RT for 1.0 h, and the reaction was quenched with sat. aq. NH_4Cl. The mixture was extracted with EA (3 s 200 mL). The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column chromatography (1-3% MeOH in DCM) to give **297-4** (9 g, 40.8 %) as a white solid.

[1095] To an ice cold solution of **297-4** (4.5 g, 13.22 mmol) in anhydrous DCM (50 mL) was added pyridine (10.46 g, 132.20 mmol) and Tf_2O (8.21 g, 29.08 mmol) dropwise at -30 °C. The mixture was stirred at the same temperature for 1 h. The reaction was quenched with ice water and extracted with EA (3 x 60 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on a silica gel column (PE:EA=5:1) to give **297-5** (5 g, 62.57%) as a white solid.

[1096] To a stirred solution of **297-5** (5 g, 8.27 mmol) in anhydrous DMF (25 mL) was added NaH (396.96 mg, 9.92 mmol) at 0 °C under N_2. The solution was stirred at RT for 2 h. TLC showed that the reaction was completed. The solution of **297-6** was used in next step without any further workup.

[1097] To a stirred solution of **297-6** (3.75 g, 8.25 mmol) was added NaN_3 (1.5g, 2.50 g, 38.46 mmol) at 0 °C under N2 atmosphere. The solution was stirred at RT for 2 h. The reaction was quenched with water and extracted with EA (3 x 60 mL). The organic layer was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue, **297-7**, was used in the next step without further purification.

[1098] To a solution of **297-7** (2.87 g, 8.25 mmol) in anhydrous 1,4-dioxane (30 mL) was added NaOH (8.25 mL, 16.50 mmol, 2.0 M in water) at RT. The mixture was stirred at RT for 3 h. TLC showed that the reaction was completed. The mixture was diluted with EA. The solution was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified on the silica gel column (PE:EA=10:1 to 2:1) to give **297-8** (2 g, 66.4%) as a white foam. ^{1}H-NMR (DMSO, 400 MHz), δ = 9.02 (s, 1H), 7.40 (d, J = 8.0 Hz, 1H), 5.75-5.77 (m, 1H), 5.57 (d, J = 3.6 Hz, 1H), 5.13-5.16 (m, 1H), 4.90 (d, J = 6.4 Hz, 1H), 3.79-3.85 (m, 2H), 5.51-5.56 (m, 2H), 3.06-3.09 (m, 1H), 2.05-2.09 (m, 2H), 1.65-1.75 (m, 6H).

[1099] **297-8** (2 g, 5.47 mmol) was dissolved in 80% HCOOH (20 mL) aq. solution, and the mixture was heated to 60 °C for 2 h. The mixture was evaporated at low pressure. The residue was dissolved in MeOH, and the pH was adjusted to 7~8 with NH_3•H_2O. The mixture was stirred for 10 mins, and then concentrated at low pressure. The residue was purified by silica gel chromatography (DCM:MeOH=20:1) to afford **297-9** (1.4 g, 85.5%) as a white solid.

[1100] To a solution of **297-9** (1.00 g, 3.34 mmol) in DMF (5 mL) was added diphenyl carbonate (157.49 mg, 735.20 μmol) and $NaHCO_3$ (28.06 mg, 0.334 mmol) at 120 °C. The mixture was stirred for 16 h. TLC showed that the reaction was completed. The mixture was cooled to RT and concentrated at low pressure. The residue was purified by silica gel chromatography (DCM:MeOH=15:1 to 10:1) to afford **297-10** (600. mg, 63.9%) as a yellow solid. ^{1}H-NMR (DMSO, 400 MHz), δ = 8.49 (s, 1H), 7.83 (d, J = 7.2 Hz, 4H), 6.46 (s, 1H), 6.31 (d, J = 4.8 Hz, 1H), 5.84 (d, J = 6.8 Hz, 1H), 5.27 (d, J = 5.6 Hz, 2H), 4.43 (s, 1H), 3.53 (d, J = 12.8 Hz, 1H), 3.43 (d, J = 13.2 Hz, 1H), 3.12 (d, J = 11.2 Hz, 1H).

[1101] To a solution of **297-10** (2 g, 7.11 mmol) and $AgNO_3$ (1.81 g, 10.67 mmol) in Py (20 mL) was added DMTrCl (3.61 g, 10.67 mmol) in one portion at RT. The mixture was stirred at RT for 12 h. TLC showed that the reaction was completed. The mixture was concentrated at low pressure, and the residue was purified by silica gel chromatography (DCM:MeOH = 50:1) to afford **297-11** (3 g, 72.3%) as a white solid.

[1102] To a solution of **297-11** (1.5 g, 2.57 mmol) in EtOH (5 mL) was added NaOH (5 mL, 2.0 N) in one portion at RT. The mixture was stirred at RT for 0.5 h. TLC showed that the reaction was completed. The aqueous phase was extracted with EA (3 x 60

mL). The organic phase was washed with brine, dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum to afford **297-12** (1.50 g, 97%) as a yellow solid.


[1103] To a solution of **297-12** (1.50 g, 2.49 mmol) in Py (6 mL) was added AC_2O (3 mL) in one portion at RT. The mixture was stirred at RT for 12 h. TLC showed that the reaction was completed. The mixture was concentrated, and the residue was dissolved in water. The aqueous phase was extracted with EA (3 x 60 mL). The combined organic phase was washed with sat. brine, dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (PE:EA=1:1) to afford **297-13** (1.5 g, 87.8%) as a white solid. ^{1}H-NMR ($CDCl_3$, 400 MHz), δ = 8.10 (s, 1H), 7.29-7.34 (m, 10H), 6.77 (d, J = 8.0 Hz, 4H), 6.36 (d, J = 5.2 Hz, 1H), 5.36 (d, J = 3.6 Hz, 1H), 5.44 (t, J = 4.0 Hz, 1H), 5.32 (d, J = 8.0 Hz, 1H), 3.80 (s, 6H), 3.58 (d, J = 12.8 Hz, 1H), 3.44 (d, J = 12.8 Hz, 1H), 3.29 (s, 2H), 2.10 (s, 3H), 1.82 (s, 3H).

[1104] To a solution of **297-13** (500 mg, 729.2 μmol) in MeCN (10 mL) was added DMAP (178.17 mg, 1.46 mmol) and TPSCl (430.01 mg, 1.46 mmol) in one portion at RT. The mixture was stirred at RT for 3 h. NH_3/THF (20 mL, sat) was added, and the mixture was stirred for 1 h. The mixture was diluted with EA and washed with water. The combined organic phase was washed with sat. brine, dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (DCM:MeOH= 50:1) and then purified by pre-HPLC(CH_3CN/H_2O) to afford **297-14** (260 mg, 49.5%) as a yellow solid. ^{1}H-NMR (MeOD, 400 MHz), δ = 7.60 (d, J = 7.6 Hz, 1H), 7.46 (d, J = 7.6 Hz, 1H), 7.28-7.36 (m, 7H), 6.89 (d, J = 8.4 Hz, 4H), 6.44 (d, J = 4.8 Hz, 1H), 5.56-5.69 (m, 4H), 3.80 (s, 6H), 3.54 (d, J = 13.2 Hz, 1H), 3.39-3.46 (m, 4H), 2.17 (s, 3H), 1.83 (s, 3H).

[1105] To a solution of **297-14** (440 mg, 642.6 μmol) in NH_3:MeOH (5 mL, 7N) was stirred at RT for 16 h. TLC showed that the reaction was completed. The mixture was concentrated under reduced pressure at 40 °C. The residue was purified by silica gel chromatography (DCM:MeOH=100:1-20:1) to afford **297-15** (290 mg, 75.13%) as a white solid. ^{1}H-NMR (MeOD, 400 MHz), δ = 7.62 (d, J = 7.6 Hz, 1H), 7.43 (d, J = 7.6 Hz, 1H), 7.23-7.33 (m, 7H), 6.86 (d, J = 8.4 Hz, 4H), 6.31 (d, J = 4.8 Hz, 1H), 5.54 (d, J = 7.2 Hz, 1H), 4.34 (t, J = 4.4 Hz, 1H), 4.27 (d, J = 4.0 Hz, 1H), 3.78 (s, 6H), 3.69 (d, J = 12.8 Hz, 1H), 3.46 (d, J = 12.8 Hz, 1H), 3.41 (s, 2H).

[1106] A solution of **297-15** (150 mg, 249.74 μmol) in 80%CH_3COOH (5 mL) was stirred at 60 °C for 2 h. TLC showed that the reaction was completed. The mixture was treated with MeOH and concentrated under reduced pressure at 60 °C. The residue was purified by silica gel chromatography (1-10% MeOH in DCM) to afford **297** (65 mg, 78.5%) as a white solid. ESI-MS:m/z 299.1 $[M+H]^+$.

EXAMPLE 175
COMPOUND 298



[1107] To a solution of **298-1** (12 g, 45.42 mmol) in pyridine (100 mL) was added DMTrCl (16.16 g, 47.69 mmol) in portions at 0 °C over a period of 30 mins under N_2. The mixture was warmed to 25 °C and stirred for 16 h. LCMS and TLC (DCM:MeOH=20:1) showed that the starting material was consumed. The reaction was quenched with MeOH (10 mL) and then concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, PE:EA=1:1) to give pure **DMTr-298-1** (20 g, 77.7%) as a white solid.

[1108] To a solution of **DMTr-298-1** (30.00 g, 52.95 mmol) and TBSCl (19.95 g, 132.38 mmol, 2.50 eq.) in DCM (200 mL) was added imidazole (9.00 g, 132.20 mmol, 2.50 eq.) in portions at 0 °C. The temperature was maintained below 5°C. The mixture was warmed to 25 °C, and stirred for 16 h. TLC (PE:EA=1:1) showed that the starting material was consumed. The reaction was quenched by ice and then extracted with DCM (2 x 50 mL). The combined organic phase was washed with brine (50 mL), dried over anhydrous Na_2SO_4, filtered and concentrated at low pressure. The residue was purified by chromatography to give the pure product (30.00 g, 83.2%) as a white solid.

[1109] The product from the previous step (30.00 g, 44.07 mmol) was dissolved in 80% AcOH aqueous (300 mL), and the mixture was stirred at 25 °C for 16 h. TLC

(DCM:MeOH=10:1) showed that the reaction was completed. The reaction was quenched with sat. aq. $NaHCO_3$ (100 mL) and then extracted with EA (3 x 100 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated under reduced pressure. The residue was purified by a silica gel column (DCM:MeOH=50:1~20:1) to give **298-2** (15.5 g, 92.9%) as a white solid.

[1110] To a solution of **298-2** (8.00 g, 21.14 mmol) in MeCN (80 mL) was added IBX (6.51 g, 23.25 mmol, 1.10 eq.) at 25 °C under N_2. The mixture was heated to 81 °C for 1 h. LCMS showed that the starting material was consumed. The mixture was filtered, and the filtrates were concentrated in vacuum. The aldehyde residue (7.50 g, 19.92 mmol) was used in next step without further purification.

[1111] To a solution of the aldehyde from the previous step (7.5 g, 19.9 mmol) and aq. formaldehyde (7.85 mL) in dioxane (80 mL) was added 2.0 N aq. NaOH (19.5 mL) in one portion at 25 °C. The mixture was stirred at 25 °C for 16 h. TLC showed that the reaction was completed. The mixture was cooled to 0 °C and then neutralized with AcOH to pH = 7. The solution were treated with $NaBH_4$ (4.52 g, 119.52 mmol) at 0 °C. The mixture was stirred at 25 °C for 30 mins, and the reaction was quenched with sat. aq. NH_4Cl (100 mL). The mixture was extracted with EA (2 x 100 mL). The organic phase was dried over anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, DCM:MeOH=20:1 to 10:1) to afford **298-3** (4.0 g, 49.2%) as a white solid.

[1112] To a solution of **298-3** (4.00 g, 9.79 mmol) in pyridine (20 mL) was added a solution of MMTrCl (3.48 g, 10.28 mmol) in DCM (20 mL) dropwise at 0 °C over a period of 15 mins. The temperature was maintained below 5°C. The mixture was warmed to 25 °C and stirred at 2 5°C for 16 h. TLC (DCM:MeOH=10:1) showed that the starting material was consumed. The reaction was quenched by MeOH (5 mL) and concentrated in vacuum. The residue was purified by column (DCM:MeOH=50:1) to give a pure intermediate (5.00 g, 71.85%) as a white solid.

[1113] To a solution of the above intermediate (5.00 g, 7.03 mmol) and $AgNO_3$ (2.39 g, 14.06 mmol, 2.00 eq.) in pyridine (40 mL) was added dropwise TBDPSCl (2.90 g, 10.55 mmol) at 0 °C over a period of 10 mins. The mixture was warmed to 25 °C and stirred for 16 h. TLC (PE:EA=1:1) showed that the starting material was consumed. The reaction

was quenched by ice and then extracted with EA (3 x 100 mL). The combined organic phase was washed with sat. brine (2 x 50 mL), dried over anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue (5.00, g, crude) was dissolved in 80% aq. AcOH (50 mL), and the mixture was stirred at 25 °C for 2 h. TLC (PE:EA=2:1) showed that the reaction was completed. The reaction was quenched by MeOH (5 mL) and then extracted with DCM (3 x 100 mL). The organic phase was washed with brine, dried over anhydrous $MgSO_4$ and concentrated at low pressure. The residue was purified by a silica gel column (PE:EA=5:1 to 2:1) to give **298-4** (2.50 g, 55%) as a yellow solid.

[1114] To a solution of **298-4** (400 mg, 618.36 μmol) in DCM (4 mL) was added DMP (393.4 mg, 927.54 μmol, 1.50 eq.) in one portion at 0 °C under N_2. The mixture was stirred at 25 °C for 2 h. TLC (PE:EA=2:1) showed that the reaction was completed. The mixture was cooled to 0 °C and quenched with sat. aq. Na_2SO_3 (5 mL) and aq. $NaHCO_3$ (5 mL). The aqueous layer was extracted with DCM (3 x 10 mL). The combined organic phase was washed with sat. brine (10 mL), dried over anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, PE:EA =3:1) to afford **298-5** (300.00 mg, 75.24%) as a white solid.


[1115] To a solution of **298-5** (500 mg, 775.37 μmol) in pyridine (5 mL) was added hydroxylamine hydrochloride (215.5 mg, 3.10 mmol, 4.00 eq.) in one portion at 0 °C under N_2. The mixture was stirred at 0 °C for 30 mins, and then warmed to 25°C and stirred for 4 h. LCMS showed that the reaction was completed. The mixture was concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, PE:EA=2:1) to afford the oxime (450 mg, 87.95% yield) as a light yellow solid.

[1116] To a solution of this oxime (450.00 mg, 681.95 μmol) in DCM (5 mL) was added TEA (208.0 mg, 2.06 mmol) and MsCl (156.0 mg, 1.36 mmol) in one portion at 0 °C. The mixture was stirred at 25 °C for 4 h. TLC (PE:EA=2:1) showed that the reaction was completed. The reaction was quenched by sat. aq. $NaHCO_3$ (5 mL), and the aqueous phases were extracted with DCM (2 x 20 mL). The combined organic phase was washed with sat. brine (10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by TLC (PE:EA=2:1) to afford **298-6** (400 mg, 91.4%) as a light yellow solid.

[1117] To a solution of **298-6** (450.0 mg, 701.10 μmol), DMAP (171.3 mg, 1.40 mmol) and TEA (212.8 mg, 2.10 mmol) in MeCN (5 mL) was added 2,4,6-triisopropylbenzene-1-sulfonyl chloride (424.7 mg, 1.40 mmol) in one portion at 0 °C. The mixture was stirred at 25 °C for 1 h. TLC (PE:EA=2:1) showed that the reaction was completed. The reaction was quenched by sat. aq. $NaHCO_3$ (5 mL) and extracted with EA (2 x 15 mL). The combined organic phase was washed with sat. brine (10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue (580.00 mg, 638.59 μmol) was dissolved in MeCN (5 mL). The solution was treated with $NH_3 \cdot H_2O$ (10 mL) in one portion at 25 °C. The mixture was stirred at 25 °C 16 h. TLC (PE:EA=1:1) showed the reaction was completed. The mixture was extracted with EA (3 x 10 mL). The combined organic phase was washed with sat. brine (10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, DCM:MeOH=40:1 to 25:1) to afford **298-7** (350.00 mg, 85.5%) as a light yellow solid.

[1118] To a solution of **298-7** (350.0 mg, 546.13 μmol) in MeOH (10 mL) was added NH_4F (405 mg, 10.9 mmol) in one portion at 25 °C. The mixture was heated to 65 °C and stirred for 2 h. TLC (EA:MeOH=8:1) showed that the reaction was completed. The mixture was cooled to 25 °C and concentrated under reduced pressure at 40 °C. The residue was purified by silica gel chromatography (100-200 mesh silica gel, EA:MeOH=20:1 to 10:1) to afford **298** as a white solid. ^{1}H NMR (400 MHz, DMSO-d_6), δ = 7.59 (d, *J*=7.28 Hz, 1 H), 7.49 (br. s., 2 H), 7.25 (br. s., 1 H), 6.29 (br. s., 1 H), 6.01 (br. s., 1 H), 5.82 (d, *J*=7.53 Hz, 1 H), 4.60 (br. s., 1 H), 3.88 (br. s., 2 H); ^{19}F NMR (376 MHz, DMSO-d_6) d ppm -116.61 (br. s., 1 F) -115.98 (br. s., 1 F).

EXAMPLE 176
COMPOUND 299



[1119] To a solution of K_2CO_3 (967.5 mg, 7.0 mmol) and TsN_3 (552.2 mg, 2.80 mmol) in MeCN (10 mL) was added 1-dimethoxyphosphorylpropan-2-one (465.1mg, 2.80

mmol) in one portion at 25 °C under N_2. The mixture was stirred at 25 °C for 2 H. A solution of **298-5** (900.0 mg, 1.40 mmol, 1.00 eq.) in MeOH (10 mL) was added in one portion at 25 °C under N_2. The mixture was stirred at 25 °C for 12 h. TLC (PE:EA=2:1) showed that the reaction was completed. The mixture was poured into water (10 mL) and extracted with EA (2 x 50 mL). The combined organic phase was washed with saturated brine (10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, PE:EA=5:1 to 2:1) to afford **299-1** (800 mg, 98.2%) as an off-white solid.


[1120] To a solution of **299-1** (500 mg, 780.20 μmol), DMAP (190.6 mg, 1.56 mmol) and TEA (236.9 mg, 2.34 mmol) in MeCN (5 mL), was added 2,4,6-triisopropylbenzene-1-sulfonyl chloride (472.8 mg, 1.56 mmol) in one portion at 0 °C under N_2. The mixture was stirred at 0 °C for 30 mins, then warmed to 25 °C and stirred for 2 h. TLC (PE:EA=2:1) showed that the reaction was completed. The reaction was quenched by water (5 mL) and extracted with EA (2 x 10 mL). The combined organic phase was washed with aq. HCl (1 mL, 0.5 M), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue (650.0 mg, 91.83%) was obtained as a light yellow gum, which was used in next step without further purification.

[1121] To a solution of the residue from the previous step (650 mg, 716.4 μmol) in MeCN (5 mL) was added $NH_3 \cdot H_2O$ (5 mL) in one portion at 25 °C, and the mixture was stirred at 25 °C for 16 h. TLC (DCM:MeOH=20:1) showed that the reaction was completed. The mixture was extracted with EA (2 x 20 mL). The combined organic phase was washed with brine (10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (100-200 mesh silica gel, PE:EA=1:1) to afford **299-2** (350 mg, 76.35%) as an off-white solid.

[1122] A mixture of **299-2** (350.0 mg, 546.98 μmol) and NH_4F (405.0 mg, 10.93 mmol) in MeOH (5 mL) was heated to 65 °C and stirred for 2 h. LCMS and TLC (EA:MeOH=10:1) showed that the reaction was completed. The mixture was cooled to 25 °C and filtered, and the filtrate was concentrated in vacuum. The residue was purified by silica gel chromatography (300-400 mesh silica gel, EA:MeOH=20:1 to 10:1) to afford **299** (102 mg, 64.93%) as a white solid. ^{1}H-NMR (400 MHz, METHANOL-d_4), δ = 7.73 (d, *J*=7.28 Hz, 1 H), 6.31 - 6.42 (m, 1 H), 5.95 (d, *J*=7.53 Hz, 1 H), 4.47 (t, *J*=13.55 Hz, 1 H),

3.92 (d, J=12.55 Hz, 1 H), 3.73 - 3.80 (m, 1 H) 3.25 (s, 1 H); ^{19}F NMR (376 MHz, METHANOL-d_4), δ = -115.52 - -112.60 (m, 1 F).

EXAMPLE 177
COMPOUND 300



[1123] To a solution of **300-1** (20 g, 66.8 mmol) in anhydrous pyridine (180 mL) was added BzCl (30.9 g, 220.3 mmol) at 0 °C under N_2. The mixture was stirred at 25 °C for 12 h. The mixture was diluted with EA and washed with sat. aq. $NaHCO_3$. The organic layer was dried over anhydrous Na_2SO_4 and filtered, and the filtrate was concentrated to dryness. The residue was purified by silica gel column chromatography (30% EA in PE) to give **300-2** (34.6 g, 90%) as a white solid.

[1124] **300-2** (33 g, 57.3 mmol) was dissolved in 90% CH_3COOH (360 mL) and heated to 115 °C. The mixture was stirred at 115 °C for 12 h. The solvent was removed, and the residue was diluted with EA. The mixture was washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated to give **300-3** (26 g, crude) as a white solid.

[1125] **300-3** (21 g, 44.5 mmol) was dissolved in a solution (400 mL, 10M) of NH_3 in MeOH. The mixture was stirred at 25 °C for 12 h. The mixture was concentrated to give a residue, which was purified by silica gel column chromatography (5% MeOH in DCM) to give **300-4** (9.4 g, 80.4%) as a white solid. ^{1}H-NMR (CD_3OD, 400MHz) δ = 7.90-7.80 (m, 1H), 6.18-6.09 (m, 1H), 5.71 (d, J=8.2 Hz, 1H), 4.26 (dt, J=8.2, 12.0 Hz, 1H), 3.98-3.84 (m, 2H), 3.76 (dd, J =2.8, 12.5 Hz, 1H), 3.33 (s, 1H).

[1126] To a solution of **300-4** (9 g, 34.1 mmol) in anhydrous pyridine (60 mL) was added TBSCl (7.7 g, 51.1 mmol) at 25 °C under N_2. The solution was stirred at 50 °C for 12 h. The mixture was concentrated to dryness under reduced pressure. The residue was dissolved in EA. The mixture was washed with sat. aq. $NaHCO_3$ and brine. The organic layer was dried over $MgSO_4$ and concentrated to dryness under reduced pressure. The residue was purified on a silica gel column (20% EA in PE) to give **300-5** (11 g, 85.5%) as a white solid.

[1127] To a solution of **300-5** (10.2 g, 27 mmol) in CH_2Cl_2 (100 mL) was added $AgNO_3$ (9.2 g, 53.9 mmol), collidine (13.1 g, 107.8 mmol) and MMTrCl (10 g, 32.3 mmol) at 25 °C under N_2. The solution was stirred at 25 °C for 12 h. The reaction was quenched with MeOH, and the mixture was filtrated on celite. The filtrate was diluted with CH_2Cl_2 and H_2O. The organic layer was separated, and the aqueous phase was extracted with CH_2Cl_2. The combine organic layer was washed with brine, dried over anhydrous $MgSO_4$ and filtered. The filtrate was concentrated to dryness under reduced pressure. The residue was purified by silica gel chromatography (25% EA in PE) to give **300-6** (15 g, 85.6%) as a white solid.

[1128] **300-6** (10.5 g, 16.1 mmol) was dissolved in a solution of TBAF in THF (1M, 60 mL) at 25 °C. The mixture was stirred at 25 °C for 4 h. The mixture was extracted with EA, and the combined layer was washed with water and brine. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was concentrated to give the crude product, which was purified by silica gel column chromatography (30% EA in PE) to give **300-7** (8.1 g, 93.6%) as a white foam.

[1129] To a solution of **300-7** (17.0 g, 31.7 mmol) in CH_3CN (150 mL) was added IBX (9.7 g, 34.9 mmol) at 25 °C. The mixture was heated to 100 °C, and the mixture was stirred at 100 °C for 1 h. The mixture was cooled to 25 °C. The mixture was filtered, and the filter cake was washed with MeCN. The filtrate was concentrated under reduce

pressure to give a residue (16 g, crude) as a yellow solid. The residue (16 g, crude) was dissolved in 1,4-dioxane (150 mL), and the solution was treated with 37% aq. formaldehyde (18.5 g, 227.5 mmol) and aq. NaOH (2 M, 30 mL) at 25 °C. The mixture was stirred at 25 °C for 12 h. EtOH (30 mL) and $NaBH_4$ (10 g, 265.7 mmol) were added at 0 °C. After stirring for 1 h at 25 °C, the reaction was quenched with sat. aq. NH_4Cl at 0 °C. The mixture was diluted with EA. The organic phase was separated, and the aqueous phase was extracted with EA. The combined organic phase was washed with brine and dried over anhydrous Na_2SO_4. The organic layer was concentrated in vacuum to give a residue, which was purified by silica gel chromatography (2% MeOH in DCM) to afford **300-8** (8.1 g, 53.1%) as a white solid. ^{1}H-NMR (400MHz, DMSO-d_6) δ =11.52 (s, 1H), 7.57 (d, *J* = 8.2 Hz, 1H), 7.46 - 7.22 (m, 13H), 6.90 (d, *J* =8.8 Hz, 2H), 6.30 (t, *J* =8.0 Hz, 1H), 5.61 (d, *J* =8.2 Hz, 1H), 5.06 (t, *J* =5.5 Hz, 1H), 4.92 - 4.86 (m, 1H), 4.61 - 4.51 (m, 1H), 3.83 (dd, *J* =5.1, 12.1 Hz, 1H), 3.74 (s, 3H).

[1130] To an ice cooled solution of **300-8** (2.5 g, 4.4 mmol) in anhydrous CH_2Cl_2 (35 mL) was added pyridine (3.5 g, 44.1 mmol) and Tf_2O (3.7 g, 13.2 mmol) dropwise . The mixture was stirred at 0 °C for 40 mins. The reaction was quenched with ice water and stirred for 10 mins. The mixture was extracted with CH_2Cl_2. The organic layer was washed with brine and dried over $MgSO_4$. The organic layer was concentrated to give a residue, which was purified on the silica gel column (15% EA in PE) to give **300-9** (2.6 g, 71%) as a yellow foam.

[1131] To a stirred solution of **300-9** (1.8 g, 2.2 mmol) in anhydrous DMF (25 mL) was added NaH (107 mg, 2.7 mmol) at 0 °C under N_2. The solution was stirred at 25 °C for 1 h. TLC (PE: EA=1:1) showed the reaction was complete. To the solution was added NaI (3.1 g, 20.6 mmol) at 25 °C. The mixture was stirred at 25 °C for 3 h. TLC (PE: EA=1:1) showed the reaction was complete. The mixture was diluted with water and extracted with EA. The organic layer was dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated at low pressure to give **300-10** (1.4 g, crude) as a yellow solid.

[1132] **300-10** (1.4 g, crude) was dissolved in 1,4-dioxane (25 mL), and the mixture was treated with aq. NaOH (2 M, 2.7 mL) at 0 °C. The solution was stirred for 4 h at 25 °C. The reaction was quenched with sat. aq. NH_4Cl and extracted with EA. The organic layer was washed with brine. The organic layer was dried over anhydrous Na_2SO_4 and

filtered. The filtrate was concentrated to give the crude product, which was purified by silica gel column chromatography (40% EA in PE) to give **300-11** (1.4 g, 94.9%).


[1133] To a solution of **300-11**(1.45 g, 2.1 mmol) in EtOH (10 mL) was added Et_3N (434 mg, 4.3 mmol) and Pd/C (101 mg, 88.7 μmol). The mixture was stirred under H_2 (15 psi) for 12 h at 25 °C. The suspension was filtered, and the filtrate was concentrated at low pressure. The residue was purified on silica gel column (1% MeOH in DCM) to give **300-12** (1.2 g, 97.6%) as a yellow solid.

[1134] To a solution of **300-12** (930 mg, 1.7 mmol) in anhydrous DMF (10 mL) was added imidazole (287 mg, 4.2 mmol) and TBSCl (636 mg, 4.2 mmol) at 25 °C under N_2. The solution was stirred at 25 °C for 5 h. The mixture was concentrated to dryness under reduced pressure, and the residue was dissolved in EA. The mixture was washed with sat. aq. NH_4Cl and brine. The organic layer was dried over $MgSO_4$ and filtered. The filtrate was concentrated to dryness under reduced pressure. The residue was purified on silica gel column (15% EA in PE) to give **300-13** (968 mg, 86.2%) as a white solid.

[1135] To a stirred solution of **300-13** (568 mg, 854.4 μmol) in anhydrous CH_3CN (8 mL) was added DMAP (209 mg, 1.7 mmol), TPSCl (504 mg, 1.7 mmol) and TEA (173 mg, 1.7 mmol) at 25 °C. The mixture was stirred at 25 °C for 12 h. $NH_3•H_2O$ (10 mL) was added, and the mixture was stirred for 3 h. The mixture was extracted with EA and washed with sat. aq. NH_4Cl and brine. The organic layer was dried over Na_2SO_4 and filtered. The filtrate was concentrated to give a residue, which was purified on a silica gel column (3% MeOH in DCM) to give **300-14** (480 mg, 84.6%) as a yellow foam. ^{1}H-NMR (400MHz, $CDCl_3$) δ = 7.65 - 7.40 (m, 13H), 6.97 (d, *J* =8.8 Hz, 2H), 6.44 (dd, *J* =6.4, 9.5 Hz, 1H), 5.71 (d, *J* =7.3 Hz, 1H), 4.76 (dd, *J* =9.0, 14.4 Hz, 1H), 4.29 (q, *J* =7.1 Hz, 1H), 3.92 - 3.92 (m, 1H), 3.95 (s, 3H), 3.60 (d, *J* =11.2 Hz, 1H), 3.44 (d, *J* =11.0 Hz, 1H), 1.66 - 1.55 (m, 3H), 0.95 (s, 9H), 0.08 (s, 3H), 0.00 (s, 3H).

[1136] **300-14** (501mg, 753.2 μmol) was dissolved in 80% HCOOH (20 mL), and the mixture was stirred at 25 °C for 4 h. The solvent was removed at low pressure, and the residue was purified on a silica gel column (6% MeOH in DCM) to give **300** (151mg, 71.8%) as a white solid. ESI-MS:m/z 278.11 $[M+H]^+$,555.18 $[2M+H]^+$.

EXAMPLE 178
COMPOUND 301



[1137] To a solution of **301-1** (120 g, 0.26 mol) in anhydrous MeCN (2 L) was added IBX (109 g, 0.39 mol). The mixture was heated to reflux and stirred for 18 h. The mixture was cooled to 0 °C and filtered. The filtrate was concentrated under vacuum to give **301-2** (142 g) as a brown oil, which was used without purification for the next step.

[1138] To a solution of **301-2** (142 g) in anhydrous THF (1.5 L) was added vinylmagnesium bromide (830 mL, 0.83 mol, 1 N) dropwise at -78 °C, and the mixture was stirred at -78 °C for 2 h. The reaction was quenched by sat. aq. NH_4Cl (2 L) at 0 °C. THF was removed under vacuum, and the residue was diluted with EtOAc. The solution was washed with brine, dried over anhydrous Na_2SO_4, filtered and concentrated to give a light brown oil.

[1139] To the light brown oil in anhydrous DCM (2.5 L) was added DMAP (63.5 g, 0.52 mol), Et_3N (79 g, 0.78 mol) and BzCl (110 g, 0.78 mol) at 0 °C, and the mixture stirred overnight at RT. The mixture was diluted with DCM (2 L) and washed with sat. aq.

$NaHCO_3$ (3 L) and brine (1.5 L). The organic phase was dried over anhydrous Na_2SO_4, filtered and evaporated to dryness under reduced pressure. The residue was purified by silica gel column (PE:EA=20:1~10:1) to give **301-3** (112.7 g, 72.3%) as a yellow oil.

[1140] A stirring mixture of uracil (36.25 g, 323.7 mmol) and N,O-bis(trimethylsilyl) acetamide (131.69 g, 647.4 mmol) in anhydrous MeCN (180 mL) was heated to reflux for 2 h, then cooled to RT. A solution of **301-3** (95.9 g, 161.85 mmol) in anhydrous MeCN (500 mL) was added, followed by treatment with $SnCl_4$ (168.66 g, 647.4 mmol) dropwise at 0 °C. The mixture was heated to reflux and stirred for 2 h. The reaction was quenched with sat. aq. $NaHCO_3$ (3 L), and extracted with EtOAc (3 x 1 L). The organic phase was washed with brine (500 mL), dried over anhydrous Na_2SO_4, filtered and evaporated to dryness under reduced pressure. The residue was purified by a silica gel column (PE:EA=20:1~10:1) to give **301-4** (33 g, 35%) as a light yellow oil.

[1141] **301-4** (33 g, 56.65 mmol) was dissolved in NH_3:MeOH (800 mL, 7 N), and the mixture was stirred at RT overnight. The solvent was removed under reduced pressure, and the residue was purified by a column (1% MeOH in DCM) to give **301-5** (12.6 g, 82.4%) as a light yellow foam.

[1142] To a solution of **301-5** (2.57 g, 8.76 mmol) in DMF (20 mL) was added $AgNO_3$ (8.93 g, 52.56 mmol) and imidazole (3.58 g, 52.56 mmol), then TBSCl (5.28 g, 35.04 mmol) was added in one portion at 0 °C under N_2. The mixture was stirred at 25°C for 12 h. TLC showed that the reaction was completed. The residue was poured into ice:water (w:w=1:1) (30 mL). The aqueous phase was extracted with EA (3 x 100 mL). The combined organic phase was washed with sat. brine (3 x 20 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (column height: 250 mm, diameter: 100 mm, 100-200 mesh silica gel, PE:EA=3:1 to 2:1) to afford **301-6** (3.68 g, 80.51%) as a yellow solid.

[1143] To a solution of **301-6** (3.48 g, 6.67 mmol) and $AgNO_3$ (3.40 g, 20.01 mmol) in pyridine (30 mL) was added (chloro(4-methoxyphenyl)methylene)dibenzene (4.12 g, 13.34 mmol) in one portion at 25 °C under N_2. The mixture was stirred at 25 °C for16 h. TLC showed that the reaction was completed. The mixture was diluted with EA and filtered. The filtrate was washed with brine and separated. The organic layer was concentrated to dryness. The residue was purified by silica gel chromatography (column height: 250 mm,

diameter: 100 mm, 100-200 mesh silica gel, PE:EA=10:1 to 5:1) to afford **301-7** (4.40 g, 83.07%) as a yellow foam.

[1144] To a solution of **301-7** (4.30 g, 5.41 mmol) in MeOH (100 mL) was added NH_4F (801.55 mg, 21.64 mmol) in one portion at 25 °C. The mixture was heated to 68 °C and stirred for 4 h. LCMS trace showed that the reaction was completed. The mixture was cooled to 25 °C and concentrated under reduced pressure. The residue was purified by silica gel chromatography (column height: 250 mm, diameter: 100 mm, 100-200 mesh silica gel, DCM:MeOH:$NH_3 \cdot H_2O$=30:1:0.05 to 10:1:0.05) to afford **301-8** (3.00 g, 98.04%) as a white solid.

[1145] To a solution of **301-8** (3.00 g, 5.30 mmol) in DMF (30 mL) was added NaH (848 mg, 21.20 mmol) in one portion at 0 °C under N_2. The mixture was stirred at 0 °C for 30 mins. BnBr (3.63 g, 21.20 mmol) was added at 0 °C, and the mixture was stirred for 16 h at 25 °C. TLC showed that the reaction was completed. The mixture was poured into ice-water (w/w = 1/1) (30 mL). The aqueous phase was extracted with EA (3 x 50 mL). The combined organic phase was washed with sat. brine (3 x 20 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (column height: 250 mm, diameter: 100 mm, 200-300 mesh silica gel, PE:EA=20:1 to 10:1) to afford **301-9** (670 mg, 15.1%).

[1146] Ozone was bubbled into a solution of **301-9** (500 mg, 598.10 μmol) in DCM (8 mL) and MeOH (8mL) at -78 °C for 20 mins. After excess O_3 was purged by O_2, $NaBH_4$ (113.13 mg, 2.99 mmol) was added at 0 °C. The mixture was stirred at 25 °C for 20 mins. TLC showed that the starting material was consumed. The mixture was concentrated to give the crude product, which was purified by silica gel chromatography (PE:EA=5:1) to give **301-10** (167.00 mg, 33.24%) as a yellow solid.

[1147] To a solution of **301-10** (216.70 mg, 257.99 μmol) and DMAP (63.04 mg, 515.98 μmol) in DCM (2 mL) was added MsCl (44.33 mg, 386.98 μmol) in one portion at 0 °C under N_2. The mixture was stirred at 0 °C for 1 h and then warmed to 25 °C and stirred for 1 h. LCMS showed that the reaction was completed. The residue was poured into ice-water (w/w = 1/1) (10 mL), and extracted with EA (3 x 20 mL). The combined organic phase was washed with sat. brine (3 x 10 mL), dried with anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (column


height: 250 mm, diameter: 100 mm, 100-200 mesh silica gel, PE:EA=10:1 to 5:1) to afford a mesylate intermediate (167.00 mg, 70.51%) as a yellow foam.

[1148] The mesylated intermediate (167 mg) was dissolved in TBAF:THF (10 mL, 1N) and the mixture was heated to reflux for 12 h. The mixture was slowly cooled to 25 °C, and quenched with sat. NH_4Cl solution. The solution was extracted with EA. The combined organic layers were washed with brine, dried over anhydrous Na_2SO_4 and concentrated to dryness. The residue was purified by column chromatography (EA:PE=5:1-2:1) to give **301-11** (80 mg, 43.8%).

[1149] **301-11** (80.00 mg, 0.087 mmol) was dissolved in 80% AcOH (5 mL) solution, and stirred at 45°C for 1.0 h. The reaction was quenched with sat. Na_2HCO_3 solution and extracted with EA (3 x 10 mL). The combined organic layers were washed with brine, dried over anhydrous Na_2SO_4 and concentrated to dryness. The residue was purified by column chromatography to give **301-12** (38 mg, 60%) as a white foam solid. ESI-MS:m/z 570.4 $[M+H]^+$.

[1150] To a solution of **301-12** (113.8 mg, 0.2 mmol) in DCM (0.5 mL) was added BCl_3/DCM (1.0 N) (1 mL) at -78 °C, and the mixture was stirred at -78 °C for 30 mins. The reaction was quenched with MeOH and concentrated to dryness at low pressure. The residue was purified by prep-HPLC with $NH_3 \cdot H_2O$ buffer to give **301** (26 mg, 44%) as a white solid.

EXAMPLE 179
COMPOUND 302



[1151] To a mixture of **302-1** (2.00 g, 3.5 mmol) in pyridine (10 mL) and DCM (10 mL) was added BzCl (496 mg, 3.5 mmol) dropwise at 0 °C under N_2. The mixture was stirred at 0 °C for 30 mins, and then stirred at 25 °C for 6.5 h. The reaction was quenched with sat. aq. $NaHCO_3$ (80 mL). The mixture was extracted with EA (2 x 100 mL). The organic phase was washed with brine (80 mL), dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated under reduced pressure. The residue was purified by silica gel chromatography (30% EA in PE) to afford **302-2** (1.28 g, 54 %) as a white solid.

[1152] To a mixture of **302-2** (680 mg, 1.0 mmol) in DMF (5 mL) was added imidazole (412 mg, 6.1 mmol), $AgNO_3$ (514 mg, 3.0 mmol) and TBDPSCl (832 mg, 3.0 mmol) at 25 °C under N_2. The mixture was stirred at 25 °C for 12 h. The reaction was quenched with sat. aq. $NaHCO_3$ (30 mL), and then extracted with EA (2 x 30 mL). The combined organic phase was washed with brine (2 x 20 mL), dried over anhydrous Na_2SO_4, filtered and concentrated under reduced pressure. The residue was purified by silica gel chromatography (25% EA in PE) to afford **302-3** (750 mg, 82 %) as a white solid.

[1153] **302-3** (660 mg, 0.7 mmol) was dissolved in NH_3:MeOH (15 mL). The mixture was stirred at 25 °C for 36 h in sealed tube, and then concentrated under reduced pressure. The residue was purified by silica gel chromatography (30% EA in PE) to afford **302-4** (430 mg, 73 %) as a white solid. ^{1}H-NMR ($CDCl_3$, 400MHz) δ = 9.05 (s, 1H), 7.81-7.10 (m, 21H), 6.81 (d, J=9.2 Hz, 2H), 6.42 (m, 1H), 6.20 (m, 1H), 4.13-4.07 (m, 2H), 3.78-3.60 (m, 5H), 2.55 (s, 1H), 0.90-0.74 (m, 9H).

[1154] To a mixture of **302-4** (280 mg, 0.3 mmol) in DCM (3.5 mL) was added Dess-Martin (295 mg, 0.7 mmol) in one portion at 0 °C under N_2. The mixture was stirred at 25 °C for 3.5 h. The reaction was quenched with sat. aq. $NaHCO_3$ and sat. aq. $Na_2S_2O_3$. (v:v=1:1, 30 mL). The mixture was extracted with EA (2 x 20 mL). The combined organic phase was washed with brine (30 mL), dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to afford **302-5** (260 mg, crude) as a yellow solid, which was used in the next step without further purification.

[1155] To a stirred solution of Methyl-triphenyl-phosphonium bromide (359 mg, 1.0 mmol) in anhydrous THF (1 mL) was added KOBu-t (1 mL, 1.0 mmol, 1 M in THF) dropwise at 0 °C. The mixture was stirred at 25 °C for 1 h. A solution of **302-5** (260 mg, 0.3 mmol) in anhydrous THF (1 mL) was added at 0 °C. The mixture was stirred at 25 °C for 16

h. The reaction was quenched with sat. aq. NH_4Cl (20 mL) and extracted with EA (30 mL). The organic layer was washed with brine (20 mL), dried over $MgSO_4$, filtered and evaporated to give a light white solid, which was purified by column chromatography (10% EA in PE) to give **302-6** (131 mg, 50 %) as a yellow solid. ^{1}H-NMR ($CDCl_3$, 400MHz) δ = 8.40 (s, 1H), 7.55-7.21 (m, 21H), 7.10 (dd, *J*=1.8, 8.2 Hz, 1H), 6.84 (d, *J*=8.8 Hz, 2H), 6.37 (dd, *J*=11.0, 17.4 Hz, 1H), 6.09 (dd, *J*=7.2, 8.9 Hz, 1H), 5.59-5.43 (m, 2H), 5.10-4.92 (m, 2H), 3.85-3.78 (s, 3H), 3.78-3.73 (m, 1H), 3.56 (d, *J*=11.5 Hz, 1H), 0.99 - 0.77 (s, 9H).

[1156] To a solution of **302-6** (1.50 g, 1.9 mmol) in THF (5 mL) was added 9-BBN (0.5 M, 22.5 mL) at 27 °C under N_2. The mixture was heated to 70 °C by microwave and stirred for 0.5 h. Sat. aq. $NaHCO_3$ (15 mL) and H_2O_2 (7.5 mL) were added at 0 °C. The mixture was stirred vigorously at 27 °C for 1.5 h. The reaction was quenched with sat. aq. $Na_2S_2O_3$ (60 mL). The mixture was extracted with EA (2 x 50 mL). The organic layer was washed with brine (80 mL), dried over $MgSO_4$, filtered and evaporated to dryness. The residue was purified by silica gel chromatography (30% EA in PE) to afford **302-7** (930 mg, 61 %) as a white solid.

[1157] To a solution of **302-7** (1.24 g, 1.5 mmol) in DCM (15 mL) was added Dess-Martin (1.28 g, 3.0 mmol) in one portion at 0 °C under N_2. The mixture was stirred at 27 °C for 2 h. The reaction was quenched with sat. aq. $NaHCO_3$ and sat. aq. $Na_2S_2O_3$ (v:v=1:1, 60 mL). The mixture was extracted with EA (2 x 50 mL). The combined organic phase was washed with brine (80 mL), dried over anhydrous Na_2SO_4 and filtered. The filtrate was concentrated in vacuum to afford **302-8** (1.21 g, crude) as a yellow solid.


[1158] To a stirred solution of Methyl-triphenyl-phosphonium bromide (1.64 g, 4.6 mmol) in anhydrous THF (5.5 mL) was added t-BuOK (1 M, 4.4 mL) at 0 °C dropwise. The mixture was stirred at 27 °C for 1 h. A solution of **302-8** (1.21 g crude, 1.5 mmol) in THF (5 mL) was added at 0 °C. The mixture was stirred at 27 °C for 12 h. The reaction was quenched with sat. aq. NH_4Cl (70 mL), extracted with EA (2 x 50 mL). The organic layer was washed with brine (80 mL), dried over $MgSO_4$, filtered and evaporated to dryness to give a light yellow solid, which was purified by column chromatography (15 EA in PE) to give **302-9** (970 mg, 80 %) as a white solid.

[1159] To a solution of **302-9** (970 mg, 1.2 mmol) in CH_3CN (10 mL) was added TPSCl (877 mg, 3.0 mmol), DMAP (363 mg, 3.0 mmol) and TEA (301 mg, 3.0 mmol) at 27

°C under N_2. The mixture was stirred at 27 °C for 1.5 h. $NH_3 \cdot H_2O$ (5 mL) was added, and the reaction mixture was stirred at 27 °C for 2 h. The reaction was quenched with sat. aq. NH_4Cl (60 mL), and then extracted with EA (2 x 40 mL). The combined organic phase was washed with brine (60 mL), dried over anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by silica gel chromatography (2% MeOH in DCM) to afford **302-10** (810 mg, 83 %) as a white solid.

[1160] To a solution of **302-10** (500 mg, 0.6 mmol) in MeOH (15 mL) was added NH_4F (455 mg, 12.3 mmol) at 27 °C under N_2. The mixture was stirred at 70 °C for 12 h. The mixture was then cooled to RT and filtered. The filtrate was concentrated under reduced pressure. The residue was purified by silica gel chromatography (5% MeOH in DCM) to afford crude **302** (120 mg, crude). The crude was purified by prep-HPLC (neutral condition) to give **302** (86 mg, 45 %) as a white solid. MS:m/z =304 $[M+H]^+$.

EXAMPLE 180
COMPOUND 303



[1161] To a mixture of **303-1** (30 g, 122.85 mmol) and 1,1-dimethoxycyclopentane (86 g, 660.93 mmol) in DCE (200 mL) was added $TsOH \cdot H_2O$ (2.34 g, 12.29 mmol) in one portion at RT. The mixture was heated to 70 °C and stirred for 14 h. The mixture was cooled to RT and concentrated under reduced pressure. The residue was purified by column chromatography (1-10% MeOH in DCM) to give **303-2** (25 g, 65.6%) as a white solid.

[1162] To a solution of **303-2** (20 g, 64.45 mmol) in anhydrous CH_3CN (200 mL) was added IBX (19.85 g, 70.9 mmol) at RT. The mixture was refluxed for 18 h. and then cooled to 0 °C. The precipitate was filtered-off, and the filtrate was concentrated to give crude **303-3** (20 g, 100%) as a yellow solid.

[1163] To a solution of **303-3** (20 g, 64.87 mmol) in 1,4-dioxane (200 mL) were added 37% HCHO (20 mL) and 2.0 M NaOH aq. solution (40 mL) at 0 °C. The mixture was stirred at RT overnight and then neutralized with AcOH to pH = 7. The solution was treated with $NaBH_4$ (4.91 g, 129.74 mmol) at 20 °C. The mixture was stirred at RT for 1 h. The reaction was quenched with sat. aq. NH_4Cl. The mixture was extracted with EA (3 x 100 mL). The organic layer was dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel column chromatography (1-3% MeOH in DCM) to give **303-4** (9 g, 40.8 %) as a white solid.

[1164] To a solution of **303-4** (15.50 g, 45.54 mmol) in anhydrous pyridine (80.00 mL) was added DMTrCl (18.52 g, 54.65 mmol) in anhydrous DCM (20.00 mL) dropwise at -30 °C. The mixture was stirred at 25 °C overnight. The solution was treated with MeOH and concentrated at low pressure. The residue was purified by column chromatography (50% EA in PE) to give **303-5** (10.59 g, yield 32.56%) as a yellow solid.

[1165] To a solution of **303-5** (2.90 g, 4.51 mmol) in CH_2Cl_2 (20.00 mL) was added $AgNO_3$ (1.15 g, 6.77 mmol), imidazole (767.60 mg, 11.28 mmol) and TBDPSCl (1.86 g, 6.77 mmol). The mixture was stirred at 25 °C for 14 h. The precipitate was filtered off, and the filtrate was washed with water and dried over anhydrous Na_2SO_4. The solvent was removed at low pressure. The crude residue was purified by silica gel chromatography (PE:EA=5:1) to afford **303-6** (2.79 g, 63.19%) as a yellow solid.

[1166] **303-6** (2.79 g, 3.17 mmol) was dissolved in 80% HOAc aq. solution (50 mL). The mixture was stirred at 25 °C for 4 h. The solution was treated with MeOH and

concentrated at low pressure. The residue was purified by silica gel column chromatography (PE:EA=4:1) to give **303-7** (0.9 g, 44%) as a yellow solid.

[1167] To a solution of **303-7** (1.50 g, 2.59 mmol) in anhydrous DCM (20 mL) was added Dess-Martin periodinane (1.32 g, 3.11 mmol) at 0 °C under N_2. The mixture was stirred at RT for 4 h. The reaction was quenched by the addition of $Na_2S_2O_3$/sodium bicarbonate saturated aqueous solution. The mixture was stirred for 15 mins. The organic layer was separated, washed with diluted brine and concentrated under reduced pressure. The crude residue was purified by silica gel column chromatography (20% EtOAc in PE) to give **303-8** (1.12 g, yield 67.48%) as a white solid.

[1168] To a solution of PPh_3CH_3Br (1.49 g, 4.16 mmol) in anhydrous THF (15 mL) was added n-BuLi (0.41 mL, 3.47 mmol) at -70 °C under N_2. The mixture was stirred at 0 °C for 0.5 hour. A solution of **303-8** (800.00 mg, 1.39 mmol) in anhydrous THF (3 mL) was added dropwise at 0 °C under N_2. The mixture was stirred 25 °C for 2 h. The reaction was quenched with sat. NH_4Cl solution and extracted with EtOAc (3 x 60 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The crude product was purified by silica gel column chromatography (20% EtOAc in PE) to give **303-9** (504 mg, 56.78%) as a white solid.


[1169] To a solution of **303-9** (500 mg, 869.96 μmol) in anhydrous CH_3CN (10.00 mL) was added 2,4,6-triisopropylbenzenesulfonyl chloride (526.95 mg, 1.74 mmol), DMAP (212.57 mg, 1.74 mmol) and Et_3N (1.83 g, 18.04 mmol) at RT. The mixture was stirred at 25 °C for 1 h. $NH_3 \cdot H_2O$ (5.00 mL) was added, and the mixture was stirred for 1 h. The mixture was extracted with EA and washed with brine, 0.1 M HCl and sat. aq. $NaHCO_3$. The organic phase was dried over anhydrous Na_2SO_4, and concentrated at low pressure. The residue was purified by silica gel chromatography (EtOAc) to give **303-10** (307 mg, 55.36%) as a yellow solid.

[1170] To a solution of **303-10** (307 mg, 535.08 μmol) in MeOH (4 mL) was added NH_4F (814 mg, 20 mmol) at 25 °C under N_2. The mixture was stirred at 65 °C for 16 h. The solution was filtered and evaporated to dryness. The residue was purified by silica gel column (EA:MeOH=50:1) to give **303-11** (130 mg, 65.2%) as a white solid.

[1171] **303-11** (108 mg, 322.05 μmol) was treated with HCl:MeOH (6mL, 1N) at 25 °C under N_2. The mixture was stirred at 25 °C for 1 h. The aqueous phase was extracted

with EA (3 x 10 mL). The residual aqueous solution was lyophilized to afford **303** (80.00 mg yield 87.65%) as a yellow solid. ESI-MS:m/z 270 $[M+H]^+$.

EXAMPLE 181
COMPOUND 304



[1172] To a mixture of K_2CO_3 (2.40 g, 17.35 mmol) and TsN_3 (1.37 g, 6.94 mmol) in CH_3CN (20 mL) was added 1-dimethoxyphosphorylpropan-2-one (1.15 g, 6.94 mmol) in one portion at 25 °C under N_2. The mixture was stirred at 25 °C for 2 h. A solution of **304-1** (2.00 g, 3.47 mmol) in MeOH (20 mL) was added in one portion at 25 °C under N_2, and the mixture was stirred at 25 °C for 16 h. The mixture was poured into water and extracted with EtOAc (2 x 30 mL) . The combined organic phase was washed with brine, dried over anhydrous Na_2SO_4, filtered and concentrated in vacuum. The residue was purified by prep-HPLC (TFA buffer) to give **304-2** (1.50 g, 75%) as a white solid.


[1173] To a solution of **304-2** (600 mg, 1.05 mmol) in dry CH_3CN (60 mL) was added TEA (212 mg, 2.10 mmol), DMAP (256 mg, 2.10 mmol) and 2,4,6-triisopropylbenzenesulfonyl chloride (635 mg, 2.10 mmol) at 0°C. The mixture was stirred at 25°C for 1 h. $NH_3 \cdot H_2O$(10 mL) was added at 25 °C. The mixture was stirred at 25°C for 1 h. The reaction was quenched with sat. NH_4Cl solution, and extracted with EtOAc (2 x 10 mL). The organic phase was washed with brine, dried over anhydrous Na_2SO_4 and concentrated at low pressure. The residue was purified by silica gel chromatography (PE:EA =3:1 to 0:1), and prep-TLC (DCM:MeOH = 10:1) to give **304-3** (380 mg, 63%) as a white solid.

[1174] A solution of **304-3** (300 mg, 0.52 mmol) and NH_4F (194 mg, 5.25 mmol) in dry MeOH (5 mL) was stirred at 65 °C for 12 h. The mixture was concentrated at low

pressure. The residue was purified by silica gel column chromatography (DCM:MeOH = 50:1 to 10:1) to afford **304-4** (140 mg, 80%) as a white solid.

[1175] A solution of **304-4** (100 mg, 0.30 mmol) in 1 N HCl:MeOH (5 mL) was stirred at 25 °C for 2 h. The mixture was concentrated under 40 °C. The residue was washed with CH_3CN (5 x 2 mL) to give **304** (61 mg, 67%) as a white solid. ESI-LCMS:m/z 268.1 $[M+H]^+$.

EXAMPLE 182
COMPOUND 305



[1176] To a solution of *N*-(*tert*-Butoxycarbonyl)-L-valine (8.06 g, 37.1 mmol, 1.5 eq.) in anhydrous ACN (60 mL) was added carbonyldiimidazole (6.01 g, 37.1 mmol, 1.5 eq.). The reaction was stirred for 1 h at RT and then cooled to 0°C. A solution of **44** (14.9 g, 24.7 mmol, 1 eq.) in anhydrous ACN (50 mL) was added to the cooled solution of N-BOC-valine imidazolide, and the resulting solution was treated with Et_3N (6.4 mL, 49.4 mmol, 2 eq.). The reaction was allowed to proceed for 1 h at 0°C. The reaction was quenched 1M citric acid to pH 2-3 (150 mL), stirred for 15 mins and diluted with IPAC (200 mL). The organic layer was separated, washed sequentially with water and half sat. sodium bicarbonate and water (2x). The organic layer was concentrated under reduced pressure, and the residue was dissolved in MTBE (125 mL) under gentle heating (40 °C) to afford precipitation of the target compound. The solid was aged overnight at 0 °C and isolated by filtration to obtain **305-1** (18.0 g, 90.9%) as a white solid. MS:m/z = 802 $[M+1]^+$.




[1177] A stirred slurry of **305-1** (2.4 g, 3 mmol) in IPAC (45 mL) was treated with methanesulfonic acid (0.39 mL, 6 mmol, 2 eq.), and the mixture was stirred at 40 °C. After 1 h, methanesulfonic acid (2 x 0.2 mL, 6 mmol, 2 eq.) was added, and the temperature was increased to 50 °C. After 5 h, the mixture was cooled to RT. The solid was filtered off,












washed with IPAC and dried under vacuum to yield **305** (2.0 g, 83%). Melting point = 146 °C; MS:m/z 702.2 $[M+H]^+$.










EXAMPLE 183
TRIPHOSPHATES










[1178] Dry nucleoside (0.05 mmol) was dissolved in the mixture of $PO(OMe)_3$ (0.7 mL) and pyridine (0.3 mL). The mixture was evaporated in vacuum for 15 mins at bath temperature (42°C), than cooled down to RT. N-Methylimidazole (0.009 mL, 0.11 mmol) was added followed by $POCl_3$ (9 μL, 0.11 mmol), and the mixture was kept at RT for 20-40 mins. The reaction was controlled by LCMS and monitored by the appearance of corresponding nucleoside 5'-monophosphate. After completion, tetrabutylammonium salt of pyrophosphate (150 mg) was added, followed by DMF (0.5 mL) to get a homogeneous solution. After 1.5 h at ambient temperature, the reaction was diluted with water (10 mL) and loaded on the column HiLoad 16/10 with Q Sepharose High Performance. Separation was done in a linear gradient of NaCl from 0 to 1N in 50 mM TRIS-buffer (pH 7.5). Triphosphate was eluted at 75-80%B. Corresponding fractions were concentrated. Desalting was achieved by RP HPLC on Synergy 4 micron Hydro-RP column (Phenominex). A linear gradient of methanol from 0 to 30% in 50 mM triethylammonium acetate buffer (pH 7.5) was used for elution. The corresponding fractions were combined, concentrated and lyophilized 3 times to remove excess of buffer. Examples of compound made according to this procedure are provided in Table 2.








Table 2.








			31P NMR		
	Structure	**MS [M-1]**	**P(α)**	**P(β)**	**P(γ)**
3		540.4	-10.90 -11.03(d)	-23.38(t)	-11.91 -12.03(d)
19		556.2	-10.92 -11.03(d)	-23.18(t)	-11.86 -11.98(d)
29		516.1	-7.49 -7.61(d)	-22.42(t)	-12.17 -12.30(d)








			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
34		568.2	-5.60 -5.72(d)	-21.13 (bs)	-10.93 -11.05(d)
37		539.3	-10.02 -10.36(d)	-20.72(t)	-11.27 -11.40(d)
58		510.8	-10.87 -10.99(d)	-23.35(t)	-11.76 -11.89(d)
59		543.8	-10.53 -10.66(d)	-23.23(t)	-11.63 -11.75(d)
61		538.9	-10.61 -10.73(d)	-23.20(t)	-11.74 -11.86(d)
62		538.9	-10.92 -11.04 (d)	-23.33(t)	-11.81 -11.93(d)
72		529.3	-5.25 -5.37 (d)	-20.53(t)	-11.42 -11.53(d)
73		551.4	-10.90 -11.02 (d)	-23.27(t)	-11.87 -11.99(d)
74		535.0	-5.41 -5.53 (d)	-23.27(t)	-11.39 -11.51(d)
79		529.2	-10.86 -10.98(d)	-23.23(t)	-11.85 -11.9(d)
80		535.0	-10.86 -10.98(d)	-23.21(t)	-11.81 -11.94(d)








			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
81		529.2	-10.64 -10.73(d)	-20.78(t)	-11.42 -11.56(d)
82		534.3	-10.75 -10.89(d)	-23.19(t)	-11.46 -11.58(d)
91		528.0	-10.13 (bs)	-23.16(t)	-11.64 -11.81(d)
92		528.9	-11.05 -11.08(d)	-23.46(t)	-11.79 -11.91(d)
93		561.7	-10.73 -10.85(d)	-23.23(t)	-11.63 -11.75(d)
94		534.0	-10.92 -10.64(d)	-23.38(t)	-11.61 -11.73(d)
95		512.8	-10.98 -11.11(d)	-23.46(t)	-11.70 -11.8 (d)
101		556.2	-10.92 -10.07(d)	-23.34(t)	-11.70 -11.82(d)
103		566.0	-6.26 -6.39(d)	-22.45(t)	-11.66 -11.84 (d)








			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
107		539.3	-5.36(d)	-20.72(t)	-11.40(d)
111		564.0	-10.94 -11.06(d)	-23.25(t)	-11.85 -11.97(d)
114		546.9	-8.53(bs)	-22.61 (bs)	-12.17 -12.29(d)
115		564.4	-11.05(bs)	-23.25 (bs)	-11.96 -12.08(d)
123		566.0	-10.92 -11.04(d)	-23.18(t)	-11.93 -1(d)
124		513.8	-8.66(bs)	-22.80(t)	-12.17 -12.29(d)
132		579.4	-10.31 -10.44 (d)	-23.08(t)	-11.81 -11.92(d)
133		563.0	-10.79 -10.91(d)	-23.24(t)	-11.80 -11.92(d)
147		517.1	-13.60 -13.72(d)	-25.98(t)	-15.05 -15.17(d)









			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
149		533.3	-10.89 -11.01(d)	-23.31(t)	-12.49 -1(d)
162		570.4	-9.25 -9.28(d)	-22.82(t)	-11.29 -11.42(d)
163		542.2	-5.39 -5.40(d)	-20.71(t)	-11.52 -11.63(d)
164		529.8	-10.72 (bs)	-23.20(t)	-11.73 -11.84(d)
166		548.2	-10.93 -11.05(d)	-23.35(t)	-12.00 -12.13(d)
167		535.3	-12.86 -12.98(d)	-25.60(t)	-14.24 -14.36(d)
168		534.3	-7.78 (bs)	-22.30(t)	-11.70 (bs)





			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
184	 P(S)	523.1	42.93	-23.28	-7.94
185	 P(R)	523.3	42.69	-22.93	-6.22
202		529.8	-6.53 (m)	-22.27 (m)	-11.27
203		545.9	-8.6 (br)	-22.80 (t)	-11.35 (d)
205		--	-4.97 (m)	-20.04 (m)	-10.72 (m)
208		539.5	-7.42 (bs)	-22.57(t)	-12.23 -12.34(d)
209		513.1	-6.36 -6.49(d)	-22.49(t)	-12.20 -12.33(d)

			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
210		547.3	-10.95 -11.07(d)	-23.32(t)	-11.91 -12.03(d)
215		526.8	-10.96 -11.08(d)	-23.33(t)	-12.41 -12.53(d)
236		527	-10.68 -10.80(d)	-23.35(t)	-12.30 -12.42(d)
237		540.5	-10.91 -11.03(d)	-23.38(t)	-12.24 -12.37(d)
238		539	-10.88 -10.99(d)	-23.41(t)	-12.15 -12.27(d)
239		529	-10.83 -10.95(d)	-23.27(t)	-12.25 -12.37(d)
240		538.4	-9.19 (bs)	-22.50(t)	-12.04 (bs)

			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
241		536.0	-10.69 -10.81(d)	-23.27(t)	-11.72 -12.85(d)
242		548.2	-10.85 -10.97(d)	-23.27(t)	-11.62 -11.74(d)
243		510.1	-10.55 -10.67(d)	-23.27(t)	-11.72 -12.85(d)
244		544.9	-10.97 -11.05(d)	-23.28(t)	-11.77 -12.89(d)
245		577.6	-10.42 -10.54(d)	-23.06(t)	-11.61 -12.73(d)
246		554.0	-10.85 -10.96(d)	-23.24(t)	-11.52 -11.64(d)
249		552.4	-6.17 (bs)	-21.02(t)	-10.09 (bs)


			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
251		541.4	-10.87 -11.99(d)	-23.21(t)	-11.72 -11.84(d)
252		553.4	-10.91 -11.03(d)	-23.31(t)	-11.74 -11.87(d)
253		555.6	-8.63 -8.76(d)	-24.61(t)	-13.90 -14.03(d)
254		551.4	-9.74 -9.86(d)	-22.89(t)	-11.46 -11.58(d)
255		553.4	-10.98 -11.10(d)	-23.38(t)	-11.86 -11.98(d)
256		547.2	-10.91 -11.03(d)	-23.33(t)	-11.79 -11.91(d)
257		533.4	-10.78 (br.s)	-23.22(t)	-12.24 -12.36(d)

			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
258		546.3	-10.52(bs)	-23.05(t)	-11.64 -11.76(d)
261		496.9	-8.24 -8.36(d)	-21.66(t)	-11.14 -11.26(d)
262		520.4	-10.87 -10.97(d)	-23.34(t)	-11.86 -11.97(d)
263		513.8	-8.20 (bs)	-22.74(t)	-11.52 -11.64(d)
264		514.9	-9.95 -10.08(d)	-23.14(t)	-11.64 -11.76(d)
273		547.0	-10.78 -10.91(d)	-23.31(t)	-11.84 -11.96(d)
274		557.4	-10.96 -11.09(d)	-23.35(t)	-11.93 -12.05(d)
275		537.4	-10.90 -11.03(d)	-23.35(t)	-11.84 -11.96(d)


			31P NMR		
	Structure	MS [M-1]	P(α)	P(β)	P(γ)
276		514.0	-10.27 -11.39(d)	-23.18(t)	-11.39 -11.51(d)
277		516.2	-9.52(br.s)	-22.74 (br.s)	-11.75 (br.s)
278		538.0	-10.15 (br.s)	-22.86(t)	-11.28 -11.40(d)
279		526.2	-9.97(br.s)	-22.81(t)	-12.12 -12.23(d)

EXAMPLE 184
COMPOUNDS OF FORMULAE (I) AND (II)


[1179] The foregoing syntheses are exemplary and can be used as a starting point to prepare additional compounds of Formulae (I) and (II). Examples of additional compounds of Formulae (I) and (II) are shown below. These compounds can be prepared in various ways, including those synthetic schemes shown and described herein. Those skilled in the art will be able to recognize modifications of the disclosed syntheses and to devise routes based on the disclosures herein; all such modifications and alternate routes are within the scope of the claims.




127




128




129




130




131




134




135




136




140




141




142




144



217



259



260

EXAMPLE 185
Picornavirus Assay

[1180] HeLa-OHIO cells (Sigma-Aldrich, St. Louis, MO) were plated in 96 well plates at a density of 1.5 x 10^5 cells per well in assay media (MEM without phenol red or L-glutamine, supplemented with 1% FBS, 1% penicillin/streptomycin, 2mM GlutaGro, and 1x MEM nonessential amino acids, all from Cellgro, Manassas, VA). Assay setup took place after allowing cells to adhere for 24 h. Compounds dissolved in DMSO were serially diluted in assay media to 2x final concentration. Media was aspirated from the cells, and 100µl media with compound was added in triplicate. Human rhinovirus 1B (ATCC, Manassas, VA) was diluted in assay media, and 100µL was added to cells and compound. The virus inoculum was selected to cause 80-90% cytopathic effect in 4 d. Infected cells were incubated for 4 d at 33°C, 5% CO_2. To develop the assay, 100µL media was replaced with 100µL CellTiter-Glo® reagent (Promega, Madison, WI), and incubated for 10 mins at RT. Luminescence was measured on a Victor X3 multi-label plate reader.

[1181] Compounds of Formulae (I) and (II) are active in this assay. The antiviral activity of exemplary compounds is shown in Table 3, where 'A' indicates an EC_{50} < 1 µM, 'B' indicates an EC_{50} ≥ 1 µM and < 10 µM, and 'C' indicates an EC_{50} ≥ 10 µM and < 100 µM.

Table 3

Compound #	EC_{50}
1	B
5	C
7	B
8	B
9	A
10	A
13	A
14	C
16	B
17	C
18	C
21	A
22	B
25	A
26	B
27	A
28	A
31	B
33	A
36	A
40	C
43	C
44	A
46	A

Compound #	EC_{50}
52	A
53	A
55	A
57	A
63	A
64	B
65	C
66	C
68	A
69	B
70	B
71	B
75	B
76	A
83	A
84	A
85	B
86	C
87	B
88	C
89	C
99	B
106	B
150	B

Compound #	EC_{50}
151	A
152	B
153	B
158	C
159	C
160	A
161	B
280	C
281	A
282	A
283	C
284	B
286	B
287	A
288	C
289	A
295	C
296	B
297	C
298	B
300	A
301	C
303	C

[1182] HeLa-OHIO cells were plated at a density of 1.5 x 10^5cells per mL (1.5 x 10^4 cells per well) in assay media (MEM without phenol red or L-glutamine (Gibco cat. # 51200) supplemented with 1% FBS, 1% penicillin/streptomycin (Mediatech cat. #30-002-CI), and 1% Glutamax (Gibco cat. #35050) in clear-bottom black 96 well plates. After 24 h, media was removed and replaced with serially diluted compounds in assay media. For EC_{50} measurements, cells were infected with 70 $TCID_{50}$ of HRV-1b or an equivalent inoculum for the other virus strains in 100 µL assay media. The virus inoculum was normalized between the different virus strains to achieve a signal/background of ratio of 10. After 4-6 days, cell viability was measured using CellTiter Glo Luminescent Cell Viability Assay (Promega cat. #G7572). 100 µL media was removed from each well and 100 µL CellTiter Glo reagent was added. Plates were incubated at RT for 5 mins, then luminescence was measured using a Perkin Elmer multilabel counter Victor3V. EC_{50} values were determined using XLFit.

[1183] Compounds 44 and 160 were found to be active and have an EC_{50} less than 1 μM against several human rhinovirus strains, including HRV-25, HRV-56, HRV-21, HRV-02, HRV-19, HRV-16, HRV-53, HRV-68, HRV-45, HRV-84, HRV-70, HRV-79 and HRV-14. Both compounds were also active against HRV-89 with compounds 44 and 160 each having an EC_{50} in the range of 1 μM to 2 μM. In contrast, BTA-798 (Vapendavir) was found to be inactive against 2 of the 15 tested strains. Additionally, compounds 44 and 160 were not cytotoxicity (CC_{50} > 100 μM (n > 5)) in the HeLa OHIO host cell line.

EXAMPLE 186
Picornavirus Polymerase Inhibition Assay

[1184] The enzyme activity of human rhinovirus 16 polymerase (HRV16pol) was measured as an incorporation of tritiated NMP into acid-insoluble RNA products. HRV16pol assay reactions contained 30 Nm recombinant enzyme, 50 Nm heteropolymeric RNA, about 0.5 μCi tritiated NTP, 0.1 Mm of competing cold NTP, 40 Mm Tris-HCl (Ph 7.0), 3 Mm dithiothreitol, and 0.5 Mm $MgCl_2$. Standard reactions were incubated for 2.5 h at 30°C, in the presence of increasing concentration of inhibitor. At the end of the reaction, RNA was precipitated with 10% TCA, and acid-insoluble RNA products were filtered on a size exclusion 96-well plate. After washing of the plate, scintillation liquid was added and radiolabeled RNA products were detected according to standard procedures with a Trilux Microbeta scintillation counter. The compound concentration at which the enzyme-catalyzed rate was reduced by 50% (IC_{50}) was calculated by fitting the data to a non-linear regression (sigmoidal).

[1185] The IC_{50} values were derived from the mean of several independent experiments and are shown in Table 4. Compounds of Formulae (I) and (II) showed activity in this assay. A value of 'A' in the table below indicates an IC_{50} of < 1 μM, a value of 'B' indicates an IC_{50} < 10 μM, and a value of 'C' indicates an IC_{50} value of < 100 μM.

Table 4

Compound #	IC_{50}
3	B
19	A
29	A
34	A
37	A
58	B
59	C

Compound #	IC_{50}
61	A
62	A
72	C
73	B
74	B
79	B
80	B

Compound #	IC_{50}
81	B
82	A
91	B
92	A
93	A
97	B
101	A

Compound #	IC_{50}
107	A
103	A
110	B
111	A
114	A
115	A
116	B
117	C
123	A
124	A
132	B
162	A
168	B
202	A
205	A

Compound #	IC_{50}
208	B
215	B
236	B
237	A
238	B
239	B
240	A
242	B
243	B
244	B
245	A
246	A
249	C
251	B
252	B

Compound #	IC_{50}
253	B
254	A
255	B
256	B
257	B
258	A
273	B
274	B
275	B
276	B
277	B
278	C
279	B

EXAMPLE 187
Enterovirus Assay

Cells

[1186] HeLa OHIO cells were purchased from Sigma Aldrich (St Louis, MO) and cultured in MEM with Glutamax (Gibco cat. #41090) supplemented with 10% FBS (Mediatech cat. #35-011-CV) and 1% penicillin/streptomycin (Mediatech cat. #30-002-CI), at 37°C with 5% CO_2. RD cells were purchased from ATCC (Manassas, VA) and cultured in DMEM, supplemented with 10% FBS (Mediatech cat. #35-011-CV) and 1% penicillin/streptomycin (Mediatech cat. #30-002-CI), at 37°C with 5% CO_2.

Determination of anti-Enterovirus activity

[1187] For HRV16, EV68, and CVB3, HeLa-OHIO cells were plated at a density of 1.5 x 10^5cells per mL (1.5 x 10^4 cells per well) in assay media (MEM without phenol red or L-glutamine (Gibco cat. # 51200) supplemented with 1% FBS, 1% penicillin/streptomycin (Mediatech cat. #30-002-CI), and 1% Glutamax (Gibco cat. #35050)) in clear-bottom black 96 well plates. For EV71, RD cells were plated at a density of 5 x 10^4 cells per mL (5000 cells per well) in assay media (DMEM supplemented with 2% FBS and 1% penicillin/streptomycin). After 24 h, media was removed and replaced with serially diluted compounds in assay media. For EC_{50} measurements, cells were infected in 100 µL assay media with a virus inoculum sufficient to obtain a 10-fold reduction of the cell viability in the infected control compared to uninfected control cells. After 2-6 days, cell viability was

measured using CellTiter Glo Luminescent Cell Viability Assay (Promega cat. #G7572). Cells infected with EV-71 and CVB3 were cultured at 37°C, while cells infected with HRV-16 or EV-68 were cultured at 33 °C. 100 µL media was removed from each well and 100 µL CellTiter Glo reagent was added. Plates were incubated at RT for 5 mins, then luminescence was measured using a Perkin Elmer multilabel counter Victor3V. EC_{50} values were determined using XLFit.

[1188] Compound 44 inhibited replication of all four viruses tested (human rhinovirus 16 (HRV-16), coxasackie B3 (CVB3), enterovirus-68 (EV-68) and enterovirus-71 (EV-71)) with an EC_{50} ranging from 0.38 to 2.52 µM (mean 1.39 ± 1.14 µM). By comparison, BTA-798 was not active against all the tested viruses, and was found to be inactive against CVB3. As described herein, compound 44 can be obtained after the removal of the group(s) attached to the phosphorus of a compound described herein (for example, a compound of Formulae (I) and/or (II), or a pharmaceutically acceptable salt of the foregoing); and therefore, prodrugs of compound 44 will also be active against the picornaviruses described herein.

EXAMPLE 188
HCV Replicon Assay

Cells

[1189] Huh-7 cells containing the self-replicating, subgenomic HCV replicon with a stable luciferase (LUC) reporter were cultured in Dulbecco's modified Eagle's medium (DMEM) containing 2mM L-glutamine and supplemented with 10% heat-inactivated fetal bovine serum (FBS), 1% penicillin-streptomyocin, 1% nonessential amino acids, and 0.5 mg/Ml G418.

Determination of anti-HCV activity

[1190] Determination of 50% inhibitory concentration (EC_{50}) of compounds in HCV replicon cells were performed by the following procedure. On the first day, 5,000 HCV replicon cells were plated per well in a 96-well plate. On the following day, test compounds were solubilized in 100% DMSO to 100x the desired final testing concentration. Each compound was then serially diluted (1:3) up to 9 different concentrations. Compounds in 100% DMSO are reduced to 10% DMSO by diluting 1:10 in cell culture media. The compounds were diluted to 10% DMSO with cell culture media, which were used to dose the HCV replicon cells in 96-well format. The final DMSO concentration was 1%. The HCV

replicon cells were incubated at 37 °C for 72 hours. At 72 hours, cells were processed when the cells are still subconfluent. Compounds that reduce the LUC signal are determined by Bright-Glo Luciferase Assay (Promega, Madison, WI). % Inhibition was determined for each compound concentration in relation to the control cells (untreated HCV replicon) to calculate the EC_{50}.

[1191] Compounds of Formulae (I) and (II) are active in the HCV replicon assay. The antiviral activity of exemplary compounds is shown in Table 5, where 'A' indicates an $EC_{50} < 1$ μM, 'B' indicates an $EC_{50} \geq 1$ μM and < 10 μM, and 'C' indicates an $EC_{50} \geq 10$ μM and < 100 μM.

Table 5

Compound #	EC_{50}
14	C
16	B
21	B
22	B
36	A
43	A
44	A
52	A
54	C
57	A
63	B
64	C
65	C

Compound #	EC_{50}
67	C
70	B
71	B
75	C
76	B
84	B
85	B
99	B
104	C
106	C
280	C
281	A
282	A

Compound #	EC_{50}
283	B
284	B
286	A
287	A
288	C
289	A
295	B
298	C
300	C
301	A
303	B

EXAMPLE 189
NS5B Inhibition Assay

[1192] The enzyme activity of NS5B570-Con1 (Delta-21) was measured as an incorporation of tritiated NMP into acid-insoluble RNA products. The complementary IRES (Cires) RNA sequence was used as a template, corresponding to 377 nucleotides from the 3'-end of HCV (–) strand RNA of the Con-1 strain, with a base content of 21% Ade, 23% Ura, 28% Cyt, and 28% Gua. The Cires RNA was transcribed *in vitro* using a T7 transcription kit (Ambion, Inc.) and purified using the Qiagen Rneasy maxi kit. HCV polymerase reactions contained 50 Nm NS5B570-Con1, 50 Nm Cires RNA, about 0.5 μCi tritiated NTP, 1 Mm of competing cold NTP, 20 Mm NaCl, 40 Mm Tris-HCl (Ph 8.0), 4 Mm dithiothreitol, and 4 Mm $MgCl_2$. Standard reactions were incubated for 2 hours at 37°C, in the presence of increasing

concentration of inhibitor. At the end of the reaction, RNA was precipitated with 10% TCA, and acid-insoluble RNA products were filtered on a size exclusion 96-well plate. After washing of the plate, scintillation liquid was added and radio labeled RNA products were detected according to standard procedures with a Trilux Topcount scintillation counter. The compound concentration at which the enzyme-catalyzed rate was reduced by 50% (IC_{50}) was calculated by fitting the data to a non-linear regression (sigmoidal).

[1193] The IC_{50} values were derived from the mean of several independent experiments and are shown in Table 6. Compounds of Formulae (I) and (II) are active in this assay. A value of 'A' in the table below indicates an IC_{50} of < 1 μM, a value of 'B' indicates an IC_{50} ≥ 1 μM and < 10 μM, and a value of 'C' indicates an IC_{50} value of ≥ 10 μM and < 100 μM.

Table 6

Compound #	IC_{50}
3	C
19	A
29	A
34	A
37	C
59	B
61	A
62	A
72	C
73	C
74	C
79	C
80	C
82	C
91	A
92	A
93	C
98	C
101	A

Compound #	IC_{50}
103	A
110	A
111	A
114	A
115	A
116	A
117	B
123	A
124	A
147	A
149	A
162	B
203	A
205	A
208	A
209	A
210	B
215	A
236	B

Compound #	IC_{50}
239	C
240	A
243	B
244	A
245	C
246	A
249	C
252	B
253	C
254	A
255	B
256	C
257	A
258	C
273	C
276	A
277	C
278	B
279	C

EXAMPLE 190
Dengue Virus Cell-Based Assay

[1194] The Dengue virus type 2 strain New Guniea C (NG-C) and the Dengue virus type 4 strain H241 were purchased from ATCC (Manassas, VA; item numbers VR-1584 and VR-1490, respectively). 24 h prior to dosing, Huh-7.5 cells were plated in 96 well

plates at a density of 1.5 x 10^5/mL in DMEM medium supplemented with 10% fetal bovine serum, 1% HEPES buffer, 1% Penicillin/Streptomycin and 1% non-essential amino acids (all Mediatech, Manassas, VA). At the day of infection, serially diluted compounds were added to cells and incubated for 4 h. After the end of the 4 h pre-incubation period, cells were infected with either Dengue virus type 2 NG-C or Dengue virus type 4 H241. The virus inoculum was selected to cause 80-90% cytopathic effect in five to six days. Infected cells were incubated for five (NG-C) to six (H241) days at 37°C, 5% CO_2. To develop the assay, 100µL media was replaced with 100µl CellTiter-Glo® reagent (Promega, Madison, WI), and incubated for 10 mins at RT. Luminescence was measured on a Victor X3 multi-label plate reader. Potential compound cytotoxicity of was determined using uninfected parallel cultures.

[1195] Compounds of Formulae (I) and (II) are active in this assay. The antiviral activity of exemplary compounds is shown in Table 7, where A value of 'A' in the table below indicates an IC_{50} of < 1 µM, a value of 'B' indicates an IC_{50} < 10 µM, and a value of 'C' indicates an IC_{50} value of < 100 µM.

Table 7

Compound #	IC_{50}
9	B
10	A
13	A
14	B
16	B
25	A

Compound #	IC_{50}
26	A
27	B
28	B
46	C
53	B
55	A

Compound #	IC_{50}
83	A
86	A
88	B
89	B
161	B

EXAMPLE 191
Dengue Virus Polymerase Inhibition Assay

[1196] The enzyme activity of dengue virus NS5 polymerase domain (DENVpol, serotype 2, New Guinea C strain) was measured as an incorporation of tritiated NMP into acid-insoluble RNA products. DENVpol assay reactions contained 100 nM recombinant enzyme, 50 nM heteropolymeric RNA, about 0.5 µCi tritiated NTP, 0.33 µM of competing cold NTP, 40 mM HEPES (pH 7.5), 3 mM dithiothreitol, and 2 mM $MgCl_2$. Standard reactions were incubated for 3 hours at 30°C, in the presence of increasing concentration of inhibitor. At the end of the reaction, RNA was precipitated with 10% TCA, and acid-insoluble RNA products were filtered on a size exclusion 96-well plate. After washing of the plate, scintillation liquid was added and radiolabeled RNA products were detected according

to standard procedures with a Trilux Topcount scintillation counter. The compound concentration at which the enzyme-catalyzed rate was reduced by 50% (IC_{50}) was calculated by fitting the data to a non-linear regression (sigmoidal).

[1197] The IC_{50} values were derived from the mean of several independent experiments and are shown in Table 8. Compounds of Formula (I) showed activity in this assay. A value of 'A' in the table below indicates an IC_{50} of < 1 μM, a value of 'B' indicates an IC_{50} < 10 μM, and a value of 'C' indicates an IC_{50} value of < 100 μM.

Table 8

Compound #	IC_{50}
19	B
29	A
34	A
91	C
92	B
101	B

Compound #	IC_{50}
103	A
110	A
111	B
114	B
115	A
123	B

Compound #	IC_{50}
124	B
147	B
149	B
162	B
163	B
164	C

EXAMPLE 192
Cell-Based Flavivirus Immuno (CFI) assay

[1198] BHK21 or A549 cells are trypsinized, counted and diluted to 2 x 10^5 cells/mL in Hams F-12 media (for A549 cells) or RPMI-1640 media (for BHK21 cells) supplemented with 2% fetal bovine serum and 1% penicillin/streptomycin. 2 x 10^4 cells are dispensed in clear 96-well tissue culture plate per well and placed at 37 °C, 5% CO_2 overnight. On the next day, the cells are infected with viruses at multiplicity of infection (MOI) of 0.3 in the presence of varied concentrations of test compounds for 1 h at 37 °C and 5% CO_2 in the same media. The media containing viruses and the compounds are removed, replaced with fresh medium containing only the test compounds and incubated at 37 °C, 5% CO_2 for another 48 h. The cells are washed once with PBS and fixed with cold methanol for 10 mins. After washing twice with PBS, the fixed cells are blocked with PBS containing 1% FBS and 0.05% Tween-20 for 1 h at RT. The primary antibody solution (4G2) is then added at a concentration of 1:20 to 1:100 in PBS containing 1% FBS and 0.05% Tween-20 for 3 h. The cells are then washed three times with PBS followed by 1 hour incubation with horseradish peroxidase (HRP)-conjugated anti-mouse IgG (Sigma, 1:2000 dilution). After washing 3 times with PBS, 50 μL of 3,3',5,5'-tetramethylbenzidine (TMB) substrate solution (Sigma) is added to each well for 2 mins. The reaction is stopped by addition 0.5M sulfuric

acid. The plates are read at 450 nm absorbance for viral load quantification. After measurement, the cells are washed 3 times with PBS, followed by incubation with propidium iodide for 5 mins. The plate is read in a Tecan Safire plate reader (excitation 537 nm, emission 617 nm) for cell number quantification. Dose response curves are plotted from the mean absorbance versus the log of the concentration of test compounds. The EC_{50} is calculated by nonlinear regression analysis. A positive control may be used, such as, for example, N-nonyl-deoxynojirimycin.

EXAMPLE 193

Cell-based Flavivirus Cytopathic Effect (CPE) assay


[1199] For testing against West Nile virus or Japanese encephalitis virus, BHK21 cells are trypsinized and diluted to a concentration of 4 x 10^5 cells/mL in RPMI-1640 media supplemented with 2% fetal bovine serum and 1% penicillin/streptomycin. For testing against dengue virus, Huh7 cells are trypsinized and diluted to a concentration of 4 x 10^5 cells/mL in DMEM media supplemented with 5% fetal bovine serum and 1% penicillin/streptomycin. A 50 µL of cell suspension (2 x 10^4 cells) is dispensed per well in the 96-well optical bottom PIT polymerbase plates (Nunc). Cells are grown overnight in culture medium at 37 °C, 5% CO_2 and then infected with West Nile virus (e.g. B956 strain) or Japanese encephalitis virus (e.g. Nakayama strain) at MOI=0.3, or with dengue virus (e.g. DEN-2 NGC strain) at MOI=1, in the presence of different concentrations of test compounds. The plates containing the virus and the compounds are further incubated at 37 °C, 5% CO_2 for 72 h. At the end of incubation, 100 µL of CellTiter-Glo® reagent is added into each well. Contents are mixed for 2 mins on an orbital shaker to induce cell lysis. The plates are incubated at RT for 10 mins to stabilize luminescent signal. Luminescence reading is recorded using a plate reader. A positive control may be used, such as, for example, N-nonyl-deoxynojirimycin.

[1200] Although the foregoing has been described in some detail by way of illustrations and examples for purposes of clarity and understanding, it will be understood by those of skill in the art that numerous and various modifications can be made without departing from the spirit of the present disclosure. Therefore, it should be clearly understood that the forms disclosed herein are illustrative only and are not intended to limit the scope of

the present disclosure, but rather to also cover all modification and alternatives coming with the true scope and spirit of the invention.

WHAT IS CLAIMED IS:

1. Use of a compound of Formula (I), or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for ameliorating or treating a viral infection, wherein the compound of Formula (I) has the structure:




(I)




wherein:


B^{1A} is an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group;

-------- is absent or a single bond, provided that both -------- are absent or both -------- are a single bond;

when -------- are both absent, then Z^1 is absent, O^1 is OR^{1A}, R^{3A} is selected from the group consisting of H, halo, OH, $-OC(=O)R^{"A}$ and an optionally substituted O-linked amino acid, R^{4A} is selected from the group consisting of H, OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$, or R^{3A} and R^{4A} are both an oxygen atom connected via a carbonyl to form a 5-membered ring;




when -------- are each a single bond, then Z^1 is  , O^1 is O, R^{3A} is O; R^{4A} is selected from the group consisting of H, OH, halo, N_3, $-OC(=O)R^{"B}$, an optionally substituted O-linked amino acid and $NR^{"B1}R^{"B2}$; and R^{1B} is selected from the group consisting of O^-, OH, an –O–optionally substituted C_{1-6} alkyl.

 ,  ,  ,


, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative;



R^{a1} and R^{a2} are independently hydrogen or deuterium;




R^{A} is hydrogen, deuterium, an unsubstituted C_{1-3} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-3} alkynyl or cyano;


R^{1A} is selected from the group consisting of hydrogen, an optionally substituted acyl, an optionally substituted O-linked amino acid,  ,

and

;

R^{2A} is hydrogen, halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-CHF_2$, $-(CH_2)_{1-6}$ halogen,$-(CH_2)_{1-6}N_3$, $-(CH_2)_{1-6}NH_2$ or $-CN$;


R^{5A} is selected from the group consisting of H, halo, OH, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;

R^{6A}, R^{7A} and R^{8A} are independently selected from the group consisting of absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl, an optionally substituted *–$(CR^{17A}R^{18A})_q$–O–C_{1-24} alkenyl,  ,  ,









and ; or



R^{6A} is and R^{7A} is absent or hydrogen; or

R^{6A} and R^{7A} are taken together to form a moiety selected from the group consisting of an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system;.

R^{9A} is independently selected from the group consisting of an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30A}R^{31A}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative;

R^{10A} and R^{11A} are independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative;


R^{12A} and R^{13A} are independently absent or hydrogen;

R^{14A} is O^-, OH or methyl;

each R^{15A}, each R^{16A}, each R^{17A} and each R^{18A} are independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy;

R^{19A}, R^{20A}, R^{22A}, R^{23A}, R^{2B}, R^{3B}, R^{5B} and R^{6B} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl;

R^{21A} and R^{4B} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl;

R^{24A} and R^{7B} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ;

R^{25A}, R^{26A}, R^{29A}, R^{8B} and R^{9B} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl;

R^{27A1} and R^{27A2} are independently selected from the group consisting of -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl;

R^{28A} is selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl;

R^{30A} and R^{31A} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl);

$R^{"A}$ and each $R^{"B}$ are independently an optionally substituted C_{1-24} alkyl;

each $R^{"B1}$ and each $R^{"B2}$ are independently hydrogen and an optionally substituted C_{1-6} alkyl;

m, v and w are 0 or 1;

p and q are independently 1, 2 or 3;

r and s are independently 0, 1, 2 or 3;







t is 1 or 2;


u and y can be independently 3, 4 or 5; and


Z^{1A}, Z^{2A}, Z^{3A}, Z^{4A}, Z^{1B} and Z^{2B} are independently O or S;


wherein the viral infection is caused by a virus selected from the group consisting of a Picornaviridae virus and a *Flaviviridae* virus; and


provided that when the *Flaviviridae* virus is hepatitis C virus, then the compound of Formula (I), or a pharmaceutically acceptable salt thereof, cannot be selected from the group consisting of:



,

,

,

,

,

.






























































,




,




,




,




,




,




,




,





,





,



























































































































































































































































,

,

,

,

,

,

,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.

2. The use of Claim 1, wherein the virus is a member of the Picornaviridae virus family.

3. The use of Claim 2, wherein the Picornaviridae virus is selected from the group consisting of an Aphthovirus, an Enterovirus, a Rhinovirus, a Hepatovirus and a Parechovirus.

4. The use of Claim 3, wherein the Enterovirus is selected from the group consisting of an enterovirus A, enterovirus B, enterovirus C, enterovirus D, enterovirus E, enterovirus F, enterovirus G, enterovirus Henterovirus J.

5. The use of Claim 3, wherein the Enterovirus is selected from the group consisting of poliovirus 1, poliovirus 2, poliovirus 3, CV-A1, CV-A2, CV-A3, CV-A4, CV-A5, CV-A6, CV-A7, CV-A8, CV-A9, CV-A10, CV-A11, CV-A12, CV-A13, CV-A14, CV-A15, CV-A16, CV-A17, CV-A18, CV-A19, CV-A20, CV-A21, CV-A22, CV-A23, CV-B1, CV-B2, CV-B3, CV-B4, CV-B5, CV-B6, echovirus 1, echovirus 2, echovirus 3, echovirus 4, echovirus 5, echovirus 6, echovirus 7, echovirus 9, echovirus 11, echovirus 12, echovirus 13, echovirus 14, echovirus 15, echovirus 16, echovirus 17, echovirus 18, echovirus 19, echovirus 20, echovirus 21, echovirus 24, echovirus 25, echovirus 26, echovirus 27, echovirus 29, echovirus 30, echovirus 31, echovirus 32, echovirus 33, enterovirus 68, enterovirus 69, enterovirus 70, enterovirus 71 and viluisk human encephalomyelitis virus.

6. The use of Claim 3, wherein the Enterovirus is selected from the group consisting of rhinovirus A, rhinovirus B and rhinovirus C.

7. The use of Claim 3, wherein Hepatovirus is hepatitis A.

8. The use of Claim 3, wherein the Parechovirus is selected from the group consisting of human parechovirus 1, human parechovirus 2, human parechovirus 3, human parechovirus 4, human parechovirus 5 and human parechovirus 6.

9. The use of Claim 2, wherein the Picornaviridae virus is selected from the group consisting of an Aquamavirus, an Avihepatovirus, a Cardiovirus, a Cosavirus, a Dicipivirus, an Erbovirus, a Kobuvirus, a Megrivirus, a Salivirus, a Sapelovirus, a Senecavirus, a Teschovirus and a Tremovirus.

10. The use of Claim 1, wherein the virus is a Flaviviridae virus.

11. The use of Claim 10, wherein the Flaviviridae virus is selected from the group consisting of a Flavivirus, a Hepacirus and a Pestivirus.

12. The use of Claim 10, wherein the Flaviviridae virus is selected from the group consisting of hepatitis C virus (HCV), yellow fever virus (YFV), West Nile virus (WNV), dengue fever virus, an encephalitis virus from within the Flaviviridae family, classic swine fever virus and bovine diarrhea virus.

13. The use of Claim 12, wherein the encephalitis virus from within the Flaviviridae family is selected from the group consisting of Japanese encephalitis virus (JEV) and tick-borne encephalitis virus (TBEV).

14. The use of any one of Claims 1-13, wherein R^{2A} is hydrogen.

15. The use of any one of Claims 1-13, wherein R^{2A} is halo.

16. The use of Claim 15, wherein the halo is fluoro.

17. The use of any one of Claims 1-13, wherein R^{2A} is an unsubstituted C_{1-4} alkyl.

18. The use of any one of Claims 1-13, wherein R^{2A} is an unsubstituted C_{2-4} alkenyl.

19. The use of any one of Claims 1-13, wherein R^{2A} is an unsubstituted C_{2-4} alkynyl.

20. The use of any one of Claims 1-13, wherein R^{2A} is $-CHF_2$.

21. The use of any one of Claims 1-13, wherein R^{2A} is $-(CH_2)_{1-6}$ halogen.

22. The use of any one of Claims 1-13, wherein R^{2A} is $-(CH_2)_{1-6}F$.

23. The use of any one of Claims 1-13, wherein R^{2A} is $-(CH_2)_{1-6}Cl$.

24. The use of any one of Claims 1-13, wherein R^{2A} is $-(CH_2)_{1-6}N_3$.

25. The use of any one of Claims 1-13, wherein R^{2A} is $-(CH_2)_{1-6}NH_2$.

26. The use of any one of Claims 1-13, wherein R^{2A} is –CN.

27. The use of any one of Claims 1-25, wherein R^{4A} is H.

28. The use of any one of Claims 1-25, wherein R^{4A} is OH.

29. The use of any one of Claims 1-25, wherein R^{4A} is halo.

30. The use of Claim 29, wherein the halo is F.

31. The use of Claim 29, wherein the halo is Cl.

32. The use of any one of Claims 1-25, wherein R^{4A} is $-OC(=O)R^{"B}$ or an optionally substituted O-linked amino acid.

33. The use of any one of Claims 1-25, wherein R^{4A} is N_3 or $NR^{"B1}R^{"B2}$.

34. The use of any one of Claims 1-33, wherein R^{5A} is H.

35. The use of any one of Claims 1-33, wherein R^{5A} is halo.

36. The use of any one of Claims 1-33, wherein R^{5A} is OH.

37. The use of any one of Claims 1-33, wherein R^{5A} is an optionally substituted C_{1-6} alkyl.


38. The use of any one of Claims 1-33, wherein R^{5A} is an optionally substituted C_{2-6} alkenyl.


39. The use of any one of Claims 1-33, wherein R^{5A} is an optionally substituted C_{2-6} alkynyl.


40. The use of any one of Claims 1-39, wherein -------- are both absent.

41. The use of any one of Claims 1-40, wherein R^{1A} is hydrogen.

42. The use of any one of Claims 1-40, wherein R^{1A} is an optionally substituted acyl or an optionally substituted O-linked amino acid.

43. The use of any one of Claims 1-40, wherein R^{1A} is  .

44. The use of Claim 43, wherein R^{6A} is  , R^{7A} is absent or hydrogen and m is 0.

45. The use of Claim 43, wherein R^{6A} is  , R^{7A} is absent or hydrogen and m is 1.





46. The use of Claim 43, wherein R^{6A} and R^{7A} are independently absent or hydrogen.

47. The use of Claim 43, wherein R^{6A} and R^{7A} are independently an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl,



an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl).



48. The use of Claim 43, wherein R^{6A} and R^{7A} are independently an optionally substituted *–$(CR^{15A}R^{16A})_p$–O–C_{1-24} alkyl or an optionally substituted *–$(CR^{17A}R^{18A})_q$–O–C_{1-24} alkenyl.

49. The use of Claim 43, wherein R^{6A} and R^{7A} are independently




or



50. The use of Claim 43, wherein R^{6A} and R^{7A} are independently


or


51. The use of Claim 43, wherein R^{6A} and R^{7A} are taken together to form a moiety selected from the group consisting of an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6A} and R^{7A}, the phosphorus and the moiety form a six-membered to ten-membered ring system.

52. The use of any one of Claims 43-51, wherein Z^{1A} is O.


53. The use of any one of Claims 43-51, wherein Z^{1A} is S.


54. The use of any one of Claims 1-43, wherein R^{1A} is  .

55. The use of Claim 54, wherein R^{8A} is an optionally substituted aryl.

56. The use of Claim 54, wherein R^{8A} is an optionally substituted heteroaryl.


57. The use of any one of Claims 54-56, wherein R^{9A} is an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative.

58. The use of Claim 57, wherein R^{9A} is  wherein R^{33A} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{34A} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{35A} is hydrogen or an optionally substituted C_{1-4} alkyl; or R^{34A} and R^{35A} are taken together to form an optionally substituted C_{3-6} cycloalkyl.


59. The use of Claim 57, wherein R^{9A} is selected from the group consisting of  and .



60. The use of any one of Claims 54-59, wherein Z^{2A} is O.

61. The use of any one of Claims 54-59, wherein Z^{2A} is S.

62. The use of any one of Claims 1-40, wherein R^{1A} is  .

63. The use of Claim 62, wherein R^{10A} and R^{11A} are independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative.

64. The compound of Claim 62, wherein R^{10A} and R^{11A} are independently  wherein R^{36A} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted aryl, an optionally substituted aryl(C_{1-6} alkyl) and an optionally substituted haloalkyl; R^{37A} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{1-6} haloalkyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_6 aryl, an optionally substituted C_{10} aryl and an optionally substituted aryl(C_{1-6} alkyl); and R^{38A} is hydrogen or an optionally substituted C_{1-4} alkyl; or R^{37A} and R^{38A} are taken together to form an optionally substituted C_{3-6} cycloalkyl.

65. The use of Claim 64, wherein R^{10A} and R^{11A} are independently selected from the group consisting of  and  .

66. The use of any one of Claims 62-65, wherein Z^{3A} is O.

67. The use of any one of Claims 62-65, wherein Z^{3A} is S.

68. The use of any one of Claims 40-67, wherein R^{3A} is H.

69. The use of any one of Claims 40-67, wherein R^{3A} is halo.

70. The use of Claim 69, wherein the halo is fluoro.

71. The use of Claim 69, wherein the halo is chloro.

72. The use of any one of Claims 40-67, wherein R^{3A} is OH.





73. The use of any one of Claims 40-67, wherein R^{3A} is –OC(=O)$R^{"A}$ or an optionally substituted O-linked amino acid.

74. The use of any one of Claims 40-67, wherein R^{3A} and R^{4A} are both an oxygen atom connected via a carbonyl to form a 5-membered ring.

75. The use of any one of Claims 1-39, wherein -------- are each a single bond.

76. The use of Claim 75, wherein R^{1B} is O^- or OH.

77. The use of Claim 75, wherein R^{1B} is an –O–optionally substituted C_{1-6} alkyl.

78. The use of Claim 75, wherein R^{1B} is  ,  ,  ,  , an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative.

79. The use of any one of Claims 1-78, wherein R^A is hydrogen.

80. The use of any one of Claims 1-78, wherein R^A is deuterium.

81. The use of any one of Claims 1-78, wherein R^A is an unsubstituted C_{1-3} alkyl.

82. The use of any one of Claims 1-78, wherein R^A is an unsubstituted C_{2-4} alkenyl.


83. The use of any one of Claims 1-78, wherein R^A is an unsubstituted C_{2-3} alkynyl.

84. The use of any one of Claims 1-78, wherein R^A is cyano.

85. The use of any one of Claims 1-84, wherein R^{a1} and R^{a2} are both hydrogen.

86. The use of any one of Claims 1-84, wherein R^{a1} and R^{a2} are both deuterium.

87. The use of any one of Claims 1-86, wherein B^{1A} is selected from the group consisting of:



wherein:

R^{A2} is selected from the group consisting of hydrogen, halogen and NHR^{J2}, wherein R^{J2} is selected from the group consisting of hydrogen, $-C(=O)R^{K2}$ and $-C(=O)OR^{L2}$;

R^{B2} is halogen or NHR^{W2}, wherein R^{W2} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{M2}$ and $-C(=O)OR^{N2}$;

R^{C2} is hydrogen or NHR^{O2}, wherein R^{O2} is selected from the group consisting of hydrogen, $-C(=O)R^{P2}$ and $-C(=O)OR^{Q2}$;

R^{D2} is selected from the group consisting of hydrogen, deuterium, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;

R^{F2} is selected from the group consisting of hydrogen, hydroxy, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{R2}$ and $-C(=O)OR^{S2}$;

R^{F2} is selected from the group consisting of hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;


Y^2 and Y^3 are independently N or CR^{I2}, wherein R^{I2} is selected from the group consisting of hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;


W^1 is NH, $-NCH_2-OC(=O)CH(NH_2)-CH(CH_3)_2$ or $-(CH_2)_{1-2}-O-P(=O)(OW^{1A})_2$, wherein W^{1A} is selected from the group consisting of absent, hydrogen and an optionally substituted C_{1-6} alkyl;


R^{G2} is an optionally substituted C_{1-6} alkyl;


R^{H2} is hydrogen or NHR^{T2}, wherein R^{T2} is independently selected from the group consisting of hydrogen, $-C(=O)R^{U2}$ and $-C(=O)OR^{V2}$; and


R^{K2}, R^{L2}, R^{M2}, R^{N2}, R^{P2}, R^{Q2} R^{R2}, R^{S2}, R^{U2} and R^{V2} are independently selected from the group consisting of hydrogen, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl).


88. The use of Claim 87, wherein B^{1A} is  .

89. The use of Claim 87, wherein B^{1A} is  .










90. The use of Claim 87, wherein B^{1A} is  .


91. The use of Claim 87, wherein B^{1A} is  .


92. The use of Claim 87, wherein B^{1A} is  .


93. The use of Claim 87, wherein B^{1A} is  .


94. The use of Claim 1, wherein the compound is selected from the group consisting of:


 ,
 ,
 ,
 ,
 ,
 ,
 ,
 ,
 .


 ,


 ,


 ,


 ,


 ,


 ,


 ,


 ,


 ,


 ,
















 ,
















 ,










 ,

 ,





 ,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.


95. The use of Claim 1, wherein the compound is selected from the group consisting of:



,

,

,

,










































,

,

,

,

,

,

,

,

,

,

,

,


,


,





















































,




,




,




,




,





,





,
































,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,




,





,





,
























































































































































,




,




,




,




,







,








,















.


,

,

and

, or a pharmaceutically acceptable salt of the foregoing.


96. The use of Claim 1, wherein the compound is selected from the group consisting of:



,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,


,

,


,

















































































,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,


,


,



,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

.

,

,

,

,
































-710-


,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.

97. A compound of Formula (II), or a pharmaceutically acceptable salt thereof, wherein the compound of Formula (II) has the structure:








(II)

wherein:

B^{1C} is an optionally substituted heterocyclic base or an optionally substituted heterocyclic base with a protected amino group;




-------- is absent or a single bond, provided that both -------- are absent or both -------- are a single bond;

when -------- are both absent, then Z^2 is absent, O^2 is OR^{1C}, R^{3C} is selected from the group consisting of H, halo, OH, –OC(=O)$R^{"C}$ and an optionally substituted O-linked amino acid, R^{4C} is selected from the group consisting of H, OH, halo, N_3, –OC(=O)$R^{"D}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$, or R^{3C} and R^{4C} are both an oxygen atom connected via a carbonyl to form a 5-membered ring;

when -------- are each a single bond, then Z^2 is  , O^2 is O, R^{3C} is O; R^{4C} is selected from the group consisting of OH, halo, N_3, –OC(=O)$R^{"D}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$; and R^{1D} is selected from the group consisting of O^-, OH, an –O–optionally substituted C_{1-6} alkyl,  ,  ,  ,  , an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative;








R^{c1} and R^{c2} are independently hydrogen or deuterium;

R^C is hydrogen, deuterium, an unsubstituted C_{1-3} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-3} alkynyl or cyano;


R^{1C} is selected from the group consisting of hydrogen, an optionally substituted acyl, an optionally substituted O-linked amino acid,  ,  and  ;


R^{2C} is hydrogen, halo, an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $-CHF_2$, $-(CH_2)_{1-6}$ halogen,$-(CH_2)_{1-6}N_3$, $-(CH_2)_{1-6}NH_2$ or -CN;

R^{5C} is selected from the group consisting of H, halo, OH, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;

R^{6C}, R^{7C} and R^{8C} are independently selected from the group consisting of absent, hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted aryl(C_{1-6} alkyl), an optionally substituted *–$(CR^{15C}R^{16C})_f$–O–C_{1-24} alkyl, an optionally substituted *–$(CR^{17C}R^{18C})_g$–O–C_{1-24} alkenyl,  ,  ,  ,  ,  ,  and  ; or

R^{6C} is and R^{7C} is absent or hydrogen; or

R^{6C} and R^{7C} are taken together to form a moiety selected from the group consisting of an optionally substituted  and an optionally substituted

 , wherein the oxygens connected to R^{6C} and R^{7C}, the phosphorus and the moiety form a six-membered to ten-membered ring system;.

R^{9C} is independently selected from the group consisting of an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl, $NR^{30C}R^{31C}$, an optionally substituted N-linked amino acid and an optionally substituted N-linked amino acid ester derivative;

R^{10C} and R^{11C} are independently an optionally substituted N-linked amino acid or an optionally substituted N-linked amino acid ester derivative;


R^{12C} and R^{13C} are independently absent or hydrogen;

R^{14C} is O-, OH or methyl;

each R^{15D}, each R^{16C}, each R^{17C} and each R^{18C} are independently hydrogen, an optionally substituted C_{1-24} alkyl or an alkoxy;

R^{19C}, R^{20C}, R^{22C}, R^{23C}, R^{2D}, R^{3D}, R^{5D} and R^{6D} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl;

R^{21C} and R^{4D} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl;

R^{24C} and R^{7D} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted aryl, an optionally substituted –O–C_{1-24} alkyl, an optionally substituted –O–aryl, an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl and  ;

R^{25C}, R^{26C}, R^{29C}, R^{8D} and R^{9D} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl and an optionally substituted aryl;

R^{27C1} and R^{27C2} are independently selected from the group consisting of -C≡N, an optionally substituted C_{2-8} organylcarbonyl, an optionally substituted C_{2-8} alkoxycarbonyl and an optionally substituted C_{2-8} organylaminocarbonyl;

R^{28C} is selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl and an optionally substituted C_{3-6} cycloalkenyl;

R^{30C} and R^{31C} are independently selected from the group consisting of hydrogen, an optionally substituted C_{1-24} alkyl, an optionally substituted C_{2-24} alkenyl, an optionally substituted C_{2-24} alkynyl, an optionally substituted C_{3-6} cycloalkyl, an optionally substituted C_{3-6} cycloalkenyl and an optionally substituted aryl(C_{1-4} alkyl);

$R^{"C}$ and each $R^{"D}$ are independently an optionally substituted C_{1-24} alkyl;

each $R^{"D1}$ and each $R^{"D2}$ are independently hydrogen or an optionally substituted C_{1-24} alkyl;

c, d and e are independently 0 or 1;


f and g are independently 1, 2 or 3;


h and j are independently 0, 1, 2 or 3;

b is 1 or 2;





k and l is independently 3, 4 or 5; and








Z^{1C}, Z^{2C}, Z^{3C}, Z^{4C}, Z^{1D} and Z^{2D} are independently O or S;

provided that when R^{2C} is halo; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; B^{1C} is selected from the group consisting of an optionally substituted 

, an optionally substituted 

, an optionally substituted



, an optionally substituted , an optionally substituted


, wherein R^{a2} is an optionally substituted C_{1-6} alkyl or an optionally substituted C_{3-6} cycloalkyl, R^{a3} and R^{a4} are independently selected from the group consisting of hydrogen, an unsubstituted C_{1-6} alkyl, an unsubstituted C_{3-6} alkenyl, an unsubstituted C_{3-6} alkynyl and an unsubstituted C_{3-6} cycloalkyl, R^{a5} is NHR^{a8}, and R^{a6} is hydrogen, halogen or NHR^{a9}; R^{a7} is NHR^{a10}; R^{a8} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a11}$ and $-C(=O)OR^{a12}$; R^{a9} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a13}$ and $-C(=O)OR^{a14}$; R^{a10} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-6} alkenyl, an optionally substituted C_{3-6} cycloalkyl, $-C(=O)R^{a15}$ and $-C(=O)OR^{a16}$; X^{a1} is N or $-CR^{a17}$; R^{a17} is selected from the group consisting of hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl; R^{a11}, R^{a12}, R^{a13}, R^{a14}, R^{a15} and R^{a16} are independently selected from the group consisting of C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl); then R^{3C} is selected from the group consisting of H, halo and an optionally substituted O-linked amino acid; and R^{4C} is selected from the group consisting of OH, halo, N_3, $-OC(=O)R^{"D}$, an optionally substituted O-linked amino acid and $NR^{"D1}R^{"D2}$; or then R^{3C} is selected from the group consisting of H, halo, OH, –





$OC(=O)R^{"C}$ and an optionally substituted O-linked amino acid and R^{4C} is an optionally substituted O-linked amino acid; or then R^{1C} is  , wherein R^{6C} and R^{7C} are independently  , wherein h is 1, 2 or 3,  or  ; or then R^{1C} is  , wherein R^{6C} and R^{7C} are taken together to form a moiety selected from the group consisting of an optionally substituted  and an optionally substituted  , wherein the oxygens connected to R^{6C} and R^{7C}, the phosphorus and the moiety form a six-membered to ten-membered ring system;




provided that when R^{2C} is halo; -------- are each a single bond; then R^{4C} is $-OC(=O)R^{"D}$ or an optionally substituted O-linked amino acid;



provided that when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $—(CH_2)_{1-6}$ halogen,$–(CH_2)_{1-6}N_3$ or $–(CH_2)_{1-6}NH_2$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $–OC(=O)R^{"C}$ or an optionally substituted O-linked amino acid; and R^{4C} is halo; then R^{5C} is selected from the group consisting of an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;

provided that when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl, $—(CH_2)_{1-6}$ halogen, $–(CH_2)_{1-6}N_3$ or $–(CH_2)_{1-6}NH_2$; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{4C} is halo; and R^{5C} is H or halo; then R^{3C} is H or halo;




provided that when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl or $—(CH_2)_{1-6}$ halogen; -------- are both absent;

Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $-OC(=O)R^{"C}$ or an optionally substituted O-linked amino acid; R^{4C} is halo; R^{5C} is H or halo; and R^{1C} is  then at least one of R^{6C} and R^{7C} is  , wherein R^{21C} is independently selected from the group consisting of an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then at least one of R^{6C} and R^{7C} is  , wherein s is 1, 2 or 3; or then at least one of R^{6C} and R^{7C} is  , wherein s is 0 and R^{24C} is an optionally substituted –O–heteroaryl or an optionally substituted –O–monocyclic heterocyclyl;

provided that when R^{2C} is an unsubstituted C_{1-4} alkyl, an unsubstituted C_{2-4} alkenyl, an unsubstituted C_{2-4} alkynyl or $—(CH_2)_{1-6}$ halogen; -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{3C} is OH, $-OC(=O)R^{"C}$ or an optionally substituted O-linked amino acid; R^{4C} is halo; R^{5C} is H or halo; and R^{1C} is  ; then R^{8C} is  , wherein R^{21C} is independently selected from the group consisting of an optionally substituted –O–heteroaryl and an optionally substituted –O–monocyclic heterocyclyl; or then R^{8C} is  , wherein s is 1, 2 or 3;

or then R^{8C} is  , wherein s is 0 and R^{24C} is an optionally substituted –O–heteroaryl, an optionally substituted –O–monocyclic heterocyclyl or  ;

provided that when -------- are both absent; Z^2 is absent; O^2 is OH; R^{2C} is methyl; R^{3C} is OH; then R^{4C} is halo, $–OC(=O)R^{"D}$ or an optionally substituted O-linked amino acid; and

provided that when -------- are both absent; Z^2 is absent; O^2 is OR^{1C}; R^{2C} is fluoro; R^{3C} is OH or $–OC(=O)R^{"C}$; R^{4C} is fluoro; and R^{5C} is methyl, ethyl or ethenyl; then R^{1C} cannot be selected from the group consisting of H,  and  , wherein R^{8C} is an unsubstituted aryl; R^{9C} is  and Z^{2C} is oxygen.

98. The compound of Claim 97, wherein R^{2C} is hydrogen.

99. The compound of Claim 97, wherein R^{2C} is halo.

100. The compound of Claim 99, wherein the halo is fluoro.

101. The compound of Claim 97, wherein R^{2C} is an unsubstituted C_{1-4} alkyl.

102. The compound of Claim 97, wherein R^{2C} is an unsubstituted C_{2-4} alkenyl.

103. The compound of Claim 97, wherein R^{2C} is an unsubstituted C_{2-4} alkynyl.

104. The compound of Claim 97, wherein R^{2D} is $–CHF_2$.

105. The compound of Claim 97, wherein R^{2C} is $–(CH_2)_{1-6}$ halogen.

106. The compound of Claim 97, wherein R^{2C} is $–(CH_2)_{1-6}F$.

107. The compound of Claim 97, wherein R^{2C} is $–(CH_2)_{1-6}Cl$.

108. The compound of Claim 97, wherein R^{2C} is $–(CH_2)_{1-6}N_3$.

109. The compound of Claim 97, wherein R^{2C} is $–(CH_2)_{1-6}NH_2$.

110. The compound of Claim 97, wherein R^{2C} is –CN.

111. The compound of Claim 97, wherein R^{4C} is H.

112. The compound of any one of Claims 97-111, wherein -------- are both absent.

113. The compound of 112, wherein R^{3C} is halo.

114. The compound of Claim 113, wherein the halo is F.

115. The compound of Claim 113, wherein the halo is Cl.

116. The compound of Claim 112, wherein R^{3C} is H.

117. The compound of any one of Claims 112-116, wherein R^{4C} is H.

118. The compound of any one of Claims 112-116, wherein R^{4C} is halo.

119. The compound of Claim 118, wherein the halo is fluoro.

120. The compound of any one of Claims 112-116, wherein R^{4C} is OH.

121. The compound of any one of Claims 112-116, wherein R^{4C} is $-OC(=O)R^{"D}$ or an optionally substituted O-linked amino acid.

122. The compound of any one of Claims 112-116, wherein R^{4C} is N_3, or $NR^{"D1}R^{"D2}$.

123. The compound of Claim 122, wherein NH_2.

124. The compound of any one of Claims 97-111, wherein -------- are each a single bond.

125. The compound of Claim 124, wherein R^{1D} is an –O–optionally substituted C_{1-6} alkyl.

126. The compound of any one of Claims 97-125, wherein R^{5C} is H.

127. The compound of any one of Claims 97-125, wherein R^{5C} is halo.

128. The compound of any one of Claims 97-125, wherein R^{5C} is OH.

129. The compound of any one of Claims 97-125, wherein R^{5C} is an optionally substituted C_{1-6} alkyl.

130. The compound of any one of Claims 97-125, wherein R^{5C} is an optionally substituted C_{2-6} alkenyl.

131. The compound of any one of Claims 97-125, wherein R^{5C} is an optionally substituted C_{2-6} alkynyl.

132. The compound of any one of Claims 97-131, wherein R^{C} is hydrogen.

133. The compound of any one of Claims 97-131, wherein R^{C} is deuterium.

134. The compound of any one of Claims 97-131, wherein R^C is an unsubstituted C_{1-3} alkyl.

135. The compound of any one of Claims 97-131, wherein R^C is an unsubstituted C_{2-4} alkenyl.







136. The compound of any one of Claims 97-131, wherein R^C is an unsubstituted C_{2-3} alkynyl.

137. The compound of any one of Claims 97-131, wherein R^C is cyano.

138. The compound of any one of Claims 97-137, wherein R^{c1} and R^{c2} are both hydrogen.

139. The compound of any one of Claims 97-137, wherein R^{c1} and R^{c2} are both deuterium.

140. The compound of any one of Claims 97-139, wherein B^{1C} is selected from the group consisting of:


,

,

,

,

and

;

wherein:

R^{AA2} is selected from the group consisting of hydrogen, halogen and NHR^{JJ2}, wherein R^{JJ2} is selected from the group consisting of hydrogen, $-C(=O)R^{KK2}$ and $-C(=O)OR^{LL2}$;

R^{BB2} is halogen or NHR^{WW2}, wherein R^{WW2} is selected from the group consisting of hydrogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{MM2}$ and $-C(=O)OR^{NN2}$;

R^{CC2} is hydrogen or NHR^{OO2}, wherein R^{O2} is selected from the group consisting of hydrogen, $-C(=O)R^{PP2}$ and $-C(=O)OR^{QQ2}$;

R^{DD2} is selected from the group consisting of hydrogen, deuterium, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;

R^{EE2} is selected from the group consisting of hydrogen, hydroxy, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{3-8} cycloalkyl, $-C(=O)R^{RR2}$ and $-C(=O)OR^{SS2}$;

R^{FF2} is selected from the group consisting of hydrogen, halogen, an optionally substituted C_{1-6}alkyl, an optionally substituted C_{2-6} alkenyl and an optionally substituted C_{2-6} alkynyl;


Y^4 and Y^5 are independently N or CR^{II2}, wherein R^{II2} is selected from the group consisting of hydrogen, halogen, an optionally substituted C_{1-6} alkyl, an optionally substituted C_{2-6}-alkenyl and an optionally substituted C_{2-6}-alkynyl;

W^2 is NH, $-NCH_2$-$OC(=O)CH(NH_2)$-$CH(CH_3)_2$ or $-(CH_2)_{1-2}-O$-$P(=O)(OW^{2C})_2$, wherein W^{2C} is selected from the group consisting of absent, hydrogen and an optionally substituted C_{1-6} alkyl;


R^{GG2} is an optionally substituted C_{1-6} alkyl;


R^{HH2} is hydrogen or NHR^{TT2}, wherein R^{TT2} is independently selected from the group consisting of hydrogen, $-C(=O)R^{UU2}$ and $-C(=O)OR^{VV2}$; and


R^{KK2}, R^{LL2}, R^{MM2}, R^{NN2}, R^{PP2}, R^{QQ2} R^{RR2}, R^{SS2}, R^{UU2} and R^{VV2} are independently selected from the group consisting of hydrogen, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, C_{6-10} aryl, heteroaryl, heterocyclyl, aryl(C_{1-6} alkyl), heteroaryl(C_{1-6} alkyl) and heterocyclyl(C_{1-6} alkyl).


141. The compound of Claim 140, wherein B^{1C} is 


.

142. The compound of Claim 140, wherein B^{IC} is  .
















143. The compound of Claim 140, wherein B^{IC} is  .

















144. The compound of Claim 140, wherein B^{IC} is  .







145. The compound of Claim 140, wherein B^{IC} is  .

146. The compound of Claim 140, wherein B^{IC} is  .







147. A compound selected from the group consisting of:



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

and

or a pharmaceutically acceptable salt of the foregoing.


148. A compound selected from the group consisting of:



,

,

,

,

,

,



























































,

,

,

,

,

,

,

,

,

,

,

,



,

,

,

,

,

,

,

,

,

,

,

,


,


,








































,

,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.


149. A compound selected from the group consisting of:



,

,

,

,
































































































,

,

,

,

,

,

,

,


,

,

,

,

,

and

, or a pharmaceutically acceptable salt of the foregoing.

150. A pharmaceutical composition comprising an effective amount of a compound of any one of Claims 97-149, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, diluent, excipient or combination thereof.

151. Use of a compound of any one of Claims 97-149 in the preparation of a medicament for ameliorating or treating a HCV infection, wherein the medicament is manufactured for use in combination with one or more agents selected from the group consisting of an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA), a compound of

Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt any of the aforementioned compounds.

152. Use of a compound of any one of Claims 97-149 in the preparation of a medicament for contacting a cell infected with a hepatitis C virus, wherein the medicament is manufactured for use in combination with one or more agents selected from the group consisting of an interferon, ribavirin, a HCV protease inhibitor, a HCV polymerase inhibitor, a NS5A inhibitor, an antiviral compound, a compound of Formula (AA) , a compound of Formula (BB) and a compound of Formula (CC), or a pharmaceutically acceptable salt any of the aforementioned compounds.

153. The use of any one of Claim 151-152, wherein the one or more agents are selected from the group consisting of Compounds 1001-1016, 2001-2012, 3001-3014, 4001-4012, 5001-5011, 6001-6078, 7000-7027 and 8000-8016, or a pharmaceutically acceptable salt of any of the aforementioned compounds.