
CLAIMS

[Claim 1] A prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome, the agent containing an mPGES-1 inhibitor as an active ingredient.

[Claim 2] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to claim 1,

wherein the mPGES-1 inhibitor is a compound of Formula [1]:

[Chemical Formula 1]




[1]

or a tautomer thereof, or a pharmaceutically acceptable salt thereof,

wherein

ring A represents a group represented by Formula [2], [3], or [4]:

[Chemical Formula 2]



[2] [3] [4]

wherein

X^1 represents NH, N-alkyl, or O;

A^1 represents hydrogen or alkyl;

A^2 represents:

i) hydrogen,

ii) halogen,

iii) alkyl which may be substituted with one to three groups selected from the group consisting of halogen, amino, monoalkylamino, dialkylamino, carbamoyl, monoalkylaminocarbonyl, dialkylaminocarbonyl, saturated cyclic aminocarbonyl, alkoxy, alkoxyalkoxy, and alkylcarbonyloxy,

iv) cycloalkyl which may be substituted with alkyl, wherein said alkyl may be substituted with one to three halogens,

v) alkoxy,

vi) a saturated heterocyclic group which may be substituted with alkyl, alkyloxycarbonyl, alkylcarbonyl, or oxo,


vii) alkylthio,

viii) alkylsulfonyl,

ix) alkylsulfinyl,

x) Formula [5]:

[Chemical Formula 3]



[5]

wherein R^3 and R^4 are identical or different and each represent:

a) hydrogen,

b) alkyl which may be substituted with a group selected from the group consisting of monoalkylamino, dialkylamino, saturated cyclic amino optionally substituted with alkyl, a saturated heterocyclic group optionally substituted with alkyl, alkoxy, hydroxycarbonyl, hydroxyl, alkyloxycarbonyl, and alkylthio, or

c) cycloalkyl,

or

xi) saturated cyclic amino which may be substituted with alkyl, amino, monoalkylamino, dialkylamino, alkoxy, or hydroxyl;

R^1 represents phenyl, benzyl, naphthyl, cycloalkyl, cycloalkylmethyl, heteroaryl, heteroarylmethyl, 1,2,3,4-tetrahydronaphthalen-5-yl, 1,2,3,4-tetrahydronaphthalen-6-yl, 2,3-dihydro-1H-inden-4-yl, 2,3-dihydro-1H-inden-5-yl, 1,2-dihydrocyclobutabenzen-3-yl, 1,2-dihydrocyclobutabenzen-4-yl, or alkyl, wherein said phenyl, benzyl, cycloalkyl, cycloalkylmethyl, heteroaryl, and heteroarylmethyl may be substituted with one to three groups selected from the group consisting of:

i) halogen,

ii) alkyl which may be substituted with one to three groups selected from the group consisting of halogen, hydroxy, and phenyl,

iii) alkoxy,

iv) hydroxy, and

v) cyano;

R^2 represents phenyl or pyridyl, wherein said phenyl and pyridyl may be substituted with one to three groups selected from the group consisting of:

i) halogen,

ii) alkylsulfonyl,

iii) alkoxy which may be substituted with one to three halogens or alkoxies,

iv) alkynyl which may be substituted with alkoxyalkyl or cycloalkyl, and

v) alkyl which may be substituted with one to three groups selected from the group consisting of alkoxy, alkoxyalkoxy, cycloalkyl, phenyl, and halogen.

[Claim 3] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to claim 2,

wherein the ring A represents a group represented by Formula [4], and X^1 represents NH.

[Claim 4] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to claim 2 or 3,

wherein R^1 represents phenyl, 1,2,3,4-tetrahydronaphthalen-5-yl, 1,2,3,4-tetrahydronaphthalen-6-yl, 2,3-dihydro-1H-inden-4-yl, 2,3-dihydro-1H-inden-5-yl, 1,2-dihydrocyclobutabenzen-3-yl, or 1,2-dihydrocyclobutabenzen-4-yl, wherein said phenyl may be substituted with one to three groups selected from the group consisting of:

i) halogen,

ii) alkyl which may be substituted with one to three halogens,

iii) alkoxy, and

iv) cyano.

[Claim 5] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to any one of claims 2 to 4,

wherein R^2 represents phenyl, and

said phenyl may be substituted with one to three groups selected from the group consisting of:

i) halogen,

ii) alkylsulfonyl,

iii) alkoxy which may be substituted with alkoxy,

iv) alkynyl which may be substituted with alkoxyalkyl or cycloalkyl, and

v) alkyl which may be substituted with one to three groups selected from the group consisting of halogen, alkoxy, alkoxyalkoxy, cycloalkyl, and phenyl.

[Claim 6] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to any one of claims 2 to 5,

wherein the ring A represents a group represented by General Formula [4];

X^1 represents NH;

A^2 represents:

i) hydrogen,

ii) alkyl which may be substituted with a group selected from the group consisting of halogen, monoalkylamino, dialkylamino, monoalkylaminocarbonyl, dialkylaminocarbonyl, saturated cyclic aminocarbonyl, alkoxy, alkoxyalkoxy, and alkylcarbonyloxy,

iii) cycloalkyl which may be substituted with alkyl optionally substituted with one to three halogens,

iv) alkoxy,

v) a saturated heterocyclic group which may be substituted with alkyl or alkyloxycarbonyl,

vi) alkylthio,

vii) alkylsulfonyl,

viii) alkylsulfinyl,

ix) amino substituted with alkyl which may be substituted with a group selected from the group consisting of monoalkylamino, dialkylamino, saturated cyclic amino optionally substituted with alkyl, tetrahydrofuryl, morpholino, alkoxy, hydroxycarbonyl, hydroxyl, and alkylthio,

x) amino substituted with cycloalkyl, or

xi) saturated cyclic amino which may be substituted with alkyl, dialkylamino, alkoxy, or hydroxyl;

R^1 represents:

i) phenyl which may be substituted with one to three groups selected from the group consisting of halogen, alkyl optionally substituted with one to three halogens, alkoxy, and cyano,

ii) 1,2,3,4-tetrahydronaphthalen-5-yl,

iii) 2,3-dihydro-1H-inden-5-yl,

iv) benzyl which may be substituted with halogen or with alkyl optionally substituted with one to three halogens,

v) cycloalkyl,

vi) cycloalkylmethyl,

vii) naphthyl,

viii) pyridylmethyl which may be substituted with alkyl optionally substituted with one to three halogens,

ix) thienyl,

x) thienylmethyl,

xi) benzothiazolyl,

xii) benzothiadiazolyl,

xiii) indolyl, or

xiv) alkyl; and

R^2 represents phenyl or pyridyl,

wherein said phenyl may be substituted with one to three groups selected from the group consisting of:

i) halogen,

ii) alkylsulfonyl,

iii) alkoxy which may be substituted with alkoxy,

iv) alkynyl which may be substituted with alkoxyalkyl or cycloalkyl, and

v) alkyl which may be substituted with one to three groups selected from the group consisting of halogen, alkoxy, alkoxyalkoxy, cycloalkyl, and phenyl, and

said pyridyl may be substituted with halogen.

[Claim 7] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to any one of claims 2 to 6,

wherein the ring A represents a group represented by General Formula [4];

X^1 represents NH;

A^2 represents alkoxy-substituted alkyl, dialkylamino, tetrahydrofuryl, tetrahydrofurylmethyl, alkoxyalkylamino, or cycloalkyl which may be substituted with unsubstituted alkyl or alkyl substituted with one to three halogens;

R^1 represents phenyl substituted with one halogen and one methyl; and

R^2 represents phenyl which may be substituted with one trifluoromethyl or two halogens.

[Claim 8] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to any one of claims 2 to 7,

wherein the mPGES-1 inhibitor is a compound selected from the group consisting of:

(1) N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(2) N-cyclohexyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(3) N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(4) N-[(1-hydroxycyclohexyl)methyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(5) N-[2-(trifluoromethyl)benzyl]-5-({[2-(trifluoromethyl)phenyl]carbonyl}amino}-2,3-dihydro-1-benzofuran-7-carboxamide,

(6) N-cyclohexyl-5-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-2,3-dihydro-1-benzofuran-7-carboxamide,

(7) N-(3-chloro-2-methylphenyl)-5-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-2,3-dihydro-1-benzofuran-7-carboxamide,

(8) N-cyclohexyl-5-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-indazole-7-carboxamide,

(9) N-[2-(trifluoromethyl)benzyl]-5-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-indazole-7-carboxamide,

(10) N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(11) 2-methyl-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(12) N-cyclohexyl-2-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(13) N-(3-chloro-2-methylphenyl)-2-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(14) N-cyclopentyl-2-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(15) N-cyclobutyl-2-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(16) N-(3-chloro-2-methylphenyl)-2-ethyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(17) N-cyclohexyl-2-ethyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(18) 2-ethyl-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(19) N-cyclohexyl-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(20) 2-(methoxymethyl)-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(21) 2-(methoxymethyl)-N-(2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(22) 2-(methoxymethyl)-N-(4-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(23) N-(2-chlorobenzyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(24) 2-(methoxymethyl)-N-(4-methylbenzyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(25) N-(4,4-difluorocyclohexyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(26) N-(4-tert-butylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(27) 2-(methoxymethyl)-N-[4-(trifluoromethyl)phenyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(28) N-(2,4-dimethylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(29) N-(2-chloro-4-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(30) N-(3,4-dimethylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(31) N-(3-chloro-4-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(32) N-(2,3-dihydro-1H-inden-5-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(33) 2-(methoxymethyl)-N-(5,6,7,8-tetrahydronaphthalen-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(34) N-(2-fluorophenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(35) 2-(methoxymethyl)-N-(2-methoxyphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(36) 2-(methoxymethyl)-N-(4-methoxyphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(37) N-(3-bromo-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(38) N-(3-chloro-2-methylbenzyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(39) N-(2,6-difluorophenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(40) N-(3-cyano-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(41) 2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-N-{[3-(trifluoromethyl)pyridin-2-yl]methyl}-1H-benzimidazole-4-carboxamide,

(42) N-(2-chloro-6-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(43) 2-(2-amino-2-oxoethyl)-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(44) 2-(2-amino-2-oxoethyl)-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(45) N-(3-chloro-2-methylphenyl)-1-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(46) N-cyclohexyl-1-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(47) 1-methyl-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(48) N-(3-chloro-2-methylphenyl)-1-ethyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(49) N-cyclohexyl-1-ethyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(50) 1-ethyl-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(51) N-(3-chloro-2-methylphenyl)-2-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1,3-benzoxazole-4-carboxamide,

(52) 2-methyl-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1,3-benzoxazole-4-carboxamide,

(53) N-(3-chloro-2-methylphenyl)-2-ethyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1,3-benzoxazole-4-carboxamide,

(54) N-(3-chloro-2-methylphenyl)-2-ethoxy-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(55) 2-ethoxy-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(56) N-(3-chloro-2-methylphenyl)-2-(1-chloro-2-methylpropan-2-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(57) N-(3-chloro-2-methylphenyl)-2-[(dimethylamino)methyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(58) N-(3-chloro-2-methylphenyl)-2-(2-methylpropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(59) 2-(2-methylpropyl)-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(60) tert-butyl 3-{4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}azetidine-1-carboxylate,

(61) N-(3-chloro-2-methylphenyl)-2-[(methylamino)methyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(62) {4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}methyl acetate,

(63) N-(3-chloro-2-methylphenyl)-2-[(2R)-tetrahydrofuran-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(64) 2-[(2R)-tetrahydrofuran-2-yl]-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(65) N-(3-chloro-2-methylphenyl)-2-[(2S)-tetrahydrofuran-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(66) 2-[(2S)-tetrahydrofuran-2-yl]-N-[2-(trifluoromethyl)benzyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(67) 2-(1-acetylazetidin-3-yl)-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(68) tert-butyl (2S)-2-{4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}pyrrolidine-1-carboxylate,

(69) tert-butyl (2R)-2-{4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}pyrrolidine-1-carboxylate,

(70) N-(3-chloro-2-methylphenyl)-2-[(2S)-pyrrolidin-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(71) N-(3-chloro-2-methylphenyl)-2-[(2S)-1-methylpyrrolidin-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(72) 2-[(2S)-1-acetylpyrrolidin-2-yl]-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(73) N-(3-chloro-2-methylphenyl)-2-[(2-methoxyethoxy)methyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(74) N-(3-chloro-2-methylphenyl)-2-(1-methoxy-2-methylpropan-2-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(75) 2-tert-butyl-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(76) 2-tert-butyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-N-{[3-(trifluoromethyl)pyridin-2-yl]methyl}-1H-benzimidazole-4-carboxamide,

(77) N-(3-chloro-2-methylphenyl)-2-(2-ethoxyethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(78) N-(3-chloro-2-methylphenyl)-2-(ethoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(79) 2-(ethoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-N-{[3-(trifluoromethyl)pyridin-2-yl]methyl}-1H-benzimidazole-4-carboxamide,

(80) N-(3-chloro-2-methylphenyl)-2-(2-methoxyethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(81) N-(3-chloro-2-methylphenyl)-2-(2,2-dimethylpropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(82) N-(3-chloro-2-methylphenyl)-2-cyclopropyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(83) N-(3-chloro-2-methylphenyl)-2-(2-methylpentan-2-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(84) N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(85) 2-tert-butyl-N-(3-chloro-4-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(86) 2-tert-butyl-N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-1H-benzimidazole-4-carboxamide,

(87) 2-tert-butyl-N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-1H-benzimidazole-4-carboxamide,

(88) N-(3-chloro-2-methylphenyl)-2-[1-(trifluoromethyl)cyclopropyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(89) N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(90) N-(2-chlorobenzyl)-2-(methoxymethyl)-1-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(91) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(92) 6-{[(2-chloro-4-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-methoxymethyl-1H-benzimidazole-4-carboxamide,

(93) 6-{[(2-chloro-5-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(94) N-(3-chloro-2-methylphenyl)-6-{[(2-chlorophenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(95) N-(3-chloro-2-methylphenyl)-6-{[(2-chloropyridin-3-yl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(96) 6-{[(2-bromophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(97) N-(3-chloro-2-methylphenyl)-6-{[(2,6-dichlorophenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(98) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(99) 6-{[(2-chloro-3-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(100) 6-{[(2-chloro-3,6-difluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(101) 6-{[(2-bromo-6-chlorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(102) 6-{[(2-bromo-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(103) N-(3-chloro-2-methylphenyl)-6-{[(2-chloro-6-methylphenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(104) N-(3-chloro-2-methylphenyl)-6-{[(2-chloro-4-methylphenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(105) 6-{[(5-bromo-2-chlorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(106) 6-{[(2-bromo-5-chlorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(107) N-(3-chloro-2-methylphenyl)-6-{[(2-chloro-5-methylphenyl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(108) N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[5-methyl-2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(109) 6-({[2,5-bis(trifluoromethyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(110) 6-({[2,4-bis(trifluoromethyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(111) N-(3-chloro-2-methylphenyl)-6-({[5-fluoro-2-(trifluoromethyl)phenyl]carbonyl}amino)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(112) N-(3-chloro-2-methylphenyl)-6-({[2-chloro-6-(trifluoromethyl)phenyl]carbonyl}amino)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(113) N-(3-chloro-2-methylphenyl)-6-[({2-chloro-5-[2-(propan-2-yloxy)ethoxy]phenyl}carbonyl)amino]-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(114) 6-({[2-chloro-5-(2-ethoxyethoxy)phenyl]carbonyl}amino)-N-(3-chloro-2-

methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(115) 6-({[2-chloro-5-(3-methoxypropyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(116) 6-({[5-(3-tert-butoxyprop-1-yn-1-yl)-2-chlorophenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(117) 6-({[5-(3-tert-butoxypropyl)-2-chlorophenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(118) 6-({[2-chloro-5-(3-hydroxy-3-methylbutyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(119) 6-({[2-chloro-5-(ethoxymethyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(120) 6-[({2-chloro-5-[(2-ethoxyethoxy)methyl]phenyl}carbonyl)amino]-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(121) 6-({[2-chloro-5-(2-cyclopropylethyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(122) N-(3-chloro-2-methylphenyl)-6-({[2-chloro-5-(2-phenylethyl)phenyl]carbonyl}amino)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(123) N-(3-chloro-2-methylphenyl)-2-cyclopentyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(124) N-(3-chloro-2-methylphenyl)-2-cyclopentyl-6-{[(2,5-dichlorophenyl)carbonyl]amino}-1H-benzimidazole-4-carboxamide,

(125) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-cyclopentyl-1H-benzimidazole-4-carboxamide,

(126) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-[(2R)-tetrahydrofuran-2-yl]-1H-benzimidazole-4-carboxamide,

(127) N-(3-chloro-2-methylphenyl)-6-{[(2,6-dichlorophenyl)carbonyl]amino}-2-[(2R)-tetrahydrofuran-2-yl]-1H-benzimidazole-4-carboxamide,

(128) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-[(2R)-tetrahydrofuran-2-yl]-1H-benzimidazole-4-carboxamide,

(129) N-(3-chloro-2-methylphenyl)-2-[(2S)-5-oxopyrrolidin-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(130) N-(3-chloro-2-methylphenyl)-2-[(2R)-5-oxopyrrolidin-2-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(131) N-(3-chloro-2-methylphenyl)-2-[2-oxo-2-(pyrrolidin-1-yl)ethyl]-6-({[2-

(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(132) N-(3-chloro-2-methylphenyl)-2-[2-(dimethylamino)-2-oxoethyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(133) N-(3-chloro-2-methylphenyl)-2-[2-(methylamino)-2-oxoethyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(134) 2-chloro-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(135) N-(3-chloro-2-methylphenyl)-2-[(2-methoxyethyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(136) N-(3-chloro-2-methylphenyl)-2-[(2-hydroxyethyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(137) N-(3-chloro-2-methylphenyl)-2-(methylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(138) N-(3-chloro-2-methylphenyl)-2-(ethylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(139) N-(3-chloro-2-methylphenyl)-2-[(2,2-dimethylpropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(140) N-(3-chloro-2-methylphenyl)-2-(cyclopentylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(141) N-(3-chloro-2-methylphenyl)-2-(piperidin-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(142) N-(3-chloro-2-methylphenyl)-2-(4-methylpiperazin-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(143) 2-[bis(2-hydroxyethyl)amino]-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(144) N-(3-chloro-2-methylphenyl)-2-(dimethylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(145) N-(3-chloro-2-methylphenyl)-2-{[2-(morpholin-4-yl)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(146) N-(3-chloro-2-methylphenyl)-2-{[2-(dimethylamino)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(147) N-(3-chloro-2-methylphenyl)-2-(3-hydroxyazetidin-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(148) N-(3-chloro-2-methylphenyl)-2-[(3S)-3-(dimethylamino)pyrrolidin-1-yl]-6-

({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(149) N-(3-chloro-2-methylphenyl)-2-[(3S)-3-hydroxypyrrolidin-1-yl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(150) N-(3-chloro-2-methylphenyl)-2-{[2-(diethylamino)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(151) N-(3-chloro-2-methylphenyl)-2-{[2-(pyrrolidin-1-yl)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(152) N-(3-chloro-2-methylphenyl)-2-{[3-(dimethylamino)propyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(153) N-(3-chloro-2-methylphenyl)-2-{[3-(dimethylamino)-2,2-dimethylpropyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(154) N-(3-chloro-2-methylphenyl)-2-{[2-(dipropan-2-ylamino)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(155) N-(3-chloro-2-methylphenyl)-2-(morpholin-4-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(156) 2-amino-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(157) N-(3-chloro-2-methylphenyl)-2-[(3-hydroxy-2,2-dimethylpropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(158) N-(3-chloro-2-methylphenyl)-2-{[(3-methyloxetan-3-yl)methyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(159) tert-butyl N-{4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}glycinate,

(160) N-{4-[(3-chloro-2-methylphenyl)carbamoyl]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazol-2-yl}glycine,

(161) N-(3-chloro-2-methylphenyl)-2-[(3-hydroxy-2,2-dimethylpropyl)amino]-1-methyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(162) N-(3-chloro-2-methylphenyl)-2-[(3-methoxy-2,2-dimethylpropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(163) N-(3-chloro-2-methylphenyl)-2-(pyrrolidin-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(164) 2-(azetidin-1-yl)-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(165) N-(3-chloro-2-methylphenyl)-2-(3-methoxyazetidin-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(166) N-(3-chloro-2-methylphenyl)-2-[(2-hydroxy-2-methylpropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(167) N-(3-chloro-2-methylphenyl)-2-{[(2S)-tetrahydrofuran-2-ylmethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(168) N-(3-chloro-2-methylphenyl)-2-{[(2R)-tetrahydrofuran-2-ylmethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(169) N-(3-chloro-2-methylphenyl)-2-{[(2S)-1-hydroxy-3-methylbutan-2-yl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(170) N-(3-chloro-2-methylphenyl)-2-{[(2R)-1-hydroxy-3-methylbutan-2-yl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(171) N-(3-chloro-2-methylphenyl)-2-{[(2S)-1-hydroxy-3,3-dimethylbutan-2-yl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(172) N-(3-chloro-2-methylphenyl)-2-[(3-methoxy-2,2-dimethylpropyl)(methyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(173) N-(3-chloro-2-methylphenyl)-2-[(3-methoxypropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(174) N-(3-chloro-2-methylphenyl)-2-{[2-(propan-2-yloxy)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(175) 2-[(2-tert-butoxyethyl)amino]-N-(3-chloro-2-methylphenyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(176) N-(3-chloro-2-methylphenyl)-2-[(2-methoxy-2-methylpropyl)amino]-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(177) N-(3-chloro-2-methylphenyl)-2-{[2-(methylsulfanyl)ethyl]amino}-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(178) N-(3-chloro-2-methylphenyl)-2-(methylsulfanyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(179) N-(3-chloro-2-methylphenyl)-2-(methylsulfonyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(180) N-(3-chloro-2-methylphenyl)-2-(methylsulfinyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(181) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(182) N-(3-chloro-2-methylphenyl)-6-{[(2,6-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(183) N-(3-chloro-2-methylphenyl)-6-{[(2,4-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(184) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(185) 6-{[(2-bromo-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(186) 6-{[(2-bromo-6-chlorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(187) 6-({[2-chloro-5-(cyclopropylethynyl)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(188) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-[(3-hydroxy-2,2-dimethylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(189) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-[(3-methoxy-2,2-dimethylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(190) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-[(2-hydroxy-2-methylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(191) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-[(2-methoxy-2-methylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(192) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-{[2-(propan-2-yloxy)ethyl]amino}-1H-benzimidazole-4-carboxamide,

(193) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-{[2-(propan-2-yloxy)ethyl]amino}-1H-benzimidazole-4-carboxamide,

(194) 2-[(2-tert-butoxyethyl)amino]-6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-1H-benzimidazole-4-carboxamide,

(195) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-[(3-methoxy-2,2-dimethylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(196) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-

2-[(2-methoxy-2-methylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(197) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-{[(2S)-tetrahydrofuran-2-ylmethyl]amino}-1H-benzimidazole-4-carboxamide,

(198) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-{[(2R)-tetrahydrofuran-2-ylmethyl]amino}-1H-benzimidazole-4-carboxamide,

(199) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-[(3-hydroxy-2,2-dimethylpropyl)amino]-1H-benzimidazole-4-carboxamide,

(200) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-{[(2S)-1-hydroxy-3-methylbutan-2-yl]amino}-1H-benzimidazole-4-carboxamide,

(201) N-(3-chloro-4-methylphenyl)-2-(dimethylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(202) N-(4-tert-butylphenyl)-2-(dimethylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(203) N-(2,3-dihydro-1H-inden-5-yl)-2-(dimethylamino)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(204) 6-{[(2-chloro-6-fluorophenyl)carbonyl]amino}-N-(3-chloro-4-methylphenyl)-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(205) N-(3-chloro-4-methylphenyl)-6-{[(2,6-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(206) N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

(207) N-(3-chloro-2-methylphenyl)-2-cyclopropyl-6-{[(2,5-dichlorophenyl)carbonyl]amino}-1H-benzimidazole-4-carboxamide,

(208) N-(3-chloro-4-methylphenyl)-2-cyclopropyl-6-{[(2,5-dichlorophenyl)carbonyl]amino}-1H-benzimidazole-4-carboxamide,

(209) N-(3-chloro-2-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(1-methylcyclopropyl)-1H-benzimidazole-4-carboxamide,

(210) N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(1-methylcyclopropyl)-1H-benzimidazole-4-carboxamide,

(211) N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(methylsulfonyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(212) N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(2-methoxyethyl)-1H-benzimidazole-4-carboxamide,

(213) 2-(methoxymethyl)-N-phenyl-6-({[2-

(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(214) 2-(methoxymethyl)-N-propyl-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(215) 2-(methoxymethyl)-N-(pyridin-3-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(216) N-benzyl-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(217) N-(cyclohexylmethyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(218) 2-(methoxymethyl)-N-(naphthalen-1-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(219) 2-(methoxymethyl)-N-(thiophen-3-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(220) N-(2,1,3-benzothiadiazol-4-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(221) N-(1,1-dioxido-1-benzothiophen-6-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(222) 2-(methoxymethyl)-N-(thiophen-2-ylmethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(223) N-(1H-indol-5-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(224) N-(1,3-benzothiazol-2-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(225) N-(2,2-dimethylpropyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(226) 2-(methoxymethyl)-N-(thiophen-2-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(227) N-(5-chloro-1,3-benzoxazol-2-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(228) N-(2-benzylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(229) 2-(methoxymethyl)-N-(quinolin-8-yl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(230) N-(cycloheptylmethyl)-2-(methoxymethyl)-6-({[2-

(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(231) N-(1,3-benzoxazol-2-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(232) N-(6-chloro-1,3-benzoxazol-2-yl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(233) N-[3-chloro-2-(hydroxymethyl)phenyl]-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

(234) N-(3-chloro-2-methylphenyl)-6-{[(3-fluoropyridin-2-yl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(235) N-(3-chloro-2-methylphenyl)-6-{[(3-chloropyridin-4-yl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(236) N-(3-chloro-2-methylphenyl)-6-{[(3,5-dichloropyridin-4-yl)carbonyl]amino}-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(237) 6-{[(5-butoxy-2-chlorophenyl)carbonyl]amino}-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

(238) 6-({[2-chloro-5-(2,2-difluoroethoxy)phenyl]carbonyl}amino)-N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide, and

(239) N-(3-chloro-2-methylphenyl)-6-({[2-chloro-5-(4,4,4-trifluorobutoxy)phenyl]carbonyl}amino)-2-(methoxymethyl)-1H-benzimidazole-4-carboxamide,

or a tautomer thereof, or a pharmaceutically acceptable salt thereof

[Clam 9] The prophylactic and/or therapeutic agent for chronic prostatitis/chronic pelvic pain syndrome according to any one of claims 2 to 8,

wherein the mPGES-1 inhibitor is a compound selected from the group consisting of:

N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide hydrochloride,

N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide methanesulfonate,

N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-

(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide 4-methylbenzenesulfonate,

N-(3-chloro-2-methylphenyl)-2-(methoxymethyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide sulfate,

N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide,

N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide hydrochloride,

N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide methanesulfonate,

N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide 4-methylbenzenesulfonate,

N-(3-chloro-2-methylphenyl)-2-(1-methylcyclopropyl)-6-({[2-(trifluoromethyl)phenyl]carbonyl}amino)-1H-benzimidazole-4-carboxamide sulfate,

N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide,

N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide hydrochloride,

N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide methanesulfonate,

N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide 4-methylbenzenesulfonate, and

N-(3-chloro-4-methylphenyl)-6-{[(2,5-dichlorophenyl)carbonyl]amino}-2-(dimethylamino)-1H-benzimidazole-4-carboxamide sulfate,

or a tautomer thereof, or a pharmaceutically acceptable salt thereof.

[Claim 10] A pharmaceutical composition for use in prevention and/or treatment of chronic prostatitis/chronic pelvic pain syndrome, the pharmaceutical composition containing an mPGES-1 inhibitor and a pharmaceutically acceptable carrier thereof.

[Claim 11] An mPGES-1 inhibitor for use in prevention and/or treatment of chronic prostatitis/chronic pelvic pain syndrome.

[Claim 12] Use of an mPGES-1 inhibitor for the manufacture of a medicine for prevention and/or treatment of chronic prostatitis/chronic pelvic pain syndrome.