

(12) 特許協力条約に基づいて公開された国際出願

(19) 世界知的所有権機関
国際事務局

(43) 国際公開日
2022年5月19日(19.05.2022)




(10) 国際公開番号

WO 2022/102328 A1

- (51) 国際特許分類:
A01G 22/05 (2018.01) A01G 7/02 (2006.01)
A01G 7/00 (2006.01) A01G 31/00 (2018.01)
- (21) 国際出願番号: PCT/JP2021/037933
- (22) 国際出願日: 2021年10月13日(13.10.2021)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:
特願 2020-190528 2020年11月16日(16.11.2020) JP
- (71) 出願人: 富士フイルム株式会社 (FUJIFILM CORPORATION) [JP/JP]; 〒1068620 東京都港区西麻布2丁目2番30号 Tokyo (JP).
- (72) 発明者: 細川 隆史 (HOSOKAWA, Takafumi); 〒2588577 神奈川県足柄上郡開成町牛島577番地 富士フイルム株式会社内 Kanagawa (JP).
- (74) 代理人: 特許業務法人太陽国際特許事務所 (TAIYO, NAKAJIMA & KATO); 〒1600022 東京都新宿区新宿4丁目3番17号 Tokyo (JP).
- (81) 指定国(表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, IT, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.
- (84) 指定国(表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, RU, TJ, TM), ヨーロッパ (AL, AT, BE, BG, CH, CY, CZ,

(54) Title: TOMATO PLANT, TOMATO FRUIT, AND METHOD FOR CULTIVATING TOMATO PLANT

(54) 発明の名称: トマト植物体、トマト果実及びトマト植物体の栽培方法



(57) Abstract: The present invention provides: a tomato plant that satisfies expression (1); and applications thereof. (1): $6.0 \leq L/X \leq 30.0$. In the expression, if the tomato plant has no side branch, L is the length, in centimeters, from the planting ground surface to the shoot apex of the main branch, and X is the sum of the number of flower clusters and the number of fruit clusters of the main branch; and if the tomato plant has a side branch, L is the length, in centimeters, from the planting ground surface to the shoot apex of the main branch or the side branch, and X is the sum of the number of flower clusters and the number of fruit clusters of the main branch or the side branch. X is an integer of 2 or greater.

(57) 要約: 式(1)を満たす、トマト植物体、及びその応用。 $6.0 \leq L/X \leq 30.0$ 。式(1)式中、上記トマト植物体が、側枝を有しない場合、Lは、植面から、主枝の生長点までのcm単位の長さを表し、且つXは、上記主枝が有する花房及び果房の数の和を表し、上記トマト植物体が、側枝を有する場合、Lは、植面から、1本の主枝又は側枝の生長点までのcm単位の長さを表し、且つXは、上記1本の主枝又は側枝が有する花房及び果房の数の和を表す。但し、Xは2以上の整数。

[続葉有]

DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT,
LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS,
SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

添付公開書類：

一 国際調査報告（条約第21条(3)）