
CLAIMS

1. A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt thereof wherein:

A is NR^1 or CR^2R^3;

R^1 and R^2 are each, independently H, (C_3-C_6)cycloalkyl, or (C_6-C_{10})aryl, wherein the (C_6-C_{10})aryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, (C_1-C_6)alkyl and (C_3-C_6)cycloalkyl;

R^3 is H or (C_1-C_6)alkyl;

R^4 is (C_6-C_{10})aryl or a 5- or 6-membered heteroaryl comprising 1, 2, 3, or 4 heteroatoms selected from N, O, and S, wherein the (C_6-C_{10})aryl or the 5- or 6-membered heteroaryl are each optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, oxo, (C_1-C_6)alkyl, (C_1-C_6)haloalkyl, (C_3-C_6)cycloalkyl, (C_3-C_6)cycloalkyl-(C_1-C_6)alkyl, and (C_1-C_6)alkyl(C_3-C_6)cycloalkyl;

R^5 is NR^8R^9;

R^6 is selected from H, (C_1-C_6)alkyl, (C_3-C_6)cycloalkyl, and (C_3-C_6)cycloalkyl-(C_1-C_6)alkyl;

R^7 is (C_3-C_6)cycloalkyl or (C_6-C_{10})aryl, wherein the (C_3-C_6)cycloalkyl and (C_6-C_{10})aryl are each optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, –CO_2H, and HO_2C-(C_1-C_6)alkyl;

R^8 and R^9 are each, independently H, (C_1-C_6)alkyl or a 3- to 6-membered heterocycle comprising 1 to 3 heteroatoms selected from N, O, and S; or

R^8 and R^9 together with the N to which they are bound form a 3- to 10-membered heterocycle optionally comprising 1 or 2 additional heteroatoms selected from N, O, and S, wherein the 3- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, (C_1-C_6)alkyl, (C_1-C_6)haloalkyl, (C_3-C_6)cycloalkyl-(C_1-C_6)alkyl, (C_3-C_6)cycloalkyl, (C_1-C_6)alkyl-O-(C_1-C_6)alkyl, (C_1-

C_6)hydroxyalkyl, (C_1-C_6)alkoxy, and a 3- to 7-membered heterocycle comprising 1 to 2 heteroatoms selected from N, O, and S; and


R^a, R^b, R^c, and R^d are each, independently H or (C_1-C_6)alkyl.


2. The compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein A is NR^1 and R^1 is (C_3-C_6)cycloalkyl or (C_6-C_{10})aryl, wherein the (C_6-C_{10})aryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, (C_1-C_6)alkyl and (C_3-C_6)cycloalkyl.

3. The compound of claim 1 or claim 2 or a pharmaceutically acceptable salt thereof, wherein A is NR^1 and R^1 is (C_6-C_{10})aryl which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, (C_1-C_6)alkyl and (C_3-C_6)cycloalkyl.

4. The compound of any one of claims 1 to 3 or a pharmaceutically acceptable salt thereof, wherein A is NR^1 and R^1 is (C_6-C_{10})aryl which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo and -CN.

5. The compound of any one of claims 1 to 4 or a pharmaceutically acceptable salt thereof, wherein A is NR^1 and R^1 is phenyl which is optionally substituted with 1 or 2 substituents independently selected from halo and -CN.


6. The compound of claim 1 or claim 2 or a pharmaceutically acceptable salt thereof, wherein A is NR^1 and R^1 is selected from 

, and .

7. The compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein A is CR^2R^3 and R^2 is (C_6-C_{10})aryl, which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, -CO_2H, (C_1-C_6)alkyl and (C_3-C_6)cycloalkyl.

8. The compound of claim 1 or claim 7 or a pharmaceutically acceptable salt thereof, wherein A is CR^2R^3 and R^2 is (C_6-C_{10})aryl, which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo.

9. The compound of any one of claims 1, 7, and 8 or a pharmaceutically acceptable salt thereof, wherein A is CR^2R^3 and R^2 is phenyl which is optionally substituted with 1 or 2 substituents independently selected from halo.

10. The compound of any one of claims 1 and 7 to 9 or a pharmaceutically acceptable salt thereof, wherein A is CR^2R^3 and R^2 is selected from , and .

11. The compound of any one of claims 1 and 7 to 10 or a pharmaceutically acceptable salt thereof, wherein A is CR^2R^3 and R^3 is selected from H and $–CH_3$.


12. The compound of any one of claims 1 to 11 or a pharmaceutically acceptable salt thereof, wherein R^4 is $(C_6\text{-}C_{10})$aryl or a 5- or 6-membered heteroaryl comprising 1, 2, 3, or 4 heteroatoms selected from N, O, and S, wherein the $(C_6\text{-}C_{10})$aryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, $-CO_2H$, and $(C_1\text{-}C_6)$alkyl and the 5- or 6-membered heteroaryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, $-CO_2H$, oxo, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$haloalkyl, $(C_3\text{-}C_6)$cycloalkyl, $(C_3\text{-}C_6)$cycloalkyl-$(C_1\text{-}C_6)$alkyl, and $(C_1\text{-}C_6)$alkyl$(C_3\text{-}C_6)$cycloalkyl.

13. The compound of any one of claims 1 to 12 or a pharmaceutically acceptable salt thereof, wherein R^4 is $(C_6\text{-}C_{10})$aryl or a 5- or 6-membered heteroaryl comprising 1 to 2 heteroatoms selected from N and S, wherein the $(C_6\text{-}C_{10})$aryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo and $(C_1\text{-}C_6)$alkyl and the 5- or 6-membered heteroaryl is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from oxo, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$haloalkyl, $(C_3\text{-}C_6)$cycloalkyl, and $(C_3\text{-}C_6)$cycloalkyl-$(C_1\text{-}C_6)$alkyl.

14. The compound of any one of claims 1 to 13 or a pharmaceutically acceptable salt thereof, wherein R^4 is a 5- or 6-membered heteroaryl comprising 1 to 2 heteroatoms selected from N and S, which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from oxo, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$haloalkyl, $(C_3\text{-}C_6)$cycloalkyl, and $(C_3\text{-}C_6)$cycloalkyl-$(C_1\text{-}C_6)$alkyl.

15. The compound of any one of claims 1 to 14 or a pharmaceutically acceptable salt thereof, wherein R^4 is a 5-membered heteroaryl comprising 1 to 2 heteroatoms selected from N and S, which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from oxo, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$fluoroalkyl, $(C_3\text{-}C_6)$cycloalkyl, and $(C_3\text{-}C_6)$cycloalkyl-$(C_1\text{-}C_6)$alkyl.

16. The compound of any one of claims 1 to 13 or a pharmaceutically acceptable salt thereof, wherein R^4 is (C_6-C_{10})aryl, which is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo.

17. The compound of any one of claims 1 to 13 or a pharmaceutically acceptable salt thereof, wherein R^4 is selected from , and .

18. The compound of any one of claims 1 to 17 or a pharmaceutically acceptable salt thereof, wherein in R^5 is NR^8R^9 and R^8 and R^9 together with the N to which they are bound form a 3- to 10-membered heterocycle optionally comprising 1 or 2 additional heteroatoms selected from N, O, and S, wherein the 3- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, $-CO_2H$, (C_1-C_6)alkyl, (C_1-C_6)haloalkyl, (C_3-C_6)cycloalkyl-(C_1-C_6)alkyl, (C_3-C_6)cycloalkyl, (C_1-C_6)alkyl-O-(C_1-C_6)alkyl, (C_1-C_6)hydroxyalkyl, (C_1-C_6)alkoxy, and a 3- to 7-membered heterocycle comprising 1 to 2 heteroatoms selected from N, O, and S.



19. The compound of any one of claims 1 to 18 or a pharmaceutically acceptable salt thereof, wherein R^5 is NR^8R^9 and R^8 and R^9 together with the N which they are bound form a 3- to 10-membered heterocycle optionally comprising 1 to 2 additional O heteroatoms, wherein the 3- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -CN, -OH, $-CO_2H$, (C_1-C_6)alkyl, (C_1-C_6)haloalkyl, (C_3-C_6)cycloalkyl-(C_1-C_6)alkyl, (C_3-C_6)cycloalkyl, (C_1-C_6)alkyl-O-(C_1-C_6)alkyl, (C_1-C_6)hydroxyalkyl, (C_1-C_6)alkoxy, and a 3- to 7-membered heterocycle comprising 1 to 2 heteroatoms selected from N, O, and S.


20. The compound of any one of claims 1 to 19 or a pharmaceutically acceptable salt thereof, wherein R^5 is NR^8R^9 and R^8 and R^9 together with the N to which they are bound form a 3- to 10-membered heterocycle optionally comprising 1 to 2 additional O heteroatoms, wherein the 3- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -OH, $(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$haloalkyl, $(C_3$-$C_6)$cycloalkyl, $(C_1$-$C_6)$alkyl-O-$(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$hydroxyalkyl, $(C_1$-$C_6)$alkoxy, and a 3- to 7-membered heterocycle comprising a heteroatom selected from N, O, and S.

21. The compound of any one of claims 1 to 20 or a pharmaceutically acceptable salt thereof, wherein R^5 is NR^8R^9 and R^8 and R^9 together with the N to which they are bound form a 5- to 10-membered heterocycle optionally comprising 1 to 2 additional O heteroatoms, wherein the 5- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, -OH, $(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$haloalkyl, $(C_3$-$C_6)$cycloalkyl, $(C_1$-$C_6)$alkyl-O-$(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$hydroxyalkyl, $(C_1$-$C_6)$alkoxy, and a 3- to 7-membered heterocycle comprising a heteroatom selected from N and O.

22. The compound according to claim 21 or a pharmaceutically acceptable salt thereof, wherein the 5- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from fluoro, -OH, $(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$fluoroalkyl, CH_3O-$(C_1$-$C_6)$alkyl, $(C_1$-$C_6)$hydroxyalkyl, and a 5-membered heterocycle comprising a heteroatom selected from O.

23. The compound according to claim 21 or claim 22 or a pharmaceutically acceptable salt thereof, wherein the 5- to 10-membered heterocycle is optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from fluoro, -OH, $-CH_3$, $-CH_2F$, CF_2H, $-CH_2CH_3$, $-CH_2OH$, $-OCH_3$, and $-CH_2OCH_3$.


24. The compound of any one of claims 1 to 23 or a pharmaceutically acceptable salt thereof, wherein R^5 is selected from 




25. The compound of any one of claims 1 to 17 or a pharmaceutically acceptable salt thereof, wherein R^5 is NR^8R^9 and R^8 is selected from H and $(C_1\text{-}C_6)$alkyl.

26. The compound of any one of claims 1 to 17 and 25 or a pharmaceutically acceptable salt thereof, wherein R^5 is NR^8R^9 and R^9 is selected from H, $(C_1\text{-}C_6)$alkyl, and a 3- to 6-membered heterocycle comprising an O heteroatom.







27. A compound of any one of claims 1 to 26 or a pharmaceutically acceptable salt thereof, wherein R^6 is selected from selected from $(C_1\text{-}C_4)$alkyl, $(C_3\text{-}C_5)$cycloalkyl, and $(C_3\text{-}C_5)$cycloalkyl-$(C_1\text{-}C_4)$alkyl.

28. The compound of any one of claims 1 to 27 or a pharmaceutically acceptable salt thereof, wherein R^6 is selected from, -CH_3, –CH_2CH_3, , and .

29. The compound of any one of claims 1 to 28 or a pharmaceutically acceptable salt thereof, wherein R^7 is selected from $(C_3\text{-}C_6)$cycloalkyl or $(C_6\text{-}C_{10})$aryl, wherein the $(C_3\text{-}C_6)$cycloalkyl and $(C_6\text{-}C_{10})$aryl are each optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, –CO_2H, and –CH_2CO_2H.

30. The compound of any one of claims 1 to 28 or a pharmaceutically acceptable salt thereof, wherein R^7 is selected from $(C_5$-$C_6)$cycloalkyl or $(C_6$-$C_{10})$aryl, wherein the $(C_5$-$C_6)$cycloalkyl and $(C_6$-$C_{10})$aryl are each optionally substituted with one or more (e.g., 1, 2, 3, 4, or 5) substituents independently selected from halo, $–CO_2H$, and $–CH_2CO_2H$.

31. The compound of any one of claims 1 to 28 or a pharmaceutically acceptable salt thereof, wherein R^7 is selected from $(C_5$-$C_6)$cycloalkyl or $(C_6$-$C_{10})$aryl, wherein the $(C_5$-$C_6)$cycloalkyl and $(C_6$-$C_{10})$aryl are each optionally substituted with 1 or 2 substituents independently selected from fluoro, $–CO_2H$, and $–CH_2CO_2H$.

32. The compound of any one of claims 1 to 31 or a pharmaceutically acceptable salt thereof, wherein R^7 is selected from , , , , , and .

33. The compound of any one of claims 1 to 32 or a pharmaceutically acceptable salt thereof, wherein R^a, R^b, R^c, and R^d are each, independently H or $–CH_3$.

34. The compound of any one of claims 1 to 32 or a pharmaceutically acceptable salt thereof, wherein R^a is H.

35. The compound of any one of claims 1 to 32 or a pharmaceutically acceptable salt thereof, wherein R^b and R^c are each H.

36. The compound of any one of claims 1 to 32 or a pharmaceutically acceptable salt thereof, wherein R^d is $–CH_3$.

37. A compound or a pharmaceutically acceptable salt thereof selected from 3-((R)-1-(((R)-4-(((R)-2-(azepan-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(azepan-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((S)-2-(azepan-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(4-fluorophenyl)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(methyl((R)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid ;
(1R,4r)-4-((R)-1-(((S)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(4-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-2-((S)-3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-6-(4-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1,5-dimethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(2-fluorophenyl)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1S,4r)-1-fluoro-4-((S)-1-(methyl((S)-4-(((S)-1-(1-methyl-1H-pyrazol-4-yl)-2-((R)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-isopropyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(2,4-dimethylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(4-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(4-methylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

3-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

3-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(4-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-2-((S)-3-(methoxymethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

3-((S)-1-(((S)-4-(((R)-2-((R)-3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((S)-6-(3-fluorophenyl)-4-(((R)-1-phenyl-2-(piperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1R,3R,5R,7R)-2-azaadamantan-2-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
2-((1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexyl)acetic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-2-(9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(2-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((S)-1-(((R)-4-(((R)-2-((S)-3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
3-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-4-(((R)-1-(1,5-dimethyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-cyclopropyl(((R)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)methyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(2-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((S)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(azepan-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((S)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-(difluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((3S,5R)-3,5-dimethylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(2-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(4-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((R)-2-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
2-((1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexyl)acetic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((1S)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(7-azabicyclo[2.2.1]heptan-7-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-methyl-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((5R,7R)-2-azaadamantan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((R)-2-((S)-3-(hydroxymethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((S)-2-((S)-3-methylpiperidin-1-yl)-1-(4-methylthiazol-5-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
3-(1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)-1l3-propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((S)-6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

3-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(2-methylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(3-azabicyclo[4.1.0]heptan-3-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((1R,5S)-3-hydroxy-9-azabicyclo[3.3.1]nonan-9-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-((4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(4-fluorophenyl)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(2-methylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1S,4s)-1-fluoro-4-((R)-1-(methyl((R)-4-(((S)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-(methoxymethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((R)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-(4-fluorophenyl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1,5-dimethyl-1H-pyrazol-3-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

3-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1,5-dimethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((R)-2-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-(hydroxymethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(azepan-1-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(3,3-dimethylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((R)-2-ethylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-cyclopropyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1R,3R,5R,7R)-2-azaadamantan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(3-fluorophenyl)-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-isopropyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((S)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1,3-dimethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((R)-2-(hydroxymethyl)piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-3-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(2-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-((1-(1-(fluoromethyl)-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(2-oxa-7-azaspiro[4.5]decan-7-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(4-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(2,4-dimethylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-((1R,5S)-3-hydroxy-9-azabicyclo[3.3.1]nonan-9-yl)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(4-methylthiazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((S)-1-(4-methylthiazol-5-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((S)-6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((S)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((1R,5S)-3-hydroxy-9-azabicyclo[3.3.1]nonan-9-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((S)-1-(2-methylthiazol-5-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-cyclopropyl(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)methyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(4-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1R,4S)-2-azabicyclo[2.2.1]heptan-2-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-2-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((R)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(6-azaspiro[3.5]nonan-6-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic aci;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(2-methylthiazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-hydroxypiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1S,4r)-4-((S)-1-(((S)-6-(3-fluorophenyl)-6-methyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((R)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-isopropyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)(cyclopropyl)methyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-methoxypiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((S)-2-(hydroxymethyl)piperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(4,4-difluoroazepan-1-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-((1R,5S)-6-hydroxy-3-azabicyclo[3.1.1]heptan-3-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-2-cyclopropyl-1-((6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)cyclohexane-1-carboxylic acid;
3-(1-(((R)-4-(((S)-1-(1,3-dimethyl-1H-pyrazol-5-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)-1l3-propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((S)-6-(2-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(4-fluoropiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(3-fluoro-3-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(4-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-(cyclopropylmethyl)-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-6-oxo-1,6-dihydropyridin-3-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((R)-2-(hydroxymethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(4,4-difluoroazepan-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(4-methoxypiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-cyclohexyl-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-ethyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)benzoic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(4-hydroxypiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
3-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((S)-1-(1-methyl-1H-pyrazol-5-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;

(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(3-fluoropiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(3-fluorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1S,4r)-4-((1S)-1-((6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)cyclohexane-1-carboxylic acid;
4-((R)-1-(((R)-6-phenyl-4-(((R)-1-phenyl-2-(pyrrolidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)benzoic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(2-azabicyclo[2.2.1]heptan-2-yl)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-(3-fluorophenyl)-4-(((S)-1-(1-methyl-1H-pyrazol-5-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-(2-oxa-7-azaspiro[4.5]decan-7-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-1-(1-ethyl-1H-pyrazol-4-yl)-2-((S)-3-hydroxypiperidin-1-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1S)-2-(8-azabicyclo[3.2.1]octan-8-yl)-1-(1-methyl-1H-pyrazol-5-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-(dimethylamino)-1-phenylethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-6-phenyl-4-(((R)-1-phenyl-2-((tetrahydro-2H-pyran-4-yl)amino)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-6-phenyl-4-(((R)-2-(piperidin-1-yl)-1-(1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)ethyl)amino)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
4-((R)-1-(((R)-4-(((R)-2-((1S,5S)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)-2-fluorobenzoic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1R,5S)-3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-((6-(3-chlorophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
4-((R)-1-(((R)-4-(((R)-1-(1-isopropyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)ethyl)benzoic acid;
3-((R)-1-(((R)-4-(((S)-2-((1R,5R)-9-azabicyclo[3.3.1]nonan-9-yl)-1-(1-methyl-1H-pyrazol-5-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)bicyclo[1.1.1]pentane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-2-methyl-1-(1-methyl-1H-pyrazol-4-yl)-2-(piperidin-1-yl)propyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-((6-(3-cyanophenyl)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-5,6,7,8-tetrahydropyrido[4,3-d]pyrimidin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((1R)-1-(((6R)-4-(((1R)-2-(3-(fluoromethyl)piperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-(3-fluorophenyl)-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1R,6S)-2-azabicyclo[4.1.0]heptan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((1S,6R)-2-azabicyclo[4.1.0]heptan-2-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((R)-3-ethyl-3-hydroxypiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((3R,4R)-4-hydroxy-3-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(methyl((R)-4-(((R)-1-(1-methyl-1H-pyrazol-4-yl)-2-(5-azaspiro[2.5]octan-5-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)amino)propyl)cyclohexane-1-carboxylic acid
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((R)-3-methoxypyrrolidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;

(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((R)-3-hydroxy-3-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((3R,5R)-3-methoxy-5-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((3S,5S)-3-methoxy-5-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid;
(1R,4r)-4-((R)-1-(((R)-4-(((S)-1-(3-fluoro-1-methyl-1H-pyrazol-4-yl)-2-((S)-3-methylpiperidin-1-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid; and
(1R,4r)-4-((R)-1-(((R)-4-(((R)-2-((S)-3-hydroxy-3-methylpiperidin-1-yl)-1-(1-methyl-1H-pyrazol-4-yl)ethyl)amino)-6-phenyl-5,6,7,8-tetrahydroquinazolin-2-yl)(methyl)amino)propyl)cyclohexane-1-carboxylic acid.

38. A pharmaceutical composition comprising a compound according to any one of claims 1 to 37 or a pharmaceutically acceptable salt thereof and one or more (e.g., 1, 2, 3, 4, or 5) pharmaceutically acceptable carriers.

39. The pharmaceutical composition of claim 38, further comprising at least one additional pharmaceutically active agent.

40. The pharmaceutical composition of claim 39, wherein the additional pharmaceutically active agent is selected from an ACE (angiotensin-converting-enzyme) inhibitor, an angiotensin receptor blocker (ARB), a neprilysin inhibitor, a beta blocker, a diuretic, a calcium channel blocker, a cardiac glycoside, a sodium-glucose co-transporter 2 inhibitor (SGLT2i), an angiotensin receptor-neprilysin inhibitor (ARNi), a corticosteroid, a leukotriene modifier, a bronchodilator, a beta-adrenoceptor antagonist, a carbonic anhydrase inhibitor, an alpha 2-adrenoceptor agonist, a parasympathomimetic, a prostaglandin analog, a rho kinase inhibitor, and combinations thereof.

41. The compound according to any one of the claims 1 to 37 or a pharmaceutically acceptable salt thereof or the pharmaceutical composition of any one of claims 38 to 40 for use in therapy.

42. Use of the compound according to any one of the claims 1 to 37 or a pharmaceutically acceptable salt thereof or the pharmaceutical composition of any one of claims 38 to 40 in the manufacture of a

medicament for the treatment or prevention of a disease or disorder, wherein the disease or disorder is a cardiovascular disease or disorder.

43. The use of claim 42, wherein the cardiovascular disease or disorder is selected from hypertension, peripheral vascular disease, heart failure, coronary artery disease (CAD), ischemic heart disease (IHD), mitral stenosis and regurgitation, angina, hypertrophic cardiomyopathy, diabetic cardiomyopathy, supraventricular and ventricular arrhythmias, cardiac dysrhythmia, atrial fibrillation (AF), new onset of atrial fibrillation, recurrent atrial fibrillation, cardiac fibrosis, atrial flutter, detrimental vascular remodeling, plaque stabilization, and myocardial infarction (MI).

44. The use of claim 43, wherein the heart failure is selected from a heart failure with reduced ejection fraction (HFrEF), heart failure with preserved ejection fraction (HFpEF), heart failure after acute myocardial infarction, or acute decompensated heart failure.

45. The use of claim 41, wherein the disease or disorder is preeclampsia, asthma, glaucoma, a kidney disorder, and/or cytokine release syndrome in a subject in need of such treatment.

46. The use of claim 41, wherein the disease or disorder is a disorder or disease associated with natriuretic peptide receptor activity.