



II

wherein R_1, R_{1b}, R_2, L_1, and L_2 and L_{2b} are as defined in the specification.


[0005a] In one aspect, there is provided a compound according to Formula I:




I

or a pharmaceutically acceptable salt thereof, wherein:


R_1 is selected from




(C) ,



(D) ,



(E) and



(Q) ;

R_3 is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen,

alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_4, R_7, R_8, R_9 and R_{11} are each independently selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogen, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, -NH_2, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_5 is selected from halogen, cycloalkyl, cycloalkylalkylamino, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, -C(O)-NH_2, -C(O)-O-CH_3, -C(O)-N(H)(C_1-C_3)alkyl, heteroarylamino optionally substituted with halogen, and -OCF_3;

R_6 and R_{10} are each selected from hydrogen, alkyl optionally substituted with 1-8 halogens, alkylthio, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkylamino optionally substituted with 1-8 halogens, dialkylamino, alkoxyalkylamino, -N(H)alkylheterocycloalkyl, cycloalkylalkylamino, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkylamino optionally substituted with a group selected form -OH, alkyl, -CF_3 and heterocycloalkyl, -N(H)cycloalkyl optionally substituted with -OH or -NH_2, -NH_2, -N(H)-heteroaryl, -N(H)-aryl optionally substituted with 1, 2 or 3 groups selected from alkoxy, heterocycloalkylalkoxy and dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl, and dialkylaminoalkyl;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-;

each of A_1 or A_2 is N or C(H), wherein A_1 and A_2 can be the same or different, provided that A_1 can be substituted with R_4 only when A_1 is C(H), and provided that A_2 can be substituted with R_4 only when A_2 is C(H);

L_1 is selected from $-C(O)O-$, $-C(O)NH-$, $-C(O)NHSO_2-$, $-(CH_2)_nC(O)NH-$, $-(CH_2)_nNHC(O)-$, $-(CH_2)_mNH-$, $-(CH_2)_nSO_2NH-$, $-(CH_2)_nNHSO_2-$, $-(CH_2)_mC(O)-$, $-(CH_2)_mO-$, and $-(CH_2)_mNH-(CH_2)_n-$;

L_2 is $-C(O)-NH-R_3$, -CN, $-C(O)-N(CH_3)-OCH_3$, or $-C(O)-R_3$;

n is 0 or 1;

m is 0, 1 or 2; and

each p is independently 0, 1, 2, 3 or 4.


[0005b] In one aspect, there is provided a pharmaceutical composition comprising the compound as described herein, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

[0005c] In one aspect, there is provided the use of a compound as described herein, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the inhibition of HSP90 in a cell *in vivo*.

[0005d] In one aspect, there is provided the use of a compound as described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, unfolded protein response, neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder and metabolic disease.

[0005e] In one aspect, there is provided the use of a compound as described herein, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for degrading aberrant Tau proteins in an animal.

[0005f] In one aspect, there is provided a compound according to Formula II:



II

or a pharmaceutically acceptable salt thereof, wherein:

R_{1b} is selected from heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, phenyl and alkyl;

R_2 is a phenyl or a heteroaryl that can contain 1, 2 or 3 heteroatoms, wherein the aryl or heteroaryl can be substituted with 1, 2 or 3 groups selected from alkyl, -OH, alkoxy, and halogen;

R_{3b} is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_{5b}, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_{5b} is selected from halogen, cycloalkyl, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, $-C(O)-NH_2$, $-C(O)-O-CH_3$, $-C(O)-N(H)(C_1-C_3)$alkyl, heteroarylamino optionally substituted with halogen and $-OCF_3$;

L_{2b} is $-C(O)-NH-R_{3b}$, -CN or $-C(O)-R_{3b}$; and

X is O or S.

[0005g] In one aspect, there is provided a pharmaceutical composition comprising the compound as described herein, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

[0005h] In one aspect, there is provided the use of a compound as described herein, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, unfolded protein response, neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder, metabolic disease, infection from negative strand RNA viruses, influenza virus, hepatitis B, hepatitis C, and herpes simplex virus type 1.

[0006] Another aspect of this disclosure relates to a method of inhibiting HSP90 in a cell, comprising contacting the cell, in which inhibition of HSP90 is desired, with a compound according to Formula I or II.

[0007] Another aspect of this disclosure relates to a method of inhibiting HSP90 in a cell, comprising contacting a cell in which inhibition of HSP90 is desired with a pharmaceutical composition, comprising the compound according Formula I or II, and a pharmaceutically acceptable carrier, excipient, or diluent.

[0008] Another aspect of this disclosure relates to a method of treating one of the diseases or conditions disclosed herein that involves HSP90, comprising administering to an animal, in need of said treatment, the compound according to Formula I or II, optionally in combination with the one or more additional therapeutic agents or therapies disclosed hererin.


DETAILED DESCRIPTION OF THE INVENTION

[0009] There are many different aspects of the disclosure described hereinbelow, and each aspect is non-limiting in regard to the scope of the disclosure. The terms "aspects" and "embodiments" are meant to be non-limiting regardless of where the terms "aspect" or "embodiment" appears in this specification. The transitional term "comprising" as used herein, which is synonymous with "including," "containing," or "characterized by," is inclusive or open-ended and does not exclude additional, unrecited elements or method steps.

[0010] One aspect of the disclosure relates to a compound according to Formula I:

We Claim:


1. A compound according to Formula I:




I

or a pharmaceutically acceptable salt thereof, wherein:


R_1 is selected from



(C)




(D)



(E)

and



(Q) ;

R_3 is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_4, R_7, R_8, R_9 and R_{11} are each independently selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, $-O-C(O)-NH_2$, amino(imino)alkyl, $-C(O)-NH_2$, $-N(H)C(O)$alkyl,

alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogen, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_5 is selected from halogen, cycloalkyl, cycloalkylalkylamino, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, $-C(O)-NH_2$, $-C(O)-O-CH_3$, $-C(O)-N(H)(C_1-C_3)$alkyl, heteroarylamino optionally substituted with halogen, and $-OCF_3$;

R_6 and R_{10} are each selected from hydrogen, alkyl optionally substituted with 1-8 halogens, alkylthio, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, amino(imino)alkyl, $-C(O)-NH_2$, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkylamino optionally substituted with 1-8 halogens, dialkylamino, alkoxyalkylamino, -N(H)alkylheterocycloalkyl, cycloalkylalkylamino, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkylamino optionally substituted with a group selected form -OH, alkyl, $-CF_3$ and heterocycloalkyl, -N(H)cycloalkyl optionally substituted with -OH or $-NH_2$, $-NH_2$, -N(H)-heteroaryl, -N(H)-aryl optionally substituted with 1, 2 or 3 groups selected from alkoxy, heterocycloalkylalkoxy and dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-;

each of A_1 or A_2 is N or C(H), wherein A_1 and A_2 can be the same or different, provided that A_1 can be substituted with R_4 only when A_1 is C(H), and provided that A_2 can be substituted with R_4 only when A_2 is C(H);

L_1 is selected from -C(O)O-, -C(O)NH-, -C(O)NHSO$_2$-, -(CH$_2$)$_n$C(O)NH-, -(CH$_2$)$_n$NHC(O)-, -(CH$_2$)$_m$NH-, -(CH$_2$)$_n$SO$_2$NH-, -(CH$_2$)$_n$NHSO$_2$-, -(CH$_2$)$_m$C(O)-, -(CH$_2$)$_m$O-, and -(CH$_2$)$_m$NH-(CH$_2$)$_n$-;


L_2 is -C(O)-NH-R_3, -CN, -C(O)-N(CH$_3$)-OCH$_3$, or -C(O)-R_3;

n is 0 or 1;


m is 0, 1 or 2; and

each p is independently 0, 1, 2, 3 or 4.


2. The compound according to claim 1, wherein R_1 is selected from



(C),




(D),



(E)

and



(Q);

R_3 is selected from hydrogen, -CF$_3$, -NH$_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_4, R_7, R_8, R_9 and R_{11} are each independently selected from hydrogen, -OR$_{16}$, -SR$_{16}$, -N(H)R$_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH$_2$, amino(imino)alkyl, -C(O)-NH$_2$,

-N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogen, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_5 is selected from halogen, cycloalkyl, cycloalkylalkylamino, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, and heterocycloalkyl (optionally substituted with alkyl), alkoxy, dialkylamino, -OH, $-C(O)-NH_2$, $-C(O)-O-CH_3$, $-C(O)-N(H)(C_1-C_3)$alkyl, heteroarylamino optionally substituted with halogen, and $-OCF_3$;

R_6 and R_{10} are each selected from hydrogen, alkyl optionally substituted with 1-8 halogens, alkylthio, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, amino(imino)alkyl, $-C(O)-NH_2$, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkylamino optionally substituted with 1-8 halogens, dialkylamino, alkoxyalkylamino, -N(H)alkylheterocycloalkyl, cycloalkylalkylamino, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkylamino optionally substituted with a group selected form -OH, alkyl, $-CF_3$ and heterocycloalkyl, -N(H)cycloalkyl optionally substituted with -OH or $-NH_2$), $-NH_2$, -N(H)-heteroaryl, -N(H)-aryl optionally substituted with 1, 2 or 3 groups selected from alkoxy, heterocycloalkylalkoxy and dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl;

R_{10} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkoxy, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkoxy;

each of A_1 or A_2 is –N= or –CH=, wherein A_1 and A_2 can be the same or different;

L_1 is selected from -NHC(O)-, $-NHSO_2-$, -NHC(O)O-, -C(O)O-, -C(O)NH-, $-C(O)NHSO_2-$, -C(O)-, $-(CH_2)_nC(O)NH-$, $-(CH_2)_nNHC(O)-$, $-(CH_2)_mNH-$, $-(CH_2)_nSO_2NH-$, $-(CH_2)_nNHSO_2-$, $-(CH_2)_mC(O)-$, $-(CH_2)_mO-$, and $-(CH_2)_mNH-$;


L_2 is $-C(O)-NH-R_3$, -CN or $-C(O)-R_3$;

n is 0 or 1;

m is 0, 1 or 2; and

each p is independently 0, 1, 2, 3 or 4.


3. The compound according to claim 1 selected from:



IB

or a pharmaceutically acceptable salt thereof,


wherein L_1, R_1 and R_3 are as defined in claim 1,



IC

or a pharmaceutically acceptable salt thereof,


wherein R_1 and R_3 are as defined in claim 1,



ID

or a pharmaceutically acceptable salt thereof,

wherein R_1, R_3 and L_1 are as defined in claim 1, and




IE

or a pharmaceutically acceptable salt thereof,


wherein R_1 and R_3 are as defined in claim 1.

4. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from




C2 ,



D2 ,

and



E2 ;

R_3 is selected from CF_3, cyclopropyl, cyclobutyl, cyclohexyl optionally substituted with hydroxyl, cyclopropylmethyl, N-propyl, 3-methylbutyl, (1S)-2-hydroxy-1-methylethyl, (2S)-2-hydroxypropyl, methoxyethyl, ethoxyethyl, methylphenyl, phenyl, dimethylphenyl, methoxyphenyl, dimethylaminoethyl, dimethylaminopropyl, diethylaminoethyl, diethylaminopropyl, cyclopentyl, halophenyl, phenylmethyl, phenylethyl optionally substituted with hydroxyl at the ethyl position of phenylethyl, phenylpropyl, phenylpiperidinyl, diethylaminoethyloxyphenylmethyl, diethylaminoethyloxyphenylethyl, pyrrolidinylphenylmethyl, diethylaminoethyloxy-2-fluorophenylethyl, phenyl(C_1-C_3)alkyl optionally substituted at the phenyl position of phenyl(C_1-C_3)alkyl with 1-3 groups selected from methoxy, halo and methyl, methylphenyl(C_1-C_4)alkyl wherein the (C_1-C_4)alkyl portion of methylphenyl(C_1-C_4)alkyl is optionally substituted with $-C(O)NH_2$, $-C(O)NHCH_3$ or $-C(O)NHCH_2CH_3$, thienylmethyl, furanylmethyl, pyridinylethyl, pyridinylmethyl, methylpyrazinylmethyl, methyl, ethyl, methylpropyl, 2-methylpropyl, 2,3-dihydroxypropyl, (1S)-1-methylpropyl, (1S)-1,2-dimethylpropyl, (1R)-1,2-dimethylpropyl, methyloxypropyl, ethyloxypropyl, (1S)-1-methyl-2-(methyloxy)ethyl, 1,3-benzodioxolyl, 1,3-benzodioxolylmethyl, N-prop-2-yn-1-yl, N-[3-(4-methylpiperazin-1-yl)propyl, N-[2-(ethylthio)ethyl], (1S,2S)-2-[(phenylmethyl)oxy]cyclopentyl, 6-chloropyridinylmethyl, 2-chloro-6-fluorophenylmethyl, methylthioethyl, N-butyl, 1-methylethyloxyethyl, 1-methylethyloxypropyl, 4,4-bismethyloxybutyl, methylpyrazinylmethyl, propyloxypropyl, trifluoromethyloxyphenylmethyl, methyloxyphenylethyl, (2,2-dimethyl-1,3-dioxolan-4-yl)methyl, phenylmethylpyrrolidinyl, oxopyrrolidinylpropyl, pyrrolidinylethyl, methylpyrrolidinylethyl, ethylpyrrolidinylmethyl, N-(1R,2R,4S)-bicyclo[2.2.1]hept-2-yl, 3,3-dimethylbutyl, ethyloxyphenylmethyl, phenylmethylpiperidinyl, ethoxycarbonylpiperidinyl, trifluoromethylphenylmethyl, imidazolylpropyl, (3R)-pyrrolidin-3-yl, morpholinylethyl, morpholinylpropyl, piperidinylethyl, pyrrolidinyl, piperidinyl, pyrrolidinylmethyl, 1-methylethylpyrrolidinyl, ethylpyrrolidinyl, methylpyrrolidinyl, methylethylpiperidinyl, methylpiperidinyl, ethylpiperidinyl, ethylazetidinyl, azetidinyl, methylazetidinyl, 1-methylethylazetidinyl, methylpiperazinylphenylmethyl, piperazinylphenylmethyl, methylpiperazinylphenyl, methylpiperidinylphenyl, piperidinylphenyl(C_1-C_3)alkyl optionally substituted with 1-

4 halo, methylpiperazinylphenyl(halo)methyl, methylpiperidinylphenylmethyl, methylpiperazinylphenylethyl, 2-methylpropylpiperazinylphenylmethyl, morpholinylphenylmethyl, piperazinylpyridinylethyl, -$CH(CH_3)C(O)$-NH_2, dimethylaminoethyloxyphenyl, isopropyl, (C_1-C_5)alkyl optionally substituted with 1-7 halo,-OH, -NH_2, cylcohexyl(C_1-C_5)alkyl optionally substituted with 1-2 hydroxyl groups, phenylaminoethyl optionally substituted with halo, morpholinylethyl, phenylpiperazinylethyl, and methylpiperazinylethyl;

each R_4, when present, is independently selected from halo, 1-ethylpropylamino, methyl, ethyl, cyclohexylamino optionally substituted with hydroxyl, cyclobutylamino, 1-methylpropyloxy, methoxyethoxy, -CF_3, piperidinyl or amino, mopholinylamino, dimethylaminobutyl, methylethylaminopropyl, methylethylaminopropylamino, cyclopentylamino, piperidinylamino, methylethylamino, ethylamino, 2-methylpropylamino, tetrahydraopyranylamino, ethylpiperidinylamino, 2,2-dimethylpropylamino, pyrrolidinylamino, 1-methylpropylamino, 2-methylpropylamino, amino, 1,1 dimethylethylamino, tetrahydropyranylmethylamino, piperidinylamino optionally substituted with methylsulfonyl, phenylamino optionally substituted with 1-3 groups selected from methoxy and dimethylaminoethyloxy, methylsulfonylethylamino, methoxyethylamino, morpholinylethyloxy, -$N(H)C(O)CH_3$, cyclobutylamino, methoxy, cyclobutyloxy, cyclobutylamino, pyridinylamino, ethylamino, 1-methylcyclopropylethylamino, methylethyloxyethylamino, butylamino, piperidinyl, pentylamino, azetinyl, 1,2-dimethylpropylamino, 1-methylethylpropylamino, propylamino, 1-cyclopropylpropylamino, 1-propylbutylamino, 1-cyclopropylethylamino, dicyclopropylmethylamino, 1,2,2-trimethylpropylamino, tetrahydrofuranylamino, (C_1-C_5)alkylamino substituted with 1-7 halo, morpholinylethyloxy and cyclopropylmethylamino;

R_6 is selected from hydrogen, (C_1-C_4)alkyl optionally substituted with hydroxy, (C_1-C_3)alkylamino or dimethylamino, (C_1-C_4)alkynyl optionally substituted with hydroxyl, and halo;

R_7 is selected from hydrogen, -OH, -O(C_1-C_3)alkyl, -S(C_1-C_3)alkyl, -N(H)(C_1-C_3)alkyl, (C_5-C_6)cycloalkylamino optionally substituted with hydroxyl, (C_1-C_3)alkylamino or dimethylamino, -$C(O)NH_2$, and -O-$C(O)NH_2$;

R_8 is selected from hydrogen, -O(C_1-C_3)alkyl, -O-C(O)NH_2, and -C(=NH)-NH_2;


L_1 is -N(H)C(O)-;

L_2 is -C(O)-NH-R_3 or -C(O)-R_3; and


each p is independently 0, 1, 2 or 3.

5. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from




C2 ,



D2 ,

and



E2 ;

R_3 is selected from hydrogen, -CF_3, -NH_2, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, diethylaminoethoxy, ethylmethylaminoethoxy, dimethylaminoethoxy, cylcopentyl optionally substituted with arylalkoxy, cyclobutyl optionally substituted with arylalkoxy, cyclopropyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, piperazinyl optionally substituted with alkyl or phenyl, morpholinyl optionally substituted with alkyl or phenyl, azetidinyl and piperidinyl optionally substituted with alkyl or phenyl, alkenyl, alkynyl, heterocycloalkyl selected from piperidinyl, pyrrolidinyl, morpholinyl and piperizinyl, wherein the heterocycloalkyl is optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

each R_4, when present, is independently selected from methyl, 1-methylethylamino, ethylamino, 1-ethylpropylamino, 2-methylpropylamino, (2,2-

dimethylpropyl)amino, (2-aminoethyl)amino, (2,2,3,3,3-pentafluoropropyl)amino, 1-methylpropylamino, (1S)-1-methylpropylamino, (2,2,2-trifluoroethyl)amino, 1-propylbutylamino, propylamino, 1,2-dimethylpropylamino, (3,3,3-trifluoropropyl)amino, (2,2,3,3,4,4,4-heptafluorobutyl)amino, butylamino, 1,2,2-trimethylpropylamino, 1-[(methyloxy)methyl]propylamino, 1-methylethyloxyethylamino, 1-methylpropylamino, pentylamino, (2,2,3,3,3-pentafluoropropyl)amino, butylamino, 2-[(1-methylethyl)oxy]ethylamino, (1S)-1-methylpropylamino, (1R)-1-methylpropylamino, (1S)-1,2-dimethylpropylamino, 1-cyclopropylethylamino, (1R)-1,2-dimethylpropylamino, 1-ethyl-2-methylpropylamino, and 3-[(1-methylethyl)amino]propylamino;

R_6 is selected from hydrogen, $(C_1\text{-}C_4)$alkyl optionally substituted with hydroxy, $(C_1\text{-}C_3)$alkylamino or dimethylamino, $(C_1\text{-}C_4)$alkynyl optionally substituted with hydroxyl, and halo;

R_7 is selected from hydrogen, -OH, $-O(C_1\text{-}C_3)$alkyl, $-S(C_1\text{-}C_3)$alkyl, $-N(H)(C_1\text{-}C_3)$alkyl, $(C_5\text{-}C_6)$cycloalkylamino optionally substituted with hydroxyl, $(C_1\text{-}C_3)$alkylamino or dimethylamino, $-C(O)NH_2$, and $-O\text{-}C(O)NH_2$;


R_8 is selected from hydrogen, $-O(C_1\text{-}C_3)$alkyl, $-O\text{-}C(O)NH_2$, and $-C(=NH)\text{-}NH_2$;

L_1 is -N(H)C(O)-;

L_2 is $-C(O)\text{-}NH\text{-}R_3$ or $-C(O)\text{-}R_3$; and

each p is independently 0, 1, 2 or 3.


6. The compound according to claim 1 having Formula I:



I


or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from:




(G)

,



(H)

and



(I)

wherein R_{4a} is selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;


R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-;

L_1 is selected from -NHC(O)-, $-NHSO_2-$, -NHC(O)O-, -C(O)O-, -C(O)NH-, $-C(O)NHSO_2-$, -C(O)-, $-(CH_2)C(O)NH-$, $-(CH_2)NHC(O)-$, $-(CH_2)NH-$, $-(CH_2)_nSO_2NH-$, $-(CH_2)NHSO_2-$, $-(CH_2)C(O)-$, $-(CH_2)O-$, and $-NH-(CH_2)-$; and

L_2 is -C(O)-NH-cyclopropyl or $-NH-C(O)-CH_3$.


7. The compound according to claim 1 having Formula I:



I


or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from:



(G)

and



(H)

wherein R_{4a} is selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, $-C(O)-NH_2$, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted

with -OH or -NH_2, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl;


L_1 is selected from -NHC(O)-, -$NHSO_2$-, -NHC(O)O-, -C(O)O-, -C(O)NH-, -C(O)$NHSO_2$-, -C(O)-, -(CH_2)C(O)NH-, -(CH_2)NHC(O)-, -(CH_2)NH-, -$(CH_2)_nSO_2NH$-, -$(CH_2)NHSO_2$-, -(CH_2)C(O)-, -(CH_2)O-, and -NH-(CH_2)-; and

L_2 is -C(O)-NH-cyclopropyl or -NH-C(O)-CH_3.

8. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein L_2 is -C(O)-NH-cyclopropyl, -C(O)-NH-CH_3, -C(O)-cyclopropyl, or -C(O)-CH_3.


9. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is selected from one of the following of Group Z:

Group Z




(G)

,



(H)

and



(I)

wherein R_{4a} is selected from hydrogen, -OR_{16}, -SR_{16}, -N(H)R_{16}, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, -NH_2, -O-alkyl-heterocycloalkyl,


dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;


R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl; and

R_{17}, when present, is $-CH_2-$ or -CH(OH)-.

10. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is


(K)


or


(L)

wherein R_{4a} is selected from $-N(H)R_{16}$, $-OR_{16}$, and $-SR_{16}$; and

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, $-CH_3$ and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl.


11. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is


(K)


wherein R_{4a} is selected from $-N(H)R_{16}$, $-OR_{16}$, and $-SR_{16}$; and

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, $-CH_3$ and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl.

12. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is




13. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is



(H)

or



(I)

wherein R_{4a} is alkylamino optionally substituted with 1-8 halogens;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;


R_{17}, when present, is $-CH_2-$ or -CH(OH)-; and

L_1 is –N(H)C(O)-.

14. The compound according to claim 13, or a pharmaceutically acceptable salt thereof, wherein R_{4a} is 1-methylethylamino, ethylamino, 1-ethylpropylamino, 2-methylpropylamino, (2,2-dimethylpropyl)amino, (2-aminoethyl)amino, (2,2,3,3,3-pentafluoropropyl)amino, 1-methylpropylamino, (1S)-1-methylpropylamino, (2,2,2-trifluoroethyl)amino, 1-propylbutylamino, propylamino, 1,2-dimethylpropylamino, (3,3,3-trifluoropropyl)amino, (2,2,3,3,4,4,4-heptafluorobutyl)amino, butylamino, 1,2,2-trimethylpropylamino, 1-[(methyloxy)methyl]propylamino, 1-methylethyloxyethylamino, 1-methylpropylamino, pentylamino, (2,2,3,3,3-pentafluoropropyl)amino, butylamino, 2-[(1-methylethyl)oxy]ethylamino, (1S)-1-methylpropylamino, (1R)-1-methylpropylamino, (1S)-1,2-dimethylpropylamino, 1-


cyclopropylethylamino, (1R)-1,2-dimethylpropylamino, 1-ethyl-2-methylpropylamino, or 3-[(1-methylethyl)amino]propylamino.

15. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is



(H)

or



(I)

wherein R_{4a} is heterocycloalkylamino optionally substituted with alkyl;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-; and

L_1 is –N(H)C(O)-.

16. The compound according to claim 15, or a pharmaceutically acceptable salt thereof, wherein R_{4a} is tetrahydrofuran-3-ylamino, piperidin-4-ylamino, tetrahydro-2H-pyran-4-ylamino, (1-ethylpiperidin-4-yl)amino, (tetrahydrofuran-2-ylmethyl)amino, pyrrolidin-3-ylamino, (piperidin-3-ylmethyl)amino, (pyrrolidin-3-ylmethyl)amino, (3S)-tetrahydrofuran-3-ylamino, (3R)-tetrahydrofuran-3-ylamino, azetidin-1-yl, piperidin-1-ylamino, or (3S)-tetrahydrofuran-3-ylamino.

17. The compound according to Claim 1, wherein the compound of Formula I is selected from one of the following compounds:

NAME
N-cyclopropyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methyloxy)ethyl]pyridine-3-carboxamide;
N-[2-(dimethylamino)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-morpholin-4-ylethyl)pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
N-cyclopentyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide
N-[(2-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{2-[3,4-bis(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(furan-2-ylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-methylpropyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(methyloxy)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-methylphenyl)methyl]pyridine-3-carboxamide;
N-(1,3-benzodioxol-5-ylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-prop-2-yn-1-ylpyridine-3-carboxamide;
N-{[3,4-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(4-methylpiperazin-1-yl)propyl]pyridine-3-carboxamide;
N-[2-(ethylthio)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S,2S)-2-[(phenylmethyl)oxy]cyclopentyl}pyridine-3-carboxamide;
N-[(6-chloropyridin-3-yl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-6-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methylthio)ethyl]pyridine-3-carboxamide;;
N-butyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(3-morpholin-4-ylpropyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-pyridin-4-ylethyl)pyridine-3-carboxamide;
N-{2-[(1-methylethyl)oxy]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-pyridin-3-ylethyl)pyridine-3-carboxamide;
N-[4,4-bis(methyloxy)butyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(5-methylpyrazin-2-yl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-endo-(propyloxy)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3,4,5-tris(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
N-{[3,5-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-({4-[(trifluoromethyl)oxy]phenyl}methyl)pyridine-3-carboxamide;
N-(cyclopropylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2,4-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-bromophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3S)-1-(phenylmethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-1-(phenylmethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;

NAME
N-[3-(diethylamino)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{3-[(1-methylethyl)oxy]propyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-propylpyridine-3-carboxamide
N-[2-(diethylamino)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide
N-(3-methylbutyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3-methylphenyl)methyl]pyridine-3-carboxamide;
N-[(3-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2-methylphenyl)methyl]pyridine-3-carboxamide;
N-[(3-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(tetrahydrofuran-2-ylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(2-oxopyrrolidin-1-yl)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(1-methylpyrrolidin-2-yl)ethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-piperidin-1-ylethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[2-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
N-[(2-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1R,2R,4S)-bicyclo[2.2.1]hept-2-yl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-(3,3-dimethylbutyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2,3-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-(ethyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[1-(phenylmethyl)piperidin-4-yl]pyridine-3-carboxamide;
ethyl 4-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino]piperidine-1-carboxylate;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-thienylmethyl)pyridine-3-carboxamide;
N-cyclobutyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(ethyloxy)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(dimethylamino)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(trifluoromethyl)phenyl]methyl}pyridine-3-carboxamide;
N-[(2,4-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,5-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,6-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(3,4-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(1H-imidazol-1-yl)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-methylphenyl)pyridine-3-carboxamide;
N-(3,5-dimethylphenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-1,3-benzodioxol-5-yl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(4-methylphenyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(3-methylphenyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methyloxy)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(methyloxy)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(methyloxy)phenyl]pyridine-3-carboxamide;
N-(3-chlorophenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(4-fluorophenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[3-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-morpholin-4-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-pyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-piperidin-3-ylpyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-piperidin-4-ylpyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyrrolidin-3-ylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(1-methylpiperidin-4-yl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-(1-methylethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-cyclohexyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-methyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-ethyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-1,2-dimethylpropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1R)-1,2-dimethylpropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-1-methyl-2-(methyloxy)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-azetidin-3-yl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1R)-1-[4-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1R)-1-phenylethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-phenylethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-phenylpropyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-((1-phenylethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
N-[(1S)-1-(4-chlorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-1-[2-fluoro-4-(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-fluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-3,6-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-[(1S)-2-amino-1-methyl-2-oxoethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(3-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[4-fluoro-3-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[3-fluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-chloro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,4,6-trifluorophenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-{[2,6-difluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-6-fluoro-3-methylphenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[1-(4-chlorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(1-phenylpiperidin-4-yl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-pyrrolidin-1-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,3,6-trifluorophenyl)methyl]pyridine-3-carboxamide;
N-{[2-fluoro-6-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[4-fluoro-2-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[2-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,4,5-trifluorophenyl)methyl]pyridine-3-carboxamide;
N-{[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-(8-{5-[({[4-(4-methylpiperazin-1-yl)phenyl]methyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}-2-fluorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(4-methylpiperazin-1-yl)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(1-methylpiperidin-4-yl)phenyl]pyridine-3-carboxamide;
N-(4-{[2-(dimethylamino)ethyl]oxy}phenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-hydroxy-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{8-[5-(hydrazinocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-3-(methyloxy)benzamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}phenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[1-(6-piperazin-1-ylpyridin-3-yl)ethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-piperazin-1-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-({4-[4-(2-methylpropyl)piperazin-1-yl]phenyl}methyl)pyridine-3-carboxamide;
N-[1-(4-bromo-2-fluorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{1-[3,4-bis(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-methylpropyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3S)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
N-(2,3-dihydroxypropyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S,2S)-2-hydroxycyclopentyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-[(1S,2S)-2-hydroxycyclohexyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-2-hydroxy-1-methylethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2S)-2-hydroxypropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(2-hydroxyethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
2-[(1-ethylpropyl)amino]-N4-[8-(5-{[(3R)-pyrrolidin-3-ylamino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3R)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-[8-(5-{[(3S)-piperidin-3-ylamino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-{8-[5-({[(3R)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-(3-endo-{[(2,3-dimethylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(3-hydroxy-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(3-amino-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2-methyl-N1-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;

NAME
2-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,3-dicarboxamide;
3-methyl-4-({[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]amino}carbonyl)phenyl carbamate;
2-methyl-3-({[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]amino}carbonyl)phenyl carbamate;
6-[3-endo-({[4-(hydroxymethyl)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
N-[8-(5-{[(pyridin-3-ylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(5-methylpyrazin-2-yl)methyl]pyridine-3-carboxamide;
N-{8-[5-({[(5-methylpyrazin-2-yl)methyl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
6-{3-endo-[({4-[amino(imino)methyl]phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3,4-bis(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[3-(methyloxy)-2-propylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[3-(methyloxy)-2-prop-2-en-1-ylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-bromo-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-iodo-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
2,6-dimethyl-N1-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;

NAME
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(4-trans-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
2-[(4-trans-hydroxycyclohexyl)amino]-N4-{8-[5-({[1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-[8-(5-{[methyl(methyloxy)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-N-{8-[5-({[(1-ethylpyrrolidin-2-yl)methyl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-fluoro-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-chloro-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-(3-endo-{[(4-amino-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-(4-hydroxybut-1-yn-1-yl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[2-(methyloxy)ethyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(2-morpholin-4-ylethyl)oxybenzene-1,4-dicarboxylate;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(4-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
2-(acetylamino)-N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;

NAME
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(cyclobutylamino)benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-(3-endo-{[(3-hydroxy-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
4-methyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-1,2,3-benzotriazole-5-carboxamide;
2-(methyloxy)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
6-[3-endo-({[2-methyl-3-(methylamino)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[3-(dimethylamino)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methylthio)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
2-(cyclobutyloxy)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-methyl-3-(methyloxy)-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-(cyclobutylamino)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[3,4,5-tris(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-(phenylamino)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-(pyridin-4-ylamino)benzene-1,4-dicarboxylate;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[1-(methylsulfonyl)piperidin-4-yl]amino}benzene-1,4-dicarboxamide;
3-(ethylamino)-2,5-dimethyl-N1-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;

NAME
2-[(4-hydroxycyclohexyl)amino]-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;
6-{3-endo-[({3-[(4-hydroxycyclohexyl)amino]phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
2,5-dimethyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2,5-dichloro-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2,5-dimethyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-methylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3R)-1-ethylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-methylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-methylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-[8-(5-{[(1-methylpiperidin-4-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N-[8-(5-{[(1-ethylpiperidin-4-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[1-(1-methylethyl)piperidin-4-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3S)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3S)-1-ethylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;

NAME
2,5-dimethyl-N-{8-[5-({[(3S)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-methylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3R)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
N-[8-(5-{[(1-ethylazetidin-3-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[1-(1-methylethyl)azetidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-[8-(5-{[(1-methylazetidin-3-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
methyl (2S)-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino][4-(methyloxy)phenyl]ethanoate;
(2S)-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino][4-(methyloxy)phenyl]ethanoic acid;
N-{(1S)-2-amino-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-2-(methylamino)-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-2-(ethylamino)-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(2-morpholin-4-ylethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(trans-4-aminocyclohexyl)amino]benzene-1,4-dicarboxamide;
N-[1-(2-fluoro-4-piperidin-4-ylphenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[1-(2,6-difluoro-4-piperidin-4-ylphenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-(3-hydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-(3-hydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-{3-[(1-methylethyl)amino]propyl}-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-(4-hydroxybutyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-{3-endo-[({2-[4-(dimethylamino)butyl]-3-(methyloxy)phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}pyridine-3-carboxamide;
6-[3-endo-({[2-(2,3-dihydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[4-(1,2-dihydroxyethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(trans-4-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-3-(methyloxy)benzamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclohexylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclopentylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(piperidin-4-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(trans-4-hydroxycyclohexyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(ethylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclopropylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(tetrahydrofuran-3-ylamino)benzene-1,4-dicarboxamide;

NAME
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-methylbutanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-[8-(5-propanoylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(tetrahydro-2H-pyran-4-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-ethylpiperidin-4-yl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(tetrahydrofuran-2-ylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(pyrrolidin-3-ylamino)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(4,4,4-trifluorobutanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(phenylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2-aminoethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,3,3,3-pentafluoropropyl)amino]benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(2-methylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(piperidin-3-ylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(pyrrolidin-3-ylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-butanoylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(phenylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3S)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-methylpropyl)amino]benzene-1,4-dicarboxamide;

NAME
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(1-ethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,2-trifluoroethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3R)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
;N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopentylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclobutylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-aminobenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-propylbutyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(propylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-azetidin-1-ylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-bromobenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(1-ethylpropyl)amino]-2-fluorobenzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-5-{[4-(trifluoromethyl)cyclohexyl]amino}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,3,3,4,4,4-heptafluorobutyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(butylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3-{[2-(dimethylamino)ethyl]oxy}phenyl)amino]benzene-1,4-dicarboxamide;

NAME
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1,2,2-trimethylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(piperidin-1-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({1-[(methyloxy)methyl]propyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({2-[(1-methylethyl)oxy]ethyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-5-(pentylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({4-(methyloxy)-3-[(2-morpholin-4-ylethyl)oxy]phenyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({3-[(1-methylethyl)amino]propyl}amino)benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(pyridin-4-ylamino)benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(2,2,3,3,3-pentafluoropropyl)amino]benzene-1,4-dicarboxamide;
2-chloro-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
2-(cyclopentylamino)-N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3S)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
2-(butylamino)-N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-({2-[(1-methylethyl)oxy]ethyl}amino)benzene-1,4-dicarboxamide;

NAME
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cis-4-hydroxy-4-methylcyclohexyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-methylpropyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-fluorobenzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(trans-4-piperidin-1-ylcyclohexyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1S)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-cyclopropylethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1R)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethyl-2-methylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-cyclopropylethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-cyclopropylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1R)-1,2,2-trimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1,2-dimethylpropyl]amino}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3,3,3-trifluoro-1-methylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[2-methyl-1-(trifluoromethyl)propyl]amino}benzene-1,4-dicarboxamide;

NAME
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[2-methyl-1-(1-methylethyl)propyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(dicyclopropylmethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
5-(cyclopentylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[1-(trifluoromethyl)propyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
5-[(cyclopentylmethyl)amino]-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
5-(cyclobutylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-(trifluoromethyl)benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2,2-dimethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(cyclopropylmethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
2-bromo-5-(cyclopentylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;

NAME
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[1-(1-methylcyclopropyl)ethyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[2-fluoro-1-(fluoromethyl)ethyl]amino}-2-methylbenzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1-methylpropyl]amino}-2-(trifluoromethyl)benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;
2-bromo-5-(cyclobutylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(1-methylpiperidin-4-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-hydroxy-4-methylpentanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-phenylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-hydroxy-3-phenylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(4-methylpentanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-{8-[5-(3-cyclohexylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-(8-{5-[3-(1-methylpiperidin-4-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-piperidin-4-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(N,N-dimethyl-beta-alanyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;

NAME
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(methyloxy)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-piperidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(ethyloxy)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[N-(4-fluorophenyl)-beta-alanyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-morpholin-4-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(4-methylpiperazin-1-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-pyrrolidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(4-phenylpiperazin-1-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-(3-piperidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(piperidin-1-ylacetyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide; and
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(trifluoroacetyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
or a pharmaceutically acceptable salt of any of the above compounds.

18. A pharmaceutical composition comprising the compound according to any of claims 1-17, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

19. A method of inhibiting HSP90 in a cell, comprising contacting the cell, in which inhibition of HSP90 is desired, with the compound according to any of claims 1-17, or a pharmaceutically acceptable salt thereof.

20. A method of treating a disease or condition that involves HSP90 comprising administering to an animal, in need of said treatment, the compound according to any

of claims 1-17, or a pharmaceutically acceptable salt thereof.

21. The method according to claim 20, wherein the disease being treated is selected from breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, and unfolded protein response.

22. The method according to claim 20, wherein the disease being treated is selected from neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder and metabolic disease.

23. The method according to claim 20, wherein the disease being treated is a neurodegenerative disease characterized by accumulation of hyperphosphorylated or mutated forms of the microtubule-associated protein Tau.

24. A method of degrading aberrant Tau proteins in an animal, comprising administering a compound according to any of claims 1-17 to said animal.


25. The method according to claim 20, wherein the disease being treated is infection from negative strand RNA viruses, influenza virus, hepatitis B, hepatitis C or herpes simplex virus type 1.

26. The method according to claim 20, further comprising administering radiation treatment or one or more therapeutic agents selected from Camptothecin, Topotecan, 9-Nitrocamptothecin, 9-Aminocamptothecin, Karenitecin, Irinotecan, Etoposide, Etoposide Phosphate, Teniposide, Amsacrine, Razoxane, Dexrazoxane, Mechlorethamine, Cyclophosphamide, Ifosfamide, Chlorambucil, Melphalan, Thiotepa, Trenimon, Triethylenemelamine, Dianhydrogalactitol, Dibromodulcitol, Busulfan, dimethylsulfate, Chloroethylnitrosourea, Carmustine, Lomustine, Methyl-Lomustine, Streptozotocin, Chlorozotocin, Prednimustine, Estramustine, Procarbazine, Dacarbazine, Hexamethylmelamine, Pentamethylmelamine, Temozolomide, Cisplatin, Carboplatin, Oxaliplatin, Bleomycin, Dactinomycin, Mithramycin, Rapamycin, Mitomycin C, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Methotrexate, Edatrexate, Trimethoprim, Nolatrexed, Raltitrexed, Hydroxyurea, 5-fluorouracil, Ftorafur, Capecitabine, Furtulon, Eniluracil, ara-C, 5-azacytidine, Gemcitabine, Mercaptopurine, Thioguanine, Pentostatin, antisense DNA, antisense RNA, an antisense DNA/RNA hybrid, a ribozyme, ultraviolet radiation,

Vincristine, Vinblastine, Paclitaxel, Docetaxel, L-Asparaginase, a kinase inhibitor, Imatinib, Mitotane, Aminoglutethimide, Diethylstilbestrol, Ethinyl estradiol, Tamoxifen, Anastrozole, Testosterone propionate, Fluoxymesterone, Flutamide, Leuprolide, Prednisone, Hydroxyprogesterone caproate, Medroxyprogesterone acetate, Megestrol acetate, Interferon-alfa, and Interleukin.

27. The method according to claim 20, further comprising administering radiation treatment or one or more therapeutic agents selected from proteosome inhibitors, EGFR inhibitors and DNA damaging agents.

28. A compound according to Formula II:



II

or a pharmaceutically acceptable salt thereof, wherein:

R_{1b} is selected from heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, phenyl and alkyl;

R_2 is a phenyl or a heteroaryl that can contain 1, 2 or 3 heteroatoms, wherein the aryl or heteroaryl can be substituted with 1, 2 or 3 groups selected from alkyl, -OH, alkoxy, and halogen;

R_{3b} is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_{5b}, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;


R_{5b} is selected from halogen, cycloalkyl, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl,

alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, -C(O)-NH_2, -C(O)-O-CH_3, -C(O)-N(H)(C_1-C_3)alkyl, heteroarylamino optionally substituted with halogen and -OCF_3;

L_{2b} is -C(O)-NH-R_{3b}, -CN or -C(O)-R_{3b}; and

X is O or S.

29. The compound according to claim 28, wheren R_{1b} is



(O)

wherein:

A_3 is =N- or =CH-;

each R_{18} is independently selected from -NH_2, halogen and alkyl;

the (H) ring is a 5 or 6 membered heterocyclic ring fused to the two carbon atoms to which the (H) ring is attached, wherein the (H) ring contains 1, 2 or 3 heteroatoms selected from N, O or S; and

c is 0, 1 or 2.

30. The compound according to claim 29, wherein Formula (O) is selected from 1H-benzimidazole optionally substituted with 1 or 2 methyl groups, 1H-indole optionally substituted with 1 or 2 methyl groups, benzofuran, 3,4-dihydro-2H-chromenyl optionally substituted with 1 or 2 methyl groups, 2,3-dihydrobenzofuranyl optionally substituted with 1 or 2 methyl groups, 2,3-dihydro-1,4-benzodioxin-6-yl optionally substituted with 1 or 2 methyl groups, 1H-1,2,3-benzotriazole optionally substituted with 1, 2 or 3 methyl groups, 9H-purin-9-yl optionally substituted with 1 or 2 groups selected from halogen and amino, 1,3-benzothiazole optionally substituted with 1 or 2 methyl groups, and 2,3-dihydro-1-benzofuran optionally substituted with 1 or 2 methyl groups.

31. The compound according to Claim 28, wherein the compound of Formula II is selected from one of the following compounds:

1,4-dimethyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-benzimidazole-5-carboxamide;
N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1,3-benzothiazole-5-carboxamide;
4-methyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-1,2,3-benzotriazole-5-carboxamide;
6-(3-endo-{[(8-methyl-3,4-dihydro-2H-chromen-7-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-benzimidazole-5-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-4-carboxamide;
6-(3-endo-{[(2-amino-6-chloro-9H-purin-9-yl)acetyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(5-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(4-methyl-1,3-benzodioxol-5-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
8-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]quinoline-7-carboxamide;
6-(3-endo-{[(8-methyl-3,4-dihydro-2H-chromen-7-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
4-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-benzimidazole-5-carboxamide;

4-methyl-N-(8-{5-[({[4-(4-methylpiperazin-1-yl)phenyl]methyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-benzimidazole-5-carboxamide;
6-(3-endo-{[(5-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-6-carboxamide;
1-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-4-carboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-1H-indole-4,7-dicarboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[3-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
N-[(4-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-(cyclopropylmethyl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[2-(diethylamino)ethyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(1-methylpiperidin-4-yl)pyridine-3-carboxamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}phenyl)ethyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
7-methyl-N-(8-{5-[(4-methylpiperazin-1-yl)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2,3-dihydro-1-benzofuran-6-carboxamide;

N-(1-ethylpiperidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-methylpiperidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
N-[(3S)-1-ethylpyrrolidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[1-(1-methylethyl)piperidin-4-yl]pyridine-3-carboxamide;
N-(1-ethylpiperidin-4-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[(3R)-1-ethylpiperidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-(1-ethylazetidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[1-(1-methylethyl)azetidin-3-yl]pyridine-3-carboxamide;
N-(1-methylazetidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[(3R)-1-ethylpyrrolidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-(1-methylethyl)piperidin-3-yl]pyridine-3-carboxamide;
N-[(3S)-1-ethylpiperidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-(1-methylethyl)piperidin-3-yl]pyridine-3-carboxamide; and
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-methylpiperidin-3-yl]pyridine-3-carboxamide,
or a pharmaceutically acceptable salt of any of the above compounds.


32. A pharmaceutical composition comprising the compound according any of claims 28-31, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

33. Use of a compound according to any of claims 28-31, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for treating a disease or condition that involves HSP90.

34. The use according to claim 33, wherein the disease being treated is selected from breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, unfolded protein response, neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder, d metabolic disease, infection from negative strand RNA viruses, influenza virus, hepatitis B, hepatitis C, and herpes simplex virus type 1.

We Claim:


1. A compound according to Formula I:




I

or a pharmaceutically acceptable salt thereof, wherein:


R_1 is selected from




(C),



(D),



(E) and



(Q);

R_3 is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_4, R_7, R_8, R_9 and R_{11} are each independently selected from hydrogen, $-OR_{16}$,

-SR_{16}, -N(H)R_{16}, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogen, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, -NH_2, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_5 is selected from halogen, cycloalkyl, cycloalkylalkylamino, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, -C(O)-NH_2, -C(O)-O-CH_3, -C(O)-N(H)(C_1-C_3)alkyl, heteroarylamino optionally substituted with halogen, and -OCF_3;

R_6 and R_{10} are each selected from hydrogen, alkyl optionally substituted with 1-8 halogens, alkylthio, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkylamino optionally substituted with 1-8 halogens, dialkylamino, alkoxyalkylamino, -N(H)alkylheterocycloalkyl, cycloalkylalkylamino, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkylamino optionally substituted with a group selected form -OH, alkyl, -CF_3 and heterocycloalkyl, -N(H)cycloalkyl optionally substituted with -OH or -NH_2, -NH_2, -N(H)-heteroaryl, -N(H)-aryl optionally substituted with 1, 2 or 3 groups selected from alkoxy, heterocycloalkylalkoxy and dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, -NH_2, alkyl, heterocycloalkyl, and -CF_3, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or -NH_2, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl, and dialkylaminoalkyl;

R_{17}, when present, is -CH_2- or -CH(OH)-;

each of A_1 or A_2 is N or C(H), wherein A_1 and A_2 can be the same or different, provided that A_1 can be substituted with R_4 only when A_1 is C(H), and provided that A_2 can be substituted with R_4 only when A_2 is C(H);

L_1 is selected from -C(O)O-, -C(O)NH-, $-C(O)NHSO_2-$, $-(CH_2)_nC(O)NH-$, $-(CH_2)_nNHC(O)-$, $-(CH_2)_mNH-$, $-(CH_2)_nSO_2NH-$, $-(CH_2)_nNHSO_2-$; $-(CH_2)_mC(O)-$, $-(CH_2)_mO-$, and $-(CH_2)_mNH-(CH_2)_n-$;


L_2 is $-C(O)-NH-R_3$, -CN, $-C(O)-N(CH_3)-OCH_3$, or $-C(O)-R_3$;

n is 0 or 1;


m is 0, 1 or 2; and

each p is independently 0, 1, 2, 3 or 4.


2. The compound according to claim 1, wherein R_1 is selected from




(C) ,



(D) ,



(E) and



(Q) ;

R_3 is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_4, R_7, R_8 , R_9 and R_{11} are each independently selected from hydrogen, $-OR_{16}$,

-SR_{16}, -N(H)R_{16}, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, -O-C(O)-NH_2, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogen, dialkylamino, -N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, -NH_2, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_5 is selected from halogen, cycloalkyl, cycloalkylalkylamino, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, and heterocycloalkyl (optionally substituted with alkyl), alkoxy, dialkylamino, -OH, -C(O)-NH_2, -C(O)-O-CH_3, -C(O)-N(H)(C_1-C_3)alkyl, heteroarylamino optionally substituted with halogen, and -OCF_3;

R_6 and R_{10} are each selected from hydrogen, alkyl optionally substituted with 1-8 halogens, alkylthio, alkenyl, alkynyl, hydroxyalkynyl, halogen, hydroxyalkyl, dihydroxyalkyl, amino(imino)alkyl, -C(O)-NH_2, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkylamino optionally substituted with 1-8 halogens, dialkylamino, alkoxyalkylamino, -N(H)alkylheterocycloalkyl, cycloalkylalkylamino, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkylamino optionally substituted with a group selected form -OH, alkyl, -CF_3 and heterocycloalkyl, -N(H)cycloalkyl optionally substituted with -OH or -NH_2), -NH_2, -N(H)-heteroaryl, -N(H)-aryl optionally substituted with 1, 2 or 3 groups selected from alkoxy, heterocycloalkylalkoxy and dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, -NH_2, alkyl, heterocycloalkyl, and -CF_3, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or -NH_2, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heteroaryl, and gem-dicycloalkylalkyl;

each of A_1 or A_2 is –N= or –CH=, wherein A_1 and A_2 can be the same or different;

L_1 is selected from -NHC(O)-, -$NHSO_2$-, -NHC(O)O-,

-C(O)O-, -C(O)NH-, -C(O)$NHSO_2$-, -C(O)-, -$(CH_2)_n$C(O)NH-, -$(CH_2)_n$NHC(O)-, -$(CH_2)_m$NH-, -$(CH_2)_n$$SO_2$NH-, -$(CH_2)_n$$NHSO_2$-, -$(CH_2)_m$C(O)-, -$(CH_2)_m$O-, and -$(CH_2)_m$NH-;


L_2 is -C(O)-NH-R_3 , -CN or -C(O)-R_3;

n is 0 or 1;

m is 0, 1 or 2; and

each p is independently 0, 1, 2, 3 or 4.


3. The compound according to claim 1 selected from:



IB

or a pharmaceutically acceptable salt thereof,


wherein L_1, R_1 and R_3 are as defined in claim 1,



IC

or a pharmaceutically acceptable salt thereof,


wherein R_1 and R_3 are as defined in claim 1,



ID

or a pharmaceutically acceptable salt thereof,

wherein R_1, R_3 and L_1 are as defined in claim 1, and




IE

or a pharmaceutically acceptable salt thereof,


wherein R_1 and R_3 are as defined in claim 1.

4. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from



C2 , D2 ,

and  E2 ;

R_3 is selected from CF_3, cyclopropyl, cyclobutyl, cyclohexyl optionally substituted with hydroxyl, cyclopropylmethyl, N-propyl, 3-methylbutyl, (1S)-2-hydroxy-1-methylethyl, (2S)-2-hydroxypropyl, methoxyethyl, ethoxyethyl, methylphenyl, phenyl, dimethylphenyl, methoxyphenyl, dimethylaminoethyl, dimethylaminopropyl, diethylaminoethyl, diethylaminopropyl, cyclopentyl, halophenyl, phenylmethyl, phenylethyl optionally substituted with hydroxyl at the ethyl position of phenylethyl, phenylpropyl, phenylpiperidinyl, diethylaminoethyloxyphenylmethyl, diethylaminoethyloxyphenylethyl, pyrrolidinylphenylmethyl, diethylaminoethyloxy-2-fluorophenylethyl, phenyl(C_1-C_3)alkyl optionally substituted at the phenyl position of phenyl(C_1-C_3)alkyl with 1-3 groups selected from methoxy, halo and methyl, methylphenyl(C_1-C_4)alkyl wherein the (C_1-C_4)alkyl portion of methylphenyl(C_1-C_4)alkyl is optionally substituted with -C(O)NH_2, -C(O)$NHCH_3$ or -C(O)$NHCH_2CH_3$, thienylmethyl, furanylmethyl, pyridinylethyl, pyridinylmethyl, methylpyrazinylmethyl, methyl, ethyl, methylpropyl, 2-methylpropyl, 2,3-dihydroxypropyl, (1S)-1-methylpropyl, (1S)-1,2-dimethylpropyl, (1R)-1,2-dimethylpropyl, methyloxypropyl, ethyloxypropyl, (1S)-1-methyl-2-(methyloxy)ethyl, 1,3-benzodioxolyl, 1,3-benzodioxolylmethyl, N-prop-2-yn-1-yl, N-[3-(4-methylpiperazin-1-yl)propyl, N-[2-(ethylthio)ethyl], (1S,2S)-2-[(phenylmethyl)oxy]cyclopentyl, 6-chloropyridinylmethyl, 2-chloro-6-fluorophenylmethyl, methylthioethyl, N-butyl, 1-methylethyloxyethyl, 1-methylethyloxypropyl, 4,4-bismethyloxybutyl, methylpyrazinylmethyl, propyloxypropyl, trifluoromethyloxyphenylmethyl, methyloxyphenylethyl, (2,2-dimethyl-1,3-dioxolan-4-yl)methyl, phenylmethylpyrrolidinyl, oxopyrrolidinylpropyl, pyrrolidinylethyl, methylpyrrolidinylethyl, ethylpyrrolidinylmethyl, N-(1R,2R,4S)-bicyclo[2.2.1]hept-2-yl, 3,3-dimethylbutyl, ethyloxyphenylmethyl, phenylmethylpiperidinyl, ethoxycarbonylpiperidinyl, trifluoromethylphenylmethyl, imidazolylpropyl, (3R)-pyrrolidin-3-yl, morpholinylethyl, morpholinylpropyl, piperidinylethyl, pyrrolidinyl, piperidinyl, pyrrolidinylmethyl, 1-methylethylpyrrolidinyl, ethylpyrrolidinyl, methylpyrrolidinyl, methylethylpiperidinyl, methylpiperidinyl, ethylpiperidinyl, ethylazetidinyl, azetidinyl, methylazetidinyl, 1-methylethylazetidinyl, methylpiperazinylphenylmethyl, piperazinylphenylmethyl, methylpiperazinylphenyl, methylpiperidinylphenyl, piperidinylphenyl(C_1-C_3)alkyl optionally substituted with 1-4 halo, methylpiperazinylphenyl(halo)methyl, methylpiperidinylphenylmethyl, methylpiperazinylphenylethyl, 2-methylpropylpiperazinylphenylmethyl, morpholinylphenylmethyl, piperazinylpyridinylethyl, -$CH(CH_3)C(O)$-NH_2, dimethylaminoethyloxyphenyl, isopropyl, (C_1-C_5)alkyl optionally substituted

with 1-7 halo,-OH, -NH_2, cylcohexyl(C_1-C_5)alkyl optionally substituted with 1-2 hydroxyl groups, phenylaminoethyl optionally substituted with halo, morpholinylethyl, phenylpiperazinylethyl, and methylpiperazinylethyl;

each R_4, when present, is independently selected from halo, 1-ethylpropylamino, methyl, ethyl, cyclohexylamino optionally substituted with hydroxyl, cyclobutylamino, 1-methylpropyloxy, methoxyethoxy, -CF_3, piperidinyl or amino, mopholinylamino, dimethylaminobutyl, methylethylaminopropyl, methylethylaminopropylamino, cyclopentylamino, piperidinylamino, methylethylamino, ethylamino, 2-methylpropylamino, tetrahydraopyranylamino, ethylpiperidinylamino, 2,2-dimethylpropylamino, pyrrolidinylamino, 1-methylpropylamino, 2-methylpropylamino, amino, 1,1 dimethylethylamino, tetrahydropyranylmethylamino, piperidinylamino optionally substituted with methylsulfonyl, phenylamino optionally substituted with 1-3 groups selected from methoxy and dimethylaminoethyloxy, methylsulfonylethylamino, methoxyethylamino, morpholinylethyloxy, -N(H)C(O)CH_3, cyclobutylamino, methoxy, cyclobutyloxy, cyclobutylamino, pyridinylamino, ethylamino, 1-methylcyclopropylethylamino, methylethyloxyethylamino, butylamino, piperidinyl, pentylamino, azetinyl, 1,2-dimethylpropylamino, 1-methylethylpropylamino, propylamino, 1-cyclopropylpropylamino, 1-propylbutylamino, 1-cyclopropylethylamino, dicyclopropylmethylamino, 1,2,2-trimethylpropylamino, tetrahydrofuranylamino, (C_1-C_5)alkylamino substituted with 1-7 halo, morpholinylethyloxy and cyclopropylmethylamino;

R_6 is selected from hydrogen, (C_1-C_4)alkyl optionally substituted with hydroxy, (C_1-C_3)alkylamino or dimethylamino, (C_1-C_4)alkynyl optionally substituted with hydroxyl, and halo;

R_7 is selected from hydrogen, -OH, -O(C_1-C_3)alkyl, -S(C_1-C_3)alkyl, -N(H)(C_1-C_3)alkyl, (C_5-C_6)cycloalkylamino optionally substituted with hydroxyl, (C_1-C_3)alkylamino or dimethylamino, -C(O)NH_2, and -O-C(O)NH_2;

R_8 is selected from hydrogen, -O(C_1-C_3)alkyl, -O-C(O)NH_2, and -C(=NH)-NH_2;


L_1 is -N(H)C(O)-;

L_2 is -C(O)-NH-R_3 or -C(O)-R_3; and


each p is independently 0, 1, 2 or 3.

5. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from



and



;

R_3 is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_5, alkoxy, diethylaminoethoxy, ethylmethylaminoethoxy, dimethylaminoethoxy, cylcopentyl optionally substituted with arylalkoxy, cyclobutyl optionally substituted with arylalkoxy, cyclopropyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy, piperazinyl optionally substituted with alkyl or phenyl, morpholinyl optionally substituted with alkyl or phenyl, azetidinyl and piperidinyl optionally substituted with alkyl or phenyl, alkenyl, alkynyl, heterocycloalkyl selected from piperidinyl, pyrrolidinyl, morpholinyl and piperizinyl, wherein the heterocycloalkyl is optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

each R_4, when present, is independently selected from methyl, 1-methylethylamino, ethylamino, 1-ethylpropylamino, 2-methylpropylamino, (2,2-dimethylpropyl)amino, (2-aminoethyl)amino, (2,2,3,3,3-pentafluoropropyl)amino, 1-methylpropylamino, (1S)-1-methylpropylamino, (2,2,2-trifluoroethyl)amino, 1-propylbutylamino, propylamino, 1,2-dimethylpropylamino, (3,3,3-trifluoropropyl)amino, (2,2,3,3,4,4,4-heptafluorobutyl)amino, butylamino, 1,2,2-trimethylpropylamino, 1-[(methyloxy)methyl]propylamino, 1-methylethyloxyethylamino, 1-methylpropylamino, pentylamino, (2,2,3,3,3-pentafluoropropyl)amino, butylamino, 2-[(1-methylethyl)oxy]ethylamino, (1S)-1-methylpropylamino, (1R)-1-methylpropylamino, (1S)-1,2-dimethylpropylamino, 1-cyclopropylethylamino, (1R)-1,2-dimethylpropylamino, 1-ethyl-2-methylpropylamino, and 3-[(1-methylethyl)amino]propylamino;

R_6 is selected from hydrogen, $(C_1\text{-}C_4)$alkyl optionally substituted with hydroxy, $(C_1\text{-}C_3)$alkylamino or dimethylamino, $(C_1\text{-}C_4)$alkynyl optionally substituted with hydroxyl, and halo;

R_7 is selected from hydrogen, -OH, $-O(C_1\text{-}C_3)$alkyl, $-S(C_1\text{-}C_3)$alkyl, $-N(H)(C_1\text{-}C_3)$alkyl, $(C_5\text{-}C_6)$cycloalkylamino optionally substituted with hydroxyl, $(C_1\text{-}C_3)$alkylamino or dimethylamino, $-C(O)NH_2$, and $-O\text{-}C(O)NH_2$;


R_8 is selected from hydrogen, $-O(C_1\text{-}C_3)$alkyl, $-O\text{-}C(O)NH_2$, and $-C(=NH)\text{-}NH_2$;

L_1 is -N(H)C(O)-;

L_2 is $-C(O)\text{-}NH\text{-}R_3$ or $-C(O)\text{-}R_3$; and

each p is independently 0, 1, 2 or 3.


6. The compound according to claim 1 having Formula I:



I


or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from:




(G)

,



(H)

and



(I)

wherein R_{4a} is selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, $-O-C(O)-NH_2$, amino(imino)alkyl, $-C(O)-NH_2$, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino,

-N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;


R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-;

L_1 is selected from -NHC(O)-, $-NHSO_2-$, -NHC(O)O-, -C(O)O-, -C(O)NH-, $-C(O)NHSO_2-$, -C(O)-, $-(CH_2)C(O)NH-$, $-(CH_2)NHC(O)-$, $-(CH_2)NH-$, $-(CH_2)_nSO_2NH-$, $-(CH_2)NHSO_2-$, $-(CH_2)C(O)-$, $-(CH_2)O-$, and $-NH-(CH_2)-$; and

L_2 is -C(O)-NH-cyclopropyl or $-NH-C(O)-CH_3$.


7. The compound according to claim 1 having Formula I:



I


or a pharmaceutically acceptable salt thereof, wherein:

R_1 is selected from:



(G)

and



(H)

wherein R_{4a} is selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, $-O-C(O)-NH_2$, amino(imino)alkyl, $-C(O)-NH_2$, $-N(H)C(O)$alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino,
$-N(H)$alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and $-N(H)$heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl

optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl;


L_1 is selected from -NHC(O)-, $-NHSO_2$-, -NHC(O)O-, -C(O)O-, -C(O)NH-, $-C(O)NHSO_2$-, -C(O)-, $-(CH_2)C(O)NH$-, $-(CH_2)NHC(O)$-, $-(CH_2)NH$-, $-(CH_2)_nSO_2NH$-, $-(CH_2)NHSO_2$-, $-(CH_2)C(O)$-, $-(CH_2)O$-, and $-NH-(CH_2)$-; and

L_2 is -C(O)-NH-cyclopropyl or $-NH-C(O)-CH_3$.

8. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein L_2 is -C(O)-NH-cyclopropyl, $-C(O)-NH-CH_3$, -C(O)-cyclopropyl, or $-C(O)-CH_3$.


9. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is selected from one of the following of Group Z:

Group Z




(G)

,



(H)

and



(I)

wherein R_{4a} is selected from hydrogen, $-OR_{16}$, $-SR_{16}$, $-N(H)R_{16}$, hydroxy, alkenyl, alkynyl, hydroxyalkynyl, alkoxy, halogen, hydroxyalkyl, dihydroxyalkyl, $-O-C(O)-NH_2$, amino(imino)alkyl, $-C(O)-NH_2$, -N(H)C(O)alkyl, alkylaminoalkyl, alkylaminoalkylamino, aminoalkylamino, arylalkylamino, heterocycloalkyl, dialkylaminoalkyl, alkyl optionally substituted with 1-8 halogens, dialkylamino,


-N(H)alkylheterocycloalkyl, alkylsulfonylheterocycloalkylamino, cycloalkylalkylamino, cycloalkoxy, $-NH_2$, -O-alkyl-heterocycloalkyl, dialkylaminoalkoxy, alkylsulfonylalkylamino and -N(H)heterocycloalkyl optionally substituted with 1, 2 or 3 groups selected from alkyl, alkoxy and halogen;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, alkyl, heterocycloalkyl, and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heterocycloalkylalkyl, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl; and

R_{17}, when present, is $-CH_2-$ or -CH(OH)-.


10. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is



wherein R_{4a} is selected from $-N(H)R_{16}$, $-OR_{16}$, and $-SR_{16}$; and

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, $-NH_2$, $-CH_3$ and $-CF_3$, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or $-NH_2$, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl.

11. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is




(K)


wherein R_{4a} is selected from -N(H)R_{16}, -OR_{16}, and -SR_{16}; and

R_{16} is selected from hydrogen, alkyl optionally substituted with 1-8 halogens, cycloalkyl optionally substituted with 1 or 2 groups selected from -OH, -NH_2, -CH_3 and -CF_3, cycloalkylalkyl, heterocycloalkyl optionally substituted with -OH or -NH_2, alkoxyalkyl, aryl optionally substituted with 1, 2 or 3 alkoxy, heteroaryl, gem-dicycloalkylalkyl and dialkylaminoalkyl.

12. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is




13. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is



(H)

or



(I)

wherein R_{4a} is alkylamino optionally substituted with 1-8 halogens;


R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{17}, when present, is -CH_2- or -CH(OH)-; and

L_1 is –N(H)C(O)-.

14. The compound according to claim 13, or a pharmaceutically acceptable salt thereof, wherein R_{4a} is 1-methylethylamino, ethylamino, 1-ethylpropylamino, 2-methylpropylamino, (2,2-dimethylpropyl)amino, (2-aminoethyl)amino, (2,2,3,3,3-pentafluoropropyl)amino, 1-methylpropylamino, (1S)-1-methylpropylamino, (2,2,2-trifluoroethyl)amino, 1-propylbutylamino, propylamino, 1,2-dimethylpropylamino, (3,3,3-trifluoropropyl)amino, (2,2,3,3,4,4,4-heptafluorobutyl)amino, butylamino, 1,2,2-trimethylpropylamino, 1-[(methyloxy)methyl]propylamino, 1-methylethyloxyethylamino, 1-methylpropylamino, pentylamino, (2,2,3,3,3-pentafluoropropyl)amino, butylamino, 2-[(1-methylethyl)oxy]ethylamino, (1S)-1-methylpropylamino, (1R)-1-methylpropylamino, (1S)-1,2-dimethylpropylamino, 1-cyclopropylethylamino, (1R)-1,2-dimethylpropylamino, 1-ethyl-2-methylpropylamino, or 3-[(1-methylethyl)amino]propylamino.

15. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R_1 is



wherein R_{4a} is heterocycloalkylamino optionally substituted with alkyl;

R_{4b} is selected from H, halogen and methyl optionally substituted with 1-3 halogens;

R_{17}, when present, is $-CH_2-$ or -CH(OH)-; and

L_1 is –N(H)C(O)-.

16. The compound according to claim 15, or a pharmaceutically acceptable salt thereof, wherein R_{4a} is tetrahydrofuran-3-ylamino, piperidin-4-ylamino, tetrahydro-2H-pyran-4-ylamino, (1-ethylpiperidin-4-yl)amino, (tetrahydrofuran-2-ylmethyl)amino, pyrrolidin-3-ylamino, (piperidin-3-ylmethyl)amino, (pyrrolidin-3-ylmethyl)amino, (3S)-tetrahydrofuran-3-ylamino, (3R)-tetrahydrofuran-3-ylamino, azetidin-1-yl, piperidin-1-ylamino, or (3S)-tetrahydrofuran-3-ylamino.

17. The compound according to Claim 1, wherein the compound of Formula I is selected from one of the following compounds:

NAME
N-cyclopropyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methyloxy)ethyl]pyridine-3-carboxamide;
N-[2-(dimethylamino)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-morpholin-4-ylethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
N-cyclopentyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide
N-[(2-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{2-[3,4-bis(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(furan-2-ylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-methylpropyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(methyloxy)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-methylphenyl)methyl]pyridine-3-carboxamide;
N-(1,3-benzodioxol-5-ylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-prop-2-yn-1-ylpyridine-3-carboxamide;

NAME
N-{[3,4-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(4-methylpiperazin-1-yl)propyl]pyridine-3-carboxamide;
N-[2-(ethylthio)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S,2S)-2-[(phenylmethyl)oxy]cyclopentyl}pyridine-3-carboxamide;
N-[(6-chloropyridin-3-yl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-6-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methylthio)ethyl]pyridine-3-carboxamide;;
N-butyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(3-morpholin-4-ylpropyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-pyridin-4-ylethyl)pyridine-3-carboxamide;
N-{2-[(1-methylethyl)oxy]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-pyridin-3-ylethyl)pyridine-3-carboxamide;
N-[4,4-bis(methyloxy)butyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(5-methylpyrazin-2-yl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-endo-(propyloxy)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3,4,5-tris(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
N-{[3,5-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-({4-[(trifluoromethyl)oxy]phenyl}methyl)pyridine-3-carboxamide;
N-(cyclopropylmethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2,4-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-bromophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3S)-1-(phenylmethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-1-(phenylmethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
N-[3-(diethylamino)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{3-[(1-methylethyl)oxy]propyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-propylpyridine-3-carboxamide
N-[2-(diethylamino)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide
N-(3-methylbutyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3-methylphenyl)methyl]pyridine-3-carboxamide;
N-[(3-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2-methylphenyl)methyl]pyridine-3-carboxamide;
N-[(3-chlorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(tetrahydrofuran-2-ylmethyl)pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(2-oxopyrrolidin-1-yl)propyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(1-methylpyrrolidin-2-yl)ethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-piperidin-1-ylethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[2-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3-(methyloxy)phenyl]methyl}pyridine-3-carboxamide;
N-[(2-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-fluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1R,2R,4S)-bicyclo[2.2.1]hept-2-yl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(3,3-dimethylbutyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2,3-bis(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-(ethyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[1-(phenylmethyl)piperidin-4-yl]pyridine-3-carboxamide;
ethyl 4-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino]piperidine-1-carboxylate;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-thienylmethyl)pyridine-3-carboxamide;
N-cyclobutyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(ethyloxy)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(dimethylamino)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(trifluoromethyl)phenyl]methyl}pyridine-3-carboxamide;
N-[(2,4-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,5-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2,6-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(3,4-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[3-(1H-imidazol-1-yl)propyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(2-methylphenyl)pyridine-3-carboxamide;
N-(3,5-dimethylphenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-1,3-benzodioxol-5-yl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(4-methylphenyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(3-methylphenyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[2-(methyloxy)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[3-(methyloxy)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(methyloxy)phenyl]pyridine-3-carboxamide;
N-(3-chlorophenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(4-fluorophenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[3-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-morpholin-4-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-pyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-piperidin-3-ylpyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-piperidin-4-ylpyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyrrolidin-3-ylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(1-methylpiperidin-4-yl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-(1-methylethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-cyclohexyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-methyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-ethyl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-1,2-dimethylpropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1R)-1,2-dimethylpropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-1-methyl-2-(methyloxy)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-azetidin-3-yl-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1R)-1-[4-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1R)-1-phenylethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-phenylethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-phenylpropyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-((1-phenylethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
N-[(1S)-1-(4-chlorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-1-[2-fluoro-4-(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-fluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-3,6-difluorophenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(4-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-2-amino-1-methyl-2-oxoethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(3-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[4-fluoro-3-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[3-fluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[2-chloro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,4,6-trifluorophenyl)methyl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[3-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-{[2,6-difluoro-4-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2-chloro-6-fluoro-3-methylphenyl)methyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[1-(4-chlorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(1-phenylpiperidin-4-yl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-pyrrolidin-1-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,3,6-trifluorophenyl)methyl]pyridine-3-carboxamide;
N-{[2-fluoro-6-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{[4-fluoro-2-(methyloxy)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{[2-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(2,4,5-trifluorophenyl)methyl]pyridine-3-carboxamide;
N-{[3-fluoro-4-(4-methylpiperazin-1-yl)phenyl]methyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(8-{5-[({[4-(4-methylpiperazin-1-yl)phenyl]methyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}-2-fluorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(4-methylpiperazin-1-yl)phenyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[4-(1-methylpiperidin-4-yl)phenyl]pyridine-3-carboxamide;
N-(4-{[2-(dimethylamino)ethyl]oxy}phenyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
N-hydroxy-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{8-[5-(hydrazinocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-3-(methyloxy)benzamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}phenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[1-(6-piperazin-1-ylpyridin-3-yl)ethyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(4-piperazin-1-ylphenyl)methyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-({4-[4-(2-methylpropyl)piperazin-1-yl]phenyl}methyl)pyridine-3-carboxamide;
N-[1-(4-bromo-2-fluorophenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{1-[3,4-bis(methyloxy)phenyl]ethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(1S)-1-methylpropyl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3R)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(3S)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
N-(2,3-dihydroxypropyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S,2S)-2-hydroxycyclopentyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S,2S)-2-hydroxycyclohexyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(1S)-2-hydroxy-1-methylethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[(2S)-2-hydroxypropyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-(2-hydroxyethyl)-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
2-[(1-ethylpropyl)amino]-N4-[8-(5-{[(3R)-pyrrolidin-3-ylamino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-{8-[5-({[(3R)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(1-ethylpropyl)amino]-N4-[8-(5-{[(3S)-piperidin-3-ylamino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-{8-[5-({[(3R)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-(3-endo-{[(2,3-dimethylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(3-hydroxy-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(3-amino-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2-methyl-N1-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
2-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,3-dicarboxamide;
3-methyl-4-({[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]amino}carbonyl)phenyl carbamate;
2-methyl-3-({[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]amino}carbonyl)phenyl carbamate;

NAME
6-[3-endo-({[4-(hydroxymethyl)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
N-[8-(5-{[(pyridin-3-ylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-[(5-methylpyrazin-2-yl)methyl]pyridine-3-carboxamide;
N-{8-[5-({[(5-methylpyrazin-2-yl)methyl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(pyridin-3-ylmethyl)pyridine-3-carboxamide;
6-{3-endo-[({4-[amino(imino)methyl]phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3,4-bis(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[3-(methyloxy)-2-propylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[3-(methyloxy)-2-prop-2-en-1-ylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-bromo-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-iodo-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
2,6-dimethyl-N1-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(4-trans-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
2-[(4-trans-hydroxycyclohexyl)amino]-N4-{8-[5-({[1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;

NAME
2-[(cyclopropylmethyl)amino]-N4-[8-(5-{[methyl(methyloxy)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-(8-{5-[(cyclopentylamino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-N-{8-[5-({[(1-ethylpyrrolidin-2-yl)methyl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-fluoro-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-chloro-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-(3-endo-{[(4-amino-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-[3-endo-({[4-(hydroxymethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-[3-endo-({[4-(hydroxymethyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-(4-hydroxybut-1-yn-1-yl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[2-(methyloxy)ethyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(2-morpholin-4-ylethyl)oxybenzene-1,4-dicarboxylate;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(4-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
2-(acetylamino)-N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;

NAME
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(cyclobutylamino)benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
6-(3-endo-{[(3-hydroxy-2-methylphenyl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
4-methyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-1,2,3-benzotriazole-5-carboxamide;
2-(methyloxy)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
6-[3-endo-({[2-methyl-3-(methylamino)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[3-(dimethylamino)-2-methylphenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-[3-endo-({[2-methyl-3-(methylthio)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
2-(cyclobutyloxy)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-methyl-3-(methyloxy)-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-(cyclobutylamino)-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[3,4,5-tris(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-(phenylamino)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-(pyridin-4-ylamino)benzene-1,4-dicarboxylate;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[1-(methylsulfonyl)piperidin-4-yl]amino}benzene-1,4-dicarboxamide;
3-(ethylamino)-2,5-dimethyl-N1-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;

NAME
2-[(4-hydroxycyclohexyl)amino]-N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-{[2-(methylsulfonyl)ethyl]amino}benzene-1,4-dicarboxamide;
6-{3-endo-[({3-[(4-hydroxycyclohexyl)amino]phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
2,5-dimethyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2,5-dichloro-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
2,5-dimethyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
N-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-methylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3R)-1-ethylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-methylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-methylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-[8-(5-{[(1-methylpiperidin-4-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N-[8-(5-{[(1-ethylpiperidin-4-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[1-(1-methylethyl)piperidin-4-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3S)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3R)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;

NAME
N-{8-[5-({[(3S)-1-ethylpiperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-(1-methylethyl)piperidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[(3S)-1-methylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-({[(3R)-1-ethylpyrrolidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2,5-dimethylbenzene-1,4-dicarboxamide;
N-[8-(5-{[(1-ethylazetidin-3-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide;
2,5-dimethyl-N-{8-[5-({[1-(1-methylethyl)azetidin-3-yl]amino}carbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2,5-dimethyl-N-[8-(5-{[(1-methylazetidin-3-yl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
methyl (2S)-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino][4-(methyloxy)phenyl]ethanoate;
(2S)-[({6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridin-3-yl}carbonyl)amino][4-(methyloxy)phenyl]ethanoic acid;
N-{(1S)-2-amino-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-2-(methylamino)-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-{(1S)-2-(ethylamino)-1-[4-(methyloxy)phenyl]-2-oxoethyl}-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N4-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2-[(2-morpholin-4-ylethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(trans-4-aminocyclohexyl)amino]benzene-1,4-dicarboxamide;
N-[1-(2-fluoro-4-piperidin-4-ylphenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
N-[1-(2,6-difluoro-4-piperidin-4-ylphenyl)ethyl]-6-[3-endo-({[2-methyl-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;

NAME
6-[3-endo-({[2-(3-hydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-(3-hydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[2-{3-[(1-methylethyl)amino]propyl}-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
6-[3-endo-({[2-(4-hydroxybutyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-{3-endo-[({2-[4-(dimethylamino)butyl]-3-(methyloxy)phenyl}carbonyl)amino]-8-azabicyclo[3.2.1]oct-8-yl}pyridine-3-carboxamide;
6-[3-endo-({[2-(2,3-dihydroxypropyl)-3-(methyloxy)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]pyridine-3-carboxamide;
6-[3-endo-({[4-(1,2-dihydroxyethyl)phenyl]carbonyl}amino)-8-azabicyclo[3.2.1]oct-8-yl]-N-(phenylmethyl)pyridine-3-carboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(trans-4-hydroxycyclohexyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-3-(methyloxy)benzamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclohexylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclopentylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(piperidin-4-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(trans-4-hydroxycyclohexyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(ethylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;

NAME
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(cyclopropylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(tetrahydrofuran-3-ylamino)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-methylbutanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-[8-(5-propanoylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(tetrahydro-2H-pyran-4-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-ethylpiperidin-4-yl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(tetrahydrofuran-2-ylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(pyrrolidin-3-ylamino)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(4,4,4-trifluorobutanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(phenylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2-aminoethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,3,3,3-pentafluoropropyl)amino]benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(2-methylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(piperidin-3-ylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(pyrrolidin-3-ylmethyl)amino]benzene-1,4-dicarboxamide;

NAME
N4-[8-(5-butanoylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(phenylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3S)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-methylpropyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(1-ethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,2-trifluoroethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3R)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
;N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-{[3-{[2-(dimethylamino)ethyl]oxy}-4-(methyloxy)phenyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopentylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclobutylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-aminobenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1-propylbutyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(propylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-azetidin-1-ylbenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-bromobenzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-5-[(1-ethylpropyl)amino]-2-fluorobenzene-1,4-dicarboxamide;

NAME
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-5-{[4-(trifluoromethyl)cyclohexyl]amino}benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(2,2,3,3,4,4,4-heptafluorobutyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(butylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(3-{[2-(dimethylamino)ethyl]oxy}phenyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-[(1,2,2-trimethylpropyl)amino]benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-(piperidin-1-ylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({1-[(methyloxy)methyl]propyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({2-[(1-methylethyl)oxy]ethyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-methyl-5-(pentylamino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({4-(methyloxy)-3-[(2-morpholin-4-ylethyl)oxy]phenyl}amino)benzene-1,4-dicarboxamide;
N4-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2-({3-[(1-methylethyl)amino]propyl}amino)benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(pyridin-4-ylamino)benzene-1,4-dicarboxamide;

NAME
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(2,2,3,3,3-pentafluoropropyl)amino]benzene-1,4-dicarboxamide;
2-chloro-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
2-(cyclopentylamino)-N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3S)-tetrahydrofuran-3-ylamino]benzene-1,4-dicarboxamide;
2-(butylamino)-N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-({2-[(1-methylethyl)oxy]ethyl}amino)benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cis-4-hydroxy-4-methylcyclohexyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-methylpropyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-fluorobenzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(trans-4-piperidin-1-ylcyclohexyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1S)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(1-cyclopropylethyl)amino]benzene-1,4-dicarboxamide;
N4-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-{[(1R)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethyl-2-methylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;

NAME
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-cyclopropylethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-cyclopropylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1R)-1,2,2-trimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1,2-dimethylpropyl]amino}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3,3,3-trifluoro-1-methylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[2-methyl-1-(trifluoromethyl)propyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[2-methyl-1-(1-methylethyl)propyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(dicyclopropylmethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
5-(cyclopentylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[1-(trifluoromethyl)propyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
5-[(cyclopentylmethyl)amino]-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
5-(cyclobutylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[(1S)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;

NAME
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-ethylpropyl)amino]-2-(trifluoromethyl)benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1-methylpropyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(1-methylethyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2,2-dimethylpropyl)amino]-2-methylbenzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(cyclopropylmethyl)amino]-2-methylbenzene-1,4-dicarboxamide;
2-bromo-5-(cyclopentylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2-methylpropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-methyl-5-{[1-(1-methylcyclopropyl)ethyl]amino}benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(2,2-dimethylpropyl)amino]benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1,2-dimethylpropyl]amino}benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[2-fluoro-1-(fluoromethyl)ethyl]amino}-2-methylbenzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-(propylamino)benzene-1,4-dicarboxamide;
N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-{[(1R)-1-methylpropyl]amino}-2-(trifluoromethyl)benzene-1,4-dicarboxamide;
2-bromo-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-5-[(3,3,3-trifluoropropyl)amino]benzene-1,4-dicarboxamide;
2-bromo-5-(cyclobutylamino)-N-{8-[5-(cyclopropylcarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;

NAME
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(1-methylpiperidin-4-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-hydroxy-4-methylpentanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-phenylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-hydroxy-3-phenylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(4-methylpentanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N4-{8-[5-(3-cyclohexylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-2-[(cyclopropylmethyl)amino]benzene-1,4-dicarboxamide;
5-[(1-ethylpropyl)amino]-2-methyl-N-(8-{5-[3-(1-methylpiperidin-4-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-piperidin-4-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(N,N-dimethyl-beta-alanyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(methyloxy)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-piperidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(ethyloxy)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[N-(4-fluorophenyl)-beta-alanyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-morpholin-4-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(4-methylpiperazin-1-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(3-pyrrolidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-(8-{5-[3-(4-phenylpiperazin-1-yl)propanoyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)benzene-1,4-dicarboxamide;

NAME
2-[(1-ethylpropyl)amino]-N4-{8-[5-(3-piperidin-1-ylpropanoyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(piperidin-1-ylacetyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
N-[8-(5-acetylpyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-2,5-dimethylbenzene-1,4-dicarboxamide; and
2-[(cyclopropylmethyl)amino]-N4-{8-[5-(trifluoroacetyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}benzene-1,4-dicarboxamide;
or a pharmaceutically acceptable salt of any of the above compounds.

18. A pharmaceutical composition comprising the compound according to any of claims 1-17, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

19. Use of a compound according to any one of claims 1-17, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the inhibition of HSP90 in a cell *in vivo*.

20. Use of a compound according to any one of claims 1-17, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, unfolded protein response, neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder and metabolic disease.

21. The use according to claim 20, wherein the disease being treated is a neurodegenerative disease characterized by accumulation of hyperphosphorylated or mutated forms of the microtubule-associated protein Tau.


22. Use of a compound according to any one of claims 1-17, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for degrading aberrant Tau proteins in an animal.

23. The use according to claim 20, wherein the disease being treated is infection from negative strand RNA viruses, influenza virus, hepatitis B, hepatitis C or herpes simplex virus type 1.

24. The use according to claim 20, further comprising administering radiation treatment or one or more therapeutic agents selected from Camptothecin, Topotecan, 9-Nitrocamptothecin, 9-Aminocamptothecin, Karenitecin, Irinotecan, Etoposide, Etoposide Phosphate, Teniposide, Amsacrine, Razoxane, Dexrazoxane, Mechlorethamine, Cyclophosphamide, Ifosfamide, Chlorambucil, Melphalan, Thiotepa, Trenimon, Triethylenemelamine, Dianhydrogalactitol, Dibromodulcitol, Busulfan, dimethylsulfate, Chloroethylnitrosourea, Carmustine, Lomustine, Methyl-Lomustine, Streptozotocin, Chlorozotocin, Prednimustine, Estramustine, Procarbazine, Dacarbazine, Hexamethylmelamine, Pentamethylmelamine, Temozolomide, Cisplatin, Carboplatin, Oxaliplatin, Bleomycin, Dactinomycin, Mithramycin, Rapamycin, Mitomycin C, Daunorubicin, Doxorubicin, Epirubicin, Idarubicin, Methotrexate, Edatrexate, Trimethoprim, Nolatrexed, Raltitrexed, Hydroxyurea, 5-fluorouracil, Ftorafur, Capecitabine, Furtulon, Eniluracil, ara-C, 5-azacytidine, Gemcitabine, Mercaptopurine, Thioguanine, Pentostatin, antisense DNA, antisense RNA, an antisense DNA/RNA hybrid, a ribozyme, ultraviolet radiation, Vincristine, Vinblastine, Paclitaxel, Docetaxel, L-Asparaginase, a kinase inhibitor, Imatinib, Mitotane, Aminoglutethimide, Diethylstilbestrol, Ethinyl estradiol, Tamoxifen, Anastrozole, Testosterone propionate, Fluoxymesterone, Flutamide, Leuprolide, Prednisone, Hydroxyprogesterone caproate, Medroxyprogesterone acetate, Megestrol acetate, Interferon-alfa, and Interleukin.

25. The use according to claim 20, further comprising administering radiation treatment or one or more therapeutic agents selected from proteosome inhibitors, EGFR inhibitors and DNA damaging agents.

26. A compound according to Formula II:



II

or a pharmaceutically acceptable salt thereof, wherein:

R_{1b} is selected from heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, phenyl and alkyl;

R_2 is a phenyl or a heteroaryl that can contain 1, 2 or 3 heteroatoms, wherein the aryl or heteroaryl can be substituted with 1, 2 or 3 groups selected from alkyl, -OH, alkoxy, and halogen;


R_{3b} is selected from hydrogen, $-CF_3$, $-NH_2$, -OH, alkyl optionally substituted with 1, 2 or 3 R_{5b}, alkoxy, dialkylaminoalkyl, cycloalkyl optionally substituted with arylalkoxy, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl or aryl, alkenyl, alkynyl, heterocycloalkyl optionally substituted with a group selected from alkyl, -C(O)O-alkyl and arylalkyl, arylalkyl optionally substituted with alkylheterocycloalkyl at any ring position of the aryl group, and heteroaryl;

R_{5b} is selected from halogen, cycloalkyl, heteroaryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl and alkoxy, alkylthio, heterocycloalkyl optionally substituted with 1, 2, or 3 groups selected from alkyl, halogen, phenyl and oxo, aryl optionally substituted with 1, 2 or 3 groups selected from halogen, alkyl, alkoxy, dialkylaminoalkoxy and heterocycloalkyl optionally substituted with alkyl, alkoxy, dialkylamino, -OH, $-C(O)-NH_2$, $-C(O)-O-CH_3$, $-C(O)-N(H)(C_1-C_3)$alkyl, heteroarylamino optionally substituted with halogen and $-OCF_3$;

L_{2b} is $-C(O)-NH-R_{3b}$, -CN or $-C(O)-R_{3b}$; and

X is O or S.

27. The compound according to claim 26, wheren R_{1b} is



(O)

wherein:

A_3 is =N- or =CH-;

each R_{18} is independently selected from $-NH_2$, halogen and alkyl;

the (H) ring is a 5 or 6 membered heterocyclic ring fused to the two carbon atoms to which the (H) ring is attached, wherein the (H) ring contains 1, 2 or 3 heteroatoms selected from N, O or S; and

c is 0, 1 or 2.

28. The compound according to claim 27, wherein Formula (O) is selected from 1H-benzimidazole optionally substituted with 1 or 2 methyl groups, 1H-indole optionally substituted with 1 or 2 methyl groups, benzofuran, 3,4-dihydro-2H-chromenyl optionally substituted with 1 or 2 methyl groups, 2,3-dihydrobenzofuranyl optionally substituted with 1 or 2 methyl groups, 2,3-dihydro-1,4-benzodioxin-6-yl optionally substituted with 1 or 2 methyl groups, 1H-1,2,3-benzotriazole optionally substituted with 1, 2 or 3 methyl groups, 9H-purin-9-yl optionally substituted with 1 or 2 groups selected from halogen and amino, 1,3-benzothiazole optionally substituted with 1 or 2 methyl groups, and 2,3-dihydro-1-benzofuran optionally substituted with 1 or 2 methyl groups.

29. The compound according to Claim 26, wherein the compound of Formula II is selected from one of the following compounds:

1,4-dimethyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-benzimidazole-5-carboxamide;
N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1,3-benzothiazole-5-carboxamide;
4-methyl-N-(8-{5-[({(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-1,2,3-benzotriazole-5-carboxamide;

6-(3-endo-{[(8-methyl-3,4-dihydro-2H-chromen-7-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-benzimidazole-5-carboxamide;
N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-4-carboxamide;
6-(3-endo-{[(2-amino-6-chloro-9H-purin-9-yl)acetyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(5-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
6-(3-endo-{[(4-methyl-1,3-benzodioxol-5-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
8-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]quinoline-7-carboxamide;
6-(3-endo-{[(8-methyl-3,4-dihydro-2H-chromen-7-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(phenylmethyl)pyridine-3-carboxamide;
4-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-benzimidazole-5-carboxamide;
4-methyl-N-(8-{5-[({[4-(4-methylpiperazin-1-yl)phenyl]methyl}amino)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-1H-benzimidazole-5-carboxamide;
6-(3-endo-{[(5-methyl-2,3-dihydro-1,4-benzodioxin-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;

N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-6-carboxamide;
1-methyl-N-[8-(5-{[(phenylmethyl)amino]carbonyl}pyridin-2-yl)-8-azabicyclo[3.2.1]oct-3-endo-yl]-1H-indole-4-carboxamide;
N4-{8-[5-(aminocarbonyl)pyridin-2-yl]-8-azabicyclo[3.2.1]oct-3-endo-yl}-1H-indole-4,7-dicarboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[3-(methyloxy)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(4-methylpiperazin-1-yl)phenyl]methyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{(1S)-1-[4-(4-methylpiperazin-1-yl)phenyl]ethyl}pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-{[4-(1-methylpiperidin-4-yl)phenyl]methyl}pyridine-3-carboxamide;
N-[(4-{[2-(diethylamino)ethyl]oxy}phenyl)methyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-(cyclopropylmethyl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[2-(diethylamino)ethyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-methylpyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-(1-methylpiperidin-4-yl)pyridine-3-carboxamide;
N-[(1S)-1-(4-{[2-(diethylamino)ethyl]oxy}phenyl)ethyl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
7-methyl-N-(8-{5-[(4-methylpiperazin-1-yl)carbonyl]pyridin-2-yl}-8-azabicyclo[3.2.1]oct-3-endo-yl)-2,3-dihydro-1-benzofuran-6-carboxamide;
N-(1-ethylpiperidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;

6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-(1-methylethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-methylpiperidin-3-yl]pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-(1-methylethyl)pyrrolidin-3-yl]pyridine-3-carboxamide;
N-[(3S)-1-ethylpyrrolidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[1-(1-methylethyl)piperidin-4-yl]pyridine-3-carboxamide;
N-(1-ethylpiperidin-4-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[(3R)-1-ethylpiperidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-(1-ethylazetidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[1-(1-methylethyl)azetidin-3-yl]pyridine-3-carboxamide;
N-(1-methylazetidin-3-yl)-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
N-[(3R)-1-ethylpyrrolidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-(1-methylethyl)piperidin-3-yl]pyridine-3-carboxamide;
N-[(3S)-1-ethylpiperidin-3-yl]-6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)pyridine-3-carboxamide;
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3S)-1-(1-methylethyl)piperidin-3-yl]pyridine-3-carboxamide; and
6-(3-endo-{[(7-methyl-2,3-dihydro-1-benzofuran-6-yl)carbonyl]amino}-8-azabicyclo[3.2.1]oct-8-yl)-N-[(3R)-1-methylpiperidin-3-yl]pyridine-3-carboxamide,
or a pharmaceutically acceptable salt of any of the above compounds.

30. A pharmaceutical composition comprising the compound according any of claims 26-29, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, excipient, or diluent.

31. Use of a compound according to any of claims 26-29, or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of breast cancer, CML, colorectal carcinoma, glioma, melanoma, multiple myeloma, non-small cell lung cancer, ovarian cancer, prostate cancer, renal cell carcinoma, small cell lung carcinoma, unfolded protein response, neurodegenerative disease, infectious disease, inflammatory disease, autoimmune disorder, stroke, ischemia, cardiac disorder, sepsis, fibrogenetic disorder, metabolic disease, infection from negative strand RNA viruses, influenza virus, hepatitis B, hepatitis C, and herpes simplex virus type 1.