ANTIBACTERIAL COMPOUNDS

RELATED APPLICATIONS


[0001] This application claims the benefit of U.S. Provisional Patent Application No. 62/734,173 filed on September 20, 2018, and U.S. Provisional Patent Application No. 62/767,313 filed on November 14, 2018, each of which is herein incoporated by reference in its entirety.

BACKGROUND

[0002] A need exists in the medicinal arts for the effective treatment of illness caused by bacterial infection.

SUMMARY

[0002a] In one aspect, the present disclosure refers to a compound, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, having the structure of Formula (I):



Formula (I)

wherein,

n is 0-4;

m is 0-4;

A_1 is OH or SH;

A_2 is O or S;

R^1 and R^2 are each independently H or optionally substituted alkyl;

or R^1 and R^2 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^1 and R^2 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^3 is optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, optionally substituted heteroaralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted (C_0-C_4 alkylene)-COR^{11}, optionally substituted (C_0-C_4 alkylene)-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-CN, optionally substituted (C_0-C_4 alkylene)-OR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-COR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-O-

$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})$-PO(optionally substituted C_1-C_4 alkyl)$_2$, optionally substituted (C_0-C_4 alkylene)-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-O-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$C(=N–OR^{11})(R^{11})$, or optionally substituted (C_0-C_4 alkylene)-$OP(=O)(OR^{11})_2$;

R^4 is H or optionally substituted alkyl;

or R^3 and R^4 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^3 and R^4 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^5 is H, halogen, optionally substituted alkyl, hydroxyl, alkoxyl, cyano, amino, or nitro;

Ring B is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

W is a bond, -C≡C-, bicyclo[1.1.1]pentanylene, -C≡C-C≡C-, -CH=CH-, or $-CH_2CH_2-$;

Ring C is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

each X and Y is independently H, optionally substituted alkyl, halo, fluoroalkyl, cyano, nitro, $-N(R^{13})_2$, or $-OR^{13}$;

or R^3 and one X are taken together with the intervening atoms to form an optionally substituted 5- to 7-membered carbocyclyl or optionally substituted 5- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

Z is H, halo, nitro, or -L-G;

L is a bond or optionally substituted C_1-C_4 alkylene;

G is optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -CN, $-N(R^{13})_2$, $-OR^{13}$, $-COR^{13}$, $-CO_2R^{13}$, $-CON(R^{13})_2$, $-N(R^{14})-COR^{13}$, $-SO_2R^{13}-$, $-SO_2N(R^{13})_2$, $-N(R^{14})-SO_2R^{13}$, $-N(R^{14})-CON(R^{13})_2$, $-N(R^{14})-CO_2R^{13}$, $-O-CON(R^{13})_2-$, $-N(R^{14})-SO_2N(R^{13})_2$, $-O-SO_2N(R^{13})_2$, $-N(R^{14})-SO_2-OR^{13}$, or $-C(=N–OR^{14})(R^{13})$;

each R^{11} is independently H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{11} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl;

each R^{12} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl;

each R^{13} is H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl,

optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{13} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl; and

each R^{14} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl.

[0002b] In another aspect, the present disclosure refers to a compound selected from:

5-hydroxy-6-(3-hydroxy-3-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)butyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl) phenyl)ethynyl)phenyl)butyl)pyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-amino-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

(R)-N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

(S)-N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-N-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanoate;

N-(3,3-difluorocyclobutyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

ethyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(((tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanoate;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(((tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanoate;

N-(1-cyanoethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((2-(hydroxymethyl)-1H-imidazol-1-yl)methyl)phenyl)ethynyl)phenyl)propanamide;

N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanamide;

5-hydroxy-6-(3-hydroxy-2-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-methyl-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

1-(4-((4-((S)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

1-(4-((4-((R)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((R)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile ;

6-(2-(4-((4-(((3-oxabicyclo[3.1.0]hexan-6-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((5-oxa-2-azaspiro[3.4]octan-2-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(2-(((S)-tetrahydrofuran-3-yl)amino)ethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((2-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(hydroxymethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

ethyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propanoate;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-morpholinoazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((tetrahydrofuran-3-yl)methyl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((tetrahydro-2H-pyran-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((2-methoxyethyl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(((cyclopropylmethyl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-methylpiperazine-1-carbonyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-oxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((methylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(aminomethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((4-aminotetrahydro-2H-pyran-4-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-(1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((R)-1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((S)-1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(3R)-1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

2-(1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

2-(1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

2-(1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(3S)-3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(S)-3-(((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(S)-3-(((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(3R)-3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(R)-3-(((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(R)-3-(((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(4S)-3-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(S)-3-((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(S)-3-((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(3S)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(4-((4-((2-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-chloropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-(oxetan-3-yl)azetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((6-oxa-2-azaspiro[3.4]octan-2-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-(methylsulfonyl)ethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-hydroxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)propanenitrile;

6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)butyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

3-((2-(4-((4-((3-(cyanomethyl)azetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propyl)amino)propanenitrile;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(2-morpholinoethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((R)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-imino-1-oxidohexahydro-1l6-thiopyran-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((1S,3R)-1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((1R,3S)-1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((4-(2-hydroxyacetyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-(cyclopropanecarbonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

2-hydroxy-N-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)-N-((R)-pyrrolidin-3-yl)acetamide;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyethyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-((3R)-3-((4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)amino)pyrrolidin-1-yl)acetic acid;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-hydroxy-N-(((2S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-2-yl)methyl)acetamide;

6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((S)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-((3-chloropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-((4-methoxypiperidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-(azetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-((4-(morpholinomethyl)phenyl)ethynyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanamide;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-((4-(morpholinomethyl)phenyl)ethynyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanoate;

2-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-6-((4-(morpholinomethyl)phenyl)ethynyl)-1,2-dihydro-3H-pyrrolo[1,2-c]imidazol-3-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-((tetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((6-(morpholinomethyl)pyridin-3-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(5-((4-(morpholinomethyl)phenyl)ethynyl)pyridin-2-yl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((E)-4-((((S)-tetrahydrofuran-3-yl)amino)methyl)styryl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-6-(4-(2-morpholinoethyl)phenyl)-1,2-dihydro-3H-pyrrolo[1,2-c]imidazol-3-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((trans-4-(morpholinomethyl)cyclohexyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((trans-4-(morpholinomethyl)cyclohexyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-((tetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-(imidazo[1,5-a]pyridin-7-ylethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((5-((4-(morpholinomethyl)phenyl)ethynyl)-2,3-dihydro-1H-inden-1-yl)methyl)pyrimidin-4(3H)-one;

3-((5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)methyl)-6-((4-(morpholinomethyl)phenyl)ethynyl)isoindolin-1-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)-2-oxopyridin-1(2H)-yl)propyl)pyrimidin-4(3H)-one;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-(4-(2-morpholinoethyl)phenyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanoic acid;

6-(2-([1,1'-biphenyl]-4-yl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4'-(2-morpholinoethyl)-[1,1'-biphenyl]-4-yl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one ;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-1-(4-((4-((R)-1-(3-cyanoazetidin-1-yl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-(3-cyanoazetidin-1-yl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

(R)-2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

(S)-2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((1-fluoro-3-hydroxypropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((S)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((S)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((R)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((R)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoro-3-hydroxypropyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-((1-methylcyclopropyl)amino)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-((1-methylcyclopropyl)amino)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-((3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-3-yl)cyclopropanecarboxamide;

2-hydroxy-N-((3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-3-yl)acetamide;

6-(2-(4-((4-((2-(aminomethyl)morpholino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((piperidin-4-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((methyl((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-methylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-glycylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((1-glycylpiperidin-4-yl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(2-hydroxyacetyl)piperidin-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(2-(methylamino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((R)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-hydroxy-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)pyrimidine-4,5-diol;

N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

(R)-N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

(S)-N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(3R)-1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

(S)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

(R)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(R)-1-(4-((4-((S)-1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(R)-1-(4-((4-((R)-1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

(S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

(R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-((R)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-((S)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

6-(2-(4-((4-(((R)-3-aminopyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(3-aminooxetan-3-yl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(2-morpholinoethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

(R)-N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

(S)-N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

(S)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

(R)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;

(S)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;

(R)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;


5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;









(S)-5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one; and

(R)-5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.










[0002c] In another aspect, the present disclosure refers to a compound selected from:




,

,

,

,

,

,

, and

;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.

[0002d] In yet another aspect, the present disclosure refers to a compound selected from:


,

,

,

,

,

,

,

, and

;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.


[0002e] In yet another aspect, the present disclosure refers to a pharmaceutical composition comprising a compound of any one of claims 1 - 21, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, and a pharmaceutically acceptable excipient.

[0002f] In yet another aspect, the present disclosure refers to the use of a compound as described herein, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, or the pharmaceutical composition as described herein, in the manufacture of a medicament for treating a gram-negative bacterial infection in a patient in need thereof.

[0002g] In yet another aspect, the present disclosure refers to the compound as described herein, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, or the pharmaceutical composition as described herein, for use in therapy.

[0003] Provided herein are heterocyclic derivative compounds and pharmaceutical compositions comprising said compounds that are useful for inhibiting the growth of gram-negative bacteria. Furthermore, the subject compounds and compositions are useful for the treatment of bacterial infection, such as urinary tract infection and the like.

[0004] Provided herein is a compound, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, having the structure of Formula (I):



Formula (I)

wherein,

n is 0-4;

m is 0-4;

A_1 is OH or SH;

A_2 is O or S;

R^1 and R^2 are each independently H or optionally substituted alkyl;

or R^1 and R^2 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^1 and R^2 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^3 is optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, optionally substituted heteroaralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted (C_0-C_4 alkylene)-COR^{11}, optionally substituted (C_0-C_4 alkylene)-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-CN, optionally

substituted (C_0-C_4 alkylene)-OR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-COR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-O-$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})$-PO(optionally substituted C_1-C_4 alkyl)$_2$, optionally substituted (C_0-C_4 alkylene)-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-O-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$C(=N–OR^{11})(R^{11})$, or optionally substituted (C_0-C_4 alkylene)-$OP(=O)(OR^{11})_2$;

R^4 is H or optionally substituted alkyl;

or R^3 and R^4 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^3 and R^4 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^5 is H, halogen, optionally substituted alkyl, hydroxyl, alkoxyl, cyano, amino, or nitro;

Ring B is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

W is a bond, -C≡C-, bicyclo[1.1.1]pentanylene, -C≡C-C≡C-, -CH=CH-, or $-CH_2CH_2$;

Ring C is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

each X and Y is independently H, optionally substituted alkyl, halo, fluoroalkyl, cyano, nitro, $-N(R^{13})_2$, or $-OR^{13}$;

or R^3 and one X are taken together with the intervening atoms to form an optionally substituted 5- to 7-membered carbocyclyl or optionally substituted 5- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

Z is H, halo, nitro, or -L-G;

L is a bond or optionally substituted C_1-C_4 alkylene;

G is optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -CN, $-N(R^{13})_2$, $-OR^{13}$, $-COR^{13}$, $-CO_2R^{13}$, $-CON(R^{13})_2$, $-N(R^{14})$-COR^{13}, $-SO_2R^{13}$-, $-SO_2N(R^{13})_2$, $-N(R^{14})$-SO_2R^{13}, $-N(R^{14})$-$CON(R^{13})_2$, $-N(R^{14})$-CO_2R^{13}, -O-$CON(R^{13})_2$-, $-N(R^{14})$-$SO_2N(R^{13})_2$, -O-$SO_2N(R^{13})_2$, $-N(R^{14})$-SO_2-OR^{13}, or $-C(=N–OR^{14})(R^{13})$;

each R^{11} is independently H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{11} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl;


each R^{12} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl;

each R^{13} is H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{13} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl;and


each R^{14} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl.

[0005] In some examples provided herein, the compound of Formula (I) is a compound of Formula (II):




Formula (II).

[0006] In some examples provided herein, the compound of Formula (I) or Formula (II) is a compound of Formula (III):




Formula (III).

[0007] In some examples provided herein, the compound of Formula (I) or Formula (II) or Formula (III) is a compound of Formula (IV):




Formula (IV).

[0008] In some examples provided herein, the compound of Formula (I) or Formula (II) or Formula (III) is a compound of Formula (IVa):



Formula (IVa).

[0009] In some examples provided herein, the compound of Formula (I) or Formula (II) or Formula (III) is a compound of Formula (IVb):



Formula (IVb).

[0010] Another example provides a pharmaceutical composition comprising a compound described herein, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, and a pharmaceutically acceptable excipient.

[0011] In another example provided herein, is a method of treating a gram-negative bacterial infection in a patient in need thereof comprising administering to the patient a pharmaceutical composition comprising a compound described herein, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, and a pharmaceutically acceptable excipient. In some examples provided herein, the gram-negative bacterial infection is selected from pneumonia, sepsis, cystic fibrosis, intra-abdominal infection, skin infection and urinary tract infection. In some examples provided herein, the gram-negative bacterial infection is selected from chronic urinary tract infection, complicated urinary tract infection, cystitis, pyelonephritis, urethritis, recurrent urinary tract infections, bladder infections, urethral infections and kidney infections.

[0012] In another example provided herein is a method of inhibiting UDP-{3-O-[(R)-3-hydroxymyristoyl]}-N-acetylglucosamine deacetylase enzyme comprising contacting the enzyme with a compound described herein.

[0013] In another example provided herein is a method for treating bacterial infection in a patient in need thereof comprising administering to the patient a composition comprising a compound described herein, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, and a pharmaceutically acceptable excipient.

INCORPORATION BY REFERENCE

[0014] All publications, patents, and patent applications mentioned in this specification are herein incorporated by reference for the specific purposes identified herein.


DETAILED DESCRIPTION OF THE INVENTION

[0015] As used herein and in the appended claims, the singular forms "a," "an," and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to "an agent" includes a plurality of such agents, and reference to "the cell" includes reference to one or more cells (or to a plurality of cells) and equivalents thereof known to those skilled in the art, and so forth. When ranges are used herein for physical properties, such as molecular weight, or chemical properties, such as chemical formulae, all combinations and subcombinations of ranges and specific embodiments therein are intended to be included. The term "about" when referring to a number or a numerical range means that the number or numerical range referred to is an approximation within experimental variability (or within statistical experimental error), and thus the number or numerical range, in some instances, will vary between 1% and 15% of the stated number or numerical range. The term "comprising" (and related terms such as "comprise" or "comprises" or "having" or "including") is not intended to exclude that in other certain embodiments, for example, an embodiment of

CLAIMS

We Claim:

1. A compound, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, having the structure of Formula (I):



Formula (I)

wherein,

n is 0-4;

m is 0-4;

A_1 is OH or SH;

A_2 is O or S;

R^1 and R^2 are each independently H or optionally substituted alkyl;

or R^1 and R^2 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^1 and R^2 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^3 is optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, optionally substituted heteroaralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted (C_0-C_4 alkylene)-COR^{11}, optionally substituted (C_0-C_4 alkylene)-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-CN, optionally substituted (C_0-C_4 alkylene)-OR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-COR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-O-$SO_2N(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})$-PO(optionally substituted C_1-C_4 alkyl)$_2$, optionally substituted (C_0-C_4 alkylene)-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-O-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-SO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$C(=N–OR^{11})(R^{11})$, or optionally substituted (C_0-C_4 alkylene)-$OP(=O)(OR^{11})_2$;

R^4 is H or optionally substituted alkyl;

or R^3 and R^4 are taken together with the carbon to which they are attached to form $=C(R^{11})_2$, $=NR^{11}$, =O, or =S;

or R^3 and R^4 are taken together with the carbon to which they are attached to form an optionally substituted 3- to 6-membered carbocyclyl or optionally substituted 4- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

R^5 is H, halogen, optionally substituted alkyl, hydroxyl, alkoxyl, cyano, amino, or nitro;

Ring B is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

W is a bond, -C≡C-, bicyclo[1.1.1]pentanylene, -C≡C-C≡C-, -CH=CH-, or $-CH_2CH_2-$;

Ring C is aryl, carbocyclyl, heteroaryl, or heterocyclyl;

each X and Y is independently H, optionally substituted alkyl, halo, fluoroalkyl, cyano, nitro, $-N(R^{13})_2$, or $-OR^{13}$;

or R^3 and one X are taken together with the intervening atoms to form an optionally substituted 5- to 7-membered carbocyclyl or optionally substituted 5- to 7-membered heterocyclyl containing 1 or 2 heteroatoms selected from O, N, and S;

Z is H, halo, nitro, or -L-G;

L is a bond or optionally substituted C_1-C_4 alkylene;

G is optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -CN, $-N(R^{13})_2$, $-OR^{13}$, $-COR^{13}$, $-CO_2R^{13}$, $-CON(R^{13})_2$, $-N(R^{14})-COR^{13}$, $-SO_2R^{13}-$, $-SO_2N(R^{13})_2$, $-N(R^{14})-SO_2R^{13}$, $-N(R^{14})-CON(R^{13})_2$, $-N(R^{14})-CO_2R^{13}$, $-O-CON(R^{13})_2-$, $-N(R^{14})-SO_2N(R^{13})_2$, $-O-SO_2N(R^{13})_2$, $-N(R^{14})-SO_2-OR^{13}$, or $-C(=N–OR^{14})(R^{13})$;

each R^{11} is independently H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{11} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl;

each R^{12} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl;

each R^{13} is H, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted alkynyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl;

or two R^{13} on the same nitrogen atom are taken togehter with the nitrogen to which they are attached to form an optionally substituted N-heterocyclyl; and



each R^{14} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl.




2. The compound of claim 1, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

Ring B is monocyclic or bicyclic aryl, monocyclic or bicyclic heteroaryl containing 1 or 2 heteroatoms selected from O, N, and S, or monocyclic or bicyclic 5- to 12-membered heterocyclyl containing 1 to 3 heteroatoms selected from O, N, and S; and

Ring C is phenyl, monocyclic 3- to 6-membered carbocyclyl, or monocyclic or bicyclic heteroaryl containing 1 or 2 heteroatoms selected from O, N, and S.

3. The compound of claim 1 or claim 2, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

Ring B is phenyl, , ; and


Ring C is phenyl, cyclohexyl, , , or .

4. The compound of any one of claims 1 - 3, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

Ring B is phenyl; and

Ring C is phenyl.

5. The compound of any one of claims 1 - 4, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein the compound has the structure of Formula (II):



Formula (II).

6. The compound of any one of claims 1 - 5, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

each X and Y is independently H, optionally substituted alkyl, halo, or cyano;

n is 0 or 1; and

m is 0 or 1.


7. The compound of any one of claims 1 - 6, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

   A_1 is OH;

   A_2 is O; and

   R^5 is H.

8. The compound of any one of claims 1 - 7, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein the compound has the structure of Formula (III):




Formula (III).

9. The compound of any one of claims 1 - 8, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:


   R^4 is H or optionally substituted alkyl.

10. The compound of any one of claims 1 - 9, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein the compound has the structure of Formula (IV):




Formula (IV).

11. The compound of any one of claims 1 - 10, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein the compound has the structure of Formula (IVa) or Formula (IVb):



Formula (IVa)



Formula (IVb).

12. The compound of any one of claims 1 - 11, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

    R^3 is optionally substituted alkyl, optionally substituted (C_0-C_4 alkylene)-CO_2R^{11}, optionally substituted (C_0-C_4 alkylene)-$CON(R^{11})_2$, optionally substituted (C_0-C_4 alkylene)-OR^{11}, optionally substituted (C_0-C_4 alkylene)-$N(R^{11})_2$, or optionally substituted (C_0-C_4 alkylene)-$N(R^{12})$-SO_2R^{11}.

13. The compound of any one of claims 1 - 12, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

each R^{11} is H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted heterocyclyl, or optionally substituted heteroarylalkyl;

or two R^{11} groups are joined with the nitrogen to which they are attached join to form an optionally substituted N-heterocyclyl; and

each R^{12} is independently H or unsubstituted alkyl.

14. The compound of claim 13, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

each R^{11} is independently unsubstituted or substituted with halogen, -CN, $-R^b-OR^a$, $-R^b-C(O)R^a$, or $-R^b-S(O)_tR^a$; wherein t is 1 or 2; each R^a is independently hydrogen or alkyl which is optionally substituted with halogen, hydroxy, methoxy, or trifluoromethyl; and each R^b is independently a direct bond or a straight or branched alkylene;

or two R^{11} groups are joined with the nitrogen to which they are attached join to form an N-heterocyclyl which is optionally substituted with halogen, oxo, -CN, or $-R^b-OR^a$; wherein each R^a is independently hydrogen or alkyl which is optionally substituted with halogen, hydroxy, methoxy, or trifluoromethyl; and each R^b is independently a direct bond or a straight or branched alkylene; and

each R^{12} is independently H or unsubstituted alkyl.

15. The compound of claim 13 or claim 14, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

each R^{11} is independently unsubstituted or substituted with -F, -Cl, -CN, -OH, -OMe, $-SO_2Me$, or -C(O)Me;

or two R^{11} groups are joined with the nitrogen to which they are attached join to form an N-heterocyclyl which is unsubstituted or substituted with -CN, -OH, or -OMe; and

each R^{12} is independently H or unsubstituted alkyl.

16. The compound of any one of claims 1 - 15, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

Z is -L-G.

L is a bond;

or L is optionally substituted C_1-C_2 alkylene;

G is optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted heteroaryl, $-N(R^{13})_2$, $-OR^{13}$, -CN, $-COR^{13}$, $-CO_2R^{13}$, $-CON(R^{13})_2$, $-N(R^{14})-COR^{13}$, $-SO_2R^{13}-$, $-SO_2N(R^{13})_2$, or $-N(R^{14})-SO_2R^{13}$;

each R^{13} is independently H, optionally substituted alkyl, optionally substituted carbocyclyl, optionally substituted carbocyclylalkyl, optionally substituted heterocyclyl, or optionally substituted heterocyclylalkyl;

or two R^{13} groups are joined with the nitrogen to which they are attached join to form an optionally substituted N-heterocyclyl; and

each R^{14} is independently H, unsubstituted alkyl, or unsubstituted heterocyclyl.

17. The compound of any one of claims 1 - 16, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

L is optionally substituted C_1-C_2 alkylene;

G is optionally substituted alkyl, optionally substituted heterocyclyl, optionally substituted heteroaryl, -$N(R^{13})_2$, -OR^{13}, -$CON(R^{13})_2$, or -$N(R^{14})$-COR^{13};

each R^{13} is independently unsubstituted or substituted with -OH, -OMe, -$C(O)CH_2OH$, -$CH_2C(O)OH$, -C(O)OH, -C(O)-cyclopropyl;

or two R^{13} groups are joined with the nitrogen to which they are attached join to form an N-heterocyclyl which is unsubstituted or substituted with methyl, oxetanyl, morpholinyl, -OMe, -CH_2OH, -NH_2, -CH_2NH_2, -$C(O)CH_2OH$, -CN, -CH_2CN, -$CH_2NHC(O)CH_2OH$; and

each R^{14} is independently H, unsubstituted alkyl, or unsubstituted heterocyclyl.

18. The compound of any one of claims 1 - 17, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, wherein:

G is optionally substituted 4- to 6-membered monocyclic heterocyclyl.

19. A compound selected from:

5-hydroxy-6-(3-hydroxy-3-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)butyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2-fluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)butyl)pyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-amino-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

(R)-N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

(S)-N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-N-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanoate;

N-(3,3-difluorocyclobutyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

ethyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(((tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanoate;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(((tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanoate;

N-(1-cyanoethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propanamide;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((2-(hydroxymethyl)-1H-imidazol-1-yl)methyl)phenyl)ethynyl)phenyl)propanamide;

N-(2-fluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propanamide;

5-hydroxy-6-(3-hydroxy-2-methyl-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-methyl-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

1-(4-((4-((S)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

1-(4-((4-((R)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((R)-1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile ;

6-(2-(4-((4-(((3-oxabicyclo[3.1.0]hexan-6-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((5-oxa-2-azaspiro[3.4]octan-2-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(2-(((S)-tetrahydrofuran-3-yl)amino)ethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyacetyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((2-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(hydroxymethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

ethyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propanoate;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-morpholinoazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((tetrahydrofuran-3-yl)methyl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((tetrahydro-2H-pyran-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(piperazin-1-ylmethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((2-methoxyethyl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(((cyclopropylmethyl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-methylpiperazine-1-carbonyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-oxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((methylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(aminomethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((4-aminotetrahydro-2H-pyran-4-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-((cis-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-((trans-3-fluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-(1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((R)-1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

1-(4-((4-((S)-1-(((R)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(((S)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(3R)-1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(3S)-1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((oxetan-3-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

2-(1-(4-((4-(1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

2-(1-(4-((4-((R)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

2-(1-(4-((4-((S)-1-(((S)-1-fluoropropan-2-yl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)azetidin-3-yl)acetonitrile;

3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(3S)-3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(S)-3-(((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(S)-3-(((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(3R)-3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(R)-3-(((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

(R)-3-(((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)butanenitrile;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((3,3-difluorocyclobutyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(4S)-3-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(S)-3-((S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(S)-3-((R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-4-methyloxazolidin-2-one;

(3S)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(4-((4-((2-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-chloropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-(oxetan-3-yl)azetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((6-oxa-2-azaspiro[3.4]octan-2-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-(methylsulfonyl)ethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-hydroxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

3-((3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)amino)propanenitrile;

6-(3-((2,2-difluoroethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)butyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

3-((2-(4-((4-((3-(cyanomethyl)azetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propyl)amino)propanenitrile;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-3-((2-fluoropropyl)amino)-2-(4-((4-(((R)-3-methoxypyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoropropyl)amino)-2-(4-((4-(2-morpholinoethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-((3-fluoropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-((1-fluoropropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-(((S)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((R)-2-(aminomethyl)pyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-imino-1-oxidohexahydro-1l6-thiopyran-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((1S,3R)-1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((1R,3S)-1-imino-1-oxidotetrahydro-1H-1l6-thiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((4-(2-hydroxyacetyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-(cyclopropanecarbonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

2-hydroxy-N-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)-N-((R)-pyrrolidin-3-yl)acetamide;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(2-hydroxyethyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-((3R)-3-((4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)amino)pyrrolidin-1-yl)acetic acid;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(((1-(2-hydroxyacetyl)piperidin-4-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-hydroxy-N-(((2S)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-2-yl)methyl)acetamide;

6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-((2-methoxyethyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((S)-tetrahydrofuran-3-yl)amino)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((S)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((R)-1-hydroxypropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-((3-chloropropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((4-((4-methoxypiperidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-methoxyazetidin-1-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-(azetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(((1,1-dioxidotetrahydrothiophen-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1-acetylpyrrolidin-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((1H-pyrazol-5-yl)methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((R)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-3-(((S)-1,1-dioxidotetrahydrothiophen-3-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-(2,2-difluoroethyl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-((4-(morpholinomethyl)phenyl)ethynyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanamide;

methyl 3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-((4-(morpholinomethyl)phenyl)ethynyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanoate;

2-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-6-((4-(morpholinomethyl)phenyl)ethynyl)-1,2-dihydro-3H-pyrrolo[1,2-c]imidazol-3-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-((tetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((6-(morpholinomethyl)pyridin-3-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(5-((4-(morpholinomethyl)phenyl)ethynyl)pyridin-2-yl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((E)-4-((((S)-tetrahydrofuran-3-yl)amino)methyl)styryl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4-((1-methyl-1H-pyrazol-4-yl)ethynyl)phenyl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

2-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-6-(4-(2-morpholinoethyl)phenyl)-1,2-dihydro-3H-pyrrolo[1,2-c]imidazol-3-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((trans-4-(morpholinomethyl)cyclohexyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((trans-4-(morpholinomethyl)cyclohexyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-((tetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-(imidazo[1,5-a]pyridin-7-ylethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2-fluoroethyl)amino)-2-(4-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((5-((4-(morpholinomethyl)phenyl)ethynyl)-2,3-dihydro-1H-inden-1-yl)methyl)pyrimidin-4(3H)-one;

3-((5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)methyl)-6-((4-(morpholinomethyl)phenyl)ethynyl)isoindolin-1-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)-2-oxopyridin-1(2H)-yl)propyl)pyrimidin-4(3H)-one;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(6-(4-(2-morpholinoethyl)phenyl)-3-oxo-1H-pyrrolo[1,2-c]imidazol-2(3H)-yl)propanoic acid;

6-(2-([1,1'-biphenyl]-4-yl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-amino-2-(4'-(2-morpholinoethyl)-[1,1'-biphenyl]-4-yl)ethyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(3-fluoroazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one ;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)azetidine-3-carbonitrile;

6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropylamino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-2-methylpropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-(3-hydroxyazetidin-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(4-((4-((((R)-1-acetylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-1-(4-((4-((R)-1-(3-cyanoazetidin-1-yl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(S)-1-(4-((4-((S)-1-(3-cyanoazetidin-1-yl)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-((3-fluoropropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(2-fluoro-4-((4-((tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)methyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

(R)-2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

(S)-2-hydroxy-N-(1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)acetamide;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((1-fluoro-3-hydroxypropan-2-yl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((S)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((S)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-(((R)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-(((R)-2-hydroxypropyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(3-((2-fluoro-3-hydroxypropyl)amino)-2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-((1-methylcyclopropyl)amino)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(2-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-((1-methylcyclopropyl)amino)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-(((S)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-(methylsulfonyl)pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-((3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-3-yl)cyclopropanecarboxamide;

2-hydroxy-N-((3R)-1-(4-((4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidin-3-yl)acetamide;

6-(2-(4-((4-((2-(aminomethyl)morpholino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((piperidin-4-ylamino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((methyl((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-((((R)-1-methylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-((((R)-1-glycylpyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((1-glycylpiperidin-4-yl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((1-(2-hydroxyacetyl)piperidin-4-yl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(2-(methylamino)-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(S)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

(R)-5-hydroxy-6-(3-hydroxy-2-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((R)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-hydroxy-2-(4-((4-(((2-hydroxyethyl)((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

6-(2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2S)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-((2R)-2-(4-((4-(1,2-dihydroxyethyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-hydroxy-2-(4-((4-((((R)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)ethyl)pyrimidine-4,5-diol;

N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

(R)-N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

(S)-N-(1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)piperidin-4-yl)-2-hydroxyacetamide;

6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((4-((1-oxa-6-azaspiro[3.3]heptan-6-yl)methyl)phenyl)ethynyl)-2-fluorophenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

(3R)-1-(4-((3-fluoro-4-(1-hydroxy-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)phenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((2-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(4-((3-fluoro-4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(3-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-hydroxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-fluoroazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

(S)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

(R)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)azetidine-3-carbonitrile;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-1-fluoropropan-2-yl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-1-(4-((4-(1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(R)-1-(4-((4-((S)-1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

(R)-1-(4-((4-((R)-1-((2,2-difluoroethyl)amino)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)propan-2-yl)-3-fluorophenyl)ethynyl)benzyl)pyrrolidine-3-carbonitrile;

6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((2,2-difluoroethyl)amino)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((S)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-((R)-2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(((R)-2-hydroxypropyl)amino)propyl)-5-hydroxypyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((S)-tetrahydrofuran-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

(S)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

(R)-3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl dihydrogen phosphate;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((S)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-(3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((S)-3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

5-hydroxy-6-((R)-3-methoxy-2-(4-((4-((((R)-pyrrolidin-3-yl)amino)methyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(4-hydroxypiperidin-4-yl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-((R)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

N-((S)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-(((S)-2-(hydroxymethyl)piperazin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

6-(2-(4-((4-(((R)-3-aminopyrrolidin-1-yl)methyl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(2-(4-((4-(3-aminooxetan-3-yl)phenyl)ethynyl)phenyl)-3-hydroxypropyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(((S)-1-fluoropropan-2-yl)amino)-2-(4-((4-(2-morpholinoethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

(R)-N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

(S)-N-(1-([1,1'-biphenyl]-4-yl)-2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)ethyl)methanesulfonamide;

N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(R)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

(S)-N-(2-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-1-(4-((4-((3-methoxyazetidin-1-yl)methyl)phenyl)ethynyl)phenyl)ethyl)methanesulfonamide;

6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(2-(2-fluoro-4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)-3-(3-methoxyazetidin-1-yl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-((1-fluoro-2-methylpropan-2-yl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(S)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

(R)-6-(3-(cyclopropyl(methyl)amino)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)-5-hydroxypyrimidin-4(3H)-one;

1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

(S)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

(R)-1-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)azetidin-3-yl acetate;

N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

(S)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

(R)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)acetamide;

N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;

(S)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;

(R)-N-(3-(5-hydroxy-6-oxo-1,6-dihydropyrimidin-4-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)methanesulfonamide;









5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;











(S)-5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one; and

(R)-5-hydroxy-6-(3-(2-methyl-1H-imidazol-1-yl)-2-(4-((4-(morpholinomethyl)phenyl)ethynyl)phenyl)propyl)pyrimidin-4(3H)-one;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.










20. A compound selected from:


;

;

;

;

;

;

;

;


;

;

;

;

;

;

;

;

; and

;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.

21. A compound selected from:


;

;

;

;

;

;

;

; and

;

or a pharmaceutically acceptable salt, solvate, or prodrug thereof.

22. A pharmaceutical composition comprising a compound of any one of claims 1 - 21, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, and a pharmaceutically acceptable excipient.
23. Use of a compound of any one of claims 1 - 21, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, or the pharmaceutical composition of claim 22, in the manufacture of a medicament for treating a gram-negative bacterial infection in a patient in need thereof.
24. The use of claim 23, wherein:

the gram-negative bacterial infection is selected from pneumonia, sepsis, cystic fibrosis, intra-abdominal infection, skin infection and urinary tract infection;

or the gram-negative bacterial infection is selected from chronic urinary tract infection, complicated urinary tract infection, cystitis, pyelonephritis, urethritis, recurrent urinary tract infections, bladder infections, urethral infections and kidney infections;

or the gram-negative bacterial infection is chronic urinary tract infections;

or the gram-negative bacterial infection is complicated urinary tract infections.

25. The compound of any one of claims 1 - 21, or a pharmaceutically acceptable salt, solvate, or prodrug thereof, or the pharmaceutical composition of claim 22, for use in therapy.