




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B

Group	#mice	#A549 SC	Her 2 IP	NK IV	IL-2 IP
A	8	5x10 ⁶	-	-	3x10 ug
B	8	5x10 ⁶	100 ug	-	3x10 ug
C	8	5x10 ⁶	-	2x(20x10 ⁶)	3x10 ug
D	8	5x10 ⁶	100 ug	2x(20x10 ⁶)	3x10 ug
Total	32	160x10 ⁶	1.6 mg	640x10 ⁶	960 ug

FIG. 6A




FIG. 6B




FIG. 6C

Group	#mice	#A549 SC	Her 2 IP	NK IV	IL-2 IP
A	8	5x10 ⁶	-	-	3x10 ug
B	8	5x10 ⁶	100 ug	-	3x10 ug
C	8	5x10 ⁶	-	2x(20x10 ⁶)	3x10 ug
D	8	5x10 ⁶	100 ug	2x(20x10 ⁶)	3x10 ug
Total	32	160x10 ⁶	1.6 mg	640x10 ⁶	960 ug

FIG. 7A





FIG. 7B



SUBSTITUTE SHEET (RULE 26)




FIG. 8




FIG. 9