

1/15




FIG. 1A




FIG. 1B

SUBSTITUTE SHEET (RULE 26)

2/15




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B

6/15




FIG. 6




FIG. 7A

Reportable Marker	CAR-NK-1 16 mL fill	CAR-NK-2 30 mL fill	CAR-NK-3 45 mL fill	CAR-NK-4 1 mL fill	CAR-NK-5 16 mL fill	CAR-NK-6 30 mL fill	CAR-NK-7 45 mL fill	CAR-NK-8 1 mL fill	CAR-NK -Fresh	CAR-NK-2ml Cryovial
Live Population (7AAD-)	41.87	42.66	46.43	47.01	46.65	43.86	48.96	42.41	53.61	40.80
CD56-CD48+CD32+	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CD56+CD3-	97.84	97.90	98.31	97.51	97.10	98.05	98.06	95.96	98.08	98.14
CD3+	0.05	0.07	0.01	0.12	0.09	0.07	0.06	0.10	0.05	0.05
F(ab') ₂ -(NK-CAR)+	50.64	49.07	50.48	48.20	50.50	50.19	51.25	48.60	1.51	47.93

FIG. 7B

9/15




FIG. 8A

10/15

Sample	Container	Cell conc.	Fill vol (ml)	Formulation	% killing @ E:T=10:1	Viability (%)
CAR-NK-DP1	50 mL AT vial	6 M/mL	35	40% Plasmalyte+10%HS A+50%CS10	93.01	97.3
CAR-NK-DP2	2 mL AT vial	80 M/mL	1		92.77	97.2
CAR-NK-DP3	2 mL AT vial	6 M/mL	1		89.76	96.6
CAR-NK-DP4	50 mL AT vial	6 M/mL	35	40% Plasmalyte+10%HS A+50%CS10+30 mM trehalose	92.17	97.7
CAR-NK-DP5	2 mL AT vial	80 M/mL	1		92.77	97.6
CAR-NK-DP6	2 mL AT vial	6 M/mL	1		91.69	98.3

FIG. 8B

Reportable Marker	CAR-NK 3-1	CAR-NK 3-2	CAR-NK 3-3	CAR-NK 3-4	CAR-NK 3-5	CAR-NK 3-6
Live Population (7AAD-)	62.86	64.71	62.68	64.82	63.82	60.90
CD56-CD48+CD32+	0.00	0.00	0.00	0.00	0.00	0.00
CD56+CD3-	99.35	99.54	99.55	99.57	99.59	99.56
CD3+	0.09	0.07	0.11	0.12	0.12	0.12
F(ab') ₂ +(NK-CAR)+	72.45	72.82	72.28	72.98	72.55	73.19

FIG. 8C

11/15




FIG. 9A




FIG. 9B




FIG. 9C

12/15




FIG. 9D




FIG. 9E




FIG. 9F

SUBSTITUTE SHEET (RULE 26)

13/15




FIG. 9G

14/15




FIG. 9H

15/15




FIG. 9I