
What is claimed is:

1. A compound of formula (I):



(I)

or a pharmaceutically acceptable salt or deuterated form thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -$C(O)OR^A$, (C_1-C_3 alkyl)-OR^A, -$C(O)N(R^A)_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or 2-carboxy-3,4,5-trihydroxytetrahydro-2H-pyran-6-yl;

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_1-C_6 alkoxy, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^5 is hydrogen, -OR^{20}, -SR^{20}, C_1-C_6 alkyl, halogen, hydroxy, haloC_1-C_3 alkyl, hydroxy C_1-C_6 alkyl, C_1-C_6 alkoxy, C_1-C_6 alkoxy(C_1-C_6)alkyl, cyano, amino, mono- or di(C_1-C_3) alkyl amino, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), 3-8 membered heterocyclyl, phenyl or 5-6 membered heteroaryl, wherein each alkyl, alkenyl, cycloalkyl, phenyl, 3-8 membered heterocyclyl and heteroaryl is optionally independently substituted with 1-3 of halogen, hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, haloC_1-C_3 alkyl, hydroxy C_1-C_6 alkyl, oxo, cyano, amino, mono- ordi(C_1-C_3) alkyl amino,

wherein R^{20} is aryl, aryl(C_1-C_6)alkyl, 5-7 membered heteroaryl or 5-7 membered heteroaryl(C_1-C_6)alkyl, wherein each aryl and heteroaryl is optionally independently

substituted with one to four of C_1-C_6 alkyl, halogen, hydroxy, cyano, haloC_1-C_3 alkyl, hydroxy C_1-C_6 alkyl, C_1-C_6 alkoxy, C_1-C_6 alkoxy(C_1-C_6)alkyl, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl, or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally independently substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, oxo, C_1-C_3 alkyl, C_1-C_3 alkoxy, C_1-C_6 alkanoyl, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represents H, C_1-C_6 alkyl, C_2-C_6 alkenyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), 3-8 membered heterocyclyl, 3-8 membered heterocyclyl(C_1-C_6) alkyl, phenyl(C_1-C_6)alkyl or 5-6 membered heteroaryl(C_1-C_6)alkyl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl, heteroaryl and 3-8 membered heterocyclyl is optionally independently substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, oxo, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, mono- or di(C_1-C_3) alkyl amino, amino- or mono- or di(C_1-C_3) alkylaminocarbonyl, $-SO_2R^{16}$, $-SO_2(NR^{16})_2$, or $-NR^{17}SO_2R^{16}$ wherein each R^{16} is independently C_1-C_6 alkyl and R^{17} is C_1-C_6 alkyl; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is

a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group


is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group or fused ring system and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and


wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl optionally substituted with C_1-C_3 alkoxy, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino where one alkyl is optionally substituted with oxo , (xi) C_1-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano,

hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, mono- or di-(C_1-C_6 alkyl) amino, C_3-C_6 cycloalkyl, phenyl, 5-6 membered heteroaryl, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, and wherein each cycloalkyl, phenyl and heteroaryl on the alkanoyl is optionally substituted with C_1-C_6 alkyl, C_1-C_6 alkoxy, halogen, amino, hydroxy, or cyano, (xii) C_3-C_6 cycloalkyloxy, (xiii) phenyl, (xiv) phenyl(C_1-C_3 alkanoyl), (xv) 5-7 membered heterocyclyl, or (xvi) 5-6 membered heteroaryl, wherein each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, mono- or di(C_1-C_3 alkyl)amino, amino(C_1-C_3) alkyl, mono- or di(C_1-C_3 alkyl)amino(C_1-C_3) alkyl, or amino- or mono- or di(C_1-C_3) alkylaminocarbonyl.

2. A compound according claim 1, wherein the compound is of formula (II) or (III)



(II)




(III)

wherein n is 0, 1, 2, 3 or 4; and


m is 0, 1, 2 or 3.

3. A compound according claim 2, wherein the compound is of formula (II-A)




(II-A).

4. A compound according claim 2, wherein the compound is of formula (III-A)



(III-A).

5. A compound of Formula (IV):



(IV)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -$C(O)OR^A$, (C_1-C_3 alkyl)-OR^A, -$C(O)N(R^A)_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^5 is C_1-C_2 alkyl, cyclopropyl, bromo, chloro, fluoro, cyano, or trifluoromethyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is


a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group

is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii) phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

6. A compound of Formula (IV-A):



(IV-A)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -C(O)OR^A, (C_1-C_3 alkyl)-OR^A, -C(O)N(R^A)$_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is

a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group


is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally

substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii) phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

7. A compound of Formula (IV-B):



(IV-B)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -C(O)OR^A, (C_1-C_3 alkyl)-OR^A, -C(O)N(R^A)$_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of

halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is


a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group

is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii) phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

8. A compound of Formula (IV-C):



(IV-C)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -C(O)OR^A, (C_1-C_3 alkyl)-OR^A, -C(O)N(R^A)$_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is


a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group

is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii) phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

9. A compound of Formula (IV-D):



(IV-D)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -C(O)OR^A, (C_1-C_3 alkyl)-OR^A, -C(O)N(R^A)$_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is

a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group


is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl,

(ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii) phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

10. A compound of Formula (IV-E):



(IV-E)

or a pharmaceutically acceptable salt, prodrug, solvate, hydrate, isomer, deuterated form, or tautomer thereof, wherein:

R^1 is H, C_1-C_3 alkyl, or C_3-C_6 cycloalkyl;

R^2 is phenyl or a 5-6 membered heteroaryl group, wherein each phenyl and heteroaryl is optionally substituted with 1-5 R^{12};

each R^{12} is independently C_1-C_4 alkyl, -OR^A, -C(O)OR^A, (C_1-C_3 alkyl)-OR^A, -C(O)N(R^A)$_2$, cyano, or halogen;

each R^A is independently H, C_1-C_6 alkyl, or C_3-C_6 cycloalkyl; and

R^3 is C_1-C_3 alkyl optionally substituted, polysubstituted or persubstituted with fluoro, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl;

R^4 is H, halogen, C_1-C_3 alkyl, C_3-C_6 cycloalkyl, C_1-C_3 alkenyl, C_2-C_3 alkynyl, or C_5-C_6 cycloalkenyl or cyano, wherein each C_1-C_3 alkyl and C_3-C_6 cycloalkyl is optionally substituted with 1-5 halo groups;

R^H is bromo, chloro or fluoro,

R^6 and R^{6A} independently represent H or C_1-C_6 alkyl;

R^{5A} represents NR^7R^8, C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl or 5-6 membered heteroaryl, wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl, C_3-C_6 cycloalkyl(C_1-C_3 alkyl), phenyl and heteroaryl is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino;

R^7 represents H or C_1-C_3 alkyl;

R^8 represent H, C_1-C_6 alkyl, C_3-C_6 cycloalkyl or C_3-C_6 cycloalkyl(C_1-C_3 alkyl) wherein each C_1-C_6 alkyl, C_3-C_6 cycloalkyl and C_3-C_6 cycloalkyl(C_1-C_3 alkyl) is optionally substituted with 1-3 of halogen, halo(C_1-C_3 alkyl), hydroxy, C_1-C_3 alkyl, C_1-C_3 alkoxy, cyano, amino, or mono- or di(C_1-C_3) alkyl amino; or

R^7 and R^8 together with the nitrogen to which they are attached form ring Q, wherein ring Q is

a 3-8 membered monocyclic heterocyclyl group, wherein the heterocyclyl group

is optionally fused to an aromatic or non-aromatic ring containing 3-6 ring members of which 1 or 2 are optionally nitrogen, oxygen or sulfur atoms and the remainder carbons, or

with a carbon atom from the monocyclic heterocyclyl group and additional carbon or hetero atoms, forms a spirocyclic ring system having up to 10 total ring members, wherein the ring members are carbons or 1 or 2 hetero atoms selected from nitrogen, sulfur and oxygen atoms, and

wherein each ring Q is optionally substituted, on an aromatic or non-aromatic portion, with 1-4 R^9 groups, wherein each R^9 is independently (i) C_1-C_6 alkyl, (ii) C_1-C_6 alkoxy, (iii) C_3-C_6 cycloalkyl, (iv) cyano, (ii) hydroxy, (v) oxo, (vi) halogen, (vii) halo C_1-C_3 alkyl, (viii) hydroxy C_1-C_6 alkyl, (ix) amino, (x) mono- or di-(C_1-C_6 alkyl) amino, (xi) C_2-C_6 alkanoyl optionally substituted with 1 or 2 of C_1-C_3 alkyl, C_1-C_3 alkoxy, C_3-C_6 cycloalkyl, cyano, hydroxy, oxo, halogen, halo C_1-C_3 alkyl, hydroxy C_1-C_3 alkyl, amino, or mono- or di-(C_1-C_6 alkyl) amino, wherein each C_1-C_3 alkyl or C_3-C_6 cycloalkyl on the alkanoyl is optionally substituted with halogen, hydroxy or amino, or (xii) C_3-C_6 cycloalkyloxy, or (xiii)

phenyl, phenyl(C_1-C_3 alkanoyl), 5-7 membered heterocyclyl, or 5-6 membered heteroaryl where each phenyl, 5-7 membered heterocyclyl and 5-6 membered heteroaryl is optionally substituted with one to four C_1-C_3 alkyl, C_1-C_3 alkoxy, halogen, hydroxy, cyano, oxo, amino, or mono- or di(C_1-C_3 alkyl)amino.

11. A compound according to claim 1, which is:

2-((1-(2-cyano-7-methyl-3-(piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(6,6-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(3,3-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(((2,2-difluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(((1-(trifluoromethyl)cyclopropyl)methyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(1,1-difluoro-5-azaspiro[2.3]hexan-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)-6-methylpicolinic acid;

2-((1-(2-cyano-3-((cyclopropylmethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-difluoro-6-azaspiro[2.5]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(((1-fluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(5-fluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-((cyclopropylmethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-fluoroquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-fluoroquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-7-fluoro-3-(4-fluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2,7-dicyano-3-(4-fluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2,7-dicyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(7-chloro-2-cyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(7-chloro-2-cyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-7-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methoxyquinoxalin-5-yl)ethyl)amino)benzoic acid;

5-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiazole-4-carboxylic acid;

2-chloro-5-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiazole-4-carboxylic acid;

2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiophene-3-carboxylic acid;

3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiophene-2-carboxylic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(1-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-cyclopropyl-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(3-(difluoromethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(1-(fluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(3-(4,4-difluoropiperidin-1-yl)-7-methyl-2-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(3-(4,4-difluoropiperidin-1-yl)-7-methyl-2-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-ethylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-chloro-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-chloro-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

3-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)-6-methylpicolinic acid ;

2-((1-(2-cyano-3-(3,3-dimethylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(3,3-dimethylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4,4-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(3-methoxy-3-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(3-methoxy-3-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-7-methyl-3-(4-methyl-4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(4-methyl-4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-cyclopropyl-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-7-methyl-3-(pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(3-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(3-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(((2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(((2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-((3,3-difluorocyclobutyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-((3,3-difluorocyclobutyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(4,4-difluoro-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4,4-difluoro-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(3,3-difluoro-4-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(3,3-difluoro-4-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(1,1,2,2-tetrafluoro-6-azaspiro[2.5]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-3-(3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(6-cyano-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(6-cyano-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(6-fluoro-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(6-fluoro-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-3-(3,4-dihydro-2,7-naphthyridin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(4-(2-cyclopropylacetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4-(2-cyclopropylacetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(4-(2-(2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4-(2-(2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxo-[1,4'-bipiperidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-7-methyl-3-(2-oxo-[1,4'-bipiperidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

or a pharmaceutically acceptable salt thereof.

12. A compound according to claim 1, which is:

(*R*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*S*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*S*,4*S*)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*R*,4*R*)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*R*,4*S*)-6,6-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*S*,4*R*)-6,6-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((((*S*)-2,2-difluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((((*R*)-2,2-difluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(((1-(trifluoromethyl)cyclopropyl)methyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(1,1-difluoro-5-azaspiro[2.3]hexan-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)-6-methylpicolinic acid;

(*R*)-2-((1-(2-cyano-3-((cyclopropylmethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoro-6-azaspiro[2.5]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(((1-fluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(5-fluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((cyclopropylmethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-fluoroquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-fluoroquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*S*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-fluoroquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*S*)-2-((1-(2,7-dicyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2,7-dicyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*S*)-2-((1-(7-chloro-2-cyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(7-chloro-2-cyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-6-chloro-3-((1-(2-cyano-7-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(7-chloro-2-cyano-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-7-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methoxyquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-5-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiazole-4-carboxylic acid;

(*R*)-2-chloro-5-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiazole-4-carboxylic acid;

(*R*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiophene-3-carboxylic acid;

(*R*)-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiophene-2-carboxylic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-((1*S*)-1-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-cyclopropyl-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-3-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*S*)-3-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*)-1-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyclopropyl-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(3-(4,4-difluoropiperidin-1-yl)-7-methyl-2-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(3-(4,4-difluoropiperidin-1-yl)-7-methyl-2-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-ethylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-chloro-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-chloro-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-3-((1-(3-(4,4-difluoropiperidin-1-yl)-2,7-dimethylquinoxalin-5-yl)ethyl)amino)-6-methylpicolinic acid;

(*R*)-2-((1-(2-cyano-3-(3,3-dimethylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-dimethylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(4,4-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(3-methoxy-3-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3-methoxy-3-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(4-methyl-4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-methyl-4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-cyclopropyl-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-3-(3-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(3-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(((2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(((2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((R)-1-(2-cyano-3-((((S)-2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((*R*)-1-(2-cyano-3-((((*R*)-2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-3-((3,3-difluorocyclobutyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((3,3-difluorocyclobutyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(4,4-difluoro-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(4,4-difluoro-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(3,3-difluoro-4-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(3,3-difluoro-4-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1,1,2,2-tetrafluoro-6-azaspiro[2.5]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(6-cyano-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(6-cyano-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(6-fluoro-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(6-fluoro-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-((1-(2-cyano-3-(3,4-dihydro-2,7-naphthyridin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4-(2-cyclopropylacetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(4-(2-cyclopropylacetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(4-(2-(2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-(2-((*S*)-2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-(2-((*R*)-2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(4-(2-(2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-3-(1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-3-((1*R*)-1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-3-((1*S*)-1-hydroxy-6-azaspiro[3.5]nonan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1*H*-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1*H*-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1H-pyrazol-5-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1*H*-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1*H*-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1*H*-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*)-3-(1-methyl-1*H*-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-3-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(3-(1-methyl-1H-pyrazol-4-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-(2-oxopiperidin-1-yl)-8-azabicyclo[3.2.1]octan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(2-oxo-[1,4'-bipiperidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

or a pharmaceutically acceptable salt thereof.

13. A compound according to claim 1, which is:

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(methylsulfonyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-oxidothiomorpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((2-methoxyethyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((1*R*)-1-(2-cyano-3-(4,4-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-4,4-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-4,4-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)pyrazine-2-carboxylic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((3-(dimethylamino)-3-oxopropyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(5-methylthiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(7,7-difluoro-5-azaspiro[2.4]heptan-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(1*H*-imidazol-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((1*R*)-1-(3-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(*R*)-4-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)thiophene-3-carboxylic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((3S,4R)-3,4-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoro-4,4-dimethylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-((3,3,3-trifluoropropyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((3-(dimethylamino)-3-oxopropyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-5-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-3-(3,3-difluoroazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoroazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(1,1,2,2-tetrafluoro-6-azaspiro[2.5]octan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-((2-methoxyethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(6-(trifluoromethyl)pyridin-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-2-((1-(2-cyano-7-methyl-3-(1-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-((oxetan-3-ylmethyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(3-(4-(1*H*-pyrazol-1-yl)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(*N*-methylacetamido)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(4-methyl-1H-pyrazol-1-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(4-(trifluoromethyl)-1*H*-pyrazol-1-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-*cis*-tetrahydro-1*H*-furo[3,4-c]pyrrol-5(3*H*)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-oxa-7-azaspiro[2.5]octan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-3-(methylsulfonyl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((3*S*,5*R*)-3,5-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(2,2-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(7-chloro-2-cyano-3-(3,3-difluoropyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3,3-difluoro-5-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3,3-difluoro-5-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-(dimethylcarbamoyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-(dimethylcarbamoyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*,6*R*)-6-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-ethylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((1*R*,5*S*,6*S*)-6-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(methyl(3,3,3-trifluoropropyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-cyanopyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-cyanopyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(7-chloro-2-cyano-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-(hydroxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-(hydroxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(3-(4-acetylpiperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-oxopiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,4-dihydro-2,7-naphthyridin-2(1*H*)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*R*,5*S*,6*S*)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-fluoro-3-(methoxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-fluoro-3-(methoxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*R*,5*S*,6*R*)-6-(methoxymethyl)-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((1*R*,5*S*,6*R*)-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-2-methylmorpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3,3-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3,3-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3,3-difluoro-4-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3,3-difluoro-4-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((*R*)-1-(3-((1*S*,4*S*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((*R*)-1-(3-((1*R*,4*R*)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*S*)-3-(methylsulfonyl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-fluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-fluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((3*S*,4*S*)-3,4-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(5-(trifluoromethyl)pyridin-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

methyl 6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-fluoro-3-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinate

methyl 6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-fluoro-3-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinate

6-chloro-3-(((*R*)-1-(2-cyano-3-((((*S*)-2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((((*R*)-2,2-difluoro-1-methylcyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(*N*-methylacetamido)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1*R*)-1-(2-cyano-7-methyl-3-(tetrahydrofuran-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*S*)-tetrahydrofuran-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-tetrahydrofuran-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-ethylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-ethyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-ethyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-2-ethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-2-ethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*S*)-2-(trifluoromethyl)morpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-2-(trifluoromethyl)morpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-2-(difluoromethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-2-(difluoromethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*S*)-3-methylmorpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-((*R*)-3-methylmorpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((1*R*)-1-(3-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-((*R*)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-((*S*)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-((*R*)-1-methoxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-(4-((*S*)-1-methoxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*S*)-3-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-3-((*R*)-3-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

2-(((*R*)-1-(2-cyano-3-(4-(2-((*R*)-2,2-difluorocyclopropyl)acetyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(oxetan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-imidazol-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(3-methylisoxazol-5-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(5-methylisoxazol-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxo-[1,4'-bipiperidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-(trifluoromethoxy)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-chloro-2-cyano-6-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(*R*)-2-cyano-6-((1-(2-cyano-3-(4,4-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

3-(((1*R*)-1-(2-cyano-3-(5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-3-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3,3-difluoro-4-(hydroxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3,3-difluoro-4-(hydroxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3,3-difluoro-4-(methoxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3,3-difluoro-4-(methoxymethyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((1S,4R)-2,2-difluoro-7-azabicyclo[2.2.1]heptan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((1R,4S)-2,2-difluoro-7-azabicyclo[2.2.1]heptan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((1R,5S,6S)-6-(methoxymethyl)-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-methoxy-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-fluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3,4-dihydro-2,6-naphthyridin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(7-cyano-3,4-dihydroisoquinolin-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2-oxa-6-azaspiro[3.3]heptan-6-yl)-7-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3,3-difluoropyrrolidin-1-yl)-7-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((3R,5R)-3,5-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(6-methyl-5-oxo-3,4,5,6-tetrahydro-2,6-naphthyridin-2(1H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(7-methyl-8-oxo-3,4,7,8-tetrahydro-2,7-naphthyridin-2(1H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1-methyl-6-oxopiperidin-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-oxopyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-methyl-4-oxopyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3,3-dimethyl-4-oxopyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2,2-dioxidotetrahydro-1H-thieno[3,4-c]pyrrol-5(3H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((3aS,6aS)-tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((3aR,6aR)-tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-morpholino-7-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-(difluoromethyl)-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-ethoxy-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(tetrahydro-2H-pyran-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-2-(hydroxymethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-2-(hydroxymethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-2-(methoxymethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-2-(methoxymethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2R,5R)-2,5-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2S,5S)-2,5-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2S,5R)-2,5-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2R,5S)-2,5-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((R)-1-(3-((1R,6S)-2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((R)-1-(3-((1S,6R)-2-oxa-5-azabicyclo[4.1.0]heptan-5-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-6-azaspiro[3.4]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((R)-1-(3-((1R,6S)-3-oxabicyclo[4.1.0]heptan-6-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((R)-1-(3-((1S,6R)-3-oxabicyclo[4.1.0]heptan-6-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1,4-oxazepan-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((R)-1-(3-((1R,5S)-6-oxa-3-azabicyclo[3.2.1]octan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((R)-1-(3-((1S,5R)-6-oxa-3-azabicyclo[3.2.1]octan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1S)-1-fluoro-3-azabicyclo[3.2.0]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1S)-1-fluoro-3-azabicyclo[3.2.0]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((3S,4S)-3-fluoro-4-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2R,4S)-4-fluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2S,4R)-4-fluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2R,4R)-4-fluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((2S,4S)-4-fluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1S)-1-fluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1R)-1-fluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3,3-difluorocyclopentyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3,3-difluorocyclopentyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-7-azaspiro[3.5]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-oxa-7-azaspiro[3.5]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(6-oxa-2-azaspiro[3.4]octan-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-5-(1-((6-chloro-2-(hydroxymethoxy)pyridin-3-yl)amino)ethyl)-7-methyl-3-(5-oxa-2-azaspiro[3.4]octan-2-yl)quinoxaline-2-carbonitrile

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((S)-1-oxa-7-azaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((R)-1-oxa-7-azaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((S)-2-oxa-7-azaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-((R)-2-oxa-7-azaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,5-difluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-5-fluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-5-fluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6-fluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6-hydroxy-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-(()-2-methylmorpholino)quinoxalin-5-yl)ethyl)amino)picolinic acid;;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3-((S)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((S)-3-((R)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3-((S)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((R)-1-(2-cyano-3-((R)-3-((R)-1-hydroxyethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoroazepan-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((*R*)-1-(2-cyano-7-methyl-3-cis-tetrahydro-1h-thieno[3,4-c]pyrrol-5(3*H*)-ylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(2,7-dimethyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-6-chloro-3-((1-(7-methyl-3-morpholino-2-(trifluoromethyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(*R*)-5-(1-((2-(1*H*-tetrazol-5-yl)phenyl)amino)ethyl)-7-methyl-3-morpholinoquinoxaline-2-carbonitrile;

(*R*)-5-(1-((2-cyanophenyl)amino)ethyl)-7-methyl-3-morpholinoquinoxaline-2-carbonitrile;

(*R*)-5-(1-((6-chloro-2-(1*H*-tetrazol-5-yl)pyridin-3-yl)amino)ethyl)-7-methyl-3-morpholinoquinoxaline-2-carbonitrile;

(*R*)-5-(1-((6-chloro-2-cyanopyridin-3-yl)amino)ethyl)-7-methyl-3-morpholinoquinoxaline-2-carbonitrile;

(*R*)-2-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)-*N*-methylbenzamide;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)-*N*-methylpicolinamide;

(*R*)-6-chloro-3-((1-(2-cyano-7-methyl-3-(morpholino-*d8*)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(2S,3S,4S,5R)-6-((6-chloro-3-(((R)-1-(2-cyano-7-methyl-3-morpholinoquinoxalin-5-yl)ethyl)amino)picolinoyl)oxy)-3,4,5-trihydroxytetrahydro-2H-pyran-2-carboxylic acid; or

a pharmaceutically acceptable salt thereof.

14. A compound according to claim 1 which is

(R)-2-((1-(3-(4-(bicyclo[1.1.1]pentan-1-yl-3-d)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((3-cyanophenyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(((tetrahydrofuran-3-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-((oxetan-3-ylmethyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((2-cyanoallyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(cyclobutylamino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((3-(hydroxymethyl)bicyclo[1.1.1]pentan-1-yl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2,3-dimethyl-5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(6,7-dihydropyrazolo[1,5-a]pyrazin-5(4H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-methylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(azepan-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-oxa-8-azaspiro[4.5]decan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-oxa-7-azaspiro[3.5]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(6-azaspiro[2.5]octan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(azetidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-hydroxy-8-azaspiro[4.5]decan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-methylpiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(octahydro-2H-4,7-ethanoisoindol-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6,6-dimethyl-3-azabicyclo[3.2.0]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-azaspiro[3.3]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2-azadispiro[3.1.36.14]decan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-oxa-7-azaspiro[2.5]octan-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-cyclopropylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-cyclopropyl-6-methylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(3-azabicyclo[3.1.1]heptan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(3-azabicyclo[3.1.0]hexan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(6-(4-cyanophenyl)-2,6-diazaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-methylmorpholino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-cyclopropyl-2-methylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(3,6-diazabicyclo[3.1.1]heptan-6-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(7-azabicyclo[2.2.1]heptan-7-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(2-azaadamantan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1-(methoxymethyl)-4-methyl-2-azabicyclo[2.1.1]hexan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8-((dimethylamino)methyl)-6-oxa-9-azaspiro[4.5]decan-9-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(2-azabicyclo[2.2.2]octan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(2-azabicyclo[2.2.1]heptan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(hexahydro-3,5-methanocyclopenta[b]pyrrol-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(1-(hydroxymethyl)-6-azabicyclo[3.2.1]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(2-azabicyclo[2.1.1]hexan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-methylmorpholino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-methyl-4-(pyridin-3-ylmethyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-methylazetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2,3-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-hydroxy-2-(2-methoxyphenyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3,4-dihydroquinolin-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-hydroxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-hydroxy-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-(4-hydroxy-4-methyltetrahydro-2H-pyran-3-yl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8-hydroxy-3-azabicyclo[3.2.1]octan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5-hydroxy-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6-hydroxyhexahydro-3,5-methanocyclopenta[b]pyrrol-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6-(4-cyanophenyl)-3,6-diazabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6-hydroxy-6-methyl-3-azabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5-(4-cyanophenyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(5-phenyl-2-azabicyclo[2.2.1]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(7-(tert-butyl)-6,7-dihydropyrazolo[1,5-a]pyrimidin-4(5H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-1,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(5,6,8,9-tetrahydro-7H-imidazo[1,2-d][1,4]diazepin-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(pyridin-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(pyridin-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(3-cyano-1-methyl-1H-pyrazol-4-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(pyridin-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-phenylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(4-(aminomethyl)phenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(3-methylisoxazol-5-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(3-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2,6-dimethylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(o-tolyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(3-cyano-2-methylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2-cyanopyridin-3-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(5-cyanopyrimidin-2-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(3-cyano-1-methyl-1H-indazol-7-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(4-(methylcarbamoyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(4-carbamoylphenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-cyano-2-methylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(8-cyanoisoquinolin-5-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-cyano-7-hydroxynaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-cyano-6-hydroxynaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4,6-dicyanonaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(oxetan-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(tetrahydro-2H-pyran-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyclopropylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazole-4-carbonyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-benzoylpiperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(cyclopentanecarbonyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(cyclopropanecarbonyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-acetylpiperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(1H-pyrazol-1-yl)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(4-methyl-1H-pyrazol-1-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-3-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(1H-pyrazol-3-yl)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-5-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-methoxyphenyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-hydroxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-([1,4'-bipiperidin]-1'-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(dimethylamino)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyclopentylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyclobutylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyanopiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-oxa-8-azaspiro[4.5]decan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-oxa-7-azaspiro[3.5]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-methoxy-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyano-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-(pyridin-2-yl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-(pyridin-4-yl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-phenylpyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-(1,3-dihydroxypropan-2-yl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1-oxa-6-azaspiro[3.4]octan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-oxa-7-azaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(spiro[bicyclo[2.2.1]heptane-2,3'-pyrrolidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8,9-dihydroxy-6-oxa-2-azaspiro[4.5]decan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(4-cyanophenyl)-3-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-methyl-4-phenylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(3-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(2-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(4-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(2-cyano-5-methylphenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6-hydroxy-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1,2,3,4-tetrahydro-1,4-epiminonaphthalen-9-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,7-dihydro-6H-pyrrolo[3,4-b]pyrazin-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyanoisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5-(hydroxymethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(5-methylisoindolin-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,6-dimethoxyisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(tetrahydro-1H,3H-spiro[pyrrolo[2,1-c][1,4]oxazine-4,5'-[1,3]oxazinan]-3'-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(decahydro-2H-cycloocta[c]pyrrol-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(8-azatricyclo[4.3.0.02,5]nonan-8-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(1H,3H,4H-3a,6a-(methanooxymethano)furo[3,4-c]pyrrol-5(6H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8-hydroxy-6-azaspiro[3.4]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-(pyridin-2-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-(pyridin-3-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-phenylazetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-methoxyazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-cyanoazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(7-(4-cyanophenyl)-2,7-diazaspiro[3.5]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8-hydroxyoctahydro-2H-4,7-methanoisoindol-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(5-methyl-2-azabicyclo[2.2.1]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1'-methyltetrahydrospiro[furo[3,4-b]pyrrole-3,4'-piperidin]-1(2H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(1-(hydroxymethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-hydroxyoctahydro-1H-indol-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1-methyloctahydro-2H-isoindol-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(methyl((5,6,8,9-tetrahydro-[1,2,4]triazolo[4,3-d][1,4]oxazepin-3-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(methyl((5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-7-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((cyclopropylmethyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(((1-hydroxy-2,3-dihydro-1H-inden-1-yl)methyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(dimethylamino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(methyl(1-methyl-2,3-dihydro-1H-inden-2-yl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-((2-methoxy-2,3-dihydro-1H-inden-1-yl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-(4-cyanophenyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-(4-cyanophenyl)-3,6-diazabicyclo[3.1.1]heptan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(tetrahydro-2H-pyran-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(piperidin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methylpiperidin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3,6-dihydro-2H-pyran-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1,2,3,6-tetrahydropyridin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3,7-dimethylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1-(4-cyanophenyl)piperidin-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(1-acetylpiperidin-4-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((4-cyanophenyl)ethynyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-1H-pyrazol-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(pyridin-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(pyridin-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-1H-pyrazol-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-1H-imidazol-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1-(4-cyanophenyl)-1H-pyrazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(pyridin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-phenylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(p-tolyl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-(2-cyanopropan-2-yl)phenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1H-pyrazol-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1H-imidazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(o-tolyl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1-(4-cyanophenyl)-1H-imidazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1-methyl-2-oxopiperidin-4-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4,4-difluorocyclohexyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-fluorophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-chlorophenyl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-((tetrahydrofuran-3-yl)thio)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(((trifluoromethyl)sulfonyl)oxy)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(((1-fluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(((1-(trifluoromethyl)cyclopropyl)methyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(((3,3-difluorocyclobutyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(((2,2-difluorocyclopropyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-((1-cyclopropyl-2,2,2-trifluoroethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)-5,6-dihydro-[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-(trifluoromethyl)-5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4H-thieno[3,4-c]pyrrol-5(6H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2,2-difluoroethyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(2,2,2-trifluoroethyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2,2-difluoro-7-azaspiro[3.5]nonan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-(fluoromethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-(2-fluoroethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5,5-difluorohexahydrocyclopenta[c]pyrrol-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(2,2-difluoro-6-azaspiro[3.4]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-(trifluoromethyl)morpholino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(2-(fluoromethyl)azetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5-(2,2-difluoroethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-fluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(1-oxoisoindolin-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,6-difluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-methyl-3-oxopiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-oxopiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-4-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4,4-difluoro-6-azaspiro[2.5]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3,3-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4,4-difluoro-3-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3,4,4-trifluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-4-methoxypyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(9,9-difluoro-3-oxa-7-azabicyclo[3.3.1]nonan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(9,9-difluoro-3-azabicyclo[3.3.1]nonan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(9,9-difluoro-1-(hydroxymethyl)-3-azabicyclo[3.3.1]nonan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(8,8-difluoro-3-azabicyclo[3.2.1]octan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5,5-difluoro-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(7,7,9,9-tetrafluoro-3-azabicyclo[3.3.1]nonan-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(7,7-difluoro-5-azaspiro[2.4]heptan-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(6-(trifluoromethyl)-3-azabicyclo[3.1.0]hexan-3-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6,6-difluoro-3-azabicyclo[3.1.0]hexan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(6,7-dihydrothiazolo[4,5-c]pyridin-5(4H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-methyl-6,7-dihydrothiazolo[4,5-c]pyridin-5(4H)-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1,1-dioxidothiomorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(thiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(5-(trifluoromethyl)pyridin-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(5-(trifluoromethyl)benzo[d]thiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(4-methylthiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(3-(trifluoromethyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(2-chlorophenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(2,4-difluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-cyano-2-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(4-(N-methylsulfamoyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(4-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(methylsulfonyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(4-(4-chlorobenzoyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(3-(trifluoromethyl)-1H-pyrazol-1-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-oxo-[1,4'-bipiperidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4,4-difluoro-[1,4'-bipiperidin]-1'-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1,1-difluoro-6-azaspiro[2.5]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(7-methyl-6-oxo-2,7-diazaspiro[4.4]nonan-2-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-oxo-1,7-diazaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(7,7-difluoro-2-azaspiro[4.4]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(1,1,2,2-tetrafluoro-6-azaspiro[3.4]octan-6-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(2-(trifluoromethyl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(2-cyano-4-(trifluoromethyl)phenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-(4-fluorophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4,4-difluoro-2-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-2-methylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3,3,4,4-tetrafluoropyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,5-difluoropiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(4-fluoro-2-(morpholine-4-carbonyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(6,6-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4,6-dihydro-5H-pyrrolo[3,4-d]thiazol-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(2-methyl-4,6-dihydro-5H-pyrrolo[3,4-d]thiazol-5-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5-fluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5-(difluoromethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-(5-(trifluoromethyl)isoxazol-3-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-fluoroazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-(difluoromethyl)azetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(5,5-difluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(1,1-difluoro-5-azaspiro[2.3]hexan-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-(7-chloro-3-(hydroxymethyl)-3,4-dihydroisoquinolin-2(1H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-2-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(3-((1-benzyl-2-oxopiperidin-3-yl)(methyl)amino)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(methyl(4,5,6,7-tetrahydrobenzo[d]thiazol-6-yl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-((3,3-difluorocyclobutyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-(3-methyl-4-oxo-3,9-diazabicyclo[4.2.1]nonan-9-yl)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3,3-difluoro-8-azabicyclo[3.2.1]octan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-chloro-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-7-methyl-3-phenoxyquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(3-cyanophenoxy)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(3-(benzyloxy)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-((tetrahydrofuran-3-yl)oxy)quinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-methoxy-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(4-(ethoxymethyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(diethylamino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-((1-(pyridin-3-yl)ethyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-7-methyl-3-((3,3,3-trifluoro-2-methylpropyl)amino)quinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-((1-cyclopropylethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-2-((1-(2-cyano-3-(isobutylamino)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(3-hydroxy-3-isopropylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

2-(((1R)-1-(2-cyano-3-(1-isopropyl-7,7-dioxido-7-thia-2-azaspiro[3.5]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)benzoic acid;

(R)-3-((1-(3-(4-(bicyclo[1.1.1]pentan-1-yl-3-d)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((3-cyanophenyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(((tetrahydrofuran-3-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(((3,3-difluorocyclobutyl)methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((2-cyanoallyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(cyclobutylamino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((3-(hydroxymethyl)bicyclo[1.1.1]pentan-1-yl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1-cyclopropyl-2,2,2-trifluoroethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(trifluoromethyl)-5,6-dihydro-[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2,3-dimethyl-5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-(trifluoromethyl)-5,6-dihydroimidazo[1,2-a]pyrazin-7(8H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4H-thieno[3,4-c]pyrrol-5(6H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6,7-dihydropyrazolo[1,5-a]pyrazin-5(4H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2,2-difluoroethyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(2,2,2-trifluoroethyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-methylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(azepan-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-oxa-8-azaspiro[4.5]decan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(6-azaspiro[2.5]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(azetidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-hydroxy-8-azaspiro[4.5]decan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2,2-difluoro-7-azaspiro[3.5]nonan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-methylpiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(octahydro-2H-4,7-ethanoisoindol-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6,6-dimethyl-3-azabicyclo[3.2.0]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-azaspiro[3.3]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2-azadispiro[3.1.36.14]decan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-(fluoromethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-(2-fluoroethyl)morpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(5,5-difluorohexahydrocyclopenta[c]pyrrol-2(1H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-cyclopropylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-cyclopropyl-6-methylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(3-azabicyclo[3.1.1]heptan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((1R)-1-(3-(3-azabicyclo[3.1.0]hexan-3-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6-(4-cyanophenyl)-2,6-diazaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2,2-difluoro-6-azaspiro[3.4]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6,6-difluoro-2-azaspiro[3.3]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-cyclopropyl-2-methylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((1R)-1-(3-(3,6-diazabicyclo[3.1.1]heptan-6-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-3-((1-(3-(7-azabicyclo[2.2.1]heptan-7-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-3-((1-(3-(2-azaadamantan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1-(methoxymethyl)-4-methyl-2-azabicyclo[2.1.1]hexan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8-((dimethylamino)methyl)-6-oxa-9-azaspiro[4.5]decan-9-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-(fluoromethyl)azetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(2-azabicyclo[2.2.2]octan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

3-(((1R)-1-(3-(2-azabicyclo[2.2.1]heptan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(hexahydro-3,5-methanocyclopenta[b]pyrrol-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(5-(2,2-difluoroethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(1-(hydroxymethyl)-6-azabicyclo[3.2.1]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(2-azabicyclo[2.1.1]hexan-2-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(2-methyl-4-(pyridin-3-ylmethyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(2-methylazetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2,3-dimethylmorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-oxoisoindolin-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-methyl-3-oxopiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-oxopiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3,3-difluoro-4-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-hydroxy-2-(2-methoxyphenyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3,3-difluoro-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3,4-dihydroquinolin-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-hydroxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-hydroxy-3-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(2-(4-hydroxy-4-methyltetrahydro-2H-pyran-3-yl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4,4-difluoro-3-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3,4,4-trifluoropiperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(9,9-difluoro-3-oxa-7-azabicyclo[3.3.1]nonan-7-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(9,9-difluoro-3-azabicyclo[3.3.1]nonan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(9,9-difluoro-1-(hydroxymethyl)-3-azabicyclo[3.3.1]nonan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8-hydroxy-3-azabicyclo[3.2.1]octan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8,8-difluoro-3-azabicyclo[3.2.1]octan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(5-hydroxy-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(5,5-difluoro-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(7,7,9,9-tetrafluoro-3-azabicyclo[3.3.1]nonan-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-hydroxyhexahydro-3,5-methanocyclopenta[b]pyrrol-1(2H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-(4-cyanophenyl)-3,6-diazabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-hydroxy-6-methyl-3-azabicyclo[3.1.1]heptan-3-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(5-(4-cyanophenyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(5-phenyl-2-azabicyclo[2.2.1]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((1R)-1-(3-(7-(tert-butyl)-6,7-dihydropyrazolo[1,5-a]pyrimidin-4(5H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(6,7-dihydrothiazolo[4,5-c]pyridin-5(4H)-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-methyl-6,7-dihydrothiazolo[4,5-c]pyridin-5(4H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-1,4,5,7-tetrahydro-6H-pyrazolo[3,4-c]pyridin-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(5,6,8,9-tetrahydro-7H-imidazo[1,2-d][1,4]diazepin-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1,1-dioxidothiomorpholino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(thiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(pyridin-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(5-(trifluoromethyl)benzo[d]thiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(4-methylthiazol-2-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(pyridin-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-3-(trifluoromethyl)-1H-pyrazol-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(3-cyano-1-methyl-1H-pyrazol-4-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(pyridin-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-phenylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(4-(4-(aminomethyl)phenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(3-(trifluoromethyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(3-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2,6-dimethylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(o-tolyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(3-cyano-2-methylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2-cyanopyridin-3-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(5-cyanopyrimidin-2-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(3-cyano-1-methyl-1H-indazol-7-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(3-(4-(2-chlorophenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(2,4-difluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-cyano-2-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(4-(N-methylsulfamoyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-fluorophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(4-(methylcarbamoyl)phenyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(4-(4-carbamoylphenyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-cyanophenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-cyano-2-methylphenyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(8-cyanoisoquinolin-5-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-cyano-7-hydroxynaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-cyano-6-hydroxynaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4,6-dicyanonaphthalen-1-yl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(methylsulfonyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(oxetan-3-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(tetrahydro-2H-pyran-4-yl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyclopropylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazole-4-carbonyl)piperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(4-benzoylpiperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(3-(4-(4-chlorobenzoyl)piperazin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(cyclopentanecarbonyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(cyclopropanecarbonyl)piperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(3-(trifluoromethyl)-1H-pyrazol-1-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(1-methyl-1H-pyrazol-3-yl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(4-(1H-pyrazol-3-yl)piperidin-1-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(4-methoxyphenyl)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-methoxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-hydroxypiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-([1,4'-bipiperidin]-1'-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4,4-difluoro-[1,4'-bipiperidin]-1'-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-(dimethylamino)piperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyclopentylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyclobutylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(4-(trifluoromethyl)piperidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyanopiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-oxa-8-azaspiro[4.5]decan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1,1-difluoro-6-azaspiro[2.5]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-methoxy-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyano-4-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-(pyridin-2-yl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-(pyridin-4-yl)pyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-phenylpyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-(1,3-dihydroxypropan-2-yl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1-oxa-6-azaspiro[3.4]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(spiro[bicyclo[2.2.1]heptane-2,3'-pyrrolidin]-1'-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(7-methyl-6-oxo-2,7-diazaspiro[4.4]nonan-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8,9-dihydroxy-6-oxa-2-azaspiro[4.5]decan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(2-oxo-1,7-diazaspiro[4.4]nonan-7-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(7,7-difluoro-2-azaspiro[4.4]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1,1,2,2-tetrafluoro-6-azaspiro[3.4]octan-6-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(4-cyanophenyl)-3-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(2-(trifluoromethyl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(2-methyl-4-phenylpiperazin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(3-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(2-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(2-cyano-4-(trifluoromethyl)phenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(4-fluorophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(4-cyanophenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-(2-cyano-5-methylphenyl)-2-methylpiperazin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4,4-difluoro-2-methylpiperidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3,3,4,4-tetrafluoropyrrolidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(6-hydroxy-2-azabicyclo[2.2.2]octan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(4-fluoro-2-(morpholine-4-carbonyl)pyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1,2,3,4-tetrahydro-1,4-epiminonaphthalen-9-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4,6-dihydro-5H-pyrrolo[3,4-d]thiazol-5-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,7-dihydro-6H-pyrrolo[3,4-b]pyrazin-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(2-methyl-4,6-dihydro-5H-pyrrolo[3,4-d]thiazol-5-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-fluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyanoisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5-(hydroxymethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(5-methylisoindolin-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5-(difluoromethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,6-dimethoxyisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(5,6-difluoroisoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(tetrahydro-1H,3H-spiro[pyrrolo[2,1-c][1,4]oxazine-4,5'-[1,3]oxazinan]-3'-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(decahydro-2H-cycloocta[c]pyrrol-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(8-azatricyclo[4.3.0.02,5]nonan-8-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(1H,3H,4H-3a,6a-(methanooxymethano)furo[3,4-c]pyrrol-5(6H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8-hydroxy-6-azaspiro[3.4]octan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(5-(trifluoromethyl)isoxazol-3-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(pyridin-2-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-(pyridin-3-yl)azetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(3-phenylazetidin-1-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-methoxyazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-fluoroazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-(difluoromethyl)azetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-cyanoazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(7-(4-cyanophenyl)-2,7-diazaspiro[3.5]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(8-hydroxyoctahydro-2H-4,7-methanoisoindol-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(5-methyl-2-azabicyclo[2.2.1]heptan-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1'-methyltetrahydrospiro[furo[3,4-b]pyrrole-3,4'-piperidin]-1(2H)-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(1-(hydroxymethyl)isoindolin-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(3-(7-chloro-3-(hydroxymethyl)-3,4-dihydroisoquinolin-2(1H)-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-hydroxyoctahydro-1H-indol-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1-methyloctahydro-2H-isoindol-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3,3-difluoro-2-methylazetidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(methyl((5,6,8,9-tetrahydro-[1,2,4]triazolo[4,3-d][1,4]oxazepin-3-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(methyl((5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-7-yl)methyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((cyclopropylmethyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(((1-hydroxy-2,3-dihydro-1H-inden-1-yl)methyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(dimethylamino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

3-(((1R)-1-(3-((1-benzyl-2-oxopiperidin-3-yl)(methyl)amino)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(methyl(4,5,6,7-tetrahydrobenzo[d]thiazol-6-yl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((3,3-difluorocyclobutyl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(methyl(1-methyl-2,3-dihydro-1H-inden-2-yl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((2-methoxy-2,3-dihydro-1H-inden-1-yl)(methyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-(4-cyanophenyl)-3,8-diazabicyclo[3.2.1]octan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(3-methyl-4-oxo-3,9-diazabicyclo[4.2.1]nonan-9-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3,3-difluoro-8-azabicyclo[3.2.1]octan-8-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-(4-cyanophenyl)-3,6-diazabicyclo[3.1.1]heptan-6-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(piperidin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methylpiperidin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3,6-dihydro-2H-pyran-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1,2,3,6-tetrahydropyridin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3,7-dimethylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-(1-methyl-2-oxopiperidin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1-(4-cyanophenyl)piperidin-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(1-acetylpiperidin-4-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4,4-difluorocyclohexyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-((4-cyanophenyl)ethynyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-1H-pyrazol-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(pyridin-2-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(pyridin-3-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-1H-pyrazol-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1-methyl-1H-imidazol-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1-(4-cyanophenyl)-1H-pyrazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(pyridin-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-phenylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(p-tolyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-(2-cyanopropan-2-yl)phenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(1H-pyrazol-4-yl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1H-imidazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(o-tolyl)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(1-(4-cyanophenyl)-1H-imidazol-4-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(2-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-methoxyphenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-fluorophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(3-(4-chlorophenyl)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(4-cyanophenyl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(3-chloro-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-((tetrahydrofuran-3-yl)thio)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-phenoxyquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(3-cyanophenoxy)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-7-methyl-3-(((trifluoromethyl)sulfonyl)oxy)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-3-((1-(3-(benzyloxy)-2-cyano-7-methylquinoxalin-5-yl)ethyl)amino)-6-chloropicolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-((tetrahydrofuran-3-yl)oxy)quinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-methoxy-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-hydroxy-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(diethylamino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-((1-(pyridin-3-yl)ethyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-7-methyl-3-((3,3,3-trifluoro-2-methylpropyl)amino)quinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-((1-cyclopropylethyl)amino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

(R)-6-chloro-3-((1-(2-cyano-3-(isobutylamino)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(3-hydroxy-3-isopropylpyrrolidin-1-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid;

6-chloro-3-(((1R)-1-(2-cyano-3-(1-isopropyl-7,7-dioxido-7-thia-2-azaspiro[3.5]nonan-2-yl)-7-methylquinoxalin-5-yl)ethyl)amino)picolinic acid; or

a pharmaceutically acceptable salt thereof.

15. A pharmaceutical composition comprising a compound or salt according to any of claims 1-14 together with a pharmaceutically acceptable carrier, excipient or diluent.

16. A compound of any one of claims 1 to 14 or a pharmaceutical composition of claim 15 for use in treating a disease or disorder associated with modulation of phosphoinositide 3 kinase (PI3K).

17. The compound or the pharmaceutical composition for use of claim 16, wherein the disease or disorder is a cancer.

18. The compound or the pharmaceutical composition for use of claim 16, wherein the cancer is endometrial cancer, gastric cancer, leukemia, lymphoma, sarcoma, colorectal cancer, lung cancer, ovarian cancer, skin cancer, head and neck cancer, breast cancer, brain cancer, or prostate cancer.

19. Use of a compound of any one of claims 1 to 14 or a pharmaceutical composition of claim 15 in the manufacture of a medicament for treating cancer or a disorder.

20. The use of claim 19, wherein the cancer is endometrial cancer, gastric cancer, leukemia, lymphoma, sarcoma, colorectal cancer, lung cancer, ovarian cancer, skin cancer, head and neck cancer, breast cancer, brain cancer, or prostate cancer.

21. Use of a compound according to any of claims 1 to 14 or a pharmaceutical composition of claim 15 in the manufacture of a medicament for treating cancer, wherein the compound or pharmaceutical composition is to be administered in combination with a KRAS inhibitor to a patient in need thereof, wherein the cancer is breast cancer, uterine carcinosarcoma, uterine endometrial carcinoma, colorectal adenocarcinoma, stomach adenocarcinoma, head and neck squamous cell carcinoma, cholangiocarcinoma, esophageal adenocarcinoma, bladder carcinoma, lung squamous cell carcinoma, brain glioma, adrenocortical carcinoma, liver hepatocellular carcinoma, sarcoma, prostate adenocarcinoma, kidney renal cell carcinoma, lung adenocarcinoma, ovarian cystadenocarcinoma, glioblastoma multiforme, melanoma.

22. Use of a compound according to any of claims 1-14 or a pharmaceutical composition of claim 15 in the manufacture of a medicament for treating cancer, wherein the compound or pharmaceutical composition is to be administered in combination with a mutant selective KRAS inhibitor to a patient in need thereof, wherein the cancer is breast cancer, uterine carcinosarcoma, uterine endometrial carcinoma, colorectal adenocarcinoma, stomach adenocarcinoma, head and neck squamous cell carcinoma, cholangiocarcinoma, esophageal adenocarcinoma, bladder carcinoma, lung squamous cell carcinoma, brain glioma, adrenocortical carcinoma, liver hepatocellular carcinoma, sarcoma, prostate adenocarcinoma, kidney renal cell carcinoma, lung adenocarcinoma, ovarian cystadenocarcinoma, glioblastoma multiforme, melanoma.

23. A compound according to any of claims 1-14 or a pharmaceutical composition of claim 15 for use in the treatment of cancer in combination with a KRAS inhibitor, wherein the cancer is breast cancer, uterine carcinosarcoma, uterine endometrial carcinoma, colorectal adenocarcinoma, stomach adenocarcinoma, head and neck squamous cell carcinoma, cholangiocarcinoma, esophageal adenocarcinoma, bladder carcinoma, lung squamous cell carcinoma, brain glioma, adrenocortical carcinoma, liver hepatocellular carcinoma, sarcoma, prostate adenocarcinoma, kidney renal cell carcinoma, lung adenocarcinoma, ovarian cystadenocarcinoma, glioblastoma multiforme, melanoma.