

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 May 2003 (15.05.2003)

PCT

(10) International Publication Number
WO 03/040065 A2

(51) International Patent Classification⁷: **C07B 37/02**,
C07C 41/06, B01J 31/24, C07F 9/50

(21) International Application Number: PCT/EP02/12381

(22) International Filing Date:
5 November 2002 (05.11.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/348,205 9 November 2001 (09.11.2001) US

(71) Applicant (for all designated States except US): **SHELL INTERNATIONAL RESEARCH MAATSCHAPPIJ B.V.** [NL/NL]; Carel van Bylandtlaan 30, NL-2596 HR The Hague (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **DRENT, Eit**



[NL/NL]; Badhuisweg 3, NL-1031 CM Amsterdam (NL). **EBERHARD, Michael, Rolf** [DE/US]; 2545 McCarthy Mall, Honolulu, HI 96822 (US). **VAN DER MADE, Renata, Helena** [NL/NL]; Badhuisweg 3, NL-1031 CM Amsterdam (NL). **PRINGLE, Paul, Gerard** [GB/GB]; Cantocks Close, Bristol, Avon BS8 1TS (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: PROCESS FOR THE TELOMERIZATION OF A CONJUGATED DIENE, CATALYST AND BIDENTATE LIGAND USEFUL THEREIN



(57) Abstract: Process for the telomerization of a conjugated diene, wherein the conjugated diene is reacted with a compound containing an active hydrogen atom and having a formula R-H in the presence of a telomerization catalyst based on: (a) a source of group VIII metal, (b) a bidentate ligand wherein the bidentate ligand has the general Formula (I): $R^1R^2M^1-R-M^2R^3R^4$ wherein M^1 and M^2 are independently P, As or Sb; R^1 , R^2 , R^3 and R^4 independently represent a monovalent aliphatic group; or R^1 , R^2 and M^1 together and/or R^3 , R^4 and M^2 together independently represent an optionally substituted aliphatic cyclic group with at least 5 ring atoms, of which one is the M^1 or M^2 atom, respectively; R represents a bivalent organic bridging group; and novel bidentate diphosphines which can be used in this process.



Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.