


CLAIMS

1. A compound of formula (I)



or a salt thereof

wherein:

R¹ is -C₁₋₃alkyl or cyclopropyl;

R² is -C₀₋₃alkyl-cycloalkyl, wherein the cycloalkyl group is optionally substituted with one, two or three R⁵ groups which may be the same or different; or

R² is -C₀₋₄alkyl-heterocyclyl or -(CH₂)_pO-heterocyclyl wherein each heterocyclyl is optionally substituted by one or two R⁹ groups which may be the same or different; or

R² is H, -CH₃, -C₂₋₆alkyl optionally substituted by one, two, three, four or five fluoro, -C₂₋₆alkylOR⁶, -C₂₋₆alkylNR^{10a}R^{11a}, -(CH₂)_mSO₂C₁₋₃alkyl, -(CH₂)_mSO₂NR¹⁰R¹¹, -(CH₂)_mC(O)NR¹⁰R¹¹, -(CH₂)_mCN, -(CH₂)_mCO₂R⁶, -(CH₂)_mNHCO₂C₁₋₄alkyl, -(CH₂)_mNHC(O)C₁₋₄alkyl or -(CH₂)_nheteroaryl wherein the heteroaryl is optionally substituted by one or two R⁷ groups which may be the same or different;

R³ is H, -C₁₋₄alkyl, cyclopropyl, -CH₂F, -C₁₋₃alkylOR⁶ or -C₁₋₃alkylCN;

R⁴ is selected from phenyl, indolyl, pyridyl and pyrrolopyridinyl wherein each are optionally substituted by one, two or three R⁷ groups which may be the same or different;

each R⁵ is independently halo, -C₀₋₆alkyl-R⁸, -O-C₂₋₆alkyl-R⁸, -OCH₂phenyl, -CN or -SO₂C₁₋₃alkyl;

R⁶ is H or -C₁₋₄alkyl;

each R⁷ is independently oxo, halo, -C₁₋₄alkyl optionally substituted by one, two or three fluoro, -C₀₋₃alkylOR⁶, -OC₂₋₃alkylOR⁶, -C₀₋₃alkylNR¹⁰R¹¹, -C₀₋₃alkyl-CONR¹⁰R¹¹, -CN, -SO₂-C₁₋₃alkyl, -SO₂NR¹⁰R¹¹ or -SO₂phenyl optionally substituted by -C₁₋₄alkyl ;

R⁸ is H, -OR⁶, -NR¹⁰R¹¹ or heteroaryl;

each R⁹ is independently halo, -C₁₋₄alkyl, cyclopropyl, cyclobutyl, -CH₂CF₃, -CH₂CHF₂, -CH₂CH₂F, -OCH₂CH₂OR⁶, -C₀₋₃alkylOR⁶, -C₀₋₃alkylNR¹⁰R¹¹, -NHCH₂CH₂OR⁶, -NHCO₂C₁₋₄alkyl, oxo, -C(O)R⁶, -C(O)OR⁶ or -C(O)NR¹⁰R¹¹;

R¹⁰ and R¹¹ are each independently selected from H and -C₁₋₃alkyl; or R¹⁰ and R¹¹ may join together with the nitrogen to which they are attached, to form a 4 to 7-membered heterocyclyl optionally substituted by one or two substituents independently selected from -C₁₋₃alkyl optionally substituted with one, two or three fluorine atoms, -C₂₋₄alkylOH, -OH and F;

5 R^{10a} and R^{11a} are each independently selected from H and -C₁₋₃alkyl;

m is an integer selected from 2, 3 or 4;

n is an integer selected from 0, 1, 2, 3 or 4; and

p is an integer selected from 2, 3 or 4.

2. A compound or salt thereof according to claim 1 wherein R¹ is methyl.

10 3. A compound or salt thereof according to claim 1 or claim 2 wherein R² is a -C₀₋₃alkyl-C₃₋₇cycloalkyl group, wherein the C₃₋₇cycloalkyl group is selected from cyclopropyl, cyclobutyl, cyclohexyl or bicyclo[3.1.0]hexanyl said groups being optionally substituted with one, two or three R⁵ groups which may be the same or different.

4. A compound or a salt thereof according to claim 1 or claim 2 wherein R² is -C₀₋₄alkyl-heterocyclyl wherein the heterocyclyl is selected from oxetanyl, tetrahydrofuranyl, tetrahydro-2H-pyranal, morpholinyl, piperidinyl, piperazinyl, (1*r*,5*s*)-3-oxabicyclo[3.1.0]hexanyl and (1*r*,5*s*)-3-azabicyclo[3.1.0]hexanyl said groups being optionally substituted by one or two R⁹ groups which may be the same or different.

5. A compound or salt thereof according to claim 1 or claim 2 wherein R² is methyl, ethyl, propyl, 20 *iso*-propyl, butyl, -CH₂CH₂CH(CH₃)₂, -CH₂CH(CH₃)₂, -CH₂CH₂OR⁶, -CH₂CH₂CH₂OR⁶, -CH₂CH(CH₃)OR⁶, -CH₂CH₂CH(CH₃)OR⁶, -CH₂CH₂CH(CH₃)NR^{10a}R^{11a}, -CH₂CH₂CH₂NR^{10a}R^{11a}, -(CH₂)_mSO₂CH₃, -(CH₂)_mC(O)NHCH₃, -(CH₂)_mCN, -(CH₂)_mCO₂R⁶, -(CH₂)_mCF₃ and -(CH₂)_mNHCO₂C(CH₃)₃.

6. A compound or salt thereof according to claim 1 or claim 2 wherein R² is -(CH₂)_nC₅₋₆heteroaryl wherein the C₅₋₆heteroaryl group is selected from furanyl, thienyl, pyrrolyl, triazolyl, thiazolyl, oxazolyl, 25 isoxazolyl, oxadiazolyl, imidazolyl, pyrazolyl, triazolyl, tetrazolyl, isoxazolyl, pyridinyl, pyridazinyl, pyrazinyl and pyrimidinyl said groups being optionally substituted by one or two substituents independently selected from halo, C₁₋₄alkyl and -C₀₋₃alkylOR⁶.

7. A compound or salt thereof according to any of the preceding claims wherein R³ is H, methyl, ethyl, -CH₂F, -CH₂OH, -CH(OH)CH₃, -CH₂OMe or -CH₂CN.

8. A compound or salt thereof according to any of the preceding claims wherein R⁴ is 30 unsubstituted phenyl or is phenyl substituted by one or two R⁷ groups which may be the same or different selected from halo, -C₁₋₄alkyl, -C₀₋₃alkylOR⁶ and -CN.

9. A compound or salt thereof according to any one of claims 1 to 7 wherein R⁴ is selected from the group consisting of pyridyl, indolyl and pyrrolopyridinyl said groups being optionally substituted 35 by one, two or three R⁷ groups which may be the same or different.

10. A compound which is selected from Examples 1 to 261, which include

*N*⁶-((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-*N*⁸-methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;

N^5 -((1*r*,4*S*)-4-Hydroxycyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*R*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*r*,4*S*)-4-Hydroxycyclohexyl)- N^B -methyl-1-((*S*)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S*)-1-phenylpropyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*r*,4*S*)-4-Hydroxycyclohexyl)- N^B -methyl-1-((*S*)-1-phenylpropyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(4-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(3-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(2-fluorophenyl)ethyl)- N^3 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -Cyclopropyl- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^B -Methyl- N^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(1*R*,5*S*,6*s*)-*tert*-Butyl 6-(3-(methylcarbamoyl)-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-5-carboxamido)-3-azabicyclo[3.1.0]hexane-3-carboxylate;
1-((1*H*-Pyrrolo[2,3-*c*]pyridin-4-yl)methyl)- N^B -methyl- N^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Pyrrolo[2,3-*b*]pyridin-4-yl)methyl)- N^B -methyl- N^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(4-chlorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(4-Chlorophenyl)ethyl)- N^5 -((1*r*,4*S*)-4-hydroxycyclohexyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*r*,4*S*)-4-hydroxycyclohexyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(3-chlorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -(3-Hydroxycyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)- N^5 -(1*H*-pyrazol-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S*,3*R*)-3-Hydroxycyclopentyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(4-Chlorophenyl)ethyl)- N^5 -((1*R*,3*S*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)-1-(1-(3-Chlorophenyl)ethyl)- N^B -methyl- N^5 -(1*H*-pyrazol-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)-1-(1-(4-Chlorophenyl)ethyl)- N^B -methyl- N^5 -(1*H*-pyrazol-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(4-Chlorophenyl)ethyl)- N^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)- N^5 -(pyridin-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((*R*)-*sec*-Butyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -Cyclopentyl- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -(*sec*-Butyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -Isobutyl- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^B -Methyl-1-((*S*)-1-phenylethyl)- N^5 -(tetrahydro-2*H*-pyran-3-yl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -Cyclobutyl- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;

(S)-N^β-Methyl-N^β-(oxazol-2-yl)-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(3-Methoxypropyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-N^β-(1-methyl-1H-pyrazol-4-yl)-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-(2-Hydroxypropyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-1-(1-phenylethyl)-N^β-((tetrahydro-2H-pyran-4-yl)methyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-Methyl-N^β-(2-(4-methylmorpholin-2-yl)ethyl)-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(3-Hydroxypropyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*R*,5*S*,6*R*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((S)-1-(2-chlorophenyl)ethyl)-N^β-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-((S)-1-(2-Chlorophenyl)ethyl)-N^β-((1*r*,4*S*)-4-hydroxycyclohexyl)-N^β-methyl-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*r*,4*S*)-4-Hydroxy-4-methylcyclohexyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*R*,5*S*,6*R*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((S)-1-(3-methoxyphenyl)ethyl)-N^β-methyl-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-1-(1-phenylethyl)-N^β-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(Cyclopropylmethyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Isopropyl-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(4-Hydroxybicyclo[2.2.2]octan-1-yl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*s*,4*R*)-4-Hydroxycyclohexyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*s*,4*R*)-4-Hydroxy-4-methylcyclohexyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Ethyl-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-1-(1-phenylethyl)-N^β-propyl-1H-pyrazole-3,5-dicarboxamide;
 N^β-(3-Hydroxybutyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-1-(1-phenylethyl)-N^β-(tetrahydro-2H-pyran-4-yl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-Methyl-1-((S)-1-phenylethyl)-N^β-(tetrahydrofuran-3-yl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-Methyl-1-((S)-1-phenylethyl)-N^β-(2-(tetrahydro-2H-pyran-2-yl)ethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-Methyl-1-((S)-1-phenylethyl)-N^β-((tetrahydrofuran-3-yl)methyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-Methyl-1-((S)-1-phenylethyl)-N^β-(2-(tetrahydro-2H-pyran-3-yl)ethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-Methyl-N^β-(oxetan-3-ylmethyl)-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(3-Fluorocyclobutyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-(2-((1*r*,4*S*)-4-Aminocyclohexyl)ethyl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide hydrochloride;
 (S)-N^β-Methyl-N^β-(oxetan-3-yl)-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(2-Cyclopropylethyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β-(2-(1H-Pyrazol-3-yl)ethyl)-N^β-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N^β-((1*S*,3*S*,5*R*,7*R*)-5-Hydroxyadamantan-2-yl)-N^β-methyl-1-((S)-1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 (S)-N^β,N^β-Dimethyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N^β-((1*r*,4*r*)-4-hydroxycyclohexyl)-N^β-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N^β-cyclobutyl-N^β-methyl-1H-pyrazole-3,5-dicarboxamide;

(S*)-N⁵-Cyclopropyl-N⁶-methyl-1-(1-phenylethyl)-1H-pyrazole-3,5-dicarboxamide;
 N⁵-Cyclopropyl-N⁶-methyl-1-(3-methylbenzyl)-1H-pyrazole-3,5-dicarboxamide;
 1-((1H-Indol-5-yl)methyl)-N⁵-cyclopropyl-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-((1H-Indol-4-yl)methyl)-N⁵-cyclopropyl-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;
 N⁵-((1R,3S,5S,6R)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1-((S)-1-phenylethyl)-
 1H-pyrazole-3,5-dicarboxamide;
 N⁵-(2-((2R,5S)-5-Amino-1,3-dioxan-2-yl)ethyl)-N⁶-methyl-1-((S)-1-phenylethyl)-1H-
 pyrazole-3,5-dicarboxamide;
 N⁵-(3-((2R,5S)-5-Amino-1,3-dioxan-2-yl)propyl)-N⁶-methyl-1-((S)-1-phenylethyl)-1H-
 pyrazole-3,5-dicarboxamide;
 N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-1-((R)-2-hydroxy-1-phenylethyl)-N⁶-methyl-
 1H-pyrazole-3,5-dicarboxamide;
 N⁵-((1R,5S,6S)-3-Azabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1-((S)-1-phenylethyl)-1H-
 pyrazole-3,5-dicarboxamide;
 N⁵-((1R,5S,6S)-3-Acetyl-3-azabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1-((S)-1-phenylethyl)-
 1H-pyrazole-3,5-dicarboxamide;
 1-((1H-Indol-4-yl)methyl)-N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1H-
 pyrazole-3,5-dicarboxamide;
 1-((1H-Indol-4-yl)methyl)-N⁵-((1R,5S,6S)-3-azabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1H-
 pyrazole-3,5-dicarboxamide;
 1-(1-(1H-Indol-4-yl)ethyl)-N⁵-((1R,4R)-4-hydroxycyclohexyl)-N⁶-methyl-1H-pyrazole-3,5-
 dicarboxamide;
 1-((S*)-1-(1H-Indol-4-yl)ethyl)-N⁵-((1R,4S)-4-hydroxycyclohexyl)-N⁶-methyl-1H-pyrazole-
 3,5-dicarboxamide;
 1-(1-(1H-Pyrrolo[2,3-b]pyridin-4-yl)ethyl)-N⁶-methyl-N⁵-((1S,2S)-2-methylcyclopropyl)-1H-
 pyrazole-3,5-dicarboxamide;
 1-((S*)-1-(1H-Pyrrolo[2,3-b]pyridin-4-yl)ethyl)-N⁶-methyl-N⁵-((1S,2S)-2-
 methylcyclopropyl)-1H-pyrazole-3,5-dicarboxamide;
 1-((1H-Indol-5-yl)methyl)-N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1H-
 pyrazole-3,5-dicarboxamide;
 1-(1-(1H-Indol-5-yl)ethyl)-N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1H-
 pyrazole-3,5-dicarboxamide;
 1-(1-(1H-Indol-4-yl)ethyl)-N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1H-
 pyrazole-3,5-dicarboxamide;
 1-((S*)-1-(1H-Indol-4-yl)ethyl)-N⁵-((1R,5S,6R)-3-oxabicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-
 1H-pyrazole-3,5-dicarboxamide;
 1-((S)-1-(3-Chlorophenyl)ethyl)-N⁵-((1R,3R,5S,6R)-3-hydroxybicyclo[3.1.0]hexan-6-yl)-N⁶-
 methyl-1H-pyrazole-3,5-dicarboxamide;
 N⁵-((1R,3R,5S,6R)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1-((S)-1-phenylpropyl)-
 1H-pyrazole-3,5-dicarboxamide;
 1-((S)-1-(3-Chlorophenyl)ethyl)-N⁵-((1R,3S,5S,6R)-3-hydroxybicyclo[3.1.0]hexan-6-yl)-N⁶-
 methyl-1H-pyrazole-3,5-dicarboxamide;
 N⁵-((1R,3S,5S,6R)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)-N⁶-methyl-1-((S)-1-phenylpropyl)-
 1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁵-cyclopropyl-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁶-methyl-N⁵-(tetrahydro-2H-pyran-4-yl)-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁶,N⁵-dimethyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁶-methyl-N⁵-(2-(piperidin-4-yl)ethyl)-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁵-isopropyl-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁶-methyl-N⁵-propyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁵-ethyl-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;
 1-Benzyl-N⁶-methyl-N⁵-(tetrahydrofuran-3-yl)-1H-pyrazole-3,5-dicarboxamide;
 N⁵-Cyclopropyl-1-(4-fluorobenzyl)-N⁶-methyl-1H-pyrazole-3,5-dicarboxamide;

Λ^5 -Cyclopropyl-1-(2-fluorobenzyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-(4-Cyanobenzyl)- Λ^5 -cyclopropyl- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -Cyclopropyl-1-(3-methoxybenzyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -Cyclopropyl-1-(4-methoxybenzyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -Cyclopropyl- Λ^B -methyl-1-(4-methylbenzyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -Cyclopropyl-1-(2-methoxybenzyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-((1*H*-Indol-4-yl)methyl)- Λ^5 -((1*R*,5*S*,6*S*)-3-acetyl-3-azabicyclo[3.1.0]hexan-6-yl)- Λ^B -
 methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^B -Ethyl- Λ^5 -((1*r*,4*S*)-4-hydroxycyclohexyl)-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((*R*)-1-phenylethyl)-1*H*-
 pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*r*,4*R*)-4-Hydroxycyclohexyl)- Λ^B -methyl-1-((*R*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^5 -(1-Hydroxypropan-2-yl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 (*S*)- Λ^5 -(*tert*-Butyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((*S*)-*sec*-Butyl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,3*R*,5*S*,6*S*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-
 1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(2-Hydroxyethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(2-Cyanoethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(2-(1*H*-Imidazol-4-yl)ethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 (*S*)- Λ^B -Methyl- Λ^5 -(3-morpholinopropyl)-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^B -Methyl-1-(1-phenylethyl)- Λ^5 -(2-(pyridin-4-yl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(3-(Dimethylamino)propyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 (*S*)- Λ^5 -(2-Methoxyethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(2-(1*H*-Imidazol-2-yl)ethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 (*S*)- Λ^B -Methyl-1-(1-phenylethyl)- Λ^5 -(pyridin-4-ylmethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^B -Methyl-1-(1-phenylethyl)- Λ^5 -(2-(pyridin-3-yl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^B -Methyl-1-(1-phenylethyl)- Λ^5 -(2-(pyridin-2-yl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(2,2-Difluoroethyl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -(2-(4-Acetylmorpholin-2-yl)ethyl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^5 -((1*s*,3*R*)-3-Hydroxycyclobutyl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^B -Methyl-1-((*S*)-1-phenylethyl)- Λ^5 -((tetrahydro-2*H*-pyran-2-yl)methyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^5 -((1*R*,2*R*)-2-Hydroxycyclobutyl)- Λ^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 1-((*R*^{*})-1-(1*H*-Indol-4-yl)ethyl)- Λ^5 -((1*r*,4*R*)-4-hydroxycyclohexyl)- Λ^B -methyl-1*H*-pyrazole-
 3,5-dicarboxamide;
 1-((*R*)-1-(1*H*-Indol-4-yl)ethyl)- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-
 1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((*S*)-1-(pyridin-2-yl)ethyl)-1*H*-
 pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^B -Methyl- Λ^5 -(1*H*-pyrazol-4-yl)-1-(1-(pyridin-2-yl)ethyl)-1*H*-pyrazole-3,5-
 dicarboxamide;
 Λ^B -Methyl- Λ^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1-(1-(1-tosyl-1*H*-pyrrolo[2,3-*b*]pyridin-4-
 yl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;

Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(2-methoxyphenyl)ethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*R*)-1-(1*H*-Pyrrolo[2,3-*b*]pyridin-4-yl)ethyl)- Λ^5 -methyl- Λ^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*S*)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((1*R*,3*R*,5*S*,6*s*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*r*,4*S*)-4-Methoxycyclohexyl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(indolin-4-ylmethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-(1-(3-(2-Hydroxyethoxy)phenyl)ethyl)- Λ^5 -methyl- Λ^5 -((1*S*,2*S*)-2-methylcyclopropyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (+/-)- Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(1-(3-(2-hydroxyethoxy)phenyl)ethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -Methyl- Λ^5 -(3-methylisothiazol-5-yl)-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,3*R*,5*S*,6*r*)-3-Methoxybicyclo[3.1.0]hexan-6-yl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -(6-Hydroxyspiro[3.3]heptan-2-yl)- Λ^5 -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*r*,4*S*)-4-(Hydroxymethyl)cyclohexyl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -Methyl-1-(1-phenylethyl)- Λ^5 -(pyridazin-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*S**,4*S**)-4-Hydroxy-3,3-dimethylcyclohexyl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- Λ^5 -methyl-1-((*S*)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (+/-)- Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(1-(3-chloro-5-fluorophenyl)ethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*s**,4*R**)-4-Ethyl-4-hydroxycyclohexyl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*r**,3*S**)-3-Hydroxycyclobutyl)- Λ^5 -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)- Λ^5 -Methyl- Λ^5 -(6-oxo-1,6-dihydropyridin-3-yl)-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*S*)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((1*r*,4*S*)-4-(hydroxymethyl)cyclohexyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*S*)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((1*S*,3*S*,4*S*)-4-hydroxy-3-methylcyclohexyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (+/-)- Λ^5 -((1*r*,3*S*)-3-Methoxycyclobutyl)- Λ^5 -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*S*)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((*trans*)-2-(hydroxymethyl)cyclopropyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 1-((*S*)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((*trans*)-3-hydroxycyclopentyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (+/-)- Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(1-(3-fluoro-2-methylphenyl)ethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*S*,4*R*)-4-Hydroxycyclohexyl)- Λ^5 -methyl-1-((*S**)-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 1-Benzyl- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R**,3*S**,5*S**,6*s**)-3-(Benzyloxy)bicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(3-chlorophenyl)ethyl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (*S*)-1-(1-(3-Chlorophenyl)ethyl)- Λ^5 -(6-hydroxyspiro[3.3]heptan-2-yl)- Λ^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;

N^5 -((1*S*,3*S*,4*S*)-4-Hydroxy-3-methylcyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (S) - N^5 -(2-Ethyl-2*H*-1,2,3-triazol-4-yl)- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*r**,4*S**)-4-Ethyl-4-hydroxycyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R**,3*R**,5*S**,6*r**)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S**)-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S*,3*S*,4*S*)-4-Hydroxy-3-methylcyclohexyl)- N^B -methyl-1-((*S*)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Fluorophenyl)ethyl)- N^5 -((1*S*,3*S*,4*S*)-4-hydroxy-3-methylcyclohexyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(+/-)- N^5 -((1*r*,4*r*)-4-Hydroxycyclohexyl)- N^B -methyl-1-(1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S**,2*S**)-2-(Hydroxymethyl)cyclopropyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (S) - N^B -Methyl- N^5 -(5-methylpyridin-3-yl)-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide, formate salt;
 (S) - N^B -Methyl-1-(1-phenylethyl)- N^5 -(pyridin-3-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S*)-1-(*o*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*r*,3*S*)-3-hydroxycyclobutyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R**,3*S**,5*S**,6*r**)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S**)-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S*)-1-(*p*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (S) - N^B -Methyl-1-(1-phenylethyl)- N^5 -(pyridin-2-yl)-1*H*-pyrazole-3,5-dicarboxamide formate salt;
 N^5 -((1*S*,3*S*)-3-Methoxycyclopentyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(+/-)- N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(1-(4-chloro-3-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (S) -1-(1-(3-Chlorophenyl)ethyl)- N^5 -ethyl- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 (S) - N^5 -(3-Ethyl-4-methylisoxazol-5-yl)- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 (S) - N^B -Methyl-1-(1-phenylethyl)- N^5 -(thiazol-2-yl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*R**,2*S**,5*S**,6*R**)-2-hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*R**,3*R**)-3-hydroxycyclopentyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S**,3*S**)-3-Hydroxycyclopentyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*S**,3*S**)-3-hydroxycyclopentyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*)-1-(3-fluoro-4-methylphenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*S**,2*S**)-2-(hydroxymethyl)cyclopropyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S**)-1-(3-fluoro-2-methylphenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S**)-1-(3-chlorophenyl)-2-hydroxyethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S**,3*S**)-3-Methoxycyclopentyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;

Λ^5 -((1*r*,4*S*)-4-Hydroxycyclohexyl)- Λ^B -methyl-1-((S^*)-1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*S*^{*},3*S*^{*})-3-Hydroxycyclopentyl)- Λ^B -methyl-1-((S)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(S)-1-(1-(3-chlorophenyl)ethyl)- Λ^5 -(6-hydroxyspiro[3.3]heptan-2-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((S^*)-1-(1*H*-Indol-5-yl)ethyl)- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((S^*)-1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((S)-1-(3-fluoro-4-methylphenyl)ethyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*^{*},3*R*^{*})-3-Methoxycyclopentyl)- Λ^B -methyl-1-((S)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(S)-1-(1-(3-Chlorophenyl)ethyl)- Λ^5 -(6-hydroxyspiro[3.3]heptan-2-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((S)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((1*S*^{*},2*R*^{*},5*R*^{*},6*S*^{*})-2-hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(S)- Λ^5 -(6-Hydroxyspiro[3.3]heptan-2-yl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*S*^{*},2*S*^{*})-2-(Hydroxymethyl)cyclopropyl)- Λ^B -methyl-1-((S)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((S^*)-1-(3-chloro-5-fluorophenyl)ethyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(S)- Λ^5 -(6-Hydroxyspiro[3.3]heptan-2-yl)- Λ^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*^{*},2*R*^{*})-2-(Hydroxymethyl)cyclopropyl)- Λ^B -methyl-1-((S)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((S)-1-(3-Fluorophenyl)ethyl)- Λ^5 -((1*R*,3*S*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,3*S*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((S)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((S)-1-(3-Fluorophenyl)ethyl)- Λ^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,3*S*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((S^*)-1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -((1*R*,3*R*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1-((S)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((S)-1-(3-Chlorophenyl)ethyl)- Λ^5 -((1*R*^{*},2*R*^{*})-2-(hydroxymethyl)cyclopropyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 Λ^5 -(3-((2*r*,5*S*)-5-Amino-1,3-dioxan-2-yl)propyl)-1-((S)-1-(3-chlorophenyl)ethyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((R)-1-(3-Chlorophenyl)-2-hydroxyethyl)- Λ^5 -((1*r*,3*R*)-3-methoxycyclobutyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(+/-)- Λ^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-(1-(3-chlorophenyl)-2-hydroxyethyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(+/-)-1-(1-(3-Chlorophenyl)-2-hydroxyethyl)- Λ^5 -((1*r*,4*r*)-4-methoxycyclohexyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((R)-2-Hydroxy-1-phenylethyl)- Λ^5 -((1*r*,4*R*)-4-methoxycyclohexyl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Indol-7-yl)methyl)- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Indazol-4-yl)methyl)- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((R^*)-1-(1*H*-Indol-5-yl)ethyl)- Λ^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- Λ^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;

N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*^{*})-1-(4-chloro-3-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*^{*},4*S*^{*})-4-Hydroxy-3,3-dimethylcyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)- N^5 -(1,3,4-thiadiazol-2-yl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Benzo[d]imidazol-4-yl)methyl)- N^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*R*,5*S*,6*s*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*S*)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*R*)-1-(1*H*-Indol-4-yl)ethyl)- N^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Indol-6-yl)methyl)- N^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*S*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*R*^{*})-1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Fluorophenyl)ethyl)- N^5 -((1*S*,3*R*,4*R*)-4-hydroxy-3-methylcyclohexyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S*,3*R*,4*R*)-4-Hydroxy-3-methylcyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S*,3*R*,4*R*)-4-Hydroxy-3-methylcyclohexyl)- N^B -methyl-1-((*S*)-1-(*m*-tolyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Indol-5-yl)methyl)- N^B -cyclopropyl- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((1*H*-Indol-4-yl)methyl)- N^B -cyclopropyl- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-((*S*)-1-(3-Chlorophenyl)ethyl)- N^5 -((1*S*,3*R*,4*R*)-4-hydroxy-3-methylcyclohexyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*S*,3*R*,4*S*,5*S*)-4-Hydroxy-3,5-dimethylcyclohexyl)- N^B -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*^{*})-1-(4-chloro-3-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*R*,5*S*,6*r*)-3-Hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*R*^{*})-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -(4-Cyano-3-methylisoxazol-5-yl)- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)- N^5 -(5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*S*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^B -methyl-1-((*R*^{*})-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*^{*})-1-(3-chloro-5-fluorophenyl)ethyl)- N^B -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -(2,4-Dimethylpyridin-3-yl)- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^B -Cyclopropyl-1-(4-methoxybenzyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^B -Cyclopropyl- N^5 -methyl-1-(4-methylbenzyl)-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^B -Methyl-1-(1-phenylethyl)- N^5 -(5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^B -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*)-2-hydroxy-1-phenylethyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(*S*)- N^5 -(3,5-Dimethylisoxazol-4-yl)- N^B -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*r*,4*R*)-4-Hydroxycyclohexyl)- N^B -methyl-1-((*R*^{*})-1-(3-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*r*,4*R*)-4-Hydroxycyclohexyl)- N^B -methyl-1-((*R*^{*})-1-(4-(trifluoromethyl)phenyl)ethyl)-1*H*-pyrazole-3,5-dicarboxamide;

N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*^{*})-1-(3-chlorophenyl)-2-hydroxyethyl)- N^{β} -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^{β} -Cyclopropyl-1-(4-fluorobenzyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^{β} -Cyclopropyl-1-(2-methoxybenzyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)-1-((*R*^{*})-1-(3-fluoro-2-methylphenyl)ethyl)- N^{β} -methyl-1*H*-pyrazole-3,5-dicarboxamide;
 N^{β} -Cyclopropyl-1-(2-fluorobenzyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
(+/-)- N^{β} -Cyclopropyl- N^5 -methyl-1-(1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^{β} -Cyclopropyl- N^5 -methyl-1-(3-methylbenzyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,5*S*,6*r*)-3-Oxabicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1-((1,2,3,4-tetrahydroquinolin-8-yl)methyl)-1*H*-pyrazole-3,5-dicarboxamide;
1-Benzyl- N^{β} -cyclopropyl- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide;
1-(4-Cyanobenzyl)- N^{β} -cyclopropyl- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide; and
 N^{β} -Cyclopropyl-1-(3-methoxybenzyl)- N^5 -methyl-1*H*-pyrazole-3,5-dicarboxamide
or a salt thereof.

11. A compound which is selected from

N^5 -((1*r*,4*S*)-4-hydroxycyclohexyl)- N^{β} -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide;
 N^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide

N^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)-1-((*S*)-1-(4-chlorophenyl)ethyl)- N^{β} -methyl-1*H*-pyrazole-3,5-dicarboxamide;

(*S*)- N^{β} -methyl-1-(1-phenylethyl)- N^5 -(1*H*-pyrazol-4-yl)-1*H*-pyrazole-3,5-dicarboxamide;


1-((*S*)-1-(4-chlorophenyl)ethyl)- N^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1*H*-pyrazole-3,5-dicarboxamide;

1-((*S*)-1-(3-chlorophenyl)ethyl)- N^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1*H*-pyrazole-3,5-dicarboxamide;

N^5 -((1*R*,3*R*,5*S*,6*r*)-3-hydroxybicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1-((*S*)-1-phenylpropyl)-1*H*-pyrazole-3,5-dicarboxamide; and

N^5 -((1*r*,4*S*)-4-methoxycyclohexyl)- N^{β} -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide
or a salt thereof.

12. A compound which is N^5 -((1*R*,5*S*,6*r*)-3-oxabicyclo[3.1.0]hexan-6-yl)- N^{β} -methyl-1-((*S*)-1-phenylethyl)-1*H*-pyrazole-3,5-dicarboxamide represented by the formula



or a salt thereof.

13. A compound according to any of the preceding claims or a pharmaceutically acceptable salt thereof.

14. A pharmaceutical composition comprising a compound or a pharmaceutically acceptable salt thereof as defined in claim 13 and one or more pharmaceutically acceptable excipients.

15. A combination comprising a compound or a pharmaceutically acceptable salt thereof as defined in claim 13 together with one or more other therapeutically active agents.

16. A compound or a pharmaceutically acceptable salt thereof as defined in claim 13, for use in therapy.

5 17. A compound or a pharmaceutically acceptable salt thereof as defined in claim 13, for use in the treatment of a disease or condition for which a bromodomain inhibitor is indicated.

18. A compound for use according to claim 17, wherein the disease or condition is an acute or chronic autoimmune and/or inflammatory condition.

10 19. A compound for use according to claim 17, wherein the disease or condition involves an inflammatory response to an infection with bacteria, a virus, fungi, a parasite or their toxins.

20. A compound for use according to claim 17, wherein the disease or condition is a viral infection.

21. A compound for use according to claim 17, wherein the disease or condition is cancer.

22. A compound for use according to claim 17, wherein the disease or condition is rheumatoid arthritis.

15 ~~23.—The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of a disease or condition for which a bromodomain inhibitor is indicated.~~

24.23. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of ~~The use according to claim 23, wherein the disease or condition is~~ an acute or chronic autoimmune and/or inflammatory condition.

20 ~~25.24. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of~~ 24.23. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of ~~The use according to claim 23, wherein the disease or condition involves~~ an inflammatory response to an infection with bacteria, a virus, fungi, a parasite or their toxins.

25 ~~26.25. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of~~ 25.24. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of ~~The use according to claim 23, wherein the disease or condition is~~ a viral infection.

~~27.26. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of~~ 26.25. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of ~~The use according to claim 23, wherein the disease or condition is~~ cancer.

30 ~~28.27. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of~~ 27.26. The use of a compound or a pharmaceutically acceptable salt thereof as defined in claim 13, in the manufacture of a medicament for the treatment of ~~The use according to claim 23, wherein the disease or condition is~~ rheumatoid arthritis.

35 ~~29.28. The use according to any one of claims 23 to 28~~ 28.27. The use according to any one of claims 23 to 28, wherein the medicament is to be administered to a human subject in need thereof.