

THONG-TYPE SANDAL

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a sandal, and particularly, to a thong-type sandal where the strap comes up between the big toe and the second toe.

Discussion of the Related Art

Fig. 1 generally illustrates a conventional thong-type sandal wherein the numerical reference 1 represents a sole, 2 denotes a strap body, 3 denotes a strap fixture, and the numerical reference 4 indicates strap ends. The strap fixture 3 is fixed to the sole 1 by means of a rivet 5 and both strap ends 4 are also fixed to the sole 1 by, for instance, thermocompression bonding. The sandal is used in such a manner that the foot is inserted between the sole 1 and the strap body 2 so as to put the strap fixture 3 between the big toe and the second toe.

Such a sandal can be used easily, and since only a small part of the foot makes contact with the sandal, except for the sole of a foot, people can use them with a feeling almost of being in their bare feet. It is well known that such sandals made from urethane are suitable for use on the hot sand of a summer beach.

However, the sandal described above has a construction such that the foot is fixed to the sole 1 only at the strap fixture 3 between the big toe and the second toe. Therefore, when people using the sandals are walking, their feet often deviate from the proper position on the sole 1 or slip off the sole 1.

In the sandal described above, deviation or slipping is prevented by the portions of the straps of the ends 4 which are fixed to both sides of the sole 1. However, since the sandal is used in such a manner that the instep of a foot is inserted between the sole 1 and the strap body 2 from the rear side, it is required that the strap body 3 be fixed to the sole 1 in a loose condition. Because of the loose condition, slippage occurs when walking. Therefore, it is difficult to wear such a sandal while participating in sports such as beach volley ball or running. It is also dangerous to walk in rocky places or on mountain roads with the sandals. Furthermore, in such a sandal, because the toes of the foot are fixed to the sole 1 only by the strap fixture 3, it produces foot fatigue for people who wear the sandals for a long time.

For sports, such as beach volley ball or running, another type of sandal, a so called sports sandal, is generally used, which comprises additional straps to fix the heel and/or the ankle. However, it has been difficult to fit the sandal to the foot because not only the toes, but also the heels and/or the ankles should be fixed with straps.

SUMMARY OF THE INVENTION

The purpose of the present invention is to provide a new thong-type sandal where the foot is well fixed to the sole of the sandal without rotational slipping or misalignment of the foot on the sole. People wearing the sandal can participate in sports, such as beach volley ball, running, etc., with less foot fatigue after prolonged use. Further hallux valgus of the foot, flat feet, and athlete's foot can be prevented due to the construction of the sandal.

In one form of the invention, a thong-type sandal comprises a sole, and at least one strap body fixed to the sole of the sandal at at least four locations, such that the strap is positioned between a big toe and an adjacent toe and between a little toe and the adjacent toe when a user's foot is inserted between the strap body and the sole. Since the foot of the user is fixed to the sole of the sandal at two points, i.e. a first location between the big toe and the adjacent toe and a second location between the little toe and the adjacent toe, the sole of the user's foot does not slip off or deviate from the sole.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 generally illustrates a conventional thong-type sandal;

Fig. 2 is a plan view of a thong-type sandal embodying the invention;

Fig. 3 is a plan view of an alternate embodiment of a thong-type sandal of the invention; and

Fig. 4 is a plan view of a the third embodiment of the thong-type sandal forming the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

With reference to Fig. 2, it should be noted that only one sandal of a symmetric pair is shown. The second sandal of a pair will be substantially a mirror image of that shown herein.

The thong-type sandal 10 (Fig. 2) embodying the invention comprises a sole 11 and a single strap body 12 having a first tab 13a, a second tab 13b, and strap ends 14 and 16. The first tab 13a is fixed to sole 11 by means of a rivet 15a at a position where a gap exists between the big toe and the adjacent toe when the foot is inserted between the strap body 12 and the sole 11. The second tab 13b is fixed to sole 11 by means of a rivet 15b at a position where a gap between the little toe

This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED

and the adjacent toe exists when the foot is inserted between the strap body 12 and the sole 11. The strap ends 14, 16 are connected to opposite longitudinal sides of the sole 11, preferably by thermo-compression bonding.

In studying the spaces between the toes, in general the gap between the big toe and the adjacent toe and the gap between the little toe and the adjacent toe are curved comparatively speaking, slightly more than the gaps between the second and third toes and between the third and fourth toes. It has been shown by the inventor's experiments that the second tab 13b does not cause any pain or discomfort between the little toe and the adjacent toe and the user becomes comfortable with the sandal in a relatively short period of time. Furthermore, the second strap fixture or tab 13b stimulates the gap between the little toe and the adjacent toe such that the stimulation works to massage an effective spot on the foot.

The inventor's experiments additionally show that a foot can fit to the sole by only fixing the gaps between the big toe and the adjacent toe and between the little toe and the adjacent toe, because the distance between the fixing points is sufficient to fix the toe portion of a foot to the sole 11. The fit is such that a user can walk or run in the sandals without any deviation or slipping of the foot on the sole 11. Accordingly, it becomes possible for people to walk or run while wearing the thong-type sandal and can be used to walk on rocky terrain, on mountains or in water, or when participating in sports activities, such as beach volley ball.

The load applied on the toes and calves of each foot is remarkably reduced in comparison with the conventional type thong sandals, so that fatigue on the feet can be reduced even if the user wears sandals for a long time. Furthermore, deformation of the little toes, which is generally caused by tight shoes, can be prevented because the little toe of each foot is stretched outwardly. As a result, hallux valgus, flat sole of feet, and athlete's foot can be prevented.

Fig. 3 illustrates a second embodiment of the thong-type sandal. It should be noted that in these later embodiments, the same reference numbers are used for the same elements as those of the first embodiment. In the second embodiment, the thong-type sandal 10 comprises a first and a second strap 12a and 12b, respectively, each having a strap fixture 13a, 13b, and a strap end 14a, 14b. First and second strap fixtures 13a and 13b are fixed to sole 11 by means of rivets 15a and 15b, while strap ends 14a and 14b are fixed proximate to opposite longitudinal sides of sole 11. The first strap body 12a is crossed over strap body 12b at a point above the instep of a user's foot.

In the second embodiment, since the strap bodies 12a and 12b cross each other, the user's foot is supported in a well fitting manner.

Fig. 4 illustrates yet another embodiment of the new thong-type sandal 10. According to this embodiment, the crossing portion 16 of strap body 12a and the second strap body 12b are connected to each other by means of, for instance, synthetic paste. It should be noted that the means for connecting the first and second straps 12a and 12b is not limited to synthetic adhesive, but includes among other things, thread, mechanical fasteners, such as bolts.

The present invention is not only limited to the different embodiments described above, but also various modifications are to be considered. For instance, any material which can be suitably used for manufacturing the sole 11 and straps 12, 12a, and 12b can be used in the manufacture of the invention sandal. Further, it is contemplated to provide another strap to support the ankle. Furthermore, it is also contemplated to provide relatively small protrusions on the surface of the sole 11 not only to prevent rotational or translational slippage of the foot on the sole, but also to give comfortable stimulus to the sole of the foot.

As described above, the toe portion of the user's foot is fixed with respect to the sole of the sandal at two points, i.e. the first strap fixture 13a and the second strap fixture 13b, so that the sandal fits well to the foot, preventing misalignment and slipping between the sole of a foot and the sole of the sandal. Therefore, the sandal of this invention offers the advantages of being worn while participating in sports, such as running, walking on a rough road without losing the ease and comfort which are originally possessed in wearing conventional sandals.

The above description is considered that of the preferred embodiments only. Modification of the invention will occur to those skilled in the art and to those who make and use the invention. Therefore, it is understood that the embodiments shown in the drawings and described above are merely for illustrative purposes and are not intended to limit the scope of the invention, which is defined by the following claims.

CLAIMS

1. A sandal comprising:
a sole;
at least one strap body having first and second strap ends and first and second strap tabs which are fixed to said sole of the sandal, said first strap tab positioned between a big toe and an adjacent toe, and said second strap tab positioned between a little toe and an adjacent toe when a user's foot is inserted between the strap body and the sole.
2. The sandal as defined in claim 1, wherein said at least one strap body comprises a single strap having said first and second strap tabs provided intermediate said first and second strap ends.
3. The sandal as defined in claim 1, wherein said at least one strap body comprises:
a first strap crossing over a second strap body, said first strap body having one end fixed proximate to one longitudinal side of said sole of the sandal, and an opposite end fixed to said sole at a point generally below a space between a big toe and an adjacent toe; and
said second strap body having a first end fixed proximate to an opposite longitudinal side of said sole of the sandal and an opposite end fixed to said sole at a point below a space generally between a little toe and an adjacent toe.
4. The sandal as defined in claim 3, wherein said first and second strap bodies are connected to each other at a cross-over point of said first and second strap bodies.

This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED



* C L H S *

THONG-TYPE SANDAL

ABSTRACT OF THE DISCLOSURE

A sandal having first and second strap tabs extending from a strap fixed to the sole of a sandal; the first strap tab is positioned between a big toe and an adjacent toe and the second strap tab is positioned between a little toe and an adjacent toe when a user's foot is inserted between the strap and the sole. The sandal embodying the invention fits well to the user's foot and can be worn while participating in sports activities, such as running, walking over rough terrain with ease and comfort.

FIGURE 2

FIG. 1 (Prior Art)^{1/4}




FIG. 2






FIG. 3

FIG. 4



For sports, such as beach volley ball or running, another type of sandal, a so-called sports sandal, is generally used, which comprises additional straps to fix the heel and/or the ankle. However, it has been difficult to fit the sandal to the foot because not only the toes, but also the heels and/or the ankles should be fixed with straps.

SUMMARY OF THE INVENTION

The aim of the present invention is to provide a new thong-type sandal where the foot is well fixed to the sole of the sandal without rotational slipping or misalignment of the foot on the sole. People wearing the sandal can participate in sports, such as beach volley ball, running, etc., with less foot fatigue after prolonged use. Further hallux valgus of the foot, flat feet, and athlete's foot can be prevented due to the construction of the sandal.

In accordance with the invention, a thong-type sandal comprises a sole, and at least one strap body having first and second strap ends and only first and second strap tabs which are fixed to said sole of the sandal, said first strap tab positioned between a big toe and an adjacent toe, and said second strap tab positioned between a little toe and an adjacent toe when a user's foot is inserted between the strap body and the sole.

Since the foot of the user is fixed to the sole of the sandal at two points, i.e. a first location between the big toe and the adjacent toe and a second location between the little toe and the adjacent toe, the sole of the user's foot does not slip off or deviate from the sole.

This Sheet Has Been Replaced



THIS SHEET HAS BEEN
REPLACED

REPLACEMENT SHEET

15 MAR 1999

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 generally illustrates a conventional thong-type sandal;

Fig. 2 is a plan view of a thong-type sandal embodying the invention;

Fig. 3 is a plan view of an alternate embodiment of a thong-type sandal of the invention; and

Fig. 4 is a plan view of a third embodiment of the thong-type sandal forming the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

With reference to Fig. 2, it should be noted that only one sandal of a symmetric pair is shown. The second sandal of a pair will be substantially a mirror image of that shown herein.

The thong-type sandal 10 (Fig. 2) embodying the invention comprises a sole 11 and a single strap body 12 having a first tab 13a, a second tab 13b, and strap ends 14 and 16. The first tab 13a is fixed to sole 11 by means of a rivet 15a at a position where a gap exists between the big toe and the adjacent toe when the foot is inserted between the strap body 12 and the sole 11. The second tab 13b is fixed to sole 11 by means of a rivet 15b at a position where a gap between the little toe

REPLACEMENT SHEET

15 MAR 1999

This Sheet Has Been Replaced



CLAIMS

1. A sandal comprising:
a sole; and
at least one strap body having first and second strap ends and only first and second strap tabs which are fixed to said sole of the sandal, said first strap tab positioned between a big toe and an adjacent toe, and said second strap tab positioned between a little toe and an adjacent toe when a user's foot is inserted between the strap body and the sole.
2. The sandal as defined in claim 1, wherein said at least one strap body comprises a single strap having said first and second strap tabs provided intermediate said first and second strap ends.
3. The sandal as defined in claim 1, wherein said at least one strap body comprises:
a first strap crossing over a second strap body, said first strap body having one end fixed proximate to one longitudinal side of said sole of the sandal, and an opposite end fixed to said sole at a point generally below a space between a big toe and an adjacent toe; and
said second strap body having a first end fixed proximate to an opposite longitudinal side of said sole of the sandal and an opposite end fixed to said sole at a point generally below a space between a little toe and an adjacent toe.
4. The sandal as defined in claim 3, wherein said first and second strap bodies are connected to each other at a cross-over point of said first and second strap bodies.

THIS SHEET HAS BEEN
REPLACED

REPLACEMENT SHEET

15 MAR 1999



REPLACEMENT SHEET

- 9 SEP 1999

2


For sports, such as beach volley ball or running, another type of sandal, a so-called sports sandal, is generally used, which comprises additional straps to fix the heel and/or the ankle. However, it has been difficult to fit the sandal to the foot because not only the toes, but also the heels and/or the ankles should be fixed with straps.

SUMMARY OF THE INVENTION

The aim of the present invention is to provide a new thong-type sandal where the foot is well fixed to the sole of the sandal without rotational slipping or misalignment of the foot on the sole. People wearing the sandal can participate in sports, such as beach volley ball, running, etc., with less foot fatigue after prolonged use. Further hallux valgus of the foot, flat feet, and athlete's foot can be prevented due to the construction of the sandal.

In accordance with the invention, a thong-type sandal comprises a sole, and either a single strap body or a pair of mutually crossing strap bodies having first and second strap ends and only first and second strap tabs which are fixed to said sole of the sandal, said first strap tab positioned between a big toe and an adjacent toe and said second strap tab positioned between a little toe and an adjacent toe, when a user's foot is inserted between the strap body and the sole.

Since the foot of the user is fixed to the sole of the sandal at two points, i.e. a first location between the big toe and the adjacent toe and a second location between the little toe and the adjacent toe, the sole of the user's foot does not slip off or deviate from the sole.



CLAIMS

1. A sandal comprising:
a sole; and
a single strap body having first and second strap ends and only first and second strap tabs intermediate said first and second strap ends, the first and second strap tabs being fixed to said sole of the sandal;
wherein said first strap tab is positioned between a big toe and an adjacent toe and said second strap tab is positioned between a little toe and an adjacent toe, when a user's foot is inserted between the strap body and the sole.
2. A sandal comprising:
a sole;
a first strap body crossing over a second strap body, said first strap body having one end fixed proximate to one longitudinal side of said sole of the sandal, and an opposite end fixed to said sole at a point generally below a space between a big toe and an adjacent toe, when a user's foot is inserted into the sandal; and
said second strap body having a first end fixed proximate to an opposite longitudinal side of said sole of the sandal, and an opposite end fixed to said sole at a point generally below a space between a little toe and an adjacent toe, when a user's foot is inserted into the sandal.
3. A sandal as defined in claim 2, wherein said first and second strap bodies are connected to each other at a cross-over point of said first and second strap bodies.

