





FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4





FIG. 5A

Formulation (per capsule; D190)

Enteric gelcap (1 x size 00)

GG-353 (5 mg)

atenolol (1 mg) and citric acid (0.25 mg)

Sodium caprate (200 mg)

soybean trypsin inhibitor (50 mg)

Formulation (D188)

Enteric gelcap (1 x size 00)

GG-353 (5 mg)

atenolol (1 mg) and


citric acid (0.25 mg)

Sodium caprate (200 mg)

soybean trypsin inhibitor (50 mg)

Hydrogel #3.02 (300 mg)

FIG. 5B

Formulation (per capsule; D190)

Enteric gelcap (1 x size 00)

GG-353 (5 mg)

atenolol (1 mg) and citric acid (0.25 mg)

Sodium caprate (200 mg)

soybean trypsin inhibitor (50 mg)

Formulation (D188)

Enteric gelcap (1 x size 00)

GG-353 (5 mg)

atenolol (1 mg) and

citric acid (0.25 mg)

Sodium caprate (200 mg)

soybean trypsin inhibitor (50 mg)

Hydrogel #3.02 (300 mg)

FIG. 6




FIG. 7A





FIG. 7B



Crosslinked sodium polyacrylate

FIG. 8




FIG. 9

12/18




FIG. 10




FIG. 11A




FIG. 11B





FIG. 12






FIG. 13




FIG. 14




FIG. 15