

RELAXIN-2 FUSION PROTEIN ANALOGS AND METHODS OF USING SAME**RELATED APPLICATIONS**

5 [0001] This application claims priority to U.S. Provisional Patent Application Ser. No. 63/263,917, filed Nov. 11, 2021, the entire disclosure of which is hereby incorporated herein by reference.

REFERENCE TO SEQUENCE LISTING

10 [0002] This application contains a sequence listing which has been submitted electronically in ASCII format and is hereby incorporated by reference in its entirety (said ASCII copy, created November 11, 2022, is named "TECW-002_SL_ST26_2022-11-11" and is 284,217 bytes in size).

FIELD

15 [0003] This disclosure provides relaxin-2 fusion protein analogs with improved pharmacokinetic properties, methods for making these fusion proteins, and methods of using these fusion proteins to enhance relaxin-2 related activity in a subject and treat or prevent relaxin-2 related diseases.

BACKGROUND

20 [0004] Relaxin-2 exhibits strong antifibrotic activity. In injured tissues, fibroblast activation and proliferation cause increased collagen production and interstitial fibrosis. Fibrosis in the heart is increased by biomechanical overload, and influences ventricular dysfunction, remodeling, and arrhythmogenesis. However, due to the limited *in vivo* half-life of relaxin, treatment of patients has to be repeated every 14 to 21 days, whereby compound administration has to be performed as a continuous infusion for at least 48 hours. Further, the synthesis of relaxin-2 is difficult. Due to the low solubility of the B-chain and the requirement for the laborious, specific introduction of cysteine bridges between A and B-chains, yields of active peptide obtained by these methods are extremely low.

25 [0005] There is a need for an engineered relaxin-2 analog with greater half-life and greater ease in production.

30

SUMMARY

[0006] This disclosure provides fusion proteins that are engineered relaxin-2 analogs with improved pharmacokinetic properties. This disclosure also provides methods of using these fusion proteins to enhance relaxin-2 related activity in a subject and to treat or prevent relaxin-2 related diseases.

[0007] Provided herein is a fusion protein comprising, from N-terminus to C-terminus, a first peptide; a linker peptide; and a second peptide, wherein the first peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 9; or the first peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 9 and the second peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 7; the linker peptide comprises an amino acid sequence with 12-15 amino acids, comprising 2-5 acidic amino acids and 10-13 non-acidic amino acids; and the fusion protein has a pI from 6.0 to 8.2.

[0008] In some embodiments, the linker peptide comprises an amino acid sequence selected from the group consisting of

R₁R₁R₁R₂R₁R₁R₁R₂R₁R₁R₂R₁ (SEQ ID NO: 195);
 R₁R₁R₁R₂R₁R₁R₁R₂R₁R₁R₂R₁R₁ (SEQ ID NO: 196);
 R₁R₁R₂R₁R₁R₂R₂R₁R₁R₂R₁R₁ (SEQ ID NO: 197);
 R₁R₁R₁R₂R₂R₁R₁R₂R₂R₁R₁R₁ (SEQ ID NO: 198); and
 R₁R₁R₂R₁R₂R₁R₁R₂R₁R₁R₁ (SEQ ID NO: 199),

wherein R₁ is a non-acidic amino acid and R₂ is an acidic amino acid.

[0009] In some embodiments, the acidic amino acid(s) are aspartate or glutamate. In some embodiments, the acidic amino acid(s) are glutamate. In some embodiments, the non-acidic amino acid(s) are glycine, proline, or serine. In some embodiments, the non-acidic amino acid(s) are glycine.

[0010] In some embodiments, the linker peptide comprises the amino acid sequence of one or more of SEQ ID NO: 14, 15, 16, 17, or 18. In some embodiments, the linker peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 19-23.

[0011] In some embodiments, the first peptide comprises the amino acid sequence of DSWX₃EEVIKLCGRELVRQAIAICGX₄ST (SEQ ID NO: 3), wherein X₃ is methionine, lysine,

or glutamine, and wherein X₄ is methionine or lysine. In some embodiments, the first peptide comprises the amino acid sequence of X₅QX₆YSALANKCCHVGCTKRSLAX₇FC (SEQ ID NO: 4), wherein X₅ is arginine or absent, X₆ is leucine or aspartic acid, and wherein X₇ is arginine, glutamine, or glutamate.

- 5 [0012] In some embodiments, the second peptide comprises the amino acid sequence of DSWX₃EEVIKLCGRELVRAQIAICGX₄ST (SEQ ID NO: 3), wherein X₃ is methionine, lysine, or glutamine, and wherein X₄ is methionine or lysine. In some embodiments, the second peptide comprises the amino acid sequence of X₅QX₆YSALANKCCHVGCTKRSLAX₇FC (SEQ ID NO: 4), wherein X₅ is arginine or absent, X₆ is leucine or aspartate, and wherein X₇ is
10 arginine, glutamine or glutamate.

- [0013] In some embodiments, the first peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7. In some embodiments, the second peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7. In some embodiments, the first peptide comprises an amino acid sequence selected from the group
15 consisting of SEQ ID NOs: 8-13. In some embodiments, the second peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 8-13.

- [0014] In some embodiments, the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 8; the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises
20 the amino acid sequence of SEQ ID NO: 9; the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 10; the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 11; the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid
25 sequence of SEQ ID NO: 12; the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 13; the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 8; the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO:
30 9; the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 10; the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 11; the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the

- SEQ ID NO: 8; the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 9; the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 10; the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 11; the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 12; or the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 13.
- 5
- 10 **[0016]** In some embodiments, the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 25-48.
- [0017]** In some embodiments, the first peptide consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7. In some embodiments, the second peptide consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7.
- 15 In some embodiments, the first peptide consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 8-13. In some embodiments, the second peptide consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 8-13.
- [0018]** In some embodiments, the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 8; the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 9; the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 10; the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 11; the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 12; the first peptide consists of the amino acid sequence of SEQ ID NO: 5 and the second peptide consists of the amino acid sequence of SEQ ID NO: 13; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 8; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 9; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 10; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 11; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 12; the first peptide consists of the amino acid sequence of SEQ ID NO: 6 and the second peptide consists of the amino acid sequence of SEQ ID NO: 13.
- 20
- 25
- 30

of SEQ ID NO: 8; the second peptide consists of the amino acid sequence of SEQ ID NO: 7 and the first peptide consists of the amino acid sequence of SEQ ID NO: 9; the second peptide consists of the amino acid sequence of SEQ ID NO: 7 and the first peptide consists of the amino acid sequence of SEQ ID NO: 10; the second peptide consists of the amino acid sequence of SEQ ID NO: 7 and the first peptide consists of the amino acid sequence of SEQ ID NO: 11; the second peptide consists of the amino acid sequence of SEQ ID NO: 7 and the first peptide consists of the amino acid sequence of SEQ ID NO: 12; or the second peptide consists of the amino acid sequence of SEQ ID NO: 7 and the first peptide consists of the amino acid sequence of SEQ ID NO: 13.

10 **[0020]** In some embodiments, the fusion protein further comprises an IgG Fc. In some embodiments, the IgG Fc comprises the amino acid alanine at EU positions 234 and 235. In some embodiments, the IgG Fc comprises the amino acid alanine at EU position 329. In some embodiments, the IgG Fc comprises the amino acid alanine at EU positions 234, 235 and 329. In some embodiments, the IgG Fc comprises the amino acids alanine, alanine, alanine, leucine,
15 and serine at EU positions 234, 235, 329, 428 and 434, respectively. In some embodiments, the IgG Fc comprises the amino acids lysine, phenylalanine, and tyrosine at EU positions 433, 434 and 436, respectively. In some embodiments, the IgG Fc comprises the amino acids tyrosine, threonine and glutamate at EU positions 252, 254 and 256, respectively. In some embodiments, the IgG Fc comprises the amino acids leucine and serine at EU positions 428
20 and 434, respectively.

[0021] In some embodiments, the IgG Fc comprises an amino acid sequence at least 85% identical to the amino acid sequence of a human IgG1 Fc. In some embodiments, the IgG Fc comprises the amino acid sequence of a human IgG1 Fc. In some embodiments, the IgG Fc comprises an amino acid sequence at least 95% identical to an amino acid sequence selected
25 from the group consisting of SEQ ID NOs: 50-52 and 201-203. In some embodiments, the IgG Fc comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 50-52 and 201-203.

[0022] In some embodiments, the IgG Fc is linked to the N-terminus of the first peptide. In some embodiments, the IgG Fc is linked to the C-terminus of the second peptide.

30 **[0023]** In some embodiments, the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-85 and 204-211. In some embodiments, the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 86-118 and 214-221.

[0024] In some embodiments, the fusion protein consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-85 and 204-211. In some embodiments, the fusion protein consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 86-118 and 214-221.

- 5 [0025] In some embodiments, the first and second peptides do not comprise the amino acid sequence of a peptide selected from the group consisting of

DSWKKEEVIKLCGRELVRAQIAICGKSTAS (SEQ ID NO: 187);

DSWKKEEVIKLCGRELVRAQIAICGKSTWS (SEQ ID NO: 188);

DSWMEEVIKLCGRELVRAQIAICGKSTAS (SEQ ID NO: 189); and

- 10 DSWMEEVIKLCGRELVRAQIAICGKSTWS (SEQ ID NO: 190).

[0026] Also provided herein is a fusion protein comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-118 and 204-225. In some embodiments, the fusion protein consists of an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-118 and 204-225.

- 15 [0027] Also provided herein is a polynucleotide comprising a nucleotide sequence encoding any of the fusion proteins provided above and herein. In some embodiments, the polynucleotide is an RNA molecule. In some embodiments, the polynucleotide is a DNA molecule.

- [0028] Also provided herein is an expression vector comprising any polynucleotides described above and herein. In some embodiments, the expression vector is a plasmid. In some embodiments, the expression vector is a viral vector.

- [0029] Also provided herein is a host cell comprising any polynucleotides or expression vectors described above and herein. In some embodiments, the host cell is a prokaryotic cell. In some embodiments, the host cell is a eukaryotic cell. In some embodiments, the prokaryotic cell is an *E. coli* cell or a *Bacillus* cell. In some embodiments, the eukaryotic cell is selected from the group consisting of a yeast cell, an insect cell, and a mammalian cell. In some embodiments, the mammalian cell is selected from the group consisting of a CHO cell, a HeLa cell, and a 293 cell.

- [0030] Also provided herein is a population of cells comprising two or more of any of the host cells described above and herein.

[0031] Also provided herein is a method of producing any of the fusion proteins described above and herein comprising culturing any of the host cells described above and herein under conditions such that the fusion protein is produced.

[0032] Also provided herein is a pharmaceutical composition comprising an effective amount of any of the fusion proteins described above and herein, or any polynucleotides described above and herein, or any expression vectors described above and herein.

[0033] Also provided herein is a method of enhancing a relaxin-2-related activity in a primary cell, comprising contacting the primary cell with any of the fusion proteins described above and herein, thereby enhancing relaxin-2-related activity in the cell. In some embodiments, the fusion protein activates the relaxin-2 receptor, RXFP1, on a cell surface. In some embodiments, the method elevates cAMP levels in the primary cell, inducing vasodilation, inducing the expression of angiogenic factors, inducing the expression of MMPs, and inducing collagen degradation. In some embodiments, the primary cell is selected from the group consisting of endothelial cells, vascular smooth muscle cells, other vascular cells, cardiomyocytes, other cardiac cells, and fibroblasts. In some embodiments, the primary cell is within a subject. In some embodiments, the subject has a relaxin-2-associated disorder. In some embodiments, the relaxin-2-associated disorder is selected from the group consisting of kidney diseases, fibrotic diseases, and cardiovascular diseases. In some embodiments, the disorder is selected from the group consisting of focal segmental glomerular sclerosis (FSGS), diabetic nephropathy, hepatorenal syndrome, scleroderma, idiopathic pulmonary fibrosis, renal fibrosis, cardiac fibrosis, NASH, dilated cardiomyopathy, diastolic heart failure, pulmonary arterial hypertension, chronic heart failure, acute heart failure, congestive heart failure, coronary artery disease, hypertension, and pre-eclampsia.

[0034] Also provided herein is a method of treating a relaxin-associated disorder in a subject in need thereof, comprising administering to the subject an effective amount of any of the fusion proteins described above and herein, any polynucleotides described above and herein, any expression vectors described above and herein, or any pharmaceutical composition described above and herein, thereby treating the relaxin-associated disorder. In some embodiments, the relaxin-2-associated disorder is selected from the group consisting of kidney diseases, fibrotic diseases, and cardiovascular diseases. In some embodiments, the disorder is selected from the group consisting of focal segmental glomerular sclerosis (FSGS), diabetic nephropathy, hepatorenal syndrome, scleroderma, idiopathic pulmonary fibrosis, renal fibrosis, cardiac fibrosis, NASH, dilated cardiomyopathy, diastolic heart failure, pulmonary arterial hypertension, chronic heart failure, acute heart failure, congestive heart failure, coronary artery disease, hypertension, and pre-eclampsia. In some embodiments, the method decreases arterial pressure, increases renal artery blood flow, increases cardiac filling at diastole, resolves established fibrosis, or suppresses new fibrosis development.

[0035] Also provided herein is a kit comprising an effective amount any of the fusion proteins described above and herein, any polynucleotides described above and herein, any expression vectors described above and herein, or any pharmaceutical composition described above and herein, and an instruction of use.

5

DETAILED DESCRIPTION

[0036] The disclosure provides fusion proteins comprising a human relaxin-2 B chain, or a derivative thereof, and a human relaxin-2 A chain, or a derivative thereof, joined by a peptide linker, wherein the fusion proteins have high *in vivo* circulating half-life when administered to mammals. In some embodiments, the *in vivo* circulating half-life of the fusion proteins provided in this disclosure is greater than 2 hours. In some embodiments, the fusion proteins provided in this disclosure have low pI. In some embodiments, the pI of the fusion proteins provided in this disclosure is less than 8.5. In some embodiments, the low pI of the fusion proteins provided in this disclosure is caused by acidic amino acid residues present in the peptide linker. In some embodiments, the peptide linker of the fusion protein comprises 2 or more acidic amino acids. In some embodiments, the peptide linker is 10-15 total amino acids in length.

Definitions

[0037] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which the claimed subject matter belongs. It is to be understood that the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of any subject matter claimed. In this application, the use of the singular includes the plural unless specifically stated otherwise. It must be noted that, as used in the specification and the appended claims, the singular forms “a,” “an,” and “the” include plural referents unless the context clearly dictates otherwise. In this application, the use of “or” means “and/or” unless stated otherwise. Furthermore, use of the term “including” as well as other forms, such as “include,” “includes,” and “included,” is not limiting. The section headings used herein are for organizational purposes only and are not to be construed as limiting the subject matter described.

[0038] The term “polynucleotide” as used herein refers to a polymer of DNA or RNA. The polynucleotide sequence can be single-stranded or double-stranded; contain natural, non-natural, or altered nucleotides; and contain a natural, non-natural, or altered internucleotide linkage, such as a phosphoroamidate linkage or a phosphorothioate linkage, instead of the

phosphodiester found between the nucleotides of an unmodified polynucleotide sequence. Polynucleotide sequences include, but are not limited to, all polynucleotide sequences which are obtained by any means available in the art, including, without limitation, recombinant means, *e.g.*, the cloning of polynucleotide sequences from a recombinant library or a cell genome, using ordinary cloning technology and polymerase chain reaction, and the like, and by synthetic means.

5 [0039] The terms “protein” and “polypeptide” are used interchangeably herein and refer to a polymer of amino acids connected by one or more peptide bonds. As used herein, “amino acid sequence” refers to the information describing the relative order and identity of amino acid residues which make up a polypeptide.

[0040] As used herein, the term “an amino acid sequence that differs at 1 or more amino acids,” with reference to an amino acid sequence, refers to an amino acid sequence that comprises at least one substitution, alteration, inversion, addition, or deletion of an amino acid residue compared to a reference amino acid sequence.

15 [0041] The determination of “percent identity” between two sequences (*e.g.*, amino acid sequences or nucleic acid sequences) can be accomplished using a mathematical algorithm. A specific, non-limiting example of a mathematical algorithm utilized for the comparison of two sequences is the algorithm of Karlin S & Altschul S F, (1990) *PNAS* 87: 2264-2268, modified as in Karlin S & Altschul SF, (1993) *PNAS* 90: 5873-5877, each of which is herein incorporated by reference in its entirety. Such an algorithm is incorporated into the NBLAST and XBLAST programs of Altschul SF et al., (1990) *J Mol Biol* 215: 403, which is herein incorporated by reference in its entirety. BLAST nucleotide searches can be performed with the NBLAST nucleotide program parameters set, *e.g.*, at score=100, wordlength=12 to obtain nucleotide sequences homologous to a nucleic acid molecule described herein. BLAST protein searches can be performed with the XBLAST program parameters set, *e.g.*, at score=50, wordlength=3 to obtain amino acid sequences homologous to a protein molecule described herein. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul S F et al., (1997) *Nuc Acids Res* 25: 3389-3402, which is herein incorporated by reference in its entirety. Alternatively, PSI BLAST can be used to perform an iterated search which detects distant relationships between molecules. *Id.* When utilizing BLAST, Gapped BLAST, and PSI BLAST programs, the default parameters of the respective programs (*e.g.*, of XBLAST and NBLAST) can be used (*see, e.g.*, National Center for Biotechnology Information (NCBI) on the worldwide web, ncbi.nlm.nih.gov). Another specific, non-limiting example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Myers

and Miller, (1988) *CABIOS* 4:11-17, which is herein incorporated by reference in its entirety. Such an algorithm is incorporated in the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used.

[0042] The percent identity between two sequences can be determined using techniques similar to those described above, with or without allowing gaps. In calculating percent identity, typically only exact matches are counted.

[0043] As used herein, the term “linked to” refers to covalent or noncovalent binding between two molecules or moieties. The skilled worker will appreciate that when a first molecule or moiety is linked to a second molecule or moiety, the linkage need not be direct, but instead, can be via an intervening molecule or moiety.

[0044] As used herein, the terms “human relaxin-2 B chain” or “relaxin B chain” or “relaxin B” or “rel B” refer to a peptide comprising or consisting of the amino acid sequence as set forth in DSWMEEVKLCGRELVRQAICGMSTWS (SEQ ID NO: 1) or derivatives thereof. In some embodiments, a derivative of a relaxin B chain comprises the amino acid sequence of SEQ ID NO: 1 with 1, 2, 3, 4, or 5 amino acid changes.

[0045] As used herein, the terms “human relaxin-2 A chain” or “relaxin A chain” or “relaxin A” or “rel A” refer to a peptide comprising or consisting of the amino acid sequence as set forth in QLYSALANKCCHVGCTKRSLARFC (SEQ ID NO: 2) or derivatives thereof. In some embodiments, a derivative of a relaxin A chain comprises the amino acid sequence of SEQ ID NO: 2 with 1, 2, 3, 4, or 5 amino acid changes.

[0046] As used herein, the term “linker peptide” refers to a peptide that links the relaxin A chain and the relaxin B chain in the fusion proteins described herein.

[0047] As used herein, the term “acidic amino acid” refers to an amino acid that has a carboxylic acid in its side chain. In some embodiments, the acidic amino acid is aspartate, glutamate, 2-aminoadipic acid, 2-aminobutyric acid or 2-aminopimelic acid. In some embodiments, acid amino acids include aspartate and glutamate.

[0048] As used herein, the term “non-acidic amino acid” refers to amino acids that are not acidic amino acids. In some embodiments, non-acidic amino acids include glycine, proline, and serine. In some embodiments, non-specific amino acids also include arginine, histidine, lysine, threonine, asparagine, glutamine, cysteine, alanine, valine, isoleucine, leucine, methionine, phenylalanine, tyrosine, and tryptophan.

[0049] As used herein, the term “IgG Fc” refers to the immunoglobulin G (IgG) fragment crystallizable (Fc) region. In some embodiments, the IgG Fc is the human IgG1, IgG2, IgG3, or IgG4 Fc region. In some embodiments, the IgG Fc is the IgG1 Fc region.

5 [0050] As used herein, the term “EU numbering system” refers to the EU numbering convention for the constant regions of an antibody, as described in Edelman, G. M. et al., Proc. Natl. Acad. USA, 63, 78-85 (1969) and Kabat et al., Sequences of Proteins of Immunological Interest, U.S. Dept. Health and Human Services, 5th edition, 1991, each of which is herein incorporated by reference in its entirety.

10 [0051] As used herein, the term “relaxin-2 receptor,” “human relaxin-2 receptor,” “human relaxin receptor 1,” “RXFP1,” or “LGR7” is the native receptor of relaxin-2 in humans. In some embodiments, RXFP1 comprises the amino acid sequence shown in NCBI Reference Sequence: NP_067647.2, NP_001240656.1, NP_001240657.1, NP_001240658.1, NP_001240659.1, NP_001240661.1, NP_001240662.1, or NP_001350705.1 incorporated herein by reference in its entirety.

15 [0052] As used herein, the terms “treat,” “treating,” and “treatment” refer to therapeutic or preventative measures described herein. In some embodiments, the methods of “treatment” employ administration of a fusion protein to a subject having a disease or disorder, or predisposed to having such a disease or disorder, in order to prevent, cure, delay, reduce the severity of, or ameliorate one or more symptoms of the disease or disorder or recurring disease
20 or disorder, or in order to prolong the survival of a subject beyond that expected in the absence of such treatment.

[0053] As used herein, the term “effective amount” in the context of the administration of a therapy to a subject refers to the amount of a therapy that achieves a desired prophylactic or therapeutic effect.

25 [0054] As used herein, the term “subject” includes any human or non-human animal. In one embodiment, the subject is a human or non-human mammal. In one embodiment, the subject is a human.

[0055] As used herein, the term “pI” means the isoelectric point, *i.e.*, the pH of a solution at which the net charge on a fusion protein is zero. In some embodiments, the pI is the calculated
30 or theoretical pI. In some embodiments, the pI is measured experimentally by an instrument.

Fusion Proteins

[0056] The disclosure provides fusion proteins comprising a human relaxin-2 B chain, or a derivative thereof, and a human relaxin-2 A chain, or a derivative thereof, linked by a peptide

linker, wherein the fusion proteins have high *in vivo* circulating half-life when administered to mammals. In some embodiments, the fusion protein comprises, from N-terminus to C-terminus, a human relaxin-2 B chain, or a derivative thereof, a peptide linker and a human relaxin-2 A chain, or a derivative thereof. In some embodiments, the fusion protein comprises, from N-terminus to C-terminus, a human relaxin-2 A chain, or a derivative thereof, a peptide linker and a human relaxin-2 B chain, or a derivative thereof. In some embodiments, the fusion protein further comprises an IgG Fc. The IgG Fc is linked to the N-terminus or C-terminus of the human relaxin B chain-linker protein-human relaxin A chain fusion protein or the human relaxin A chain-linker protein-human relaxin B chain fusion protein. In some embodiments, the IgG Fc described above is replaced with PEG.

Human Relaxin-2 B Chain Derivatives

[0057] The disclosure provides human relaxin-2 B chain derivatives, wherein the derivatives have 1, 2, 3, 4, or 5 amino acid changes when compared to the amino acid sequence of SEQ ID NO: 1. In some embodiments, the amino acid that corresponds with position 13 of SEQ ID NO: 1 must be arginine. In some embodiments, the amino acid that corresponds with position 17 of SEQ ID NO: 1 must be arginine. In some embodiments, the amino acid that corresponds with position 20 of SEQ ID NO: 1 must be isoleucine. In some embodiments, the amino acid that corresponds with position 13 of SEQ ID NO: 1 must be arginine; the amino acid that corresponds with position 17 of SEQ ID NO: 1 must be arginine; and the amino acid that corresponds with position 20 of SEQ ID NO: 1 must be isoleucine.

[0058] In some embodiments, the human relaxin-2 B chain derivatives comprise or consist of the following formula: DSWX₃EEVIKLCGRELVRQAICGX₄ST (SEQ ID NO: 3), wherein X₃ and X₄ are absent or any amino acid. In some embodiments, X₃ is methionine, lysine or glutamine, and X₄ is methionine or lysine. In some embodiments, X₄ is lysine.

[0059] In some embodiments, the human relaxin-2 B chain derivatives used in the fusion proteins described herein do not include the amino acid sequences of SEQ ID NOs: 187-190.

[0060] In some embodiments, the human relaxin-2 B chain derivatives are from 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, or 32 amino acids in length. In some embodiments, the human relaxin-2 B chain derivatives are 25, 26, 27, 28, or 29 amino acids in length. In some embodiments, the human relaxin-2 B chain derivatives are 27 amino acids in length.

[0061] In some embodiments, the human relaxin-2 B chain derivatives comprise or consist of the amino acid sequences shown in Table 1, below.

Table 1. Human Relaxin-2 B Chain Derivative Sequences

SEQ ID NO:	Amino Acid Sequence
5	DSWKEEVIKLCGRELVRQAIAICGKST
6	DSWMEEVIKLCGRELVRQAIAICGKST
7	DSWQEEVIKLCGRELVRQAIAICGKST

Human Relaxin-2 A Chain Derivatives

[0062] The disclosure provides human relaxin-2 A chain derivatives, wherein the derivatives have 1, 2, 3, 4, or 5 amino acid changes when compared to the amino acid sequence of SEQ ID NO: 2. In some embodiments, the amino acid that corresponds with position 3 of SEQ ID NO: 2 must be lysine. In some embodiments, the amino acid that corresponds with position 23 of SEQ ID NO: 2 must be phenylalanine. In some embodiments, the amino acid that corresponds with position 3 of SEQ ID NO: 2 must be lysine; and the amino acid that corresponds with position 23 of SEQ ID NO: 2 must be phenylalanine.

[0063] In some embodiments, the human relaxin-2 A chain derivatives comprise or consist of the following formula: $X_5X_6YSALANKCCHVGCTKRSLAX_7FC$ (SEQ ID NO: 4), wherein X_5 , X_6 , and X_7 are absent or any amino acid. In some embodiments, X_5 is arginine or absent, X_6 is leucine or aspartate, and X_7 is arginine, glutamine, or glutamate.

[0064] In some embodiments, the human relaxin-2 A chain derivatives are from 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 amino acids in length. In some embodiments, the human relaxin-2 A chain derivatives are 22, 23, 24, 25, or 26 amino acids in length. In some embodiments, the human relaxin-2 A chain derivatives are 24 amino acids in length. In some embodiments, the human relaxin-2 A chain derivatives are 25 amino acids in length.

[0065] In some embodiments, the human relaxin-2 A chain derivatives comprise or consist of the amino acid sequences shown in Table 2, below.

Table 2. Human Relaxin-2 A Chain Derivative Sequences

SEQ ID NO:	Amino Acid Sequence
8	RQLYSALANKCCHVGCTKRSLARFC
9	QLYSALANKCCHVGCTKRSLARFC
10	RQLYSALANKCCHVGCTKRSLAQFC
11	RQLYSALANKCCHVGCTKRSLAEFC
12	RQDYSALANKCCHVGCTKRSLAQFC

13	RQDYSALANKCCHVGCTKRSLARFC
----	---------------------------

Linker Peptides

[0066] The disclosure provides linker peptides, wherein the peptides have at least two acidic amino acids. In some embodiments, the acidic amino acid is glutamate. In some embodiments, the acidic amino acid is aspartate. In some embodiments, the acidic amino acid is a non-standard amino acid. In some embodiments, the acidic amino acid is 2-aminoadipic acid, 2-aminobutyric acid or 2-aminopimelic acid. In some embodiments, the linker peptide has 2, 3, 4, 5, 6, 7, 8, 9, or 10 acidic amino acids.

[0067] In some embodiments, the linker peptide is 8, 9, 10, 11, 12, 13, 14, or 15 amino acids in length. In some embodiments, the linker peptide is 12, 13, 14, or 15 amino acids in length. In some embodiments, the linker peptide has 2, 3, 4, or 5 acidic amino acids. In some embodiments, the linker peptide is 12, 13, 14, or 15 amino acids in length and has 2, 3, 4, or 5 acidic amino acids. In some embodiments, the remaining amino acids are non-acidic amino acids. In some embodiments, the non-acidic amino acids can be any standard amino acid that is not aspartate or glutamate. In some embodiments, non-acidic amino acids can be any amino acid that does not have a carboxylic acid in its side chain. In some embodiments, the non-acidic amino acid is glycine, proline, serine, arginine, histidine, lysine, threonine, asparagine, glutamine, cysteine, alanine, valine, isoleucine, leucine, methionine, phenylalanine, tyrosine, or tryptophan. In some embodiments, the non-acidic amino acid is glycine, proline, or cysteine. In some embodiments, the non-acidic amino acid is glycine.

[0068] In some embodiments, the linker peptide comprises acidic amino acids, wherein all the acidic amino acids are the same amino acids. In some embodiments, the acidic amino acids in the linker peptide are both/all glutamates. In some embodiments, the acidic amino acids in the linker peptide are both/all aspartates. In some embodiments, the linker peptide comprises amino acids that are a mixture of acidic amino acids. In some embodiments, the linker peptide comprises both glutamate and aspartate as acidic amino acids.

[0069] In some embodiments, the linker peptide comprises an amino acid sequence selected from the group consisting of

- $R_1R_1R_1R_2R_1R_1R_1R_2R_1R_1R_2R_1$ (SEQ ID NO: 195);
- $R_1R_1R_1R_2R_1R_1R_1R_2R_1R_1R_2R_1R_1$ (SEQ ID NO: 196);
- $R_1R_1R_2R_1R_1R_1R_2R_2R_1R_1R_2R_1R_1$ (SEQ ID NO: 197);
- $R_1R_1R_1R_2R_2R_1R_1R_1R_2R_2R_1R_1R_1$ (SEQ ID NO: 198); and

R₁R₁R₂R₁R₂R₁R₁R₂R₁R₂R₁R₁ (SEQ ID NO: 199),

wherein R₁ is a non-acidic amino acid and R₂ is an acidic amino acid.

[0070] In some embodiments, the linker peptide comprises non-acidic amino acids, wherein all the non-acidic amino acids are the same amino acids. In some embodiments, the non-acidic amino acids in the linker peptide are all glycine. In some embodiments, the linker peptide comprises amino acids that are a mixture of non-acidic amino acids. In some embodiments, the linker peptide comprises 2, 3, 4, 5, 6, 7, 8, 9, or 10 different types of non-acidic amino acids.

[0071] In some embodiments, the linker peptide comprises or consists of the amino acid sequences shown in Table 3, below.

Table 3. Linker Peptide Sequences

SEQ ID NO:	Amino Acid Sequence
14	GGGE
15	GEGE
16	GGEG
17	GEGG
18	GGEE
19	GGGEGGGEGGGEG
20	GGGEGGGEGGGEGGG
21	GEGGGEEGGGEGG
22	GGGEEGGGEEGGG
23	GGEGEGGEGEGGS

[0072] In some embodiments, the linker peptide comprises 2, 3, 4, or 5 repeats of SEQ ID NO: 14, 15, 16, 17, or 18. For example, 3 repeats of SEQ ID NO: 14 would be the amino acid sequence of GGGEGGGEGGGGE (SEQ ID NO: 24).

Relaxin/Linker Peptide Combinations for the Fusion Protein

[0073] In some embodiments, the fusion protein comprises an N-terminal or first peptide, a linker peptide, and a C-terminal or second peptide. In some embodiments, the N-terminal peptide comprises a human relaxin-2 A chain or a derivative thereof and the C-terminal peptide comprises a human relaxin-2 B chain or a derivative thereof. In some embodiments, the N-

terminal peptide comprises a human relaxin-2 B chain or a derivative thereof and the C-terminal peptide comprises a human relaxin-2 A chain or a derivative thereof. Any combination of any of the embodiments of the human relaxin-2 A chain or a derivative thereof, with a human relaxin-2 A chain or a derivative thereof linked by any of the linker peptides disclosed herein can be used to construct embodiments of the fusion proteins described herein. In some embodiments, at least one of the N-terminal peptide and the C-terminal peptide is a derivative of a human relaxin-2 A chain or a human relaxin-2 B chain. In some embodiments, the N-terminal peptide comprises a human relaxin-2 A chain derivative and the C-terminal peptide comprises a human relaxin-2 B chain derivative. In some embodiments, the N-terminal peptide comprises a human relaxin-2 B chain derivative and the C-terminal peptide comprises a human relaxin-2 A chain derivative. Specific embodiments of the fusion proteins provided in this disclosure are shown below in Table 4.

Table 4. Fusion Proteins

B-SEQ ID NO: 19-A			B-SEQ ID NO: 20-A		
SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide	SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide
5	19	8	5	20	8
6	19	8	6	20	8
7	19	8	7	20	8
5	19	9	5	20	9
6	19	9	6	20	9
7	19	9	7	20	9
5	19	10	5	20	10
6	19	10	6	20	10
7	19	10	7	20	10
5	19	11	5	20	11
6	19	11	6	20	11
7	19	11	7	20	11
5	19	12	5	20	12
6	19	12	6	20	12
7	19	12	7	20	12

5	19	13	5	20	13
6	19	13	6	20	13
7	19	13	7	20	13

Table 4. continued

B-SEQ ID NO: 21-A			B-SEQ ID NO: 22-A		
SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide	SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide
5	21	8	5	22	8
6	21	8	6	22	8
7	21	8	7	22	8
5	21	9	5	22	9
6	21	9	6	22	9
7	21	9	7	22	9
5	21	10	5	22	10
6	21	10	6	22	10
7	21	10	7	22	10
5	21	11	5	22	11
6	21	11	6	22	11
7	21	11	7	22	11
5	21	12	5	22	12
6	21	12	6	22	12
7	21	12	7	22	12
5	21	13	5	22	13
6	21	13	6	22	13
7	21	13	7	22	13

Table 4. continued

B-SEQ ID NO: 23-A			A-SEQ ID NO: 19-B		
SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide	SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide
5	23	8	8	19	5

6	23	8	8	19	6
7	23	8	8	19	7
5	23	9	9	19	5
6	23	9	9	19	6
7	23	9	9	19	7
5	23	10	10	19	5
6	23	10	10	19	6
7	23	10	10	19	7
5	23	11	11	19	5
6	23	11	11	19	6
7	23	11	11	19	7
5	23	12	12	19	5
6	23	12	12	19	6
7	23	12	12	19	7
5	23	13	13	19	5
6	23	13	13	19	6
7	23	13	13	19	7

Table 4. continued

A-SEQ ID NO: 20-B			A-SEQ ID NO: 21-B		
SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide	SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide
8	20	5	8	21	5
8	20	6	8	21	6
8	20	7	8	21	7
9	20	5	9	21	5
9	20	6	9	21	6
9	20	7	9	21	7
10	20	5	10	21	5
10	20	6	10	21	6
10	20	7	10	21	7
11	20	5	11	21	5

11	20	6	11	21	6
11	20	7	11	21	7
12	20	5	12	21	5
12	20	6	12	21	6
12	20	7	12	21	7
13	20	5	13	21	5
13	20	6	13	21	6
13	20	7	13	21	7

Table 4. continued

A-SEQ ID NO: 22-B			A-SEQ ID NO: 23-B		
SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide	SEQ ID NO of N-terminal Peptide	SEQ ID NO of linker peptide	SEQ ID NO of C-terminal Peptide
8	22	5	8	23	5
8	22	6	8	23	6
8	22	7	8	23	7
9	22	5	9	23	5
9	22	6	9	23	6
9	22	7	9	23	7
10	22	5	10	23	5
10	22	6	10	23	6
10	22	7	10	23	7
11	22	5	11	23	5
11	22	6	11	23	6
11	22	7	11	23	7
12	22	5	12	23	5
12	22	6	12	23	6
12	22	7	12	23	7
13	22	5	13	23	5
13	22	6	13	23	6
13	22	7	13	23	7

[0074] In some embodiments, there are additional amino acids between the N-terminal peptide and the linker peptide. In some embodiments, there are additional amino acids between the C-terminal peptide and the linker peptide. In some embodiments, there are no additional amino acids between the N-terminal peptide and the linker peptide. In some embodiments, there are no additional amino acids between the C-terminal peptide and the linker peptide.

[0075] In some embodiments, the portion of the fusion protein comprising the N-terminal peptide, the linker peptide, and the C-terminal peptide comprises or consists of the amino acid sequences shown in Table 5, below.

10 **Table 5. Peptide Combinations for the Fusion Protein**

SEQ ID NO :	Amino Acid Sequence
25	DSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLARFC
26	DSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC CTKRSLARFC
27	DSWMEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLARFC
28	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLARFC
29	DSWMEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC CTKRSLARFC
30	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC CTKRSLARFC
31	DSWMEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC TKRSLARFC
32	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC TKRSLARFC
33	DSWMEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC TKRSLARFC
34	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGGQLYSALANKCCHVGC TKRSLARFC
35	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLAQFC
36	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLARFC
37	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGC TKRSLAQFC
38	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGGRQLYSALANKCCHVGC TKRSLARFC
39	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGGGRQLYSALANKCCHVGC TKRSLAQFC

40	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGC TKRSLARFC
41	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGC TKRSLAQFC
42	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGC TKRSLAQFC
43	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGC TKRSLARFC
44	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGC TKRSLAQFC
45	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGC TKRSLAQFC
46	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGC TKRSLARFC
47	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGC TKRSLAQFC
48	DSWQEEVIKLCGRELVRAQIAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGC TKRSLAQFC

IgG Fc

[0076] In some embodiments, the fusion proteins provided herein further comprise an IgG Fc. The IgG Fc can be linked to the N-terminal end of the N-terminal peptide or the C-terminal end of the C-terminal peptide. The IgG Fc can be linked directly to the N-terminal peptide or the C-terminal peptide or they can be linked to the N-terminal peptide or the C-terminal peptide through an IgG Fc linker. In some embodiments, the IgG Fc linker comprises or consists of 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 amino acids. In some embodiments, the IgG Fc linker comprises or consists of 1, 2, 3, 4, or 5 amino acids. In some embodiments, the IgG Fc linker comprises or consists of 3 or 4 amino acids. In some embodiments, the IgG Fc linker comprises or consists of the amino acid sequence of GGS (SEQ ID NO: 193). It is known in the art that the C-terminal lysine (K) in many monoclonal antibodies is flexible, and is often clipped off during expression and purification with no known impairment in activity. In some embodiments, the IgG Fc comprises the amino acid sequence of one of SEQ ID NOs: 49-52 with SEQ ID NO: 193 as the IgG Fc linker at the C-terminal end of the IgG Fc. In some embodiments, the IgG Fc comprises the amino acid sequence of one of SEQ ID NOs: 200-203 with SEQ ID NO: 193 as the IgG Fc linker at the C-terminal end of the IgG Fc.

[0077] In some embodiments, one, two, or more mutations (*e.g.*, amino acid substitutions) are introduced into the Fc region of an antibody described herein (*e.g.*, CH2 domain (residues 231-340 of human IgG1) and/or CH3 domain (residues 341-447 of human IgG1)) and/or the hinge region, numbered according to the EU numbering system, to alter one or more functional

properties of the antibody, such as serum half-life, complement fixation, Fc receptor binding, and/or antigen-dependent cellular cytotoxicity.

5 **[0078]** In certain embodiments, one, two, or more mutations (*e.g.*, amino acid substitutions) are introduced into the hinge region of the Fc region (CH1 domain) such that the number of cysteine residues in the hinge region are altered (*e.g.*, increased or decreased) as described in, *e.g.*, U.S. Pat. No. 5,677,425, herein incorporated by reference in its entirety. The number of cysteine residues in the hinge region of the CH1 domain may be altered to, *e.g.*, facilitate assembly of the light and heavy chains, or to alter (*e.g.*, increase or decrease) the stability of the antibody.

10 **[0079]** In a specific embodiment, one, two, or more amino acid mutations (*e.g.*, substitutions, insertions or deletions) are introduced into an IgG constant domain, or FcRn-binding fragment thereof (preferably an Fc or hinge-Fc domain fragment) to alter (*e.g.*, decrease or increase) half-life of the antibody *in vivo*. *See, e.g.*, International Publication Nos. WO 02/060919; WO 98/23289; and WO 97/34631; and U.S. Pat. Nos. 5,869,046, 6,121,022, 6,277,375, and
15 6,165,745, all of which are herein incorporated by reference in their entireties, for examples of mutations that will alter (*e.g.*, decrease or increase) the half-life of an antibody *in vivo*. In certain embodiments, one, two, or more amino acid mutations (*e.g.*, substitutions, insertions, or deletions) are introduced into an IgG constant domain, or FcRn-binding fragment thereof (preferably an Fc or hinge-Fc domain fragment) to decrease the half-life of the antibody *in vivo*.
20 *in vivo*. In other embodiments, one, two, or more amino acid mutations (*e.g.*, substitutions, insertions, or deletions) are introduced into an IgG constant domain, or FcRn-binding fragment thereof (preferably an Fc or hinge-Fc domain fragment) to increase the half-life of the antibody *in vivo*. In a specific embodiment, the antibodies may have one or more amino acid mutations (*e.g.*, substitutions) in the second constant (CH2) domain (residues 231-340 of human IgG1) and/or the third constant (CH3) domain (residues 341-447 of human IgG1), numbered
25 according to the EU numbering system. In a specific embodiment, the constant region of the IgG1 of an antibody described herein comprises a methionine (M) to tyrosine (Y) substitution in position 252, a serine (S) to threonine (T) substitution in position 254, and a threonine (T) to glutamic acid (E) substitution in position 256, numbered according to the EU numbering system. *See*, U.S. Pat. No. 7,658,921, which is herein incorporated by reference in its entirety.
30 This type of mutant IgG, referred to as “YTE mutant” has been shown to display fourfold increased half-life as compared to wild-type versions of the same antibody (*see*, Dall’Acqua W F et al., (2006) *J Biol Chem* 281: 23514-24, which is herein incorporated by reference in its entirety). In certain embodiments, an antibody comprises an IgG constant domain comprising

one, two, three or more amino acid substitutions of amino acid residues at positions 251-257, 285-290, 308-314, 385-389, and 428-436, numbered according to the EU numbering system.

[0080] In certain embodiments, one, two, or more mutations (*e.g.*, amino acid substitutions) are introduced into the Fc region of an antibody described herein (*e.g.*, CH2 domain (residues 231-340 of human IgG1) and/or CH3 domain (residues 341-447 of human IgG1)) and/or the hinge region, numbered according to the EU numbering system, to increase or decrease the affinity of the antibody for an Fc receptor (*e.g.*, an activated Fc receptor) on the surface of an effector cell. Mutations in the Fc region of an antibody that decrease or increase the affinity of an antibody for an Fc receptor and techniques for introducing such mutations into the Fc receptor or fragment thereof are known to one of skill in the art. Examples of mutations in the Fc receptor of an antibody that can be made to alter the affinity of the antibody for an Fc receptor are described in, *e.g.*, Smith P et al., (2012) *PNAS* 109: 6181-6186, U.S. Pat. No. 6,737,056, and International Publication Nos. WO 02/060919; WO 98/23289; and WO 97/34631, all of which are herein incorporated by reference in their entireties.

[0081] In certain embodiments, the antibody comprises a heavy chain constant region that is a variant of a wild-type heavy chain constant region, wherein the variant heavy chain constant region binds to FcγRIIB with higher affinity than the wild-type heavy chain constant region binds to FcγRIIB. In certain embodiments, the variant heavy chain constant region is a variant human heavy chain constant region, *e.g.*, a variant human IgG1, a variant human IgG2, or a variant human IgG4 heavy chain constant region. In certain embodiments, the variant human IgG heavy chain constant region comprises one or more of the following amino acid mutations, according to the EU numbering system: G236D, P238D, S239D, S267E, L328F, and L328E. In certain embodiments, the variant human IgG heavy chain constant region comprises a set of amino acid mutations selected from the group consisting of: S267E and L328F; P238D and L328E; P238D and one or more substitutions selected from the group consisting of E233D, G237D, H268D, P271G, and A330R; P238D, E233D, G237D, H268D, P271G, and A330R; G236D and S267E; S239D and S267E; V262E, S267E, and L328F; and V264E, S267E, and L328F, according to the EU numbering system. In certain embodiments, the FcγRIIB is expressed on a cell selected from the group consisting of macrophages, monocytes, B cells, dendritic cells, endothelial cells, and activated T cells.

[0082] In a further embodiment, one, two, or more amino acid substitutions are introduced into an IgG constant domain Fc region to alter the effector function(s) of the antibody. For example, one or more amino acids selected from amino acid residues 234, 235, 236, 237, 239, 243, 267, 292, 297, 300, 318, 320, 322, 328, 330, 332, and 396, numbered according to the EU numbering

system, can be replaced with a different amino acid residue such that the antibody has an altered affinity for an effector ligand but retains the antigen-binding ability of the parent antibody. The effector ligand to which affinity is altered can be, for example, an Fc receptor or the C1 component of complement. This approach is described in further detail in U.S. Patent Nos. 5,624,821 and 5,648,260, each of which is herein incorporated by reference in its entirety. In certain embodiments, the deletion or inactivation (through point mutations or other means) of a constant region domain may reduce Fc receptor binding of the circulating antibody thereby increasing tumor localization. *See, e.g.*, U.S. Pat. Nos. 5,585,097 and 8,591,886, each of which is herein incorporated by reference in its entirety, for a description of mutations that delete or inactivate the constant domain and thereby increase tumor localization. In certain embodiments, one or more amino acid substitutions may be introduced into the Fc region of an antibody described herein to remove potential glycosylation sites on the Fc region, which may reduce Fc receptor binding (*see, e.g.*, Shields R L et al., (2001) *J Biol Chem* 276: 6591-604, which is herein incorporated by reference in its entirety). In various embodiments, one or more of the following mutations in the constant region of an antibody described herein may be made: an N297A substitution; an N297Q substitution; an L234A substitution; an L234F substitution; an L235A substitution; an L235F substitution; an L235V substitution; an L237A substitution; an S239D substitution; an E233P substitution; an L234V substitution; an L235A substitution; a C236 deletion; a P238A substitution; an S239D substitution; an F243L substitution; a D265A substitution; an S267E substitution; an L328F substitution; an R292P substitution; a Y300L substitution; an A327Q substitution; a P329A substitution (PA); an A332L substitution; an I332E substitution; or a P396L substitution, numbered according to the EU numbering system. [0083] In certain embodiments, a mutation selected from the group consisting of D265A, P329A, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein. In certain embodiments, a mutation selected from the group consisting of L235A, L237A, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein. In certain embodiments, a mutation selected from the group consisting of S267E, L328F, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein. In certain embodiments, a mutation selected from the group consisting of S239D, I332E, optionally A330L, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein. In certain embodiments, a mutation selected from the group consisting of L235V, F243L, R292P, Y300L,

P396L, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein. In certain embodiments, a mutation selected from the group consisting of S267E, L328F, and a combination thereof, numbered according to the EU numbering system, may be made in the constant region of an antibody described herein.

[0084] In a specific embodiment, an antibody described herein comprises the constant domain of an IgG1 with an N297Q or N297A amino acid substitution, numbered according to the EU numbering system. In one embodiment, an antibody described herein comprises the constant domain of an IgG1 with a mutation selected from the group consisting of D265A, P329A, and a combination thereof, numbered according to the EU numbering system. In another embodiment, an antibody described herein comprises the constant domain of an IgG1 with a mutation selected from the group consisting of L234A, L235A (LALA), and a combination thereof, numbered according to the EU numbering system. In another embodiment, an antibody described herein comprises the constant domain of an IgG1 with a mutation selected from the group consisting of L234F, L235F, N297A, and a combination thereof, numbered according to the EU numbering system. In certain embodiments, amino acid residues in the constant region of an antibody described herein in the positions corresponding to positions L234, L235, and D265 in a human IgG1 heavy chain, numbered according to the EU numbering system, are not L, L, and D, respectively. This approach is described in detail in International Publication No. WO 14/108483, which is herein incorporated by reference in its entirety. In a particular embodiment, the amino acids corresponding to positions L234, L235, and D265 in a human IgG1 heavy chain are F, E, and A; or A, A, and A, respectively, numbered according to the EU numbering system.

[0085] In certain embodiments, one or more amino acids selected from amino acid residues 329, 331, and 322 in the constant region of an antibody described herein, numbered according to the EU numbering system, can be replaced with a different amino acid residue such that the antibody has altered C1q binding and/or reduced or abolished complement dependent cytotoxicity (CDC). This approach is described in further detail in U.S. Pat. No. 6,194,551 (Idusogie et al.), which is herein incorporated by reference in its entirety. In certain embodiments, one or more amino acid residues within amino acid positions 231 to 238 in the N-terminal region of the CH2 domain of an antibody described herein are altered to thereby alter the ability of the antibody to fix complement, numbered according to the EU numbering system. This approach is described further in International Publication No. WO 94/29351, which is herein incorporated by reference in its entirety. In certain embodiments, the Fc region

of an antibody described herein is modified to increase the ability of the antibody to mediate antibody dependent cellular cytotoxicity (ADCC) and/or to increase the affinity of the antibody for an Fcγ receptor by mutating one or more amino acids (*e.g.*, introducing amino acid substitutions) at the following positions: 238, 239, 248, 249, 252, 254, 255, 256, 258, 265, 267, 268, 269, 270, 272, 276, 278, 280, 283, 285, 286, 289, 290, 292, 293, 294, 295, 296, 298, 301, 303, 305, 307, 309, 312, 315, 320, 322, 324, 326, 327, 328, 329, 330, 331, 333, 334, 335, 337, 338, 340, 360, 373, 376, 378, 382, 388, 389, 398, 414, 416, 419, 430, 434, 435, 437, 438, or 439, numbered according to the EU numbering system. This approach is described further in International Publication No. WO 00/42072, which is herein incorporated by reference in its entirety.

[0086] In some embodiments, the IgG Fc is an IgG1 Fc, or a derivative thereof. In some embodiments, the IgG Fc or IgG1 Fc comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, or 99% identical to the amino acid sequence of IgG1 Fc. In some embodiments, the IgG Fc or IgG1 Fc comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, 99, or 100% identical to an amino acid sequence provided below in Table 6.

Table 6. IgG Fc Amino Acid Sequences

SEQ ID NO:	Description	Sequence
49	IgG1 Fc	DKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSF FLYSKLTVDKSRWQQGNVFS CSVMHEALHNHYTQKSLSLSPGK
50	IgG1 Fc LALA	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSF FLYSKLTVDKSRWQQGNVFS CSVMHEALHNHYTQKSLSLSPGK
51	IgG1 Fc LALA PA	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNGKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSF FLYSKLTVDKSRWQQGNVFS CSVMHEALHNHYTQKSLSLSPGK
52	IgG1 Fc LALA PA LS	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNGKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSF FLYSKLTVDKSRWQQGNVFS CSVLHEALHSHYTQKSLSLSPGK
200	IgG1 Fc without	DKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD

	C-terminal lysine	WLNQKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSF FLYSKLTVDKSRWQQGNVFCSCVMHEALHNNHYTQKSLSLSPG
201	IgG1 Fc LALA without C-terminal lysine	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNQKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSF FLYSKLTVDKSRWQQGNVFCSCVMHEALHNNHYTQKSLSLSPG
202	IgG1 Fc LALA PA without C-terminal lysine	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNQKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSF FLYSKLTVDKSRWQQGNVFCSCVMHEALHNNHYTQKSLSLSPG
203	IgG1 Fc LALA PA LS without C-terminal lysine	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQD WLNQKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDEL TKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSF FLYSKLTVDKSRWQQGNVFCSCVLHEALHSYHTQKSLSLSPG

[0087] In some embodiments, any IgG Fc, or derivative thereof, can be linked to the N-terminus or C-terminus of any of the embodiments described in Table 4 or 5 above with or without an IgG Fc linker. In some embodiments, human IgG1 Fc, or a derivative thereof, can be linked to the N-terminus or C-terminus of any of the embodiments described in Table 4 or 5 above with or without an IgG Fc linker. In some embodiments, the amino acid sequence of the human IgG1 Fc comprises or consists of the amino acid sequence of SEQ ID NO: 49 or 200. In some embodiments, the derivative if human IgG1 Fc comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, or 99% identical to the amino acid sequence of SEQ ID NO: 49 or 200.

[0088] In some embodiments, a human IgG1 Fc comprising a LALA mutation, or a derivative thereof, can be linked to the N-terminus or C-terminus of any of the embodiments described in Table 4 or 5 above with or without an IgG Fc linker. In some embodiments, the amino acid sequence of the human IgG1 Fc comprising a LALA mutation comprises or consists of the amino acid sequence of SEQ ID NO: 50 or 201. In some embodiments, the derivative if human IgG1 Fc comprising a LALA mutation comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, or 99% identical to the amino acid sequence of SEQ ID NO: 50 or 201.

[0089] In some embodiments, a human IgG1 Fc comprising a LALA PA mutation, or a derivative thereof, can be linked to the N-terminus or C-terminus of any of the embodiments described in Table 4 or 5 above with or without an IgG Fc linker. In some embodiments, the

amino acid sequence of the human IgG1 Fc comprising a LALA PA mutation comprises or consists of the amino acid sequence of SEQ ID NO: 51 or 202. In some embodiments, the derivative of human IgG1 Fc comprising a LALA PA mutation comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, or 99% identical to the amino acid sequence of SEQ ID NO: 51 or 202.

[0090] In some embodiments, a human IgG1 Fc comprising a LALA PA LS mutation, or a derivative thereof, can be linked to the N-terminus or C-terminus of any of the embodiments described in Table 4 or 5 above with or without an IgG Fc linker. In some embodiments, the amino acid sequence of the human IgG1 Fc comprising a LALA PA LS mutation comprises or consists of the amino acid sequence of SEQ ID NO: 52 or 203. In some embodiments, the derivative of human IgG1 Fc comprising a LALA PA LS mutation comprises an amino acid sequence at least 85, 90, 95, 96, 97, 98, or 99% identical to the amino acid sequence of SEQ ID NO: 52 or 203.

[0091] In some embodiments, the fusion protein comprises or consists of the amino acid sequences shown in Table 7, below.

Table 7. Fusion Protein Amino Acid Sequences

SEQ ID NO:	Sequence
53	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFLL YSKLTVDKSRWQQGNVVFSCVMHEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVR A QIAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
54	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFLL YSKLTVDKSRWQQGNVVFSCVMHEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVR A QIAICGKSTGGGEGGGEGGEGGGRQLYSALANKCCHVGCTKRSLARFC
55	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFLL YSKLTVDKSRWQQGNVVFSCVMHEALHNHYTQKSLSLSPGKGGSDSWMEEVIKLCGRELVR A QIAICGKSTGGGEGGGEGGEGGGRQLYSALANKCCHVGCTKRSLARFC
56	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFLL YSKLTVDKSRWQQGNVVFSCVMHEALHNHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR A QIAICGKSTGGGEGGGEGGEGGGRQLYSALANKCCHVGCTKRSLARFC
57	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR

	EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
58	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
59	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
60	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
61	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
62	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
63	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
64	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
65	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
66	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFVSLHEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVR QIAICGKSTGGEGGGEGGGEGGQQLYSALANKCCHVGCTKRSARFC
67	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR

	EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
68	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
69	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLAQFC
70	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLAQFC
71	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
72	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
73	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLAQFC
74	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLAQFC
75	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
76	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVFCFSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
77	DKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR

	EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGCTKRSLAQFC
78	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGGRQLYSALANKCCHVGCTKRSLAQFC
79	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA QIAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGCTKRSLAQFC
80	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGCTKRSLARFC
81	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGGRQDYSALANKCCHVGCTKRSLAQFC
82	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA QIAICGKSTGGGEEGGGEEGGSRQLYSALANKCCHVGCTKRSLAQFC
83	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGSRQLYSALANKCCHVGCTKRSLARFC
84	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA IAICGKSTGGGEEGGGEEGGSRQLYSALANKCCHVGCTKRSLAQFC
85	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVLHEALHSHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA QIAICGKSTGGGEEGGGEEGGSRQDYSALANKCCHVGCTKRSLAQFC
191	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPPVLDSDGSFLL YSKLTVDKSRWQQGNVSCSVMHEALHNHYTQKSLSLSPGGGSDSWQEEVIKLCGRELVRQA QIAICGKSTASDAAGANANAGARQLYSALANKCCHVGCTKRSLAQFC
192	DKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGV EVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPR

	EPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVRAQIAICGKSTASDAAGANANAGARQLYSALANKCCHVGCTKRSLARFC
86	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGRQLYSALANKCCHVGCTKRSLARFC
87	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGGQLYSALANKCCHVGCTKRSLARFC
88	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGEGGRQLYSALANKCCHVGCTKRSLARFC
89	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGEGGRQLYSALANKCCHVGCTKRSLARFC
90	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGEGGRQLYSALANKCCHVGCTKRSLARFC
91	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWKEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGGGQLYSALANKCCHVGCTKRSLARFC
92	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHNHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGGGQLYSALANKCCHVGCTKRSLARFC
93	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVMSVMEALHSHYTQKSLSLSPGKGGSDSWQEEVIKLCGRELVRAQIAICGKSTGGGEGGGEGGEGGGGGQLYSALANKCCHVGCTKRSLARFC

	GSDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGGQLYSALANKCCHVGCTKRSLARFC
94	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGGQLYSALANKCCHVGCTKRS LARFC
95	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGGQLYSALANKCCHVGCTKRS LARFC
96	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGGQLYSALANKCCHVGCTKRSL ARFC
97	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGGQLYSALANKCCHVGCTKRSL ARFC
98	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LAQFC
99	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LAQFC
100	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSMHEALHNHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL ARFC
101	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSVSLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRAQIAICGKSTGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL ARFC

102	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL AQFC
103	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL AQFC
104	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LARFC
105	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LARFC
106	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LAQFC
107	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRS LAQFC
108	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL ARFC
109	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQLYSALANKCCHVGCTKRSL ARFC
110	METDTLLWVLLWVPGSTGDKTHTCPPCPAPEAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV

	NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGGRQLYSALANKCCHVGCTKRSL AQFC
111	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGGRQLYSALANKCCHVGCTKRSL AQFC
112	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQDYSALANKCCHVGCTKRS LAQFC
113	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQDYSALANKCCHVGCTKRSL ARFC
114	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGGEGGGEGGGEGGRQDYSALANKCCHVGCTKRSL AQFC
115	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG GSDSWQEEVIKLCGRELVRQAIAICGKSTGGEGEGEGEGEGGSRQLYSALANKCCHVGCTKRS LAQFC
116	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGEGEGEGEGEGGSRQLYSALANKCCHVGCTKRSL ARFC
117	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGGG SDSWQEEVIKLCGRELVRQAIAICGKSTGGEGEGEGEGEGGSRQLYSALANKCCHVGCTKRSL AQFC
118	METDTLLLWVLLLWVPGSTGDKTHTCPPCPAPEAAAGGPSVFLFPPKPKDTLMISRTPEVTCV VVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKV NKALAAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQ PENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGNVFSQSVLHEALHSHYTQKSLSLSPGKG

	GS DSWQEEVIKLCGRELVRAQIAICGKSTGGEGEGGEGGSRQDYSALANKCCHVGCTKRS LAQFC
--	--

[0092] As shown in Table 7, above, in some embodiments, the IgG Fc comprises a mouse IgG kappa signal sequence comprising the amino acid sequence of METDTLLLWVLLLWVPGSTG (SEQ ID NO: 194). In some embodiments a different signal sequence is used. In some embodiments, some shown in Table 7, no signal sequence is present on the fusion protein as produced.

Other Half-Life Extending Moieties

[0093] As used herein, the term “half-life extending moiety” includes non-proteinaceous, half-life extending moieties, such as PEG or HES, and proteinaceous half-life extending moieties such as Fc domain. In some embodiments, non-proteinaceous half-life extending moieties are linked to the fusion proteins described herein. In some embodiments, the non-proteinaceous half-life extending moieties are linked to the fusion proteins instead of IgG Fc. In some embodiments, the non-proteinaceous half-life extending moieties are linked to the fusion proteins in addition to IgG Fc.

[0094] Examples of suitable polymer molecules that act as non-proteinaceous half-life extending moieties include polymer molecules selected from the group consisting of polyalkylene oxide (PAO), including polyalkylene glycol (PAG), such as polyethylene glycol (PEG) and polypropylene glycol (PPG), branched PEGs, hydroxyalkyl starch (HAS), such as hydroxyethyl starch (HES), polysialic acid (PSA), poly-vinyl alcohol (PVA), poly-carboxylate, poly-(vinylpyrrolidone), polyethylene-co-maleic acid anhydride, polystyrene-co-maleic acid anhydride, dextran, including carboxymethyl-dextran, or any other biopolymer suitable for reducing immunogenicity and/or increasing functional *in vivo* half-life and/or serum half-life. Another example of a polymer molecule is human albumin or another abundant plasma protein. Generally, polyalkylene glycol-derived polymers are biocompatible, non-toxic, non-antigenic, non-immunogenic, have various water solubility properties, and are easily excreted from living organisms.

[0095] PEG has the advantage of having only few reactive groups capable of cross-linking compared to, *e.g.*, polysaccharides such as dextran. In particular, monofunctional PEG, *e.g.*, methoxypolyethylene glycol (mPEG), is of interest since its coupling chemistry is relatively simple (only one reactive group is available for conjugating with attachment groups on the polypeptide). Consequently, as the risk of cross-linking is eliminated, the resulting conjugated

fusion proteins described herein are more homogeneous, and the reaction of the polymer molecules with the variant polypeptide is easier to control.

[0096] To effect covalent attachment of the polymer molecule(s) to the fusion proteins described herein, the hydroxyl end groups of the polymer molecule must be provided in activated form, *i.e.*, with reactive functional groups (examples of which include primary amino groups, hydrazide (HZ), thiol, succinate (SUC), succinimidyl succinate (SS), succinimidyl succinamide (SSA), succinimidyl propionate (SPA), succinimidyl butyrate (SBA), succinimidyl carboxymethylate (SCM), benzotriazole carbonate (BTC), N-hydroxysuccinimide (NHS), aldehyde, nitrophenylcarbonate (NPC), and tresylate (TRES)).

5 Suitable activated polymer molecules are commercially available, *e.g.*, from Shearwater Polymers, Inc., Huntsville, Ala., USA, or from PolyMASC Pharmaceuticals plc, UK.

[0097] Alternatively, the polymer molecules can be activated by conventional methods known in the art, *e.g.*, as disclosed in WO 90/13540. Specific examples of activated linear or branched polymer molecules for use herein are described in the Shearwater Polymers, Inc. 1997 and

15 2000 Catalogs (Functionalized Biocompatible Polymers for Research and pharmaceuticals, Polyethylene Glycol and Derivatives, incorporated herein by reference). Specific examples of activated PEG polymers include the following linear PEGs: NHS-PEG (*e.g.*, SPA-PEG, SSPA-PEG, SBA-PEG, SS-PEG, SSA-PEG, SC-PEG, SG-PEG, and SCM-PEG), and NOR-PEG, BTC-PEG, EPOXPEG, NCO-PEG, NPC-PEG, CDI-PEG, ALD-PEG, TRES-PEG, VS-PEG,

20 IODO-PEG, and MAL-PEG, and branched PEGs such as PEG2-NHS and those disclosed in U.S. Pat. No. 5,932,462 and U.S. Pat. No. 5,643,575, both of which are incorporated herein by reference. Furthermore, the following publications disclose useful polymer molecules and/or PEGylation chemistries: U.S. Pat. No. 5,824,778, U.S. Pat. No. 5,476,653, WO 97/32607, EP 229,108, EP 402,378, U.S. Pat. No. 4,902,502, U.S. Pat. No. 5,281,698, U.S. Pat. No.

25 5,122,614, U.S. Pat. No. 5,219,564, WO 92/16555, WO 94/04193, WO 94/14758, WO 94/17039, WO 94/18247, WO 94/28024, WO 95/00162, WO 95/11924, WO 95/13090, WO 95/33490, WO 96/00080, WO 97/18832, WO 98/41562, WO 98/48837, WO 99/32134, WO 99/32139, WO 99/32140, WO 96/40791, WO 98/32466, WO 95/06058, EP 439 508, WO 97/03106, WO 96/21469, WO 95/13312, EP 921 131, U.S. Pat. No. 5,736,625, WO 98/05363,

30 EP 809 996, U.S. Pat. No. 5,629,384, WO 96/41813, WO 96/07670, U.S. Pat. No. 5,473,034, U.S. Pat. No. 5,516,673, EP 605 963, U.S. Pat. No. 5,382,657, EP 510 356, EP 400 472, EP 183 503, and EP 154 316.

[0098] Specific examples of activated PEG polymers particularly preferred for coupling to cysteine residues, include the following linear PEGs: vinylsulfone-PEG (VS-PEG), preferably

vinylsulfone-mPEG (VS-mPEG); maleimide-PEG (MAL-PEG), preferably maleimide-mPEG (MAL-mPEG) and orthopyridyl-disulfide-PEG (OPSS-PEG), preferably orthopyridyl-disulfide-mPEG (OPSS-mPEG). Typically, such PEG or mPEG polymers will have a size of about 5 kDa, about 10 kDa, about 12 kDa or about 20 kDa.

- 5 [0099] The conjugation of the fusion proteins described herein and the activated polymer molecules is conducted by use of any conventional method, *e.g.*, as described in the following references (which also describe suitable methods for activation of polymer molecules): Harris and Zalipsky, eds., *Poly(ethylene glycol) Chemistry and Biological Applications*, AZC Washington; R. F. Taylor, (1991), "Protein immobilisation. Fundamental and applications,"
- 10 Marcel Dekker, N.Y.; S. S. Wong, (1992), "Chemistry of Protein Conjugation and Crosslinking," CRC Press, Boca Raton; G. T. Hermanson et al., (1993), "Immobilized Affinity Ligand Techniques", Academic Press, N.Y..

[0100] The skilled person will be aware that the activation method and/or conjugation chemistry to be used depends on the attachment group(s) of the fusion protein (examples of

15 which are given further above), as well as the functional groups of the polymer (*e.g.*, being amine, hydroxyl, carboxyl, aldehyde, sulfhydryl, succinimidyl, maleimide, vinylsulfone or haloacetate). The PEGylation may be directed towards conjugation to all available attachment groups on the fusion protein (*i.e.*, such attachment groups that are exposed at the surface of the polypeptide) or may be directed towards one or more specific attachment groups, *e.g.*, the N-

20 terminal amino group as described in U.S. Pat. No. 5,985,265 or to cysteine residues. Furthermore, the conjugation may be achieved in one step or in a stepwise manner (*e.g.*, as described in WO 99/55377).

[0101] For PEGylation to cysteine residues (see above) the fusion protein is usually treated with a reducing agent, such as dithiothreitol (DDT) prior to PEGylation. The reducing agent

25 is subsequently removed by any conventional method, such as by desalting. Conjugation of PEG to a cysteine residue typically takes place in a suitable buffer at pH 6-9 at temperatures varying from 4° C. to 25° C. for periods up to 16 hours.

[0102] It will be understood that the PEGylation is designed so as to produce the optimal molecule with respect to the number of PEG molecules attached, the size and form of such

30 molecules (*e.g.*, whether they are linear or branched), and the attachment site(s) in the fusion protein. The molecular weight of the polymer to be used may *e.g.*, be chosen on the basis of the desired effect to be achieved.

[0103] In connection with conjugation to only a single attachment group on the fusion protein (*e.g.*, the N-terminal amino group), it may be advantageous that the polymer molecule, which

may be linear or branched, has a high molecular weight, preferably about 10-25 kDa, such as about 15-25 kDa, *e.g.*, about 20 kDa.

[0104] Normally, the polymer conjugation is performed under conditions aimed at reacting as many of the available polymer attachment groups with polymer molecules. This is achieved by means of a suitable molar excess of the polymer relative to the polypeptide. Typically, the molar ratios of activated polymer molecules to polypeptide are up to about 1000-1, such as up to about 200-1, or up to about 100-1. In some cases the ratio may be somewhat lower, however, such as up to about 50-1, 10-1, 5-1, 2-1 or 1-1 in order to obtain optimal reaction.

[0105] It is also contemplated to couple the polymer molecules to the fusion protein through a linker. Suitable linkers are well known to the skilled person. A preferred example is cyanuric chloride (Abuchowski et al., (1977), *J. Biol. Chem.*, 252, 3578-3581; U.S. Pat. No. 4,179,337; Shafer et al., (1986), *J. Polym. Sci. Polym. Chem. Ed.*, 24, 375-378).

[0106] Subsequent to the conjugation, residual activated polymer molecules are blocked according to methods known in the art, *e.g.*, by addition of primary amine to the reaction mixture, and the resulting inactivated polymer molecules are removed by a suitable method.

[0107] It will be understood that depending on the circumstances, *e.g.*, the amino acid sequence of the fusion protein, the nature of the activated PEG compound being used and the specific PEGylation conditions, including the molar ratio of PEG to polypeptide, varying degrees of PEGylation may be obtained, with a higher degree of PEGylation generally being obtained with a higher ratio of PEG to fusion protein. The PEGylated fusion proteins resulting from any given PEGylation process will, however, normally comprise a stochastic distribution of conjugated fusion protein having slightly different degrees of PEGylation.

[0108] For improvement of the biological half-life of the fusion proteins described herein, chemical modification such as PEGylation, or HESylation are applicable.

[0109] HAS and HES non-proteinaceous polymers, as well as methods of producing HAS or HES conjugates are disclosed for example in WO 02/080979, WO 03/070772, WO 057092391 and WO 057092390.

[0110] Polysialylation is another technology, which uses the natural polymer polysialic acid (PSA) to prolong the half-life and improve the stability of therapeutic peptides and proteins. PSA is a polymer of sialic acid (a sugar). When used for protein and therapeutic peptide drug delivery, polysialic acid provides a protective microenvironment on conjugation. This increases the active life of the fusion protein in the circulation and prevents it from being recognized by the immune system. The PSA polymer is naturally found in the human body. It was adopted by certain bacteria which evolved over millions of years to coat their walls with

it. These naturally polysialylated bacteria were then able, by virtue of molecular mimicry, to foil the body's defense system. PSA, nature's ultimate stealth technology, can be easily produced from such bacteria in large quantities and with predetermined physical characteristics. Bacterial PSA is completely non-immunogenic, even when coupled to proteins, as it is chemically identical to PSA in the human body.

Biological Activity of the Relaxin-2 Fusion Proteins

[0111] In some embodiments, the relaxin-2 fusion proteins described herein have high levels of biological activity as compared to native relaxin-2. In some embodiments, any of the relaxin-2 fusion proteins described herein have from about 1% to about 200% of a biological activity as compared to native relaxin-2. In some embodiments, the relaxin-2 fusion protein has at least about 5%, about 10%, about 15%, about 20%, about 25%, about 30%, about 35%, about 40%, about 50%, about 60%, about 70%, about 80%, about 90%, about 100%, about 125% about 150%, about 175%, or about 200% of a biological activity as compared to native relaxin-2.

[0112] In some embodiments, any of the relaxin-2 fusion proteins described herein have from about 1% to about 200% of maximal biological activity as compared to native relaxin-2. In some embodiments, maximal biological activity is the maximum response (E_{max}) of relaxin-2 or relaxin-2 fusion protein. In some embodiments, the relaxin-2 fusion protein has at least about 5%, about 10%, about 15%, about 20%, about 25%, about 30%, about 35%, about 40%, about 50%, about 60%, about 70%, about 80%, about 90%, about 100%, about 125% about 150%, about 175%, or about 200% of a maximal biological activity as compared to native relaxin-2.

[0113] In some embodiments, any of the relaxin-2 fusion proteins described herein have about at least about 0.001-fold to about at least 1,000-fold enhanced potency as compared to native relaxin-2. In some embodiments, potency is the concentration of relaxin-2 or relaxin-2 fusion protein to elicit a half-maximal response (EC_{50}). In some embodiments, the relaxin-2 fusion protein has at least about 0.001-fold, about 0.01-fold, about 0.1-fold, about 1-fold, about 10-fold, about 100-fold, or about 1,000-fold of the potency as compared to native relaxin-2.

[0114] The biological activity can be any biological activity of native relaxin-2. For example, the biological activity can be the capacity to bind the receptor of native relaxin-2, RXFP1. The binding of relaxin-2 to RXFP1 can be measured by any well-known methods in the art, such as radioligand binding. In some embodiments, the fusion proteins described herein bind to RXFP1 when it is expressed on a cell surface.

[0115] In some embodiments, the biological activity can be the capacity to activate RXFP1 on a cell surface. The activation of RXFP1 by the relaxin-2 fusion proteins described herein can be determined by the increase of cAMP using any methods well known in the art, such as measuring the activity of a cAMP-driven reporter gene, *e.g.*, β -galactosidase. The activation of RXFP1 by the relaxin-2 fusion proteins described herein in a cell may also be determined by using a biosensor such as the GloSensor biosensor. The activation of RXFP1 by the relaxin-2 fusion proteins described herein in a cell may also be determined by measuring the expression of certain genes, such as angiogenic factors, *e.g.*, VEGF, or the expression of MMPs using well-known methods in the art. In some embodiments, the biological activity is a physiological, biochemical activity or any other effect-inducing activity of the relaxin-2. Exemplary biological activities include, but are not limited to, vasodilation, collagen degradation, angiogenesis, decreasing arterial blood pressure, increasing renal artery blood flow, increasing cardiac filling at diastole, resolving established fibrosis, and suppressing new fibrosis development.

[0116] In some embodiments, the fusion proteins described herein have improved pharmacokinetics profiles. Without wishing to be bound by any theory, the structure of the fusion proteins described herein is based upon, at least in part, the surprising discovery that reducing the pI of relaxin-2 fusion protein analogs increases their circulating half-life. In some embodiments, the circulating half-life is in a mammal. In some embodiments, the mammal is a rodent or a primate. In some embodiments, the rodent is a rat or a mouse. In some embodiments, the primate is a human or a monkey. In some embodiments, the monkey is a cynomolgus monkey. In some embodiments, the mammal is a human. In some embodiments, the fusion proteins described herein may have a circulating half-life of greater than about 5 hours, 10 hours, 20 hours, 50 hours, 75 hours, 100 hours, 125 hours, 150 hours, or more. In some embodiments, the fusion proteins described herein may have a circulating half-life of 5-10 hours, 10-20 hours, 20-50 hours, 50-75 hours, 75-100 hours, 100-125 hours, or 125-150 hours. Values and ranges intermediate to the recited values are also intended to be part of this disclosure. In some embodiments, the fusion proteins described herein have a longer circulating half-life than a native two chain relaxin-2. For example, the circulating half-life of a native two chain relaxin-2 may be less than about 5 hours. (*See, e.g.*, Chen et al., The Pharmacokinetics of Recombinant Human Relaxin in Non-Pregnant Women after Intravenous, Intravaginal, and Intracervical Administration, Pharm. Res. 10: 834038 (1993), incorporated herein by reference).

[0117] This increased half-life can be, at least in part, attributed to the reduced pI of the fusion proteins described herein. In some embodiments, the pI of the fusion protein is less than 9.4. In some embodiments, the pI of the fusion protein is less than 9.0, 8.9, 8.8, 8.7, 8.6, 8.5, 8.4, 8.3, 8.2, 8.1, or 8.0. In some embodiments, the pI of the fusion proteins described herein are between 6.0 and 9.4. In some embodiments, the pI of the fusion proteins described herein are 6.5-8.5, 6.6-8.4, 6.7-8.3, 6.8-8.2, 6.8-8.1, 6.8-8.0, or 6.8-7.9. In some embodiments, the pI referred to above is the calculated or theoretical pI. In some embodiments, the pI referred to above is the experimentally measured pI.

[0118] "Circulating half-life," as used herein, refers to the time it takes for the blood plasma concentration of a drug to halve its steady-state when circulating in the full blood of an organism. Circulating half-life of a particular agent may vary depending on a multitude of factors including, but not limited to, dosage, formulation, and/or administration route of the agent. One of ordinary skill in the art is able to determine the circulating half-life of an agent using well known methods in the art, such as the method described Chen *supra*.

15

Vectors

[0119] The disclosure also provides nucleic acid molecules that encode any of the fusion proteins or peptides described herein. In some embodiments, the nucleic acid molecules described herein are DNA molecules. In some embodiments, the nucleic acid molecules described herein are RNA molecules.

[0120] The nucleic acid molecules described herein can be transcribed from a promoter in an expression vector. In some embodiments, the vector is a non-viral vector. Exemplary non-viral vectors include, but are not limited to, plasmid DNA, transposons, episomal plasmids, minicircles, ministrings, and oligonucleotides (*e.g.*, mRNA, naked DNA). In some embodiments, the vector is a DNA plasmid vector.

[0121] In some embodiments, the vector is a viral vector. Viral vectors can be replication competent or replication incompetent. Viral vectors can be integrating or non-integrating. A number of viral based systems have been developed for gene transfer into mammalian cells, and a suitable viral vector can be selected by a person of ordinary skill in the art. Exemplary viral vectors include, but are not limited to, adenovirus vectors (*e.g.*, adenovirus 5), adeno-associated virus (AAV) vectors (*e.g.*, AAV2, 3, 5, 6, 8, 9), retrovirus vectors (MMSV, MSCV), lentivirus vectors (*e.g.*, HIV-1, HIV-2), gammaretrovirus vectors, herpes virus vectors (*e.g.*, HSV1, HSV2), alphavirus vectors (*e.g.*, SFV, SIN, VEE, M1), flavivirus (*e.g.*, Kunjin, West Nile, Dengue virus), rhabdovirus vectors (*e.g.*, rabies virus, VSV), measles virus vector (*e.g.*,

MV-Edm), Newcastle disease virus vectors, poxvirus vectors (*e.g.*, VV), measles virus, and picornavirus vectors (*e.g.*, Coxsackievirus).

[0122] In some embodiments, the vector or expression cassette comprises one or more additional elements. Additional elements include, but are not limited to, promoters, enhancers, polyadenylation (polyA) sequences, and selection genes.

[0123] In some embodiments, the vector comprises a polynucleotide sequence that encodes an amino acid sequence at least 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to an amino acid sequence recited in any of Tables 1-7. In some embodiments, the vector comprises or consists of a nucleotide sequence at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to any of the nucleotide sequence recited in Table 8, below.

Table 8. Nucleotide Sequences Encoding Fusion Proteins and Peptide Components

SEQ ID NO:	Sequence
119	GATAAAACACACACGTGTCCCCCTGCCCGGCTCCAGAGGCGGCTGGTGGTCCCAGCGTATTCTTGTTTTCTCCCAAACCTAAGGATACGCTCATGATATCCCGCACCCAGAAAGTTACGTGTGTAGTCGTCGACGTCAGTCACGAAGATCCAGAGGTCAAATTTAACTGGTATGTGACGCGAGTAGAGGTCCACAATGCGAAAACCAAGCCCAGAGAAGAGCAGTACAACCTCCACGTATCGCGTCGTCTCCGTCTCACCCTACTCCATCAAGATTGGCTGAATGGGAAAGAGTATAAATGCAAAGTATCTAACAAAGGCTCTGCCAGCTCCGATAGAAAAGACTATATCAAAGGCCAAGGGGCAGCCAAGGAGCCTCAAGTCTATACTTTGCCCCCATCTCGGGATGAGCTTACGAAAAACCAGGTCAGCCTTACCTGTCTTGTTAAAGGTTTTTATCCGAGTGACATCGCAGTGGAATGGGAATCTAATGGTCAACCTGAAAACAATTACAAAACACACCGCCAGTATTGGACAGCGATGGTAGTTTTTTTCTTTACTCAAACTGACTGTAGATAAAAGCAGATGGCAGCAGGGCAATGTCTTTTCATGTAGCGTTATGCATGAGGCTCTTCACAACCACTATACCCAAAAGTCATTGTCTCTTAGTCCCGGAAAGGCGGAAGTGATTCTTGGAAGGAGGAGGTAATCAAGTTGTGCGGGCGAGAGTTGGTACGGGCAAGATCGCGATATGCGGAAAATCCACAGGTGGGGGCGAAGGAGGAGGTGAGGGTGGAGGTGAGGACGACAGTTGTATTCCGCCTTGCCAAACAAGTGTTGCCATGTGGGTTGCACAAAACCGCATCTTGCCCGCTTCTGT
120	GATAAGACACATACATGCCCTCCCTGTCCGGCTCCAGAGGCAGCCGGGGGTCCATCAGTCTTCCTTTTTCCGCCTAAACCTAAGGATACACTGATGATCTCTCGAACACCGGAGGTCACTTGTGTTGTGCTTGACGTATCACATGAGGATCCCGAAGTAAAGTTCAACTGGTATGTGATGGTGTGAGGTTTCATAATGCTAAACTAAACCACGGGAGGAGCAATATAATTCCACATATAGGGTCGTGAGCGTGTTGACGGTGCTTCATCAAGACTGGCTTAATGGGAAGGAATATAAATGCAAAGTGTCAAATAAAGCACTTCCTGCGCCAATCGAGAAAACAATTAGTAAGGCAAAGGGGCAGCCGCGAAGACCTCAGGTGTACACCTTGCCGCCTTCTAGAGACGAGCTCACAAAGAACCAAGTTTCCCTGACTTGCCTCGTTAAGGGGTTTTATCCGTCCGATATAGCCGTGGAGTGGGAGTCAAACGGCCAACCGGAAAATAATTACAAAACGACACCCCCAGTATTGGATAGTGACGGCTCTTTTTTCTTTTATTCTAAGCTGACTGTGGACAAAAGCCGCTGGCAGCAGGGCAATGTCTTTTCATGCAGCGTAATGCATGAAGCCCTGCACAACCACTACACGCAAAAATCCCTTTCTTGTACCCCGGCAAGGCGGGCTCTGACTCCTGGAAAGAGGAAGTTATAAACTCTGTGGCCGAGAACTTGTTTCGAGCTCAAATCGCGATTTGTGGTAAGTCAACGGGTGGGGGCGAAGGTGGAGGCGAGGGTGGGGGAGA

	AGGAGGAGGCCAGTTGTACTCAGCTCTTGCAAATAAGTGTTGCCACGTTGGTTGTACGAAGC GGAGCCTTGCTCGCTTCTGC
121	GACAAAACACATACTTGTCCGCCTTGCCCGGCACCCGAAGCGGCCGGCGGACCCAGTGTCTT TCTCTTCCCACCCAAACCGAAAGACACTCTGATGATTTCCAGGACGCCTGAAGTGACCTGCG TTGTAGTTGATGTATCACACGAGGATCCCGAGGTCAAGTTCAATTGGTATGTAGATGGGGTG GAGGTCCATAATGCAAAGACGAAGCCACGGGAGGAACAGTACAACCTCTACGTACAGAGTTGT CAGTGTTTTGACCGTCTTTCATCAGGATTGGCTGAACGGTAAAGAATATAAATGCAAGGTTA GCAATAAAGCTTTGCCCCCCCCCTATAGAGAAAACGATCAGTAAGGCGAAGGGGCAGCCTAGG GAACCCCAAGGTATATACCTTGCCGCCAAGTCGAGATGAGCTGACGAAGAACCAAGTGAGTCT GACATGCCTCGTGAAGGGCTTCTATCCGAGCGATATCGCTGTGCAATGGGAGAGCAATGGGC AGCCTGAGAATAACTATAAAACAACGCCACCCGTCCTCGACTCCGATGGCTCATTCTTCCTG TACAGTAACTTACAGTAGATAAGAGTAGATGGCAGCAGGGTAACGTCTTTAGTTGCTCCGT GATGCACGAGGCATTGCACAATCATTACACTCAAAAATCTCTGTCCCTGAGTCCGGGCAAAG GCGGTTTCAGATAGCTGGATGGAGGAGGTCATAAAGCTTTGTGGACGAGAACTCGTTTCGCGCC CAGATAGCTATTTGTGGGAAATCAACCGGGGGTGGAGAAGGTGGCGGAGAAGGGGGAGGCGA AGGGCGCCAACCTGTATTCTGCATTGGCTAATAAGTGCTGTACGTAGGATGTACAAAAGGT CTCTGGCGAGATTCTGC
122	GACAAGACGCACACTTGTCCACCTTGCCCTGCGCCGGAAGCTGCTGGAGGCCCCAGTGTCTT TTTGTTCCCGCCCAAACCGAAGGACACTTTGATGATAAGTCGCACGCCCGAGGTTACCTGTG TGGTTGTGATGTCTCACACGAAGATCCCGAGGTGAAGTTTAATTGGTATGTAGATGGCGTG GAGGTTTCATAACGCCAAAACGAAACCCAGAGAAGAACAATATAACAGTACATATCGAGTAGT ATCCGTTCTCACTGTCTGCATCAAGACTGGTTGAACGGGAAGGAATATAAGTGCAAGGTGA GCAATAAAGCACTCCCGGCCCAATCGAAAAGACCATCAGCAAAGCGAAGGGGCACCTCGA GAACCCCAAGGTATATACGCTCCCCCTAGTCGGGATGAACCTTACTAAAAATCAGGTTAGCCT CACTTGCCTTGTTAAAGGGTTCTATCCAGTGATATTGCCGTGCAATGGGAATCAAACGGGC AGCCGGAATAACTACAAGACAACCCCTCCTGTGCTCGATAGCGATGGCTCTTTTTTCTCTC TACAGCAACTTACCGTTGATAAGAGCCGGTGGCAACAAGGTAATGTTTTCTCCTGCTCCGT TATGCATGAAGCACTCCATAACCATTATACCCAAAAAAGCCTGTCACTTAGTCCGGGTAAAG GAGGTAGTGATTCTTGGCAGGAGGAGGTAATCAAACCTTTGTGGGAGGGAGCTGGTACGAGCT CAGATTGCTATATGTGGAAAAAGCACGGGCGGAGGAGAAGGAGGTGGCGAAGGCGGGGGTGA AGGTGCGCAACTCTACTCCGCTCTCGCTAATAAGTGCTGCCACGTCCGGTGTACGAAGCGCT CCCTGGCGCGATTCTGC
123	GATAAAACGCACACGTGTCCGCCCTGCCAGCGCCTGAAGCCGCAGGCGGGCCGTCCGTCTT CCTCTTTCTCCAAAACCCAAAGACACACTTATGATCAGTAGGACCCAGAGGTAACCTGCG TCGTGGTTCGACGTTTCCCATGAAGACCCAGAGGTCAAGTTCAACTGGTACGTCGACGGTGTG GAAGTACATAATGCTAAAACGAAGCCTCGGGAAGAGCAGTACAACCTCTACCTACCGCGTCGT TTCCGTACTCACCGTACTTCACCAGGACTGGCTTAACGGTAAAGAGTATAAATGCAAAGTAT CTAATAAGGCTCTCGCCGCGCCGATTGAGAAGACAATTTCAAAGGCCAAGGGGCAGCCGCGG GAGCCCCAAGTGATATACCTTGCCCCGTCCCGAGATGAGCTGACTAAAAACCAAGTAAGCTT GACTTGCTTGGTCAAAGGCTTCTACCCTTCCGATATAGCTGTGCAATGGGAGTCAAATGGCC AACCAGAGAACAATTATAAACTACACCCCGGTCTTGGATTCTGATGGCTCATTTTTTCTC TATTCTAACTGACCGTGGATAAGTCTCGCTGGCAGCAAGGTAACGTGTTCAAGTTGCTCTGT TCTTCACGAAGCACTGCACAGTCATTACACTCAGAAGAGTCTTAGCCTGAGCCCTGGTAAAG GGGGTTCTGATTCTTGGCAGGAGGAAGTAATAAACTCTGTGGCCGGGAGTTGGTACGGGCG CAGATTGCGATATGCGGTAAAGAGCACGGGCGGAGGCGAAGGCGGTGGGGAAGGAGGAGGAGA AGGGAGACAACCTCTATTCCGCATTGGCAAATAAGTGCTGCCACGTCCGGTGTACCAAACGAT CCCTTGACGCGTTCTGT
124	GATAAGACCCATACGTGCCCCCTTGCCCTGCGCCTGAGGCAGCGGGTGGCCCATCAGTCTT TTTGTTCCCGCCCAAGCCAAAGGACACCCTCATGATTAGTAGAACACCGGAGGTTACGTGCG TCGTAGTGGATGTGAGCCACGAGGATCCCGAGGTTAAGTTTAACTGGTACGTTGATGGGGTT GAGGTCCATAATGCGAAGACTAAGCCGAGAGAGGAACAGTACAATTCCACGTATAGAGTTGT

	CTCTGTACTGACTGTGCTGCATCAAGATTGGCTTAACGGTAAGGAGTACAAGTGCAAAGTCT CTAATAAGGCTCTTCCTGCACCCATTGAGAAAACATAAGCAAAGCAAAGGTCAACCTCGC GAACCTCAGGTGTACACACTGCCACCCTCTAGGGACGAGCTTACCAAAAATCAAGTATCTCT TACCTGCCTTGTGAAAGGGTTTTATCCCTCAGATATTGCGGTTGAGTGGGAGTCTAACGGAC AACCTGAGAACAACATAAGACTACTCCCCGGTGCTTGATTGAGACGGGAGTTTTTTTTTG TATAGCAAACCTTACCGTCGACAAAAGCCGGTGGCAACAGGGCAATGTATTGAGTTGTTCTGT AATGCATGAAGCTTTGCATAATCATTACACCCAAAAGAGTCTTTCCCTGTCTCCTGGAAAAG GGGGGTCAGACTCCTGGATGGAGGAGGTGATCAAACGTGTGTGGGAGAGAGCTCGTCCGGGCT CAGATAGCTATATGCGGCAAGTCTACGGGTGGGGGAGAGGGCGGAGGAGAGGGCGGTGGAGA AGGAGGCGGCCAACTCTACAGCGCTCTGGCCAATAAATGTTGTCATGTCGGGTGTACTAAGC GCTCACTGGCACGCTTTTGC
125	GACAAGACGCATACATGCCCCGCCATGCCCCGGCCCCGAAGCTGCTGGGGGACCATCCGTATT CCTCTTCCCTCCCAAACCAAAGACACGTTGATGATAAGTAGAACACCAGAGGTAACGTGCG TGGTTGTCGATGTTTTCCACGAAGATCCGGAGGTAAAATTCAATTGGTATGTAGATGGGGTG GAAGTGCACAATGCCAAAACAAAGCCGCGAGAAGAACAATACAATAGTACTTACCGGGTTGT GAGCGTGCTCACGGTGTTGCACCAAGACTGGCTCAACGGCAAGGAATACAAGTGCAAAGTAT CTAATAAAGCTCTGCCTGCGCCGATAGAGAAGACCATCAGTAAGGCCAAAGGGCAGCCCCGA GAGCCGCAAGTTTACACTCTTCTCCGAGCAGAGATGAATTGACCAAGAACCAAGTAAGTTT GACGTGCCTGGTGAAGGGCTTCTACCCCTCAGACATTGCGGTGGAGTGGGAAAGTAATGGTC AACC GGAAAACAACATAAGACCACGCCGCCCGTCTCGACTCCGATGGGTCTTTCTTTCTT TATTCAAAGTTGACAGTAGATAAGTCAAGGTGGCAGCAAGGTAACGTGTTTAGTTGTAGTGT AATGCACGAGGCCCTGCATAATCATTATACCCAAAAGAGTTTGAGCTCTCTCACCAGGAAAAG GCGGATCAGACAGCTGGCAGGAGGAGGTAAATTAATTGTGTGGACGGGAGTTGGTCAGGGCG CAAATAGCCATCTGCGGTAAGAGCACGGGTGGAGGAGAGGGTGGAGGGGAAGGTGGGGGAGA AGGCGGCGGGCAGCTCTATTCTGCACTCGCCAACAAGTGTGTGTCAGTCGGATGCACAAAGA GATCTCTTGCTCGATTCTGC
126	GACAAAACACACACCTGTCCGCCTTGCCCCGGCTCCTGAAGCCGCGGGTGGCCCTAGTGTGTT TTTGTTCCTCGCCGAAACCTAAGGATACCCTCATGATAAGCCGGACGCCCGAGGTTACCTGTG TCGTGGTCGATGTTAGTCATGAGGATCCAGAAGTCAAGTTTAATTGGTACGTCGACGGCGTT GAAGTCCACAATGCAAAAACATAACCGCGAGAAGAACAGTACAACCTCCACCTACAGAGTTGT CTCAGTTTTGACAGTTCTCCATCAGGATTGGCTCAATGGAAAGGAATATAAGTGCAAGGTCA GCAATAAAGCGCTTGCCGCCCTATAGAGAAGACCATTAGCAAGGCGAAAGGACAGCCCCGC GAGCCCCAGGTCTATACGCTGCCTCCTAGCAGAGATGAGCTCACGAAAAATCAGGTGAGCTT GACATGCTTGGTGAAGGGCTTCTACCCAGTGACATCGCAGTTGAATGGGAGAGCAACGGCC AACCTGAGAACAACATAAAAACAACGCCCGCGTTCTTGACAGCGATGGGTCTTCTTTCTT TACTCTAAGCTTACAGTTGATAAAGCAGGTGGCAGCAGGGGAATGTGTTCTCATGTTCCGT ACTGCATGAGGCTCTGCATTCTCACTACACCCAAAAAAGCCTTAGCCTGAGCCCCGGTAAGG GAGGTAGTGACTCATGGCAAGAGGAAGTGATTAAGCTCTGCGGCCGGGAGTTGGTGAGAGCC CAAATCGCCATTTGCGGTAAAAGTACCGAGGGGGCGAGGGAGGAGGCGAAGGTGGAGGTGA AGGAGGTGGACAGTTGTAAGTCAAGCTCTTGCAATAAATGTTGTCATGTTGGTTGCACGAAAA GATCTCTTGCGAGGTTCTGT
127	GATAAGACGCATACCTTGTCCACCGTGCCCCGCACCGGAAGCGGCTGGTGGTCCATCAGTTTT TCTGTTCCACCGAAACCTAAGGACACGTTGATGATATCACGGACACCAGAGGTTACGTGCG TAGTGGTGGATGTGAGCCACGAGGATCCAGAAGTTAAATTTAATTGGTACGTAGATGGAGTG GAGGTTTCATAATGCGAAGACAAAGCCTCGCGAGGAACAGTATAATTCCACCTATCGCGTCGT ATCTGTGCTTACGGTACTTCACCAAGACTGGTTGAACGGTAAGGAATATAAATGCAAGGTTT CCAATAAAGCACTTCTGCGCCAATTGAGAAGACAATATCCAAAGCTAAAGGTCAACCCAGG GAACCGCAAGTCTACACTCTCCCCCGTCTCGCGATGAATTGACGAAGAACCAGGTTAGTCT CACCTGCCTGGTCAAGGGGTTTTACCCCTCTGACATAGCTGTAGAATGGGAGTCTAATGGAC AGCCAGAGAACAATTACAAAACGACCCCCCGGTCTCGATTCTGATGGGAGTTTTTTTCTT TATTCAAATTTGACTGTGATAAGTCAAGATGGCAACAGGGTAACGTATTTTCTTGACAGTGT

	TATGCATGAAGCATTGCACAACCACTATACACAAAAATCATTGAGTTTGAGTCCCGGTAAAG GGGGAAGCGACTCATGGATGGAAGAAGTAATCAAGCTGTGCGGGCGAGAGCTTGTGCGAGCT CAGATAGCAATCTGTGGTAAGTCTACAGGTGGAGAGGGTGGCGGTGAAGAAGGCGGGGAGA GGGAGGCCAGCTTTATTCTGCCCTGGCTAACAAAGTGTGTACGTTGGATGCACGAAGCGCT CCCTGGCCCCGATTCTGC
128	GATAAGACGCATACTTGTCCCCCATGTCCCGCTCCGGAAGCCGCTGGCGGCCCTCCGTTTT TCTGTTCCCGCCGAAACCGAAAGACACCCTGATGATATCACGCACTCCCGAGGTCACTTGCG TGGTAGTCGATGTTAGTCATGAAGATCCTGAGGTCAAATTCAATTGGTATGTAGATGGCGTT GAGGTACACAACGCGAAGACAAAACCCGAGAAGAACAGTATAACTCAACCTACCGCGTAGT TTCAGTTCTTACCGTACTGCACCAAGACTGGTTGAACGGTAAAGAGTACAAATGTAAAGTCA GCAATAAAGCTTTGCCAGCACCTATCGAAAAACCATCAGTAAGGCCAAGGGTCAACCCAGG GAGCCGCAAGTGTACACTCTTCCCCCTAGCAGGGATGAATTGACCAAGAATCAGGTCTCTTT GACGTGCCTCGTTAAGGGTTTTCTATCCAGCGATATAGCCGTAGAATGGGAGTCTAACGGTC AGCCAGAAAATAACTATAAGACAACCCCGCTGTTTTGGATTCCGACGGCTCTTTTTTTCTC TACTCTAAGTTGACCGTTGATAAGAGCAGATGGCAGCAGGGAAACGTATTTTCTTGTTCCGT GATGCACGAAGCCCTGCACAATCACTATACGCAAAAGTCTCTGAGCTTGAGTCCGGGTAAAG GCGGTTCTGACTCCTGGCAGGAGGAAGTCATAAACTCTGCGGAAGAGAGCTCGTAAGGGCG CAAATCGCTATTTGTGGTAAGAGCACCGGTGGGGAAGGAGGCGGTGAAGAGGGTGGCGGCGA GGGTGGGCAATTGTATTCCGCGCTTGCCAATAAATGTTGTACGTAGGCTGCACAAAGCGAA GTCTCGCTAGGTTCTGC
129	GACAAGACCCACACATGTCCCCGTGTCCGGCACCAGAAGCAGCGGGGGACCGTCAGTATT CTTGTTTTCCACCGAAGCCCAAAGACACATTGATGATTTACGAACCTCCTGAAGTTACCTGTG TGGTTGTAGATGTATCACACGAAGACCCAGAAGTCAAATTCAATTGGTATGTGACGGGGTT GAAGTTTCACAATGCGAAGACGAAGCCCGGGAGGAACAGTACAACAGCACGTACAGGGTTGT GAGCGTTCTTACTGTATTGCACCAGGATTGGCTCAACGGCAAGGAGTATAAATGTAAAGTTT CTAATAAGGCTCTTCCTGCCCCAATTGAAAAGACGATATCTAAAGCGAAGGGCCAACACGG GAACCTCAGGTGTACACACTTCCGCCTAGCAGGGATGAGTTGACCAAGAATCAAGTCTCTTT GACGTGCCTGGTCAAGGGGTTTTACCCATCAGATATCGCCGTGCAATGGGAGTCAAACGGAC AACCCGAAAATAACTATAAACTACTCCACCAGTTCTGGATAGCGACGGCTCATTTTTTCTG TATTCAAAGCTCACTGTAGACAAGTCTAGGTGGCAGCAGGGTAATGTCTTCTCCTGCTCAGT AATGCATGAGGCTCTTCACAACCACTATACTCAAAGAGCCTTTCCCTGTACCTGGCGGTG GAAGCGACTCATGGATGGAGGAGGTAATAAAGCTCTGCGGAAGAGAACTGGTACGCGCACAA ATCGCAATTTGTGGTAAGAGTACTGGCGGGGAAGGAGGTGGGGAAGAAGGGGGCGGTGAGGG CGGACAGCTCTATTCTGCACTTGCAACAAATGTTGCCACGTGGGATGTACTAAGCGAAGCC TTGCAAGATTCTGC
130	GATAAAACCCACACATGCCCTCCATGCCCTGCTCCAGAGGCCGCGGTGGGCCATCAGTTTT CTTGTTTCCGCCTAAACCAAAGGACACGCTTATGATCTCCAGGACCCCGAAGTTACGTGTG TGGTGGTTGATGTTAGTCACGAGGACCCGGAAGTCAAGTTCAACTGGTACGTTGATGGTGTA GAGGTGCACAATGCAAAGACGAAGCCACGCGAAGAACAATACAACAGCACATATCGAGTTGT GAGCGTACTCACGGTACTGCATCAGGACTGGCTGAACGGTAAAGAATACAAATGTAAAGTCT CCAATAAGGCACCTCCTGCGCCGATAGAAAAACGATCAGTAAGGCCAAGGGCCAACCCGA GAACCACAGGTATATACGCTCCCACCGTCACGAGACGAGTTGACAAAAAATCAGGTCTCCCT GACTTGCTCGTGAAAGGTTTTTATCCCTCAGATATTGCTGTTGAGTGGGAAAGCAATGGGC AGCCAGAGAATAATTATAAGACGACTCCTCCGTTTTTGGATTCCGACGGTAGTTTTTTCTTG TATAGTAAGCTTACTGTAGACAAGTCAAGATGGCAACAAGGTAATGTGTTCTCTTGCTCAGT TATGCATGAAGCTCTTCATAACCATTACACGCAAAAGAGTCTCAGTCTGAGCCCCGGTGGCG GTAGCGACAGTTGGCAGGAAGAGGTGATTAAGTTGTGCGGTGCGAGCTCGTTCGGGCCCAA ATTGCAATCTGCGGAAAATCTACGGGCGGAGAGGGCGGGGTGAGGAGGGTGGGGGTGAAGG TGGGCAGCTCTATAGCGCCCTTGCGAATAAATGTTGTACGTGGATGCACAAAGAGGTCCC TCGCCAGGTTCTGC

131	GATAAGACCCACACTTGCCCCCTTGCCCTGCCCCGAAGCGGCCGGAGGTCTTCAGTATT TTTGTTCACCGAAACCCAAAGATACTTTGATGATATCAAGAACTCCTGAAGTCACCTGCG TGGTAGTTGACGTATCTCATGAGGATCCCGAGGTGAAGTTCAATTGGTACGTCGATGGCGTC GAGGTTTCATAACGCTAAGACTAAGCCGAGGGAAGAGCAATATAATTCCACTTATAGGGTGGT GTCCGTCTTGACTGTTTTGCACCAGGATTGGTTGAACGGGAAAGAGTACAAATGTAAGGTGA GTAATAAAGCTTTGGCTGCTCCCATCGAAAAGACAATAAGCAAGGCCAAGGGGCAACCTCGG GAGCCGCAGGTGTACACCCTTCTCCAGTAGAGACGAAGTACAAAAAACAGGTGTCCCT GACCTGCCTTGTGAAGGGGTTTTACCCGAGCGACATAGCGGTTGAATGGGAGAGCAACGGGC AACCCGAGAACAACACTACAAACTACACCGCTGTCTGGACTCCGATGGAAGCTTCTTCCTC TACTCCAAACTGACCGTGGACAAAAGCAGATGGCAACAAGGAAACGTATTCTCATGCTCAGT AATGCACGAAGCATTGCACAATCACTACACCCAAAAGTCCCTCTCACTCTCCCCTGGTAAGG GCGGATCAGACTCATGGCAAGAGGAGGTAATTAAGTTGTGCGGGAGGGAGCTCGTCCGCGCG CAAATAGCCATTTGTGGCAAGTCCACTGGAGGAGGCGAGGGTGGAGGAGAGGGTGGTGGGGA GGGCAGGCAACTCTACAGTGCGCTCGCCAATAAATGCTGCCATGTTGGGTGCACGAAGCGCA GTCTCGCACAAATTCTGC
132	GATAAGACCCACACGTGTCCTCCATGTCCGGCACCGGAGGCTGCTGGCGGGCCTTCTGTATT CCTCTTCCCACCCAAAGCCAAAAGACACATTGATGATATCAAGGACGCCGGAAGTCACCTGTG TTGTTGTGGACGTTTTCCCATGAAGACCCAGAGGTAAAATTCAATTGGTATGTGGACGGCGTA GAGGTTTCACAACGCCAAAACCCCGAGAGGAACAGTATAATAGCACATATCGAGTAGT ATCTGTTCTCACAGTGCTCCATCAAGACTGGCTTAATGGTAAAGAGTATAAATGCAAAGTTT CCAATAAAGCCCTCGCTGCACCGATCGAGAAGACAATCAGTAAAGCGAAGGGCCAGCCTCGG GAACCGCAGGTGTATACTCTTCCACCCTCAAGAGACGAGCTCACTAAAAACCAAGTTTCATT GACATGCCTCGTCAAAGGTTTTCTACCCATCAGACATCGCGGTGCAATGGGAAAGTATTCGGC AGCCGGAACAACTATAAAACGACGCCGCCGCTTGGATTCTGATGGTTCATTTTTTCTT TACTCTAAATTGACCGTCGATAAAAGTAGGTGGCAACAAGGAAATGTTTTTCTGCTCCGT CCTGCATGAAGCGTTGCACAGTCACTATACCCAGAAGAGTCTTTCTTTGTACCCGGAAGG GCGGTTTCAGATTATGTCAGGAAGAAGTAATTAAGTCTGTGGCCGCGAGCTTGTAGGGCG CAGATAGCCATATGTGGTAAAAGCACCGGAGGAGGTGAAGGCGGAGGCGAAGGAGGTGGGGA AGGAAGACAATTGTATTCTGCACTTGCAAATAAATGCTGTCATGTGGGGTGCACGAAACGCA GTCTTGACAAATTTTGT
133	GACAAAACCCATACCTGCCCCCTTGCCCTGCACCAGAAGCGGCGGGAGGACCTAGCGTTTTT TCTTTTTCTCCGAAACCGAAAGATACCCTCATGATATCAAGAACACCTGAGGTTACTTGCG TTGTGCGTGGACGTGAGTCACGAAGACCCCGAGGTGAAGTTCAACTGGTATGTAGATGGAGTG GAGGTCCATAATGCAAAAACGAAACCGAGAGAAGAACAATACAACTCTACATATCGAGTCGT GTCAGTACTCACGGTTTTGCATCAAGATTGGCTGAACGGTAAGGAGTACAAGTGTAAAGTTA GCAACAAGGCTCTCGCGGCGCCGATAGAAAAGACTATAAGTAAAGCAAAAGGCCAGCCCAGA GAACCTCAAGTTTACACTCTGCCTCCAGCAGAGATGAACTGACTAAAAATCAGGTTTCATT GACCTGTCTCGTCAAGGGTTTTATCCAAGCGACATAGCAGTTGAATGGGAAAGCAACGGTC AACCAGAAAATAATTACAAAACCACTCCACCAGTCTTGGACTCTGACGGATCCTTCTTTCTC TATTCAAAATTGACGGTGGATAAATCTAGGTGGCAGCAAGGCAACGTCTTCTTGTAGCGT TATGCATGAGGCGCTGCACAACCACTACACACAAAAGTCTCTTAGTTTGAGCCGGGCGGCG GAAGCGACTCTTGGCAAGAGGAAGTGATAAACTCTGTGGTCGAGAATTGGTACGCGCGCAG ATCGCTATCTGCGGCAAGTCCACAGGGGGAGGGGAAGGTGGCGGGGAAGGTGGTGGCGAGGG CAGGCAGTTGTATAGTCACTTGCCAACAAGTGCTGCCATGTGGGGTGCACCAAGCGCAGTT TGGCACGGTTCTGC
134	GATAAAACTCACACTTGTCCCCCGTGTCCGGCACCCAGAAGCCGCGAGGAGGGCCATCTGTCTT TCTTTTTCCCCAAAACCCAAAGGATACACTGATGATCTCCGCACTCCCGAAGTTACTTGTG TCGTAGTAGACGTTTTCTCACGAGGACCCAGAGGTGAAATTCAATTGGTATGTTGACGGAGTA GAGGTGCATAATGCCAAGACAAAGCCCCGAGAGGAACAATACAATTCAACCTACAGAGTAGT GTCCGTTCTTACGGTTCTCCATCAGGATTGGCTCAACGGTAAGGAATATAAGTGCAAGGTAA GCAACAAAGCGCTGGCCGCACCCATTGAGAAAACCATTTCAAAGCTAAAGGCCAACCCCGC

	GAACCACAAGTTTATACTCTCCCCCAAGTCGCGATGAACTTACAAAAAATCAAGTCTCATT GACGTGCTTGGTCAAAGGCTTCTACCCGAGCGATATCGCTGTTGAATGGGAGTCTAATGGAC AACCGGAAAATAACTATAAACTACACCCCGAGTCCTCGATTACAGACGGCAGCTTCTTCCTG TATTCAAAACCTGACGGTTGACAAATCACGCTGGCAACAGGGTAACGTTTTTCTGTAGCGT TCTTCATGAAGCCTTGACACAGTCACTACACCCAGAAGTCCCTTAGCTTGTACCTGGCGGGG GTTCCAGACTCTTGGCAGGAGGAGGTAATCAAACCTGTGCGGAAGAGAAGTGGTGAGGGCTCAG ATTGCAATTTGTGGGAAGAGCACGGGTGGCGGTGAAGGAGGTGGCGAGGGCGGAGGAGAGGG GAGGCAACTCTACAGTGCCTTGGCTAATAAATGCTGTACGTCGGCTGTACTAAGAGAAGCC TCGCCAGATTTTGC
135	GACAAGACGCATACTTGCCCTCCGTGCCCTGCACCAGAAGCCGCTGGTGGCCCATCTGTGTT TTTGTTCCCCCCTAAGCCAAAAGACACATTGATGATTTACGAAGTCCAGAAGTACTTGCG TAGTTGTTGACGTATCACACGAAGACCCCGAGGTAAATTTAATTGGTATGTGGACGGGGTC GAGGTGCATAACGCCAAAACCAACCCCGGGAGGAACAATATAACTCTACGTATCGGGTCGT ATCTGTGTTGACCGTCCTTCACCAAGATTGGTTGAACGGCAAGGAATATAAGTGTAAGTGT CTAATAAAGCATTGGCTGCCCCGATAGAAAAGACGATCTCTAAAGCCAAGGGCCAACCCAGA GAGCCTCAAGTATATACTCTCCACCGAGTCGAGATGAGCTCACTAAGAACCAGGTGTCACT CACGTGTCTGGTTAAAGGATTTTACCCTAGTGATATAGCCGTCGAGTGGGAATCAAATGGGC AGCCGGAGAATAACTATAAGACCACGCCTCCAGTTCTCGATTCCGATGGTAGCTTTTTCTT TACTCTAAACTTACGGTCGACAAGTCCAGGTGGCAACAGGGCAATGTATTTCTTGCTCCGT CATGCACGAGGCTTTGCACAACCATTACACGCAAAAGTCACTGTCCCTGTCTCCTGGAGGCG GTTCTGACAGTTGGCAGGAGGAGGTAATCAAATTGTGTGGGCGGGAGTTGGTTAGGGCGCAA ATTGCTATTTGCGGCAAAAGTACTGGGGCGGTGAAGGCGGAGGCGAGGGAGGAGGAGAAGG TCGACAACCTGTATTCTGCCTTGGCGAACAATGCTGTACGTCGGCTGTACGAAACGGTCTT TGGCCAGTTTTGT
136	GATAAGACACACACTTGTCCGCCATGCCCTGCGCCGGAAGCGGCGGGAGGACCGTCCGTTTT CCTGTTCCCTCCCAAACCCAAAGACACGTTGATGATTAGTCGCACGCCAGAAGTTACGTGCG TTGTGCTAGATGTATCCACGAAGACCCCGAGGTGAAGTTCAATTGGTATGTAGATGGGGTG GAGGTCCATAACGCTAAGACCAAACACGCGAGGAACAATATAATTCTACGTACCGCGTAGT GAGCGTTCTCACAGTTCTTCACCAGGATTGGCTTAACGGCAAGGAGTATAAGTGTAAGGTGT CTAATAAGGCCTTGGCTGCCCCGATCGAAAAACGATAAGTAAAGCAAAGGGTCAACCTAGA GAACCCCAAGTGTACACTCTCCGCCATCACGGGATGAATTGACTAAGAACCAAGTGTCACT CACGTGTCTTGTAAGGGCTTCTACCCATCCGATATAGCCGTTGAGTGGGAATCCAATGGTC AGCCAGAGAACAACCTATAAGACAACCTCCGCCCCGTAATTGATAGTGACGGTTCCTTTTTCTT TACAGTAAATTGACGGTAGATAAGTCTCGCTGGCAGCAAGGAAACGTCTTTTCTTGTTCACT GCTTCATGAGGCGCTTCACTCACACTATACTCAGAAGAGTTTGAGTTTGTCTCCAGGTGGAG GCAGCGACTCATGGCAAGAGGAAGTAATCAAACCTGTGTGGTCGCGAATTGGTACGAGCACAG ATCGCGATCTGCGGGAAATCAACAGGTGGCGGCGAAGGCGGCGGGGAAGGCGGCGGCGAAGG TAGGCAACTTTACTCAGCCCTTGCGAACAATGTTGCCACGTAGGCTGTACTAAGAGAAGTC TCGCCAGTTTTGC
137	GACAAGACTCATACCTGCCCCCTTGTCCAGCACCAGAAGCAGCTGGCGGGCCAAGCGTGTT CCTGTTTCCACCTAAGCCCAAAGATACGTTGATGATCAGCCGACCCCGGAAGTAACCTGTG TAGTAGTAGATGTGTCCACGAAGACCCCGAAGTAAAGTTTAATTGGTACGTGATGGTGTC GAAGTACATAACGCTAAAACGAAGCCCCGAGAAGAGCAGTACAACAGTACTTACAGAGTAGT TTCTGTTCTTACAGTGCTGCATCAGGATTGGCTGAACGGGAAGGAGTATAAATGTAAAGTCT CAAACAAGGCACTTGCGGCACCAATAGAGAAGACAATATCTAAGGCCAAAGGGCAGCCTAGA GAGCCACAAGTATATACGCTGCCCCCAGCAGGGACGAGCTGACAAAGAACCAAGTGTCACT GACCTGCCTTGTTAAGGGCTTCTATCCGAGTGATATTGCTGTTGAATGGGAAAGTAACGGAC AGCCGGAGAACAACCTATAAACTACTCCACCCGTGTTGGATAGTGACGGTAGCTTTTTTCTG TACTCCAAGTTGACGGTAGACAAAAGTCGGTGGCAGCAGGGGAACGTATTTTCTTGTTCTGT CATGCACGAAGCTCTTACAATCACTATACGCAGAAGTCCCTCTCTCTCTCCTGGGAAGG GTGGTTCCGACAGCTGGCAGGAGGAGGTCATTAACTGTGTGGTAGAGAGCTGGTACGGGCT

	CAAATTGCAATTTGTGGTAAGAGTACTGGCGGTGGCGAGGAAGGGGGTGGGGAGGAGGGCGG AGGTAGGCAGCTCTACTCTGCTCTCGCCAACAAGTGTTGTACGTCGGGTGTACTAAAAGAT CACTTGCCCCGCTTTTGT
138	GACAAAACACATACATGCCCCGCGTGTCCGGCGCCTGAAGCAGCAGGAGGCCCCAGTGTATT CCTTTTCCCTCCAAAGCCAAAAGATACGTTGATGATATCTAGGACACCTGAGGTTACCTGCG TCGTAGTGGACGTATCCCACGAAGACCCAGAAGTCAAGTTTAACTGGTATGTGGACGGAGTG GAGGTACACAATGCAAAGACAAAGCCGCGAGAGGAACAATATAATTCCACCTATAGAGTCGT GTCAGTCCTTACGGTCTTGCAACCAGGACTGGCTCAATGGTAAGGAGTATAAGTGCAAAGTAT CAAACAAAGCTCTCGCAGCGCCCATCGAAAAGACCATCAGCAAAGCTAAGGGCCAGCCAAGA GAGCCTCAAGTGTACACGTTGCCGCTTCAAGGGACGAGCTCACTAAAAATCAGGTATCACT TACGTGTCTTGTCAAAGGGTTTTATCCTTCCGACATCGCGGTTGAATGGGAGAGCAATGGAC AGCCGGAGAATAATTATAAAACGACGCCGCGGTCCTTGACAGCGATGGTTCATTTTTCTT TACTCAAAGCTGACGGTTGATAAGTCTAGGTGGCAGCAGGGGAACGCTTTTTCTGTAGTGT ACTTCATGAGGCGCTCCATTCTCATTACACTCAGAAGTCACTGAGCCTTTCACCCGGCAAAG GTGGATCAGACTCCTGGCAAGAAGAGGTAATCAAACCTCTGTGGGAGGGAACCTCGTTCGAGCC CAGATTGCAATCTGTGGGAAAAGCACAGGCGGAGGGGAAGAAGGGGGTGGCGAAGAAGGTGG GGGCAGGCAGCTCTATTAGCTCTTGCCAACAAATGCTGTATGTAGGCTGCACAAAGCGAT CACTGGCGAGATTCTGT
139	GATAAACTCATACTTGCCCCACCCTGCCCCGCTCCCGAGGCAGCAGGTGGACCCTCAGTATT TTTGTTCCTCCGAAACCTAAAGATACACTTATGATTAGCCGGACCCCTGAGGTAACGTGTG TGGTGGTTGACGTAAGTCATGAAGATCCAGAAGTAAAGTTTAACTGGTACGTAGACGGTGTG GAGGTACATAATGCGAAGACAAAACCACGAGAGGAACAGTATAACTCTACCTACCGCGTAGT AAGCTACTTACTGTGCTCCACCAAGACTGGCTTAACGGGAAAGAGTATAAGTGTAAGTCA GTAATAAAGCACTGGCCGCCCCGATCGAAAAACAATCAGCAAGGCCAAAGGACAACCAAGG GAGCCTCAGGTCTATACTCTTCCCCGAGTAGGGATGAGCTTACCAAGAACCAGGTGTCTCT GACATGCCTTGTCAAGGGATTTTACCCGAGTGACATAGCCGTAGAATGGGAGTCAAACGGCC AACCTGAAAACAACATAAGACCACGCCTCCCGTACTCGACTCAGATGGAAGCTTTTTCTCT TATAGCAAGCTGACCGTCGACAAAAGTAGGTGGCAACAGGGAAACGCTTTTAGTTGTTCCGT CATGCACGAAGCTTTGCATAACCATTACACCCAGAAGAGTCTTTCCCTTTCCCTGGCAAGG GGGGCTCCGACTCCTGGCAAGAGGAAGTAATCAAACCTGTGTGGGCGCGAGCTTGTCCGCGCG CAAATAGCCATTTGCGGAAAAGTACTGGAGGAGGAGGAAGGCGGCGGCGAGGAAGGTGG GGGCAGGCAGCTGTACAGTGCCTTGCTAACAAGTGTGCCATGTGCGCTGTACGAAAAGGT CTCTTGCTCAATTCTGT
140	GATAAGACACATACCTGTCCACCCTGCCCAGCACCTGAAGCTGCAGGCGGCCCCAGCGTATT CCTGTTTTCTCCGAAGCCGAAAGACACACTTATGATTTCCCGGACGCCTGAGGTAACCTGCG TCGTAGTAGATGTGTCTCACGAAGACCCCGAGGTGAAATTCAACTGGTACGTTGATGGTGTG GAAGTTCATAATGCGAAAATAAACCACGAGAGGAGCAATATAACTCAACTATAGAGTTGT GAGCGTCTTGACGGTACTGCACCAGGACTGGCTGAATGGCAAAGAGTACAAATGCAAAGTCT CAAATAAGGCGTTGGCGGCTCCCATAGAGAAAACATCAGCAAAGCCAAGGGTCAACCTCGG GAGCCACAAGTGTATACTCTTCCGCCTAGTCGCGACGAGCTCACAAGAATCAGGTGAGTCT TACTTGTTTGGTTAAGGGTTTCTACCCAGTGACATTGCGGTGAGTGGGAAAGTAACGGAC AGCCTGAAAACAACATAAAACAACGCCTCCAGTACTCGATTGAGATGGTTCATTCTTTCTT TATTCCAAACTCACAGTCGACAAGAGTAGATGGCAACAAGGGAACGTGTTTAGCTGTAGCGT ACTCCATGAGGCACTCCACTCTCACTATACCCAAAAGTCTCTCAGCTTGTACCCGGAAAAG GCGGTTCTGACAGTTGGCAAGAGGAAGTGATTAAATTGTGTGGGCGGGAACCTGTGAGGGCT CAAATCGCGATTTGCGGCAAGTCCACTGGTGGCGGCGAGGAAGGAGGAGGTGAAGAAGGAGG AGGTAGGCAACTGTATTAGCGTTGGCGAATAAATGCTGCCATGTTGGATGTACTAACCGA GCCTTGCTCAGTTCTGC
141	GATAAACGCATACCTTGCCCTCCTTGCCCCGCACCTGAAGCTGCCGGAGGTCTTCCGTGTT CCTGTTCCACCTAAGCCAAAAGACACACTTATGATTTCTCGCACACCAGAAGTAACGTGCG TCGTAGTTGACGTCTCCCATGAAGACCCGAGGTAAAATTTAATTGGTACGTGACGGGGTA

	GAAGTTCATAACGCAAAGACTAAACCACGAGAAGAGCAATACAACCTCTACATACAGAGTAGT AAGCGTTCTCACCGTTCTTCATCAAGATTGGCTCAACGGAAAGGAGTATAAGTGTAAGGTGT CCAATAAAGCGTTGGCCGCACCAATCGAAAAGACCATAAGCAAAGCCAAAGGCCAACCCCGC GAACCGCAGGTGTACACACTTCCCCCGTCCAGGGATGAATTGACAAAAAACCAAGTTTCCCT CACGTGTCTCGTCAAGGGATTCTACCCGAGTGATATCGCAGTTGAATGGGAAAGCAATGGTC AGCCCGAGAATAACTACAAGACTACTCCCCCTGTGTTGGACTCAGACGGCTCATTCTTCCCTC TACAGTAAGTTGACTGTGGACAAAAGTCGGTGGCAGCAAGGCAATGTCTTCAGTTGTAGTGT AATGCATGAAGCACTCCACAATCATTACACCCAAAAATCCCTGAGCCTGTCCCCGGGCGGAG GTTTCAGATTTCATGGCAGGAGGAAGTTATAAACTGTGCGGGCGCAGTTGGTGAGGGCGCAG ATCGCAATCTGTGGAAAGAGTACGGGAGGTGGCGAAGAGGGTGGTGAGAGAGGGAGGAGG TCGACAACCTGTATTCCGCGCTCGCGAACAAGTGTTGCCACGTTGGCTGCACCAAACGAAGCC TGGCTCGATTTTGC
142	GACAAGACACACACTTGTCCACCTTGCCCGGCTCCCGAGGCGGCAGGAGGACCAAGCGTTTT TCTGTTCCCTCCCAAACCAAGGATACGCTTATGATCTCTCGAACGCCGGAAGTTACTTGCG TAGTAGTTGATGTCTCCCATGAAGATCCCGAAGTGAAGTTCAACTGGTATGTAGATGGTGTG GAAGTTCATAACGCGAAAACCAAACCACGCGAAGAACAGTATAACAGTACTTATCGGGTTGT TTCAGTACTCACGGTGCTCCATCAAGACTGGCTTAATGGAAAGGAGTATAAATGTAAGGTAA GTAACAAGGCATTGGCGGCTCCCATCGAGAAGACAATCTCCAAAGCAAAGGGCAACCACGG GAGCCTCAGGTGTATACGTTGCCGCCAGCAGAGATGAACCTACTAAGAATCAGGTGAGTCT CACTTGTCTCGTCAAGGGCTTCTATCCCAGCGATATAGCCGTAGAATGGGAGAGTAACGGTC AGCCGGAGAACAACCTACAAAACAACCCCGCCTGTTTTGGACTCCGATGGGAGTTTTTTTCTC TACGCAAACTCACGGTAGACAAAAGCAGGTGGCAGCAGGGCAATGTTTTTCAGTTGCTGTG TCTCCACGAAGCCCTCCACTCCCACTATACTCAGAAGTCTCTGAGTCTCTCACCAGGGGAG GTAGCGATAGCTGGCAGGAGGAAGTGATCAAGTTGTGCGGGCGCAACTCGTGCGGGCACAA ATTGCTATATGCGGTAAAAGTACGGGAGGTGGAGAGGAGGGTGGAGGTGAAGAAGGCGGTGG TAGACAATTGTATAGTGCGCTCGCCAACAAGTGTTGTATGTGCGGTGTACGAAACGGTCCT TGGCGCGTTTTGC
143	GACAAGACACATACTTGTCCACCATGTCCCGCCCCAGAAGCTGCGGGAGGACCATCAGTTTT TTTGTTCCCCCGAAACCGAAGGATACCCTCATGATAAGTGAACGCCCGAAGTCACTTGCG TGGTGGTTGATGTTAGCCACGAGGACCCAGAAGTGAAGTTCAACTGGTACGTGGACGGGGTC GAAGTTCATAATGCGAAAACAAAGCCTCGCGAGGAACAGTACAACCTCTACATACAGGGTTGT GTCTGTTTTGACAGTCTTGACCAAGATTGGCTCAACGGGAAGGAATATAAGTGTAAGGTAA GCAATAAAGCACTGGCGGCCCGATCGAAAAACGATATCCAAGGCCAAGGGCCAGCCCCGA GAGCCTCAGGTATATACTCTGCCGCCAAGCCGGGATGAACCTGACTAAAAACCAGGTCTCTTT GACTTGTCTTGTCAAGGGATTTTACCCTAAGTGACATTGCGGTAGAGTGGGAAAGCAACGGTC AACCAGAAAACAATTACAAGACGACACCGCCGGTACTCGACTCAGATGGATCCTTTTTCTGT TATAGCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAAGGGAACGTATTTTCATGCAGCGT GATGCATGAGGCTCTTCACAACCATTACACACAGAAAAGTCTGTATTGAGCCCTGGCGGCG GGAGCGATTCTTGGCAAGAAGAAGTTATAAACTTTGCGGTGAGAGCTGGTTCCGGGCACAA ATTGCTATCTGCGGAAAATCTACAGGAGGAGGCGAGGAGGGAGGGGGCGAAGAAGGCGGGG GAGACAGTTGTACAGTGCGCTCGCTAACAAGTGTTGCCACGTCGGTTGCACAAAGAGATCCC TGGCTCAATTCTGT
144	GATAAACTCACACCTGTCCCCGTGTCCCGCACCAGAAGCGGCCGGTGGTCCCTCCGTTTT TCTCTTCCCTCCTAAACCTAAGGACACACTTATGATTAGCAGAACTCCAGAAGTTACGTGCG TAGTCGTTGACGTTAGTCATGAAGATCCTGAGGTAAAGTTCAACTGGTACGTAGACGGAGTA GAGGTCCACAACGCCAAGACGAAACCCGAGAAGAGCAGTATAATTCTACCTATCGAGTTGT TTCAGTATTGACGGTGCTTCACCAAGATTGGCTGAATGGCAAAGAGTATAAGTGCAAGGTAA GCAACAAAGCACTCGCGGCTCCTATCGAGAAAATTTTCCAAAGCTAAGGGCCAGCCTCGC GAACCACAAGTCTATACCCTGCCACCGAGTCGGGACGAACTCACCAGAACCAAGTGTCTCT TACTTGCTCGTTAAAGGTTTTTATCCCAGCGACATAGCCGTGCAATGGGAGTCCAATGGCC AACCTGAGAACAACTATAAACTACCCCTCCTGTACTTGATAGCGACGGAAGTTTTTCTCTC

	TATTCAAAACTCACAGTTGATAAGTCTCGATGGCAACAGGGCAACGTCTTCTCTTGCAAGTGT GTTGCATGAAGCTCTGCACTCTCATTACACACAGAAGAGTTTGTCTCTCAGTCCAGGTGGCG GCTCAGATAGCTGGCAGGAAGAAGTAATCAAGTTGTGCGGCAGGGAACGGTAAGGGCACAG ATAGCCATTTGTGGAAAATCTACGGGTGGCGGTGAGGAAGGCGGCGGAGAAGAAGGGGGAGG TCGGCAGCTGTATAGTGCCTCGCAAACAAGTGTGCCATGTGGGTGCACCAAGCGATCCC TTGCCCAGTTTTGC
145	GACAAAACGCACACCTGTCCACCGTGTCTGCTCCAGAGGCGGCGGGGGACCGTCCGTTTT CCTTTTTCTCCCAAACCTAAGGATACCCTTATGATCTCTCGCACGCCCGAGGTTACCTGTG TTGTGGTTGACGTGTCCCATGAAGACCCGGAAGTAAAATTTAATTGGTACGTGGACGGGGTC GAGGTTTCATAACGCAAAGACCAAGCCACGAGAGGAGCAATATAATTCCACCTATCGCGTAGT CTCCGTCTCACCAGTGTTCACCAGGATTGGCTCAACGGGAAGGAATACAAATGTAAAGTCA GTAATAAGGCTTTGGCGGCCCCGATTGAGAAGACTATAAGTAAGGCTAAGGGACAGCCACGA GAACCGCAAGTTTATACATTGCCCCCTCTAGGGATGAGTTGACTAAGAATCAGGTGTCACT CACTTGTCTGGTAAAAGGGTTCTACCCGTCCGACATCGCTGTGGAATGGGAAAGCAATGGGC AACCTGAAAATAATTATAAGACAACCCCTCCGGTGCTTGATAGCGACGGATCATTCTTTCTC TATTCCAAGCTTACTGTAGATAAGAGTCGATGGCAACAGGGGAACGTATTAGTTGCTCTGT TCTCCATGAGGCCCTGCATAGTCACTACACCCAAAAAGCCTTAGTTTGAAGTCCCGGGAAAG GAGGCTCCGATTCTTGGCAAGAAGAGGTAATAAAGCTGTGTGGACGAGAACTTGTCCGAGCA CAAATTGCGATTTGTGGCAAATCTACAGGAGGGGGAGAAGGAGGCGGCGAAGGGGGAGGCGA GGGCAGGCAGGATTATTCCGCTCTGGCGAACAAATGTTGCCATGTTGGATGCACGAAACGAA GCCTGGCTCAGTTTTGC
146	GATAAAACGCATACCTGCCCCACCGTGTCTGCACTGAGGCCGCTGGAGGACCTTCCGTCTT CCTCTTTTCCACCCAAAGCGAAAGACACACTCATGATTAGTAGAACTCCAGAGGTCACGTGTG TTGTGGTGGACGTCACTCACGAGGACCCTGAGGTTAAGTTCAACTGGTACGTTGATGGCGTA GAAGTCCACAATGCAAAGACCAAACCGAGAGAGGAGCAATATAACAGTACATATAGGGTTGT TAGCGTACTTACTGTTTTGCATCAAGACTGGTTGAATGGGAAGGAATATAAATGTAAAGTCT CCAACAAGGCTCTGGCTGCACCAATAGAAAAAACTATTTCTAAGGCAAAGGGTCAGCCTAGA GAGCCTCAAGTCTATACCTTGCCACCGTCAAGAGACGAGCTCACTAAAAATCAGGTGAGCCT GACCTGTCTTGTGAAGGGCTTTTACCCGTGAGATATTGCCGTGGAGTGGGAATCAAACGGTC AGCCGGAGAATAACTACAAGACGACCCACCAGTACTCGATAGCGATGGGTCTTTCTTTCTG TACTCCAAGCTCACCGTGGACAAATCACGCTGGCAACAGGGCAACGTCTTTAGTTGCAGCGT ACTGCACGAGGCACTGCACAGCCACTACACACAAAAGAGTCTTTCTCTGTCTCCCGGTGGTG GCTCCGATAGTTGGCAGGAAGAAGTCATAAAGCTTTGTGGAAGAGAGCTTGTACGAGCGCAG ATTGCAATCTGCGGGAAGAGCACTGGAGGAGGTGAGGGAGGGGGTGGGGCGGGGGCGAAGG ACGCCAGGACTATTGAGCACTTGCAAACAAATGCTGCCATGTAGGGTGTACGAAGCGCTCAC TGGCCCGTTTTGC
147	GATAAAACACATACCTGCCCCCATGCCCCAGCCCCGAAGCTGCAGGGGGGCCCTCTGTTTT CCTTTTTCCACCCAAACCTAAAGATACTCTGATGATTAGTCGACTCCGGAAGTGACTTGCG TCGTTGTGACGTCTCTCATGAGGATCCAGAAGTTAAGTTTAACTGGTATGTCGACGGGGTT GAGGTTTCATAATGAAAAAACTAAACCGAGAGAAGAACAGTACAACCTACTTATAGGGTTGT CAGTGTACTGACCGTCTGCAACAGGATTGGCTTAACGGTAAGGAGTATAAGTGTAAAGTGT CCAATAAAGCCCTTGCCGCACCCATCGAGAAAACCATCTCCAAGGCAAAGGACAGCCAAGG GAACCGCAGGTATATACACTTCCGCCAAGCCGAGACGAACTTACGAAGAACCAGGTGTCTCT CACGTGTCTCGTAAAAGGGTTTTATCCAGCGATATCGCAGTTGAGTGGGAGAGCAATGGGC AGCCAGAGAATAATTATAAGACAACCCCTCCCGTGCTGGATTGAGACGGGAGTTTTTTCTT TACTCTAAGCTGACCGTAGACAAAAGTCGATGGCAGCAAGGCAACGTCTTTTCTGCTCCGT TCTCCATGAAGCACTGCATAGCCATTATACCCAGAAGTCACTGAGCCTCTCTCCAGGGGGCG GGTCCGATTCATGGCAGGAAGAGGTAATCAAACCTCTGTGGACGCGAACTGGTTCGCGCGCAG ATAGCGATTTGCGGCAAAAGCACAGGCGGTGGGGAAGGCGGTGGCGAGGGCGGTGGTGAAGG TCGACAAGATTATTCTGCTCTCGCTAACAAGTGTGTGTCATGTAGGATGTACTAAAAGGAGTC TTGCGCAGTTCTGT

148	GATAAGACGCACACATGCCACCCTGTCCTGCGCCTGAAGCCGCGGGGGGACCCAGCGTTTT TCTCTTCCCGCCGAAACCGAAAGACACACTTATGATCAGCCGGACTCCCGAGGTTACCTGCG TGGTGGTAGATGTATCTCACGAGGATCCCGAGGTCAAATTCAACTGGTACGTTGATGGGGTT GAAGTTCATAATGCCAAAACGAAGCCAAGAGAAGAGCAGTATAACTCCACATATAGAGTTGT TTCCGTCTTGACTGTTCTTCACCAAGATTGGCTGAATGGGAAGGAGTACAAATGTAAAGTTA GCAACAAGGCACTCGCCGCTCCCATTGAAAAAACTATAAGCAAAGCTAAGGGCCAACCGCGC GAACCCACAGGTCTACACGTTGCCGCCCTCTAGGGACGAACTCACGAAGAATCAGGTTTTCCCT TACCTGCCTCGTTAAAGGATTCTACCCCTCTGACATAGCGGTTGAATGGGAGAGCAACGGTC AGCCTGAGAACAACACTACAAAACGACGCCTCCGGTGTTGGATTCCGACGGTAGTTTTTTCCTC TATAGTAAGCTGACAGTGGATAAATCTCGGTGGCAGCAAGGGAATGTATTCTCCTGTTACAGT CCTGCATGAAGCCCTCCACTCCCATTATACACAGAAATCTCTTTCTCTGAGTCCCGGTAAAG GTGGGAGTGACTCTTGGCAGGAAGAGGTAATTAAGTTGTGTGGAAGGGAGCTGGTAAGAGCA CAGATTGCCATCTGTGGCAAATCCACGGGCGGCGAAGGTGAGGGGGGTGAGGGGGAAGGGGG GTCCAGACAACGTATTCTGCTCTGGCGAATAAGTGTTGCCATGTAGGGTGCATAAACGGT CCTTGGCGCAGTTCTGT
149	GATAAAACTCATACGTGCCACCTTGCCCCGCACCGGAGGCTGCTGGAGGACCCTCTGTCTT CCTGTTCCCGCCGAAGCCTAAAGACACATTGATGATCAGTGAACACCGGAAGTCACCTGTG TAGTGGTTGATGTGAGCCATGAGGACCCTGAAGTAAAATTTAACTGGTATGTTGATGGCGTA GAAGTACACAACGCGAAGACTAAACCAAGGGAAGAGCAATACAACCTTACCTATAGGGTCGT TAGCGTACTGACTGTGCTTCACCAAGACTGGCTTAACGGGAAGGAGTACAAGTGCAAAGTGA GCAATAAGGCCCTCGCCGCGCCTATCGAGAAAACCATTTCCAAAGCCAAGGGTCAACCAAGG GAGCCTCAGGTTTACACCCTGCCCCCTTCAAGGGATGAGTTGACAAAAAACAGGTAAAGTCT GACGTGTCTCGTTAAGGGATTCTACCCGTGAGATATCGCGGTAGAGTGGGAGCAACGGTC AGCCAGAAAATAATTACAAAACAACACCTCCAGTTTTGGACTCTGATGGGAGTTTTTTTCTT TATTCTAAGTTGACAGTGGATAAGTCACGCTGGCAACAGGGGAACGTATTTAGCTGCTCAGT ACTTCATGAAGCGTTGCATTCTCACTACACACAGAAGAGCCTCTCCTTGAGTCCCGGAGGTG GCTCTGATTCTTGGCAGGAGGAGGTAATAAACTTTGTGGTAGAGAACTGGTTCGCGCTCAG ATAGCTATTTGTGGAAAATCCACTGGCGGTGAAGGTGAAGGTGGAGAAGGAGAGGGCGGAAG CCGGCAGTTGTACTCTGCCCTGGCTAATAAGTGCTGTACGTGGGCTGCACTAAGCGGAGCT TGGCAAGATTTTGC
150	GATAAAACTCATACCTGTCCACCTTGTCCTGCGCCTGAGGCAGCTGGAGGGCCTAGCGTGTT CCTGTTCCCCCCCCAAACCCAAAGACACGCTCATGATTAGCCGAACCCCTGAAGTGACCTGCG TTGTTGTGGACGTAAGCCACGAAGACCCCGAAGTTAAGTTTAATTGGTACGTCGACGGTGTT GAGGTTTCATAACGCGAAGACTAAGCCGAGAGAGGAGCAATATAACAGCACCTACCGCGTAGT CTCAGTTCCTTACCGTGCTCCACCAGGACTGGCTTAACGGGAAGGAATACAAATGCAAAGTTT CCAACAAAGCCTTGGCAGCCCCAATAGAGAAGACAATATCTAAGGCGAAAGGCCAACCGCGG GAACCGCAAGTTTATACCCTCCCACCGAGCAGGGATGAGCTGACAAAAAATCAGGTTTCCCT CACTTGTCTGGTCAAGGGATTTTATCCTTCAGACATAGCCGTTGAATGGGAGAGTAATGGGC AGCCGGAGAATAATTACAAGACCACCCCCCGGTGTTGGACAGCGACGGTTCCTTCTTTCTC TATTCTAAACTTACCGTCGACAAATCACGGTGGCAACAAGGAAATGTATTCTCATGCAGTGT ATTGCACGAAGCTCTGCACTCTCATTACACCCAAAAATCCCTCTCTCTCAGCCCTGGCGGTG GATCTGATTCTTGGCAGGAAGAGGTGATTAACTGTGTGGGCGAGAGCTTGTCCGAGCTCAG ATCGCTATTTGTGGCAAGAGTACCGGAGGCGAGGGTGAGGGAGGCGAAGGCGAGGGCGGAAG CCGGCAACTCTATAGCGCACTCGCTAATAAATGTTGTATGTCTCGGCTGCACGAAGCGCTCAC TGGCGCAGTTCTGC
151	GACAAAACGCATACCTGTCCTCCATGCCCCGCTCCCGAGGCTGCCGGCGGACCAAGCGTATT TCTCTTCCCCCCTAAACCTAAAGACACATTGATGATAAGTAGGACGCCTGAAGTAACGTGTG TTGTGCTTGATGTAAGCCATGAAGATCCTGAAGTAAAGTTTAATTGGTATGTTGATGGCGTA GAAGTACATAACGCTAAGACGAAGCCACGGGAAGAGCAGTATAACTCAACTTACCGCGTTGT AAGCGTGCTTACCGTCTGTCATCAGGATTGGCTGAATGGTAAGGAATATAAGTGCAAAGTAA GCAACAAAGCATTGGCCGCACCAATAGAGAAGACGATTAGTAAAGCAAAGGCCAGCCAGA

	GAGCCGCAGGTTTATACACTTCCACCAAGCAGAGATGAACTTACGAAGAACCAGGTGTCTCT GACTTGTCTGGTCAAGGGTTTCTATCCTTCCGACATTGCAGTGGAGTGGGAAAGCAATGGGC AGCCCCAAAACAATTATAAGACGACACCTCCAGTGTGGACTCAGACGGTTCCTTTTTCTTG TATTCCAACTTACAGTGGATAAGTCAAGGTGGCAGCAAGGCAACGTATTTTCTTGTAGTGT TTTGCACGAAGCCCTGCATTCCCACTATACTCAAAAGAGCCTCAGTCTGTCCCCAGGAAAGG GAGGGAGTGACAGTTGGCAAGAGGAGGTAATAAAATTGTGTGGCAGAGAGCTTGTGCGCGCT CAGATCGCAATATGCGGGAAATCTACTGGGGTGAGGGTGAGGGCGGCGAGGGAGAGGGGGG CAGTCGCCAAGATTATTCCGCCCTTGCGAATAAGTGTTGTACGTGCGATGTACTAAGAGAT CATTGGCTCAGTTTTGT
152	ATGGAGACGGACACTTTGCTGCTTTGGGTACTGCTGCTTTGGGTTCCTGGATCTACTGGCGA TAAACACACACGTGTCCCCCTGCCGGCTCCAGAGGCGGCTGGTGGTCCCAGCGTATTCT TGTTTTCTCCAAACCTAAGGATACGCTCATGATATCCCGCACCCAGAAGTTACGTGTGTA GTCGTCGACGTGAGTCACGAAGATCCAGAGGTCAAATTTAACTGGTATGTGACGGAGTAGA GGTCCACAATGCGAAAACCAAGCCCAGAGAAGAGCAGTACAACCTCCACGTATCGCGTCGTCT CCGTCTCACCCTACTCCATCAAGATTGGCTGAATGGGAAAGAGTATAAATGCAAAGTATCT AACAAGGCTCTGCCAGCTCCGATAGAAAAGACTATATCAAAGGCCAAGGGGCAGCCAAGGGA GCCTCAAGTCTATACTTTGCCCCATCTCGGGATGAGCTTACGAAAAACCAGGTGAGCCTTA CCTGTCTTGTTAAAGGTTTTTATCCGAGTGACATCGCAGTGGAAATGGGAATCTAATGGTCAA CCTGAAAACAATTACAAAACACACCGCCAGTATTGGACAGCGATGGTAGTTTTTTTTCTTTA CTCAAACTGACTGTAGATAAAAGCAGATGGCAGCAGGGCAATGTCTTTTCATGTAGCGTTA TGCATGAGGCTCTTCACAACCACTATAACCCAAAAGTCATTGTCTCTTAGTCCCGGAAAGGGC GGAAGTGATTCTTGGAAGGAGGAGGTAATCAAGTTGTGCGGGCGAGAGTTGGTACGGGCACA GATCGCGATATGCGGAAAATCCACAGGTGGGGCGAAGGAGGAGGTGAGGGTGAGGTTGAAG GACGACAGTTGTATTCCGCCTTGCGAAACAAGTGTTGCCATGTGGGTTGCACAAAACGCAGT CTTGCCCGCTTCTGT
153	ATGGAGACCGATACGCTGTTGCTGTGGGTATTGCTTCTCTGGGTGCCCGGCTCAACTGGGGA TAAGACACATACATGCCCTCCCTGTCCGGCTCCAGAGGCAGCCGGGGGTCCATCAGTCTTCC TTTTTCCGCCTAAACCTAAGGATACACTGATGATCTCTCGAACACCGGAGGTCACTTGTGTT GTCGTTGACGTATCACATGAGGATCCCGAAGTAAAGTTCAACTGGTATGTGATGGTGTGGA GGTTCATAATGCTAAACTAAACCACGGGAGGAGCAATATAATTCCACATATAGGGTCGTGA GCGTGTTGACGGTGCTTCATCAAGACTGGCTTAATGGGAAGGAATATAAATGCAAAGTGTCA AATAAAGCACTTCCTGCGCCAATCGAGAAAACAATTAGTAAGGCAAAGGGGCAGCCGCGAGA ACCTCAGGTGTACACCTTGCCGCCTTCTAGAGACGAGCTCACAAAGAACCAAGTTTCCCTGA CTTGCCCTCGTTAAGGGGTTTTATCCGTCCGATATAGCCGTGGAGTGGGAGTCAAACGGCCAA CCGAAAATAATTACAAAACGACACCCCAAGTATTGGATAGTGACGGCTCTTTTTTCTTTA TTCTAAGCTGACTGTGGACAAAAGCCGCTGGCAGCAGGGCAATGTCTTTTCATGCAGCGTAA TGCATGAAGCCCTGCACAACCACTACACGCAAAAATCCCTTTCTTGTACCCGGCAAGGGC GGCTCTGACTCCTGGAAAGAGGAAGTTATAAACTCTGTGGCCGAGAAGTTGTTTCGAGCTCA AATCGCGATTTGTGGTAAGTCAACGGGTGGGGCGAAGGTGGAGGCGAGGGTGGGGGAGAAG GAGGAGGCCAGTTGTAAGTCAAGCTCTTGCAATAAGTGTTGCCACGTTGGTTGTACGAAGCGG AGCCTTGCTCGCTTCTGC
154	ATGGAACTGATACTCTTCTGCTGTGGGTCTGCTGCTGTGGGTTCAGGATCTACTGGAGA CAAAACACATACTTGTCCGCCTTGCCCGGCACCCGAAGCGGCCGGCGGACCCAGTGTCTTTC TCTTCCCACCCAAACCGAAAGACACTCTGATGATTTCCAGGACGCCTGAAGTGACCTGCGTT GTAGTTGATGTATCACACGAGGATCCCGAGGTCAAGTTCAATTGGTATGTAGATGGGGTGGA GGTCCATAATGCAAAGACGAAGCCACGGGAGGAACAGTACAACCTACGTACAGAGTTGTCA GTGTTTTGACCGTCCTTCATCAGGATTGGCTGAACGGTAAAGAATATAAATGCAAGGTTAGC AATAAAGCTTTGCCCGCCCCTATAGAGAAAACGATCAGTAAGGCGAAGGGGCAGCCTAGGGA ACCCACAGGTATATACCTTGCCGCCAAGTCGAGATGAGCTGACGAAGAACCAAGTGAGTCTGA CATGCCTCGTGAAGGGCTTCTATCCGAGCGATATCGCTGTGCAATGGGAGAGCAATGGGCAG CCTGAGAATAACTATAAAACAACGCCACCCGTCTCGACTCCGATGGCTCATTCTTCTGTGA

	CAGTAAACTTACAGTAGATAAGAGTAGATGGCAGCAGGGTAACGTCTTTAGTTGCTCCGTGATGCACGAGGCATTGCACAATCATTACACTCAAAAATCTCTGTCCCTGAGTCCGGGCAAAGGC GGTTTCAGATAGCTGGATGGAGGAGGTCATAAAGCTTTGTGGACGAGAACTCGTTTCGCGCCCA GATAGCTATTTGTGGGAAATCAACCGGGGGTGGAGAAGGTGGCGGAGAAGGGGGAGGCGAAG GGCGCCAACCTGTATTCTGCATTGGCTAATAAGTGCTGTACGTAGGATGTACAAAAGGTCT CTGGCGAGATTCTGC
155	ATGGAGACCGACACCCTCTTGTTGTGGGTTCTCCTCTTGTTGGGTGCCCGGCAGTACTGGAGA CAAGACGCACACTTGTCCACCTTGCCCTGCGCCGGAAGCTGCTGGAGGCCCAAGTGTCTTTT TGTTCCCGCCCAAACCGAAGGACACTTTGATGATAAGTCGCACGCCCGAGGTTACCTGTGTG GTTGTGATGTCTCACACGAAGATCCGGAGGTGAAGTTTAATTGGTATGTAGATGGCGTGGA GGTTTCATAACGCCAAAACGAAACCCAGAGAAGAACAATATAACAGTACATATCGAGTAGTAT CCGTTCTCACTGTCTGCATCAAGACTGGTTGAACGGGAAGGAATATAAGTGCAAGGTGAGC AATAAAGCACTCCCGGCCCAATCGAAAAGACCATCAGCAAAGCGAAGGGGCAACCTCGAGA ACCCCAGGTATATACGCTCCCCCTAGTCGGGATGAACTTACTAAAAATCAGGTTAGCCTCA CTTGCCTTGTTAAAGGGTTCTATCCAGTGATATTGCCGTGCAATGGGAATCAAACGGGCAG CCGGAAAATAACTACAAGACAACCCCTCCTGTGCTCGATAGCGATGGCTCTTTTTTCTCTA CAGCAAACCTTACCGTTGATAAGAGCCGGTGGCAACAAGGTAATGTTTTCTCCTGCTCCGTTA TGCATGAAGCACTCCATAACCATTATACCCAAAAAGCCTGTCACTTAGTCCGGGTAAAGGA GGTAGTGATTCTTGGCAGGAGGAGGTAATCAAACCTTTGTGGGAGGGAGCTGGTACGAGCTCA GATTGCTATATGTGGAAGAACGCGGGCGGAGGAGAAGGAGGTGGCGAAGGCGGGGTGAAG GTCGGCAACTCTACTCCGCTCTCGCTAATAAGTGCTGCCACGTCCGGGTGTACGAAGCGCTCC CTGGCGCGATTCTGC
156	ATGGAAACAGATACCCTCCTCCTCTGGGTCTTCTTCTTTGGGTGCCTGGCTCAACTGGAGA TAAACGCACACGTGTCCGCCCTGCCAGCGCCTGAAGCCGCAGGCGGGCCGTCCGTCTTCC TCTTTCTCCAAAACCCAAAGACACACTTATGATCAGTAGGACCCAGAGGTAACCTGCGTC GTGGTTCGACGTTTCCCATGAAGACCCAGAGGTCAAGTTCAACTGGTACGTGACGGTGTGCA AGTACATAATGCTAAAACGAAGCCTCGGGAAGAGCAGTACAACCTCTACCTACCGCGTCGTTT CCGTACTCACCGTACTTCACCAGGACTGGCTTAACGGTAAAGAGTATAAATGCAAAGTATCT AATAAGGCTCTCGCCGCGCCGATTGAGAAGACAATTTCAAAGGCCAAGGGGCGAGCCGCGGGA GCCCAAGTGTATACCTTGCCCCGTCCCGAGATGAGCTGACTAAAAACCAAGTAAGCTTGA CTTGCTTGGTCAAAGGCTTCTACCTTCCGATATAGCTGTGCAATGGGAGTCAAATGGCCAA CCAGAGAACAATTATAAACTACACCCCGGTCTTGGATTCTGATGGCTCATTTTTTCTCTA TTCTAAACTGACCGTGGATAAGTCTCGCTGGCAGCAAGGTAACGTGTTCAAGTTGCTCTGTTT TCACGAAGCACTGCACAGTCATTACACTCAGAAGAGTCTTAGCCTGAGCCCTGGTAAAGGG GGTTCTGATTCTTGGCAGGAGGAAGTAATAAACTCTGTGGCCGGGAGTTGGTACGGGCGCA GATTGCGATATGCGGTAAGAGCACCGGCGGAGGCGAAGGCGGTGGGGAAGGAGGAGGAGAAG GGAGACAACCTCTATTCCGCATTGGCAAATAAGTGCTGCCACGTCCGGGTGTACCAAACGATCC CTTGCACGGTTCTGT
157	ATGGAGACGGACACCCTCCTTCTCTGGGTTTTGCTCCTTTGGGTCCCTGGTTCCACTGGAGA TAAGACCCATACGTGCCCCCTTGCCCTGCGCCTGAGGCAGCGGGTGGCCCATCAGTCTTTT TGTTCCCGCCCAAGCCAAAGGACACCCTCATGATTAGTAGAACACCGGAGGTTACGTGCGTC GTAGTGGATGTGAGCCACGAGGATCCCGAGGTTAAGTTTAACTGGTACGTTGATGGGGTTGA GGTCCATAATGCGAAGACTAAGCCGAGAGAGGAACAGTACAATTCCACGTATAGAGTTGTCT CTGTACTGACTGTGCTGCATCAAGATTGGCTTAACGGTAAGGAGTACAAGTGCAAAGTCTCT AATAAGGCTCTTCTGACCCATTGAGAAAATATAAGCAAAGCAAAGGTCAACCTCGCGA ACCTCAGGTGTACACACTGCCACCCTCTAGGGACGAGCTTACCAAAAATCAAGTATCTCTTA CCTGCCTTGTAAGGGTTTTATCCCTCAGATATTGCGGTTGAGTGGGAGTCTAACGGACAA CCTGAGAACAACATAAGACTACTCCCCGGTGCTTGATTGAGACGGGAGTTTTTTTTTGTA TAGCAAACCTTACCGTCGACAAAAGCCGGTGGCAACAGGGCAATGTATTCAAGTTGTTCTGTAA TGCATGAAGCTTTGCATAATCATTACCCAAAAGAGTCTTCCCTGTCTCCTGGAAAAGGG GGGTCAGACTCCTGGATGGAGGAGGTGATCAAACCTGTGTGGGAGAGAGCTCGTCCGGGCTCA

	GATAGCTATATGCGGCAAGTCTACGGGTGGGGGAGAGGGCGGAGAGAGGGCGGTGGAGAAG GAGGCGGCCAACTCTACAGCGCTCTGGCCAATAAATGTTGTCATGTGCGGGTGTACTAAGCGC TCACTGGCACGCTTTTGC
158	ATGGAAACCGACACCCTTTTGTGTGGGTATTGCTGTTGTGGGTTCCTGGTAGCACGGGGGA CAAGACGCATACATGCCC GCCATGCCCCGGCCCCGAAGCTGCTGGGGGACCATCCGTATTCC TCTTCCCTCCCAAACCAAAAGACACGTTGATGATAAGTAGAACACCAGAGGTAACGTGCGTG GTTGTCGATGTTTCCCACGAAGATCCGGAGGTAAAATTCAATTGGTATGTAGATGGGGTGGA AGTGCACAATGCCAAAACAAAGCCGCGAGAAGAACAATACAATAGTACTTACCGGGTTGTGA GCGTGCTCACGGTGTTGCACCAAGACTGGCTCAACGGCAAGGAATACAAGTGCAAAGTATCT AATAAAGCTCTGCCTGCGCCGATAGAGAAGACCATCAGTAAGGCCAAAGGGCAGCCCCGAGA GCCGCAAGTTTACACTCTTCTCCGAGCAGAGATGAATTGACCAAGAACCAAGTAAGTTTGA CGTGCCTGGTGAAGGGCTTCTACCCCTCAGACATTGCGGTGGAGTGGGAAAGTAATGGTCAA CCGGAAAACAACTACAAGACCACGCCGCCCGTCTCGACTCCGATGGGTCTTTCTTTCTTTA TTCAAAGTTGACAGTAGATAAGTCAAGGTGGCAGCAAGGTAACGTGTTTAGTTGTAGTGTAA TGCACGAGGCCCTGCATAATCATTATACCCAAAAGAGTTTGAGCCTCTCACCAGGAAAAGGC GGATCAGACAGCTGGCAGGAGGAGGTAATTAATTGTGTGGACGGGAGTTGGTCAGGGCGCA AATAGCCATCTGCGGTAAGAGCACGGGTGGAGGAGAGGGTGGAGGGGAAGGTGGGGGAGAAG GCGGCGGGCAGCTCTATTCTGCACTCGCCAACAAGTGTGTACGTGCGATGCACAAAGAGA TCTCTTGCTCGATTCTGC
159	ATGGAGACTGATACTCTTTTGTGTGGGTACTGCTCCTGTGGGTTCAGGCTCCACAGGAGA CAAAACACACACCTGTCCGCCTTGCCCCGGCTCCTGAAGCCGCGGGTGGCCCTAGTGTGTTTT TGTTTCCGCCGAAACCTAAGGATACCCTCATGATAAGCCGGACGCCCCAGGTTACCTGTGTC TGTTGTCGATGTTAGTCATGAGGATCCAGAAGTCAAGTTTAATTGGTACGTGACGGCGTGA AGTCCACAATGCAAAAACAAACCCGCGAGAAGAAGTACAACCTCACCTACAGAGTTGTCT CAGTTTTGACAGTTCTCCATCAGGATTGGCTCAATGGAAAGGAATATAAGTGCAAGGTCAGC AATAAAGCGCTTGCCGCCCTATAGAGAAGACCATTAGCAAGGCGAAAGGACAGCCCCGCGA GCCCCAGGTCTATACGCTGCCTCCTAGCAGAGATGAGCTCACGAAAAATCAGGTCAGCTTGA CATGCTTGGTGAAGGGCTTCTACCCAGTGACATCGCAGTTGAATGGGAGAGCAACGGCCAA CCTGAGAACAACCTACAAAACAACGCCCCCGGTTCTTGACAGCGATGGGTCTTTCTTTCTTTA CTCTAAGCTTACAGTTGATAAAAGCAGGTGGCAGCAGGGGAATGTGTTCTCATGTTCCGTAC TGCATGAGGCTCTGCATTCTCACTACACCCAAAAAAGCCTTAGCCTGAGCCCCGGTAAGGGA GGTAGTGACTCATGGCAAGAGGAAGTGATTAAGCTCTGCGGCCGGGAGTTGGTGAGAGCCCA AATCGCCATTTGCGGTAAGTACCGGAGGGGGCGAGGGAGGAGGCGAAGGTGGAGGTGAAG GAGGTGGACAGTTGTACTCAGCTCTTGCAAATAAATGTTGTCATGTTGGTTGCACGAAAAGA TCTCTTGCGAGGTTCTGT
160	ATGGAGACTGACACTCTTTTGTGTGGGTGCTTCTTCTGTGGGTACCTGGATCCACTGGGGA TAAGACGCATACTTGTCCACCGTGCCCCGCACCGGAAGCGGCTGGTGGTCCATCAGTTTTTC TGTTCCCACCGAAACCTAAGGACACGTTGATGATATCACGGACACCAGAGGTTACGTGCGTA TGTTGGATGTGAGCCACGAGGATCCAGAAGTTAAATTTAATTGGTACGTAGATGGAGTGGA GGTTTCATAATGCGAAGACAAAGCCTCGCGAGGAACAGTATAATTCCACCTATCGCGTCGTAT CTGTGCTTACGGTACTTCACCAAGACTGGTTGAACGGTAAGGAATATAAATGCAAGGTTTCC AATAAAGCACTTCTGCGCCAATTGAGAAGACAATATCCAAAGCTAAAGGTCAACCCAGGGA ACCGCAAGTCTACACTCTCCCCCGTCTCGCGATGAATTGACGAAGAACCAGGTTAGTCTCA CCTGCCTGGTCAAGGGGTTTTACCCCTCTGACATAGCTGTAGAATGGGAGTCTAATGGACAG CCAGAGAACAATTACAAAACGACCCCCCGGTCCTCGATTCTGATGGGAGTTTTTTTTCTTTA TTCAAATTGACTGTGATAAGTCAAGATGGCAACAGGGTAACGTATTTTCTTGCAGTGTTA TGCATGAAGCATTGCACAACCACTATACAAAAAATCATTGAGTTTGAGTCCCGGTAAAGGG GGAAGCGACTCATGGATGGAAGAAGTAATCAAGCTGTGCGGGCGAGAGCTTGTGCGAGCTCA GATAGCAATCTGTGGTAAGTCTACAGGTGGAGAGGGTGGCGGTGAAGAAGGCGGGGGAGAGG GAGGCCAGCTTTATTCTGCCCTGGCTAACAAAGTGTGTACGTTGGATGCACGAAGCGCTCC CTGGCCCCGATTCTGC

161	ATGGAAACCGATACATTGCTTTTGTGGGTCTCCTTCTTTGGGTCTCTGGCTCTACAGGCGA TAAGACGCATACTTGTCCCCCATGTCCCGCTCCGGAAGCCGCTGGCGGGCCCTCCGTTTTTC TGTTCCCGCCGAAACCGAAAGACACCCTGATGATATCACGCACTCCCGAGGTCACTTGCGTG GTAGTCGATGTTAGTCATGAAGATCCTGAGGTCAAATTCAATTGGTATGTAGATGGCGTTGA GGTACACAACGCGAAGACAAAACCCCGAGAAGAACAGTATAACTCAACCTACCGCGTAGTTT CAGTTCTTACCGTACTGCACCAAGACTGGTTGAACGGTAAAGAGTACAAATGTAAAGTCAGC AATAAAGCTTTGCCAGCACCTATCGAAAAAACCATCAGTAAGGCCAAGGGTCAACCCAGGGA GCCGCAAGTGTAACACTCTTCCCCCTAGCAGGGATGAATTGACCAAGAATCAGGTCTCTTTGA CGTGCCTCGTTAAGGGTTTCTATCCCAGCGATATAGCCGTAGAATGGGAGTCTAACGGTCAG CCAGAAAATAACTATAAGACAACCCCGCTGTTTTGGATTCCGACGGCTCTTTTTTTCTCTA CTCTAAGTTGACCGTTGATAAGAGCAGATGGCAGCAGGGAAACGTATTTTCTTGTTCCGTGA TGCACGAAGCCCTGCACAATCACTATACGCAAAAGTCTCTGAGCTTGAGTCCGGGTAAAGGC GGTTCTGACTCCTGGCAGGAGGAAGTCATAAACTCTGCGGAAGAGAGCTCGTAAGGGCGCA AATCGCTATTTGTGGTAAGAGCACCGGTGGGGAAGGAGGCGGTGAAGAGGGTGGCGGCGAGG GTGGGCAATTGTATTCCGCGCTTGCCAATAAATGTTGTACGTAGGCTGCACAAAGCGAAGT CTCGCTAGGTTCTGC
162	ATGGAAACCGACACCTTGCTTTTGTGGGTGCTCTTGCTGTGGGTCCGGGGAGCACTGGCGA CAAGACCCACACATGTCCCCCGTGTCCGGCACCAGAAGCAGCGGGGGACCGTCAGTATTCT TGTTTTCCACCGAAGCCCAAAGACACATTGATGATTTACGAACCTCCTGAAGTTACCTGTGTG GTTGTAGATGTATCACACGAAGACCCAGAAGTCAAATTCAATTGGTATGTGACGGGGTTGA AGTTCACAATGCGAAGACGAAGCCCCGGGAGGAACAGTACAACAGCACGTACAGGGTTGTGA GCGTTCTTACTGTATTGCACCAAGATTGGCTCAACGGCAAGGAGTATAAATCTAAAGTCTT AATAAGGCTCTTCTGCCCCAATTGAAAAGACGATATCTAAAGCGAAGGGCCAACCCAGGGA ACCTCAGGTGTACACACTTCCGCCTAGCAGGGATGAGTTGACCAAGAATCAAGTCTCTTTGA CGTGCCTGGTCAAGGGGTTTTACCCATCAGATATCGCCGTGCAATGGGAGTCAAACGGACAA CCCGAAAATAACTATAAACTACTCCACCAGTTCTGGATAGCGACGGCTCATTTTTTTCTGTA TTCAAAGCTCACTGTAGACAAGTCTAGGTGGCAGCAGGGTAATGTCTTCTCCTGCTCAGTAA TGCATGAGGCTCTTCACAACCACTATACTCAAAGAGCCTTTCCCTGTACCTGGCGGTGGA AGCGACTCATGGATGGAGGAGGTAATAAAGCTCTGCGGAAGAGAAGTGGTACGCGCACAAAT CGCAATTTGTGGTAAGAGTACTGGCGGGGAAGGAGGTGGGGAAGAAGGGGGCGGTGAGGGCG GACAGCTCTATTCTGCACTTGCAAACAAATGTTGCCACGTGGGATGTACTAAGCGAAGCCTT GCAAGATTCTGC
163	ATGGAGACCGACACACTGTTGCTGTGGGTACTCCTCCTGTGGGTGCCAGGAAGCACGGGCGA TAAACCCACACATGCCCTCCATGCCCTGCTCCAGAGGCCCGCGGTGGGCCATCAGTTTTCT TGTTTTCCGCCTAAACCAAAGGACACGCTTATGATCTCCAGGACCCCGAAGTTACGTGTGTG GTGGTTGATGTTAGTCACGAGGACCCGGAAGTCAAGTTCAACTGGTACGTTGATGGTGTAGA GGTGCACAATGCAAAGACGAAGCCACGCGAAGAACAATACAACAGCACATATCGAGTTGTGA GCGTACTCACGGTACTGCATCAGGACTGGCTGAACGGTAAAGAATACAAATGTAAAGTCTCC AATAAGGCACTTCTGCGCCGATAGAAAAAACGATCAGTAAGGCCAAGGGCCAACCCGAGA ACCACAGGTATATACGCTCCCACCGTCACGAGACGAGTTGACAAAAAATCAGGTCTCCCTGA CTTGCCTCGTGAAAGGTTTTTATCCCTCAGATATTGCTGTTGAGTGGGAAAGCAATGGGCAG CCAGAGAATAATTATAAGACGACTCCTCCGGTTTTGGATTCCGACGGTAGTTTTTTCTTGTA TAGTAAGCTTACTGTAGACAAGTCAAGATGGCAACAAGGTAATGTGTTCTCTTGCTCAGTTA TGCATGAAGCTCTTCATAACCATTACACGCAAAAGAGTCTCAGTCTGAGCCCCGGTGGCGGT AGCGACAGTTGGCAGGAAGAGGTGATTAAGTTGTGCGGTCGCGAGCTCGTTCGGGCCCAAAT TGCAATCTGCGGAAAATCTACGGGCGGAGAGGGCGGGGGTGAAGAGGGTGGGGGTGAAGGTG GGCAGCTCTATAGCGCCCTTGCGAATAAATGTTGTACGTGCGATGCACAAAGAGGTCCCTC GCCAGGTTCTGC
164	ATGGAAACTGACACACTGTTGCTGTGGGTGCTGCTCCTTTGGGTACCCGGATCAACCGGGGA TAAGACCCACACTTGCCCCCTTGCCCTGCCCCGAAGCGGCCGGAGGTCTTTCAGTATTTT TGTTTTCCACCGAAGCCCAAAGATACTTTGATGATATCAAGAACTCCTGAAGTCACCTGCGTG

	GTAGTTGACGTATCTCATGAGGATCCCGAGGTGAAGTTCAATTGGTACGTGATGGCGTCGA GGTTCATAACGCTAAGACTAAGCCGAGGGAAGAGCAATATAATTCCACTTATAGGGTGGTGT CCGTCTTGACTGTTTTGCACCAGGATTGGTTGAACGGGAAAGAGTACAAATGTAAGGTGAGT AATAAAGCTTTGGCTGCTCCCATCGAAAAGACAATAAGCAAGGCCAAGGGGCAACCTCGGGA GCCGCAGGTGTACACCTTCTCTCCAGTAGAGACGAACTGACAAAAAACCAGGTGTCCCTGA CCTGCCTTGTGAAGGGGTTTTACCCGAGCGACATAGCGGTTGAATGGGAGAGCAACGGGCAA CCCGAGAACAACACTACAAAACACTACCCGCTGTCTCTGGACTCCGATGGAAGCTTCTTCTCTA CTCCAAACTGACCGTGGACAAAAGCAGATGGCAACAAGGAAACGTATTCTCATGCTCAGTAA TGCACGAAGCATTGCACAATCACTACACCCAAAAGTCCCTCTCACTCTCCCCTGGTAAGGGC GGATCAGACTCATGGCAAGAGGAGGTAATTAAGTTGTGCGGGAGGGAGCTCGTCCGCGCGCA AATAGCCATTTGTGGCAAGTCCACTGGAGGAGGCGAGGGTGGAGGAGAGGGTGGTGGGGAGG GCAGGCAACTCTACAGTGCCTCGCCAATAAATGCTGCCATGTTGGGTGCACGAAGCGCAGT CTCGCACAATTCTGC
165	ATGGAGACCGACACTCTGCTGCTCTGGGTACTCTTGCTGTGGGTGCCTGGGTCTACTGGGGA TAAGACCCACACGTGTCCTCCATGTCCGGCACCGGAGGCTGCTGGCGGGCCTTCTGTATTCC TCTTCCCACCCAAGCCAAAAGACACATTGATGATATCAAGGACGCCGGAAGTCACCTGTGTT GTTGTGGACGTTTTCCCATGAAGACCCAGAGGTAAAATTCAATTGGTATGTGGACGGCGTAGA GGTTCACAACGCCAAAACCAAACCCCGAGAGGAACAGTATAATAGCACATATCGAGTAGTAT CTGTTCTCACAGTGCTCCATCAAGACTGGCTTAATGGTAAAGAGTATAAATGCAAAGTTTCC AATAAAGCCCTCGCTGCACCGATCGAGAAGACAATCAGTAAAGCGAAGGGCCAGCCTCGGGA ACCGCAGGTGTATACTCTTCCACCCTCAAGAGACGAGCTCACTAAAAACCAAGTTTCATTGA CATGCCTCGTCAAAGGTTTTCTACCCATCAGACATCGCGGTGCAATGGGAAAGTAATGGGCAG CCGGAACAACTATAAAACGACGCCGCCGCTCTTGATTCTGATGGTTCAATTTTTCTTTA CTCTAAATTGACCGTCGATAAAAAGTAGGTGGCAACAAGGAAATGTTTTTCTGCTCCGTCC TGCATGAAGCGTTGCACAGTCACTATACCCAGAAGAGTCTTTCTTTGTACCCGGAAGAGGC GGTTCAGATTTCATGGCAGGAAGAAGTAATTAACCTCTGTGGCCGCGAGCTTGTTAGGGCGCA GATAGCCATATGTGGTAAAAGCACCGGAGGAGGTGAAGGCGGAGGCGAAGGAGGTGGGGAAG GAAGACAATTGTATTCTGCACTTGCAAATAAATGCTGTCATGTGGGTGCACGAAACGCAGT CTTGACACAATTTTGT
166	ATGGAAACCGATACGCTGCTTCTTTGGGTTCTTCTCCTCTGGGTTCCAGGGTCCACCGGCGA CAAAACCCATACCTGCCCCCTTGCCCTGCACCAGAAGCGGCGGGAGGACCTAGCGTTTTTC TTTTTCTCCGAAACCGAAAGATACCCTCATGATATCAAGAACACCTGAGGTTACTTGCGTT GTCGTGGACGTGAGTCACGAAGACCCCGAGGTGAAGTTCAACTGGTATGTAGATGGAGTGGA GGTCCATAATGCAAAAACGAAACCGAGAGAAGAACAATACAACTCTACATATCGAGTCGTGT CAGTACTCACGTTTTTGATCAAGATTGGCTGAACGGTAAGGAGTACAAGTGTAAGGTTAGC AACAAGGCTCTCGCGGCGCCGATAGAAAAGACTATAAGTAAAGCAAAAGGCCAGCCCAGAGA ACCTCAAGTTTACACTCTGCCTCCCAGCAGAGATGAACTGACTAAAAATCAGGTTTCATTGA CCTGTCTCGTCAAGGGTTTTATCCAAGCGACATAGCAGTTGAATGGGAAAGCAACGGTCAA CCAGAAAATAATTACAAAACCACTCCACCAGTCTTGACTCTGACGGATCCTTCTTTCTCTA TTCAAAATTGACGGTGGATAAATCTAGGTGGCAGCAAGGCAACGTCTTCTCTGTAGCGTTA TGCATGAGGCGCTGCACAACCACTACACACAAAAGTCTCTTAGTTTGAGCCCGGGCGGCGGA AGCGACTCTTGGAAGAGGAAGTGATAAACTCTGTGGTCGAGAATTGGTACGCGCGCAGAT CGCTATCTGCGGCAAGTCCACAGGGGGAGGGGAAGGTGGCGGGGAAGGTGGTGGCGAGGGCA GGCAGTTGTATAGTCACTTGCCAACAAGTGCTGCCATGTGGGTGCACCAAGCGCAGTTTG GCACGGTTCTGC
167	ATGGAAACGGACACCCTTCTGCTCTGGGTACTGCTGCTCTGGGTTCTGGTTCTACCGGTGA TAAAACTCACACTTGTCCCCGTGTCCGGCACCGAAGCCGAGGAGGGCCATCTGTCTTTC TTTTTCCCCAAAACCAAGGATACACTGATGATCTCCCGCACTCCCGAAGTTACTTGTGTC GTAGTAGACGTTTTCTCACGAGGACCCAGAGGTGAAATTCAATTGGTATGTTGACGGAGTAGA GGTGCATAATGCCAAGACAAAGCCCCGAGAGGAACAATACAATTCAACCTACAGAGTAGTGT CCGTTCTTACGGTTCTCCATCAGGATTGGCTCAACGGTAAGGAATATAAGTGCAAGGTAAGC

	AACAAAGCGCTGGCCGCACCCATTGAGAAAACCATTTCAAAGCTAAAGGCCAACCCCGCGA ACCACAAGTTTATACTCTCCCCCAAGTCGCGATGAACTTACAAAAAATCAAGTCTCATTGA CGTGCTTGGTCAAAGGCTTCTACCCGAGCGATATCGCTGTTGAATGGGAGTCTAATGGACAA CCGGAAAATAACTATAAACTACACCCCCAGTCCTCGATTACAGACGGCAGCTTCTTCCTGTA TTCAAAGTACGCGTTGACAAATCACGCTGGCAACAGGGTAACGTTTTTCTGTAGCGTTC TTCATGAAGCCTTGACAGTCACTACACCCAGAAGTCCCTTAGCTTGTACCTGGCGGGGGT TCAGACTCTTGGCAGGAGGAGGTAATCAAAGTGTGCGGAAGAGAAGTGGTGAGGGCTCAGAT TGCAATTTGTGGGAAGAGCACGGGTGGCGGTGAAGGAGGTGGCGAGGGCGGAGGAGAGGGGA GGCAACTCTACAGTGCCTTGGCTAATAAATGCTGTACGTCGGCTGTACTAAGAGAAGCCTC GCCAGATTTTGC
168	ATGGAAACAGATACTTTGTTGCTGTGGGTACTCCTCCTCTGGGTACCTGGGAGCACCGGGGA CAAGACGCATACTTGCCCTCCGTGCCCTGCACCAGAAGCCGCTGGTGGCCCATCTGTGTTTT TGTTCCCCCTAAGCCAAAAGACACATTGATGATTTACGAACTCCAGAAGTGAAGTGGCGTA GTTGTTGACGTATCACACGAAGACCCCGAGGTAAATTTAATTGGTATGTGGACGGGGTCGA GGTGCATAACGCCAAAACCAAACCCCGGGAGGAACAATATAACTCTACGTATCGGGTCGTAT CTGTGTTGACCGTCCTTACCAAGATTGGTTGAACGGCAAGGAATATAAGTGTAAAGTGTCT AATAAAGCATTGGCTGCCCCGATAGAAAAGACGATCTCTAAAGCCAAGGGCCAACCCAGAGA GCCTCAAGTATATACTCTCCACCGAGTCGAGATGAGCTCACTAAGAACCAGGTGTCACTCA CGTGTCTGGTTAAAGGATTTTACCCTAGTGATATAGCCGTCGAGTGGGAATCAAATGGGCAG CCGGAGAATAACTATAAGACCACGCCTCCAGTTCTCGATTCCGATGGTAGCTTTTTCTTTTA CTCTAAACTTACGGTCGACAAGTCCAGGTGGCAACAGGGCAATGTATTTCTTGCTCCGTCA TGCACGAGGCTTTGCACAACCATTACACGCAAAAGTCACTGTCCCTGTCTCCTGGAGCGGT TCTGACAGTTGGCAGGAGGAGGTAATCAAATTGTGTGGCGGGAGTTGGTTAGGGCGCAAT TGCTATTTGCGGCAAAAGTACTGGGGGCGGTGAAGGCGGAGGCGAGGGAGGAGAAGGTC GACAAGTGTATTCTGCCTTGGCGAACAATGCTGTACGTCGGCTGTACGAAACGGTCTTTG GCCAGTTTTGT
169	ATGGAAACTGACACTCTTCTGTTGTGGGTCTTCTGCTGTGGGTCTCTGGCTCTACTGGAGA TAAGACACACACTTGTCCGCCATGCCCTGCGCCGGAAGCGGCGGGAGGACCGTCCGTTTTCC TGTTCCCTCCCAAACCCAAAGACACGTTGATGATTAGTCGCACGCCAGAAGTTACGTGCGTT GTCGTAGATGTATCCACGAAGACCCCGAGGTGAAGTTCAATTGGTATGTAGATGGGGTGGA GGTCCATAACGCTAAGACCAAACCACGCGAGGAACAATATAATTCTACGTACCGCGTAGTGA GCGTTCTCACAGTTCTTACCAGGATTGGCTTAACGGCAAGGAGTATAAGTGTAAAGTGTCT AATAAGGCCTTGGCTGCCCCGATCGAAAAACGATAAGTAAAGCAAAGGGTCAACCTAGAGA ACCCCAAGTGTACACTCTCCCGCCATCACGGGATGAATTGACTAAGAACCAAGTGTCACTCA CGTGTCTTGTAAAGGGCTTCTACCCATCCGATATAGCCGTTGAGTGGGAATCCAATGGTCAG CCAGAGAACAACTATAAGACAACTCCGCCCCGACTTGATAGTGACGGTTCCTTTTTCTTTTA CAGTAAATTGACGGTAGATAAGTCTCGCTGGCAGCAAGGAAACGTCTTTCTTGTTCAAGTGC TTCATGAGGCGCTTCACTCACACTATACTCAGAAGAGTTTGAGTTTGTCTCCAGGTGGAGGC AGCGACTCATGGCAAGAGGAAGTAATCAAAGTGTGTGGTCGCGAATTGGTACGAGCACAGAT CGCGATCTGCGGGAAATCAACAGGTGGCGGCGAAGGCGGCGGGGAAGGCGGCGGCAAGGTA GGCAACTTTACTCAGCCCTTGCGAACAATGTTGCCACGTAGGCTGTACTAAGAGAAGTCTC GCCAGTTTTGC
170	ATGGAGACAGATACCCTTCTGTTGTGGGTCTTCTGCTTTGGGTGCCGGGAAGTACAGGCGA CAAGACTCATACTGCCCCCTTGTCCAGCACCAGAAGCAGCTGGCGGGCCAAGCGTGTTCC TGTTTTCCACCTAAGCCCAAAGATACGTTGATGATCAGCCGCACCCCGGAAGTAACCTGTGTA GTAGTAGATGTGTCCACGAAGACCCCGAAGTAAAGTTTAATTGGTACGTGATGGTGTGTA AGTACATAACGCTAAAACGAAGCCCCGAGAAGAGCAGTACAACAGTACTTACAGAGTAGTTT CTGTTCTTACAGTGCTGCATCAGGATTGGCTGAACGGGAAGGAGTATAAATGTAAAGTCTCA ACAAGGCACCTTGCGGCACCAATAGAGAAGACAATATCTAAGGCCAAAGGGCAGCCTAGAGA GCCACAAGTATATACGCTGCCCCCAGCAGGGACGAGCTGACAAAGAACCAAGTGTCACTGA CCTGCCTTGTAAAGGGCTTCTATCCGAGTGATATTGCTGTTGAATGGGAAAGTAACGGACAG

	CCGGAGAACAACACTATAAACTACTCCACCCGTGTTGGATAGTGACGGTAGCTTTTTTCTGTA CTCCAAGTTGACGGTAGACAAAAGTCGGTGGCAGCAGGGGAACGTATTTTCTTGTTCTGTCA TGCACGAAGCTCTTCACAATCACTATACGCAGAAGTCCCTCTCTCTCTCTCTCTCTGGGAAGGGT GGTTCCGACAGCTGGCAGGAGGAGGTCATTAACTGTGTGGTAGAGAGCTGGTACGGGCTCA AATTGCAATTTGTGGTAAGAGTACTGGCGGTGGCGAGGAAGGGGGTGGGGAGGAGGGCGGAG GTAGGCAGCTCTACTCTGCTCTCGCCAACAAGTGTTGTACGTCTGGGTGTACTAAAAGATCA CTTGCCCGCTTTTGT
171	ATGGAACCGATACCCCTGCTCTTGTTGGGTCTCTGCTTTGGGTCCCAGGTTCCACAGGCGA CAAAACACATACATGCCC GCCGTGTCCGGCGCCTGAAGCAGCAGGAGGCCCCAGTGTATTCC TTTTCCCTCCAAAGCCAAAAGATACGTTGATGATATCTAGGACACCTGAGGTTACCTGCGTC GTAGTGGACGTATCCACGAAGACCCAGAAGTCAAGTTTAACTGGTATGTGGACGGAGTGGA GGTACACAATGCAAAGACAAAGCCGCGAGAGGAACAATATAATTCCACCTATAGAGTCGTGT CAGTCCTTACGGTCTTGCAACCAGGACTGGCTCAATGGTAAGGAGTATAAGTGCAAAGTATCA AACAAAGCTCTCGCAGCGCCCATCGAAAAGACCATCAGCAAAGCTAAGGGCCAGCCAAGAGA GCCTCAAGTGTACACGTTGCCGCCTTCAAGGGACGAGCTCACTAAAATCAGGTATCACTTA CGTGTCTTGTCAAAGGGTTTTATCCTTCCGACATCGCGGTTGAATGGGAGAGCAATGGACAG CCGGAGAATAATTATAAAACGACGCCGCCGGTCTTGACAGCGATGGTTTCATTTTCTTTTA CTCAAAGCTGACGGTTGATAAGTCTAGGTGGCAGCAGGGGAACGTCTTTTCTGTAGTGTAC TTCATGAGGCGCTCCATTCTCATTACACTCAGAAGTCACTGAGCCTTTCACCCGGCAAAGGT GGATCAGACTCCTGGCAAGAAGAGGTAATCAAACCTCTGTGGGAGGGAACCTCGTTCGAGCCCA GATTGCAATCTGTGGGAAAAGCACAGGCGGAGGGGAAGAAGGGGGTGGCGAAGAAGGTGGGG GCAGGCAGCTCTATTCAAGTCTTGCCAACAAATGCTGTATGTAGGCTGCACAAAGCGATCA CTGGCGAGATTCTGT
172	ATGGAACCGACACCCCTGCTGCTCTGGGTTCTTCTCCTCTGGGTTCCCGGCTCAACCGGAGA TAAAACTCATACTTGCCCAACCCTGCCCGGCTCCCGAGGCAGCAGGTGGACCCCTCAGTATTTT TGTTCCCTCCGAAACCTAAAGATACACTTATGATTAGCCGGACCCCTGAGGTAACGTGTGTG GTGGTTGACGTAAGTCATGAAGATCCAGAAGTAAAGTTTAACTGGTACGTAGACGGTGTGGA GGTACATAATGCGAAGACAAAACCACGAGAGGAACAGTATAACTCTACCTACCGCGTAGTAA GCGTACTTACTGTGCTCCACCAAGACTGGCTTAACGGGAAAGAGTATAAGTGTAAGTCACT AATAAAGCACTGGCCGCCCGATCGAAAAACAATCAGCAAGGCCAAAGGACAACCAAGGGA GCCTCAGGTCTATACTCTTCCCCGAGTAGGGATGAGCTTACCAAGAACCAGGTGTCTCTGA CATGCCTTGTCAGGGATTTTACCCGAGTGACATAGCCGTAGAATGGGAGTCAAACGGCCAA CCTGAAAACAACACTATAAGACCACGCCTCCCGTACTCGACTCAGATGGAAGCTTTTTCTCTA TAGCAAGCTGACCGTCGACAAAAGTAGGTGGCAACAGGGAAACGTCTTTAGTTGTTCCGTCA TGCACGAAGCTTTGCATAACCATTACACCCAGAAGAGTCTTTCCCTTTCCCCTGGCAAGGGG GGCTCCGACTCCTGGCAAGAGGAAGTAATCAAACCTGTGTGGGCGCGAGCTTGTCCGCGCGCA AATAGCCATTTGCGGAAAAAGTACTGGAGGAGGAGAGGAAGGCGGCGGAGGAAGGTGGGG GCAGGCAGCTGTACAGTGCCTTGGCTAACAAAGTGTGCCATGTCTGGCTGTACGAAAAGGTCT CTTGCTCAATTCTGT
173	ATGGAACCTGATACTCTTCTCCTTTGGGTGCTCCTCCTCTGGGTTCCCGGTTCCACAGGCGA TAAGACACATACCTGTCCACCCTGCCCAGCACCTGAAGCTGCAGGCGGCCCCAGCGTATTCC TGTTTTCTCCGAAGCCGAAAGACACACTTATGATTTCCCGGACGCCTGAGGTAACCTGCGTC GTAGTAGATGTGTCTCACGAAGACCCCGAGGTGAAATTCAACTGGTACGTTGATGGTGTGGA AGTTTCATAATGCGAAAACTAAACCACGAGAGGAGCAATATAACTCAACTTATAGAGTTGTGA GCGTCTTGACGGTACTGCACCAGGACTGGCTGAATGGCAAAGAGTACAAATGCAAAGTCTCA AATAAGGCGTTGGCGGCTCCCATAGAGAAAACCTATCAGCAAAGCCAAGGGTCAACCTCGGGA GCCACAAGTGTATACTCTTCCGCCTAGTCGCGACGAGCTCACAAGAATCAGGTGAGTCTTA CTTGTTTTGGTTAAGGGTTTTCTACCCAGTGACATTGCGGTGAGTGGGAAAGTAACGGACAG CCTGAAAACAACACTATAAAACAACGCCTCCAGTACTCGATTGAGATGGTTTCACTTTCTTTA TTCCAAACTCACAGTCGACAAGAGTAGATGGCAACAAGGGAACGTGTTTAGCTGTAGCGTAC TCCATGAGGCACTCCACTCTCACTATACCCAAAAGTCTCTCAGCTTGTACCCGGAAAAGGC

	GGTTCTGACAGTTGGCAAGAGGAAGTGATTAAATTGTGTGGGCGGGAACCTTGTGAGGGCTCA AATCGCGATTTGCGGCAAGTCCACTGGTGGCGGCGAGGAAGGAGGAGGTGAAGAAGGAGGAG GTAGGCAACTGTATTACGCGTTGGCGAATAAATGCTGCCATGTTGGATGTACTAAACGGAGC CTTGCTCAGTTCTGC
174	ATGGAAACTGACACCTTGTTGCTTTGGGTATTGCTTCTGTGGGTTCGGGGTAGCACGGGTGA TAAACGCATACTTGCCCTCCTTGCCCGGCACCTGAAGCTGCCGGAGGTCCCTCCGTGTTCC TGTTCCCACCTAAGCCAAAAGACACACTTATGATTTCTCGCACACCAAGTAACGTGCGTC GTAGTTGACGTCTCCCATGAAGACCCGGAGGTAAAATTTAATTGGTACGTGACGGGGTAGA AGTTTATAACGCAAAGACTAAACCACGAGAAGAGCAATACAACCTCTACATACAGAGTAGTAA GCGTTCTCACCGTTCTTCATCAAGATTGGCTCAACGGAAAGGAGTATAAGTGTAAGGTGTCC AATAAAGCGTTGGCCGCACCAATCGAAAAGACCATAAGCAAAGCCAAAGGCCAACCCGCGA ACCGCAGGTGTACACACTTCCCCCGTCCAGGGATGAATTGACAAAAAACCAAGTTTCCCTCA CGTGTCTCGTCAAGGGATTCTACCCGAGTGATATCGCAGTTGAATGGGAAAGCAATGGTCAG CCCAGAAATAACTACAAGACTACTCCCCCTGTGTTGGACTCAGACGGCTCATTCTTCCTCTA CAGTAAGTTGACTGTGGACAAAAGTCGGTGGCAGCAAGGCAATGTCTTCAGTTGTAGTGTA TGCATGAAGCACTCCACAATCATTACCCCAAAAATCCCTGAGCCTGTCCCCGGGCGGAGGT TCAGATTATGGCAGGAGGAAGTTATAAACTGTGCGGGCGCGAGTTGGTGAGGGCGCAGAT CGCAATCTGTGGAAAGAGTACGGGAGGTGGCGAAGAGGGTGGTGGAGAAGAGGGAGGAGGTC GACAACTGTATTCCGCGCTCGCGAACAAGTGTGGCACGTTGGCTGCACCAAACGAAGCCTG GCTCGATTTTGC
175	ATGGAGACTGACACCCTTCTCCTCTGGGTCTCTTGTCTTTGGGTCCCTGGCTCTACTGGTGA CAAGACACACACTTGTCCACCTTGCCCGGCTCCCGAGGCGGCAGGAGGACCAAGCGTTTTTC TGTTCCCTCCCAAACCAAGGATACGCTTATGATCTCTCGAACGCCGGAAGTTACTTGCGTA GTAGTTGATGTCTCCCATGAAGATCCCGAAGTGAAGTTCAACTGGTATGTAGATGGTGTGGA AGTTTATAACGCGAAAACCAAACCACGCGAAGAACAGTATAACAGTACTTATCGGGTTGTTT CAGTACTCACGGTGCTCCATCAAGACTGGCTTAATGGAAAGGAGTATAAATGTAAGGTAAGT AACAAGGCATTGGCGGCTCCCATCGAGAAGACAATCTCCAAAGCAAAGGGCAACCACGGGA GCCTCAGGTGTATACGTTGCCGCCAGCAGAGATGAACTTACTAAGAATCAGGTGAGTCTCA CTTGTCTCGTCAAGGGCTTCTATCCAGCGATATAGCCGTAGAATGGGAGAGTAACGGTCAG CCGAGAAACAATAACAAACAACCCCGCTGTTTTGGACTCCGATGGGAGTTTTTTTTCTCTA CAGCAAACCTCACGGTAGACAAAAGCAGGTGGCAGCAGGGCAATGTTTTCAGTTGCTCTGTTT TCCACGAAGCCCTCCACTCCCACTATACTCAGAACTCTCTGAGTCTCTCACCAGGGGGAGGT AGCGATAGCTGGCAGGAGGAAGTGATCAAGTTGTGCGGGCGCGAACTCGTGCGGGCACAAAT TGCTATATGCGGTAAAAGTACGGGAGGTGGAGAGGAGGGTGGAGGTGAAGAAGGCGGTGGTA GACAATTGTATAGTGCCTCGCCAACAAGTGTGTGTCATGTGCGGTGTACGAAACGGTCCTTG GCGCGGTTTTGC
176	ATGGAAACTGACACACTTCTTCTGTGGGTACTCTTGTTGTGGGTTCGGGGCTCAACGGGTGA CAAGACACATACTTGTCCACCATGTCCCGCCCCAGAAGCTGCGGGAGGACCATCAGTTTTTT TGTTCCCCCGAAACCGAAGGATACCCTCATGATAAGTCGAACGCCCGAAGTCACTTGCGTG GTGGTTGATGTTAGCCACGAGGACCCAGAAGTGAAGTTCAACTGGTACGTGGACGGGGTCGA AGTTTATAATGCGAAAACAAAGCCTCGCGAGGAACAGTACAACCTCTACATACAGGGTTGTGT CTGTTTTGACAGTCTTGACCAAGATTGGCTCAACGGGAAGGAATATAAGTGTAAGGTAAGC AATAAAGCACTGGCGGCCCGATCGAAAAACGATATCCAAGGCCAAGGGCCAGCCCCGAGA GCCTCAGGTATATACTCTGCCGCCAAGCCGGGATGAACTGACTAAAAACAGGTCTCTTTGA CTTGTCTTGTCAAGGGATTTTACCCAAGTGACATTGCGGTAGAGTGGGAAAGCAACGGTCAA CCAGAAAACAATTACAAGACGACACCGCCGGTACTCGACTCAGATGGATCCTTTTTCTGTGA TAGCAAGCTGACAGTGGACAAGTCCCGGTGGCAGCAAGGGAACGTATTTTCATGCAGCGTGA TGCATGAGGCTCTTACAACCATTAACACAGAAAAGTCTGTATTGAGCCCTGGCGGCGGG AGCGATTCTTGGCAAGAAGAAGTTATAAACTTTGCGGTGAGAGCTGGTTCGGGCACAAAT TGCTATCTGCGGAAAATCTACAGGAGGAGGCGAGGAGGGAGGGGGCGAAGAAGGCGGGGGGA

	GACAGTTGTACAGTGCGCTCGCTAACAAGTGTTGCCACGTCGGTTGCACAAAGAGATCCCTG GCTCAATTCTGT
177	ATGGAGACAGATACTCTCTTGCTGTGGGTGCTGCTCTTGTTGGGTTCCCTGGAAGTACCGGTGA TAAAACTCACACCTGTCCCCCGTGTCCCGCACCAGAAGCGGCCGGTGGTCCCTCCGTTTTTC TCTTCCCTCCTAAACCTAAGGACACACTTATGATTAGCAGAACTCCAGAAGTTACGTGCGTA GTCGTTGACGTTAGTCATGAAGATCCTGAGGTTAAGTTCAACTGGTACGTAGACGGAGTAGA GGTCCACAACGCCAAGACGAAACCCCGAGAAGAGCAGTATAATTCTACCTATCGAGTTGTTT CAGTATTGACGGTGCTTACCAAGATTGGCTGAATGGCAAAGAGTATAAGTGCAAGGTAAGC AACAAAGCACTCGCGGCTCCTATCGAGAAAACCTATTTCCAAAGCTAAGGGCCAGCCTCGCGA ACCACAAGTCTATACCCTGCCACCGAGTCGGGACGAACTCACCAGAACCAAGTGTCTCTTA CTTGCCTCGTTAAAGGTTTTTATCCCAGCGACATAGCCGTCGAATGGGAGTCCAATGGCCAA CCTGAGAACAACCTATAAACTACCCCTCCTGTACTTGATAGCGACGGAAGTTTTTCTCTA TTCAAACTCACAGTTGATAAGTCTCGATGGCAACAGGGCAACGTCTTCTCTTGCAGTGTGT TGCATGAAGCTCTGCACTCTCATTACACACAGAAGAGTTTGTCTCTCAGTCCAGGTGGCGGC TCAGATAGCTGGCAGGAAGAAGTAATCAAGTTGTGCGGCAGGGAAGTGGTAAGGGCACAGAT AGCCATTTGTGGAAAATCTACGGGTGGCGGTGAGGAAGGCGGCGGAGAAGAAGGGGGAGGTC GGCAGCTGTATAGTGCACTCGCAAACAAGTGCTGCCATGTGCGGTGCACCAAGCGATCCCTT GCCCAGTTTTGC
178	ATGGAAACTGATACGCTCCTCCTTTGGGTCTTCTCCTCTGGGTACCCGGAAGCACTGGTGA CAAAACGCACACCTGTCCACCGTGTCTGCTCCAGAGGCGGCCGGGGACCGTCCGTTTTCC TTTTTCTCCCAAACCTAAGGATACCCTTATGATCTCTCGCACGCCCGAGGTTACCTGTGTT GTGGTTGACGTGTCCCATGAAGACCCGGAAGTAAAATTTAATTGGTACGTGGACGGGGTCTGA GGTTCATAACGCAAGACCAAGCCACGAGAGGAGCAATATAATTCCACCTATCGCGTAGTCT CCGTCTCACCGTGCTTACCAGGATTGGCTCAACGGGAAGGAATACAAATGTAAAGTCAGT AATAAGGCTTTGGCGGCCCGATTGAGAAGACTATAAGTAAGGCTAAGGGACAGCCACGAGA ACCGCAAGTTTATACATTGCCCCCTCTAGGGATGAGTTGACTAAGAATCAGGTGTCACTCA CTTGTCTGGTAAAAGGGTTCTACCCGTCCGACATCGCTGTGGAATGGGAAAGCAATGGGCAA CCTGAAAATAATTATAAGACAACCCCTCCGGTGCTTGATAGCGACGGATCATTCTTTCTCTA TTCCAAGCTTACTGTAGATAAGAGTCGATGGCAACAGGGGAACGTATTAGTTGCTCTGTTC TCCATGAGGCCCTGCATAGTCACTACACCCAAAAAAGCCTTAGTTTGGTCCCAGGAAAGGA GGCTCCGATTCTTGGCAAGAAGAGGTAATAAAGCTGTGTGGACGAGAACTTGTCCGAGCACA AATTGCGATTTGTGGCAAATCTACAGGAGGGGGAGAAGGAGGCGGCGAAGGGGGAGGCGAGG GCAGGCAGGATTATTCCGCTCTGGCGAACAATGTTGCCATGTTGGATGCACGAAACGAAGC CTGGCTCAGTTTTGC
179	ATGGAAACCGACACCCTCCTCCTTTGGGTACTTCTTCTCTGGGTCCGGGTAGTACAGGAGA TAAACGCATACCTGCCCACCGTGTCTGACCTGAGGCCGCTGGAGGACCTTCCGTCTTCC TCTTCCACCCAAGCCGAAAGACACACTCATGATTAGTAGAACTCCAGAGGTACGTGTGTT GTGGTGGACGTCACTACGAGGACCCTGAGGTTAAGTTCAACTGGTACGTTGATGGCGTAGA AGTCCACAATGCAAAGACCAAACCGAGAGAGGAGCAATATAACAGTACATATAGGGTTGTTA GCGTACTTACTGTTTTGCATCAAGACTGGTTGAATGGGAAGGAATATAAATGTAAAGTCTCC AACAAGGCTCTGGCTGCACCAATAGAAAAAACTATTTCTAAGGCAAAGGGTCAGCCTAGAGA GCCTCAAGTCTATACCTTGCCACCGTCAAGAGACGAGCTCACTAAAAATCAGGTGAGCCTGA CCTGTCTTGTGAAGGGCTTTTACCCGTGAGATATTGCCGTGGAGTGGGAATCAAACGGTCAG CCGGAGAATAACTACAAGACGACCCCAACAGTACTCGATAGCGATGGGTCTTCTTTCTGTA CTCCAAGCTCACCGTGGACAAATCACGCTGGCAACAGGGCAACGTCTTTAGTTGCAGCGTAC TGCACGAGGCACTGCACAGCCACTACACACAAAAGAGTCTTTCTGTCTCTCCGGTGGTGGC TCCGATAGTTGGCAGGAAGAAGTCATAAAGCTTTGTGGAAGAGAGCTTGTACGAGCGCAGAT TGCAATCTGCGGGAAGAGCACTGGAGGAGGTGAGGGAGGGGGTGGGGCGGGGGCGAAGGAC GCCAGGACTATTAGCACTTGCAAACAATGCTGCCATGTAGGGTGTACGAAGCGCTCACTG GCCCGTTTTGC

180	ATGGAGACCGACACTTTGCTGCTTTGGGTGTTGCTGCTGTGGGTCCCCGGTAGTACGGGAGA TAAACACATACCTGCCCCCATGCCCAGCCCCGAAGCTGCAGGGGGGCCCTCTGTTTTCC TTTTCCACCCAAACCTAAAGATACTCTGATGATTAGTCGGACTCCGGAAGTGAAGTGTGCTC GTTGTGACGTCTCTCATGAGGATCCAGAAGTTAAGTTTAACTGGTATGTGACGGGGTTGA GGTTCTAATGCAAAAACTAAACCGAGAGAAGAACAGTACAACCTTACTTATAGGGTTGTCA GTGTACTGACCGTCCCTGCACCAGGATTGGCTTAACGGTAAGGAGTATAAGTGTAAAGTGTCC AATAAAGCCCTTGCCGCACCCATCGAGAAAACCATCTCCAAGGCAAAAGGACAGCCAAGGGA ACCGCAGGTATATACACTTCCGCCAAGCCGAGACGAACCTTACGAAGAACCAGGTGTCTCTCA CGTGTCTCGTAAAAGGGTTTTATCCCAGCGATATCGCAGTTGAGTGGGAGAGCAATGGGCAG CCAGAGAATAATTATAAGACAACCCCTCCCGTGCTGGATTTCAGACGGGAGTTTTTTTCTTTA CTCTAAGCTGACCGTAGACAAAAGTCGATGGCAGCAAGGCAACGTCTTTTCTGCTCCGTTC TCCATGAAGCACTGCATAGCCATTATACCCAGAAGTCACTGAGCCTCTCTCCAGGGGGCGGG TCCGATTTCATGGCAGGAAGAGGTAATCAAACCTCTGTGGACGCGAACTGGTTCGCGCGCAGAT AGCGATTTGCGGCAAAAGCACAGGCGGTGGGGAAGGCGGTGGCGAGGGCGGTGGTGAAGGTC GACAAGATTATTCTGCTCTCGCTAACAAGTGTGTGTCATGTAGGATGTACTAAAAGGAGTCTT GCGCAGTTCTGT
181	ATGGAGACGGACACTCTTCTCCTGTGGGTTCTCCTCTTGTGGGTTCCAGGATCTACCGGCGA TAAGACGCACACATGCCCACCCTGTCTGCGCCTGAAGCCGCGGGGGGACCCAGCGTTTTTC TCTTCCCGCCGAAACCGAAAGACACACTTATGATCAGCCGGACTCCCAGGTTACCTGCGTG GTGGTAGATGTATCTCACGAGGATCCCAGGTCAAATTCAACTGGTACGTTGATGGGGTTGA AGTTCTAATGCCAAAACGAAGCCAAGAGAAGAGCAGTATAACTCCACATATAGAGTTGTTT CCGTCTTGACTGTTCTTACCAAGATTGGCTGAATGGGAAGGAGTACAAATGTAAAGTTAGC AACAAGGCACTCGCCGCTCCCATTGAAAAACTATAAGCAAAAGCTAAGGGCCAACCGCGCGA ACCACAGGTCTACACGTTGCCGCCCTCTAGGGACGAACCTCACGAAGAATCAGGTTTCCCTTA CCTGCCTCGTTAAAGGATTCTACCCCTCTGACATAGCGGTTGAATGGGAGAGCAACGGTCAG CCTGAGAACAACCTACAAAACGACGCCTCCGGTGTTGGATTCCGACGGTAGTTTTTCTCTA TAGTAAGCTGACAGTGGATAAATCTCGGTGGCAGCAAGGGAATGTATTCTCCTGTTTCAGTCC TGCATGAAGCCCTCCACTCCCATTATACACAGAAATCTCTTTCTCTGAGTCCCGGTAAAGGT GGGAGTGACTCTTGGCAGGAAGAGGTAATTAAGTTGTGTGGAAGGGAGCTGGTAAGAGCACA GATTGCCATCTGTGGCAAATCCACGGGCGGCGAAGGTGAGGGGGGTGAGGGGGAAGGGGGGT CCAGACAACGTATTCTGCTCTGGCGAATAAGTGTGTCATGTAGGTTGCACTAACCGGTCC TTGGCGCAGTTCTGT
182	ATGGAGACTGACACACTGCTCCTCTGGGTCTTTTGTCTGCGGTCCGGGGTCCACCGGTGA TAAACTCATACGTGCCCACCTTGCCCCGCACCGGAGGCTGCTGGAGGACCTCTGTCTTCC TGTTCCCGCCGAAGCCTAAAGACACATTGATGATCAGTCGAACACCGGAAGTCACTGTGTA GTGGTTGATGTGAGCCATGAGGACCCTGAAGTAAAATTTAACTGGTATGTTGATGGCGTAGA AGTACACAACGCGAAGACTAAACCAAGGGAAGAGCAATACAACCTTACCTATAGGGTCGTTA GCGTACTGACTGTGCTTACCAAGACTGGCTTAACGGGAAGGAGTACAAGTGCAAAGTGAGC AATAAGGCCCTCGCCGCGCCTATCGAGAAAACCATTTCAAAGCCAAGGGTCAACCAAGGGA GCCTCAGGTTTACACCCTGCCCCCTTCAAGGGATGAGTTGACAAAAAACAGGTAAGTCTGA CGTGTCTCGTTAAGGGATTCTACCCGTGAGATATCGCGGTAGAGTGGGAGAGCAACGGTCAG CCAGAAAATAATTACAAAACAACACCTCCAGTTTTGGACTCTGATGGGAGTTTTTTTCTTTA TTCTAAGTTGACAGTGGATAAGTCACGCTGGCAACAGGGGAACGTATTTAGCTGCTCAGTAC TTCATGAAGCGTTGCATTCTCACTACACACAGAAGAGCCTCTCCTTGAGTCCCGGAGGTGGC TCTGATTCTTGGCAGGAGGAGGTAATAAACTTTGTGGTAGAGAAGTGGTTCGCGCTCAGAT AGCTATTTGTGGAAAATCCACTGGCGGTGAAGGTGAAGGTGGAGAAGGAGAGGGCGGAAGCC GGCAGTTGTAAGTCTGCCCTGGCTAATAAGTGCTGTACGTGGGCTGCACTAAGCGGAGCTTG GCAAGATTTTGC
183	ATGGAAACCGACACGCTGCTGCTGTGGGTGCTGTTGTTGTGGGTTCCAGGCTCAACTGGCGA TAAACTCATACCTGTCCACCTTGTCCTGCGCCTGAGGCAGCTGGAGGGCCTAGCGTGTTCC TGTTCCCCCCCCAAACCCAAAGACACGCTCATGATTAGCCGAACCCCTGAAGTGACCTGCGTT

	GTTGTGGACGTAAGCCACGAAGACCCCGAAGTTAAGTTTAATTGGTACGTCGACGGTGTGA GGTTCATAACGCGAAGACTAAGCCGAGAGAGGAGCAATATAACAGCACCTACCGCGTAGTCT CAGTTCTTACCGTGCTCCACCAGGACTGGCTTAACGGGAAGGAATACAAATGCAAAGTTTCC AACAAAGCCTTGGCAGCCCCAATAGAGAAGACAATATCTAAGGCGAAAGGCCAACCGCGGA ACCGCAAGTTTATACCCTCCCACCGAGCAGGGATGAGCTGACAAAAAATCAGGTTTCCCTCA CTTGTCTGGTCAAGGGATTTTATCCTTCAGACATAGCCGTTGAATGGGAGAGTAATGGGCAG CCGGAGAATAATTACAAGACCACCCCCCGGTGTTGGACAGCGACGGTTCCTTCTTTCTCTA TTCTAAACTTACCGTCGACAAATCACGGTGGCAACAAGGAAATGTATTCTCATGCAGTGTAT TGCACGAAGCTCTGCACTCTCATTACACCCAAAAATCCCTCTCTCTCAGCCCTGGCGGTGGA TCTGATTCTTGGCAGGAAGAGGTGATTAACTGTGTGGGCGAGAGCTTGTCCGAGCTCAGAT CGCTATTTGTGGCAAGAGTACCGGAGGCGAGGGTGAGGGAGGCGAAGGCGAGGGCGGAAGCC GGCAACTCTATAGCGCACTCGCTAATAAATGTTGTCTATGTCGGCTGCACGAAGCGCTCACTG GCGCAGTTCTGC
184	ATGGAGACGGACACACTGCTCTTGTGGGTACTGCTCCTTTGGGTGCCAGGAAGTACAGGAGA CAAAACGCATACCTGTCTCCATGCCCCGCTCCCGAGGCTGCCGGCGGACCAAGCGTATTTT TCTTCCCCCTAAACCTAAAGACACATTGATGATAAGTAGGACGCCTGAAGTAACGTGTGTT GTCGTTGATGTAAGCCATGAAGATCCTGAAGTAAAGTTTAATTGGTATGTTGATGGCGTAGA AGTACATAACGCTAAGACGAAGCCACGGGAAGAGCAGTATAACTCAACTTACCGCGTTGTAA GCGTGCTTACCGTCTCTGCATCAGGATTGGCTGAATGGTAAGGAATATAAGTGCAAAGTAAGC AACAAAGCATTGGCCGCACCAATAGAGAAGACGATTAGTAAAGCAAAAGGCCAGCCCAGAGA GCCGCAGGTTTATACACTTCCACCAAGCAGAGATGAACTTACGAAGAACCAGGTGTCTCTGA CTTGTCTGGTCAAGGGTTTCTATCCTTCCGACATTGCAGTGGAGTGGGAAAGCAATGGGCAG CCGAAAACAATTATAAGACGACACCTCCAGTGTGGACTCAGACGGTTCCTTTTTCTTTGTA TTCCAAACTTACAGTGGATAAGTCAAGGTGGCAGCAAGGCAACGTATTTTCTTGTAGTGTTT TGCACGAAGCCCTGCATTCCCCTATACTCAAAGAGCCTCAGTCTGTCCCCAGGAAAGGGA GGGAGTGACAGTTGGCAAGAGGAGGTAATAAAATTGTGTGGCAGAGAGCTTGTGCGCGCTCA GATCGCAATATGCGGGAATCTACTGGGGGTGAGGGTGAGGGCGGCGAGGGAGAGGGGGCA GTCGCCAAGATTATTCGCCCTTGCGAATAAGTGTGTACGTGCGATGTACTAAGAGATCA TTGGCTCAGTTTTGT

[0124] In some embodiments, any of the nucleotide sequences shown in Table 8 further comprise additional nucleotide sequence on their 5' and/or 3' ends. In some embodiments, any of the nucleotide sequences shown in Table 8 further comprise the nucleotide sequence

5 ACGGGACCGATCCAGCCTCCGGACTCTAGAGCCACC (SEQ ID NO: 185) on their 5' ends and/or any of the nucleotide sequences shown in Table 8 further comprise the nucleotide sequence TGATAAACCGGTTAGTAATGAGTTTGATATCTCGAC (SEQ ID NO: 186) on their 3' ends.

10 **Pharmaceutical Compositions**

[0125] The present disclosure provides pharmaceutical compositions comprising the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them. The pharmaceutical compositions described herein are formulated with suitable carriers, excipients, and other agents that provide improved transfer,

delivery, tolerance, and the like. A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: *Remington's Pharmaceutical Sciences*, Mack Publishing Company, Easton, PA. These formulations include, for example, powders, pastes, ointments, jellies, waxes, oils, lipids, lipid (cationic or anionic) containing vesicles (such as LIPOFECTINTM, Life Technologies, Carlsbad, CA), DNA conjugates, anhydrous absorption pastes, oil-in-water and water-in-oil emulsions, emulsions carbowax (polyethylene glycols of various molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax. *See also*, Powell et al., "Compendium of excipients for parenteral formulations" PDA (1998) *J Pharm Sci Technol* 52:238-311.

10 [0126] The dose of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them administered to a patient may vary depending upon the age and the size of the patient, target disease, conditions, route of administration, and the like. The preferred dose is typically calculated according to body weight or body surface area. Depending on the severity of the condition, the frequency and the duration of the treatment can be adjusted. Effective dosages and schedules for administering the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them may be determined empirically; for example, patient progress can be monitored by periodic assessment, and the dose adjusted accordingly. Moreover, interspecies scaling of dosages can be performed using well-known methods in the art (*e.g.*, Mordenti et al., 1991, *Pharmaceut. Res.* 8:1351).

15 [0127] Various delivery systems are known and can be used to administer the pharmaceutical composition disclosed herein, *e.g.*, encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the mutant viruses, receptor mediated endocytosis (*see, e.g.*, Wu et al., 1987, *J. Biol. Chem.* 262:4429-4432). Methods of introduction include, but are not limited to, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The composition may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (*e.g.*, oral mucosa, rectal and intestinal mucosa, *etc.*) and may be administered together with other biologically active agents. Administration can be systemic or local.

25 [0128] Any pharmaceutical composition described herein can be delivered subcutaneously or intravenously with a standard needle and syringe. In addition, with respect to subcutaneous delivery, a pen delivery device readily has applications in delivering a pharmaceutical composition disclosed herein. Such a pen delivery device can be reusable or disposable. A

reusable pen delivery device generally utilizes a replaceable cartridge that contains a pharmaceutical composition. Once all of the pharmaceutical composition within the cartridge has been administered and the cartridge is empty, the empty cartridge can readily be discarded and replaced with a new cartridge that contains the pharmaceutical composition. The pen delivery device can then be reused. In a disposable pen delivery device, there is no replaceable cartridge. Rather, the disposable pen delivery device comes prefilled with the pharmaceutical composition held in a reservoir within the device. Once the reservoir is emptied of the pharmaceutical composition, the entire device is discarded.

[0129] In certain situations, the pharmaceutical composition can be delivered in a controlled release system. In one embodiment, a pump may be used (*see*, Langer, *supra*; Sefton, 1987, *CRC Crit. Ref. Biomed. Eng.* 14:201). In another embodiment, polymeric materials can be used; *see*, *Medical Applications of Controlled Release*, Langer and Wise (eds.), 1974, CRC Pres., Boca Raton, Florida. In yet another embodiment, a controlled release system can be placed in proximity of the composition's target, thus requiring only a fraction of the systemic dose (*see*, *e.g.*, Goodson, 1984, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138). Other controlled release systems are discussed in the review by Langer, 1990, *Science* 249:1527-1533.

[0130] The injectable preparations may include dosage forms for intravenous, subcutaneous, intracutaneous and intramuscular injections, drip infusions, *etc.* These injectable preparations may be prepared by methods publicly known. For example, the injectable preparations may be prepared, *e.g.*, by dissolving, suspending, or emulsifying any of the fusion proteins described herein in a sterile aqueous medium or an oily medium conventionally used for injections. As the aqueous medium for injections, there are, for example, physiological saline, an isotonic solution containing glucose and other auxiliary agents, *etc.*, which may be used in combination with an appropriate solubilizing agent such as an alcohol (*e.g.*, ethanol), a polyalcohol (*e.g.*, propylene glycol, polyethylene glycol), a nonionic surfactant [*e.g.*, polysorbate 80, HCO-50 (polyoxyethylene (50 mol) adduct of hydrogenated castor oil)], *etc.* As the oily medium, there are employed, *e.g.*, sesame oil, soybean oil, *etc.*, which may be used in combination with a solubilizing agent such as benzyl benzoate, benzyl alcohol, *etc.* The injection thus prepared is preferably filled in an appropriate ampoule.

[0131] Advantageously, the pharmaceutical compositions for oral or parenteral use described above are prepared into dosage forms in a unit dose suited to fit a dose of the active ingredients. Such dosage forms in a unit dose include, for example, tablets, pills, capsules, injections (ampoules), suppositories, *etc.* The amount of the aforesaid fusion protein contained is

generally about 5 to about 500 mg per dosage form in a unit dose; especially in the form of injection, it is preferred that the aforesaid fusion protein is contained in about 5 to about 100 mg and in about 10 to about 250 mg for the other dosage forms.

5 Therapeutic Uses

Monotherapy

[0132] The present disclosure provides methods comprising administering to a subject in need thereof a therapeutic composition comprising the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them. The therapeutic composition can comprise any of the fusion proteins or component peptides as disclosed herein and a pharmaceutically acceptable carrier or diluent. As used herein, the expression “a subject in need thereof” means a human or non-human animal that exhibits one or more symptoms or indicia of a relaxin-2 associated disorder or disease, or who otherwise would benefit an increase or decrease in relaxin-2 activity. The fusion proteins or component peptides described herein and the expression vectors that encode them (and therapeutic compositions comprising the same) are useful, *inter alia*, for treating any disease or disorder in which activation or deactivation of RXFP1 is beneficial.

[0133] In certain embodiments, the present disclosure provides methods for activating RXFP1 on a cell surface, comprising administering an effective amount of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them to a subject in need thereof, thereby activating RXFP1 on the surface of the cell. Activation of RXFP1 on the cell surface can lead to cellular responses, including but not limited to, the elevation of cAMP levels, vasodilation, the expression of angiogenic factors, including VEGF, the expression of MMPs, and collagen degradation. In some embodiments, the cell is selected from the group consisting of endothelial cells, vascular smooth muscle cells, other vascular cells, cardiomyocytes, other cardiac cells, and fibroblasts.

[0134] This disclosure also provides methods for treating various relaxin-2 associated diseases. As used herein, the term “relaxin-2-associated disease,” is a disease or disorder that is caused by, or associated with, relaxin-2 protein production or relaxin-2 protein activity. The term “relaxin-2-associated disease” includes a disease, disorder or condition that would benefit from an increase in relaxin-2 protein activity. Non-limiting examples of relaxin-2-associated diseases include, for example, kidney diseases, including but not limited to, focal segmental glomerular sclerosis (FSGS), diabetic nephropathy, hepatorenal syndrome; fibrotic diseases, including but not limited to, scleroderma, idiopathic pulmonary fibrosis, renal fibrosis, cardiac

fibrosis, NASH; cardiovascular diseases, including dilated cardiomyopathy, diastolic heart failure, pulmonary arterial hypertension, chronic heart failure, acute heart failure, congestive heart failure, coronary artery disease, hypertension, pre-eclampsia. Further details regarding signs and symptoms of the various diseases or conditions are provided herein and are well known in the art.

[0135] Administration of the compositions according to the methods described herein may result in a reduction of the severity, signs, symptoms, or markers of a relaxin-2-associated disease or disorder in a patient with a relaxin-2-associated disease or disorder. By “reduction” in this context is meant a statistically significant decrease in such level. The reduction (absolute reduction or reduction of the difference between the elevated level in the subject and a normal level) can be, for example, at least about 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, or 95%, or to below the level of detection of the assay used.

Combination Therapies and Formulations

[0136] The present disclosure also provides compositions and therapeutic formulations comprising the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them in combination with one or more additional therapeutically active components, and methods of treatment comprising administering such combinations to subjects in need thereof.

[0137] Exemplary additional therapeutic agents include any therapeutic agents that may be used for the treatment of any relaxin-2-related disorders described herein. Exemplary additional therapeutic agents that may be combined with or administered in combination with the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them include, but are not limited to, angiotensin II receptor blockers, *e.g.*, azilsartan, candesartan, eprosartan, losartan, ACE inhibitors, *e.g.*, lisinopril, benazepril, captopril, enalapril, moexipril, perindopril, quinapril, trandolapril, calcium channel blockers, *e.g.*, amlodipine, amlodipine and benazepril, amlodipine and valsartan, diltiazem, felodipine, isradipine, nifedipine, nimodipine, nisoldipine, verapamil, or diuretics, *e.g.*, chlorthalidone, hydrochlorothiazide, metolazone, indapamide, torsemide, furosemide, bumetanide, amiloride, triamterene, spironolactone, eplerenone, aldosterone antagonist, *e.g.*, spironolactone, eplerenone, digoxin, *e.g.*, lanoxin, beta blockers, *e.g.*, carvedilol, metoprolol, bisoprolol.

[0138] In some embodiments, the additional therapeutic agents are drugs effective in treating fibrosis, including but not limited to, small molecule drugs and antibodies. Exemplary anti-

fibrosis drugs include, but are not limited to, TGF- β inhibitors, *e.g.*, small molecules such as hydronidone, distiartide, or antibodies such as fresolimumab, PDGF or VEGF antagonist, *e.g.*, small molecules such as imatinib, nilotinib, or any drugs that target extracellular factors that are involved in the pathogenesis of fibrosis. The description of exemplary drugs for fibrosis can be found, *e.g.*, Li et al., “Drugs and Targets in Fibrosis, *Frontiers in Pharm.*” 8: Article 855 (2007), incorporated herein by reference.

[0139] The additional therapeutically active component(s) may be administered just prior to, concurrent with, or shortly after the administration of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them.

10 [0140] The present disclosure provides pharmaceutical compositions in which the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them is co-formulated with one or more of the additional therapeutically active component(s) as described elsewhere herein.

15 *Administration Regimens*

[0141] In some embodiments, multiple doses of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them may be administered to a subject over a defined time course. The methods according to this aspect of the disclosure comprise sequentially administering to a subject multiple doses of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them. As used herein, “sequentially administering” means that each dose of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them is administered to the subject at a different point in time, *e.g.*, on different days separated by a predetermined interval (*e.g.*, hours, days, weeks, or months). The present disclosure provides methods which comprise sequentially administering to the patient a single initial dose of a fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, followed by one or more secondary doses of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, and optionally followed by one or more tertiary doses of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them.

[0142] The terms “initial dose,” “secondary doses,” and “tertiary doses,” refer to the temporal sequence of administration of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them. Thus, the “initial dose”

is the dose which is administered at the beginning of the treatment regimen (also referred to as the “baseline dose”); the “secondary doses” are the doses which are administered after the initial dose; and the “tertiary doses” are the doses which are administered after the secondary doses. The initial, secondary, and tertiary doses may all contain the same amount of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, but generally may differ from one another in terms of frequency of administration. In certain embodiments, however, the amounts of fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them contained in the initial, secondary and/or tertiary doses varies from one another (*e.g.*, adjusted up or down as appropriate) during the course of treatment. In certain embodiments, two or more (*e.g.*, 2, 3, 4, or 5) doses are administered at the beginning of the treatment regimen as “loading doses” followed by subsequent doses that are administered on a less frequent basis (*e.g.*, “maintenance doses”).

[0143] In one exemplary embodiment, each secondary and/or tertiary dose is administered 1 to 26 (*e.g.*, 1, 1½, 2, 2½, 3, 3½, 4, 4½, 5, 5½, 6, 6½, 7, 7½, 8, 8½, 9, 9½, 10, 10½, 11, 11½, 12, 12½, 13, 13½, 14, 14½, 15, 15½, 16, 16½, 17, 17½, 18, 18½, 19, 19½, 20, 20½, 21, 21½, 22, 22½, 23, 23½, 24, 24½, 25, 25½, 26, 26½, or more) weeks after the immediately preceding dose. The phrase “the immediately preceding dose,” as used herein, means, in a sequence of multiple administrations, the dose of fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, which is administered to a patient prior to the administration of the very next dose in the sequence with no intervening doses.

[0144] The methods according to this aspect of the disclosure may comprise administering to a patient any number of secondary and/or tertiary doses of fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them. For example, in certain embodiments, only a single secondary dose is administered to the patient. In other embodiments, two or more (*e.g.*, 2, 3, 4, 5, 6, 7, 8, or more) secondary doses are administered to the patient. Likewise, in certain embodiments, only a single tertiary dose is administered to the patient. In other embodiments, two or more (*e.g.*, 2, 3, 4, 5, 6, 7, 8, or more) tertiary doses are administered to the patient.

[0145] In embodiments involving multiple secondary doses, each secondary dose may be administered at the same frequency as the other secondary doses. For example, each secondary dose may be administered to the patient 1 to 2 weeks after the immediately preceding dose. Similarly, in embodiments involving multiple tertiary doses, each tertiary dose may be

administered at the same frequency as the other tertiary doses. For example, each tertiary dose may be administered to the patient 2 to 4 weeks after the immediately preceding dose. Alternatively, the frequency at which the secondary and/or tertiary doses are administered to a patient can vary over the course of the treatment regimen. The frequency of administration
5 may also be adjusted during the course of treatment by a physician depending on the needs of the individual patient following clinical examination.

[0146] In one embodiment, one or more of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them are administered to a subject as a weight-based dose. A “weight-based dose” (*e.g.*, a dose in
10 mg/kg) is a dose of the protein or peptides that will change depending on the subject’s weight.

[0147] In another embodiment, one or more of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, is administered to a subject as a fixed dose. A “fixed dose” (*e.g.*, a dose in mg) means that one dose of the fusion proteins or component peptides described herein or the nucleic acid
15 molecules, or the expression vectors that encode them is used for all subjects regardless of any specific subject-related factors, such as weight. In one particular embodiment, a fixed dose of fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them is based on a predetermined weight or age.

[0148] In general, a suitable dose of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them can be in the range
20 of about 0.001 to about 200.0 milligram per kilogram body weight of the recipient, generally in the range of about 1 to 50 mg per kilogram body weight. For example, the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them can be administered at about 0.1 mg/kg, about 0.2 mg/kg, about 0.5 mg/kg,
25 about 1 mg/kg, about 1.5 mg/kg, about 2 mg/kg, about 3 mg/kg, about 5 mg/kg, about 10 mg/kg, about 15 mg/kg, about 20 mg/kg, about 25 mg/kg, about 30 mg/kg, about 40 mg/kg, about 50 mg/kg per single dose. Values and ranges intermediate to the recited values are also intended to be part of this disclosure.

[0149] In some embodiments, one or more of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them is
30 administered as a fixed dose of between about 10 mg to about 2500 mg. In some embodiments, the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them are administered as a fixed dose of about 10 mg, about 15 mg, about 20 mg, 25 mg, about 30 mg, about 50 mg, about 75 mg, about 100 mg, about 125

mg, about 150 mg, about 175 mg, 200 mg, about 225 mg, about 250 mg, about 275 mg, about 300 mg, about 325 mg, about 350 mg, about 375 mg, about 400 mg, about 425 mg, about 450 mg, about 475 mg, about 500 mg, about 525 mg, about 550 mg, about 575 mg, about 600 mg, about 625 mg, about 650 mg, about 675 mg, about 700 mg, about 725 mg, about 750 mg, about 775 mg, about 800 mg, about 825 mg, about 850 mg, about 875 mg, about 900 mg, about 925 mg, about 950 mg, about 975 mg, about 1000 mg, about 1500 mg, about 2000 mg, or about 2500 mg. Values and ranges intermediate to the recited values are also intended to be part of this disclosure.

10 **Kits**

[0150] Any of the compositions described herein may be comprised in a kit. In a non-limiting example, the kit comprises one or more of the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them.

15 [0151] The kit may further include reagents or instructions for using the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them in a subject. It may also include one or more buffers.

[0152] The components of the kits may be packaged either in aqueous media or in lyophilized form. The container means of the kits will generally include at least one vial, test tube, flask, bottle, syringe, or other container means, into which a component may be placed, and preferably, suitably aliquoted. Where there is more than one component in the kit (labeling reagent and label may be packaged together), the kit also will generally contain a second, third, or other additional container into which the additional components may be separately placed. The kits may also comprise a second container means for containing a sterile, pharmaceutically acceptable buffer and/or other diluent. However, various combinations of components may be

20 comprised in a vial. The kits of the present disclosure also typically include a means for containing the fusion proteins or component peptides described herein or the nucleic acid molecules, or the expression vectors that encode them, and any other reagent containers in close confinement for commercial sale.

[0153] When the components of the kit are provided in one and/or more liquid solutions, the

25 liquid solution is an aqueous solution, with a sterile aqueous solution being particularly preferred. However, the components of the kit may be provided as dried powder(s). When reagents and/or components are provided as a dry powder, the powder can be reconstituted by the addition of a suitable solvent. It is envisioned that the solvent may also be provided in another container means.

30

EXAMPLES

[0154] The examples of the present disclosure are offered by way of illustration and explanation, and are not intended to limit the scope of the present disclosure.

5

Example 1. Heparin Chromatography for Relaxin-2 Fusion Protein Analogs

Introduction

[0155] Heparin chromatography is a method commonly employed at early candidate screening to better understand a molecule's propensity to interact with elements of the vasculature when dosed in patients. Heparin and heparin sulfate proteoglycans are negatively charged polysaccharides present in vasculature and in tissues, of which positively charged molecules may bind at physiological pH (*i.e.*, pI > 7.4). Here, heparin chromatography was employed to screen for candidates/variants with reduced heparin binding, which is predictive of good PK properties. Materials used for the heparin chromatography are provided in Table 9.

15

Table 9. Materials

Item	Vendor	Cat No.
POROS™ Heparin 2.1x30mm Column	Thermo Fisher	4333411

Methods

[0156] Mobile Phase A (Binding): 20mM Tris pH 7.4
Mobile Phase B (Elution): 20mM Tris pH 7.4 + 1M NaCl
Injection: 10µg
Detection: 220nm

25

1. Equilibrated heparin column using mobile phase A for 10 minutes at 0.5mL/min prior to analysis.
2. Diluted samples for analysis to 1 mg/mL with 20 mM Tris pH 7.4 to minimize ionic strength.
3. Ran the Heparin Chromatography method on the Agilent HPLC, using gradient shown in Table 10, below:

30

Table 10. HPLC Gradient

Time (min)	Flow (mL/min)	%A	%B
0	0.5	100	0
1	0.5	100	0
6	0.5	50	50
6.5	0.5	50	50
7	0.5	0	100
8	0.5	0	100
8.5	0.5	100	0
10	0.5	100	0

4. Included a positive control (no Heparin binding, Human IgG pool) and negative control (SE301 or AT1R).
5. Analyzed samples for retention time and reported relative retention time compared to the positive control (*i.e.*, RT sample/RT positive control).
6. Calculated the approximate concentration of NaCl needed to elute using the following calculation:

$$[NaCl] = (RT\ sample - 1) * 100$$

[0157] The results of the calculation are shown in Table 11.

10

Table 11. Retention Time, Relative Retention Time, and NaCl Concentration for Samples

Sample	RT	RRT	[NaCl]
Positive Control	1.5	N/A	50
Negative Control	3.5	2.3	250
Sample	2.0	1.3	100

Results

- 15 [0158] Table 12 shows the results of the heparin chromatography for a variety of relaxin-2 analog fusion proteins.

20

Table 12. Heparin Chromatography

		Heparin Chromatography	
Sample	Theoretical pI	RT	~[NaCl] (mM) at elution
IgG	N/A	2.0	20
Prior fusion protein	8.5 (9.4*)	4.6	278
SEQ ID NO: 53	8.2	3.9	208
SEQ ID NO: 55	7.9	3.3	152
SEQ ID NO: 56	7.9	3.4	163
SEQ ID NO: 58	7.6	2.7	91
SEQ ID NO: 59	7.6	2.8	99
SEQ ID NO: 61	7.2	2.4	62
SEQ ID NO: 62	7.2	2.5	70
SEQ ID NO: 63	6.8	2.2	39
SEQ ID NO: 64	6.8	2.2	43
SEQ ID NO: 191	8.4	3.6	183
SEQ ID NO: 192	8.3	3.2	140

*Experimentally determined using imaged capillary isoelectric focusing.

[0159] IgG is from Jackson ImmunoResearch (Catalog # 009-000-003). The “Prior fusion protein” is a LALA IgG-RelB-Linker-RelA fusion with a theoretical pI of 8.5, but an experimentally determined pI of 9.4. Its linker protein comprises only one acidic amino acid. SEQ ID NOs: 53, 56, 58, 59, and 61-64 have linker proteins comprising at least two acidic amino acids as well as LALA IgG (SEQ ID NO: 50 or 201). The final two fusion proteins have linker proteins comprising only one acidic amino acid and have higher theoretical pI's. As shown in Table 12, above, there is a correlation between lower pI and lower non-specific binding found through heparin chromatography.

Example 2. Low pI Relaxin-2 Fusion Protein Analogs Tend to Have Decreased Self Association as Measured by Affinity-Capture Self-Interaction Nanoparticle Spectroscopy (AC-SINS)

Introduction

[0160] Understanding a molecule's propensity to self-associate is critical when evaluating biophysical properties of a development candidate. There are numerous ways to evaluate a

molecule's propensity to self-associate, concentrating the molecule to high concentrations and evaluating by SEC (%Monomer) or measuring changes in turbidity (OD 340nm), using DLS to calculate the second virial coefficient (B_{22}) or self-interaction coefficient (k_d), or using AC-SINS ($\Delta\lambda_{\max}$). All three of these methods provide useful information but use different amounts of material to perform the evaluation. AC-SINS has emerged as a high throughput method for evaluating self-association using minimal material but still giving locally high concentrations by using affinity capture on gold nanoparticles. In short, gold nanoparticles are pre-coated with anti-human antibodies (Fc, Fab and H+L), which when incubated with target antibodies in dilute solutions, capture and concentrate in solution the antibody of interest. When the immobilized molecules of interest interact, the inter-particle distances decrease between gold nanoparticles, leading to increased plasmon wavelengths (*i.e.*, red shift) that can be quantified using UV-VIS spectroscopy. Materials used for the spectroscopy are provided in Table 13.

Table 13. Materials

Item	Vendor	Cat No.
1M sodium acetate pH 4.3	Molecular Dimensions	MD2-019-PH
1x DPBS	Gibco	14190-136
Panitumumab (Low Assoc Ctrl)	MyBioSource	MBS156169
Ipilimumab (Med Assoc Ctrl)	MyBioSource	MBS156153
Ganitumab (High Assoc Ctrl)	MyBioSource	MBS156142
20 nm gold nanoparticles	Ted Pella	15705
PEG methyl ether thiol (2kDa)	Sigma	729140
Goat anti-Human IgG, Fcγ	Jackson ImmunoResearch	109-005-098
Goat non-specific mAb	Jackson ImmunoResearch	005-000-003
Zeba Desalting Columns 40K 5 mL	Thermo Fisher	87770
Zeba Desalting Columns 40K 2 mL	Thermo Fisher	87768
Zeba Desalting Columns 40K 0.5 mL	Thermo Fisher	87766
Costar 384-well Polystyrene plates	Fisher Scientific	12-565-506
96-well Polypropylene plates	Grenier Bio-One	652230P

Methods

Preparing Buffer Solutions

[0161] To prepare 20mM sodium acetate pH 4.3, 2mL 1M sodium acetate pH 4.3 stock was diluted to 100mL with MilliQ water. pH was measured 4.3 ± 0.1 and the solution was sterile filtered. The solution remained stable at room temperature for 1 month.

[0162] To 1g PEG methyl ether thiol, was added 10mL MilliQ water. This was vortexed briefly to suspend solids, making a 50 mM solution. To prepare a 10μM solution for final dilution, the dilution scheme below was followed:

- a. Dilute 50mM stock to 1mM (20μL 50mM stock + 980μL MilliQ water)
- 5 b. Dilute 1mM step to 100μM (10μL 1mM stock + 90μL MilliQ water)
- c. Dilute 100μM step to 10μM (100μL 100μM stock + 900μL MilliQ water)
- d. Volumes can be scaled according to number of samples to assay
- e. Remaining 50mM stock should be aliquoted and kept at -20°C until needed

Preparing Gold NanoParticle Solution

10 [0163] Goat anti-human Fc IgG antibody (capture) and goat IgG antibody (non-capture) were buffer exchanged into 20 mM sodium acetate, pH 4.3. After buffer exchange, concentrations were normalized to 0.4 mg/mL for both antibodies.

 [0164] A 4:1 volume ratio mixture of capture (anti-Fc):non-capture (Goat IgG) solution was prepared for 80% capture capacity coating solution to be used to incubate gold nanoparticles
15 (AuNPs).

 [0165] A 9:1 volume ratio of AuNPs:coating solution was made. The solution was incubated at room temperature, overnight in the dark.

 [0166] After incubation, thiolated PEG was added to 0.1 μM final concentration from the diluted 10 μM stock to block empty sites on the AuNPs (*i.e.*, 5mL solution of AuNPs, add 50μL
20 10μM stock) and incubated at RT for one hour in the dark.

Preparing AuNP Solution

 [0167] 2mL of coated AuNP solution was centrifuged at 20,000 x g for 15 minutes to sediment the AuNPs and 1800μL supernatant was carefully removed using a 1mL pipette. The pelleted AuNPs were gently resuspended using a 200μL pipette to generate a 10x concentrated stock of
25 coated AuNPs.

Preparing Target Antibody Solution (either method follows this)

 [0168] For each sample analyzed, 10μL of AuNP concentrate was incubated with 100μL antibody test solution (normalize to 0.05 mg/mL) at room temperature in the dark for 2 hours in a 96-well polypropylene plate. Two blank solutions were prepared with 10μL 10x AuNP
30 concentrated to 100μL PBS for purposes of blanking the assay and determining wavelength shift upon addition of test antibody. Ganitumab was included as a positive control (high association, red shift) and Panitumumab as a negative control (no association, no UV shift). Each sample was prepared in duplicate for analysis.

[0169] After the 2-hour incubation, 100 μ L of resulting solution was transferred to a UV transparent polystyrene plate (384-well format). Two blank solutions were transferred to properly assess wavelength shift, then add duplicate standards and samples for analysis. The plate was then centrifuged for 1 minute at 1000 x g to level the solutions in the wells.

- 5 [0170] Absorbance data are collected from 510 to 570 nm in 2 nm steps to determine wavelength shifts for each sample relative to AuNPs alone.

Results

[0171] The results from ASCINS are shown below in Table 14.

10

Table 14. pI Variants Have Decreased Self- Association Propensity

Sample	Isoelectric Point (Calculated)	$\Delta\lambda_{max}$
Prior fusion protein (Control)	8.5	15.2
Prior fusion protein (LALA)	8.5	15.9
SEQ ID NO: 53	8.2	7.5
SEQ ID NO: 54	7.9	1.2
SEQ ID NO: 55	7.9	7.0
SEQ ID NO: 56	7.9	6.7
SEQ ID NO: 58	7.6	1.8
SEQ ID NO: 59	7.6	1.9
SEQ ID NO: 61	7.2	-0.6
SEQ ID NO: 62	7.2	-0.4
SEQ ID NO: 63	6.8	0.4
SEQ ID NO: 64	6.8	0.4
SEQ ID NO: 191	8.4	10.1
SEQ ID NO: 192	8.3	6.1

[0172] As shown in Table 14, above, fusion proteins with low pI also have a tendency to show low self-aggregation.

15

Example 3. Relaxin-2 Fusion Protein Analogs Induce cAMP Response in RXFP1 Transfected Cells

Methods

[0173] HEK293 cells were seeded into a 96-well tissue culture plate followed by transient co-transfection with a human RXFP1 and a pGloSensor-22F plasmid. Transfected cells were stimulated by relaxin-2 or fusion protein analogs thereof, inducing Gs-mediated cAMP signaling. cAMP is assayed using the activity of the GloSensor biosensor, which is a mutant luciferase fused to a cAMP binding domain, leading to a production of light in the presence of its substrate luciferin. This readout of relative luminescent units (RLU) is used as a proxy for cAMP response.

10 *Reagents*

- 96-well tissue-culture treated plates. White with clear bottom. (Corning #3610)
- HEK293 cells (ATCC CRL-1573)
- Poly-D-lysine (Gibco A3890401)
- DPBS (No calcium, no magnesium; Gibco 14190250)
- 15 ▪ DMEM (High glucose with L-glutamine and Sodium Pyruvate; Gibco 11995065)
- TrypLE Express (Gibco 12605010)
- FBS (HyClone™, Australian origin; Cytiva SH30084)
- Penicillin-Streptomycin (Gibco 15140122)
- CO₂-independent media (Gibco 18045088)
- 20 ▪ Opti-MEM™ I Reduced Serum media (Gibco 31985062)
- pGloSensor™-22F cAMP plasmid (Promega Cat. #E2301)
- D-luciferin, Potassium Salt (GoldBio LUCK-1G)
- FuGENE HD transfection reagent (Promega #E2311)
- Reservoirs (Corning/Axygen RES-V-25-SI)
- 25 ▪ Relaxin-2 (R&D Biosystems 6586-RN-025)
- RXFP1-containing plasmid (pcDNA5/FRT/TO-human RXFP1, full-length)
- Forskolin (Sigma F6886)
- Plate reader capable of reading luminescence (CLARIOstar Plus)

30 *Reagent preparation*D-luciferin, Potassium Salt:

[0174] D-luciferin was reconstituted in 10 mM HEPES, pH 7.5 at 25 mg/mL (78.5 mM; MW = 318.4). This was aliquoted into single-use aliquots of ~200-500 µL in sterile microfuge tubes and stored at -80°C.

Relaxin-2 peptide:

[0175] Relaxin-2 peptides or relaxin-2 fusion protein analogs were reconstituted at 0.1 mg/mL in sterile DPBS (MW = 5,986 Da, $\epsilon = 12,865 \text{ M}^{-1}\text{cm}^{-1}$) and measured at A_{280} to determine final concentration. Aliquots were stored at -20°C .

5 Forskolin:

[0176] Forskolin was reconstituted in 100% DMSO at 5 mM (2.05 mg/mL, MW = 410.5). Aliquots were stored at -20°C .

cAMP assay media:

[0177] CO_2 -independent media was pre-warmed to 37°C using the bead bath. A single aliquot of D-luciferin was thawed and added at 5% final concentration (e.g., 4.75 mL cAMP assay media + 250 μL of D-luciferin stock; gives 1.25 mg/mL or 3.93 mM final D-luciferin). This was used within the same day or discarded.

Cell Culture and Maintenance

15 [0178] HEK293 cells (ATCC CRL-1573) were cultured in DMEM + 10% FBS, 1% (1X or 10 U/mL) Pen-Strep in a humidified CO_2 incubator at 37°C , 5% CO_2 until 80-100% confluency. Cells were typically split 1:6 for 3 days and maintained in a sterile T-75 tissue culture flask.

cAMP Signaling Assay Protocol

20 [0179] This protocol is adapted from the GloSensor cAMP assay by Promega.

[0180] Raw data was exported to Excel using the MARS data analysis software that is opened following a run on the CLARIOstar plate reader. These values are measured in RLU, or relative luminescence units.

[0181] As shown in Table 15, all of the low pI relaxin-2 fusion protein analogs were able to
25 induce a cAMP response in RXFP1 transfected cells.

Table 15. cAMP Response in RXFP1 Transfected HEK293 Cells

Agonist	pEC ₅₀	EC ₅₀ in nM
Relaxin	10.38	0.042
Prior fusion protein (Control)	9.51	0.31
Prior fusion protein (LALA)	9.49	0.33
SEQ ID NO: 53	8.66	2.17
SEQ ID NO: 54	8.10	7.87

SEQ ID NO: 55	8.62	2.41
SEQ ID NO: 56	8.72	1.90
SEQ ID NO: 58	7.83	14.7
SEQ ID NO: 59	7.75	17.7
SEQ ID NO: 61	7.25	56.7
SEQ ID NO: 62	7.18	65.8
SEQ ID NO: 63	6.76	173.3
SEQ ID NO: 64	7.02	96.2
SEQ ID NO: 191	9.37	0.42
SEQ ID NO: 192	8.84	1.46

Example 4. *In vitro* Characteristics of Relaxin-2 Fusion Protein Analogs

Methods

Heparin Chromatography:

- 5 [0182] Heparin chromatography was performed to understand the propensity of a relaxin-2 fusion protein analog to interact with elements of the vasculature and/or rapidly distribute into tissues when dosed in patients. Analogs that were found to bind heparin weakly may be predictive of good pharmacokinetic properties. Briefly, a heparin column was equilibrated using mobile phase A (20 mM Tris pH 7.4) for 10 minutes at 0.5 mL/min prior to analysis. 10
- 10 µg per sample was run using the Heparin Chromatography method on an Agilent HPLC using 280 nm detection, using gradient shown in Table 16, below (mobile phase B: 20 mM Tris pH 7.4, 1 M NaCl):

Table 16. HPLC Gradient

15

Time (min)	Flow (mL/min)	%A	%B
0	0.5	100	0
6	0.5	50	50
7	0.5	0	100
8	0.5	0	100
8.5	0.5	100	0
10	0.5	100	0

A positive control (no Heparin binding, pembrolizumab) and negative control (mild Heparin binding, adalimumab) was included, and samples were analyzed for retention time and relative

retention time compared to the positive control (*i.e.*, RT sample/RT positive control). The approximate concentration of NaCl needed to elute was calculated using the following calculation:

$$[NaCl] = (RT \text{ sample}) * 100$$

5

The results of the calculation are shown in Table 17:

Table 17. Retention Time and NaCl Concentration for Samples

Sample	RT	[NaCl]
Positive Control	1.5	150
Negative Control	3.5	350
Sample	2.0	200

10

Capillary Isoelectric Focusing (cIEF)

[0183] Imaged capillary isoelectric focusing (cIEF) was used to separate differentially charged molecules (*i.e.*, relaxin-2 fusion protein analogs) using electrophoretic mobility in an ampholyte solution to determine their isoelectric points (pI). Molecules were loaded to a capillary and separated based on their pI by allowing molecules to migrate along an electrical field until the molecules reached the pH corresponding to their pI. UV absorption of the whole capillary was measured throughout the separation, which allowed for real-time observation as well as final quantification.

20

Baculovirus Particle (BVP) ELISA

[0184] BVP ELISA was employed to understand the propensity of a relaxin-2 fusion protein analog for non-specific or non-target interactions. BVPs are empty viral capsids with no viral genome, but in the process of production, budding off from the cell membrane allows them to take components of the cell membrane along with them. Thus, the BVPs possess a highly diverse cell surface with many moieties present, which mimic what the molecule of interest (*i.e.*, relaxin-2 fusion protein analog) may encounter *in vivo*. Briefly, BVPs are coated on a plate by adding 25 μ L of BVP solution to each well. BVP solution was made by diluting BVP stock (Medna Scientific; Cat. No. E3001) to 1×10^6 PFU/mL with 0.1 M carbonate buffer, pH 9.6. Following overnight incubation at 5°C, BVP solution was blotted from wells and wells were washed three times with PBST. Plates were blocked with 100 μ L/well of 1x BSA in PBS blocking buffer (Cepham Life Sciences; Cat. No. 10615). Plates were incubated at 25°C on a

30

plate shaker for 1 hour. Blocking solution was blotted from wells and wells were washed three times with PBST. Samples (*i.e.*, relaxin-2 fusion protein analogs) were prepared in duplicate to cover dilution range from 3 μ M to 0.1 nM and added to plates. Plates were incubated at 25°C for 1 hour, after which the wells were blotted and washed three times with PBST. 25 μ L/well of 1:10,000 diluted detection monoclonal antibody (Peroxidase AffiniPure Goat Anti-Human IgG, Fc γ fragment specific; Jackson ImmunoResearch; Cat. No. 50-194-1564) was added, and plates were incubated at 25°C for 1 hour, after which the wells were blotted and washed three times with PBST. 1-Step™ Ultra TMB-ELISA Substrate Solution (Life Technologies; Cat. No. 34029) was then added. After about 2 minutes, 25 μ L 2N HCl was added to quench the reaction, and a plate reader was used to analyze the plate at 450 nm with correction at 570 nm.

Potency Assay

[0185] A transient hRXFP1 assay was performed substantially as described in Example 3.

Affinity-Capture Self-Interaction Nanoparticle Spectroscopy (AC-SINS)

[0186] AC-SINS was performed to understand the propensity of a molecule (*i.e.*, relaxin-2 fusion protein analog) to self-associate. The methodology performed was similar to the method described in Example 2. AuNP solution was prepared as follows: 1.5 mL of coated AuNP solution was centrifuged at 20,000 x g for 5 minutes to sediment the AuNPs and 1,350 μ L was carefully removed using a 1 mL pipette. The pelleted AuNPs were gently resuspended using a 200 μ L pipette to generate a 10x concentrated stock of coated AuNPs. For each sample analyzed, 5 μ L of AuNP concentrate was incubated with 45 μ L antibody test solution (normalized to 0.05 mg/mL) at room temperature in the dark for 2 hours in a 384-well polypropylene plate. After the 2-hour incubation, absorbance data was collected from 450 nm to 650 nm in 1 nm steps to determine wavelength shifts for each sample relative to AuNPs alone.

Nanoscale Differential Scanning Fluorimetry (NanoDSF)

[0187] NanoDSF was performed using the NanoTemper Prometheus Panta to investigate the conformational stability of a relaxin-2 protein fusion analog. Conformational stability was measured by applying a thermal ramp to a solution containing the molecule of interest, measuring the intrinsic fluorescence, backscattering, and using dynamic light scattering (DLS) to provide various thermal stability parameters.

Results

[0188] The results are shown below in Table 18:

Table 18. *In vitro* Characteristics of Relaxin-2 Fusion Protein Analogs

Sample	Heparin Binding		cIEF	BVP ELISA	Potency Assay	AC-SINS	NanoDSF	
	RT	[NaCl] (mM)	Isoelectric point (pI)	Normalized Score	EC50 (nM)	$\Delta\lambda_{\max}$	T _{onset} (°C)	T _{m1} (°C)
Relaxin-2	ND	ND	9.4	N/A	0.1	N/A	N/A	N/A
Prior fusion (SEQ ID NO: 224)	ND	ND	9.0	28	0.3	7	61.4	68.9
SEQ ID NO: 204	3.88	330	8.9	2	2.5	8	60.5	70.4
SEQ ID NO: 205	NT	NT	ND	ND	12.3	1	63.3	70.7
SEQ ID NO: 206	3.32	280	8.5	1	2.9	7	62.8	70.6
SEQ ID NO: 57	3.43	290	8.5	1	2.5	7	61.6	70.6
SEQ ID NO: 207	2.71	230	7.9	1	16.0	2	62.9	70.9
SEQ ID NO: 60	2.79	240	7.9	1	15.8	2	63.0	71.0
SEQ ID NO: 208	2.42	210	7.5	1	60.3	0	63.9	71.1
SEQ ID NO: 209	2.5	210	7.1	1	62.8	0	63.6	71.2
SEQ ID NO: 210	2.19	190	7.1	1	140.0	0	62.4	71.0
SEQ ID NO: 211	2.23	190	ND	1	101.2	0	62.8	70.8
SEQ ID NO: 212	3.63	310	ND	1	0.5	10	62.9	70.8
SEQ ID NO: 213	3.2	270	ND	1	1.8	6	63.0	71.2
SEQ ID NO: 66	2.7	230	8.0	1	4.2	5	63.0	69.9
SEQ ID NO: 68	3	250	8.0	1	3.3	11	61.9	69.3
SEQ ID NO: 70	2.5	210	7.5	1	8.0	7	61.9	69.7
SEQ ID NO: 72	3.1	260	8.0	1	5.8	4	62.6	69.6
SEQ ID NO: 74	2.6	220	7.4	1	10.2	3	62.3	69.9

SEQ ID NO: 76	3	250	7.4	ND	ND	ND	ND	ND
SEQ ID NO: 78	2.3	200	7.1	1	23.4	4	60.9	69.9
SEQ ID NO: 79	2.3	200	7.5	1	117.0	0	61.9	70.0
SEQ ID NO: 80	2.6	220	7.4	1	162.0	0	62.6	69.8
SEQ ID NO: 81	2	170	7.1	1	426.0	0	62.8	70.2
SEQ ID NO: 82	2.6	220	7.5	1	18.9	4	62.3	70.1
SEQ ID NO: 83	2.8	240	7.5	ND	9.3	7	60.9	69.2
SEQ ID NO: 84	2.3	200	7.1	1	41.9	5	61.4	69.9
SEQ ID NO: 85	2.1	180	7.2	1	54.4	0	62.8	70.2

* * *

[0189] The invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described will become apparent to those skilled in the art from the foregoing description and accompanying figures. Such modifications are intended to fall within the scope of the appended claims.

[0190] All references (*e.g.*, publications or patents or patent applications) cited herein are incorporated herein by reference in their entireties and for all purposes to the same extent as if each individual reference (*e.g.*, publication or patent or patent application) was specifically and individually indicated to be incorporated by reference in its entirety for all purposes.

[0191] Other embodiments are within the following claims.

CLAIMS

1. A fusion protein comprising, from N-terminus to C-terminus,
a first peptide;
a linker peptide; and
a second peptide,
wherein:
(a) the first peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 9; or
the first peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 9 and the second peptide comprises an amino acid sequence that differs at 0, 1, 2, 3, 4, or 5 amino acids when compared to the amino acid sequence of SEQ ID NO: 7;
(b) the linker peptide comprises an amino acid sequence with 12-15 amino acids, comprising 2-5 acidic amino acids and 10-13 non-acidic amino acids; and
(c) the fusion protein has a pI from 6.0 to 8.2.
2. The fusion protein of claim 1, wherein the linker peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 195-199,
wherein R₁ is a non-acidic amino acid and R₂ is an acidic amino acid.
3. The fusion protein of claim 1 or 2, wherein the acidic amino acid(s) are aspartate or glutamate.
4. The fusion protein of any one of claims 1-3, wherein the acidic amino acid(s) are glutamate.
5. The fusion protein of any one of claims 1-4, wherein the non-acidic amino acid(s) are glycine, proline, or serine.

6. The fusion protein of any one of claims 1-5, wherein the non-acidic amino acid(s) are glycine.
7. The fusion protein of any one of claims 1-6, wherein the linker peptide comprises the amino acid sequence of one or more of SEQ ID NO: 14, 15, 16, 17, or 18.
8. The fusion protein of any one of claims 1-7, wherein the linker peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 19-23.
9. The fusion protein of any one of claims 1-8, wherein the first peptide comprises the amino acid sequence of SEQ ID NO: 3, wherein X₃ is methionine, lysine, or glutamine, and wherein X₄ is methionine or lysine.
10. The fusion protein of any one of claims 1-8, wherein the first peptide comprises the amino acid sequence of SEQ ID NO: 4, wherein X₅ is arginine or absent, X₆ is leucine or aspartic acid, and wherein X₇ is arginine, glutamine, or glutamate.
11. The fusion protein of any one of claims 1-8 or 10, wherein the second peptide comprises the amino acid sequence of SEQ ID NO: 3, wherein X₃ is methionine, lysine, or glutamine, and wherein X₄ is methionine or lysine.
12. The fusion protein of any one of claims 1-9, wherein the second peptide comprises the amino acid sequence of SEQ ID NO: 4, wherein X₅ is arginine or absent, X₆ is leucine or aspartate, and wherein X₇ is arginine, glutamine, or glutamate.
13. The fusion protein of any one of claims 1-9 or 12, wherein the first peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7.
14. The fusion protein of any one of claims 1-8, 10, or 11, wherein the second peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 5-7.
15. The fusion protein of any one of claims 1-8, 10, 11, or 14, wherein the first peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 8-13.

16. The fusion protein of any one of claims 1-9, 12, or 13, wherein the second peptide comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 8-13.
17. The fusion protein of any one of claims 1-9, 12, 13, or 16, wherein
- the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 8;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 9;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 10;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 11;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 12;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 5 and the second peptide comprises the amino acid sequence of SEQ ID NO: 13;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 8;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 9;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 10;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 11;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 12;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 6 and the second peptide comprises the amino acid sequence of SEQ ID NO: 13;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 8;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 9;
 - the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 10;

the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 11;

the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 12; or

the first peptide comprises the amino acid sequence of SEQ ID NO: 7 and the second peptide comprises the amino acid sequence of SEQ ID NO: 13.

18. The fusion protein of any one of claims 1-8, 10, 11, 14, or 15, wherein

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 8;

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 9;

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 10;

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 11;

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 12;

the second peptide comprises the amino acid sequence of SEQ ID NO: 5 and the first peptide comprises the amino acid sequence of SEQ ID NO: 13;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 8;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 9;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 10;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 11;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 12;

the second peptide comprises the amino acid sequence of SEQ ID NO: 6 and the first peptide comprises the amino acid sequence of SEQ ID NO: 13;

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 8;

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 9;

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 10;

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 11;

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 12; or

the second peptide comprises the amino acid sequence of SEQ ID NO: 7 and the first peptide comprises the amino acid sequence of SEQ ID NO: 13.

19. The fusion protein of any one of claims 1-9, 12, 13, 16, or 17, wherein the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 25-48.

20. The fusion protein of any one of claims 1-19, further comprising an IgG Fc.

21. The fusion protein of claim 20, wherein the IgG Fc comprises the amino acid alanine at EU positions 234 and 235.

22. The fusion protein of claim 20 or 21, wherein the IgG Fc comprises the amino acid alanine at EU position 329.

23. The fusion protein of any one of claims 20-22, wherein the IgG Fc comprises the amino acid alanine at EU positions 234, 235, and 329.

24. The fusion protein of any one of claims 20-23, wherein the IgG Fc comprises the amino acids alanine, alanine, alanine, leucine, and serine at EU positions 234, 235, 329, 428, and 434, respectively.

25. The fusion protein of any one of claims 20-23, wherein the IgG Fc comprises the amino acids lysine, phenylalanine, and tyrosine at EU positions 433, 434, and 436, respectively.

26. The fusion protein of any one of claims 20-25, wherein the IgG Fc comprises the amino acids tyrosine, threonine, and glutamate at EU positions 252, 254, and 256, respectively.

27. The fusion protein of any one of claims 20-26, wherein the IgG Fc comprises the amino acids leucine and serine at EU positions 428 and 434, respectively.
28. The fusion protein of claim 20, wherein the IgG Fc comprises an amino acid sequence at least 85% identical to the amino acid sequence of a human IgG1 Fc.
29. The fusion protein of claim 28, wherein the IgG Fc comprises the amino acid sequence of a human IgG1 Fc.
30. The fusion protein of claim 29, wherein the IgG Fc comprises an amino acid sequence at least 95% identical to an amino acid sequence selected from the group consisting of SEQ ID NOs: 50-52 and 201-203.
31. The fusion protein of claim 29, wherein the IgG Fc comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 50-52 and 201-203.
32. The fusion protein of any one of claims 20-31, wherein the IgG Fc is linked to the N-terminus of the first peptide.
33. The fusion protein of any one of claims 20-31, wherein the IgG Fc is linked to the C-terminus of the second peptide.
34. The fusion protein of any one of claims 1-9, 12, 13, 16, 17, or 19, wherein the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-85 and 204-211.
35. The fusion protein of any one of claims 1-9, 12, 13, 16, 17, or 19, wherein the fusion protein comprises an amino acid sequence selected from the group consisting of SEQ ID NOs: 86-118 and 214-221.
36. The fusion protein of any one of the preceding claims, wherein the first and second peptides do not comprise the amino acid sequence of a peptide selected from the group consisting of SEQ ID NOs: 187-190.

37. A fusion protein comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 53-118 and 204-225.
38. A polynucleotide comprising a nucleotide sequence encoding the fusion protein of any one of claims 1-37.
39. The polynucleotide of claim 38, wherein the polynucleotide is an RNA molecule.
40. The polynucleotide of claim 38, wherein the polynucleotide is a DNA molecule.
41. An expression vector comprising the polynucleotide of any one of claims 38-40.
42. The expression vector of claim 41, wherein the expression vector is a plasmid.
43. The expression vector of claim 41, wherein the expression vector is a viral vector.
44. A host cell comprising the polynucleotide of any one of claims 38-40 or the expression vector of any one of claims 41-42.
45. The host cell of claim 44, wherein the host cell is a prokaryotic cell.
46. The host cell of claim 44, wherein the host cell is a eukaryotic cell.
47. The host cell of claim 45, wherein the prokaryotic cell is an *E. coli* cell or a *Bacillus* cell.
48. The host cell of claim 46, wherein the eukaryotic cell is selected from the group consisting of a yeast cell, an insect cell, and a mammalian cell.
49. The host cell of claim 48, wherein the mammalian cell is selected from the group consisting of a CHO cell, a HeLa cell, and a 293 cell.

50. A population of cells comprising two or more of the host cells of any one of claims 44-49.
51. A method of producing the fusion protein of any one of claims 1-37 comprising culturing the host cell of any one of claims 44-49, under conditions such that the fusion protein is produced.
52. A pharmaceutical composition comprising an effective amount of the fusion protein of any one of claims 1-37, or the polynucleotide of any one of claims 38-40, or the expression vector of any one of claims 41-43.
53. A method of enhancing a relaxin-2-related activity in a primary cell, comprising contacting the primary cell with the fusion protein of any of claims 1-37, thereby enhancing relaxin-2-related activity in the cell.
54. The method of claim 53, wherein the fusion protein activates relaxin-2 receptor (RXFP1) on a cell surface.
55. The method of claim 53 or 54, wherein the method elevates cAMP levels in the primary cell, inducing vasodilation, inducing the expression of angiogenic factors, inducing the expression of MMPs, and inducing collagen degradation.
56. The method of any one of claims 53-55, wherein the primary cell is selected from the group consisting of endothelial cells, vascular smooth muscle cells, other vascular cells, cardiomyocytes, other cardiac cells, and fibroblasts.
57. The method of any one of claims 53-56, wherein the primary cell is within a subject.
58. The method of claim 57, wherein the subject has a relaxin-2-associated disorder.
59. The method of claim 58, wherein the relaxin-2-associated disorder is selected from the group consisting of kidney diseases, fibrotic diseases, and cardiovascular diseases.

60. The method of claim 59, wherein the disorder is selected from the group consisting of focal segmental glomerular sclerosis (FSGS), diabetic nephropathy, hepatorenal syndrome, scleroderma, idiopathic pulmonary fibrosis, renal fibrosis, cardiac fibrosis, NASH, dilated cardiomyopathy, diastolic heart failure, pulmonary arterial hypertension, chronic heart failure, acute heart failure, congestive heart failure, coronary artery disease, hypertension, and pre-eclampsia.

61. A method of treating a relaxin-associated disorder in a subject in need thereof, comprising administering to the subject an effective amount of the fusion protein of any one of claims 1-37, the polynucleotide of any one of claims 38-40, the expression vector of any one of claims 41-43, or the pharmaceutical composition of claim 52, thereby treating the relaxin-associated disorder.

62. The method of claim 61, wherein the relaxin-2-associated disorder is selected from the group consisting of kidney diseases, fibrotic diseases, and cardiovascular diseases.

63. The method of claim 62, wherein the disorder is selected from the group consisting of focal segmental glomerular sclerosis (FSGS), diabetic nephropathy, hepatorenal syndrome, scleroderma, idiopathic pulmonary fibrosis, renal fibrosis, cardiac fibrosis, NASH, dilated cardiomyopathy, diastolic heart failure, pulmonary arterial hypertension, chronic heart failure, acute heart failure, congestive heart failure, coronary artery disease, hypertension, and pre-eclampsia.

64. The method of any one of claims 61-63, wherein the method decreases arterial pressure, increases renal artery blood flow, increases cardiac filling at diastole, resolves established fibrosis, or suppresses new fibrosis development.

65. A kit comprising an effective amount of the fusion protein of any one of claims 1-37, the polynucleotide of any one of claims 38-40, the expression vector of any one of claims 41-43, or the pharmaceutical composition of claim 52, and an instruction of use.